

## Ellen Matthews

---

**From:** Planning <Planning@water.ie>  
**Sent:** Thursday 9 July 2026 16:15  
**To:** SIDS; Bord  
**Subject:** Uisce éireann observation SID - Muingmore Wind Farm (Ref: ABP-318372-23)  
**Attachments:** SID - Muingmore Wind Farm- (Ref ABP-318372-23).pdf

**Follow Up Flag:** Follow up  
**Flag Status:** Flagged

**Categories:** Niamh

**Caution:** This is an **External Email** and may have malicious content. Please take care when clicking links or opening attachments. When in doubt, contact the ICT Helpdesk.

Dear Sir/Madam,

In response to An Coimisiún Pleanála - Case reference: PAX16.324387 324387 | An Coimisiún Pleanála -

Please find attached Uisce Éireann's observations.

I hope you find this information helpful. If you have any queries please do not hesitate to contact me.

**Aine Rowan**

*Planning Application Specialist*

**Uisce Éireann**

Teach Colvill, 24–26 Sráid Thalbóid, Baile Átha Cliath 1, D01 NP86, Éire

**Uisce Éireann**

Colvill House, 24–26 Talbot Street, Dublin 1, D01 NP86, Ireland

**www.water.ie**

Facebook | Twitter | LinkedIn

Is don duine amháin nó don eintiteas amháin ainmnithe ar an seoladh an fhaisnéis agus d'fhéadfadh ábhar faoi rún, faoi phribhléid nó ábhar atá íogair ó thaobh na tráchtála de a bheith mar chuid den fhaisnéis. Tá toirmeasc ar aon daoine nó aon eititis; nach dóibh siúd an fhaisnéis- aon athbhreithniú a dhéanamh, aon atarchur a dhéanamh nó aon athdháileadh a dhéanamh, nó aon úsáid eile a bhaint as an bhfaisnéis, nó aon ghníomh a bhraithfeadh ar an bhfaisnéis seo a dhéanamh agus d'fhéadfaí an dlí a shárú dá ndéanfaí sin. Séanann Uisce Éireann dliteanas as aon ghníomh agus as aon iarmhairt

bunaithe ar úsáid neamhúdaraíthe na faisnéise seo. Séanann Uisce Éireann dlíteanas maidir le seachadadh iomlán agus ceart na faisnéise sa chumarsáid seo agus séanann Uisce Éireann dlíteanas maidir le haon mhoill a bhaineann leis an bhfaisnéis a fháil. Má tá an ríomh-phost seo faighte agat trí dhearmad, déan teagmháil leis an seoltóir más é do thoil é agus scríos an t-ábhar ó gach aon ríomhaire. D'fhéadfadh ríomhphost a bheith so-ghabhálach i leith truailithe, idircheaptha agus i leith leasuithe neamhúdaraíthe. Séanann Uisce Éireann aon fhreagracht as athruithe nó as idircheapadh a rinneadh ar an ríomhphost seo nó as aon dochar do chórais na bhfaighteoirí déanta ag an teachtaireacht seo nó ag a ceangaltáin tar éis a sheolta. Tabhair faoi deara go bhféadfadh monatóireacht a bheith á dhéanamh ar theachtairreachtaí chuig Uisce Éireann agus ó Uisce Éireann d'fhonn ár ngnó a chosaint agus chun a chinntiú go bhfuiltear ag teacht le beartais agus le caighdeáin Uisce Éireann. Is cuideachta gníomhaíochta ainmnithe é Uisce Éireann atá faoi theorainn scaireanna, a bunaíodh de bhun fhorálacha na n-Achtanna um Sheirbhísí Uisce 2007-2022, a bhfuil a bpríomh-ionad gnó ag Teach Colvill, 24-26 Sráid na Talbóide, BÁC 1.

Go raibh maith agat as d'aird a thabhairt.

The information transmitted is intended only for the person or entity to which it is addressed and may contain confidential, commercially sensitive and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited and may be unlawful. Uisce Éireann accepts no liability for actions or effects based on the prohibited usage of this information. Uisce Éireann is neither liable for the proper and complete transmission of the information contained in this communication nor for any delay in its receipt. If you received this in error, please contact the sender and delete the material from any computer. E-Mail may be susceptible to data corruption, interception and unauthorised amendment. Uisce Éireann accepts no responsibility for changes to or interception of this e-mail after it was sent or for any damage to the recipients systems or data caused by this message or its attachments. Please also note that messages to or from Uisce Éireann may be monitored to ensure compliance with Uisce Éireann's policies and standards and to protect our business. Uisce Éireann is a designated activity company limited by shares, established pursuant to the Water Services Acts 2007-2022, having its principal place of business at Colvill House, 24-26 Talbot Street, Dublin 1.

Thank you for your attention.

Is don duine amháin nó don eintiteas amháin ainmnithe ar an seoladh an fhaisnéis agus d'fhéadfadh ábhar faoi rún, faoi phribhléid nó ábhar atá íogair ó thaobh na tráchtála de a bheith mar chuid den fhaisnéis. Tá toirmeasc ar aon daoine nó aon eititis; nach dóibh siúd an fhaisnéis- aon athbhreithniú a dhéanamh, aon atarchur a dhéanamh nó aon athdháileadh a dhéanamh, nó aon úsáid eile a bhaint as an bhfaisnéis, nó aon ghníomh a bhraithfeadh ar an bhfaisnéis seo a dhéanamh agus d'fhéadfaí an dlí a shárú dá ndéanfaí sin. Séanann Uisce Éireann dlíteanas as aon ghníomh agus as aon iarmhairt bunaithe ar úsáid neamhúdaraíthe na faisnéise seo. Séanann Uisce Éireann dlíteanas maidir le seachadadh iomlán agus ceart na faisnéise sa chumarsáid seo agus séanann Uisce Éireann dlíteanas maidir le haon mhoill a bhaineann leis an bhfaisnéis a fháil. Má tá an ríomh-phost seo faighte agat trí dhearmad, déan teagmháil leis an seoltóir más é do thoil é agus scríos an t-ábhar ó gach aon ríomhaire. D'fhéadfadh ríomhphost a bheith so-ghabhálach i leith truailithe, idircheaptha agus i leith leasuithe neamhúdaraíthe. Séanann Uisce Éireann aon fhreagracht as athruithe nó as

idircheapadh a rinneadh ar an ríomhphost seo nó as aon dochar do chórais na bhfaighteoirí déanta ag an teachtaireacht seo nó ag a ceangaltáin tar éis a sheolta. Tabhair faoi deara go bhféadfadh monatóireacht a bheith á dhéanamh ar theachtairachtaí chuig Uisce Éireann agus ó Uisce Éireann d'fhonn ár ngnó a chosaint agus chun a chinntiú go bhfuiltear ag teacht le beartais agus le caighdeáin Uisce Éireann. Is cuideachta gníomhaíochta ainmnithe é Uisce Éireann atá faoi theorainn scaireanna, a bunaíodh de bhun fhorálacha na n-Achtanna um Sheirbhísí Uisce 2007-2022, a bhfuil a bpríomh-ionad gnó ag Teach Colvill, 24-26 Sráid na Talbóide, BÁC 1.

Go raibh maith agat as d'aird a thabhairt.

The information transmitted is intended only for the person or entity to which it is addressed and may contain confidential, commercially sensitive and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited and may be unlawful. Uisce Éireann accepts no liability for actions or effects based on the prohibited usage of this information. Uisce Éireann is neither liable for the proper and complete transmission of the information contained in this communication nor for any delay in its receipt. If you received this in error, please contact the sender and delete the material from any computer. E-Mail may be susceptible to data corruption, interception and unauthorised amendment. Uisce Éireann accepts no responsibility for changes to or interception of this e-mail after it was sent or for any damage to the recipients systems or data caused by this message or its attachments. Please also note that messages to or from Uisce Éireann may be monitored to ensure compliance with Uisce Éireann's policies and standards and to protect our business. Uisce Éireann is a designated activity company limited by shares, established pursuant to the Water Services Acts 2007-2022, having its principal place of business at Colvill House, 24-26 Talbot Street, Dublin 1.

Thank you for your attention.

**Uisce Éireanns Ref:** PN26000042298

**Planning Ref:** SID - Muingmore Wind Farm (Ref: ABP-318372-23)

**Planning Authority:** Mayo County Council

**Issue Date:** 9 July 2026

Uisce Éireann  
Bosca OP 448  
Oifig Sheachadta na  
Cathrach Theas  
Cathair Chorcaí

Uisce Éireann  
PO Box 448  
South City  
Delivery Office  
Cork City

[www.water.ie](http://www.water.ie)

**Development Location:** on land within the townlands of Muingmore (An Mhoing Mhór), Doolough (Dumha Locha), Tristia (Troiste), Moneynierin (Moing an Iarainn) and Bangor (Baingear) County Mayo.

**Development Description:** The proposed development consists of 13 wind turbines, a 110kV substation, battery energy storage system (BESS) and all associated infrastructure

A Chara,

As the National Water Utility Uisce Éireann delivers water services pursuant to the Water Services Act (and other legislation) and in accordance with our statutory functions and ancillary responsibilities and in a manner which is consistent with public policy. Uisce Éireann is responsible for the delivery of all public water and wastewater services in Ireland. We are committed to continuously upgrading and developing critical infrastructure to support growth in our economy, while protecting the environment and safeguarding water supplies. Our primary function is to provide clean drinking water to customers and to treat and return wastewater safely to the environment. In providing these services we play a central role in enabling economic growth, protecting both the environment and the health and safety of our customers and the wider public.

Please accept this submission in respect of the above-referenced Strategic Infrastructure Development application.

The applicant/operator shall comply with the Water Framework Directive and River Basin Management Plan objectives to ensure that the development will not negatively impact on the water quality of source/receiving waters during both construction and operational phases.

The applicant/operator shall meet the requirements of EIA Directive 2014/52/EU.

The applicant/operator shall comply with the requirements of the Groundwater Directive, Article 6(1) of Directive 2000/60/EC.

In the interest of Public Health and Environmental Sustainability the applicant/operator will comply with best practice Groundwater Protection Schemes set in the GSI Groundwater Protection Schemes.

Where the applicant proposes to connect to a public water/wastewater network operated by Uisce Éireann, the applicant shall sign a connection agreement with Uisce Éireann prior to the commencement of the development and adhere to the standards and conditions set out in that agreement.

In the interest of Public Health and Environmental Sustainability, Uisce Éireann Infrastructure capacity requirements and proposed connections to the Water and Wastewater Infrastructure will be subject to the constraints of the Uisce Éireann Capital Investment Programme.

All development shall be carried out in compliance with Uisce Éireann's Standard Details and Codes of Practice.

### **Infrastructure Connections**

There are no connections to Uisce Éireann infrastructure proposed as part of the development.

### ***Uisce Éireann Assets / Risk to public infrastructure***

Please note that Uisce Éireann cannot permit build over of its network assets. Furthermore, in work proximate to its assets, Uisce Éireann requires that minimum separation distances from its assets be always achieved as outlined in Uisce Éireann's codes of Practice and Standard Details. Where it is anticipated that such distances cannot be achieved or any other deleterious impact be envisaged, the applicant will be required to engage with Uisce Éireann's diversions team at [diversions@water.ie](mailto:diversions@water.ie) to agree an appropriate mitigation, prior to the commencement of works.

### **Risk to public water supply**

There is negligible risk to public water from either the construction or operation of the proposed development. Uisce Éireann does not operate any abstraction points in the area the proposed development, nor do watercourses operating within the proposed boundary have any interaction with Uisce Éireann abstraction sources.

In addition to the specific items outlined above please note;

1. All development is to be carried out in compliance with Uisce Éireann Standards codes and practices.
2. Uisce Éireann does not permit any build over of its assets and separation distances as per Uisce Éireann's Standards Codes and Practices must be achieved.

- a) Any proposals by the applicant to build over or divert existing water or wastewater services subsequently occurs the applicant submit details to Uisce Éireann for assessment of feasibility and have written confirmation of feasibility of diversion(s) from Uisce Éireann prior to connection agreement.
3. The applicant shall ensure there is no deterioration in ground water quality because of any pre-construction works and/or the operation of and/or the decommissioning of the development as proposed.

Queries relating to the terms and observations above should be directed to [planning@water.ie](mailto:planning@water.ie)

Yours sincerely,



**Dermot Phelan**  
**Connections and Developer Services**