



APPENDIX 12-5

Tabulated V136 Noise Results

APPENDIX 12-5 TABULATED V136 NOISE RESULTS

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H001	Predicted	30.0	33.4	38.3	41.8	42.3	42.1	42.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H002	Predicted	28.0	31.4	36.3	39.8	40.3	40.1	40.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H003	Predicted	26.4	29.9	34.8	38.3	38.7	38.5	38.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H004	Predicted	28.4	31.9	36.8	40.3	40.8	40.6	40.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H005	Predicted	27.8	31.3	36.2	39.7	40.1	40.0	40.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H006	Predicted	28.4	31.9	36.8	40.3	40.8	40.6	40.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H007	Predicted	26.5	30.0	34.9	38.4	38.8	38.6	38.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H008	Predicted	27.8	31.3	36.2	39.7	40.1	39.9	39.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H009	Predicted	26.5	30.0	34.9	38.4	38.8	38.6	38.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H010	Predicted	27.4	30.9	35.8	39.3	39.8	39.6	39.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H011	Predicted	27.8	31.2	36.1	39.6	40.1	39.9	39.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H012	Predicted	26.2	29.7	34.6	38.1	38.6	38.4	38.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H013	Predicted	26.4	29.9	34.7	38.3	38.7	38.5	38.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H014	Predicted	27.0	30.5	35.3	38.9	39.3	39.1	39.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H015	Predicted	27.5	31.0	35.8	39.4	39.8	39.6	39.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H016	Predicted	26.9	30.4	35.3	38.8	39.2	39.0	39.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H017	Predicted	27.2	30.7	35.6	39.1	39.5	39.3	39.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H018	Predicted	27.3	30.8	35.6	39.2	39.6	39.4	39.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H019	Predicted	26.6	30.1	35.0	38.5	39.0	38.8	38.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H020	Predicted	25.7	29.2	34.1	37.6	38.1	37.9	37.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H021	Predicted	25.9	29.5	34.3	37.8	38.3	38.1	38.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H022	Predicted	25.4	28.9	33.8	37.3	37.8	37.5	37.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H023	Predicted	26.0	29.5	34.4	37.9	38.3	38.1	38.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H024	Predicted	25.7	29.2	34.0	37.6	38.0	37.8	37.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H025	Predicted	27.4	30.9	35.8	39.3	39.7	39.5	39.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H026	Predicted	25.1	28.6	33.5	37.0	37.5	37.2	37.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H027	Predicted	25.0	28.5	33.4	36.9	37.4	37.1	37.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H028	Predicted	25.0	28.5	33.4	36.9	37.4	37.1	37.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H029	Predicted	25.4	28.9	33.8	37.3	37.7	37.5	37.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H030	Predicted	26.3	29.8	34.7	38.2	38.7	38.4	38.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H031	Predicted	25.1	28.6	33.5	37.0	37.5	37.2	37.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H032	Predicted	26.3	29.8	34.7	38.2	38.7	38.4	38.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H033	Predicted	26.2	29.7	34.6	38.1	38.6	38.3	38.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H034	Predicted	25.0	28.5	33.3	36.9	37.3	37.1	37.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H035	Predicted	24.4	28.0	32.8	36.4	36.8	36.6	36.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H036	Predicted	25.6	29.1	34.0	37.5	38.0	37.7	37.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H037	Predicted	25.6	29.2	34.0	37.6	38.0	37.8	37.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H038	Predicted	24.7	28.2	33.0	36.6	37.0	36.8	36.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H039	Predicted	24.3	27.8	32.7	36.2	36.6	36.4	36.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H040	Predicted	25.3	28.8	33.6	37.2	37.6	37.4	37.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H041	Predicted	24.3	27.8	32.7	36.2	36.7	36.4	36.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H042	Predicted	25.7	29.3	34.1	37.7	38.1	37.9	37.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H043	Predicted	24.2	27.7	32.5	36.1	36.5	36.3	36.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H044	Predicted	25.2	28.7	33.6	37.1	37.6	37.3	37.3

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H045	Predicted	25.5	29.0	33.9	37.4	37.9	37.6	37.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H046	Predicted	24.0	27.5	32.4	35.9	36.3	36.1	36.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H047	Predicted	24.0	27.5	32.3	35.9	36.3	36.1	36.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H048	Predicted	23.5	27.0	31.9	35.4	35.9	35.6	35.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H049	Predicted	25.0	28.5	33.4	36.9	37.3	37.1	37.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H050	Predicted	25.3	28.8	33.6	37.2	37.6	37.4	37.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H051	Predicted	23.5	27.0	31.8	35.4	35.8	35.6	35.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H052	Predicted	24.8	28.3	33.2	36.7	37.1	36.9	36.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H053	Predicted	24.7	28.2	33.0	36.6	37.0	36.8	36.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H054	Predicted	23.2	26.7	31.6	35.1	35.6	35.3	35.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H055	Predicted	22.8	26.4	31.2	34.8	35.2	34.9	34.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H056	Predicted	24.5	28.0	32.8	36.4	36.8	36.6	36.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H057	Predicted	24.2	27.8	32.6	36.2	36.6	36.4	36.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H058	Predicted	22.4	25.9	30.7	34.3	34.7	34.4	34.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H059	Predicted	22.7	26.2	31.1	34.6	35.0	34.8	34.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H060	Predicted	22.6	26.1	31.0	34.5	35.0	34.7	34.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H061	Predicted	22.4	25.9	30.8	34.3	34.7	34.5	34.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H062	Predicted	22.5	26.0	30.9	34.4	34.8	34.6	34.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H063	Predicted	22.1	25.6	30.5	34.0	34.4	34.2	34.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H064	Predicted	22.2	25.8	30.6	34.2	34.6	34.3	34.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H065	Predicted	23.1	26.6	31.4	35.0	35.4	35.2	35.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H066	Predicted	22.0	25.6	30.4	34.0	34.4	34.1	34.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H067	Predicted	22.0	25.5	30.4	33.9	34.3	34.1	34.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H068	Predicted	22.2	25.7	30.6	34.1	34.5	34.3	34.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H069	Predicted	22.5	26.1	30.9	34.5	34.9	34.6	34.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H070	Predicted	23.4	26.9	31.7	35.3	35.7	35.4	35.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H071	Predicted	22.6	26.2	31.0	34.6	35.0	34.7	34.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H072	Predicted	21.8	25.3	30.1	33.7	34.1	33.8	33.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H073	Predicted	21.3	24.9	29.7	33.3	33.7	33.4	33.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H074	Predicted	22.8	26.3	31.2	34.7	35.2	34.9	34.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H075	Predicted	21.7	25.2	30.1	33.6	34.0	33.8	33.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H076	Predicted	22.4	26.0	30.8	34.4	34.8	34.5	34.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H077	Predicted	21.7	25.2	30.1	33.6	34.0	33.8	33.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H078	Predicted	21.8	25.4	30.2	33.8	34.2	33.9	33.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H079	Predicted	21.3	24.8	29.6	33.2	33.6	33.4	33.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H080	Predicted	21.6	25.2	30.0	33.6	34.0	33.7	33.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H081	Predicted	21.0	24.5	29.4	32.9	33.4	33.1	33.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H082	Predicted	21.3	24.9	29.7	33.3	33.7	33.4	33.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H083	Predicted	22.0	25.5	30.3	33.9	34.3	34.0	34.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H084	Predicted	21.0	24.5	29.4	32.9	33.4	33.1	33.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H085	Predicted	20.9	24.5	29.3	32.9	33.3	33.0	33.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H086	Predicted	21.1	24.6	29.5	33.0	33.4	33.2	33.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H087	Predicted	20.7	24.3	29.1	32.7	33.1	32.8	32.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H088	Predicted	20.7	24.2	29.0	32.6	33.0	32.7	32.7

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H089	Predicted	20.8	24.3	29.1	32.7	33.1	32.8	32.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H090	Predicted	20.9	24.4	29.2	32.8	33.2	32.9	32.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H091	Predicted	19.9	23.5	28.3	31.9	32.3	32.0	32.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H092	Predicted	20.1	23.6	28.4	32.0	32.4	32.1	32.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H093	Predicted	20.3	23.8	28.6	32.2	32.6	32.3	32.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H094	Predicted	20.4	23.9	28.8	32.3	32.7	32.4	32.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H095	Predicted	20.6	24.2	29.0	32.6	33.0	32.7	32.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H096	Predicted	20.7	24.2	29.1	32.6	33.1	32.8	32.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H097	Predicted	20.8	24.4	29.2	32.8	33.2	32.9	32.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H098	Predicted	20.6	24.2	29.0	32.6	33.0	32.7	32.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H099	Predicted	20.4	23.9	28.8	32.3	32.7	32.4	32.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H100	Predicted	20.6	24.1	29.0	32.5	32.9	32.6	32.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H101	Predicted	20.1	23.7	28.5	32.1	32.5	32.2	32.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H102	Predicted	20.2	23.7	28.5	32.1	32.5	32.2	32.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H103	Predicted	20.7	24.2	29.1	32.6	33.0	32.8	32.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H104	Predicted	20.0	23.6	28.4	32.0	32.4	32.1	32.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H105	Predicted	19.7	23.2	28.1	31.6	32.0	31.7	31.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H106	Predicted	19.3	22.9	27.7	31.3	31.7	31.4	31.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H107	Predicted	19.8	23.4	28.2	31.8	32.2	31.9	31.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H108	Predicted	19.3	22.8	27.7	31.2	31.6	31.4	31.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H109	Predicted	20.8	24.4	29.2	32.8	33.2	32.9	32.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H110	Predicted	19.8	23.3	28.1	31.7	32.1	31.8	31.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H111	Predicted	19.6	23.2	28.0	31.6	32.0	31.7	31.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H112	Predicted	19.4	23.0	27.8	31.4	31.8	31.5	31.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H113	Predicted	20.2	23.7	28.5	32.1	32.5	32.2	32.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H114	Predicted	18.6	22.2	27.0	30.6	31.0	30.7	30.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H115	Predicted	18.4	21.9	26.8	30.3	30.7	30.4	30.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H116	Predicted	18.8	22.3	27.2	30.7	31.2	30.8	30.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H117	Predicted	18.9	22.4	27.3	30.8	31.3	31.0	31.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H118	Predicted	19.1	22.7	27.5	31.1	31.5	31.2	31.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H119	Predicted	18.7	22.2	27.1	30.6	31.0	30.7	30.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H120	Predicted	18.7	22.2	27.0	30.6	31.0	30.7	30.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H121	Predicted	18.9	22.5	27.3	30.9	31.3	31.0	31.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H122	Predicted	18.6	22.1	27.0	30.5	30.9	30.6	30.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H123	Predicted	18.3	21.9	26.7	30.3	30.7	30.4	30.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H124	Predicted	18.4	22.0	26.8	30.4	30.8	30.5	30.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H125	Predicted	18.6	22.2	27.0	30.6	31.0	30.7	30.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H126	Predicted	18.3	21.8	26.6	30.2	30.6	30.3	30.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H127	Predicted	18.3	21.8	26.7	30.2	30.7	30.4	30.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H128	Predicted	18.7	22.2	27.1	30.6	31.0	30.7	30.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H129	Predicted	18.5	22.1	26.9	30.5	30.9	30.6	30.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H130	Predicted	18.2	21.7	26.5	30.1	30.5	30.2	30.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H131	Predicted	18.1	21.6	26.4	30.0	30.4	30.1	30.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H132	Predicted	17.4	21.0	25.8	29.4	29.8	29.4	29.4

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H133	Predicted	17.4	20.9	25.8	29.3	29.7	29.4	29.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H134	Predicted	18.1	21.6	26.5	30.0	30.4	30.1	30.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H135	Predicted	18.2	21.8	26.6	30.2	30.6	30.3	30.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H136	Predicted	17.7	21.3	26.1	29.7	30.1	29.8	29.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H137	Predicted	17.3	20.9	25.7	29.3	29.7	29.4	29.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H138	Predicted	18.2	21.8	26.6	30.2	30.6	30.3	30.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H139	Predicted	18.5	22.0	26.9	30.4	30.8	30.5	30.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H140	Predicted	18.3	21.9	26.7	30.3	30.7	30.4	30.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H141	Predicted	18.1	21.7	26.5	30.0	30.5	30.2	30.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H142	Predicted	18.2	21.8	26.6	30.2	30.6	30.2	30.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H143	Predicted	17.2	20.7	25.6	29.1	29.5	29.2	29.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H144	Predicted	18.2	21.8	26.6	30.2	30.6	30.3	30.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H145	Predicted	17.1	20.6	25.5	29.0	29.4	29.1	29.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H146	Predicted	17.3	20.8	25.7	29.2	29.6	29.3	29.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H147	Predicted	17.7	21.2	26.1	29.6	30.1	29.7	29.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H148	Predicted	17.0	20.6	25.4	29.0	29.4	29.0	29.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H149	Predicted	18.0	21.5	26.3	29.9	30.3	30.0	30.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H150	Predicted	16.8	20.3	25.2	28.7	29.1	28.8	28.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H151	Predicted	16.6	20.1	24.9	28.5	28.9	28.6	28.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H152	Predicted	17.2	20.8	25.6	29.2	29.6	29.3	29.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H153	Predicted	16.5	20.1	24.9	28.5	28.9	28.6	28.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H154	Predicted	16.6	20.1	25.0	28.5	28.9	28.6	28.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H155	Predicted	16.4	20.0	24.8	28.4	28.8	28.4	28.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H156	Predicted	16.8	20.4	25.2	28.8	29.2	28.9	28.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H157	Predicted	16.4	20.0	24.8	28.4	28.8	28.4	28.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H158	Predicted	17.2	20.8	25.6	29.2	29.6	29.2	29.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H159	Predicted	16.3	19.9	24.7	28.3	28.7	28.3	28.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H160	Predicted	16.3	19.8	24.7	28.2	28.6	28.3	28.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H161	Predicted	16.2	19.8	24.6	28.2	28.6	28.3	28.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H162	Predicted	16.2	19.8	24.6	28.2	28.6	28.2	28.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H163	Predicted	16.1	19.6	24.5	28.0	28.4	28.1	28.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H164	Predicted	16.1	19.7	24.5	28.1	28.5	28.2	28.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H165	Predicted	17.1	20.6	25.5	29.0	29.4	29.1	29.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H166	Predicted	15.9	19.5	24.3	27.9	28.3	27.9	27.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H167	Predicted	16.8	20.4	25.2	28.8	29.2	28.8	28.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H168	Predicted	15.9	19.5	24.3	27.9	28.3	27.9	27.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H169	Predicted	15.8	19.3	24.2	27.7	28.1	27.8	27.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H170	Predicted	15.8	19.3	24.2	27.7	28.1	27.8	27.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H171	Predicted	15.7	19.2	24.1	27.6	28.0	27.7	27.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H172	Predicted	15.7	19.2	24.1	27.6	28.0	27.7	27.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H173	Predicted	16.4	20.0	24.8	28.3	28.8	28.4	28.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H174	Predicted	15.4	19.0	23.8	27.4	27.8	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H175	Predicted	15.3	18.9	23.7	27.3	27.7	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H176	Predicted	15.8	19.4	24.2	27.8	28.2	27.8	27.8

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H177	Predicted	15.3	18.9	23.7	27.3	27.7	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H178	Predicted	15.3	18.9	23.7	27.3	27.7	27.3	27.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H179	Predicted	15.1	18.6	23.5	27.0	27.4	27.1	27.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H180	Predicted	15.1	18.6	23.5	27.0	27.4	27.1	27.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H181	Predicted	15.0	18.6	23.4	27.0	27.4	27.0	27.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H182	Predicted	14.8	18.4	23.2	26.8	27.2	26.8	26.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H183	Predicted	14.7	18.2	23.1	26.6	27.0	26.7	26.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H184	Predicted	15.6	19.2	24.0	27.5	28.0	27.6	27.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H185	Predicted	14.6	18.2	23.0	26.6	27.0	26.6	26.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H186	Predicted	15.4	19.0	23.8	27.4	27.8	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H187	Predicted	15.4	19.0	23.8	27.4	27.8	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H188	Predicted	15.4	19.0	23.8	27.4	27.8	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H189	Predicted	15.4	19.0	23.8	27.4	27.8	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H190	Predicted	15.2	18.8	23.6	27.2	27.6	27.2	27.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H191	Predicted	15.2	18.7	23.6	27.1	27.5	27.2	27.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H192	Predicted	15.1	18.6	23.5	27.0	27.4	27.1	27.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H193	Predicted	15.1	18.7	23.5	27.0	27.4	27.1	27.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H194	Predicted	15.0	18.6	23.4	27.0	27.4	27.0	27.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H195	Predicted	14.4	18.0	22.8	26.4	26.8	26.4	26.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H196	Predicted	14.3	17.9	22.7	26.3	26.7	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H197	Predicted	15.0	18.5	23.4	26.9	27.3	27.0	27.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H198	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H199	Predicted	14.4	18.0	22.8	26.4	26.8	26.4	26.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H200	Predicted	15.1	18.7	23.5	27.1	27.5	27.1	27.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H201	Predicted	14.9	18.4	23.3	26.8	27.2	26.9	26.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H202	Predicted	14.9	18.5	23.3	26.9	27.3	26.9	26.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H203	Predicted	14.3	17.8	22.7	26.2	26.6	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H204	Predicted	14.9	18.5	23.3	26.8	27.2	26.9	26.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H205	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H206	Predicted	14.8	18.4	23.2	26.8	27.2	26.8	26.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H207	Predicted	14.8	18.4	23.2	26.7	27.1	26.8	26.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H208	Predicted	14.0	17.6	22.5	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H209	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H210	Predicted	14.0	17.6	22.5	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H211	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H212	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H213	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H214	Predicted	15.0	18.6	23.5	27.0	27.4	27.1	27.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H215	Predicted	14.0	17.5	22.4	25.9	26.3	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H216	Predicted	13.9	17.5	22.3	25.9	26.3	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H217	Predicted	13.9	17.5	22.4	25.9	26.3	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H218	Predicted	14.1	17.7	22.5	26.1	26.5	26.1	26.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H219	Predicted	13.9	17.5	22.3	25.9	26.3	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H220	Predicted	13.8	17.4	22.3	25.8	26.2	25.8	25.8

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H221	Predicted	13.9	17.4	22.3	25.8	26.2	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H222	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H223	Predicted	14.6	18.1	23.0	26.5	26.9	26.6	26.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H224	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H225	Predicted	14.5	18.1	22.9	26.5	26.9	26.5	26.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H226	Predicted	14.5	18.1	22.9	26.5	26.9	26.5	26.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H227	Predicted	14.8	18.4	23.2	26.8	27.2	26.8	26.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H228	Predicted	13.8	17.4	22.2	25.7	26.1	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H229	Predicted	13.8	17.4	22.2	25.7	26.1	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H230	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H231	Predicted	14.5	18.0	22.9	26.4	26.8	26.5	26.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H232	Predicted	13.8	17.3	22.2	25.7	26.1	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H233	Predicted	14.5	18.1	22.9	26.5	26.9	26.5	26.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H234	Predicted	13.7	17.3	22.2	25.7	26.1	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H235	Predicted	13.7	17.3	22.1	25.7	26.1	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H236	Predicted	14.7	18.3	23.2	26.7	27.1	26.8	26.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H237	Predicted	14.4	17.9	22.8	26.3	26.7	26.4	26.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H238	Predicted	13.5	17.1	21.9	25.5	25.9	25.5	25.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H239	Predicted	14.3	17.9	22.7	26.2	26.6	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H240	Predicted	13.9	17.5	22.3	25.9	26.3	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H241	Predicted	14.6	18.2	23.0	26.6	27.0	26.6	26.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H242	Predicted	14.2	17.8	22.7	26.2	26.6	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H243	Predicted	13.9	17.5	22.3	25.9	26.3	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H244	Predicted	14.3	17.9	22.7	26.3	26.7	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H245	Predicted	13.8	17.4	22.3	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H246	Predicted	13.9	17.4	22.3	25.8	26.2	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H247	Predicted	13.9	17.5	22.3	25.9	26.3	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H248	Predicted	13.9	17.5	22.3	25.8	26.2	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H249	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H250	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H251	Predicted	13.8	17.3	22.2	25.7	26.1	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H252	Predicted	13.4	17.0	21.8	25.4	25.8	25.4	25.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H253	Predicted	14.4	18.0	22.8	26.4	26.8	26.4	26.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H254	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H255	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H256	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H257	Predicted	13.7	17.3	22.1	25.7	26.1	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H258	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H259	Predicted	14.0	17.5	22.4	25.9	26.3	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H260	Predicted	14.0	17.5	22.4	25.9	26.3	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H261	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H262	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H263	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H264	Predicted	13.9	17.5	22.3	25.9	26.3	25.9	25.9

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H265	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H266	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H267	Predicted	14.3	17.9	22.7	26.3	26.7	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H268	Predicted	14.3	17.9	22.7	26.3	26.7	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H269	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H270	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H271	Predicted	13.6	17.1	22.0	25.5	25.9	25.6	25.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H272	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H273	Predicted	13.7	17.2	22.1	25.6	26.0	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H274	Predicted	13.9	17.4	22.3	25.8	26.2	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H275	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H276	Predicted	13.7	17.3	22.1	25.7	26.1	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H277	Predicted	13.7	17.2	22.1	25.6	26.0	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H278	Predicted	13.1	16.6	21.5	25.0	25.4	25.0	25.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H279	Predicted	13.3	16.9	21.7	25.2	25.6	25.3	25.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H280	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H281	Predicted	14.1	17.7	22.5	26.1	26.5	26.1	26.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H282	Predicted	13.4	17.0	21.8	25.3	25.7	25.4	25.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H283	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H284	Predicted	13.1	16.7	21.5	25.1	25.5	25.1	25.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H285	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H286	Predicted	13.4	16.9	21.8	25.3	25.7	25.3	25.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H287	Predicted	12.9	16.5	21.4	24.9	25.3	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H288	Predicted	13.7	17.3	22.1	25.7	26.1	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H289	Predicted	13.1	16.6	21.5	25.0	25.4	25.0	25.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H290	Predicted	13.7	17.2	22.1	25.6	26.0	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H291	Predicted	13.2	16.7	21.6	25.1	25.5	25.1	25.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H292	Predicted	13.1	16.7	21.5	25.1	25.5	25.1	25.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H293	Predicted	12.9	16.5	21.4	24.9	24.0	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H294	Predicted	12.9	16.5	21.3	24.9	25.3	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H295	Predicted	13.6	17.2	22.0	25.6	26.0	25.6	25.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H296	Predicted	12.6	16.1	21.0	24.5	23.6	24.5	24.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H297	Predicted	12.9	16.5	21.3	24.9	25.3	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H298	Predicted	13.1	16.7	21.5	25.1	25.5	25.1	25.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H299	Predicted	12.9	16.5	21.3	24.9	25.3	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H300	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H301	Predicted	12.9	16.4	21.3	24.8	25.2	24.8	24.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H302	Predicted	13.6	17.2	22.0	25.5	25.9	25.6	25.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H303	Predicted	10.9	14.5	19.3	22.9	23.3	22.9	22.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H304	Predicted	12.9	16.5	21.3	24.9	25.3	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H305	Predicted	12.9	16.4	21.3	24.8	25.2	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H306	Predicted	11.2	14.7	19.6	23.1	23.2	23.2	23.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H307	Predicted	11.2	14.8	19.6	23.2	23.6	23.2	23.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H308	Predicted	10.9	14.4	19.3	22.8	23.2	22.8	22.8

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H309	Predicted	13.5	17.0	21.9	25.4	25.8	25.4	25.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H310	Predicted	13.4	17.0	21.8	25.4	25.8	25.4	25.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H311	Predicted	13.4	17.0	21.8	25.4	25.8	25.4	25.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H312	Predicted	11.4	15.0	19.8	23.4	23.8	23.4	23.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H313	Predicted	11.4	14.9	19.8	23.3	23.7	23.4	23.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H314	Predicted	13.7	17.2	22.1	25.6	26.0	25.6	25.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H315	Predicted	11.3	14.9	19.7	23.3	23.7	23.3	23.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H316	Predicted	13.0	16.6	21.4	24.9	25.3	25.0	25.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H317	Predicted	10.9	14.5	19.3	22.9	23.3	22.9	22.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H318	Predicted	11.0	14.6	19.4	23.0	23.4	23.0	23.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H319	Predicted	11.3	14.8	19.7	23.2	23.6	23.3	23.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H320	Predicted	12.6	16.2	21.0	24.6	25.0	24.6	24.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H321	Predicted	12.5	16.1	20.9	24.4	24.8	24.5	24.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H322	Predicted	13.6	17.2	22.0	25.5	25.9	25.6	25.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H323	Predicted	12.7	16.2	21.1	24.6	25.0	24.7	24.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H324	Predicted	13.5	17.1	21.9	25.5	25.9	25.5	25.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H325	Predicted	11.2	14.7	19.6	23.1	23.5	23.2	23.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H326	Predicted	10.6	14.2	19.0	22.6	23.0	22.6	22.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H327	Predicted	11.1	14.7	19.5	23.1	23.5	23.1	23.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H328	Predicted	11.1	14.6	19.5	23.0	23.4	23.1	23.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H329	Predicted	27.1	30.6	35.5	39.0	39.5	39.3	39.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H330	Predicted	28.2	31.7	36.6	40.1	40.5	40.3	40.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H331	Predicted	21.1	24.6	29.5	33.0	33.4	33.2	33.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H332	Predicted	21.5	25.0	29.9	33.4	33.8	33.6	33.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H333	Predicted	20.8	24.3	29.2	32.7	33.2	32.9	32.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H334	Predicted	20.5	24.1	28.9	32.5	32.9	32.6	32.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H335	Predicted	21.2	24.8	29.6	33.2	33.6	33.3	33.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H336	Predicted	18.2	21.8	26.6	30.2	30.6	30.3	30.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H337	Predicted	20.6	24.1	29.0	32.5	32.9	32.6	32.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H338	Predicted	18.9	22.4	27.3	30.8	31.2	30.9	30.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H339	Predicted	17.3	20.9	25.7	29.2	29.7	29.3	29.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H340	Predicted	19.2	22.7	27.6	31.1	31.5	31.2	31.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--