Muirin Gowen

From: Quigley, Fiona <Fiona.Quigley@atkinsrealis.com>
Sent: Thursday 5 November 2026 16:22
To: Muirin Gowen; LAPS
Cc: Gael Gibson; Aiden O Neill
Subject: RE: ACP-324447-26 - Proposed Upgrades to the Mortarstown Wastewater Treatment Plant and Kilkenny Road Pumping Station, Carlow, County Carlow
Attachments: ACP-324447-26 Response to Submission 11 NOV 2026.pdf

Caution: This is an **External Email** and may have malicious content. Please take care when clicking links or opening attachments. When in doubt, contact the ICT Helpdesk.

Our Ref: 5161805-21-CO-00955

Dear Muirin,
Further to An Coimisiún Pleanála's correspondence in relation to the above-mentioned application, please find attached our submission responding to the observations from Carlow County Council received by ACP.

The attached letter sets out our response to the matters raised in the Carlow County Council report received.

I would appreciate confirmation of receipt of the attached submission.

Regards

Fiona Quigley BE CEng MIEI
Associate Director
Infrastructure
Tel: +35318108171
AtkinsRéalis
Available Tuesday, Wednesday & Thursday

AtkinsRéalis - Sensitive / Sensible [FR]

From: Muirin Gowen <muirin.gowen@pleanala.ie>
Sent: Friday, October 16, 2026 2:53 PM
To: Quigley, Fiona <Fiona.Quigley@atkinsrealis.com>
Subject: ACP-324447-26 - Proposed Upgrades to the Mortarstown Wastewater Treatment Plant and Kilkenny Road Pumping Station, Carlow, County Carlow

Dear Fiona,

I have been asked by An Coimisiún Pleanála to refer further to the above-mentioned case.

Attached is a copy of a report received by the Commission from Carlow County Council in relation to the above-mentioned proposed development.

The Commission hereby considers it appropriate to invite you to make a submission in response to this report. Please be advised that any response to the Commission's invitation should be confined to the issues raised in the attached report. Any submission in relation to the above must be received by the Commission within 4 weeks from the date of this email (i.e. not later than 12th November 2026).

If you have any queries in relation to the matter, please contact the undersigned officer of the Commission.

Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Kind regards,
Muirín

Muirin Gowen
Executive Officer
Strategic Infrastructure Development
An Coimisiún Pleanála
64 Marlborough Street
Dublin 1
D01 V902
Teil: 01-804-8323

Má fhaigheann tú an ríomhphost seo lasmuigh de na gnáthuaireanta oibre, ní bheidh mé ag súil le freagra ná gníomh lasmuigh de d'uaireanta oibre féin.

If you receive this email outside of normal working hours, I do not expect a response or action outside of your own working hours

Smaoinigh ar an timpeallacht sula ndéanann tú an ríomhphost seo a phriontáil.

Please consider the environment before printing this mail.

Fógra Rúin: Tá an ríomhphost seo agus aon chomhaid atá nasctha leis faoi rún agus dírithe amháin don seolaí. Má bhfuair tú an ríomhphost seo trí earráid, déan teagmháil le bainisteoir an chórais.

Tabhair faoi deara led thoil: aon tuairimí nochtaithe san ríomhphost seo is iad tuairimí an tseoltóra féin agus níl sé intuigthe gurb iad tuairimí An Coimisiún Pleanála nó go gcloíonn siad le polasaithe ráite An Coimisiún.

Confidentiality Notice: This email and any files transmitted with it are confidential and intended solely for the addressee. If you have received this email in error please notify the system manager.

Please Note: any views expressed in this email are those of the individual sender and may not necessarily reflect the views or accord with the stated policies of An Coimisiún Pleanála.

NOTICE – This email message and any attachments may contain information or material that is confidential, privileged, and/or subject to copyright or other rights. Any unauthorized viewing, disclosure, retransmission, dissemination, or other use of or reliance on this message or anything contained therein is strictly prohibited and may be unlawful. If you believe you may have received this message in error, kindly inform the sender by return email and delete this message from your system. Thank you.