

Muirin Gowen

From: EIAPanning <eiapanning@epa.ie>
Sent: Wednesday 7 October 2026 16:25
To: LAPS
Subject: ACP-324447-26 - Proposed Upgrades to the Mortarstown Wastewater Treatment Plant and Kilkenny Road Pumping
Attachments: 10.09.26- Query & request for observations to EPA.pdf; SID application 15 Sept 2026.pdf

Caution: This is an **External Email** and may have malicious content. Please take care when clicking links or opening attachments. When in doubt, contact the ICT Helpdesk.

Reference ACP-324447-26: Planning Application under Section 37E (Strategic Infrastructure Development) of the Planning and Development Act 2000 (as amended).

Proposed Upgrades to the Mortarstown Wastewater Treatment Plant and Kilkenny Road Pumping Station, Carlow, Co. Carlow.

Dear Sir/Madam,

I refer to your email received by the Agency on 21st September (which included the attached letter dated 10th September 2026), regarding the Section 37E application and Environmental Impact Assessment Report (EIAR) for the above development.

Please see attached correspondence sent to An Coimisiún Pleanála on 15th September 2026 regarding the matters referred to in your consultation. The Agency has no further observations.

For all further queries and correspondence relating to planning matters, please contact eiapanning@epa.ie.

Yours Sincerely,
Marian Doyle

Water, Energy and Business Support Programme
Office of Environmental Sustainability
An Clár um Cheadúnú Comhshaoil
Oifig um Inbhuanaitheacht Chomhshaoil



053-916 0600 (Switch)

eiapanning@epa.ie

www.epa.ie



From: LAPS <laps@pleanala.ie>
Sent: Monday 21 September 2026 09:00
To: EIAPanning <eiapanning@epa.ie>
Subject: ACP-324447-26 - Proposed Upgrades to the Mortarstown Wastewater Treatment Plant and Kilkenny Road Pumping

Dear all,

Please see attached, letter previously issued in hard-copy only.

Kind regards,
Muirín

Fógra Rúin: Tá an ríomhphost seo agus aon chomhaid atá nasctha leis faoi rún agus dírithe amháin don seolaí. Má bhfuair tú an ríomhphost seo trí earráid, déan teagmháil le bainisteoir an chórais.

Tabhair faoi deara le dhoil: aon tuairimí nochtaithe san ríomhphost seo is iad tuairimí an tseoltóra féin agus níl sé intuigthe gurb iad tuairimí An Coimisiún Pleanála nó go gcloíonn siad le polasaithe ráite An Coimisiún.

Confidentiality Notice: This email and any files transmitted with it are confidential and intended solely for the addressee. If you have received this email in error please notify the system manager.

Please Note: any views expressed in this email are those of the individual sender and may not necessarily reflect the views or accord with the stated policies of An Coimisiún Pleanála.