

Environmental Impact Assessment Report (EIAR)

Crumhach Wind Farm, Co.
Sligo

Chapter 11 – Climate



Table of Contents

11.	CLIMATE.....	11-1
11.1	Introduction.....	11-1
11.1.1	Background.....	11-1
11.1.2	Statement of Authority.....	11-3
11.2	Climate Legislation, Policy and Guidance.....	11-3
11.2.1	International Greenhouse Gas Emission and Climate Targets.....	11-4
11.2.2	National Greenhouse Gas Emission and Climate Targets.....	11-7
11.2.3	Local Greenhouse Gas Emission and Climate Targets.....	11-9
11.2.3.1	Sligo Local Authority Climate Action Plan 2024-2029.....	11-9
11.2.4	Relevant Guidance.....	11-10
11.3	Climate and Weather.....	11-10
11.3.1	Baseline Environment.....	11-11
11.3.1.1	Data Sources.....	11-11
11.3.1.2	Physical Environment.....	11-11
11.3.1.3	Existing Greenhouse Gas Emissions.....	11-17
11.3.2	Future Environment.....	11-17
11.3.2.1	Data sources.....	11-18
11.3.2.2	Greenhouse Gas Emissions Projections.....	11-20
11.3.3	Summary.....	11-22
11.4	Calculating Carbon Losses and Savings from the Proposed Project.....	11-22
11.4.1	Background.....	11-22
11.4.2	Methodology for Calculating Losses.....	11-23
11.4.3	Carbon Losses and Savings Calculations.....	11-25
11.4.3.1	Carbon Losses.....	11-25
11.4.3.2	Carbon Savings.....	11-27
11.5	Likely Significant Effects and Associated Mitigation Measures.....	11-29
11.5.1	‘Do-Nothing’ Effect.....	11-29
11.5.2	Construction Phase.....	11-29
11.5.2.1	Greenhouse Gas Emissions.....	11-29
11.5.3	Operational Phase.....	11-32
11.5.3.1	Greenhouse Gas Emissions.....	11-32
11.5.4	Decommissioning Phase.....	11-33
11.6	Cumulative Assessment.....	11-34
11.6.1	Construction Phase.....	11-34
11.6.2	Operational Phase.....	11-35
11.6.3	Decommissioning Phase.....	11-35
11.7	EIA Classification Summary.....	11-36

11. CLIMATE

11.1 Introduction

This chapter identifies, describes, and assesses the potential direct and indirect effects on climate arising from the construction, operation and decommissioning of the Proposed Project and has been completed in accordance with the EIA guidance and legislation set out in Chapter 1: Introduction.

The full description of the Proposed Project is detailed in Chapter 4: Description of the Proposed Project of this EIAR.

The objective of this assessment is to assess the potential effects that the Proposed Project may have on Climate and set out proposed mitigation measures to avoid, reduce or offset any potential significant effects that are identified. This EIAR comprehensively assesses the susceptibility of the Proposed Project to climate change across EIAR Chapters 5 through 16, outlining specific measures in each chapter to enhance the Proposed Project's ability to withstand potential impacts that are identified. Chapter 16: Major Accidents and Natural Disasters of this EIAR consolidates the risks and vulnerabilities identified throughout all EIAR chapters to assess the overall risk to the Proposed Project concerning major accidents and natural disasters, including climate change.

The aim of the Proposed Project, when in operation, is to reduce the input of carbon intensive energy into the national grid and reduce the amount of greenhouse gas emissions being released to the atmosphere that are associated with electricity generation and use. Harnessing more energy by means of renewable sources will reduce dependency on fossil fuels, thereby resulting in a reduction in harmful emissions that can be damaging to human health and the environment.

For the purposes of this EIAR, the various project components are described and assessed using the following references: 'Proposed Project', 'Proposed Wind Farm', 'Proposed Turbines', 'Proposed Grid Connection Route', 'the Site', 'Existing Grid Connection' and 'Existing Wind Farm'. Please see Section 1.1.1 of this EIAR for further details. A detailed description of the Proposed Project is provided in Chapter 4 of this EIAR.

11.1.1 Background

The Proposed Wind Farm is located on the northwest slopes of the Ox Mountains, located approx. 4.5km south of the village of Dromore West, and approx. 3km southwest of the village of Templeboy in Co. Sligo, at their nearest points. The Proposed Wind Farm is accessed via the L6309 and L2702 Local Roads off the N59 National Road, travelling in an east-west direction north of the site and the N17 National Road, which runs in a north-south direction to the southeast of the site. The current entrance to the Existing Wind Farm is proposed as the main site entrance, utilising the existing access tracks and infrastructure. Upgrades to additional existing site entrances along the L6309 and L2702 Local Roads and the provision of a new site entrance on the L2702 are proposed to access the adjoining lands.

The Proposed Grid Connection Route includes for underground 110kV electrical cabling from the proposed onsite 110kV substation, in the townland of Crowagh or Dunneill Mountain, Co. Sligo to the existing Srananagh 220kV substation in the townland of Ballysumaghan, Co. Sligo to facilitate the Proposed Project connection to the national grid. The Proposed Grid Connection Route to the existing Srananagh 220kV substation, measuring approximately 41.6km in length, is primarily located within the public road corridor with approx. 130m located within the Proposed Wind Farm.

The existing land-uses on the Proposed Wind Farm comprise existing renewable energy infrastructure (Existing Wind Farm and Existing Grid Connection), peat/turf cutting, and commercial forestry. The land-cover on the Proposed Wind Farm primarily comprises peat bog, with coniferous forest to the

north-west, east and south of the site. South of the Proposed Wind Farm comprises largely of transitional wood scrub. Land-use in the wider area comprises largely of land principally used for agriculture with significant areas of natural vegetation, pastures, road corridor and low-density residential.

Chapter Structure and Climate Study Areas

This chapter of the EIAR aims to provide an assessment of the potential significant direct and indirect effects on climate arising from all phases of the Proposed Project, as well as the vulnerability of the Proposed Project to changes in climate

The chapter structure is as follows:

- › A review of all relevant climate change legislation policy and guidance applicable to the Proposed Project in international, national, and local contexts (Section 11.2)
- › Presentation of the baseline environment (Section 11.3 below), including:
 - A description of the current baseline environment established from desk study, utilising relevant datasets and data provided within other sections of the EIAR (Section 11.3.1 below)
 - A description of the future baseline environment, established from desk study, utilising relevant datasets and data provided within other sections of the EIAR (Section 11.3.2 below)
- › A detailed carbon assessment, which considers how the Proposed Project will affect Ireland's national greenhouse gas emissions as a result of its construction, operation, and decommissioning phase activities (inclusive of both carbon losses and carbon savings) (Section 11.4 below)
- › Presents an assessment of the potential likely significant effects on climate arising from the Proposed Project during the construction phase (Section 11.5.2) operational phase (Section 11.5.3), and decommissioning phase (Section 11.5.4) based on the information gathered and the analysis and assessments undertaken.
 - All required mitigation measures to prevent, minimise, reduce or offset the likely significant environmental effects identified in the construction phase, operational phase, and decommissioning phase is provided in this section.
- › An assessment of potential cumulative impacts is provided in Section 11.6 and details any potential cumulative effects on climate between the Proposed Project and other permitted or proposed projects and plans in the area, (wind energy or otherwise) for the construction phase (Section 11.6.1), operational phase (Section 11.6.2), and decommissioning phase (Section 11.6.3)

By their very nature, the impacts and resulting effects of greenhouse gas emissions are global rather than affecting one localised area. For the purposes of this EIAR, the overall Climate Study Area for the Proposed Project is defined as the national environment (Ireland), where the receptor is the climate and the global atmosphere. As stated in the IEMA 2022 guidance *'greenhouse gas emission impacts and resulting effects are global rather than affecting one localised area'*¹. Therefore, effects arising from the potential impacts on climate are considered to impact on a national level. National, regional and local data has been considered where relevant and available. The study areas considered across the different assessments provided within this report are detailed below.

Baseline Environment

- › Current Baseline

¹ IEMA (2022). *Assessing Greenhouse Gas Emissions and Evaluating their Significant*, 2nd Edition. Available online at: <https://www.iema.net/resources/blog/2022/02/28/launch-of-the-updated-eia-guidance-on-assessing-ghg-emissions>

- Current Baseline Study Area: the EIAR Site Boundary, as defined in Section 1.1.1 of Chapter 1: Introduction of this EIAR. Relevant information taken from EIAR Chapters for inclusion in the current baseline assessment is within the relevant discipline’s specific assessment boundary, as identified in each cited EIAR Chapter.
- › Future Baseline
 - Future Baseline Study Area: the EIAR Site Boundary, as defined in Section 1.1.1 of Chapter 1 of this EIAR. Relevant information taken from relevant EIAR Chapters for inclusion in the future baseline assessment is within the relevant discipline’s specific assessment boundary, as identified in each cited EIAR Chapter.

Carbon Assessment

- › Carbon Assessment Study Area: defined as the EIAR Site Boundary, as defined in Section 1.1.1 of Chapter 1 of this EIAR.

11.1.2 Statement of Authority

This section of the EIAR has been drafted by Brandon Taylor, with input from Muireann Van Nieuwenhove, and reviewed by Ellen Costello and Sean Creedon, all of MKO. Brandon Taylor is a Project Environmental Scientist with over 3 years of private consultancy experience. Brandon holds a BSc (Hons) in Geography from McGill University, and a MSc (Hons) in Coastal & Marine Environments from the University of Sligo. Brandon’s key skills include scientific research and report writing, particularly in the context of local communities and their interactions with environmental stressors, and geospatial analysis and the application of GIS and remote sensing tools across fields of renewable energy development, coastal zone management and education and scientific communication. Since joining MKO, Brandon has been involved in the design and environmental impact assessment of multiple large-scale onshore wind energy developments across Ireland, contributing to and managing the production of EIA reports.

Muireann Van Nieuwenhove is an Environmental Scientist with MKO. Muireann holds BA (Hons) in Geography and French and MA (Hons) in Environment, Society and Development from the University of Sligo. Muireann’s key strengths and areas of expertise are in environmental policy, drafting EIAR chapters and QGIS mapping.

Ellen Costello is a Senior Environmental Scientist and Climate Practitioner with MKO with over six years of experience in private consultancy. Ellen holds a BSc (Hons) in Earth Science, and a MSc (Hons) in Climate Change: Integrated Environmental and Social Science Aspects where she focused her studies on renewable energy development in Europe and its implications on environment and society. Ellen’s key strengths and expertise are Environmental Protection and Management, Environmental Impact Statements, Project Management, and GIS Mapping and Modelling. Since joining MKO, Ellen has been involved in a range of renewable energy infrastructure projects. In her role as a project manager, Ellen works with and co-ordinates large multidisciplinary teams including members from MKO’s Environmental, Planning, Ecological and Ornithological departments as well as sub-contractors from various fields in the preparation and production of EIARs.

This report has been reviewed by Sean Creedon (B.Sc., M.Sc.). Sean has 23 years’ experience in planning and environmental impact elements within all stages of wind farm project delivery.

11.2 Climate Legislation, Policy and Guidance

Although variation in climate is thought to be a natural process, the rate at which the climate is changing has been accelerated rapidly by human activities. Climate change is one of the most

challenging global issues facing the world today and is primarily the result of increased levels of greenhouse gases in the atmosphere. Increasing human emissions of carbon dioxide and other greenhouse gases cause a positive radiative imbalance at the top of the atmosphere, meaning energy is being trapped within the climate system. The imbalance leads to an accumulation of energy in the Earth system in the form of heat that is driving global warming.^{2,3} Greenhouse gases come primarily from the combustion of fossil fuels in energy use.

In March 2024 the European Environment Agency (EEA) published the European Climate Risk Assessment.⁴ This assessment states that Europe is the fastest warming continent on the planet and is warming at about twice the global rate. The average global temperature in the 12-month period between February 2023 and January 2024 exceeding pre-industrial levels by 1.5°C. 2023 was the warmest year on record in more than 100,000 years, at 1.48°C above pre-industrial levels, with the world's ocean temperature also reaching new heights.

The Intergovernmental Panel on Climate Change (IPCC), in their AR6 Synthesis Report: Climate Change 2023⁵, state that widespread and rapid changes in the atmosphere, ocean, cryosphere and biosphere have occurred. This has led to widespread adverse impacts and related losses and damages to people and nature due to the pressures of climate change and the inability to adapt to a rapidly changing environment. Moving away from our reliance on coal, oil and other fossil fuel-driven power plants is essential to reduce emissions of greenhouse gases and combat climate change.

The relevant legislation, policy, and guidance in an international (Section 11.2.1), national (Section 11.2.2), and local (Section 11.2.3) context are detailed below.

11.2.1

International Greenhouse Gas Emission and Climate Targets

Globally, governance relating to climate change has changed significantly since 1994 when the United Nations Framework Convention on Climate Change (UNFCCC) entered into force. Greenhouse gas emissions have been a primary focus of climate related international agreements for almost two decades.

Table 11-1 below identifies international instruments relating to greenhouse gases and climate change targets. The following table provides an overview of the international agreements that have played key roles in establishing climate governance; please refer to Appendix 11-1 ‘*Climate Legislation, Policy, and Guidance*’ for further detail on each of the below international instruments.

Table 11-1 International Instruments Relating to Greenhouse Gases and Climate Change Targets

International Instrument	Description
Kyoto Protocol	The Kyoto Protocol was adopted on 11 December 1997; this Protocol operationalised the UNFCCC and was the first international agreement that committed countries to reduce their greenhouse gas emissions. The Kyoto Protocol came into effect in 2005, as a result of which, emission reduction targets agreed by developed countries, including Ireland, became binding for the first time.

² Hansen, J.; Sato, M.; Kharecha, P. et al. Earth's Energy Imbalance and Implications. *Atmospheric Chemistry and Physics* 2011, 11 (24), 13421–13449. <https://doi.org/10.5194/acp-11-13421-2011>

³ von Schuckmann, K.; Palmer, M. D.; Trenberth, K. E. et al. An Imperative to Monitor Earth's Energy Imbalance. *Nature Climate Change* 2016, 6 (2), 138–144. <https://doi.org/10.1038/nclimate2876>

⁴ European Environment Agency (2024) European Climate Risk Assessment <<https://www.eea.europa.eu/publications/european-climate-risk-assessment>>

⁵ IPCC AR6 Synthesis Report: Climate Change 2023. <https://www.ipcc.ch/report/sixth-assessment-report-cycle/>

Doha Amendment to the Kyoto Protocol	In Doha, Qatar, on 8th December 2012, the "Doha Amendment to the Kyoto Protocol" was adopted. The amendment includes: › New commitments for Annex I Parties to the Kyoto Protocol who agreed to take on commitments in a second commitment period from starting in 2013 and lasting until 2020. › A revised list of greenhouse gases to be reported on by Parties in the second commitment period; and
Conference of the Parties (COP): <i>Every year since 1995, the Conference of the Parties (COP) has gathered the 196 Parties (195 countries and the European Union) that have ratified the Convention in a different country, to evaluate its implementation and negotiate new commitments, and is the supreme decision-making body of the UNFCCC.</i>	COP21 – Paris (30th November to 12th December 2015) COP21 closed with the adoption of the first international climate agreement (concluded by 195 countries and applicable to all). The twelve-page text, made up of a preamble and 29 articles, provides for a limitation of the temperature rise to below 2°C above pre-industrial levels and even to tend towards 1.5°C.
	COP25 – Madrid (December 2nd to December 13th, 2019) At COP25 the European Union launched its most ambitious plan, ‘The European Green Deal’ which aims to lower CO₂ emissions to zero by 2050.
	COP28 – Dubai (30th of November 2023 to the 13th of December 2023) COP28 resulted in a landmark deal to ‘transition away’ from fossil fuels, the United Arab Emirates (UAE) Consensus. The agreement calls for ‘transitioning away from fossil fuels in energy systems, in a just, orderly, and equitable manner.’ COP28 concluded the first ever Global Stocktake under the Paris Agreement. The Global Stocktake recognises that the world is not on track to meet 1.5°C and will require Parties to align their national targets and measures with the Paris Agreement.
	COP29 – Azerbaijan (11th November 2024 to 22nd November 2024) COP29 focused on accelerating global efforts to address climate change, in particular global efforts related to climate finance. The New Collective Quantified Goal on Climate Finance (NCQG) was agreed in the final days of COP with developed nations agreeing to triple finance to developing countries, with commitments increasing from United States Dollars (USD) 100 billion annually to USD 300 billion annually by 2035. Significant progress was made in the discussions surrounding carbon markets, with nearly 200 nations agreeing on critical rules under Article 6 of the Paris Agreement. The adoption of these rules is seen as a crucial step towards operationalising a robust and credible carbon market. Despite the advances, concerns were expressed about the potential for weak governance and risks of exploitation in the system; these issues must be addressed to ensure the market's full functionality.
United Nations Sustainable Development Goals	On the 14th July 2025, the United Nations published ‘The Sustainable Development Goals Report 2025’ this report finds that, following an assessment of all 169 targets, for which trend data is available, only 17% of the SDG targets are on track, 18% of SDG targets are showing minimum or moderate progress, 47% having stalled in progress and 18% having regressed from 2024.

Climate Change Performance Index	Established in 2005, the Climate Change Performance Index (CCPI)⁶ is an independent monitoring tool which tracks individual countries climate protection performance. Ireland, ranked 43rd in 2024, has risen 14 places to 29th for 2025, and is now considered a ‘medium’ performer in international performance. The CCPI states that Ireland’s policies are missing a long-term strategy for phasing out fossil fuel infrastructure and shifting investments from natural gas towards an emissions-neutral energy supply.
State of the Global Climate 2024	In March 2025, the World Meteorological Organisation (WMO) published a report entitled the ‘State of the Global Climate 2024’. This report provided a summary on the state of the climate indicators in 2023 with sections on key climate indicators, extreme events and impacts. The key messages in the report include: › Greenhouse gases reached record observed levels in 2023. Real time data indicate that the level of greenhouse gases continued to rise in 2024. › The annually averaged global mean near-surface temperature in 2024 was 1.55 °C ± 0.13 °C above the 1850–1900 average used to represent pre-industrial conditions.
Renewable Energy Directive	The first Renewable Energy Directive (RED)⁷ is legislation that influenced the growth of renewable energy in the EU and Ireland for the decade ending in 2020. From 2021, RED was replaced by the second Renewable Energy Directive (REDII),⁸ which continues to promote the growth of renewable energy out to 2030. REDII introduced a binding EU-wide target for overall RES of 32% in 2030 and requires Member States to set their national contributions to the EU-wide target. Per the National Energy and Climate Plan (NECP) 2021-2030, Ireland’s overall RES target is 34.1% in 2030. Given the need to ratchet up the EU’s clean energy transition, RED was revised in 2023, and the amending Directive EU/2023/2413 (REDIII)⁹ entered into force on 20 November 2023 and was transposed into Irish Law in August 2025. REDIII amended the EU-wide overall 2030 RES target from 32% to at least 42.5% with the aim of 45%.
European Green Deal	The European Green Deal is a comprehensive package of policy initiatives aimed at achieving climate neutrality across the EU by 2050. It features a wide range of actions and targets in different sectors such as energy, transport, industry, environment and agriculture. The goal is to transform the EU into a resource-efficient, competitive circular economy that is fair and inclusive for every individual and region. In its approach to decarbonisation, the EU has split greenhouse gas emissions into two categories, the Emissions Trading System (ETS) and the non-ETS. Under the EU Green Deal, the targets for the ETS and non-ETS sectors will be

⁶ Climate Change Performance Index 2024 <<https://ccpi.org/>>

⁷ Directive 2009/28/EC on the promotion of the use of energy from renewable sources. Available from: <https://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2009:140:0016:0062:en:PDF>

⁸ Directive (EU) 2018/2001 on the promotion of the use of energy from renewable resources (recast). Available from: <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=celex%3A32018L2001>

⁹ Directive (EU) 2023/2413 amending Directive (EU) 2018/2001, Regulation (EU) 2018/1999 and Directive 98/70/EC as regards the promotion of energy from renewable sources and repealing Council Directive (EU) 2015/652. Available from: https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=OJ:L_202302413

	revised upwards in order to achieve the commitment, at EU level, to reach an economy-wide 2030 reduction in emissions of at least 55%, compared to 1990 levels.
Council Regulation (EU) 2022/2577 and 2024/223	Council Regulation (EU) 2022/2577 and 2024/223 lay down a framework to accelerate the deployment of renewable energy. Regulation 2022/2577 and 2024/223 recognises the relative importance of renewable energy deployment in the current difficult energy context and provides significant policy and legislative support to enabling renewable energy projects. Further detail is provided in Section 1.1.1.8 of Appendix 11-1.
EU Nature Restoration Law	The Nature Restoration Law is the first continent-wide, comprehensive law of its kind. It is a key element of the EU Biodiversity Strategy, which sets binding targets to restore degraded ecosystems, in particular those with the most potential to capture and store carbon and to prevent and reduce the impact of natural disasters. The law aims to restore ecosystems, habitats and species across the EU's land and sea areas in order to › Enable the long-term and sustained recovery of biodiverse and resilient nature; › Contribute to achieving the EU's climate mitigation and climate adaptation objectives; and › Meet international commitments. The EU Nature Restoration Law was approved on June 17th, 2024; EU countries are expected to submit National Restoration Plans to the Commission within two years of the Regulation coming into force (by mid-2026), showing how they will deliver on the targets. They will also be required to monitor and report on their progress.
EU Effort Sharing Regulation	Emissions from all other sectors, including agriculture, transport, buildings, and light industry are covered by the EU Effort Sharing Regulation (ESR). This established binding annual greenhouse gas emission targets for Member States for the period 2021–2030. Ireland is required to reduce its emissions from these sectors by 30% by 2030, relative to 2005 levels. Please see Section 1.1.1.10 of Appendix 11-1 for further details on the EU ESR

11.2.2

National Greenhouse Gas Emission and Climate Targets

Ireland has reached a crucial point in addressing climate change with a goal to becoming climate neutral by 2050 and to significantly cut greenhouse gases by 2030. National greenhouse gas emission and climate targets are critical for achieving Ireland's climate ambitions.

Table 11-2 below provides an overview of national legislation and reports relating to greenhouse gases and climate change targets in Ireland; please refer to Appendix 11-1 for further detail on each of the below national legislation measures.

Table 11-2 National Legislation and Reports relating to Greenhouse Gases and Climate Change Targets

National Instrument	Description
Programme for the Government – Securing Ireland's Future	The Programme for Government – Securing Ireland's Future was published in January 2025. The programme notes that the government are committed to reducing greenhouse gas emissions by an average 7% per annum over the next decade in a push to achieve a net zero emissions by the year 2050. The Programme states the Government's ongoing support and commitment to

	<i>“achieving 80% of Ireland’s electricity generation from renewable sources by 2030”.</i>
Climate Action and Low Carbon Development Act 2015	The Climate Action and Low Carbon Development Act 2015 established the national framework for the approval of plans by the Government in relation to climate change for the purpose of pursuing the transition to a low carbon, climate resilient and environmentally sustainable economy.
Climate Action and Low Carbon Development (Amendment) Act 2021	The Climate Action and Low Carbon (Amendment) Act 2021, amended the Climate Action and Low Carbon Development Act 2015 and is a piece of legislation which commits the country to move to a climate resilient and climate neutral economy by 2050. This was passed into law in July 2021. The Programme for Government has committed to a 7% average yearly reduction in overall greenhouse gas emissions over the next decade, and to achieve net zero emissions by 2050. This Act will manage the implementation of a suite of policies to assist in achieving these annual targets.
Climate Change Advisory Council 2025	The Climate Change Advisory Council (CCAC) was established on 18th January 2016 under the Climate Action and Low Carbon Development Act 2015. The Annual Review 2025: Electricity report has been released by the CCAC and focuses specifically on key findings and recommendations for the Electricity sector. In 2024, emissions from the sector reduced by approximately 7.3% from 2023. Ireland’s carbon intensity of electricity generation is higher than the EU average due to continued reliance on coal and oil, which are estimated to have contributed 13.4% and 3.1% of total electricity emissions for 2024, while accounting for only 3.2% and 0.7% of indigenous generation, respectively.
Carbon Budgets	The first national carbon budget programme proposed by the CCAC, approved by Government and adopted by both Houses of the Oireachtas in April 2022 comprises three successive 5-year carbon budgets. The total emissions allowed under each budget are shown in Section 1.1.2.5 of Appendix 11-1.
Sectoral Emission Ceilings	The Sectoral Emissions Ceilings were launched in September 2022. The Sectoral Emissions Ceilings alongside the annual published Climate Action Plan provide a detailed plan for taking decisive action to achieve a 51% reduction in overall greenhouse gas emissions by 2030. The Sectoral Emission Ceilings for each 5-year carbon budget period was approved by the government on the 28th of July 2022 and is shown in Section 1.1.2.6 of Appendix 11-1.
Climate Action Plan 2025	The National Climate Action Plan (CAP) 2025 was launched in April 2025. CAP 2025 sets out the roadmap to deliver on Ireland’s climate ambition. It aligns with the legally binding economy-wide carbon budgets and sectoral ceilings that were agreed by Government in July 2022 following the Climate Action and Low Carbon Development (Amendment) Act 2021, which commits Ireland to a legally binding target of net-zero greenhouse gas emissions no later than 2050, and a reduction of 51% by 2030. CAP 2025 highlights the firm commitment that has been made by Ireland in relation to the clean energy transition and provides an outline of precise goals for renewable energy, focusing on solar, onshore wind, and offshore wind.
Circular Economy and Miscellaneous Provisions Act 2022	In July 2022, the Circular Economy and Miscellaneous Provisions Act 2022 became law in Ireland. This Act underpins Ireland’s shift from a ‘take-make-waste’ linear waste model to a more sustainable pattern of production and consumption. This Act defines the circular economy for the first time in Irish

	domestic law, stating that a circular economy means an economic model and the policies and practices that give effect to that model in which: › Production and distribution processes in respect of goods, products and materials are designed so as to minimise the consumption of raw materials associated with the production and use of those goods, products and materials, › The delivery of services is designed so as to reduce the consumption of raw materials, › Goods, products and materials are kept in use for as long as possible thereby further reducing the consumption of raw materials and impacts harmful to the environment, › The maximum economic value is extracted from goods, products, and materials by the persons using them, and Goods, products and materials are recovered and regenerated at the end of their useful life.
Ireland's Climate Change Assessment	In 2023 the EPA published Ireland's Climate Change Assessment (ICCA). This assessment provides a comprehensive overview and breakdown of the state of knowledge around key aspects of climate change with a focus on Ireland. The ICCA report is presented in four volumes. › Volume 1: Climate Science – Ireland in a Changing World › Volume 2: Achieving Climate Neutrality in 2050; › Volume 3: Being Prepared for Ireland's Future; and › Volume 4: Realising the Benefits of Transition and Transformation. Please refer to Section 1.1.2.8 of Appendix 11-1 for further information on the ICCA.

11.2.3 Local Greenhouse Gas Emission and Climate Targets

11.2.3.1 Sligo Local Authority Climate Action Plan 2024-2029

The Sligo County Council Local Authority Climate Action Plan 2024-2029 (Sligo LACAP) was adopted in 2024.

The Sligo LACAP highlights the current state of climate action in Ireland, and how Sligo County Council will be responsible for enhancing climate resilience, increasing energy efficiency, and reducing greenhouse gas emissions, across its own assets and service. The Sligo LACAP provides a mechanism for bringing together both adaptation and mitigation actions to help drive positive climate action and outcomes across the local authority and its administrative area. The framework of climate actions set within the plan, configures the arrangement of climate actions within a defined structure that ensures alignment between on the ground actions and the high-level vision that the Sligo LACAP aspires to deliver. The Sligo LACAP will help address the mitigation of greenhouse gases, the implementation of climate change adaptation measures, and will strengthen the alignment between national climate policy and the delivery of effective local climate action.

Overall, the greenhouse gas emissions generated from County Sligo equated to 943 kilo tonnes of carbon dioxide equivalent (ktCO₂-) in the baseline year of, 2019. The top four emitting sectors within County Sligo in terms of total greenhouse gas emissions in the baseline year were Agriculture, Residential, Transport and Land Use, Land-Use Change and Forestry (LULUCF), producing 45%, 17%, 14% and 13% respectively of total emissions in County Sligo. Sligo County Council, along with all public sector entities must reduce greenhouse gas emissions by 51% by 2030 as compared to 2018 in line with the National Climate Action Plan 2025 (Section 11.2.2 above).

The Sligo LACAP assesses climate risk relevant to Ireland and to County Sligo, this, plus the evidence baseline, inform the climate objectives and actions that will be undertaken by Sligo County Council to assist in the achievement of national and international climate targets.

Once operational, the Proposed Project will assist in reducing emissions by generating renewable energy to be fed into the grid, thereby reducing the overall carbon intensity of Ireland's electrical supply. This will in turn, support the decarbonisation of other sectors, particularly the main emitting sectors in County Sligo as identified above. Please see Section 11.4.3 below for further information on carbon savings associated with the Proposed Project.

The Sligo County Development Plan 2024-2030¹⁰ (SCDP) sets out the overall strategy for the proper planning and sustainable development of the County over a 6-year period. The SCDP includes numerous objectives on sustainability and climate within, as well as a Renewable Energy Strategy. Please see Section 2.5.4.1 of Chapter 2: Background to the Proposed Project of this EIAR for more details on the SCDP.

11.2.4 Relevant Guidance

The climate chapter of this EIAR is carried out in accordance with the 'EIA Directive' as amended by Directive 2014/52/EU and has been prepared in accordance with guidance listed in Section 1.2 of Chapter 1. Due to the nature of the Proposed Project, a wind farm and associated infrastructure, the following methodology and guidance was utilised for the climate section of this EIAR:

- › 'Guidance on Integrating Climate Change and Biodiversity into Environmental Impact Assessment' (European Commission, 2013)
- › 'Environmental Impact Assessment Guide to Climate Change Resilience and Adaptation' (Institute of Environment Management and Assessment (IEMA), 2020);
- › 'Calculating Carbon Savings from Wind Farms on Scottish Peat Lands' (University of Aberdeen and the Macauley Institute 2008); and
- › 'Wind Farms and Carbon Savings' (Scottish Natural Heritage, 2003);
- › Macauley Institute Carbon Calculator for Wind Farms on Scottish Peatlands (Version 2.15.1) (Macauley Institute, 2023); and
- › Transport Infrastructure Ireland (TII) Carbon Assessment Tool (Version 0.9.0) (TII, 2020).

Consideration has also been given to the 'Air Quality Assessment of Proposed National Roads – Standard PE-ENV-01107' (Transport Infrastructure Ireland, December 2022 (2022a)), Climate Assessment of Proposed National Roads – Standard and Overarching Technical Documentation (Transport Infrastructure Ireland December 2022b/c) and TII Carbon Tool for Road and Light Rail Projects: User Guidance Document, GE-ENV-01106 (TII, 2022d).

11.3 Climate and Weather

Climate change projections show that the Earth is getting warmer and extreme weather events are increasing in frequency on an annual basis. The Proposed Project will assist in mitigating these effects through the deployment of clean renewable energy to the national grid and subsequent decarbonisation of energy systems. Changes to climate and weather in Ireland will occur as a result of climate change, for further details on the vulnerability of the Proposed Project to Climate please refer to Chapter 16.

¹⁰ The Sligo County Development Plan 2024-2030, <https://www.sligococo.ie/cdp/>

11.3.1 Baseline Environment

11.3.1.1 Data Sources

A review of literature and data relating to climate change in Ireland was undertaken and utilised to provide an overview of the current baseline environment. The following key data sources were reviewed:

- › Met Éireann 30-Year Averages¹¹;
- › Ireland's Climate Averages 1991-2020 Summary Report¹²;
- › Ireland's National Inventory Report 2025¹³;
- › Climate Status Report for Ireland 2020¹⁴; and
- › Annual Review 2025 – Our Changing Climate in 2024¹⁵.

11.3.1.2 Physical Environment

Ireland has a temperate, oceanic climate, resulting in mild winters and cool summers. Met Éireann provides 30-year weather averages for Ireland at specific weather stations throughout Ireland. The closest weather and climate monitoring station to the Current Baseline Study Area that has meteorological data recorded for a 30-year period is Claremorris weather station, located approximately 51.1km south of the Proposed Wind Farm at its closest point (T5). Meteorological data recorded at Claremorris over the 30-year period from 1971-2000 is shown in Table 11-3 below. The wettest months are September and December, and April is usually the driest. July is usually the warmest month with an average temperature of 15° Celsius. The mean annual temperature recorded at Claremorris was 9.3° Celsius. More recent monthly meteorological data recorded at Enniscrone Golf Club, Co Sligo, located approximately 15.3km west of the Proposed Wind Farm at its closest point (T2), from January 2022 to January 2025 is available at: <https://www.met.ie/climate/available-data/historical-data> shows that October 2022 was the wettest month in this time period, with 205.6mm of rainfall recorded, while July 2022 was the driest month with 29mm of rainfall. The weather station at Enniscrone Golf Club does not have monthly/daily temperature data, therefore Ardtarmon weather station is the closest weather station located approx. 18.2km northeast of the Proposed Wind Farm at its closest point (T13) with daily temperature data for the same period available at: <https://www.met.ie/climate/available-data/historical-data>. The data revealed that June 2023 was the warmest month in this time period, with a mean monthly temperature of 21.9° Celsius. December 2022 was the coldest month with a mean monthly temperature of 7.1° Celsius.

Table 11-4 below provides a summary of the current physical baseline environment with reference to relevant chapters within the submitted EIAR where further information is available.

¹¹ <https://www.met.ie/climate/30-year-averages>

¹² Department of Housing, Local Government and Heritage (2024) Ireland's Climate Averages 1991-2020 Summary Report <https://edepositireland.ie/bitstream/handle/2262/108695/Ireland%27s_climate_averages_1991-2020_rev2.pdf?sequence=1&isAllowed=y>

¹³ EPA (2025) Ireland's National Inventory Report <<https://www.epa.ie/publications/monitoring-assessment/climate-change/air-emissions/Ireland's-NID-2025.pdf>>

¹⁴ EPA (2021) Climate Status Report for Ireland 2020 <<https://www.epa.ie/publications/research/climate-change/research-386-the-status-of-irelands-climate-2020.php>>

¹⁵ Climate Change Advisory Council (2025) Annual Review 2025 – Our Changing Climate in 2024 <<https://www.climatecouncil.ie/councilpublications/annualreviewandreport/CCAC%20AR25%20Our%20Changing%20Climate-final.pdf>>

Table 11-3 Data from Met Éireann Weather Station at Claremorris, 1971 - 2000: Monthly and Annual Mean and Extreme Values

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year
TEMPERATURE (degrees Celsius)													
mean daily max	7.5	8.1	9.8	12.1	14.9	17.0	18.9	18.7	16.4	13.1	9.9	8.1	12.9
mean daily min	1.7	1.8	2.9	3.9	6.1	8.8	11.0	10.6	8.6	6.4	3.5	2.5	5.7
mean temperature	4.6	4.9	6.3	8.0	10.5	12.9	15.0	14.7	12.5	9.8	6.7	5.3	9.3
absolute max.	13.3	13.6	16.2	22.3	25.4	29.8	30.5	28.0	25.1	19.9	15.9	14.3	30.5
min. maximum	-2.9	0.1	0.0	5.0	6.1	11.2	11.7	12.2	10.5	6.8	1.3	-1.5	-2.9
max. minimum	11.3	10.9	10.4	11.3	14.2	15.3	17.0	16.7	16.7	15.6	12.5	12.1	17.0
absolute min.	-11.7	-9.1	-8.0	-5.5	-3.1	0.7	0.6	2.6	-1.2	-4.3	-5.3	-12.9	-12.9
mean num. of days with air frost	8.7	7.3	5.2	3.3	0.8	0.0	0.0	0.0	0.1	1.2	5.3	7.6	39.5
mean num. of days with ground frost	15	14	12	10	5	0	0	0	2	5	12	14	89
mean 5cm soil	3.2	3.1	4.5	7.3	10.9	14.1	15.5	14.6	12.0	8.9	5.3	4.2	8.6
mean 10cm soil	3.2	3.1	4.5	7.3	10.9	14.1	15.5	14.6	12.0	8.9	5.3	4.2	8.6
mean 20cm soil	4.2	4.2	5.5	7.7	10.7	13.8	15.3	15.0	13.0	10.3	6.9	5.3	9.3
RELATIVE HUMIDITY (%)													
mean at 0900UTC	90.7	90.3	88.7	82.5	79.3	80.4	83.6	86.2	88.1	91.6	91.2	91.0	87.0

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year
mean at 1500UTC	85.6	79.8	75.7	67.9	68.0	71.1	73.2	73.4	74.7	80.2	84.4	88.1	76.8
SUNSHINE (hours)													
mean daily duration	1.3	1.9	2.6	4.3	5.0	4.4	3.7	3.8	3.2	2.4	1.7	0.9	2.9
greatest daily duration	7.9	9.3	10.8	13.4	15.1	15.8	14.8	13.7	11.4	9.3	8.6	6.7	15.8
mean num. of days with no sun	9.5	7.3	5.7	2.8	2.0	2.2	2.2	2.1	3.4	5.0	8.1	10.8	61.1
RAINFALL (mm)													
mean monthly total	127.9	102.1	101.6	63.7	68.1	64.5	70.1	95.7	94.3	128.2	127.7	129.6	1173.6
greatest daily total	31.5	107.0	26.8	34.0	51.3	38.0	42.2	49.7	41.0	46.7	54.9	41.2	107.0
mean num. of days with $\geq 0.2\text{mm}$	21	18	21	16	16	15	17	18	18	21	21	22	224
mean num. of days with $\geq 1.0\text{mm}$	18	15	17	12	12	11	12	13	14	17	18	17	176
mean num. of days with $\geq 5.0\text{mm}$	9	7	7	4	4	4	4	6	5	8	8	9	75
WIND (knots)													
mean monthly speed	10.2	10.3	10.2	8.7	8.1	7.7	7.2	6.8	7.7	8.7	8.9	9.7	8.7
max. gust	96	85	74	74	62	51	66	78	58	70	67	81	96
max. mean 10-minute speed	59	48	45	41	41	34	39	32	37	46	40	52	59
mean num. of days with gales	1.4	0.9	0.7	0.1	0.1	0.0	0.0	0.0	0.1	0.3	0.4	0.8	4.8

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year
WEATHER (mean no. of days with)													
snow or sleet	5.7	4.4	3.8	1.6	0.2	0.0	0.0	0.0	0.0	0.1	1.2	3.1	20.0
snow lying at 0900UTC	2.3	0.7	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	4.6
Hail	4.4	3.2	5.4	3.2	1.6	0.4	0.1	0.0	0.7	0.8	2.6	2.7	25.2
Thunder	0.3	0.1	0.2	0.2	0.4	0.7	0.7	0.2	0.2	0.2	0.3	0.5	4.0
Fog	3.4	2.3	1.6	1.8	1.2	1.4	2.0	3.2	3.3	3.2	2.6	3.4	29.5

Table 11-4 Summary of Current Physical Baseline Environment

Climate variable	Summary of current baseline environment	Relevant EIAR chapter (if applicable)
Air Temperature	Climate change is impacting air temperatures in the Northern European region, with a range of observable effects including rising temperature, increased frequency of heatwaves, changes in seasonal temperature patterns and milder winters¹⁶. Ireland's Climate Averages 1991-2020 Summary Report identifies that the annual mean air temperature for Ireland over the period 1991-2020 is 9.8°C. The annual mean air temperature ranges from approximately 8.5°C - 10.8°C. Comparing the 1991-2020 annual mean air temperature for Ireland with that of the 1961-1990 period, there has been an increase of approximately 0.7°C. The Climate Status Report for Ireland 2020¹⁷ states that air temperatures in Ireland have '<i>been increasing at an average rate of 0.078°C per decade since 1900 and that the annual average temperature is now approximately 0.9°C higher than it was in the</i>	Chapter 10: Air Quality

¹⁶ IPCC (2021) Climate Change 2021: The Physical Science Basis <https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC_AR6_WGI_FullReport.pdf>

¹⁷ Government of Ireland (2020) Climate Status Report for Ireland 2020 <https://www.epa.ie/publications/research/climate-change/Research_Report_386.pdf>

Climate variable	Summary of current baseline environment	Relevant EIAR chapter (if applicable)
	<i>early 1900s</i>. Temperatures in Ireland are increasing, with 16 of the top 20 warmest years on record occurring since 1990¹⁸. On 10th July 2024 Met Éireann confirmed that 2023 was Ireland’s wettest and warmest year on record (with records dating back to 1900).¹⁹ Due to the moderating influence of the North Atlantic, Ireland has, and will continue to, experience much milder air temperatures as compared to mainland Europe and other continental countries.²⁰ However, this moderating influence could be in jeopardy if the Atlantic Meridional Overturning Circulation (AMOC) continues to weaken²¹. The AMOC is a large system of ocean currents responsible for carrying warm water from the tropics into the North Atlantic and the strength of this current is a function of global mean temperature. The weakening of this current would counterbalance the warming effects of climate change creating instability for local ecosystems, agriculture, and fisheries.	
Precipitation	Climate change is impacting precipitation patterns in the Northern European region, with a range of observable effects including increased precipitation, more extreme precipitation events, seasonal variations and impacts on hydrological regimes²². Precipitation has been measured systematically in Ireland since the late 19th century and is a key indicator of changes in the climate; measurements and analysis of rainfall are essential for assessing the effects of climate change on the water cycle, water balance and for flood mitigation. Met Éireann highlights that it is already observing these trends, with the national annual average rainfall over the period 1991-2020 being approximately 1,288mm, which represents an increase of 7% from the previous 30-year monitoring period (1961-1990)²³. Ireland’s Climate Averages 1991-2020 Summary Report obtained averages for the annual, seasonal and monthly number of rain days (number of days with rainfall ≥ 0.2 mm), wet days (number of days with rainfall ≥ 1 mm) and very wet days (number of	Further detail on rainfall and evaporation data is provided in Section 9.3.2 in Chapter 9: Hydrology and Hydrogeology

¹⁸ Ireland’s Climate Change Assessment (2023) Volume 1 Climate Science – Ireland in a Changing World <<https://www.epa.ie/publications/monitoring-assessment/climate-change/irelands-climate-change-assessment-volume-1.php>>

¹⁹ <https://www.met.ie/2023-confirmed-as-irelands-wettest-year-on-record>

²⁰ <https://www.met.ie/climate/what-we-measure/temperature#:~:text=The%20moderating%20influence%20of%20the,mild%20winters%20and%20cool%20summers.>

²¹ IPCC (2019) IPCC Special Report on the Ocean and Cryosphere in a Changing Climate Chapter 6. Extremes, Abrupt Changes, and Managing Risk

<https://www.ipcc.ch/site/assets/uploads/sites/3/2022/03/08_SROCC_Ch06_FINAL.pdf>

²² IPCC (2021) Climate Change 2021: The Physical Science Basis <https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC_AR6_WGI_FullReport.pdf>

²³ Department of Housing, Local Government and Heritage (2024) Irelands Climate Averages 1991-2020 Summary Report <<https://edepositireland.ie/handle/2262/108695>>

Climate variable	Summary of current baseline environment	Relevant EIAR chapter (if applicable)
	days with rainfall ≥ 10 mm). Over the period 1991-2020, on an annual basis, the average number of rain days ranges from 201 days to 272 days; the average number of wet days ranges from 147 days to 226 days; and the average number of very wet days ranges from 22 days to 68 days.	
Wind and Storms	Climate change is impacting wind patterns in the Northern European region with a range of observable effects including increased wind speeds, changes in wind direction and seasonal variations²⁴. Ireland's Climate Averages 1991-2020 Summary Report identifies that the annual mean hourly wind speed ranges from 9 knots at Shannon Airport to 15 knots at Malin Head. Winds are generally strongest in the northwest of the country. The strongest winds are observed during the winter months and range from 10 knots at Shannon Airport to 18 knots at Malin Head. The lightest winds are observed during the summer months and range from 8 knots at Valentia Observatory to 13 knots at Malin Head. In late 2023 and early 2024, Ireland experienced a very active storm season; the county was affected by 13-14 severe storms²⁵. In the 2024/2025 storm season there were 6 no. named storms, with Storm Eowyn, occurring in January 2025, reaching hurricane force winds (maximum wind speed recorded as 184km/h. ²⁶ At the time of writing there have been two named storms in the 2025/2026 storm seasons, storm Amy in October 2025 and Storm Chandra in January 2026. The increased frequency and intensity of storm events will lead to associated increases in precipitation (see above). As stated in 'Air Temperature' above, the AMOC has a moderating influence on Europe. However, as identified by the IPCC, the strength of the AMOC is directly correlated to global mean temperature, and as global mean temperature increases, the AMOC will weaken²⁷. The weakening of this current would result in increased storm activity in Northern Europe.	N/A

²⁴ IPCC (2021) Climate Change 2021: The Physical Science Basis <https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC_AR6_WGI_FullReport.pdf>

²⁵ Met Éireann (2024) Human-caused Climate Change Brings Increased Storm Rainfall <<https://www.met.ie/human-caused-climate-change-brings-increased-storm-rainfall>>

²⁶ Met Éireann (2024) Human-caused Climate Change Brings Increased Storm Rainfall <<https://www.met.ie/human-caused-climate-change-brings-increased-storm-rainfall>>

²⁷ IPCC (2019) IPCC Special Report on the Ocean and Cryosphere in a Changing Climate Chapter 6. Extremes, Abrupt Changes, and Managing Risk <https://www.ipcc.ch/site/assets/uploads/sites/3/2022/03/08_SROCC_Ch06_FINAL.pdf>

11.3.1.3 Existing Greenhouse Gas Emissions

Greenhouse gas emissions arise from a large majority of anthropogenic activities. The main sectors which release emissions in Ireland are detailed in Section 1.1.2.6 of Appendix 11-1 Climate Legislation Policy and Guidance. These sectors include:

- › Electricity
- › Transport
- › Built Environment
 - Residential
 - Commercial
- › Industry
- › Agriculture
- › Land Use, Land Use Change, and Forestry (LULUCF)¹
- › Other (F-Gases, Waste, Petroleum refining)
- › Unallocated savings

The most recent inventory report for Ireland, National Inventory Report 2025 (NIR 2025)²⁸, was published in 2025 and refers to the greenhouse gas inventory timeseries for the years 1990-2023. From 1990-2001, total emissions of greenhouse gases (excluding LULUCF) increased steadily from 55,734.9ktCO_{2e} in 1990 to 70,848.8 ktCO_{2e} in 2001, which is the highest level of greenhouse gas emissions ever reported in Ireland. Emissions then plateaued until 2008 with estimates ranging from 70,149.9 ktCO_{2e} to 67,927 ktCO_{2e}. There was then a sharp decrease from 67,927 ktCO_{2e} in 2008 to 57,836.3 ktCO_{2e} in 2011. The declining trend between 2008 and 2011 is largely attributable to a slowing down of the previously sustained increase in transport emissions, coupled with the 2008 financial crisis. In 2023, total emissions of greenhouse gases including indirect emissions from solvent use (excluding LULUCF) in Ireland were 54,934.4ktCO_{2e}, which is 6.8% lower than emissions in 2022, and the lowest level in the time series.

The Electricity sector accounted for the bulk of the CO₂ emissions in 2023 (57.1%), Agriculture contributed 36.2%, while a further 5.2% emanated from Industrial Processes and Product Use and 1.5% was due to Waste. Emissions of CO₂ accounted for 61.1% of the national total in 2023, with CH₄ and N₂O contributing 28.9% and 8.8%, respectively. The combined emissions of fluorinated gases (HFC, PFC, SF₆ and NF₃) accounted for 1.2% of total emissions in 2023.²⁹

11.3.2 Future Environment

Ireland is experiencing climate change in line with global trends, with current projections, detailed below, indicating that these effects will intensify in the coming decades. The baseline environment, detailed above, will undergo significant shifts, influencing Ireland's environment, economy, and society. Predicted changes include rising temperatures, altered precipitation patterns, and increased frequency of extreme weather events.

Visible changes in global climate are evident worldwide, with climate change projections suggesting further, more pronounced impacts in the future. These impacts will have wide-ranging effects on both natural and man-made environments across various sectors and regions, resulting in socio-economic repercussions. Referred to as the 'costs of inaction,' these economic impacts of climate change are

²⁸ EPA (2024) National inventory Report 2025 <<https://www.epa.ie/publications/monitoring-assessment/climate-change/air-emissions/Ireland's-NIR-2025.pdf>>

²⁹ Ibid.

increasingly influencing policy discussions³⁰. It has become clear that even if greenhouse gas emissions were to cease immediately, climate alterations would persist for many decades. Therefore, alongside efforts for mitigation, it's imperative to develop effective (adaptation) to mitigate damages or seize opportunities arising from climate change.

This section provides a description of the future predictions for climate change

11.3.2.1 Data sources

A review of literature and data relating to climate change in Ireland was undertaken and utilised to provide an overview of the future baseline environment. The following key data sources were reviewed:

- › High-resolution Climate Projections for Ireland – A Multimodel Ensemble Approach (report No. 339)³¹;
- › Climate Status Report for Ireland 2020³²; and
- › Climate Ireland³³.

11.3.2.1.1 Physical environment

This section will describe the future baseline for the Site's physical environment under the Representative Concentration Pathways (RCP) 8.5 high emission scenario. RCPs represent climate change scenarios used in modelling the possible future climate evolution, and are based on a wide suite of assumptions, to specify the greenhouse gas concentrations that will result in defined radiative forcing by 2100. The RCP 8.5 combines assumptions about high population and relatively slow income growth with modest rates of technological change and energy intensity improvements, leading in the long term to high energy demand and greenhouse gas emissions in absence of climate change policies. Compared to the total set of RCPs, RCP 8.5 thus corresponds to the pathway with the highest greenhouse gas emissions³⁴. The physical environment of the Proposed Project under the RCP 8.5 scenario is discussed under the following headers:

- › Air Temperature;
- › Precipitation and Flood Risk;
- › Wind and Storms.

Air Temperature

Annual surface air temperatures³⁵ in Ireland are now approximately 1°C higher than they were in the early 1900's (2013 – 2022 period relative to 1903 - 1912). The upward trend in air temperatures is predicted to continue for all seasons: annual air temperatures may increase by over 3°C by the end of the 21st century relative to a 1976 to 2005 reference period under an RCP 8.5 high emission scenario³⁶.

Met Éireann projections³⁷ indicate an increase of 1–1.6°C in mean annual temperatures in Ireland, with the largest increases seen in the east of the country. Warming is enhanced for the extremes (i.e. hot or cold days), with highest daytime temperatures projected to rise by 0.7–2.6°C in summer and lowest

³⁰ European Environment Agency (2007) *Climate change: the cost of inaction and the cost of adaptation*
<https://www.eea.europa.eu/publications/technical_report_2007_13/download>

³¹ EPA Research (2020) *High-resolution Climate Projections for Ireland – A Multimodel Ensemble Approach*
<https://www.epa.ie/publications/research/climate-change/Research_Report_339_Part1.pdf>

³² https://www.epa.ie/publications/research/climate-change/Research_Report_386.pdf

³³ <https://www.climateireland.ie/>

³⁴ *Climate Change (2011) A scenario of comparatively high greenhouse gas emissions*
<<https://link.springer.com/article/10.1007/s10584-011-0149-y>>

³⁵ <https://www.epa.ie/publications/monitoring-assessment/climate-change/irelands-climate-change-assessment-volume-1.php>

³⁶ *Ireland's Climate Change Assessment (2023) Volume 1 Climate Science – Ireland in a Changing World*

³⁷ <https://www.met.ie/climate/climate-change/#Reference3>

night-time temperatures to rise by 1.1–3°C in winter. Averaged over the whole country, the number of frost days (days when the minimum temperature is less than 0°C) is projected to decrease by 62% for the RCP 8.5 high emissions scenario^{38,39}.

Precipitation and Flood Risk

Climate change is expected to have a significant impact on Ireland's precipitation patterns. Ireland is predicted to experience greater seasonality in precipitation, with more extreme fluctuations between wet and dry periods. Winter and autumn are anticipated to see increased rainfall, while spring and summer are projected to become drier, leading to more frequent droughts. The EPA's climate projections indicate that very wet days (i.e., days with more than 30mm of rainfall) will become more common, increasing by 31% under a high emissions scenario (RCP 8.5).

Due to Ireland's location in the west of Europe, exposure to Atlantic storms is of concern and this is particularly the case in the context of rising sea levels which will enhance the impacts of storm surges.⁴⁰

Extreme rainfall events, such as those currently expected only once every 50 years, could become twice as frequent by the end of the century. This means more frequent flooding risks, particularly during the winter months⁴¹. Further information on flood risk is presented in the section below.

Flood Risk

Chapter 9 Hydrology and Hydrogeology, and the accompanying Flood Risk Assessment (FRA) (Appendix 9-1) detail the flood risk of the Proposed Project. Based on the information provided in the stated documents, the areas of the Proposed Project at risk of flooding were identified. Please refer to the Chapter 9 of the EIAR for further details.

Wind and Storms

Future climate and weather predictions indicate a slight reduction in mid-century (2041 – 2060) average wind speeds around Ireland (-2.47% for RCP 8.5 high emissions scenario compared to the 1981 – 2000 baseline), with these decreases being more pronounced during the summer months⁴². Predictions also point towards less frequent, but more intense storm activity around Ireland.

However, there is uncertainty with regard to future predictions for storms, and it is expected that the trends observed in the frequency and intensity of storms will continue to be influenced by natural variability. Additionally, future trends are difficult to predict due to a low confidence in attributing historic trends in storms to climate change. However, ongoing changes in the climate may potentially affect storms with cumulative effects on wind.

Projections indicate a decrease in average and extreme wave heights towards the end of the century, but an increase in the frequency and severity of storm surges in coastal regions of western Ireland, particularly in winter months⁴³. Storm surge levels over a 20-to-30-year return period are anticipated to increase by up to 9cm by 2100⁴⁴.

³⁸ Nolan, P. 2015. EPA Report: Ensemble of Regional Climate Model Projections for Ireland. EPA climate change research report no. 159. EPA: Wexford.

³⁹ O'Sullivan, J., Sweeney, C., Nolan, P. and Gleeson, E., 2015. A high-resolution, multi-model analysis of Irish temperatures for the mid-21st century. *International Journal of Climatology*. doi: 10.1002/joc.4419.

⁴⁰ <https://www.epa.ie/our-services/monitoring-assessment/climate-change/climate-ireland/impact-of-climate-change-on-ireland/climate-hazards/coastal-flooding>.

⁴¹ EPA (2005) Climate Change Regional Climate Model Predictions for Ireland <<https://www.epa.ie/publications/research/climate-change/climate-change-regional-climate-model-predictions-for-ireland.php>>

⁴² <https://www.climateireland.ie/impact-on-ireland/future-climate-of-ireland/wind-speed/>

⁴³ <https://www.epa.ie/publications/research/climate-change/research-339-high-resolution-climate-projections-for-ireland-.php>

⁴⁴ <https://www.climateireland.ie/impact-on-ireland/future-climate-of-ireland/waves-surges/>

Forest Fires/ Wildfires

Due to rising temperatures, reduced precipitation and increased periods of drought, the risk of wildfires and forest fires is increasing across Ireland and Europe. According to the EPA’s National Climate Change Risk Assessment Report, “All regions in Ireland are projected to experience a small increase in Fire Weather Index [FWI]⁴⁵, with the Southern Region (0.62) showing the highest increase from the 1981-2010 baseline”.⁴⁶ While the Proposed Project sits outside the southern region, all regions in Ireland have a high risk period for fires which begins in February and continues to October. Fires are more likely to occur on dry grassland landscapes and areas with a lot of gorse and heath, however there are a number of precautions that can be taken to reduce the risk of fire, for example being extra vigilant after dry spells and ensuring that fire breaks remain clear of vegetation⁴⁷.

According to a report by the EPA, forest fires represent a very small percentage of wildfires in Ireland, with coniferous woodland representing only 4% of the total burned area.⁴⁸ The European Forest Fire Information System (EFFIS) highlights statistics on forest fires across Europe. Between 2002 and 2024, Co. Sligo had one of the lowest records of forest fires by hectare in Ireland, with the total burned area amounting to 5.36ha, in contrast with Co. Galway which had the highest, at 379.2ha burned.⁴⁹

11.3.2.2 Greenhouse Gas Emissions Projections

In its approach to decarbonisation, the EU has split greenhouse gas emissions into two categories, the Emissions Trading System (ETS) emissions and non-ETS emissions. Emissions from electricity generation and large industry in the ETS are subject to EU-wide targets which require that emissions from these sectors be reduced by 43% by 2030, relative to 2005 levels. Within the ETS, participants are required to purchase allowances for every tonne of emissions, with the amount of these allowances declining over time to ensure the required reduction of 43% in greenhouse gas emissions is achieved at EU-level⁵⁰.

Emissions from all other sectors, including agriculture, transport, buildings, and light industry are covered by the EU Effort Sharing Regulation (ESR⁵¹). This regulation established binding annual greenhouse gas emission targets for Member States for the period 2021–2030. Please see Section 11.2.1 above and Section 1.1.1.10 of Appendix 11-1 for further details on the EU ESR.

Considerable progress has been made in the decarbonisation of the Electricity Sector, with emissions falling 22% between 2022 and 2023. This reduction in emissions is due to an increase in the share of renewable electricity generation, from 38.6% to 40.7% from 2022 to 2023, with wind energy accounting for 33.7% of electricity supply.⁵²

The Environmental Protection Agency (EPA) publish Ireland’s greenhouse gas emission projections and at the time of writing, the most recent report, *Ireland’s Greenhouse Gas Emissions Projections 2024-2055* was published in May 2025. The report includes an assessment of Ireland’s progress towards achieving its emission reduction targets out to 2030 set under the ESR.

⁴⁵ FWI is the Fire Weather Index is relevant to forestry, local planning and disaster risk management. It is a meteorologically based index used worldwide to estimate fire danger, based on several weather variables (temperature, precipitation, relative humidity, and wind speed.)

⁴⁶ https://www.climateireland.ie/media/epa-2020/monitoring-amp-assessment/climate-change/climate-ireland/EPA_NCCRA_Main-Report_Published_June_2025.pdf

⁴⁷ <https://teagasc.ie/crops/forestry/advice/management/dealing-with-wildfires/>

⁴⁸ https://www.epa.ie/publications/research/climate-change/Research_Report_476.pdf

⁴⁹ <https://gwis.jrc.ec.europa.eu/apps/country.profile/overview/ADM0/IRL>

⁵⁰ Department of the Environment, Climate and Communications (2023) - Climate Action Plan 2024

<https://www.gov.ie/en/publication/79659-climate-action-plan-2024/>

⁵¹ Regulation (EU) 2018/842 of the European Parliament and of the Council of 30 May 2018 on binding annual greenhouse gas emission reductions by Member States from 2021 to 2030 contributing to climate action to meet commitments under the Paris Agreement and amending Regulation (EU) No 525/2013 (Text with EEA relevance)

⁵² Department of the Environment, Climate and Communications (2025) - Climate Action Plan 2025

The EPA has produced two scenarios in preparing these greenhouse gas emissions projections: a “With Existing Measures” (WEM) scenario and a “With Additional Measures” (WAM) scenario. These scenarios forecast Ireland’s greenhouse gas emissions in different ways. The WEM scenario assumes no additional policies and measures, beyond those already in place by the end of 2023. This is the cut off point for which the latest national greenhouse gas emission inventory data is available, known as the ‘base year’ for projections. The WAM scenario has a higher level of ambition and includes government policies and measures to reduce emissions such as those in Ireland’s Climate Action Plan 2024 that are not yet implemented. As implementation of policies and measures occurs, they will be migrated into the WEM Scenario. Please note, CAP25 is not specifically referenced in this report as it had yet to be published during the preparation phase of the 2024-2055 projections. A review was undertaken and there are no significant additional measures in CAP25 therefore no major omissions in these projections.

The EPA Emission Projections Update notes the following key trends:

- › Ireland is not on track to meet the 51% emissions reduction target by 2030 (as compared to 2018 levels) based on most up to date EPA projections which include many of Climate Action Plan 2024 measures
- › The first two carbon budgets (2021-2030), which aim to support achievement of the 51% emissions reduction goal, are projected to be exceeded by a significant margin
 - Carbon Budget 1 to be exceeded by a margin of 8 to 12 MtCO₂eq
 - Carbon Budget 2 to be exceeded by a margin of 77 to 114 MtCO₂eq (with carryover from Carbon Budget 1)
- › Sectoral emissions ceilings for 2025 and 2030 are projected to be exceeded by the Buildings, Electricity, Industry and Transport Sectors and met by the Other sector
 - Please note, a direct comparison of emissions in the Agriculture sector against its Sectoral Emission Ceiling is no longer viable due to significant refinement of the Agriculture inventory
- › From 21.4 MtCO₂eq in 2018, total emissions from the Agriculture sector are projected to be between 18.0 and 21.6 MtCO₂e in 2030 (a 16% reduction in WAM and 1% increase in WEM)
 - Without full implementation of all planned policies and measures, there will be a net increase in emissions in this sector by 2030.
- › Transport emissions are projected to decrease from 12.3 MtCO₂eq in 2018 to between 9.7 MtCO₂eq and 11.2 MtCO₂eq in 2030 (a 9 to 21% reduction).
- › From 10.6 MtCO₂eq in 2018, emissions from the Energy Industries sector are projected to decrease to between 3.4 and 4.4 MtCO₂eq in 2030 (a 59 to 68% reduction)
 - Renewable energy generation at the end of the decade is projected to range from 69 to 68% of electricity generation
- › Emissions from the Energy Industries sector are projected to decrease by between 57 and 62% over the period 2022 to 2030
 - Renewable energy generation at the end of the decade is projected to range from 69 to 80% of electricity generation
- › Total emissions from the LULUCF sector are projected to increase over the period 2018 to 2030 by between 1.5 and 3.8 MtCO₂e (an increase of 39 to 95%)
- › Ireland is not projected to meet its EU target, set under the Effort Sharing Regulation, of a 42% emissions reduction by 2030 (compared to 2005) even with flexibilities applied
 - Under the WEM Scenario Ireland is projected to receive a 9.5% emission reduction from 2005 levels by 2030
 - Under the WAM Scenario Ireland is projected to achieve a 21.7% emissions reduction from 2005 levels by 2030.

11.3.3 Summary

As outlined in the preceding sections, Ireland is and will continue to experience climate change in line with global trends, with current projections indicating that these effects will intensify in the coming decades. The design of the Proposed Project has considered the potential climate change effects under both the baseline and future environment, and it is considered that the Proposed Project will not be negatively impacted by climate change, nor will it have a negative impact on climate change over its 35-year design horizon.

Further information on the vulnerability of the Proposed Project to major accidents and natural disasters is detailed in Chapter 16: Major Accidents and Natural Disasters

11.4 Calculating Carbon Losses and Savings from the Proposed Project

11.4.1 Background

In addition to the combustion of fossil fuels, greenhouse gases are also released through natural processes such as the decomposition of organic material (which is composed of carbon). Bogs and peatlands are known to store large amounts of carbon. Due to the waterlogged nature of these habitats, stored carbon is not broken down and released into the atmosphere. The construction of wind farms on bog and peat habitats may affect the natural hydrological regime, thus exposing and drying out the peat and allowing the decomposition of carbon. It is therefore necessary to demonstrate that any wind farm constructed on such sites saves more carbon than is released. The Proposed Wind Farm is situated on pastoral agricultural land and peatland with small sections being covered by coniferous forestry. For this reason, the carbon balance between the use of renewable energy and the loss of carbon stored in the peat will be assessed in this section of the EIAR.

CO₂ emissions occur naturally in addition to being released with the burning of fossil fuels. All organic material is composed of carbon, which is released as CO₂ when the material decomposes. Organic material acts as a store of carbon. Peatland habitats have a significant capacity to store organic carbon. The vegetation on a peat bog slowly absorbs CO₂ from the atmosphere when it is alive and converts it to organic carbon. When the vegetation dies, in the acidic waterlogged conditions of bogs and peatlands, the organic material does not decompose fully, and the organic carbon is retained in the ground.

The carbon balance of wind farm developments in peatland habitats has attracted significant attention in recent years. When developments such as wind farms are proposed for peatland areas, there will be direct impacts and loss of peat in the area of the development footprint. There may also be indirect impacts where it is necessary to install drainage in certain areas to facilitate construction, or from the reinstatement of extracted peat. The works can either directly or indirectly allow the peat to dry out, locally, which permits the full decomposition of the stored organic material with the associated release of the stored carbon as CO₂. It is therefore important to demonstrate that a wind farm development in a peatland area offsets more CO₂ through its operational lifetime than is released during construction, operation and decommissioning.

The below assessment includes all carbon losses associated with turbine infrastructure lifecycle (manufacture, construction, decommissioning) of the Proposed Project, back up of proposed turbines, reduced carbon fixing potential of the Site, soil organic matter, tree felling activities, traffic generation, embodied carbon of all construction materials, and those emissions associated with carbon savings from the Proposed Project.

11.4.2 Methodology for Calculating Losses

A methodology was published in June 2008 by scientists at the University of Aberdeen and the Macauley Institute with support from the Rural and Environment Research and Analysis Directorate of the Scottish Government, Science Policy and Co-ordination Division. The document, ‘*Calculating Carbon Savings from Wind Farms on Scottish Peat Lands*’, was developed to calculate the impact of wind farm developments on the soil carbon stocks held in peat. This methodology was refined and updated in 2011 based on feedback from users of the initial methodology and further research in the area. The web-based version of the carbon calculator, which supersedes the excel based versions of the tool, was released in 2016. Please note, the web-based version of the carbon calculator is currently not available, the Macauley Institute has supplied a worksheet of the calculator (Version 2.15.0) which has been used to complete the following carbon loss assessment. The tool provides a transparent and easy to follow method for estimating the impacts of wind farms on the carbon dynamics of peatlands. Previously guidance produced by Scottish Natural Heritage in 2003 had been widely employed to determine carbon payback in the absence of any more detailed methods.

Although the loss of carbon fixing potential from plants on peat land is not substantial, it is nonetheless calculated for areas from which peat is removed and the areas affected by drainage. The development of a wind farm requires the construction of infrastructure, i.e., turbines and associated foundations and hardstands, internal site roads, construction compounds, etc. and, on a site such as the Proposed Project, this requires peat excavation resulting in the loss of the carbon-fixing potential associated with peat. The determination of the carbon losses associated with the carbon-fixing potential of peat is calculated from the area affected by proposed infrastructure of a wind farm development (both directly by removal of peat and indirectly by drainage, the annual gains due to the carbon fixing potential of the peatland, and the time required for habitat restoration). The amount of carbon lost is estimated by the Macauley Institute carbon tool using default values from the IPCC Revised 1996 Guidelines for National Greenhouse Gas Inventories⁵³ as well as by more site-specific equations derived from the scientific literature and updated emission factors.⁵⁴ Please note, carbon losses associated with the removal of other carbon-fixing vegetation will result in additional carbon losses. These have not been quantified as the lack of consistent national-level field data and methodologies limits the ability to make accurate projections on carbon sequestration potential for other carbon fixing habitat types, i.e., hedgerow, grassland, etc., and therefore carbon loss associated with removal. While it can be assumed that loss of carbon fixing vegetation will occur as part of the Proposed Project due to the removal of these habitat types, the exact carbon loss is not quantifiable. However, to ensure a robust assessment in Section 11.5 below, these carbon losses have been considered; please see Section 11.5.2 and 11.5.3 below for the detailed impact assessment and Appendix 11-2 for further information on assumptions used in this assessment.

Peatlands are ecosystems in which primary production exceeds decomposition, resulting in the long-term accumulation of peat. When flooded, peat soils emit less carbon dioxide but more methane than when drained. In waterlogged soils, carbon dioxide emissions are usually exceeded by plant fixation, so the net exchange of carbon with the atmosphere is negative and soil carbon stocks increase. When soils are aerated, carbon emissions usually exceed plant fixation, so the net exchange of carbon with the atmosphere is positive. In order to calculate the carbon emissions resulting from the removal or drainage of the peat, the Macauley Institute method accounts for emissions occurring if the peat had been left in-situ and subtracts these from the emissions occurring after removal and drainage.

The Macauley Institute methodology states that the total volume of peat impacted by the construction of a wind farm is strongly correlated to the extent of the peatland affected by drainage at the Site.

⁵³ IPCC (1997) Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories

⁵⁴ Calculating potential carbon losses and savings from wind farms on Scottish peatlands (2018) <<https://www.gov.scot/advice-and-guidance/2018/12/carbon-calculator-technical-guidance/documents/calculating-potential-carbon-losses-and-savings-from-wind-farms-on-scottish-peatlands>>

The drainage of peat soils leads to continual loss of soil carbon until a new steady state is reached, when inputs are approximately equal to losses. For peat soils, this steady state is approximated as 0% remaining carbon, representing a conservative modelling assumption in which 100% carbon loss is assumed if a site is not restored following decommissioning of a wind farm. In practice, deep peat does not lose all of its carbon within a project lifetime, as oxidation is generally limited to a shallow surface layer while deeper peat remains largely intact unless hydrological conditions are fundamentally altered. The amount of carbon lost is calculated on the basis of the annual emissions of methane and carbon dioxide, the area of drained peat, and the time until the site is restored. In the case of the Proposed Project, under a precautionary scenario, the model has been prepared on the basis that restoration will not occur upon decommissioning (i.e., site roads and hardstands will be left in situ). However, as detailed in Section 4.10, upon decommissioning, all above ground turbine and met mast components will be removed, and foundations and compounds would remain underground and covered with earth and allowed to revegetate. The Decommissioning Plan, included as Appendix 4-6, will be updated prior to the end of the operational period in line with decommissioning methodologies that may exist at the time and will agree with the competent authority at that time.

The effects of drainage may also reduce dissolved and particulate organic carbon retention within the peat. Losses of carbon dioxide due to leaching of dissolved and particulate organic carbon are calculated as a proportion of the gaseous losses of carbon from the peat. The Macauley Institute method assumes that published good practice is employed in relation to avoiding the risk of peat landslides. As detailed in Section 8.3.9.7 in Chapter 8: Land, Soils and Geology of this EIAR, the Proposed Project has been the subject of a peat stability risk assessment; further details are contained within Appendix 8-1 of this EIAR.

Tree felling will be required within and around the Proposed Wind Farm infrastructure footprint to allow for the construction of the Proposed Turbines, access tracks, underground cabling, onsite 110kV substation and other ancillary infrastructure, as well as to protect local bat populations. Commercial forestry may be felled earlier than originally planned due to the Proposed Wind Farm, so limiting the nature and longevity of the resulting timber produced. If a forestry plantation was due to be felled with no plan to replant, the effect of the land use change is not attributable to the wind farm development and is omitted from the calculation. If, however, the forestry is felled for the development, as is the case for the Proposed Project, the effects are judged to be attributable to the wind farm development. Carbon losses as a result of tree felling are calculated from the area to be felled the average carbon sequestered annually, and the lifetime of the wind farm Alterations in soil carbon levels following felling are calculated using the equations for drainage and site restoration already described. Note, in line with the Forest Service's published policy⁵⁵ on granting felling licences for wind farm developments, areas cleared of forestry for access tracks, and any other wind farm-related uses will be replaced by replanting at an alternative site or sites. The Forest Service policy requires replacement or replanting on a hectare for hectare basis for the footprint of the infrastructure development.

The outputs of the Macauley Institute carbon calculator are included in Appendix 11-2 of this EIAR, '*Carbon Calculations*'.

In addition to the Macauley Institute methodology described above, where possible, carbon emissions or losses associated with embodied carbon of materials used in the construction, operational and decommissioning phase of the Proposed Project have been identified. Embodied carbon refers to the emissions associated with procuring, mining and harvesting raw materials, the transformation of those materials into construction products, transporting them to site, installation of these materials during a construction phase, and the subsequent replacement, removal, and disposal of these materials upon decommissioning.⁵⁶

⁵⁵ Department of Agriculture, Food, and the Marine, *Tree Felling and Reforestation Policy*
<<https://www.gov.ie/en/publication/19b8d-tree-felling-licences/>>

⁵⁶ Irish green Building Council – What is embodied carbon? <<https://www.igbc.ie/what-is-embodied-carbon/>>

Given the nature of the Proposed Project as a new renewable energy development with repowering elements, the existing 23 no. turbines on the Dunneill (13 no. turbines) and Kingsmountain (10 no. turbines) Wind Farm sites will be removed and 17 no. Proposed Turbines will be constructed across both Existing Wind Farms and additional greenfield sites. To enhance sustainability, principles of Circular Economy theory will be implemented to minimise material waste, including the retention and reuse of turbine blades and associated materials where feasible. The circular economy is defined by the European Commission as ‘a model of production and consumption, which involves sharing, leasing, reusing, repairing, refurbishing, and recycling existing materials and products as long as possible.’⁵⁷ The circular economy is further defined in Irish domestic law in the Circular Economy and Miscellaneous Provisions Act 2022. A circular economy aims to keep products, components and materials at their highest utility and value at all times.

The removal of the 23 no. turbines from the Existing Wind Farm presents an opportunity to integrate principles of the circular economy, which emphasizes the reuse, recycling, and regeneration of materials to create sustainable system and transitions sites, such as the Proposed Wind Farm, into valuable assets both for the environment and surrounding communities. Prior to removal, all available options for blade management will be assessed in terms of circularity. Assessed options will include blade reuse, blade repurposing, blade recycling and energy from waste (EfW). Once the existing turbines are removed as outlined in Section 4.7.1 of Chapter 4, a majority of the remaining infrastructure will be repurposed for construction and operation of the Proposed Wind Farm. Infrastructure not used for the Proposed Wind Farm will continue to be used by farm machinery and be retained where requested to facilitate these activities or be left to recolonise naturally.

The full life cycle and embodied carbon of the Proposed Turbines (17 no. turbines which constitute Crumhach Wind Farm) have been taken account of in the Macauley Institute model as a new wind energy development.

The emissions associated with the embodied carbon, along with the removal of the existing 23 no. turbines which constitute the Existing Wind Farm and Proposed Project construction phase transport movements, of the remaining features of the site are considered using the Transport Infrastructure Ireland (TII) Carbon Tool (TII 2022)⁵⁸. The TII Carbon Tool is customised for road and light rail projects in Ireland, using emission factors from recognised sources during the construction, maintenance and operation of TII projects in Ireland.

Section 15.1 in Chapter 15: Material Assets of this EIAR outlines traffic generation numbers relative to quantum of materials required for the construction of the Proposed Project, the details of which have been utilised to determine the emissions associated with these activities and are included in Appendix 11-2.

11.4.3 Carbon Losses and Savings Calculations

11.4.3.1 Carbon Losses

The Scottish Government online carbon calculator was used to assess the impacts of the Proposed Project in terms of potential carbon losses and savings taking into account peat removal and reinstatement, drainage, habitat improvement, forestry felling and site restoration. The online calculator is pre-loaded with information specific to the CO₂ emissions from the United Kingdom’s electricity generation plant, which is used to calculate emissions savings from proposed wind farm projects in the UK. However, due to the availability of Irish specific carbon intensity emission factors for the Irish

⁵⁷ Circular economy: definition, importance and benefits (May 2023)

<[⁵⁸ Transport Infrastructure Ireland Carbon Tool for Road and Light Rail Projects: User Guidance Document
<https://www.tiipublications.ie/library/GE-ENV-01106-01.pdf>](https://www.europarl.europa.eu/news/en/headlines/economy/20151201STO05603/circular-economy-definition-importance-and-benefits#:~:text=The%20circular%20economy%20is%20a,reducing%20waste%20to%20a%20minimum.></p>
</div>
<div data-bbox=)

electricity generation plant, the CO₂ emissions savings from the Proposed Project have been calculated separately from the online carbon calculator as set out in Section 11.4.3.2 below.

In relation to embodied carbon and associated transport movements of all other ancillary elements of the Proposed Project, the TII Carbon Tool has been utilised to assess the impacts of the Proposed Project in terms of potential carbon losses in relation to construction phase transport emissions and embodied carbon.

A copy of the outputs is provided as Appendix 11-2 of this EIAR, ‘Carbon Calculations’. Where available and relevant, site-specific information was inserted into the online carbon calculators. Otherwise, default values were used.

The main CO₂ losses due to the Proposed Project are summarised in Table 11-5.

Table 11-5 CO₂ Losses from the Proposed Project

Origin of Losses	CO ₂ Losses (tonnes CO ₂ equivalent)	
	Expected	Maximum
Losses due to the Proposed Turbines (e.g., manufacture, construction, decommissioning)	87,355	88,944
Losses due to backup	68,332	69,471
Losses from reduced carbon fixing potential	2,781	3,708
Losses from soil organic matter and due to leaching of dissolved and particulate organic carbon (CO ₂ loss from removed and drained peat)	35,316	170,549
Losses associated to forestry felling (of permanent built infrastructure)	12,974	13,350
Losses associated with embodied carbon in construction materials	41,543	41,543
Losses associated with traffic and transport movements	630	630
Total	248,931	388,195

The worksheet models and online tools calculate that the Proposed Project will give rise to 248,931 tonnes of CO₂ equivalent losses over its 35-year life. Of this total figure, the Proposed Turbines directly account for 87,355 tonnes, or 35.1%. Losses due to backup account for 68,332 tonnes, or 27.5%. Losses from reduced carbon fixing potential accounts for 2,781 tonnes, or 1.1%. Losses from soil organic matter, i.e., CO₂ loss from disturbed soil and subsoils, will equate to 35,316 tonnes, or 14.2%. Losses due to forestry felling of the built infrastructure accounts for 12,974 tonnes or 5.2%. Losses due to embodied carbon accounts for 41,543 tonnes or 16.7% and losses due to construction phase transport emissions accounts for 630 tonnes, or 0.25%.

The figure of 35,316 tonnes of CO₂ arising from ground activities associated with the Proposed Project is calculated based on the entire Proposed Project development footprint being in “Acid Bog”, as this is one of only two choices the model allows (the other being Fen). The habitat that will be impacted by the development footprint comprises a mix of peatland, coniferous forestry and pastoral agriculture

land rather than acid bog, as assumed by the model. The value of 35,316 tonnes of CO₂ arising from ground activities in ‘Acid Bog’ is under a precautionary scenario, and therefore the actual CO₂ losses are expected to be lower than this value.

The values discussed above are based on the assumption that no habitat enhancement or afforestation activities will take place as part of the Proposed Project. As detailed in Section 4.3.2.12.2 of this EIAR, the estimated 29.3 ha of coniferous forestry that will be permanently felled for the footprint of the Proposed Wind Farm will be replaced or replanted on a hectare for hectare basis as a condition of any felling licence that will be issued in respect of the Proposed Project. Appendix 6-4, a Biodiversity Management and Enhancement Plan (BMEP) for the Proposed Wind Farm has identified enhancement activities such as peatland restoration and management. Taking into account the afforestation and habitat enhancement that will take place, the actual CO₂ losses for forestry felling and reduced carbon fixing potential are expected to be lower than the values detailed in Table 11-5, over the life-time of the Proposed Project.

The figure of 35,316 tonnes of CO₂ arising from the embodied carbon of construction materials associated with the Proposed Project is calculated based the types of materials available in the TII Carbon tool such as, concrete, steel, cement and granular fill, and assumes that each HGV or LGV will be carrying material at its full capacity. The figure of 630 tonnes of CO₂ arising from transport movements associated with construction activities of the Proposed Project is calculated based on the assumption that material will be imported locally or from a port/city location where applicable. Details on the assumptions made for the modelling of embodied carbon and construction phase transport emissions are included in Appendix 11-2.

The values discussed above are based on the assumption that the hydrology of the Proposed Project and habitats within the Site are not restored on decommissioning of the Proposed Wind Farm after its expected 35-year proposed operational life. As detailed in the Decommissioning Plan, Appendix 4-6, the Proposed Turbines will be dismantled and removed offsite. It is not intended to remove the concrete foundations from the ground as it is considered that its removal will be the least preferred options in terms of having potential effects on the environment. The associated foundations will be backfilled and covered with soil material. If there is usable soil or overburden material on the Site after construction, this material will be used. Alternatively, where material is not readily available on site, soil will be sourced locally and imported to site on heavy good vehicles (HGVs). The imported soil material will be spread and graded over the foundation using a tracked excavator and revegetation enhanced by spreading of an appropriate seed mix to assist in revegetation and accelerate the resumption of the natural drainage management that will have existed prior to any construction. The underground electrical cabling connecting the turbines to the proposed onsite 110kV substation will be removed from the cable ducts. The cable ducting will be left in-situ as it is considered the most environmentally prudent option, avoiding unnecessary excavation and soil disturbance. The cable materials will be transferred to a suitable recycling or recovery facility. Taking into account the proposals incorporated in the Decommissioning Plan, the actual CO₂ losses are expected to be lower than the values detailed in Table 11-5.

11.4.3.2 Carbon Savings

According to the model described above, the Proposed Project will give rise to total losses of 248,931 tonnes of carbon dioxide.

A simple formula can be used to calculate carbon dioxide emissions reductions resulting from the generation of electricity from wind power rather than from carbon-based fuels such as peat, coal, gas and oil. The formula is:

$$\text{CO}_2 \text{ (in tonnes)} = \frac{(A \times B \times C \times D)}{1000}$$

where: A = The rated capacity of the wind energy development in MW

B = The capacity or load factor, which takes into account the intermittent nature of the wind, the availability of wind turbines and array losses etc.

C = The number of hours in a year

D = Carbon load in grams per kWh (kilowatt hour) of electricity generated and distributed via the national grid.

For the purposes of this calculation, the rated capacity of the Proposed Wind Farm is assumed to be 102MW (based on 17 No. 6 MW turbines).

A capacity factor of 0.35 (or 35%) has been used for the Proposed Project.⁵⁹

The number of hours in a year is 8,760.

A conservative figure for the carbon load of electricity generated by natural gas in Ireland was sourced from Sustainable Energy Authority Ireland's (SEAI) Conversion and Emissions Factors for Publication worksheet.⁶⁰ The emission factor for electricity generated in Ireland in 2025 was 178.3gCO₂/kWh.⁶¹

The calculation for carbon savings is therefore as follows:

$$\text{CO}_2 \text{ (in tonnes)} = \frac{(102 \times 0.35 \times 8,760 \times 178.3)}{1000}$$

$$= 55,760 \text{ tonnes per annum}$$

Based on this calculation, **55,760** tonnes of carbon dioxide will be displaced per annum from the largely carbon-based traditional energy mix by the Proposed Wind Farm. Over the proposed 35-year lifetime of the development, therefore **1,951,600** tonnes of carbon dioxide will be displaced from traditional carbon-based electricity generation.

Based on the Scottish Government carbon calculator as presented above in Section 11.4.3.1, approximately 248,931 tonnes of CO₂ will be lost to the atmosphere due to changes in the soil and ground conditions and due to the construction and operation of the Proposed Project. This represents **12.8%** of the total amount of carbon dioxide emissions that will be offset by the Proposed Project. The 248,931 tonnes of CO₂ that will be lost to the atmosphere due to changes in soil and ground conditions and due to the construction and operation of the Proposed Project will be offset by the Proposed Wind Farm in approximately 53.6 months (4.5 years) of operation.

As detailed in Section 11.4.3.1 above, habitat enhancement and afforestation activities will take place as part of the Proposed Project. As detailed in Section 4.3.2.12.2 of this EIAR, the identified 29.3ha of conifer plantation (WD4) that will be permanently felled for the Proposed Wind Farm will be replaced or replanted through on a hectare for hectare basis as a condition of any felling licence that will be issued in respect of the Proposed Wind Farm felling. Similarly, as detailed in Appendix 6-4, a BMEP for the Proposed Project has identified enhancement activities such as peatland restoration and management. These activities, over the lifetime of the Proposed Project has the potential to give rise to carbon savings; please note, this potential has not been quantified and therefore is not considered in Section 11.5.3 below. The carbon storage capacity of restored habitats will vary over time as vegetation matures and land use and the baseline environment change. Therefore, while it can be assumed that

⁵⁹ Enduring Connection Policy 2.3 Solar and Wind Constraints Report: Assumptions and Methodology <<https://cms.eirgrid.ie/sites/default/files/publications/ECP-2.3-Solar-and-Wind-Constraints-Report-Assumptions-and-Methodology-v1.1.pdf>> The Proposed Project is located within the B wind region for Ireland with an associated capacity factor of 35%.

⁶⁰ Conversion and Emission Factors for Publication (2023) <https://www.seai.ie/data-and-insights/seai-statistics/conversion-factors/SEAI-conversion-and-emission-factors.xlsx>

⁶¹ SEAI have published the provisional 2025 emission factor for electricity generation in Ireland as 178.3 gCO₂/kWh. Please note that this is a provisional value that may change.

coniferous forestry replanting will occur outside of the Site as per the Forestry License requirements, peatland restoration and management on the Proposed Wind Farm will result in an increased capacity of carbon storage due to the carbon storage potential that exists within these habitats⁶², to ensure the assessment below is identified under a theoretical precautionary scenario the quantification of these potential carbon savings (via an increase in carbon storage potential) associated with these measures has not been included.

11.5 Likely Significant Effects and Associated Mitigation Measures

11.5.1 ‘Do-Nothing’ Effect

An alternative land use option to repowering the Existing Wind Farm as part of the Proposed Project would be to leave the Existing Wind Farm as it is, with no changes made to the existing operating 23 no. wind turbines within the Existing Wind Farm. In doing so, environmental effects in terms of emissions are likely to be neutral for the short term, however 13 no. of the existing turbines (existing Dunneill Wind Farm) are due to be decommissioned in accordance with their planning permissions in 2039. Once the 13 no. turbines are decommissioned, there will be a negative effect on greenhouse gas emissions. The 10 no. turbines which were commissioned in 2003 will be left in situ (existing Kingsmountain Wind Farm). However, these machines are aging and are not as efficient as the newer machines. Although these turbines do not have a decommissioning date, they will eventually break down and have to be decommissioned. The opportunity to continue capturing the available renewable energy resource with the Existing Wind Farms would be lost.

An alternative land use option to developing a renewable energy project in the greenfield sections of the Proposed Wind Farm (i.e. areas of the Proposed Wind Farm located outside the footprint of the Existing Wind Farm) would be to leave the area as it is with no changes made to the current land use practices of commercial forestry, peat/turf cutting, and public road corridor.

In implementing the ‘Do-Nothing’ alternative, however, the opportunity to capture a significant part of Co. Sligo’s renewable energy resource would be missed, as would the opportunity to contribute to meeting Government and EU 2030 targets for the production and consumption of electricity from renewable resources and the reduction of greenhouse gas emissions. In addition, the opportunity to meet the obligations as laid out in the Climate Action and Low Carbon Development Act 2021 will be lost. The opportunity to generate local employment, development contributions, and rates would also be forgone. Furthermore, the opportunity to implement the measures outlined in the Biodiversity Management and Enhancement Plan (BMEP) as outlined in Appendix 6-4 would also be lost.

11.5.2 Construction Phase

11.5.2.1 Greenhouse Gas Emissions

Where the construction phase is detailed and assessed within the EIAR, this includes for the removal of the existing 23 no. turbines and the construction of the proposed 17 no. turbines and associated infrastructure on site.

Pre-Mitigation Impact

Proposed Wind Farm

⁶² <https://teagasc.ie/news-events/daily/carbon-stocks-and-sequestration-in-hedgerows/>

The removal of the 23 no. existing turbines and construction of Proposed Wind Farm infrastructure, including 17 no. Proposed Turbines and associated foundations and hard-standing areas, onsite LiDAR compounds, access tracks, temporary construction compounds, temporary works areas, underground cabling, peat and spoil management, biodiversity enhancement/management measures, onsite 110kV substation, site drainage and all ancillary works and apparatus, will require construction materials (such as cement), and the operation of construction vehicles and plant on and off-site, and the transport of workers to and from the Proposed Wind Farm. Greenhouse gas emissions, e.g., carbon dioxide (CO₂), carbon monoxide and nitrogen oxides, associated with the production of construction materials, and operation of vehicles and plant will arise as a result of the construction activities. This effect will be short-term negative and slight only, given the quantity of greenhouse gases that will be emitted to the atmosphere and will be restricted to the duration of the construction phase. Mitigation measures to reduce this effect are presented below.

Some potential long-term slight negative effects will occur due to the removal of carbon fixing vegetation and habitat, however, that has been avoided where possible by the design and layout of the Proposed Wind Farm, which has ensured the utilisation of as much of the existing roads within the Site as possible to gain access to the proposed turbine locations and minimise the construction of additional roads. This effect will be long-term, negative and slight only, given the quantity of greenhouse gases that will be emitted to the atmosphere and is not significant.

Proposed Grid Connection Route

The construction of the underground cabling connecting to the existing Srananagh 220kV substation will require the operation of construction vehicles and plant on and off-site, and the transport of workers to and from the Proposed Grid Connection Route.

Greenhouse gas emissions associated with vehicles and plant, such as carbon dioxide, (CO₂), carbon monoxide, and nitrogen oxides will arise as a result of construction activities. This effect will be short-term, negative and slight only, given the quantity of greenhouse gases that will be emitted to the atmosphere and will be restricted to the duration of the construction phase, therefore it is not significant. Mitigation measures to reduce this impact are presented below.

Transport to Site

The transport of turbines and construction materials to the Site, which will occur on specified routes only (see Section 4.5.3 in Chapter 4 of this EIAR), will also give rise to greenhouse gas emissions associated with the transport vehicles and exhaust emissions. This impact will be short-term, negative and slight only, given the quantity of greenhouse gases that will be emitted and will be restricted to the duration of the construction phase, therefore it is not significant. Mitigation measures to reduce this effect are presented below.

Waste Disposal

Construction waste will arise from the construction of the Proposed Project, mainly from excavation and unavoidable construction waste including material surpluses, damaged materials and packaging waste. This potential impact will be short-term, negative and slight only, given the quantity of greenhouse gases associated with the generation and management of these waste streams that will be emitted to the atmosphere and will be restricted to the duration of the construction phase, therefore it is not significant. Waste management will be carried out in accordance with ‘*Best Practice Guidelines on the Preparation of Resource and Waste Management Plans for Construction & Demolition Projects*’ (2021) produced by the EPA.

Please refer to Section 4.4.1.7 of Chapter 4 of this EIAR and Section 3.8 of the Construction and Environmental Management Plan (CEMP) for detailed processes on waste and resource management during the construction phase of the Proposed Project.

Mitigation

- › As is in line with SSE company policy, none of the turbine components will be sent to landfill after being removed from site. All turbine components will be broken down before their removal from site and will be reused in varying capacities.
- › Construction staff will be trained how to inspect and maintain construction vehicles and plant to ensure good operational order while onsite, thereby minimising any emissions that arise. The Site Supervisor/Construction Manager produce and follow a site inspection and machinery checklist which will be followed and updated if/when required.
- › All construction vehicles and plant will be maintained in good operational order while onsite, thereby minimising any emissions that arise.
- › When stationary, delivery and on-site vehicles will be required to turn off engines.
- › Turbines and construction materials will be transported to the site on specified routes only unless otherwise agreed with the Planning Authority. Please see Chapter 15 for details.
- › Areas of excavation will be kept to a minimum, and stockpiling of excavated material will be minimised by coordinating excavation, placement of material in peat and spoil management areas
- › A Construction and Environmental Management Plan (CEMP) (Appendix 4-5) will be in place throughout the construction phase.
- › The CEMP (Appendix 4-5) includes a Resource Waste Management Plan (RWMP) which outlines the best practice procedures that will occur during the construction phase relating to waste material.
 - The WMP outlines the methods of waste prevention and minimisation by recycling, recovery and reuse at each stage of construction of the Proposed Project. Disposal of waste will be seen as a last resort.
 - Section 4.4.1.7 of Chapter 4 for this EIAR refers to the methodology that will be utilised to manage onsite waste. This waste material will be transferred to a licensed /permitted Materials Recovery Facility (MRF) by a fully licensed waste contractor,
 - The MRF facility will be local to the Proposed Project to reduce the amount of emissions associated with vehicle movements.
- › Where applicable, low carbon intensive construction materials will be sourced and utilised onsite.

Residual Effects

Following implementation of the mitigation measures above, residual effects of greenhouse gas emissions arising from the construction phase of the Proposed Project will have a short-term imperceptible negative effect and is not significant. However, once emitted to the atmosphere, the greenhouse gas emissions that will arise from construction phase activities will have a permanent imperceptible negative effect on Climate, which is Not Significant.

When considering these greenhouse gas emissions within the context of the national Electricity Sector Emissions Ceilings detailed in Section 11.2.2, Carbon Budget 1 (2021-2025) has an Electricity Sector budget of 40 MtCO_{2e}. and Carbon Budget 2 (2026-2030) has an Electricity Sector budget of 20 MtCO_{2eq} for large-scale deployment of renewables. As detailed in Section 11.4.3.2, the Proposed Wind Farm will displace carbon dioxide from fossil fuel-based electricity generation, over the proposed 35-year lifespan. Therefore, while there will be greenhouse gas emissions associated with the construction of the Proposed Project, this will take place under the Electricity sector emissions ceiling and will be offset by the operation of the Proposed Wind Farm within its operational life.

Significance of Effects

Based on the assessment above there will be no significant effects with regard to greenhouse gas emissions arising from the construction phase of the Proposed Project.

11.5.3 Operational Phase

11.5.3.1 Greenhouse Gas Emissions

Identification of Effect

Proposed Wind Farm

The Proposed Wind Farm will generate energy from a renewable source. As detailed in Section 11.4.3.2 above, the Proposed Wind Farm will displace carbon dioxide from fossil fuel-based electricity generation, over the proposed 35-year lifespan of the Proposed Wind Farm. For the purposes of this EIAR, a rated output of 6MW per turbine has been chosen to calculate the anticipated power output of the Proposed Wind Farm, which would result in an estimated output of 102MW, displacing approximately 55,760 tonnes of carbon dioxide per annum from traditional carbon-based electricity generation. This will have a long-term significant positive impact on climate.

Some potential long-term not significant negative impacts that may occur during the operational phase of the Proposed Project are the release of carbon dioxide to the atmosphere due to maintenance and monitoring activities and the removal of carbon fixing vegetation and habitat, as well as associated drainage. With respect to transport volumes, there will only be an average of approximately 1 to 2 trips made to the Proposed Wind Farm by car or light goods vehicle per day. This will give rise to a long-term imperceptible negative effect on climate which is not significant

Proposed Grid Connection Route

While there will be approximately 1 to 2 trips made to the Proposed Wind Farm by car or light goods vehicle per day from maintenance and monitoring crews on site for maintenance activities, this will be less than those needed at the Proposed Grid Connection Route during the operational phase. Therefore, impacts relating to emissions from maintenance and monitoring along the Proposed Grid Connection Route infrastructure throughout the operational phase will be less than that of the Proposed Wind Farm and less than those impacts described in Section 11.4.3.1 above. This will give rise to a long-term imperceptible negative effect on climate which is not significant.

Transport to and from the Site

In the unlikely event that a turbine blade is damaged and must be replaced during the operational phase, the impacts described in Section 11.5.2.1 will be the same. Emissions resulting from routine maintenance at the Proposed Wind Farm are included in the section '*Proposed Wind Farm*' above.

Waste Disposal

Waste is not proposed to be generated on the site during the operational phase, any waste that does arise will be minimal and any impact will be short-term, negative and imperceptible, which is not significant. Waste management will be carried out in accordance with '*Best Practice Guidelines on the Preparation of Resource and Waste Management Plans for Construction & Demolition Projects*' (2021) produced by the EPA.

Mitigation

- › Ensure that all maintenance and monitoring vehicles will be maintained in good operational order while onsite, and, when stationary, be required to turn off engines thereby minimising any emissions that arise.

Residual Effect

Following implementation of the mitigation measures above, residual effects of greenhouse gas emissions arising from the operational phase of the Proposed Project will have potential long-term imperceptible negative effect on Climate, which is not significant.

Please note, as identified above in Section 11.4.3.2, the carbon storage capacity of restored habitats will vary over time as vegetation matures and land use and the baseline environment change. Therefore, while it can be assumed that measures outlined in the BMEP and 29.3ha of afforestation that will occur as part of the Proposed Project will result in an increased capacity of carbon storage due to the carbon storage potential that exists within these habitats⁶³, to ensure this assessment is completed under a theoretical precautionary scenario the quantification of these potential carbon savings (via an increase in carbon storage potential) associated with these measures has not been included.

The operation of the Proposed Project will displace carbon dioxide from fossil fuel-based electricity generation, over the proposed 35-year operational lifespan due to the provision of clean renewable energy to the national grid. Therefore, while there will be greenhouse gas emissions associated with the operation of the Proposed Wind Farm, this will be offset by the operation of the Proposed Wind Farm within the 35-year operational life.

This will have a long-term moderate positive effect on Climate as a result of reduced greenhouse gas emissions during the operational phase, which is Not Significant.

Significance of Effects

Based on the assessment above there will be no significant effects with regard to greenhouse gas emissions arising from the operational phase of the Proposed Project.

11.5.4 Decommissioning Phase

The wind turbines proposed as part of the Proposed Project are expected to have a lifespan of approximately 35-years. Following the end of their useful life, the equipment may be replaced with a new technology, subject to planning permission being obtained, or the Proposed Wind Farm may be decommissioned.

Upon decommissioning of the Proposed Wind Farm, the wind turbines would be disassembled. All above-ground turbine and mast components would be separated and removed from the Site for recycling. Turbine foundations would remain underground and would be covered with earth and allowed to revegetate. Leaving the foundations in-situ is considered a more environmentally prudent option, as to remove that volume of reinforced concrete from the ground could result in significant temporary environment nuisances such as noise, dust and/or vibration. Site roadways will be used during the operational phase by farm and forestry machinery and therefore will be retained post decommissioning to continue to facilitate these activities.

The underground electrical cabling connecting the turbines to the proposed onsite 110kV substation will be removed from the cable ducts. The cabling will be pulled from the cable ducts using a

⁶³ <https://teagasc.ie/news-events/daily/carbon-stocks-and-sequestration-in-hedgerows/>

mechanical winch which will extract the cables and re-roll it on to a cable drum. This will be undertaken at the original cable jointing pits which will be excavated using a mechanical excavator and will be fully re-instated once the cables are removed. The cable ducting will be left in-situ as it is considered the most environmentally prudent option, avoiding unnecessary excavation and soil disturbance. The cable materials will be transferred to a suitable recycling or recovery facility.

The Proposed Grid Connection Route infrastructure and proposed onsite 110kV electricity substation, will remain in place as it will be part of the Electricity Grid under the ownership and control of ESB Networks.

Any impact and consequential effect that occurs during the decommissioning phase are similar to that which occur during the construction phase, albeit of lesser impact. The mitigation measures prescribed for the construction phase of the Proposed Project will be implemented during the decommissioning phase thereby minimising any potential impacts.

A Decommissioning Plan has been prepared (Appendix 4-6). The Decommissioning Plan will be updated prior to the end of the operational period in line with decommissioning methodologies that may exist at the time and will agree with the competent authority at that time. The potential for effects during the decommissioning phase of the Proposed Wind Farm has been fully assessed in the EIAR.

11.6

Cumulative Assessment

The potential for impact between the Proposed Project, and other relevant developments has been carried out with the purpose of identifying what influence the Proposed Project (Proposed Wind Farm and Proposed Grid Connection Route combined) will have on the surrounding environment when considered cumulatively and in combination with relevant existing permitted or proposed projects and plans in the vicinity of the Site, such as other wind energy developments, extractive industries, battery energy storage systems, forestry etc. Please see Section 2.9 of Chapter 2: Background to the Proposed Project for the cumulative assessment methodology used.

During the construction phase of the Proposed Project and the construction of other permitted or proposed projects and plans in the area (please see Section 2.9 in Chapter 2 and Appendix 2-3 of this EIAR), there will be emissions from construction plant and machinery associated with the construction activities. However, once the mitigation proposals, as outlined in the above assessment are implemented during the construction phase of the Proposed Project, there will be no cumulative negative effect on climate.

Exhaust emissions during the operational phase of the Proposed Project will be minimal, relating to the use of maintenance vehicles onsite, and therefore there will be no measurable negative cumulative effect with other developments on climate.

The nature of the Proposed Project is such that, once operational, it will have a long-term, moderate, positive impact on the climate. There will be no measurable negative cumulative effect with other developments on climate.

11.6.1

Construction Phase

During the construction phase of the Proposed Project and other permitted or proposed projects and plans in the area as set out in Section 2.9 in Chapter 2 of this EIAR, that are yet to be constructed, there will be greenhouse gas emissions arising from production of construction materials (such as cement), and the operation of construction vehicles and plant. These will be restricted to the duration of the construction phase, and as such will give rise to emission over a short-term duration. However, once emitted to the atmosphere, the greenhouse gas emissions that will arise from construction phase activities will have a permanent imperceptible negative effect on Climate, which is not significant.

The Proposed Grid Connection Route will be primarily located within the public road corridor, The development of grid infrastructure such as that associated with the Proposed Project in the public road network is subject to the granting of a road opening licence (ROL) by the roads authority, in this case Sligo County Council, following a successful grant of planning permission. The legal framework establishing the powers of the road authorities and various other public and private bodies in respect of work forming openings in public roads is established in the Roads Act 1993 ('the Roads Act'). While there is potential for the Proposed Grid Connection Route to overlap with other permitted or proposed projects, the ROL procedure will ensure that there is no cumulative effect on the public road corridor as a result of the Proposed Grid Connection Route or any other permitted or proposed projects. However as identified above, there will be greenhouse gas emissions arising from production of construction materials (such as cement), and the operation of construction vehicles and plant for the construction of the Proposed Grid Connection Route and therefore there is a potential for cumulative effects on climate during the construction phase of the Proposed Grid Connection Route and other permitted or proposed projects within the public road network should they overlap.

11.6.2 Operational Phase

The nature of the Proposed Project is such that, once operational, it will have a long-term, moderate, positive impact on climate, which is not significant. However, as noted above, the Proposed Project will offset the **248,931** tonnes of CO₂ associated with the construction and operational phase that will be lost to the atmosphere (Section 11.4.3.1) in approximately **53.6** months of operation.

When considering these greenhouse gas emissions within the context of the Electricity Sector Emissions Ceilings detailed in Section 11.2.2, Carbon Budget 1 (2021-2025) has an Electricity Sector budget of 40 MtCO₂eq. and Carbon Budget 2 (2026-2030) has an Electricity Sector budget of 20 MtCO₂eq for large-scale deployment of renewables. As detailed in Section 11.4.3.2, the Proposed Wind Farm will displace carbon dioxide from fossil fuel-based electricity generation, over the proposed 35-year lifespan of the Proposed Wind Farm. Therefore, while there will be greenhouse gas emissions associated with the construction of the Proposed Project, this will take place under the Electricity sector emissions ceiling and will be offset by the operation of the Proposed Wind Farm within its operational life. Thus, there will be no cumulative effects arising on climate from the Proposed Project and other permitted or proposed projects in the area as set out in Section 2.9 in Chapter 2 of this EIAR.

11.6.3 Decommissioning Phase

The works required during the decommissioning phase are described in Section 4.10 in Chapter 4 of this EIAR and detailed in Appendix 4-6. Any cumulative impact and consequential effect that occurs during the decommissioning phase are similar to that which occur during the construction phase, albeit of lesser impact. The mitigation measures prescribed for the construction phase of the Proposed Project will be implemented during the decommissioning phase thereby minimising any potential cumulative effects.

11.7

EIA Classification Summary

Please see the below table for a summary of all identified impacts for the Proposed Project relating to greenhouse gas emissions.

Table 11-6 Impact Assessment Classification Summary

Topic	Pre-Mitigation Effect	Mitigation Section Reference	Residual Effect	Significance
Construction Phase				
Greenhouse Gas Emissions	Short-Term, Slight, Negative	Section 11.5.2	Permanent, Imperceptible, Negative	Not Significant
Operational Phase				
Greenhouse Gas Emissions	Proposed Wind Farm: Long-Term, Imperceptible, Negative Proposed Grid Connection: Long-Term, Imperceptible, Negative Transportation: Short-Term, Slight, Negative Waste Disposal: Short-Term, Imperceptible, Negative	Section 11.5.3	Long-Term, Imperceptible, Negative	Not Significant
Decommissioning Phase				
Climate	Any impact and consequential effect that occurs during the decommissioning phase will be similar to that which occurs during the construction phase, however to a lesser extent and lesser duration, and the mitigation measures outlined in Section	11.5.2	N/A	N/A



	11.5.2 will be implemented during the decommissioning phase also			
--	--	--	--	--