

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H01	Tot days: 76	Tot days: 51	Tot days: 35	Tot days: 24	Tot days: 58	Tot days: 49	Tot days: 35	Tot days: 24	Tot days: 58	Tot days: 49	Tot days: 35	Tot days: 24
	20.8% days	14% days	9.6% days	6.6% days	15.9% days	13.4% days	9.6% days	6.6% days	15.9% days	13.4% days	9.6% days	6.6% days
	Tot mins: 662	Tot mins: 404	Tot mins: 194	Tot mins: 84	Tot mins: 576	Tot mins: 400	Tot mins: 194	Tot mins: 84	Tot mins: 576	Tot mins: 400	Tot mins: 194	Tot mins: 84
	Max mins: 24	Max mins: 22	Max mins: 12	Max mins: 8	Max mins: 24	Max mins: 22	Max mins: 12	Max mins: 8	Max mins: 24	Max mins: 22	Max mins: 12	Max mins: 8
	Avg mins: 8.71	Avg mins: 7.92	Avg mins: 5.54	Avg mins: 3.5	Avg mins: 9.93	Avg mins: 8.16	Avg mins: 5.54	Avg mins: 3.5	Avg mins: 9.93	Avg mins: 8.16	Avg mins: 5.54	Avg mins: 3.5
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H02	Tot days: 97	Tot days: 49	Tot days: 42	Tot days: 32	Tot days: 64	Tot days: 46	Tot days: 41	Tot days: 32	Tot days: 64	Tot days: 46	Tot days: 41	Tot days: 30
	26.6% days	13.4% days	11.5% days	8.8% days	17.5% days	12.6% days	11.2% days	8.8% days	17.5% days	12.6% days	11.2% days	8.2% days
	Tot mins: 718	Tot mins: 438	Tot mins: 284	Tot mins: 144	Tot mins: 590	Tot mins: 436	Tot mins: 282	Tot mins: 144	Tot mins: 590	Tot mins: 436	Tot mins: 282	Tot mins: 140
	Max mins: 26	Max mins: 24	Max mins: 16	Max mins: 12	Max mins: 26	Max mins: 24	Max mins: 16	Max mins: 12	Max mins: 26	Max mins: 24	Max mins: 16	Max mins: 12
	Avg mins: 7.4	Avg mins: 8.94	Avg mins: 6.76	Avg mins: 4.5	Avg mins: 9.22	Avg mins: 9.48	Avg mins: 6.88	Avg mins: 4.5	Avg mins: 9.22	Avg mins: 9.48	Avg mins: 6.88	Avg mins: 4.67
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H03	Tot days: 97	Tot days: 52	Tot days: 49	Tot days: 47	Tot days: 67	Tot days: 51	Tot days: 48	Tot days: 47	Tot days: 67	Tot days: 51	Tot days: 46	Tot days: 40
	26.6% days	14.2% days	13.4% days	12.9% days	18.4% days	14% days	13.2% days	12.9% days	18.4% days	14% days	12.6% days	11% days
	Tot mins: 822	Tot mins: 494	Tot mins: 368	Tot mins: 234	Tot mins: 666	Tot mins: 488	Tot mins: 366	Tot mins: 234	Tot mins: 666	Tot mins: 488	Tot mins: 362	Tot mins: 210
	Max mins: 24	Max mins: 22	Max mins: 20	Max mins: 12	Max mins: 24	Max mins: 22	Max mins: 20	Max mins: 12	Max mins: 24	Max mins: 22	Max mins: 20	Max mins: 12
	Avg mins: 8.47	Avg mins: 9.5	Avg mins: 7.51	Avg mins: 4.98	Avg mins: 9.94	Avg mins: 9.57	Avg mins: 7.63	Avg mins: 4.98	Avg mins: 9.94	Avg mins: 9.57	Avg mins: 7.87	Avg mins: 5.25

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H04	Tot days: 109	Tot days: 62	Tot days: 55	Tot days: 52	Tot days: 73	Tot days: 60	Tot days: 55	Tot days: 52	Tot days: 73	Tot days: 58	Tot days: 51	Tot days: 52
	29.9% days	17% days	15.1% days	14.2% days	20% days	16.4% days	15.1% days	14.2% days	20% days	15.9% days	14% days	14.2% days
	Tot mins: 892	Tot mins: 532	Tot mins: 418	Tot mins: 328	Tot mins: 714	Tot mins: 522	Tot mins: 414	Tot mins: 328	Tot mins: 714	Tot mins: 518	Tot mins: 398	Tot mins: 308
	Max mins: 26	Max mins: 26	Max mins: 22	Max mins: 18	Max mins: 26	Max mins: 24	Max mins: 22	Max mins: 18	Max mins: 26	Max mins: 24	Max mins: 22	Max mins: 18
	Avg mins: 8.18	Avg mins: 8.58	Avg mins: 7.6	Avg mins: 6.31	Avg mins: 9.78	Avg mins: 8.7	Avg mins: 7.53	Avg mins: 6.31	Avg mins: 9.78	Avg mins: 8.93	Avg mins: 7.8	Avg mins: 5.92
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H05	Tot days: 118	Tot days: 69	Tot days: 70	Tot days: 70	Tot days: 17	Tot days: 5	Tot days: 4	Tot days: 2	Tot days: 12	Tot days: 0	Tot days: 0	Tot days: 0
	32.3% days	18.9% days	19.2% days	19.2% days	4.7% days	1.4% days	1.1% days	0.5% days	3.3% days			
	Tot mins: 966	Tot mins: 706	Tot mins: 666	Tot mins: 618	Tot mins: 44	Tot mins: 10	Tot mins: 8	Tot mins: 4	Tot mins: 30	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 26	Max mins: 26	Max mins: 26	Max mins: 22	Max mins: 4	Max mins: 2	Max mins: 2	Max mins: 2	Max mins: 4			
	Avg mins: 8.19	Avg mins: 10.23	Avg mins: 9.51	Avg mins: 8.83	Avg mins: 2.59	Avg mins: 2	Avg mins: 2	Avg mins: 2	Avg mins: 2.5			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H06	Tot days: 59	Tot days: 52	Tot days: 65	Tot days: 65	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	16.2% days	14.2% days	17.8% days	17.8% days								
	Tot mins: 508	Tot mins: 426	Tot mins: 368	Tot mins: 372	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 22	Max mins: 22	Max mins: 16	Max mins: 14								
	Avg mins: 8.61	Avg mins: 8.19	Avg mins: 5.66	Avg mins: 5.72								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H07a	Tot days: 57	Tot days: 56	Tot days: 48	Tot days: 53	Tot days: 52	Tot days: 45	Tot days: 34	Tot days: 30	Tot days: 52	Tot days: 45	Tot days: 34	Tot days: 30
	15.6% days	15.3% days	13.2% days	14.5% days	14.2% days	12.3% days	9.3% days	8.2% days	14.2% days	12.3% days	9.3% days	8.2% days
	Tot mins: 508	Tot mins: 378	Tot mins: 248	Tot mins: 244	Tot mins: 440	Tot mins: 326	Tot mins: 206	Tot mins: 130	Tot mins: 438	Tot mins: 324	Tot mins: 206	Tot mins: 130
	Max mins: 26	Max mins: 18	Max mins: 14	Max mins: 10	Max mins: 26	Max mins: 18	Max mins: 14	Max mins: 8	Max mins: 26	Max mins: 18	Max mins: 14	Max mins: 8
	Avg mins: 8.91	Avg mins: 6.75	Avg mins: 5.17	Avg mins: 4.6	Avg mins: 8.46	Avg mins: 7.24	Avg mins: 6.06	Avg mins: 4.33	Avg mins: 8.42	Avg mins: 7.2	Avg mins: 6.06	Avg mins: 4.33
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H07b	Tot days: 56	Tot days: 51	Tot days: 56	Tot days: 51	Tot days: 52	Tot days: 48	Tot days: 43	Tot days: 37	Tot days: 52	Tot days: 48	Tot days: 41	Tot days: 30
	15.3% days	14% days	15.3% days	14% days	14.2% days	13.2% days	11.8% days	10.1% days	14.2% days	13.2% days	11.2% days	8.2% days
	Tot mins: 488	Tot mins: 372	Tot mins: 272	Tot mins: 244	Tot mins: 454	Tot mins: 352	Tot mins: 240	Tot mins: 168	Tot mins: 454	Tot mins: 348	Tot mins: 236	Tot mins: 132
	Max mins: 26	Max mins: 22	Max mins: 18	Max mins: 10	Max mins: 26	Max mins: 22	Max mins: 18	Max mins: 8	Max mins: 26	Max mins: 22	Max mins: 18	Max mins: 8
	Avg mins: 8.71	Avg mins: 7.29	Avg mins: 4.86	Avg mins: 4.78	Avg mins: 8.73	Avg mins: 7.33	Avg mins: 5.58	Avg mins: 4.54	Avg mins: 8.73	Avg mins: 7.25	Avg mins: 5.76	Avg mins: 4.4
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H08a	Tot days: 60	Tot days: 47	Tot days: 49	Tot days: 51	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	16.4% days	12.9% days	13.4% days	14% days								
	Tot mins: 484	Tot mins: 336	Tot mins: 226	Tot mins: 224	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 22	Max mins: 16	Max mins: 14	Max mins: 8								
	Avg mins: 8.07	Avg mins: 7.15	Avg mins: 4.61	Avg mins: 4.39								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H08b	Tot days: 56	Tot days: 52	Tot days: 51	Tot days: 56	Tot days: 49	Tot days: 36	Tot days: 37	Tot days: 32	Tot days: 45	Tot days: 34	Tot days: 30	Tot days: 24
	15.3% days	14.2% days	14% days	15.3% days	13.4% days	9.9% days	10.1% days	8.8% days	12.3% days	9.3% days	8.2% days	6.6% days
	Tot mins: 486	Tot mins: 360	Tot mins: 242	Tot mins: 240	Tot mins: 420	Tot mins: 292	Tot mins: 182	Tot mins: 132	Tot mins: 400	Tot mins: 268	Tot mins: 162	Tot mins: 96
	Max mins: 22	Max mins: 16	Max mins: 14	Max mins: 10	Max mins: 22	Max mins: 16	Max mins: 14	Max mins: 10	Max mins: 22	Max mins: 16	Max mins: 14	Max mins: 10
	Avg mins: 8.68	Avg mins: 6.92	Avg mins: 4.75	Avg mins: 4.29	Avg mins: 8.57	Avg mins: 8.11	Avg mins: 4.92	Avg mins: 4.13	Avg mins: 8.89	Avg mins: 7.88	Avg mins: 5.4	Avg mins: 4
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H09a	Tot days: 53	Tot days: 49	Tot days: 33	Tot days: 35	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	14.5% days	13.4% days	9% days	9.6% days								
	Tot mins: 444	Tot mins: 282	Tot mins: 146	Tot mins: 116	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 24	Max mins: 14	Max mins: 12	Max mins: 6								
	Avg mins: 8.38	Avg mins: 5.76	Avg mins: 4.42	Avg mins: 3.31								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H09b	Tot days: 53	Tot days: 48	Tot days: 38	Tot days: 39	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	14.5% days	13.2% days	10.4% days	10.7% days								
	Tot mins: 432	Tot mins: 280	Tot mins: 160	Tot mins: 116	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 24	Max mins: 14	Max mins: 12	Max mins: 6								
	Avg mins: 8.15	Avg mins: 5.83	Avg mins: 4.21	Avg mins: 2.97								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H10a	Tot days: 51	Tot days: 34	Tot days: 21	Tot days: 25	Tot days: 38	Tot days: 30	Tot days: 19	Tot days: 12	Tot days: 38	Tot days: 30	Tot days: 19	Tot days: 12
	14% days	9.3% days	5.8% days	6.8% days	10.4% days	8.2% days	5.2% days	3.3% days	10.4% days	8.2% days	5.2% days	3.3% days
	Tot mins: 246	Tot mins: 126	Tot mins: 58	Tot mins: 56	Tot mins: 202	Tot mins: 124	Tot mins: 54	Tot mins: 30	Tot mins: 202	Tot mins: 122	Tot mins: 54	Tot mins: 30
	Max mins: 12	Max mins: 6	Max mins: 6	Max mins: 4	Max mins: 12	Max mins: 8	Max mins: 6	Max mins: 4	Max mins: 12	Max mins: 8	Max mins: 6	Max mins: 4
	Avg mins: 4.82	Avg mins: 3.71	Avg mins: 2.76	Avg mins: 2.24	Avg mins: 5.32	Avg mins: 4.13	Avg mins: 2.84	Avg mins: 2.5	Avg mins: 5.32	Avg mins: 4.07	Avg mins: 2.84	Avg mins: 2.5
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H10b	Tot days: 52	Tot days: 37	Tot days: 21	Tot days: 24	Tot days: 52	Tot days: 36	Tot days: 21	Tot days: 13	Tot days: 52	Tot days: 35	Tot days: 21	Tot days: 13
	14.2% days	10.1% days	5.8% days	6.6% days	14.2% days	9.9% days	5.8% days	3.6% days	14.2% days	9.6% days	5.8% days	3.6% days
	Tot mins: 274	Tot mins: 138	Tot mins: 64	Tot mins: 58	Tot mins: 274	Tot mins: 134	Tot mins: 64	Tot mins: 32	Tot mins: 270	Tot mins: 128	Tot mins: 64	Tot mins: 32
	Max mins: 14	Max mins: 10	Max mins: 8	Max mins: 4	Max mins: 14	Max mins: 8	Max mins: 8	Max mins: 4	Max mins: 14	Max mins: 8	Max mins: 8	Max mins: 4
	Avg mins: 5.27	Avg mins: 3.73	Avg mins: 3.05	Avg mins: 2.42	Avg mins: 5.27	Avg mins: 3.72	Avg mins: 3.05	Avg mins: 2.46	Avg mins: 5.19	Avg mins: 3.66	Avg mins: 3.05	Avg mins: 2.46
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H11	Tot days: 50	Tot days: 36	Tot days: 21	Tot days: 27	Tot days: 16	Tot days: 9	Tot days: 2	Tot days: 0	Tot days: 8	Tot days: 5	Tot days: 0	Tot days: 0
	13.7% days	9.9% days	5.8% days	7.4% days	4.4% days	2.5% days	0.5% days		2.2% days	1.4% days		
	Tot mins: 264	Tot mins: 136	Tot mins: 62	Tot mins: 70	Tot mins: 52	Tot mins: 22	Tot mins: 4	Tot mins: 0	Tot mins: 26	Tot mins: 14	Tot mins: 0	Tot mins: 0
	Max mins: 12	Max mins: 10	Max mins: 6	Max mins: 6	Max mins: 6	Max mins: 4	Max mins: 2		Max mins: 4	Max mins: 4		
	Avg mins: 5.28	Avg mins: 3.78	Avg mins: 2.95	Avg mins: 2.59	Avg mins: 3.25	Avg mins: 2.44	Avg mins: 2		Avg mins: 3.25	Avg mins: 2.8		

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING													WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H12a	Tot days: 10	Tot days: 3	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	2.7% days	0.8% days																		
	Tot mins: 32	Tot mins: 6	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 6	Max mins: 2																		
	Avg mins: 3.2	Avg mins: 2																		

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING													WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H14a	Tot days: 22	Tot days: 9	Tot days: 2	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	6% days	2.5% days	0.5% days																	
	Tot mins: 64	Tot mins: 20	Tot mins: 4	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 8	Max mins: 4	Max mins: 2																	
	Avg mins: 2.91	Avg mins: 2.22	Avg mins: 2																	
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H14b	Tot days: 23	Tot days: 11	Tot days: 2	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	6.3% days	3% days	0.5% days																	
	Tot mins: 70	Tot mins: 28	Tot mins: 4	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 8	Max mins: 4	Max mins: 2																	
	Avg mins: 3.04	Avg mins: 2.55	Avg mins: 2																	
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H15	Tot days: 204	Tot days: 172	Tot days: 145	Tot days: 127	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	55.9% days	47.1% days	39.7% days	34.8% days																
	Tot mins: 2960	Tot mins: 3106	Tot mins: 3240	Tot mins: 3180	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 36	Max mins: 54	Max mins: 56	Max mins: 56																
	Avg mins: 14.51	Avg mins: 18.06	Avg mins: 22.34	Avg mins: 25.04																

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING					WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H16a	Tot days: 203	Tot days: 188	Tot days: 166	Tot days: 134	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	55.6% days	51.5% days	45.5% days	36.7% days								
	Tot mins: 2978	Tot mins: 3388	Tot mins: 3520	Tot mins: 3416	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 42	Max mins: 52	Max mins: 52	Max mins: 56								
	Avg mins: 14.67	Avg mins: 18.02	Avg mins: 21.2	Avg mins: 25.49								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H16b	Tot days: 222	Tot days: 204	Tot days: 177	Tot days: 139	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	60.8% days	55.9% days	48.5% days	38.1% days								
	Tot mins: 3278	Tot mins: 3624	Tot mins: 3646	Tot mins: 3480	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 42	Max mins: 54	Max mins: 54	Max mins: 56								
	Avg mins: 14.77	Avg mins: 17.76	Avg mins: 20.6	Avg mins: 25.04								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H17a	Tot days: 192	Tot days: 151	Tot days: 133	Tot days: 121	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	52.6% days	41.4% days	36.4% days	33.2% days								
	Tot mins: 2488	Tot mins: 2724	Tot mins: 2868	Tot mins: 2872	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 38	Max mins: 48	Max mins: 56	Max mins: 54								
	Avg mins: 12.96	Avg mins: 18.04	Avg mins: 21.56	Avg mins: 23.74								

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING													WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H17b	Tot days: 198	Tot days: 168	Tot days: 137	Tot days: 127	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	54.2% days	46% days	37.5% days	34.8% days																
	Tot mins: 2830	Tot mins: 2936	Tot mins: 3020	Tot mins: 3088	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 40	Max mins: 52	Max mins: 56	Max mins: 56																
	Avg mins: 14.29	Avg mins: 17.48	Avg mins: 22.04	Avg mins: 24.31																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H18	Tot days: 185	Tot days: 181	Tot days: 152	Tot days: 140	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	50.7% days	49.6% days	41.6% days	38.4% days																
	Tot mins: 3050	Tot mins: 3386	Tot mins: 3580	Tot mins: 3552	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 40	Max mins: 52	Max mins: 58	Max mins: 54																
	Avg mins: 16.49	Avg mins: 18.71	Avg mins: 23.55	Avg mins: 25.37																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H19	Tot days: 221	Tot days: 218	Tot days: 213	Tot days: 215	Tot days: 70	Tot days: 72	Tot days: 70	Tot days: 63	Tot days: 70	Tot days: 72	Tot days: 68	Tot days: 63								
	60.5% days	59.7% days	58.4% days	58.9% days	19.2% days	19.7% days	19.2% days	17.3% days	19.2% days	19.7% days	18.6% days	17.3% days								
	Tot mins: 7814	Tot mins: 8260	Tot mins: 8092	Tot mins: 7970	Tot mins: 850	Tot mins: 972	Tot mins: 1066	Tot mins: 1066	Tot mins: 756	Tot mins: 874	Tot mins: 964	Tot mins: 964								
	Max mins: 60	Max mins: 62	Max mins: 60	Max mins: 60	Max mins: 30	Max mins: 34	Max mins: 38	Max mins: 40	Max mins: 30	Max mins: 34	Max mins: 34	Max mins: 40								
	Avg mins: 35.36	Avg mins: 37.89	Avg mins: 37.99	Avg mins: 37.07	Avg mins: 12.14	Avg mins: 13.5	Avg mins: 15.23	Avg mins: 16.92	Avg mins: 10.8	Avg mins: 12.14	Avg mins: 14.18	Avg mins: 15.3								

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING													WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H20	Tot days: 207	Tot days: 199	Tot days: 197	Tot days: 202	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	56.7% days	54.5% days	54% days	55.3% days																
	Tot mins: 8990	Tot mins: 9186	Tot mins: 9328	Tot mins: 9476	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 76	Max mins: 78	Max mins: 76	Max mins: 76																
	Avg mins: 43.43	Avg mins: 46.16	Avg mins: 47.35	Avg mins: 46.91																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H21	Tot days: 155	Tot days: 156	Tot days: 161	Tot days: 167	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	42.5% days	42.7% days	44.1% days	45.8% days																
	Tot mins: 6056	Tot mins: 6602	Tot mins: 6888	Tot mins: 7230	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 56	Max mins: 62	Max mins: 64	Max mins: 66																
	Avg mins: 39.07	Avg mins: 42.32	Avg mins: 42.78	Avg mins: 43.29																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H22a	Tot days: 151	Tot days: 153	Tot days: 153	Tot days: 157	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	41.4% days	41.9% days	41.9% days	43% days																
	Tot mins: 5520	Tot mins: 6538	Tot mins: 6846	Tot mins: 7138	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 52	Max mins: 60	Max mins: 70	Max mins: 68																
	Avg mins: 36.56	Avg mins: 42.73	Avg mins: 44.75	Avg mins: 45.46																

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H22b	Tot days: 160	Tot days: 159	Tot days: 165	Tot days: 171	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	43.8% days	43.6% days	45.2% days	46.8% days								
	Tot mins: 7268	Tot mins: 8152	Tot mins: 8396	Tot mins: 8772	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 68	Max mins: 78	Max mins: 82	Max mins: 78								
	Avg mins: 45.43	Avg mins: 51.27	Avg mins: 50.88	Avg mins: 51.3								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H23	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H24	Tot days: 139	Tot days: 145	Tot days: 149	Tot days: 154	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	38.1% days	39.7% days	40.8% days	42.2% days								
	Tot mins: 4476	Tot mins: 5570	Tot mins: 6296	Tot mins: 6726	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 50	Max mins: 58	Max mins: 64	Max mins: 70								
	Avg mins: 32.2	Avg mins: 38.41	Avg mins: 42.26	Avg mins: 43.68								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H25a	Tot days: 154	Tot days: 157	Tot days: 163	Tot days: 166	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	42.2% days	43% days	44.7% days	45.5% days								
	Tot mins: 6082	Tot mins: 7498	Tot mins: 8392	Tot mins: 8322	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 70	Max mins: 86	Max mins: 80	Max mins: 78								
	Avg mins: 39.49	Avg mins: 47.76	Avg mins: 51.48	Avg mins: 50.13								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H25b	Tot days: 159	Tot days: 165	Tot days: 167	Tot days: 171	Tot days: 86	Tot days: 78	Tot days: 72	Tot days: 61	Tot days: 86	Tot days: 78	Tot days: 72	Tot days: 61
	43.6% days	45.2% days	45.8% days	46.8% days	23.6% days	21.4% days	19.7% days	16.7% days	23.6% days	21.4% days	19.7% days	16.7% days
	Tot mins: 6452	Tot mins: 7930	Tot mins: 8706	Tot mins: 8712	Tot mins: 408	Tot mins: 506	Tot mins: 594	Tot mins: 640	Tot mins: 408	Tot mins: 506	Tot mins: 594	Tot mins: 640
	Max mins: 70	Max mins: 86	Max mins: 84	Max mins: 78	Max mins: 12	Max mins: 14	Max mins: 18	Max mins: 22	Max mins: 12	Max mins: 14	Max mins: 18	Max mins: 22
	Avg mins: 40.58	Avg mins: 48.06	Avg mins: 52.13	Avg mins: 50.95	Avg mins: 4.74	Avg mins: 6.49	Avg mins: 8.25	Avg mins: 10.49	Avg mins: 4.74	Avg mins: 6.49	Avg mins: 8.25	Avg mins: 10.49
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H26a	Tot days: 131	Tot days: 140	Tot days: 144	Tot days: 147	Tot days: 98	Tot days: 104	Tot days: 105	Tot days: 107	Tot days: 93	Tot days: 99	Tot days: 103	Tot days: 104
	35.9% days	38.4% days	39.5% days	40.3% days	26.8% days	28.5% days	28.8% days	29.3% days	25.5% days	27.1% days	28.2% days	28.5% days
	Tot mins: 5722	Tot mins: 6850	Tot mins: 7436	Tot mins: 7376	Tot mins: 1184	Tot mins: 1752	Tot mins: 1894	Tot mins: 1696	Tot mins: 984	Tot mins: 1526	Tot mins: 1606	Tot mins: 1420
	Max mins: 68	Max mins: 78	Max mins: 78	Max mins: 74	Max mins: 22	Max mins: 28	Max mins: 26	Max mins: 26	Max mins: 22	Max mins: 24	Max mins: 24	Max mins: 26
	Avg mins: 43.68	Avg mins: 48.93	Avg mins: 51.64	Avg mins: 50.18	Avg mins: 12.08	Avg mins: 16.85	Avg mins: 18.04	Avg mins: 15.85	Avg mins: 10.58	Avg mins: 15.41	Avg mins: 15.59	Avg mins: 13.65

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H26b	Tot days: 134	Tot days: 139	Tot days: 145	Tot days: 150	Tot days: 104	Tot days: 107	Tot days: 112	Tot days: 113	Tot days: 103	Tot days: 107	Tot days: 106	Tot days: 111
	36.7% days	38.1% days	39.7% days	41.1% days	28.5% days	29.3% days	30.7% days	31% days	28.2% days	29.3% days	29% days	30.4% days
	Tot mins: 5894	Tot mins: 6886	Tot mins: 7470	Tot mins: 7514	Tot mins: 2968	Tot mins: 3898	Tot mins: 4028	Tot mins: 3692	Tot mins: 2872	Tot mins: 3728	Tot mins: 3772	Tot mins: 3612
	Max mins: 70	Max mins: 78	Max mins: 76	Max mins: 76	Max mins: 44	Max mins: 54	Max mins: 52	Max mins: 48	Max mins: 42	Max mins: 52	Max mins: 50	Max mins: 48
	Avg mins: 43.99	Avg mins: 49.54	Avg mins: 51.52	Avg mins: 50.09	Avg mins: 28.54	Avg mins: 36.43	Avg mins: 35.96	Avg mins: 32.67	Avg mins: 27.88	Avg mins: 34.84	Avg mins: 35.58	Avg mins: 32.54
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H27a	Tot days: 120	Tot days: 127	Tot days: 131	Tot days: 137	Tot days: 0	Tot days: 19	Tot days: 27	Tot days: 21	Tot days: 0	Tot days: 4	Tot days: 11	Tot days: 9
	32.9% days	34.8% days	35.9% days	37.5% days		5.2% days	7.4% days	5.8% days		1.1% days	3% days	2.5% days
	Tot mins: 4910	Tot mins: 5758	Tot mins: 6154	Tot mins: 6116	Tot mins: 0	Tot mins: 90	Tot mins: 128	Tot mins: 110	Tot mins: 0	Tot mins: 8	Tot mins: 32	Tot mins: 20
	Max mins: 68	Max mins: 70	Max mins: 76	Max mins: 76		Max mins: 6	Max mins: 8	Max mins: 10		Max mins: 2	Max mins: 4	Max mins: 4
	Avg mins: 40.92	Avg mins: 45.34	Avg mins: 46.98	Avg mins: 44.64		Avg mins: 4.74	Avg mins: 4.74	Avg mins: 5.24		Avg mins: 2	Avg mins: 2.91	Avg mins: 2.22
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H27b	Tot days: 125	Tot days: 128	Tot days: 133	Tot days: 137	Tot days: 101	Tot days: 104	Tot days: 109	Tot days: 113	Tot days: 101	Tot days: 104	Tot days: 109	Tot days: 113
	34.2% days	35.1% days	36.4% days	37.5% days	27.7% days	28.5% days	29.9% days	31% days	27.7% days	28.5% days	29.9% days	31% days
	Tot mins: 4936	Tot mins: 5848	Tot mins: 6198	Tot mins: 6102	Tot mins: 3164	Tot mins: 3834	Tot mins: 3962	Tot mins: 4034	Tot mins: 3164	Tot mins: 3834	Tot mins: 3962	Tot mins: 3976
	Max mins: 66	Max mins: 70	Max mins: 74	Max mins: 80	Max mins: 50	Max mins: 50	Max mins: 46	Max mins: 50	Max mins: 50	Max mins: 50	Max mins: 46	Max mins: 50
	Avg mins: 39.49	Avg mins: 45.69	Avg mins: 46.6	Avg mins: 44.54	Avg mins: 31.33	Avg mins: 36.87	Avg mins: 36.35	Avg mins: 35.7	Avg mins: 31.33	Avg mins: 36.87	Avg mins: 36.35	Avg mins: 35.19

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H28a	Tot days: 119	Tot days: 121	Tot days: 127	Tot days: 133	Tot days: 68	Tot days: 84	Tot days: 80	Tot days: 64	Tot days: 68	Tot days: 84	Tot days: 80	Tot days: 60
	32.6% days	33.2% days	34.8% days	36.4% days	18.6% days	23% days	21.9% days	17.5% days	18.6% days	23% days	21.9% days	16.4% days
	Tot mins: 4182	Tot mins: 5294	Tot mins: 5178	Tot mins: 4950	Tot mins: 680	Tot mins: 590	Tot mins: 458	Tot mins: 356	Tot mins: 680	Tot mins: 590	Tot mins: 458	Tot mins: 318
	Max mins: 58	Max mins: 74	Max mins: 64	Max mins: 52	Max mins: 18	Max mins: 12	Max mins: 10	Max mins: 12	Max mins: 18	Max mins: 12	Max mins: 10	Max mins: 12
	Avg mins: 35.14	Avg mins: 43.75	Avg mins: 40.77	Avg mins: 37.22	Avg mins: 10	Avg mins: 7.02	Avg mins: 5.73	Avg mins: 5.56	Avg mins: 10	Avg mins: 7.02	Avg mins: 5.73	Avg mins: 5.3
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H28b	Tot days: 118	Tot days: 123	Tot days: 127	Tot days: 134	Tot days: 96	Tot days: 99	Tot days: 106	Tot days: 104	Tot days: 96	Tot days: 99	Tot days: 106	Tot days: 104
	32.3% days	33.7% days	34.8% days	36.7% days	26.3% days	27.1% days	29% days	28.5% days	26.3% days	27.1% days	29% days	28.5% days
	Tot mins: 4332	Tot mins: 5328	Tot mins: 5244	Tot mins: 5022	Tot mins: 2932	Tot mins: 3878	Tot mins: 3656	Tot mins: 3414	Tot mins: 2888	Tot mins: 3798	Tot mins: 3554	Tot mins: 3346
	Max mins: 62	Max mins: 70	Max mins: 64	Max mins: 54	Max mins: 50	Max mins: 62	Max mins: 50	Max mins: 44	Max mins: 48	Max mins: 56	Max mins: 50	Max mins: 44
	Avg mins: 36.71	Avg mins: 43.32	Avg mins: 41.29	Avg mins: 37.48	Avg mins: 30.54	Avg mins: 39.17	Avg mins: 34.49	Avg mins: 32.83	Avg mins: 30.08	Avg mins: 38.36	Avg mins: 33.53	Avg mins: 32.17
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H29a	Tot days: 97	Tot days: 103	Tot days: 108	Tot days: 113	Tot days: 68	Tot days: 77	Tot days: 76	Tot days: 76	Tot days: 68	Tot days: 77	Tot days: 76	Tot days: 75
	26.6% days	28.2% days	29.6% days	31% days	18.6% days	21.1% days	20.8% days	20.8% days	18.6% days	21.1% days	20.8% days	20.5% days
	Tot mins: 2844	Tot mins: 3588	Tot mins: 3664	Tot mins: 3516	Tot mins: 1456	Tot mins: 1958	Tot mins: 1662	Tot mins: 1470	Tot mins: 1430	Tot mins: 1930	Tot mins: 1620	Tot mins: 1416
	Max mins: 48	Max mins: 52	Max mins: 44	Max mins: 42	Max mins: 32	Max mins: 36	Max mins: 32	Max mins: 30	Max mins: 30	Max mins: 36	Max mins: 32	Max mins: 28
	Avg mins: 29.32	Avg mins: 34.83	Avg mins: 33.93	Avg mins: 31.12	Avg mins: 21.41	Avg mins: 25.43	Avg mins: 21.87	Avg mins: 19.34	Avg mins: 21.03	Avg mins: 25.06	Avg mins: 21.32	Avg mins: 18.88

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H29b	Tot days: 96	Tot days: 103	Tot days: 108	Tot days: 114	Tot days: 71	Tot days: 79	Tot days: 84	Tot days: 81	Tot days: 71	Tot days: 79	Tot days: 84	Tot days: 80
	26.3% days	28.2% days	29.6% days	31.2% days	19.5% days	21.6% days	23% days	22.2% days	19.5% days	21.6% days	23% days	21.9% days
	Tot mins: 2948	Tot mins: 3674	Tot mins: 3742	Tot mins: 3582	Tot mins: 1572	Tot mins: 2016	Tot mins: 1760	Tot mins: 1550	Tot mins: 1542	Tot mins: 2000	Tot mins: 1712	Tot mins: 1480
	Max mins: 46	Max mins: 52	Max mins: 44	Max mins: 44	Max mins: 32	Max mins: 36	Max mins: 32	Max mins: 30	Max mins: 32	Max mins: 36	Max mins: 32	Max mins: 28
	Avg mins: 30.71	Avg mins: 35.67	Avg mins: 34.65	Avg mins: 31.42	Avg mins: 22.14	Avg mins: 25.52	Avg mins: 20.95	Avg mins: 19.14	Avg mins: 21.72	Avg mins: 25.32	Avg mins: 20.38	Avg mins: 18.5
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H30a	Tot days: 84	Tot days: 92	Tot days: 97	Tot days: 93	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	23% days	25.2% days	26.6% days	25.5% days								
	Tot mins: 2152	Tot mins: 2922	Tot mins: 2914	Tot mins: 2738	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 38	Max mins: 44	Max mins: 42	Max mins: 40								
	Avg mins: 25.62	Avg mins: 31.76	Avg mins: 30.04	Avg mins: 29.44								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H30b	Tot days: 86	Tot days: 93	Tot days: 97	Tot days: 97	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	23.6% days	25.5% days	26.6% days	26.6% days								
	Tot mins: 2208	Tot mins: 2986	Tot mins: 2986	Tot mins: 2844	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 38	Max mins: 44	Max mins: 42	Max mins: 40								
	Avg mins: 25.67	Avg mins: 32.11	Avg mins: 30.78	Avg mins: 29.32								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H31	Tot days: 67	Tot days: 77	Tot days: 75	Tot days: 70	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	18.4% days	21.1% days	20.5% days	19.2% days								
	Tot mins: 1494	Tot mins: 2074	Tot mins: 1810	Tot mins: 1644	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 30	Max mins: 40	Max mins: 36	Max mins: 38								
	Avg mins: 22.3	Avg mins: 26.94	Avg mins: 24.13	Avg mins: 23.49								

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H32	Tot days: 192	Tot days: 187	Tot days: 178	Tot days: 180	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	52.6% days	51.2% days	48.8% days	49.3% days								
	Tot mins: 6900	Tot mins: 7740	Tot mins: 8172	Tot mins: 8512	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 60	Max mins: 70	Max mins: 70	Max mins: 78								
	Avg mins: 35.94	Avg mins: 41.39	Avg mins: 45.91	Avg mins: 47.29								

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H33a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

	----- WITHOUT SCREENING -----				----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H33b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H34	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H35	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

	----- WITHOUT SCREENING -----				----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H36	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H37	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H38a	Tot days: 0	Tot days: 0	Tot days: 10	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 20 2.7% days Max mins: 2 Avg mins: 2	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H38b	Tot days: 0	Tot days: 38 10.4% days	Tot days: 73 20% days	Tot days: 88 24.1% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 150 Max mins: 8 Avg mins: 3.95	Tot mins: 378 Max mins: 12 Avg mins: 5.18	Tot mins: 396 Max mins: 10 Avg mins: 4.5	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H39a	Tot days: 10 2.7% days	Tot days: 45 12.3% days	Tot days: 86 23.6% days	Tot days: 106 29% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 20 Max mins: 2 Avg mins: 2	Tot mins: 104 Max mins: 4 Avg mins: 2.31	Tot mins: 536 Max mins: 14 Avg mins: 6.23	Tot mins: 702 Max mins: 14 Avg mins: 6.62	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H39b	Tot days: 11 3% days	Tot days: 43 11.8% days	Tot days: 90 24.7% days	Tot days: 107 29.3% days	Tot days: 11 3% days	Tot days: 3 0.8% days	Tot days: 2 0.5% days	Tot days: 2 0.5% days	Tot days: 11 3% days	Tot days: 3 0.8% days	Tot days: 2 0.5% days	Tot days: 2 0.5% days
	Tot mins: 22 Max mins: 2 Avg mins: 2	Tot mins: 134 Max mins: 6 Avg mins: 3.12	Tot mins: 580 Max mins: 14 Avg mins: 6.44	Tot mins: 694 Max mins: 12 Avg mins: 6.49	Tot mins: 22 Max mins: 2 Avg mins: 2	Tot mins: 6 Max mins: 2 Avg mins: 2	Tot mins: 4 Max mins: 2 Avg mins: 2	Tot mins: 4 Max mins: 2 Avg mins: 2	Tot mins: 22 Max mins: 2 Avg mins: 2	Tot mins: 6 Max mins: 2 Avg mins: 2	Tot mins: 4 Max mins: 2 Avg mins: 2	Tot mins: 4 Max mins: 2 Avg mins: 2

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H40	Tot days: 16	Tot days: 38	Tot days: 75	Tot days: 105	Tot days: 4	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 3	Tot days: 0	Tot days: 0	Tot days: 0
	4.4% days	10.4% days	20.5% days	28.8% days	1.1% days				0.8% days			
	Tot mins: 36	Tot mins: 94	Tot mins: 350	Tot mins: 620	Tot mins: 8	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 6	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 4	Max mins: 4	Max mins: 12	Max mins: 14	Max mins: 2				Max mins: 2			
	Avg mins: 2.25	Avg mins: 2.47	Avg mins: 4.67	Avg mins: 5.9	Avg mins: 2				Avg mins: 2			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H41	Tot days: 29	Tot days: 77	Tot days: 92	Tot days: 117	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	7.9% days	21.1% days	25.2% days	32.1% days								
	Tot mins: 64	Tot mins: 230	Tot mins: 528	Tot mins: 748	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 4	Max mins: 6	Max mins: 16	Max mins: 14								
	Avg mins: 2.21	Avg mins: 2.99	Avg mins: 5.74	Avg mins: 6.39								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H42a	Tot days: 95	Tot days: 135	Tot days: 158	Tot days: 157	Tot days: 85	Tot days: 76	Tot days: 77	Tot days: 76	Tot days: 85	Tot days: 73	Tot days: 71	Tot days: 62
	26% days	37% days	43.3% days	43% days	23.3% days	20.8% days	21.1% days	20.8% days	23.3% days	20% days	19.5% days	17% days
	Tot mins: 322	Tot mins: 570	Tot mins: 834	Tot mins: 920	Tot mins: 302	Tot mins: 266	Tot mins: 280	Tot mins: 286	Tot mins: 302	Tot mins: 260	Tot mins: 258	Tot mins: 224
	Max mins: 10	Max mins: 12	Max mins: 12	Max mins: 20	Max mins: 10	Max mins: 12	Max mins: 8	Max mins: 8	Max mins: 10	Max mins: 12	Max mins: 8	Max mins: 8
	Avg mins: 3.39	Avg mins: 4.22	Avg mins: 5.28	Avg mins: 5.86	Avg mins: 3.55	Avg mins: 3.5	Avg mins: 3.64	Avg mins: 3.76	Avg mins: 3.55	Avg mins: 3.56	Avg mins: 3.63	Avg mins: 3.61

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H42b	Tot days: 90	Tot days: 141	Tot days: 156	Tot days: 158	Tot days: 85	Tot days: 81	Tot days: 79	Tot days: 76	Tot days: 82	Tot days: 80	Tot days: 70	Tot days: 58
	24.7% days	38.6% days	42.7% days	43.3% days	23.3% days	22.2% days	21.6% days	20.8% days	22.5% days	21.9% days	19.2% days	15.9% days
	Tot mins: 330	Tot mins: 760	Tot mins: 900	Tot mins: 1016	Tot mins: 320	Tot mins: 300	Tot mins: 300	Tot mins: 338	Tot mins: 314	Tot mins: 296	Tot mins: 256	Tot mins: 258
	Max mins: 10	Max mins: 14	Max mins: 12	Max mins: 16	Max mins: 10	Max mins: 8	Max mins: 8	Max mins: 10	Max mins: 10	Max mins: 8	Max mins: 8	Max mins: 10
	Avg mins: 3.67	Avg mins: 5.39	Avg mins: 5.77	Avg mins: 6.43	Avg mins: 3.76	Avg mins: 3.7	Avg mins: 3.8	Avg mins: 4.45	Avg mins: 3.83	Avg mins: 3.7	Avg mins: 3.66	Avg mins: 4.45

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H43	Tot days: 81	Tot days: 143	Tot days: 153	Tot days: 163	Tot days: 75	Tot days: 66	Tot days: 56	Tot days: 55	Tot days: 73	Tot days: 66	Tot days: 56	Tot days: 55
	22.2% days	39.2% days	41.9% days	44.7% days	20.5% days	18.1% days	15.3% days	15.1% days	20% days	18.1% days	15.3% days	15.1% days
	Tot mins: 342	Tot mins: 732	Tot mins: 932	Tot mins: 1200	Tot mins: 330	Tot mins: 260	Tot mins: 210	Tot mins: 200	Tot mins: 326	Tot mins: 260	Tot mins: 210	Tot mins: 200
	Max mins: 10	Max mins: 10	Max mins: 14	Max mins: 22	Max mins: 10	Max mins: 10	Max mins: 8	Max mins: 10	Max mins: 10	Max mins: 10	Max mins: 8	Max mins: 10
	Avg mins: 4.22	Avg mins: 5.12	Avg mins: 6.09	Avg mins: 7.36	Avg mins: 4.4	Avg mins: 3.94	Avg mins: 3.75	Avg mins: 3.64	Avg mins: 4.47	Avg mins: 3.94	Avg mins: 3.75	Avg mins: 3.64

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H44	Tot days: 125	Tot days: 128	Tot days: 132	Tot days: 138	Tot days: 118	Tot days: 125	Tot days: 130	Tot days: 137	Tot days: 116	Tot days: 121	Tot days: 129	Tot days: 133
	34.2% days	35.1% days	36.2% days	37.8% days	32.3% days	34.2% days	35.6% days	37.5% days	31.8% days	33.2% days	35.3% days	36.4% days
	Tot mins: 1444	Tot mins: 1916	Tot mins: 2302	Tot mins: 2552	Tot mins: 1430	Tot mins: 1840	Tot mins: 2290	Tot mins: 2544	Tot mins: 1426	Tot mins: 1816	Tot mins: 2274	Tot mins: 2512
	Max mins: 22	Max mins: 30	Max mins: 32	Max mins: 40	Max mins: 22	Max mins: 30	Max mins: 32	Max mins: 40	Max mins: 22	Max mins: 30	Max mins: 32	Max mins: 40
	Avg mins: 11.55	Avg mins: 14.97	Avg mins: 17.44	Avg mins: 18.49	Avg mins: 12.12	Avg mins: 14.72	Avg mins: 17.62	Avg mins: 18.57	Avg mins: 12.29	Avg mins: 15.01	Avg mins: 17.63	Avg mins: 18.89

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING					WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H45	Tot days: 165	Tot days: 166	Tot days: 154	Tot days: 163	Tot days: 100	Tot days: 122	Tot days: 118	Tot days: 105	Tot days: 98	Tot days: 120	Tot days: 118	Tot days: 105
	45.2% days	45.5% days	42.2% days	44.7% days	27.4% days	33.4% days	32.3% days	28.8% days	26.8% days	32.9% days	32.3% days	28.8% days
	Tot mins: 1784	Tot mins: 2592	Tot mins: 2980	Tot mins: 3438	Tot mins: 390	Tot mins: 582	Tot mins: 742	Tot mins: 886	Tot mins: 390	Tot mins: 582	Tot mins: 742	Tot mins: 870
	Max mins: 32	Max mins: 38	Max mins: 42	Max mins: 42	Max mins: 12	Max mins: 14	Max mins: 18	Max mins: 26	Max mins: 12	Max mins: 14	Max mins: 18	Max mins: 24
	Avg mins: 10.81	Avg mins: 15.61	Avg mins: 19.35	Avg mins: 21.09	Avg mins: 3.9	Avg mins: 4.77	Avg mins: 6.29	Avg mins: 8.44	Avg mins: 3.98	Avg mins: 4.85	Avg mins: 6.29	Avg mins: 8.29

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H46	Tot days: 207	Tot days: 185	Tot days: 180	Tot days: 176	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	56.7% days	50.7% days	49.3% days	48.2% days								
	Tot mins: 3282	Tot mins: 3800	Tot mins: 4086	Tot mins: 4398	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 40	Max mins: 48	Max mins: 42	Max mins: 44								
	Avg mins: 15.86	Avg mins: 20.54	Avg mins: 22.7	Avg mins: 24.99								

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H47a	Tot days: 149	Tot days: 157	Tot days: 159	Tot days: 164	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	40.8% days	43% days	43.6% days	44.9% days								
	Tot mins: 1410	Tot mins: 2118	Tot mins: 2872	Tot mins: 3312	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 28	Max mins: 30	Max mins: 34	Max mins: 40								
	Avg mins: 9.46	Avg mins: 13.49	Avg mins: 18.06	Avg mins: 20.2								

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING													WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H47b	Tot days: 157	Tot days: 163	Tot days: 162	Tot days: 174	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	43% days	44.7% days	44.4% days	47.7% days																
	Tot mins: 1892	Tot mins: 2270	Tot mins: 3168	Tot mins: 3580	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 32	Max mins: 32	Max mins: 38	Max mins: 42																
	Avg mins: 12.05	Avg mins: 13.93	Avg mins: 19.56	Avg mins: 20.57																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H48a	Tot days: 178	Tot days: 187	Tot days: 166	Tot days: 173	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	48.8% days	51.2% days	45.5% days	47.4% days																
	Tot mins: 1132	Tot mins: 2240	Tot mins: 2714	Tot mins: 3032	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 20	Max mins: 30	Max mins: 32	Max mins: 38																
	Avg mins: 6.36	Avg mins: 11.98	Avg mins: 16.35	Avg mins: 17.53																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H48b	Tot days: 201	Tot days: 203	Tot days: 191	Tot days: 182	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	55.1% days	55.6% days	52.3% days	49.9% days																
	Tot mins: 1542	Tot mins: 2550	Tot mins: 2990	Tot mins: 3332	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 24	Max mins: 34	Max mins: 34	Max mins: 42																
	Avg mins: 7.67	Avg mins: 12.56	Avg mins: 15.65	Avg mins: 18.31																

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H49a	Tot days: 191	Tot days: 189	Tot days: 186	Tot days: 186	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	52.3% days	51.8% days	51% days	51% days								
	Tot mins: 1622	Tot mins: 2872	Tot mins: 3494	Tot mins: 4028	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 24	Max mins: 38	Max mins: 38	Max mins: 40								
	Avg mins: 8.49	Avg mins: 15.2	Avg mins: 18.78	Avg mins: 21.66								

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H51	Tot days: 51	Tot days: 111	Tot days: 115	Tot days: 141	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	14% days	30.4% days	31.5% days	38.6% days								
	Tot mins: 114	Tot mins: 920	Tot mins: 1538	Tot mins: 1896	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 4	Max mins: 18	Max mins: 38	Max mins: 32								
	Avg mins: 2.24	Avg mins: 8.29	Avg mins: 13.37	Avg mins: 13.45								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H52	Tot days: 136	Tot days: 159	Tot days: 154	Tot days: 143	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	37.3% days	43.6% days	42.2% days	39.2% days								
	Tot mins: 808	Tot mins: 2206	Tot mins: 3452	Tot mins: 3552	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 20	Max mins: 34	Max mins: 44	Max mins: 46								
	Avg mins: 5.94	Avg mins: 13.87	Avg mins: 22.42	Avg mins: 24.84								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H53a	Tot days: 129	Tot days: 137	Tot days: 140	Tot days: 145	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	35.3% days	37.5% days	38.4% days	39.7% days								
	Tot mins: 2788	Tot mins: 4426	Tot mins: 4856	Tot mins: 4988	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 34	Max mins: 52	Max mins: 56	Max mins: 58								
	Avg mins: 21.61	Avg mins: 32.31	Avg mins: 34.69	Avg mins: 34.4								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H53b	Tot days: 134	Tot days: 137	Tot days: 141	Tot days: 144	Tot days: 0	Tot days: 3	Tot days: 24	Tot days: 8	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	36.7% days	37.5% days	38.6% days	39.5% days		0.8% days	6.6% days	2.2% days				
	Tot mins: 3292	Tot mins: 4926	Tot mins: 5298	Tot mins: 5388	Tot mins: 0	Tot mins: 6	Tot mins: 52	Tot mins: 16	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 36	Max mins: 54	Max mins: 60	Max mins: 64		Max mins: 2	Max mins: 4	Max mins: 2				
	Avg mins: 24.57	Avg mins: 35.96	Avg mins: 37.57	Avg mins: 37.42		Avg mins: 2	Avg mins: 2.17	Avg mins: 2				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H54a	Tot days: 135	Tot days: 137	Tot days: 146	Tot days: 128	Tot days: 62	Tot days: 85	Tot days: 97	Tot days: 51	Tot days: 8	Tot days: 7	Tot days: 38	Tot days: 48
	37% days	37.5% days	40% days	35.1% days	17% days	23.3% days	26.6% days	14% days	2.2% days	1.9% days	10.4% days	13.2% days
	Tot mins: 1354	Tot mins: 2326	Tot mins: 3220	Tot mins: 1032	Tot mins: 186	Tot mins: 326	Tot mins: 306	Tot mins: 126	Tot mins: 16	Tot mins: 14	Tot mins: 76	Tot mins: 114
	Max mins: 26	Max mins: 32	Max mins: 50	Max mins: 30	Max mins: 8	Max mins: 8	Max mins: 8	Max mins: 4	Max mins: 2	Max mins: 2	Max mins: 2	Max mins: 4
	Avg mins: 10.03	Avg mins: 16.98	Avg mins: 22.05	Avg mins: 8.06	Avg mins: 3	Avg mins: 3.84	Avg mins: 3.15	Avg mins: 2.47	Avg mins: 2	Avg mins: 2	Avg mins: 2	Avg mins: 2.38
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H54b	Tot days: 94	Tot days: 146	Tot days: 140	Tot days: 133	Tot days: 35	Tot days: 76	Tot days: 98	Tot days: 96	Tot days: 35	Tot days: 76	Tot days: 98	Tot days: 92
	25.8% days	40% days	38.4% days	36.4% days	9.6% days	20.8% days	26.8% days	26.3% days	9.6% days	20.8% days	26.8% days	25.2% days
	Tot mins: 1016	Tot mins: 2444	Tot mins: 1252	Tot mins: 1124	Tot mins: 98	Tot mins: 194	Tot mins: 268	Tot mins: 306	Tot mins: 98	Tot mins: 194	Tot mins: 268	Tot mins: 278
	Max mins: 30	Max mins: 32	Max mins: 22	Max mins: 30	Max mins: 6	Max mins: 8	Max mins: 8	Max mins: 14	Max mins: 6	Max mins: 8	Max mins: 8	Max mins: 14
	Avg mins: 10.81	Avg mins: 16.74	Avg mins: 8.94	Avg mins: 8.45	Avg mins: 2.8	Avg mins: 2.55	Avg mins: 2.73	Avg mins: 3.19	Avg mins: 2.8	Avg mins: 2.55	Avg mins: 2.73	Avg mins: 3.02

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----				----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H55	Tot days: 126	Tot days: 132	Tot days: 137	Tot days: 138	Tot days: 78	Tot days: 102	Tot days: 101	Tot days: 97	Tot days: 78	Tot days: 102	Tot days: 101	Tot days: 97
	34.5% days	36.2% days	37.5% days	37.8% days	21.4% days	27.9% days	27.7% days	26.6% days	21.4% days	27.9% days	27.7% days	26.6% days
	Tot mins: 3118	Tot mins: 5038	Tot mins: 4926	Tot mins: 4858	Tot mins: 414	Tot mins: 714	Tot mins: 928	Tot mins: 1048	Tot mins: 414	Tot mins: 714	Tot mins: 928	Tot mins: 1048
	Max mins: 46	Max mins: 74	Max mins: 68	Max mins: 54	Max mins: 12	Max mins: 20	Max mins: 18	Max mins: 20	Max mins: 12	Max mins: 20	Max mins: 18	Max mins: 20
	Avg mins: 24.75	Avg mins: 38.17	Avg mins: 35.96	Avg mins: 35.2	Avg mins: 5.31	Avg mins: 7	Avg mins: 9.19	Avg mins: 10.8	Avg mins: 5.31	Avg mins: 7	Avg mins: 9.19	Avg mins: 10.8
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H56	Tot days: 127	Tot days: 137	Tot days: 144	Tot days: 156	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	34.8% days	37.5% days	39.5% days	42.7% days								
	Tot mins: 2566	Tot mins: 4150	Tot mins: 4680	Tot mins: 4938	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 42	Max mins: 48	Max mins: 54	Max mins: 52								
	Avg mins: 20.2	Avg mins: 30.29	Avg mins: 32.5	Avg mins: 31.65								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H57	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H58	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H59a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H59b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H60a	Tot days: 0	Tot days: 26	Tot days: 17	Tot days: 51	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 14	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	7.1% days Tot mins: 92 Max mins: 6 Avg mins: 3.54	4.7% days Tot mins: 46 Max mins: 4 Avg mins: 2.71	14% days Tot mins: 120 Max mins: 6 Avg mins: 2.35	Tot mins: 0	Tot mins: 0	Tot mins: 0	3.8% days Tot mins: 28 Max mins: 2 Avg mins: 2	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H60b	Tot days: 42	Tot days: 100	Tot days: 114	Tot days: 133	Tot days: 0	Tot days: 79	Tot days: 109	Tot days: 118	Tot days: 0	Tot days: 68	Tot days: 97	Tot days: 99
	11.5% days Tot mins: 114 Max mins: 6 Avg mins: 2.71	27.4% days Tot mins: 826 Max mins: 18 Avg mins: 8.26	31.2% days Tot mins: 1176 Max mins: 20 Avg mins: 10.32	36.4% days Tot mins: 1260 Max mins: 20 Avg mins: 9.47	Tot mins: 0	21.6% days Tot mins: 476 Max mins: 12 Avg mins: 6.03	29.9% days Tot mins: 938 Max mins: 18 Avg mins: 8.61	32.3% days Tot mins: 988 Max mins: 18 Avg mins: 8.37	Tot mins: 0	18.6% days Tot mins: 380 Max mins: 12 Avg mins: 5.59	26.6% days Tot mins: 766 Max mins: 16 Avg mins: 7.9	27.1% days Tot mins: 718 Max mins: 14 Avg mins: 7.25
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H61a	Tot days: 10	Tot days: 64	Tot days: 82	Tot days: 108	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 16	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	2.7% days Tot mins: 20 Max mins: 2 Avg mins: 2	17.5% days Tot mins: 200 Max mins: 6 Avg mins: 3.13	22.5% days Tot mins: 776 Max mins: 24 Avg mins: 9.46	29.6% days Tot mins: 1006 Max mins: 20 Avg mins: 9.31	Tot mins: 0	Tot mins: 0	Tot mins: 0	4.4% days Tot mins: 34 Max mins: 4 Avg mins: 2.13	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H61b	Tot days: 33	Tot days: 103	Tot days: 132	Tot days: 137	Tot days: 16	Tot days: 69	Tot days: 85	Tot days: 107	Tot days: 16	Tot days: 67	Tot days: 74	Tot days: 99
	9% days	28.2% days	36.2% days	37.5% days	4.4% days	18.9% days	23.3% days	29.3% days	4.4% days	18.4% days	20.3% days	27.1% days
	Tot mins: 70	Tot mins: 614	Tot mins: 1214	Tot mins: 1350	Tot mins: 32	Tot mins: 316	Tot mins: 852	Tot mins: 962	Tot mins: 32	Tot mins: 254	Tot mins: 682	Tot mins: 852
	Max mins: 4	Max mins: 12	Max mins: 22	Max mins: 22	Max mins: 2	Max mins: 8	Max mins: 22	Max mins: 18	Max mins: 2	Max mins: 8	Max mins: 18	Max mins: 18
	Avg mins: 2.12	Avg mins: 5.96	Avg mins: 9.2	Avg mins: 9.85	Avg mins: 2	Avg mins: 4.58	Avg mins: 10.02	Avg mins: 8.99	Avg mins: 2	Avg mins: 3.79	Avg mins: 9.22	Avg mins: 8.61

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H62a	Tot days: 0	Tot days: 0	Tot days: 15	Tot days: 76	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
			4.1% days	20.8% days								
	Tot mins: 0	Tot mins: 0	Tot mins: 30	Tot mins: 346	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
			Max mins: 2	Max mins: 10								
			Avg mins: 2	Avg mins: 4.55								

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H62b	Tot days: 0	Tot days: 0	Tot days: 4	Tot days: 85	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
			1.1% days	23.3% days								
	Tot mins: 0	Tot mins: 0	Tot mins: 8	Tot mins: 450	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
			Max mins: 2	Max mins: 16								
			Avg mins: 2	Avg mins: 5.29								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H63a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H63b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H64a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H64b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H65a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H65b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H66a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H66b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H67a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H67b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H68	Tot days: 26	Tot days: 128	Tot days: 138	Tot days: 145	Tot days: 0	Tot days: 36	Tot days: 68	Tot days: 81	Tot days: 0	Tot days: 12	Tot days: 22	Tot days: 26
	7.1% days	35.1% days	37.8% days	39.7% days		9.9% days	18.6% days	22.2% days		3.3% days	6% days	7.1% days
	Tot mins: 66	Tot mins: 970	Tot mins: 1260	Tot mins: 1440	Tot mins: 0	Tot mins: 98	Tot mins: 246	Tot mins: 338	Tot mins: 0	Tot mins: 28	Tot mins: 108	Tot mins: 198
	Max mins: 4	Max mins: 16	Max mins: 24	Max mins: 24		Max mins: 6	Max mins: 8	Max mins: 12		Max mins: 4	Max mins: 8	Max mins: 12
	Avg mins: 2.54	Avg mins: 7.58	Avg mins: 9.13	Avg mins: 9.93		Avg mins: 2.72	Avg mins: 3.62	Avg mins: 4.17		Avg mins: 2.33	Avg mins: 4.91	Avg mins: 7.62
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H69	Tot days: 71	Tot days: 118	Tot days: 128	Tot days: 135	Tot days: 68	Tot days: 98	Tot days: 99	Tot days: 100	Tot days: 65	Tot days: 92	Tot days: 96	Tot days: 94
	19.5% days	32.3% days	35.1% days	37% days	18.6% days	26.8% days	27.1% days	27.4% days	17.8% days	25.2% days	26.3% days	25.8% days
	Tot mins: 386	Tot mins: 1698	Tot mins: 2004	Tot mins: 1940	Tot mins: 380	Tot mins: 1412	Tot mins: 1668	Tot mins: 1454	Tot mins: 366	Tot mins: 1286	Tot mins: 1542	Tot mins: 1316
	Max mins: 12	Max mins: 28	Max mins: 24	Max mins: 20	Max mins: 12	Max mins: 24	Max mins: 24	Max mins: 20	Max mins: 12	Max mins: 24	Max mins: 24	Max mins: 20
	Avg mins: 5.44	Avg mins: 14.39	Avg mins: 15.66	Avg mins: 14.37	Avg mins: 5.59	Avg mins: 14.41	Avg mins: 16.85	Avg mins: 14.54	Avg mins: 5.63	Avg mins: 13.98	Avg mins: 16.06	Avg mins: 14

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING					WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H70	Tot days: 6	Tot days: 31	Tot days: 68	Tot days: 95	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	1.6% days	8.5% days	18.6% days	26% days								
	Tot mins: 12	Tot mins: 78	Tot mins: 228	Tot mins: 342	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 2	Max mins: 6	Max mins: 8	Max mins: 12								
	Avg mins: 2	Avg mins: 2.52	Avg mins: 3.35	Avg mins: 3.6								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H71	Tot days: 147	Tot days: 137	Tot days: 148	Tot days: 164	Tot days: 32	Tot days: 36	Tot days: 37	Tot days: 40	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	40.3% days	37.5% days	40.5% days	44.9% days	8.8% days	9.9% days	10.1% days	11% days				
	Tot mins: 1280	Tot mins: 1202	Tot mins: 1340	Tot mins: 1392	Tot mins: 164	Tot mins: 232	Tot mins: 252	Tot mins: 262	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 18	Max mins: 18	Max mins: 20	Max mins: 18	Max mins: 10	Max mins: 16	Max mins: 14	Max mins: 14				
	Avg mins: 8.71	Avg mins: 8.77	Avg mins: 9.05	Avg mins: 8.49	Avg mins: 5.13	Avg mins: 6.44	Avg mins: 6.81	Avg mins: 6.55				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H72a	Tot days: 142	Tot days: 154	Tot days: 158	Tot days: 161	Tot days: 6	Tot days: 8	Tot days: 14	Tot days: 16	Tot days: 6	Tot days: 8	Tot days: 14	Tot days: 16
	38.9% days	42.2% days	43.3% days	44.1% days	1.6% days	2.2% days	3.8% days	4.4% days	1.6% days	2.2% days	3.8% days	4.4% days
	Tot mins: 1346	Tot mins: 1494	Tot mins: 1560	Tot mins: 1548	Tot mins: 12	Tot mins: 18	Tot mins: 34	Tot mins: 60	Tot mins: 12	Tot mins: 18	Tot mins: 34	Tot mins: 60
	Max mins: 22	Max mins: 20	Max mins: 18	Max mins: 20	Max mins: 2	Max mins: 4	Max mins: 4	Max mins: 6	Max mins: 2	Max mins: 4	Max mins: 4	Max mins: 6
	Avg mins: 9.48	Avg mins: 9.7	Avg mins: 9.87	Avg mins: 9.61	Avg mins: 2	Avg mins: 2.25	Avg mins: 2.43	Avg mins: 3.75	Avg mins: 2	Avg mins: 2.25	Avg mins: 2.43	Avg mins: 3.75

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H72b	Tot days: 148	Tot days: 157	Tot days: 160	Tot days: 163	Tot days: 110	Tot days: 109	Tot days: 106	Tot days: 107	Tot days: 110	Tot days: 109	Tot days: 106	Tot days: 106
	40.5% days	43% days	43.8% days	44.7% days	30.1% days	29.9% days	29% days	29.3% days	30.1% days	29.9% days	29% days	29% days
	Tot mins: 1554	Tot mins: 1522	Tot mins: 1626	Tot mins: 1594	Tot mins: 830	Tot mins: 818	Tot mins: 910	Tot mins: 838	Tot mins: 788	Tot mins: 762	Tot mins: 856	Tot mins: 768
	Max mins: 20	Max mins: 22	Max mins: 18	Max mins: 20	Max mins: 20	Max mins: 20	Max mins: 18	Max mins: 14	Max mins: 18	Max mins: 16	Max mins: 16	Max mins: 14
	Avg mins: 10.5	Avg mins: 9.69	Avg mins: 10.16	Avg mins: 9.78	Avg mins: 7.55	Avg mins: 7.5	Avg mins: 8.58	Avg mins: 7.83	Avg mins: 7.16	Avg mins: 6.99	Avg mins: 8.07	Avg mins: 7.25
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H73a	Tot days: 0	Tot days: 6	Tot days: 46	Tot days: 51	Tot days: 0	Tot days: 0	Tot days: 46	Tot days: 51	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
		1.6% days	12.6% days	14% days			12.6% days	14% days				
	Tot mins: 0	Tot mins: 12	Tot mins: 106	Tot mins: 146	Tot mins: 0	Tot mins: 0	Tot mins: 106	Tot mins: 146	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
		Max mins: 2	Max mins: 6	Max mins: 6			Max mins: 6	Max mins: 6				
		Avg mins: 2	Avg mins: 2.3	Avg mins: 2.86			Avg mins: 2.3	Avg mins: 2.86				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H73b	Tot days: 0	Tot days: 29	Tot days: 49	Tot days: 51	Tot days: 0	Tot days: 32	Tot days: 49	Tot days: 51	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
		7.9% days	13.4% days	14% days		8.8% days	13.4% days	14% days				
	Tot mins: 0	Tot mins: 74	Tot mins: 130	Tot mins: 148	Tot mins: 0	Tot mins: 88	Tot mins: 130	Tot mins: 148	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
		Max mins: 6	Max mins: 4	Max mins: 6		Max mins: 6	Max mins: 4	Max mins: 6				
		Avg mins: 2.55	Avg mins: 2.65	Avg mins: 2.9		Avg mins: 2.75	Avg mins: 2.65	Avg mins: 2.9				

Appendix A - Comparative Tilt Dwelling Results

	----- WITHOUT SCREENING -----				----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H74a	Tot days: 0	Tot days: 15	Tot days: 73	Tot days: 92	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	4.1% days Tot mins: 34 Max mins: 4 Avg mins: 2.27	20% days Tot mins: 244 Max mins: 8 Avg mins: 3.34	25.2% days Tot mins: 302 Max mins: 6 Avg mins: 3.28	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
H74b	Tot days: 0	Tot days: 54	Tot days: 71	Tot days: 102	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	14.8% days Tot mins: 138 Max mins: 6 Avg mins: 2.56	19.5% days Tot mins: 272 Max mins: 8 Avg mins: 3.83	27.9% days Tot mins: 340 Max mins: 6 Avg mins: 3.33	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
H75a	Tot days: 164	Tot days: 154	Tot days: 156	Tot days: 162	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	44.9% days Tot mins: 1716 Max mins: 24 Avg mins: 10.46	42.2% days Tot mins: 2274 Max mins: 24 Avg mins: 14.77	42.7% days Tot mins: 2248 Max mins: 24 Avg mins: 14.41	44.4% days Tot mins: 2248 Max mins: 22 Avg mins: 13.88	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING													WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H75b	Tot days: 193	Tot days: 187	Tot days: 174	Tot days: 172	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	52.9% days	51.2% days	47.7% days	47.1% days																
	Tot mins: 2286	Tot mins: 2718	Tot mins: 2678	Tot mins: 2404	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 24	Max mins: 28	Max mins: 24	Max mins: 22																
	Avg mins: 11.84	Avg mins: 14.53	Avg mins: 15.39	Avg mins: 13.98																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H76	Tot days: 137	Tot days: 150	Tot days: 146	Tot days: 152	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	37.5% days	41.1% days	40% days	41.6% days																
	Tot mins: 866	Tot mins: 1364	Tot mins: 1264	Tot mins: 1290	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 18	Max mins: 16	Max mins: 18	Max mins: 16																
	Avg mins: 6.32	Avg mins: 9.09	Avg mins: 8.66	Avg mins: 8.49																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H77	Tot days: 149	Tot days: 139	Tot days: 147	Tot days: 150	Tot days: 16	Tot days: 11	Tot days: 10	Tot days: 6	Tot days: 16	Tot days: 11	Tot days: 10	Tot days: 6								
	40.8% days	38.1% days	40.3% days	41.1% days	4.4% days	3% days	2.7% days	1.6% days	4.4% days	3% days	2.7% days	1.6% days								
	Tot mins: 974	Tot mins: 966	Tot mins: 1180	Tot mins: 1404	Tot mins: 32	Tot mins: 22	Tot mins: 20	Tot mins: 12	Tot mins: 32	Tot mins: 22	Tot mins: 20	Tot mins: 12								
	Max mins: 16	Max mins: 16	Max mins: 16	Max mins: 22	Max mins: 2	Max mins: 2	Max mins: 2	Max mins: 2	Max mins: 2	Max mins: 2	Max mins: 2	Max mins: 2								
	Avg mins: 6.54	Avg mins: 6.95	Avg mins: 8.03	Avg mins: 9.36	Avg mins: 2	Avg mins: 2	Avg mins: 2	Avg mins: 2	Avg mins: 2	Avg mins: 2	Avg mins: 2	Avg mins: 2								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H78	Tot days: 157	Tot days: 158	Tot days: 160	Tot days: 164	Tot days: 20	Tot days: 45	Tot days: 58	Tot days: 66	Tot days: 0	Tot days: 6	Tot days: 8	Tot days: 6
	43% days	43.3% days	43.8% days	44.9% days	5.5% days	12.3% days	15.9% days	18.1% days		1.6% days	2.2% days	1.6% days
	Tot mins: 914	Tot mins: 1824	Tot mins: 2804	Tot mins: 3162	Tot mins: 52	Tot mins: 338	Tot mins: 496	Tot mins: 588	Tot mins: 0	Tot mins: 14	Tot mins: 20	Tot mins: 20
	Max mins: 14	Max mins: 26	Max mins: 34	Max mins: 38	Max mins: 6	Max mins: 16	Max mins: 18	Max mins: 18		Max mins: 4	Max mins: 4	Max mins: 4
	Avg mins: 5.82	Avg mins: 11.54	Avg mins: 17.53	Avg mins: 19.28	Avg mins: 2.6	Avg mins: 7.51	Avg mins: 8.55	Avg mins: 8.91		Avg mins: 2.33	Avg mins: 2.5	Avg mins: 3.33

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H79a	Tot days: 173	Tot days: 172	Tot days: 165	Tot days: 168	Tot days: 68	Tot days: 86	Tot days: 101	Tot days: 110	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	47.4% days	47.1% days	45.2% days	46% days	18.6% days	23.6% days	27.7% days	30.1% days				
	Tot mins: 904	Tot mins: 2080	Tot mins: 3200	Tot mins: 3456	Tot mins: 190	Tot mins: 574	Tot mins: 1294	Tot mins: 1642	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 14	Max mins: 28	Max mins: 38	Max mins: 38	Max mins: 6	Max mins: 16	Max mins: 30	Max mins: 28				
	Avg mins: 5.23	Avg mins: 12.09	Avg mins: 19.39	Avg mins: 20.57	Avg mins: 2.79	Avg mins: 6.67	Avg mins: 12.81	Avg mins: 14.93				

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H79b	Tot days: 185	Tot days: 176	Tot days: 166	Tot days: 171	Tot days: 161	Tot days: 161	Tot days: 162	Tot days: 167	Tot days: 71	Tot days: 117	Tot days: 138	Tot days: 148
	50.7% days	48.2% days	45.5% days	46.8% days	44.1% days	44.1% days	44.4% days	45.8% days	19.5% days	32.1% days	37.8% days	40.5% days
	Tot mins: 1224	Tot mins: 2472	Tot mins: 3554	Tot mins: 3806	Tot mins: 1130	Tot mins: 2068	Tot mins: 2654	Tot mins: 2864	Tot mins: 286	Tot mins: 1014	Tot mins: 1602	Tot mins: 1758
	Max mins: 18	Max mins: 28	Max mins: 38	Max mins: 38	Max mins: 18	Max mins: 22	Max mins: 32	Max mins: 30	Max mins: 8	Max mins: 16	Max mins: 26	Max mins: 22
	Avg mins: 6.62	Avg mins: 14.05	Avg mins: 21.41	Avg mins: 22.26	Avg mins: 7.02	Avg mins: 12.84	Avg mins: 16.38	Avg mins: 17.15	Avg mins: 4.03	Avg mins: 8.67	Avg mins: 11.61	Avg mins: 11.88

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H80a	Tot days: 183	Tot days: 172	Tot days: 169	Tot days: 166	Tot days: 157	Tot days: 154	Tot days: 158	Tot days: 159	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	50.1% days	47.1% days	46.3% days	45.5% days	43% days	42.2% days	43.3% days	43.6% days				
	Tot mins: 1246	Tot mins: 2744	Tot mins: 3464	Tot mins: 3910	Tot mins: 1124	Tot mins: 2292	Tot mins: 3080	Tot mins: 3426	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 18	Max mins: 30	Max mins: 34	Max mins: 42	Max mins: 18	Max mins: 30	Max mins: 34	Max mins: 34				
	Avg mins: 6.81	Avg mins: 15.95	Avg mins: 20.5	Avg mins: 23.55	Avg mins: 7.16	Avg mins: 14.88	Avg mins: 19.49	Avg mins: 21.55				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H80b	Tot days: 191	Tot days: 178	Tot days: 174	Tot days: 169	Tot days: 169	Tot days: 163	Tot days: 166	Tot days: 169	Tot days: 93	Tot days: 135	Tot days: 149	Tot days: 154
	52.3% days	48.8% days	47.7% days	46.3% days	46.3% days	44.7% days	45.5% days	46.3% days	25.5% days	37% days	40.8% days	42.2% days
	Tot mins: 1798	Tot mins: 3088	Tot mins: 4094	Tot mins: 4434	Tot mins: 1670	Tot mins: 2610	Tot mins: 3526	Tot mins: 4002	Tot mins: 394	Tot mins: 1330	Tot mins: 2102	Tot mins: 2444
	Max mins: 24	Max mins: 34	Max mins: 46	Max mins: 44	Max mins: 24	Max mins: 32	Max mins: 38	Max mins: 38	Max mins: 8	Max mins: 24	Max mins: 28	Max mins: 26
	Avg mins: 9.41	Avg mins: 17.35	Avg mins: 23.53	Avg mins: 26.24	Avg mins: 9.88	Avg mins: 16.01	Avg mins: 21.24	Avg mins: 23.68	Avg mins: 4.24	Avg mins: 9.85	Avg mins: 14.11	Avg mins: 15.87
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H81a	Tot days: 179	Tot days: 174	Tot days: 172	Tot days: 170	Tot days: 158	Tot days: 171	Tot days: 169	Tot days: 167	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	49% days	47.7% days	47.1% days	46.6% days	43.3% days	46.8% days	46.3% days	45.8% days				
	Tot mins: 1864	Tot mins: 3488	Tot mins: 3914	Tot mins: 4046	Tot mins: 1684	Tot mins: 3206	Tot mins: 3574	Tot mins: 3632	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 24	Max mins: 38	Max mins: 40	Max mins: 38	Max mins: 24	Max mins: 38	Max mins: 38	Max mins: 38				
	Avg mins: 10.41	Avg mins: 20.05	Avg mins: 22.76	Avg mins: 23.8	Avg mins: 10.66	Avg mins: 18.75	Avg mins: 21.15	Avg mins: 21.75				

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H81b	Tot days: 183	Tot days: 179	Tot days: 174	Tot days: 176	Tot days: 167	Tot days: 170	Tot days: 171	Tot days: 173	Tot days: 116	Tot days: 151	Tot days: 160	Tot days: 169
	50.1% days	49% days	47.7% days	48.2% days	45.8% days	46.6% days	46.8% days	47.4% days	31.8% days	41.4% days	43.8% days	46.3% days
	Tot mins: 2478	Tot mins: 3990	Tot mins: 4486	Tot mins: 4614	Tot mins: 2294	Tot mins: 3728	Tot mins: 4128	Tot mins: 4190	Tot mins: 704	Tot mins: 1882	Tot mins: 2256	Tot mins: 2312
	Max mins: 28	Max mins: 40	Max mins: 42	Max mins: 36	Max mins: 28	Max mins: 40	Max mins: 38	Max mins: 36	Max mins: 14	Max mins: 28	Max mins: 26	Max mins: 24
	Avg mins: 13.54	Avg mins: 22.29	Avg mins: 25.78	Avg mins: 26.22	Avg mins: 13.74	Avg mins: 21.93	Avg mins: 24.14	Avg mins: 24.22	Avg mins: 6.07	Avg mins: 12.46	Avg mins: 14.1	Avg mins: 13.68

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H82	Tot days: 177	Tot days: 174	Tot days: 172	Tot days: 174	Tot days: 131	Tot days: 136	Tot days: 141	Tot days: 144	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	48.5% days	47.7% days	47.1% days	47.7% days	35.9% days	37.3% days	38.6% days	39.5% days				
	Tot mins: 2174	Tot mins: 3818	Tot mins: 4310	Tot mins: 4428	Tot mins: 1646	Tot mins: 3000	Tot mins: 3480	Tot mins: 3582	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 26	Max mins: 40	Max mins: 42	Max mins: 36	Max mins: 24	Max mins: 36	Max mins: 42	Max mins: 36				
	Avg mins: 12.28	Avg mins: 21.94	Avg mins: 25.06	Avg mins: 25.45	Avg mins: 12.56	Avg mins: 22.06	Avg mins: 24.68	Avg mins: 24.88				

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H83a	Tot days: 174	Tot days: 172	Tot days: 171	Tot days: 175	Tot days: 0	Tot days: 0	Tot days: 50	Tot days: 64	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	47.7% days	47.1% days	46.8% days	47.9% days			13.7% days	17.5% days				
	Tot mins: 2122	Tot mins: 3744	Tot mins: 4306	Tot mins: 4352	Tot mins: 0	Tot mins: 0	Tot mins: 132	Tot mins: 166	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 24	Max mins: 38	Max mins: 40	Max mins: 34			Max mins: 8	Max mins: 4				
	Avg mins: 12.2	Avg mins: 21.77	Avg mins: 25.18	Avg mins: 24.87			Avg mins: 2.64	Avg mins: 2.59				

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H83b	Tot days: 175 47.9% days Tot mins: 2866 Max mins: 30 Avg mins: 16.38	Tot days: 173 47.4% days Tot mins: 4396 Max mins: 42 Avg mins: 25.41	Tot days: 175 47.9% days Tot mins: 5048 Max mins: 46 Avg mins: 28.85	Tot days: 176 48.2% days Tot mins: 5138 Max mins: 44 Avg mins: 29.19	Tot days: 0 Tot mins: 0	Tot days: 22 6% days Tot mins: 46 Max mins: 4 Avg mins: 2.09	Tot days: 93 25.5% days Tot mins: 402 Max mins: 12 Avg mins: 4.32	Tot days: 98 26.8% days Tot mins: 456 Max mins: 12 Avg mins: 4.65	Tot days: 0 Tot mins: 0	Tot days: 7 1.9% days Tot mins: 14 Max mins: 2 Avg mins: 2	Tot days: 17 4.7% days Tot mins: 62 Max mins: 8 Avg mins: 3.65	Tot days: 28 7.7% days Tot mins: 88 Max mins: 6 Avg mins: 3.14
H84a	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0	Tot days: 15 4.1% days Tot mins: 32 Max mins: 4 Avg mins: 2.13	Tot days: 17 4.7% days Tot mins: 36 Max mins: 4 Avg mins: 2.12	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0
H84b	Tot days: 0 Tot mins: 0	Tot days: 58 15.9% days Tot mins: 160 Max mins: 4 Avg mins: 2.76	Tot days: 34 9.3% days Tot mins: 72 Max mins: 4 Avg mins: 2.12	Tot days: 24 6.6% days Tot mins: 48 Max mins: 2 Avg mins: 2	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0	Tot days: 0 Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H85a	Tot days: 0	Tot days: 6 1.6% days	Tot days: 15 4.1% days	Tot days: 27 7.4% days	Tot days: 0	Tot days: 0	Tot days: 15 4.1% days	Tot days: 27 7.4% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 12 Max mins: 2 Avg mins: 2	Tot mins: 36 Max mins: 6 Avg mins: 2.4	Tot mins: 56 Max mins: 4 Avg mins: 2.07	Tot mins: 0	Tot mins: 0	Tot mins: 36 Max mins: 6 Avg mins: 2.4	Tot mins: 56 Max mins: 4 Avg mins: 2.07	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H85b	Tot days: 11 3% days	Tot days: 79 21.6% days	Tot days: 73 20% days	Tot days: 89 24.4% days	Tot days: 11 3% days	Tot days: 74 20.3% days	Tot days: 73 20% days	Tot days: 89 24.4% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 22 Max mins: 2 Avg mins: 2	Tot mins: 318 Max mins: 8 Avg mins: 4.03	Tot mins: 276 Max mins: 8 Avg mins: 3.78	Tot mins: 222 Max mins: 6 Avg mins: 2.49	Tot mins: 22 Max mins: 2 Avg mins: 2	Tot mins: 204 Max mins: 6 Avg mins: 2.76	Tot mins: 276 Max mins: 8 Avg mins: 3.78	Tot mins: 222 Max mins: 6 Avg mins: 2.49	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H86	Tot days: 0	Tot days: 0	Tot days: 40 11% days	Tot days: 57 15.6% days	Tot days: 0	Tot days: 0	Tot days: 32 8.8% days	Tot days: 27 7.4% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 132 Max mins: 8 Avg mins: 3.3	Tot mins: 158 Max mins: 6 Avg mins: 2.77	Tot mins: 0	Tot mins: 0	Tot mins: 76 Max mins: 6 Avg mins: 2.38	Tot mins: 70 Max mins: 4 Avg mins: 2.59	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H87a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H87b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 2 0.5% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 4 Max mins: 2 Avg mins: 2	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H88a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H88b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H89	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H90	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

	----- WITHOUT SCREENING -----				----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H91	Tot days: 0	Tot days: 0	Tot days: 6 1.6% days	Tot days: 37 10.1% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 12 Max mins: 2 Avg mins: 2	Tot mins: 90 Max mins: 6 Avg mins: 2.43	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H92	Tot days: 0	Tot days: 41 11.2% days	Tot days: 54 14.8% days	Tot days: 71 19.5% days	Tot days: 0	Tot days: 43 11.8% days	Tot days: 54 14.8% days	Tot days: 71 19.5% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 92 Max mins: 4 Avg mins: 2.24	Tot mins: 138 Max mins: 6 Avg mins: 2.56	Tot mins: 168 Max mins: 6 Avg mins: 2.37	Tot mins: 0	Tot mins: 106 Max mins: 4 Avg mins: 2.47	Tot mins: 138 Max mins: 6 Avg mins: 2.56	Tot mins: 168 Max mins: 6 Avg mins: 2.37	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H93	Tot days: 0	Tot days: 40 11% days	Tot days: 47 12.9% days	Tot days: 60 16.4% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 84 Max mins: 4 Avg mins: 2.1	Tot mins: 126 Max mins: 6 Avg mins: 2.68	Tot mins: 174 Max mins: 8 Avg mins: 2.9	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H94	Tot days: 0	Tot days: 19 5.2% days	Tot days: 24 6.6% days	Tot days: 28 7.7% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 38 Max mins: 2 Avg mins: 2	Tot mins: 52 Max mins: 4 Avg mins: 2.17	Tot mins: 68 Max mins: 4 Avg mins: 2.43	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H95	Tot days: 0	Tot days: 27 7.4% days	Tot days: 79 21.6% days	Tot days: 91 24.9% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 54 Max mins: 2 Avg mins: 2	Tot mins: 220 Max mins: 8 Avg mins: 2.78	Tot mins: 274 Max mins: 10 Avg mins: 3.01	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H96a	Tot days: 0	Tot days: 0	Tot days: 48 13.2% days	Tot days: 36 9.9% days	Tot days: 0	Tot days: 0	Tot days: 18 4.9% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 18 4.9% days	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 190 Max mins: 6 Avg mins: 3.96	Tot mins: 94 Max mins: 6 Avg mins: 2.61	Tot mins: 0	Tot mins: 0	Tot mins: 36 Max mins: 2 Avg mins: 2	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 36 Max mins: 2 Avg mins: 2	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H96b	Tot days: 0	Tot days: 26	Tot days: 45	Tot days: 38	Tot days: 0	Tot days: 16	Tot days: 15	Tot days: 4	Tot days: 0	Tot days: 16	Tot days: 15	Tot days: 4
		7.1% days	12.3% days	10.4% days		4.4% days	4.1% days	1.1% days		4.4% days	4.1% days	1.1% days
	Tot mins: 0	Tot mins: 52	Tot mins: 96	Tot mins: 92	Tot mins: 0	Tot mins: 32	Tot mins: 30	Tot mins: 8	Tot mins: 0	Tot mins: 32	Tot mins: 30	Tot mins: 8
		Max mins: 2	Max mins: 4	Max mins: 6		Max mins: 2	Max mins: 2	Max mins: 2		Max mins: 2	Max mins: 2	Max mins: 2
		Avg mins: 2	Avg mins: 2.13	Avg mins: 2.42		Avg mins: 2	Avg mins: 2	Avg mins: 2		Avg mins: 2	Avg mins: 2	Avg mins: 2
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H97	Tot days: 0	Tot days: 0	Tot days: 37	Tot days: 35	Tot days: 0	Tot days: 0	Tot days: 12	Tot days: 35	Tot days: 0	Tot days: 0	Tot days: 12	Tot days: 35
			10.1% days	9.6% days			3.3% days	9.6% days			3.3% days	9.6% days
	Tot mins: 0	Tot mins: 0	Tot mins: 78	Tot mins: 76	Tot mins: 0	Tot mins: 0	Tot mins: 24	Tot mins: 76	Tot mins: 0	Tot mins: 0	Tot mins: 24	Tot mins: 76
			Max mins: 4	Max mins: 6			Max mins: 2	Max mins: 6			Max mins: 2	Max mins: 6
			Avg mins: 2.11	Avg mins: 2.17			Avg mins: 2	Avg mins: 2.17			Avg mins: 2	Avg mins: 2.17
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H98	Tot days: 0	Tot days: 0	Tot days: 38	Tot days: 55	Tot days: 0	Tot days: 0	Tot days: 15	Tot days: 42	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
			10.4% days	15.1% days			4.1% days	11.5% days				
	Tot mins: 0	Tot mins: 0	Tot mins: 84	Tot mins: 124	Tot mins: 0	Tot mins: 0	Tot mins: 34	Tot mins: 88	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
			Max mins: 4	Max mins: 4			Max mins: 4	Max mins: 4				
			Avg mins: 2.21	Avg mins: 2.25			Avg mins: 2.27	Avg mins: 2.1				

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING													WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H99	Tot days: 39	Tot days: 89	Tot days: 105	Tot days: 115	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	10.7% days	24.4% days	28.8% days	31.5% days																
	Tot mins: 118	Tot mins: 492	Tot mins: 526	Tot mins: 564	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 6	Max mins: 14	Max mins: 14	Max mins: 10																
	Avg mins: 3.03	Avg mins: 5.53	Avg mins: 5.01	Avg mins: 4.9																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H100	Tot days: 88	Tot days: 118	Tot days: 135	Tot days: 142	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	24.1% days	32.3% days	37% days	38.9% days																
	Tot mins: 470	Tot mins: 1300	Tot mins: 1538	Tot mins: 1674	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 12	Max mins: 22	Max mins: 26	Max mins: 24																
	Avg mins: 5.34	Avg mins: 11.02	Avg mins: 11.39	Avg mins: 11.79																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H101a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----													----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----						
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees											
H101b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0											
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0											
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees											
H102	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0											
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0											
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees											
H103a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0											
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0											

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H103b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H104a	Tot days: 45	Tot days: 102	Tot days: 126	Tot days: 132	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	12.3% days	27.9% days	34.5% days	36.2% days								
	Tot mins: 122	Tot mins: 856	Tot mins: 1430	Tot mins: 1654	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 6	Max mins: 18	Max mins: 24	Max mins: 26								
	Avg mins: 2.71	Avg mins: 8.39	Avg mins: 11.35	Avg mins: 12.53								

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H104b	Tot days: 51	Tot days: 111	Tot days: 125	Tot days: 132	Tot days: 24	Tot days: 62	Tot days: 72	Tot days: 71	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	14% days	30.4% days	34.2% days	36.2% days	6.6% days	17% days	19.7% days	19.5% days				
	Tot mins: 176	Tot mins: 1054	Tot mins: 1562	Tot mins: 1754	Tot mins: 70	Tot mins: 364	Tot mins: 708	Tot mins: 924	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 10	Max mins: 22	Max mins: 28	Max mins: 28	Max mins: 8	Max mins: 14	Max mins: 26	Max mins: 28				
	Avg mins: 3.45	Avg mins: 9.5	Avg mins: 12.5	Avg mins: 13.29	Avg mins: 2.92	Avg mins: 5.87	Avg mins: 9.83	Avg mins: 13.01				

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H105a	Tot days: 90	Tot days: 120	Tot days: 133	Tot days: 140	Tot days: 71	Tot days: 111	Tot days: 125	Tot days: 132	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	24.7% days	32.9% days	36.4% days	38.4% days	19.5% days	30.4% days	34.2% days	36.2% days				
	Tot mins: 466	Tot mins: 1596	Tot mins: 2182	Tot mins: 2334	Tot mins: 306	Tot mins: 944	Tot mins: 1458	Tot mins: 1676	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 14	Max mins: 26	Max mins: 28	Max mins: 26	Max mins: 14	Max mins: 26	Max mins: 28	Max mins: 26				
	Avg mins: 5.18	Avg mins: 13.3	Avg mins: 16.41	Avg mins: 16.67	Avg mins: 4.31	Avg mins: 8.5	Avg mins: 11.66	Avg mins: 12.7				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H105b	Tot days: 93	Tot days: 121	Tot days: 138	Tot days: 142	Tot days: 79	Tot days: 118	Tot days: 137	Tot days: 135	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	25.5% days	33.2% days	37.8% days	38.9% days	21.6% days	32.3% days	37.5% days	37% days				
	Tot mins: 612	Tot mins: 1782	Tot mins: 2458	Tot mins: 2386	Tot mins: 402	Tot mins: 1122	Tot mins: 1654	Tot mins: 1782	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 16	Max mins: 28	Max mins: 32	Max mins: 26	Max mins: 16	Max mins: 26	Max mins: 28	Max mins: 26				
	Avg mins: 6.58	Avg mins: 14.73	Avg mins: 17.81	Avg mins: 16.8	Avg mins: 5.09	Avg mins: 9.51	Avg mins: 12.07	Avg mins: 13.2				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H106	Tot days: 108	Tot days: 127	Tot days: 134	Tot days: 142	Tot days: 64	Tot days: 101	Tot days: 124	Tot days: 119	Tot days: 18	Tot days: 51	Tot days: 77	Tot days: 83
	29.6% days	34.8% days	36.7% days	38.9% days	17.5% days	27.7% days	34% days	32.6% days	4.9% days	14% days	21.1% days	22.7% days
	Tot mins: 1300	Tot mins: 2398	Tot mins: 2792	Tot mins: 2786	Tot mins: 326	Tot mins: 982	Tot mins: 1562	Tot mins: 1732	Tot mins: 38	Tot mins: 326	Tot mins: 610	Tot mins: 650
	Max mins: 24	Max mins: 30	Max mins: 32	Max mins: 30	Max mins: 10	Max mins: 26	Max mins: 30	Max mins: 30	Max mins: 4	Max mins: 16	Max mins: 18	Max mins: 16
	Avg mins: 12.04	Avg mins: 18.88	Avg mins: 20.84	Avg mins: 19.62	Avg mins: 5.09	Avg mins: 9.72	Avg mins: 12.6	Avg mins: 14.55	Avg mins: 2.11	Avg mins: 6.39	Avg mins: 7.92	Avg mins: 7.83

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H107a	Tot days: 107	Tot days: 124	Tot days: 126	Tot days: 138	Tot days: 29	Tot days: 51	Tot days: 59	Tot days: 65	Tot days: 6	Tot days: 21	Tot days: 23	Tot days: 22
	29.3% days	34% days	34.5% days	37.8% days	7.9% days	14% days	16.2% days	17.8% days	1.6% days	5.8% days	6.3% days	6% days
	Tot mins: 1420	Tot mins: 2520	Tot mins: 2790	Tot mins: 2804	Tot mins: 128	Tot mins: 464	Tot mins: 768	Tot mins: 918	Tot mins: 12	Tot mins: 70	Tot mins: 92	Tot mins: 134
	Max mins: 26	Max mins: 32	Max mins: 30	Max mins: 30	Max mins: 12	Max mins: 20	Max mins: 26	Max mins: 26	Max mins: 2	Max mins: 8	Max mins: 10	Max mins: 14
	Avg mins: 13.27	Avg mins: 20.32	Avg mins: 22.14	Avg mins: 20.32	Avg mins: 4.41	Avg mins: 9.1	Avg mins: 13.02	Avg mins: 14.12	Avg mins: 2	Avg mins: 3.33	Avg mins: 4	Avg mins: 6.09
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H107b	Tot days: 109	Tot days: 125	Tot days: 130	Tot days: 142	Tot days: 105	Tot days: 121	Tot days: 126	Tot days: 130	Tot days: 79	Tot days: 105	Tot days: 112	Tot days: 117
	29.9% days	34.2% days	35.6% days	38.9% days	28.8% days	33.2% days	34.5% days	35.6% days	21.6% days	28.8% days	30.7% days	32.1% days
	Tot mins: 1638	Tot mins: 2620	Tot mins: 2860	Tot mins: 2972	Tot mins: 1518	Tot mins: 2480	Tot mins: 2748	Tot mins: 2804	Tot mins: 392	Tot mins: 1236	Tot mins: 1450	Tot mins: 1396
	Max mins: 28	Max mins: 32	Max mins: 32	Max mins: 32	Max mins: 26	Max mins: 34	Max mins: 32	Max mins: 32	Max mins: 14	Max mins: 22	Max mins: 22	Max mins: 22
	Avg mins: 15.03	Avg mins: 20.96	Avg mins: 22	Avg mins: 20.93	Avg mins: 14.46	Avg mins: 20.5	Avg mins: 21.81	Avg mins: 21.57	Avg mins: 4.96	Avg mins: 11.77	Avg mins: 12.95	Avg mins: 11.93
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H108a	Tot days: 107	Tot days: 124	Tot days: 132	Tot days: 139	Tot days: 98	Tot days: 102	Tot days: 111	Tot days: 118	Tot days: 76	Tot days: 94	Tot days: 109	Tot days: 100
	29.3% days	34% days	36.2% days	38.1% days	26.8% days	27.9% days	30.4% days	32.3% days	20.8% days	25.8% days	29.9% days	27.4% days
	Tot mins: 1534	Tot mins: 2626	Tot mins: 2866	Tot mins: 2924	Tot mins: 1374	Tot mins: 2446	Tot mins: 2566	Tot mins: 2508	Tot mins: 638	Tot mins: 1266	Tot mins: 1140	Tot mins: 996
	Max mins: 26	Max mins: 36	Max mins: 34	Max mins: 30	Max mins: 24	Max mins: 34	Max mins: 34	Max mins: 30	Max mins: 16	Max mins: 22	Max mins: 20	Max mins: 18
	Avg mins: 14.34	Avg mins: 21.18	Avg mins: 21.71	Avg mins: 21.04	Avg mins: 14.02	Avg mins: 23.98	Avg mins: 23.12	Avg mins: 21.25	Avg mins: 8.39	Avg mins: 13.47	Avg mins: 10.46	Avg mins: 9.96

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING					WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H108b	Tot days: 111	Tot days: 127	Tot days: 132	Tot days: 140	Tot days: 107	Tot days: 116	Tot days: 127	Tot days: 135	Tot days: 96	Tot days: 112	Tot days: 123	Tot days: 129
	30.4% days	34.8% days	36.2% days	38.4% days	29.3% days	31.8% days	34.8% days	37% days	26.3% days	30.7% days	33.7% days	35.3% days
	Tot mins: 1678	Tot mins: 2728	Tot mins: 2976	Tot mins: 3074	Tot mins: 1548	Tot mins: 2606	Tot mins: 2780	Tot mins: 2758	Tot mins: 832	Tot mins: 1638	Tot mins: 1674	Tot mins: 1556
	Max mins: 24	Max mins: 34	Max mins: 32	Max mins: 32	Max mins: 24	Max mins: 34	Max mins: 32	Max mins: 32	Max mins: 18	Max mins: 28	Max mins: 26	Max mins: 26
	Avg mins: 15.12	Avg mins: 21.48	Avg mins: 22.55	Avg mins: 21.96	Avg mins: 14.47	Avg mins: 22.47	Avg mins: 21.89	Avg mins: 20.43	Avg mins: 8.67	Avg mins: 14.63	Avg mins: 13.61	Avg mins: 12.06

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H109	Tot days: 105	Tot days: 131	Tot days: 140	Tot days: 145	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	28.8% days	35.9% days	38.4% days	39.7% days								
	Tot mins: 1746	Tot mins: 2758	Tot mins: 3032	Tot mins: 2990	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 30	Max mins: 34	Max mins: 34	Max mins: 32								
	Avg mins: 16.63	Avg mins: 21.05	Avg mins: 21.66	Avg mins: 20.62								

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H110a	Tot days: 80	Tot days: 113	Tot days: 127	Tot days: 141	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	21.9% days	31% days	34.8% days	38.6% days								
	Tot mins: 918	Tot mins: 1536	Tot mins: 1560	Tot mins: 1730	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 20	Max mins: 28	Max mins: 22	Max mins: 24								
	Avg mins: 11.48	Avg mins: 13.59	Avg mins: 12.28	Avg mins: 12.27								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H110b	Tot days: 88	Tot days: 119	Tot days: 131	Tot days: 144	Tot days: 76	Tot days: 103	Tot days: 114	Tot days: 123	Tot days: 76	Tot days: 103	Tot days: 113	Tot days: 123
	24.1% days	32.6% days	35.9% days	39.5% days	20.8% days	28.2% days	31.2% days	33.7% days	20.8% days	28.2% days	31% days	33.7% days
	Tot mins: 1122	Tot mins: 1710	Tot mins: 1690	Tot mins: 1792	Tot mins: 822	Tot mins: 1088	Tot mins: 960	Tot mins: 878	Tot mins: 748	Tot mins: 1048	Tot mins: 926	Tot mins: 874
	Max mins: 24	Max mins: 26	Max mins: 22	Max mins: 22	Max mins: 20	Max mins: 24	Max mins: 18	Max mins: 16	Max mins: 18	Max mins: 24	Max mins: 18	Max mins: 16
	Avg mins: 12.75	Avg mins: 14.37	Avg mins: 12.9	Avg mins: 12.44	Avg mins: 10.82	Avg mins: 10.56	Avg mins: 8.42	Avg mins: 7.14	Avg mins: 9.84	Avg mins: 10.17	Avg mins: 8.19	Avg mins: 7.11
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H111a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 2	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	0.5% days Tot mins: 4 Max mins: 2 Avg mins: 2	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H111b	Tot days: 91	Tot days: 121	Tot days: 130	Tot days: 134	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	24.9% days	33.2% days	35.6% days	36.7% days								
	Tot mins: 882	Tot mins: 1436	Tot mins: 1914	Tot mins: 2202	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 18	Max mins: 22	Max mins: 22	Max mins: 24								
	Avg mins: 9.69	Avg mins: 11.87	Avg mins: 14.72	Avg mins: 16.43								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H112a	Tot days: 93	Tot days: 111	Tot days: 117	Tot days: 124	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	25.5% days	30.4% days	32.1% days	34% days								
	Tot mins: 792	Tot mins: 1462	Tot mins: 1982	Tot mins: 2204	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 18	Max mins: 22	Max mins: 30	Max mins: 34								
	Avg mins: 8.52	Avg mins: 13.17	Avg mins: 16.94	Avg mins: 17.77								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H112b	Tot days: 97	Tot days: 112	Tot days: 118	Tot days: 124	Tot days: 0	Tot days: 0	Tot days: 2	Tot days: 11	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 7
	26.6% days	30.7% days	32.3% days	34% days			0.5% days	3% days				1.9% days
	Tot mins: 1216	Tot mins: 1850	Tot mins: 2146	Tot mins: 2352	Tot mins: 0	Tot mins: 0	Tot mins: 4	Tot mins: 28	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 14
	Max mins: 28	Max mins: 28	Max mins: 32	Max mins: 36			Max mins: 2	Max mins: 4				Max mins: 2
	Avg mins: 12.54	Avg mins: 16.52	Avg mins: 18.19	Avg mins: 18.97			Avg mins: 2	Avg mins: 2.55				Avg mins: 2
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H113a	Tot days: 77	Tot days: 85	Tot days: 96	Tot days: 110	Tot days: 15	Tot days: 59	Tot days: 81	Tot days: 76	Tot days: 9	Tot days: 45	Tot days: 79	Tot days: 74
	21.1% days	23.3% days	26.3% days	30.1% days	4.1% days	16.2% days	22.2% days	20.8% days	2.5% days	12.3% days	21.6% days	20.3% days
	Tot mins: 424	Tot mins: 1414	Tot mins: 1784	Tot mins: 1776	Tot mins: 30	Tot mins: 316	Tot mins: 476	Tot mins: 492	Tot mins: 18	Tot mins: 276	Tot mins: 438	Tot mins: 452
	Max mins: 18	Max mins: 28	Max mins: 30	Max mins: 28	Max mins: 2	Max mins: 12	Max mins: 12	Max mins: 14	Max mins: 2	Max mins: 12	Max mins: 12	Max mins: 12
	Avg mins: 5.51	Avg mins: 16.64	Avg mins: 18.58	Avg mins: 16.15	Avg mins: 2	Avg mins: 5.36	Avg mins: 5.88	Avg mins: 6.47	Avg mins: 2	Avg mins: 6.13	Avg mins: 5.54	Avg mins: 6.11

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H113b	Tot days: 77	Tot days: 85	Tot days: 98	Tot days: 113	Tot days: 18	Tot days: 72	Tot days: 91	Tot days: 87	Tot days: 18	Tot days: 71	Tot days: 91	Tot days: 87
	21.1% days	23.3% days	26.8% days	31% days	4.9% days	19.7% days	24.9% days	23.8% days	4.9% days	19.5% days	24.9% days	23.8% days
	Tot mins: 540	Tot mins: 1586	Tot mins: 2056	Tot mins: 1800	Tot mins: 38	Tot mins: 512	Tot mins: 876	Tot mins: 874	Tot mins: 38	Tot mins: 460	Tot mins: 782	Tot mins: 798
	Max mins: 16	Max mins: 30	Max mins: 34	Max mins: 30	Max mins: 4	Max mins: 18	Max mins: 18	Max mins: 16	Max mins: 4	Max mins: 18	Max mins: 18	Max mins: 16
	Avg mins: 7.01	Avg mins: 18.66	Avg mins: 20.98	Avg mins: 15.93	Avg mins: 2.11	Avg mins: 7.11	Avg mins: 9.63	Avg mins: 10.05	Avg mins: 2.11	Avg mins: 6.48	Avg mins: 8.59	Avg mins: 9.17
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H114a	Tot days: 23	Tot days: 55	Tot days: 77	Tot days: 97	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	6.3% days	15.1% days	21.1% days	26.6% days								
	Tot mins: 70	Tot mins: 504	Tot mins: 426	Tot mins: 446	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 4	Max mins: 16	Max mins: 10	Max mins: 12								
	Avg mins: 3.04	Avg mins: 9.16	Avg mins: 5.53	Avg mins: 4.6								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H114b	Tot days: 18	Tot days: 55	Tot days: 84	Tot days: 109	Tot days: 0	Tot days: 7	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 7	Tot days: 0	Tot days: 0
	4.9% days	15.1% days	23% days	29.9% days		1.9% days				1.9% days		
	Tot mins: 80	Tot mins: 622	Tot mins: 456	Tot mins: 524	Tot mins: 0	Tot mins: 14	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 14	Tot mins: 0	Tot mins: 0
	Max mins: 6	Max mins: 18	Max mins: 10	Max mins: 12		Max mins: 2				Max mins: 2		
	Avg mins: 4.44	Avg mins: 11.31	Avg mins: 5.43	Avg mins: 4.81		Avg mins: 2				Avg mins: 2		

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H115	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H116a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H116b	Tot days: 59	Tot days: 73	Tot days: 91	Tot days: 125	Tot days: 7	Tot days: 62	Tot days: 57	Tot days: 49	Tot days: 7	Tot days: 62	Tot days: 57	Tot days: 49
	16.2% days	20% days	24.9% days	34.2% days	1.9% days	17% days	15.6% days	13.4% days	1.9% days	17% days	15.6% days	13.4% days
	Tot mins: 616	Tot mins: 1526	Tot mins: 1454	Tot mins: 1400	Tot mins: 26	Tot mins: 244	Tot mins: 330	Tot mins: 260	Tot mins: 26	Tot mins: 244	Tot mins: 312	Tot mins: 260
	Max mins: 16	Max mins: 34	Max mins: 32	Max mins: 24	Max mins: 4	Max mins: 8	Max mins: 10	Max mins: 12	Max mins: 4	Max mins: 8	Max mins: 10	Max mins: 12
	Avg mins: 10.44	Avg mins: 20.9	Avg mins: 15.98	Avg mins: 11.2	Avg mins: 3.71	Avg mins: 3.94	Avg mins: 5.79	Avg mins: 5.31	Avg mins: 3.71	Avg mins: 3.94	Avg mins: 5.47	Avg mins: 5.31

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H117a	Tot days: 35	Tot days: 95	Tot days: 154	Tot days: 158	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	9.6% days	26% days	42.2% days	43.3% days								
	Tot mins: 88	Tot mins: 606	Tot mins: 1326	Tot mins: 1698	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 4	Max mins: 12	Max mins: 22	Max mins: 28								
	Avg mins: 2.51	Avg mins: 6.38	Avg mins: 8.61	Avg mins: 10.75								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H117b	Tot days: 41	Tot days: 115	Tot days: 153	Tot days: 158	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	11.2% days	31.5% days	41.9% days	43.3% days								
	Tot mins: 102	Tot mins: 784	Tot mins: 1450	Tot mins: 1824	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 4	Max mins: 12	Max mins: 24	Max mins: 32								
	Avg mins: 2.49	Avg mins: 6.82	Avg mins: 9.48	Avg mins: 11.54								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H118a	Tot days: 52	Tot days: 131	Tot days: 146	Tot days: 152	Tot days: 5	Tot days: 45	Tot days: 77	Tot days: 87	Tot days: 5	Tot days: 20	Tot days: 31	Tot days: 39
	14.2% days	35.9% days	40% days	41.6% days	1.4% days	12.3% days	21.1% days	23.8% days	1.4% days	5.5% days	8.5% days	10.7% days
	Tot mins: 174	Tot mins: 778	Tot mins: 1964	Tot mins: 2210	Tot mins: 12	Tot mins: 176	Tot mins: 362	Tot mins: 394	Tot mins: 12	Tot mins: 120	Tot mins: 210	Tot mins: 252
	Max mins: 10	Max mins: 16	Max mins: 28	Max mins: 30	Max mins: 4	Max mins: 10	Max mins: 12	Max mins: 14	Max mins: 4	Max mins: 10	Max mins: 12	Max mins: 14
	Avg mins: 3.35	Avg mins: 5.94	Avg mins: 13.45	Avg mins: 14.54	Avg mins: 2.4	Avg mins: 3.91	Avg mins: 4.7	Avg mins: 4.53	Avg mins: 2.4	Avg mins: 6	Avg mins: 6.77	Avg mins: 6.46

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H118b	Tot days: 68	Tot days: 142	Tot days: 146	Tot days: 152	Tot days: 12	Tot days: 52	Tot days: 84	Tot days: 95	Tot days: 12	Tot days: 26	Tot days: 31	Tot days: 42
	18.6% days	38.9% days	40% days	41.6% days	3.3% days	14.2% days	23% days	26% days	3.3% days	7.1% days	8.5% days	11.5% days
	Tot mins: 248	Tot mins: 1038	Tot mins: 2192	Tot mins: 2374	Tot mins: 42	Tot mins: 216	Tot mins: 452	Tot mins: 482	Tot mins: 42	Tot mins: 144	Tot mins: 242	Tot mins: 296
	Max mins: 10	Max mins: 20	Max mins: 30	Max mins: 30	Max mins: 6	Max mins: 10	Max mins: 14	Max mins: 14	Max mins: 6	Max mins: 10	Max mins: 14	Max mins: 14
	Avg mins: 3.65	Avg mins: 7.31	Avg mins: 15.01	Avg mins: 15.62	Avg mins: 3.5	Avg mins: 4.15	Avg mins: 5.38	Avg mins: 5.07	Avg mins: 3.5	Avg mins: 5.54	Avg mins: 7.81	Avg mins: 7.05
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H119	Tot days: 36	Tot days: 89	Tot days: 119	Tot days: 127	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	9.9% days	24.4% days	32.6% days	34.8% days								
	Tot mins: 106	Tot mins: 590	Tot mins: 1294	Tot mins: 1660	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 6	Max mins: 14	Max mins: 22	Max mins: 28								
	Avg mins: 2.94	Avg mins: 6.63	Avg mins: 10.87	Avg mins: 13.07								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H120	Tot days: 46	Tot days: 75	Tot days: 97	Tot days: 104	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	12.6% days	20.5% days	26.6% days	28.5% days								
	Tot mins: 132	Tot mins: 582	Tot mins: 1212	Tot mins: 1464	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 6	Max mins: 18	Max mins: 22	Max mins: 26								
	Avg mins: 2.87	Avg mins: 7.76	Avg mins: 12.49	Avg mins: 14.08								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H121	Tot days: 84	Tot days: 105	Tot days: 119	Tot days: 128	Tot days: 0	Tot days: 0	Tot days: 16	Tot days: 41	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	23% days	28.8% days	32.6% days	35.1% days			4.4% days	11.2% days				
	Tot mins: 1024	Tot mins: 2266	Tot mins: 2594	Tot mins: 2520	Tot mins: 0	Tot mins: 0	Tot mins: 32	Tot mins: 86	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 18	Max mins: 34	Max mins: 40	Max mins: 32			Max mins: 2	Max mins: 4				
	Avg mins: 12.19	Avg mins: 21.58	Avg mins: 21.8	Avg mins: 19.69			Avg mins: 2	Avg mins: 2.1				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H122a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H122b	Tot days: 12	Tot days: 55	Tot days: 109	Tot days: 82	Tot days: 2	Tot days: 2	Tot days: 2	Tot days: 1	Tot days: 2	Tot days: 2	Tot days: 2	Tot days: 1
	3.3% days	15.1% days	29.9% days	22.5% days	0.5% days	0.5% days	0.5% days	0.3% days	0.5% days	0.5% days	0.5% days	0.3% days
	Tot mins: 24	Tot mins: 276	Tot mins: 954	Tot mins: 1092	Tot mins: 4	Tot mins: 4	Tot mins: 4	Tot mins: 2	Tot mins: 4	Tot mins: 4	Tot mins: 4	Tot mins: 2
	Max mins: 2	Max mins: 14	Max mins: 20	Max mins: 24	Max mins: 2	Max mins: 2	Max mins: 2	Max mins: 2	Max mins: 2	Max mins: 2	Max mins: 2	Max mins: 2
	Avg mins: 2	Avg mins: 5.02	Avg mins: 8.75	Avg mins: 13.32	Avg mins: 2	Avg mins: 2	Avg mins: 2	Avg mins: 2	Avg mins: 2	Avg mins: 2	Avg mins: 2	Avg mins: 2

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H123	Tot days: 0	Tot days: 0	Tot days: 6 1.6% days	Tot days: 18 4.9% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 20 Max mins: 4 Avg mins: 3.33	Tot mins: 60 Max mins: 6 Avg mins: 3.33	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H124	Tot days: 43 11.8% days	Tot days: 33 9% days	Tot days: 18 4.9% days	Tot days: 13 3.6% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 124 Max mins: 10 Avg mins: 2.88	Tot mins: 76 Max mins: 6 Avg mins: 2.3	Tot mins: 38 Max mins: 4 Avg mins: 2.11	Tot mins: 30 Max mins: 4 Avg mins: 2.31	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H125	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H126	Tot days: 12	Tot days: 24	Tot days: 32	Tot days: 34	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	3.3% days	6.6% days	8.8% days	9.3% days								
	Tot mins: 24	Tot mins: 62	Tot mins: 76	Tot mins: 108	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 2	Max mins: 4	Max mins: 4	Max mins: 8								
	Avg mins: 2	Avg mins: 2.58	Avg mins: 2.38	Avg mins: 3.18								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H127	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H128	Tot days: 12	Tot days: 9	Tot days: 41	Tot days: 59	Tot days: 9	Tot days: 5	Tot days: 0	Tot days: 0	Tot days: 7	Tot days: 3	Tot days: 0	Tot days: 0
	3.3% days	2.5% days	11.2% days	16.2% days	2.5% days	1.4% days			1.9% days	0.8% days		
	Tot mins: 28	Tot mins: 18	Tot mins: 118	Tot mins: 176	Tot mins: 22	Tot mins: 14	Tot mins: 0	Tot mins: 0	Tot mins: 18	Tot mins: 10	Tot mins: 0	Tot mins: 0
	Max mins: 4	Max mins: 2	Max mins: 6	Max mins: 6	Max mins: 4	Max mins: 4			Max mins: 4	Max mins: 4		
	Avg mins: 2.33	Avg mins: 2	Avg mins: 2.88	Avg mins: 2.98	Avg mins: 2.44	Avg mins: 2.8			Avg mins: 2.57	Avg mins: 3.33		

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING													WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H129a	Tot days: 0	Tot days: 0	Tot days: 31 8.5% days	Tot days: 50 13.7% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	Tot mins: 0	Tot mins: 0	Tot mins: 80 Max mins: 6 Avg mins: 2.58	Tot mins: 142 Max mins: 6 Avg mins: 2.84	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H129b	Tot days: 3 0.8% days	Tot days: 13 3.6% days	Tot days: 64 17.5% days	Tot days: 80 21.9% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	Tot mins: 8 Max mins: 4 Avg mins: 2.67	Tot mins: 30 Max mins: 4 Avg mins: 2.31	Tot mins: 242 Max mins: 8 Avg mins: 3.78	Tot mins: 298 Max mins: 10 Avg mins: 3.73	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H130a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H130b	Tot days: 0	Tot days: 0	Tot days: 3 0.8% days	Tot days: 57 15.6% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 6 Max mins: 2 Avg mins: 2	Tot mins: 172 Max mins: 6 Avg mins: 3.02	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H131a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H131b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 5 1.4% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 10 Max mins: 2 Avg mins: 2	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H132a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H132b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H133a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H133b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H134a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H134b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H135a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H135b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H136a	Tot days: 78 21.4% days	Tot days: 86 23.6% days	Tot days: 95 26% days	Tot days: 95 26% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 676 Max mins: 16 Avg mins: 8.67	Tot mins: 1506 Max mins: 32 Avg mins: 17.51	Tot mins: 2638 Max mins: 50 Avg mins: 27.77	Tot mins: 2830 Max mins: 50 Avg mins: 29.79	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H136b	Tot days: 79	Tot days: 88	Tot days: 96	Tot days: 94	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	21.6% days	24.1% days	26.3% days	25.8% days								
	Tot mins: 824	Tot mins: 1722	Tot mins: 2732	Tot mins: 2962	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 18	Max mins: 38	Max mins: 50	Max mins: 50								
	Avg mins: 10.43	Avg mins: 19.57	Avg mins: 28.46	Avg mins: 31.51								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H137	Tot days: 57	Tot days: 63	Tot days: 63	Tot days: 61	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	15.6% days	17.3% days	17.3% days	16.7% days								
	Tot mins: 510	Tot mins: 968	Tot mins: 1278	Tot mins: 1196	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 18	Max mins: 26	Max mins: 34	Max mins: 30								
	Avg mins: 8.95	Avg mins: 15.37	Avg mins: 20.29	Avg mins: 19.61								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H138	Tot days: 32	Tot days: 55	Tot days: 65	Tot days: 67	Tot days: 0	Tot days: 6	Tot days: 22	Tot days: 33	Tot days: 0	Tot days: 0	Tot days: 11	Tot days: 14
	8.8% days	15.1% days	17.8% days	18.4% days		1.6% days	6% days	9% days			3% days	3.8% days
	Tot mins: 94	Tot mins: 344	Tot mins: 966	Tot mins: 1334	Tot mins: 0	Tot mins: 16	Tot mins: 94	Tot mins: 150	Tot mins: 0	Tot mins: 0	Tot mins: 26	Tot mins: 32
	Max mins: 4	Max mins: 16	Max mins: 32	Max mins: 38		Max mins: 4	Max mins: 6	Max mins: 8			Max mins: 4	Max mins: 4
	Avg mins: 2.94	Avg mins: 6.25	Avg mins: 14.86	Avg mins: 19.91		Avg mins: 2.67	Avg mins: 4.27	Avg mins: 4.55			Avg mins: 2.36	Avg mins: 2.29

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H139a	Tot days: 35	Tot days: 54	Tot days: 73	Tot days: 75	Tot days: 0	Tot days: 0	Tot days: 3	Tot days: 1	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	9.6% days	14.8% days	20% days	20.5% days			0.8% days	0.3% days				
	Tot mins: 118	Tot mins: 344	Tot mins: 1024	Tot mins: 1396	Tot mins: 0	Tot mins: 0	Tot mins: 6	Tot mins: 2	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 6	Max mins: 16	Max mins: 32	Max mins: 44			Max mins: 2	Max mins: 2				
	Avg mins: 3.37	Avg mins: 6.37	Avg mins: 14.03	Avg mins: 18.61			Avg mins: 2	Avg mins: 2				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H139b	Tot days: 100	Tot days: 104	Tot days: 107	Tot days: 115	Tot days: 0	Tot days: 13	Tot days: 31	Tot days: 39	Tot days: 0	Tot days: 0	Tot days: 17	Tot days: 21
	27.4% days	28.5% days	29.3% days	31.5% days		3.6% days	8.5% days	10.7% days			4.7% days	5.8% days
	Tot mins: 1144	Tot mins: 1590	Tot mins: 2352	Tot mins: 2732	Tot mins: 0	Tot mins: 26	Tot mins: 150	Tot mins: 194	Tot mins: 0	Tot mins: 0	Tot mins: 94	Tot mins: 106
	Max mins: 20	Max mins: 30	Max mins: 44	Max mins: 54		Max mins: 2	Max mins: 10	Max mins: 10			Max mins: 8	Max mins: 8
	Avg mins: 11.44	Avg mins: 15.29	Avg mins: 21.98	Avg mins: 23.76		Avg mins: 2	Avg mins: 4.84	Avg mins: 4.97			Avg mins: 5.53	Avg mins: 5.05
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H140	Tot days: 69	Tot days: 89	Tot days: 101	Tot days: 105	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	18.9% days	24.4% days	27.7% days	28.8% days								
	Tot mins: 458	Tot mins: 998	Tot mins: 1926	Tot mins: 2450	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 12	Max mins: 22	Max mins: 42	Max mins: 46								
	Avg mins: 6.64	Avg mins: 11.21	Avg mins: 19.07	Avg mins: 23.33								

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING													WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H141	Tot days: 84	Tot days: 90	Tot days: 101	Tot days: 103	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	23% days	24.7% days	27.7% days	28.2% days																
	Tot mins: 696	Tot mins: 1186	Tot mins: 2180	Tot mins: 2860	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 14	Max mins: 26	Max mins: 44	Max mins: 50																
	Avg mins: 8.29	Avg mins: 13.18	Avg mins: 21.58	Avg mins: 27.77																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H142	Tot days: 86	Tot days: 92	Tot days: 97	Tot days: 103	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	23.6% days	25.2% days	26.6% days	28.2% days																
	Tot mins: 1080	Tot mins: 1822	Tot mins: 3120	Tot mins: 3556	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 18	Max mins: 34	Max mins: 52	Max mins: 54																
	Avg mins: 12.56	Avg mins: 19.8	Avg mins: 32.16	Avg mins: 34.52																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H143	Tot days: 82	Tot days: 90	Tot days: 95	Tot days: 100	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	22.5% days	24.7% days	26% days	27.4% days																
	Tot mins: 1114	Tot mins: 1840	Tot mins: 3098	Tot mins: 3500	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 20	Max mins: 34	Max mins: 48	Max mins: 50																
	Avg mins: 13.59	Avg mins: 20.44	Avg mins: 32.61	Avg mins: 35																

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H144	Tot days: 84	Tot days: 89	Tot days: 95	Tot days: 99	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	23% days	24.4% days	26% days	27.1% days								
	Tot mins: 1162	Tot mins: 2290	Tot mins: 3384	Tot mins: 3516	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 22	Max mins: 40	Max mins: 52	Max mins: 52								
	Avg mins: 13.83	Avg mins: 25.73	Avg mins: 35.62	Avg mins: 35.52								

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H145	Tot days: 74	Tot days: 71	Tot days: 76	Tot days: 76	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	20.3% days	19.5% days	20.8% days	20.8% days								
	Tot mins: 1346	Tot mins: 2028	Tot mins: 2094	Tot mins: 2012	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 30	Max mins: 44	Max mins: 40	Max mins: 40								
	Avg mins: 18.19	Avg mins: 28.56	Avg mins: 27.55	Avg mins: 26.47								

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H146	Tot days: 10	Tot days: 37	Tot days: 39	Tot days: 33	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	2.7% days	10.1% days	10.7% days	9% days								
	Tot mins: 20	Tot mins: 288	Tot mins: 254	Tot mins: 66	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 2	Max mins: 10	Max mins: 14	Max mins: 2								
	Avg mins: 2	Avg mins: 7.78	Avg mins: 6.51	Avg mins: 2								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H147	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H148a	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H148b	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H149	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H150	Tot days: 103	Tot days: 114	Tot days: 118	Tot days: 126	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	28.2% days	31.2% days	32.3% days	34.5% days								
	Tot mins: 852	Tot mins: 1394	Tot mins: 2338	Tot mins: 2882	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 18	Max mins: 24	Max mins: 38	Max mins: 38								
	Avg mins: 8.27	Avg mins: 12.23	Avg mins: 19.81	Avg mins: 22.87								

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H151a	Tot days: 107	Tot days: 116	Tot days: 121	Tot days: 128	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	29.3% days	31.8% days	33.2% days	35.1% days								
	Tot mins: 818	Tot mins: 1256	Tot mins: 2182	Tot mins: 2516	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 16	Max mins: 22	Max mins: 34	Max mins: 34								
	Avg mins: 7.64	Avg mins: 10.83	Avg mins: 18.03	Avg mins: 19.66								

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H151b	Tot days: 110	Tot days: 120	Tot days: 125	Tot days: 137	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	30.1% days	32.9% days	34.2% days	37.5% days								
	Tot mins: 912	Tot mins: 1434	Tot mins: 2470	Tot mins: 2754	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 20	Max mins: 20	Max mins: 38	Max mins: 38								
	Avg mins: 8.29	Avg mins: 11.95	Avg mins: 19.76	Avg mins: 20.1								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H152	Tot days: 73	Tot days: 105	Tot days: 109	Tot days: 119	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	20% days	28.8% days	29.9% days	32.6% days								
	Tot mins: 252	Tot mins: 760	Tot mins: 1156	Tot mins: 1430	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 10	Max mins: 16	Max mins: 22	Max mins: 24								
	Avg mins: 3.45	Avg mins: 7.24	Avg mins: 10.61	Avg mins: 12.02								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H153	Tot days: 99	Tot days: 118	Tot days: 131	Tot days: 131	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	27.1% days	32.3% days	35.9% days	35.9% days								
	Tot mins: 294	Tot mins: 496	Tot mins: 808	Tot mins: 922	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 10	Max mins: 12	Max mins: 14	Max mins: 14								
	Avg mins: 2.97	Avg mins: 4.2	Avg mins: 6.17	Avg mins: 7.04								

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H154	Tot days: 128	Tot days: 140	Tot days: 138	Tot days: 152	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	35.1% days	38.4% days	37.8% days	41.6% days								
	Tot mins: 470	Tot mins: 726	Tot mins: 876	Tot mins: 1026	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 10	Max mins: 12	Max mins: 14	Max mins: 18								
	Avg mins: 3.67	Avg mins: 5.19	Avg mins: 6.35	Avg mins: 6.75								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H155a	Tot days: 0	Tot days: 35	Tot days: 51	Tot days: 59	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
		9.6% days	14% days	16.2% days								
	Tot mins: 0	Tot mins: 182	Tot mins: 500	Tot mins: 364	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
		Max mins: 8	Max mins: 18	Max mins: 12								
		Avg mins: 5.2	Avg mins: 9.8	Avg mins: 6.17								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H155b	Tot days: 0	Tot days: 34	Tot days: 50	Tot days: 57	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
		9.3% days	13.7% days	15.6% days								
	Tot mins: 0	Tot mins: 204	Tot mins: 530	Tot mins: 398	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
		Max mins: 8	Max mins: 18	Max mins: 16								
		Avg mins: 6	Avg mins: 10.6	Avg mins: 6.98								

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H156	Tot days: 0	Tot days: 40 11% days	Tot days: 60 16.4% days	Tot days: 60 16.4% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 274 Max mins: 10 Avg mins: 6.85	Tot mins: 776 Max mins: 20 Avg mins: 12.93	Tot mins: 490 Max mins: 16 Avg mins: 8.17	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H157	Tot days: 0	Tot days: 25 6.8% days	Tot days: 51 14% days	Tot days: 44 12.1% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 0	Tot mins: 180 Max mins: 10 Avg mins: 7.2	Tot mins: 608 Max mins: 16 Avg mins: 11.92	Tot mins: 312 Max mins: 12 Avg mins: 7.09	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H158a	Tot days: 24 6.6% days	Tot days: 53 14.5% days	Tot days: 64 17.5% days	Tot days: 69 18.9% days	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	Tot mins: 88 Max mins: 6 Avg mins: 3.67	Tot mins: 526 Max mins: 14 Avg mins: 9.92	Tot mins: 1406 Max mins: 34 Avg mins: 21.97	Tot mins: 1248 Max mins: 34 Avg mins: 18.09	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H158b	Tot days: 31	Tot days: 60	Tot days: 75	Tot days: 73	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	8.5% days	16.4% days	20.5% days	20% days								
	Tot mins: 126	Tot mins: 694	Tot mins: 1592	Tot mins: 1514	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 8	Max mins: 18	Max mins: 34	Max mins: 34								
	Avg mins: 4.06	Avg mins: 11.57	Avg mins: 21.23	Avg mins: 20.74								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H159a	Tot days: 77	Tot days: 88	Tot days: 97	Tot days: 104	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	21.1% days	24.1% days	26.6% days	28.5% days								
	Tot mins: 454	Tot mins: 1430	Tot mins: 2792	Tot mins: 2816	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 12	Max mins: 26	Max mins: 40	Max mins: 38								
	Avg mins: 5.9	Avg mins: 16.25	Avg mins: 28.78	Avg mins: 27.08								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H159b	Tot days: 81	Tot days: 91	Tot days: 98	Tot days: 106	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	22.2% days	24.9% days	26.8% days	29% days								
	Tot mins: 514	Tot mins: 1584	Tot mins: 2932	Tot mins: 2998	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 14	Max mins: 30	Max mins: 46	Max mins: 44								
	Avg mins: 6.35	Avg mins: 17.41	Avg mins: 29.92	Avg mins: 28.28								

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING													WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H160a	Tot days: 58	Tot days: 76	Tot days: 91	Tot days: 98	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	15.9% days	20.8% days	24.9% days	26.8% days																
	Tot mins: 298	Tot mins: 730	Tot mins: 1552	Tot mins: 1906	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 10	Max mins: 18	Max mins: 28	Max mins: 34																
	Avg mins: 5.14	Avg mins: 9.61	Avg mins: 17.05	Avg mins: 19.45																
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H160b	Tot days: 67	Tot days: 82	Tot days: 94	Tot days: 101	Tot days: 0	Tot days: 45	Tot days: 91	Tot days: 101	Tot days: 0	Tot days: 44	Tot days: 86	Tot days: 94								
	18.4% days	22.5% days	25.8% days	27.7% days		12.3% days	24.9% days	27.7% days		12.1% days	23.6% days	25.8% days								
	Tot mins: 372	Tot mins: 808	Tot mins: 1732	Tot mins: 2132	Tot mins: 0	Tot mins: 140	Tot mins: 772	Tot mins: 1080	Tot mins: 0	Tot mins: 132	Tot mins: 706	Tot mins: 838								
	Max mins: 12	Max mins: 18	Max mins: 30	Max mins: 36		Max mins: 6	Max mins: 20	Max mins: 24		Max mins: 6	Max mins: 18	Max mins: 24								
	Avg mins: 5.55	Avg mins: 9.85	Avg mins: 18.43	Avg mins: 21.11		Avg mins: 3.11	Avg mins: 8.48	Avg mins: 10.69		Avg mins: 3	Avg mins: 8.21	Avg mins: 8.91								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H161	Tot days: 68	Tot days: 84	Tot days: 95	Tot days: 103	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	18.6% days	23% days	26% days	28.2% days																
	Tot mins: 418	Tot mins: 1070	Tot mins: 2026	Tot mins: 2544	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 12	Max mins: 20	Max mins: 34	Max mins: 40																
	Avg mins: 6.15	Avg mins: 12.74	Avg mins: 21.33	Avg mins: 24.7																

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING													WITH EXISTING SCREENING				WITH ADDED SCREENING			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H162a	Tot days: 50	Tot days: 56	Tot days: 98	Tot days: 105	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	13.7% days	15.3% days	26.8% days	28.8% days																
	Tot mins: 208	Tot mins: 290	Tot mins: 1034	Tot mins: 1572	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 8	Max mins: 12	Max mins: 32	Max mins: 34																
	Avg mins: 4.16	Avg mins: 5.18	Avg mins: 10.55	Avg mins: 14.97																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H162b	Tot days: 64	Tot days: 86	Tot days: 99	Tot days: 108	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 15	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 6								
	17.5% days	23.6% days	27.1% days	29.6% days				4.1% days				1.6% days								
	Tot mins: 284	Tot mins: 434	Tot mins: 1174	Tot mins: 1840	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 44	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 14								
	Max mins: 8	Max mins: 12	Max mins: 32	Max mins: 36				Max mins: 4				Max mins: 4								
	Avg mins: 4.44	Avg mins: 5.05	Avg mins: 11.86	Avg mins: 17.04				Avg mins: 2.93				Avg mins: 2.33								

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H163	Tot days: 102	Tot days: 104	Tot days: 113	Tot days: 119	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	27.9% days	28.5% days	31% days	32.6% days																
	Tot mins: 1372	Tot mins: 2438	Tot mins: 3624	Tot mins: 3874	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 26	Max mins: 36	Max mins: 50	Max mins: 46																
	Avg mins: 13.45	Avg mins: 23.44	Avg mins: 32.07	Avg mins: 32.55																

Appendix A - Comparative Tilt Dwelling Results

WITHOUT SCREENING				WITH EXISTING SCREENING				WITH ADDED SCREENING				
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H164	Tot days: 101	Tot days: 104	Tot days: 112	Tot days: 118	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	27.7% days	28.5% days	30.7% days	32.3% days								
	Tot mins: 1254	Tot mins: 2288	Tot mins: 3440	Tot mins: 3842	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 24	Max mins: 34	Max mins: 46	Max mins: 46								
	Avg mins: 12.42	Avg mins: 22	Avg mins: 30.71	Avg mins: 32.56								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H165a	Tot days: 64	Tot days: 87	Tot days: 104	Tot days: 112	Tot days: 7	Tot days: 35	Tot days: 73	Tot days: 76	Tot days: 7	Tot days: 35	Tot days: 73	Tot days: 76
	17.5% days	23.8% days	28.5% days	30.7% days	1.9% days	9.6% days	20% days	20.8% days	1.9% days	9.6% days	20% days	20.8% days
	Tot mins: 348	Tot mins: 866	Tot mins: 1472	Tot mins: 2108	Tot mins: 30	Tot mins: 94	Tot mins: 256	Tot mins: 424	Tot mins: 30	Tot mins: 94	Tot mins: 256	Tot mins: 424
	Max mins: 10	Max mins: 20	Max mins: 30	Max mins: 30	Max mins: 6	Max mins: 4	Max mins: 8	Max mins: 14	Max mins: 6	Max mins: 4	Max mins: 8	Max mins: 14
	Avg mins: 5.44	Avg mins: 9.95	Avg mins: 14.15	Avg mins: 18.82	Avg mins: 4.29	Avg mins: 2.69	Avg mins: 3.51	Avg mins: 5.58	Avg mins: 4.29	Avg mins: 2.69	Avg mins: 3.51	Avg mins: 5.58
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H165b	Tot days: 71	Tot days: 89	Tot days: 108	Tot days: 114	Tot days: 7	Tot days: 30	Tot days: 80	Tot days: 78	Tot days: 7	Tot days: 30	Tot days: 80	Tot days: 78
	19.5% days	24.4% days	29.6% days	31.2% days	1.9% days	8.2% days	21.9% days	21.4% days	1.9% days	8.2% days	21.9% days	21.4% days
	Tot mins: 366	Tot mins: 942	Tot mins: 1618	Tot mins: 2188	Tot mins: 26	Tot mins: 80	Tot mins: 322	Tot mins: 496	Tot mins: 26	Tot mins: 80	Tot mins: 322	Tot mins: 496
	Max mins: 10	Max mins: 22	Max mins: 30	Max mins: 30	Max mins: 6	Max mins: 6	Max mins: 8	Max mins: 14	Max mins: 6	Max mins: 6	Max mins: 8	Max mins: 14
	Avg mins: 5.15	Avg mins: 10.58	Avg mins: 14.98	Avg mins: 19.19	Avg mins: 3.71	Avg mins: 2.67	Avg mins: 4.03	Avg mins: 6.36	Avg mins: 3.71	Avg mins: 2.67	Avg mins: 4.03	Avg mins: 6.36

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----													----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H166a	Tot days: 135	Tot days: 137	Tot days: 147	Tot days: 150	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	37% days	37.5% days	40.3% days	41.1% days																
	Tot mins: 3256	Tot mins: 4950	Tot mins: 5412	Tot mins: 5384	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 38	Max mins: 54	Max mins: 62	Max mins: 60																
	Avg mins: 24.12	Avg mins: 36.13	Avg mins: 36.82	Avg mins: 35.89																

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H166b	Tot days: 132	Tot days: 138	Tot days: 146	Tot days: 151	Tot days: 0	Tot days: 6	Tot days: 8	Tot days: 10	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	36.2% days	37.8% days	40% days	41.4% days		1.6% days	2.2% days	2.7% days												
	Tot mins: 3720	Tot mins: 5652	Tot mins: 6148	Tot mins: 6088	Tot mins: 0	Tot mins: 12	Tot mins: 24	Tot mins: 20	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 42	Max mins: 62	Max mins: 64	Max mins: 60		Max mins: 2	Max mins: 6	Max mins: 2												
	Avg mins: 28.18	Avg mins: 40.96	Avg mins: 42.11	Avg mins: 40.32		Avg mins: 2	Avg mins: 3	Avg mins: 2												

House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees								
H167a	Tot days: 156	Tot days: 160	Tot days: 161	Tot days: 167	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0								
	42.7% days	43.8% days	44.1% days	45.8% days																
	Tot mins: 2298	Tot mins: 4572	Tot mins: 4966	Tot mins: 5520	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0								
	Max mins: 32	Max mins: 52	Max mins: 60	Max mins: 54																
	Avg mins: 14.73	Avg mins: 28.58	Avg mins: 30.84	Avg mins: 33.05																

Appendix A - Comparative Tilt Dwelling Results

----- WITHOUT SCREENING -----					----- WITH EXISTING SCREENING -----				----- WITH ADDED SCREENING -----			
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H167b	Tot days: 155	Tot days: 159	Tot days: 161	Tot days: 168	Tot days: 26	Tot days: 37	Tot days: 42	Tot days: 53	Tot days: 26	Tot days: 28	Tot days: 26	Tot days: 24
	42.5% days	43.6% days	44.1% days	46% days	7.1% days	10.1% days	11.5% days	14.5% days	7.1% days	7.7% days	7.1% days	6.6% days
	Tot mins: 2940	Tot mins: 5108	Tot mins: 6366	Tot mins: 6434	Tot mins: 92	Tot mins: 122	Tot mins: 148	Tot mins: 164	Tot mins: 92	Tot mins: 112	Tot mins: 126	Tot mins: 100
	Max mins: 36	Max mins: 56	Max mins: 70	Max mins: 62	Max mins: 8	Max mins: 10	Max mins: 10	Max mins: 8	Max mins: 8	Max mins: 10	Max mins: 10	Max mins: 8
	Avg mins: 18.97	Avg mins: 32.13	Avg mins: 39.54	Avg mins: 38.3	Avg mins: 3.54	Avg mins: 3.3	Avg mins: 3.52	Avg mins: 3.09	Avg mins: 3.54	Avg mins: 4	Avg mins: 4.85	Avg mins: 4.17
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H168a	Tot days: 243	Tot days: 217	Tot days: 191	Tot days: 185	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	66.6% days	59.5% days	52.3% days	50.7% days								
	Tot mins: 3900	Tot mins: 4444	Tot mins: 4956	Tot mins: 5204	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 36	Max mins: 46	Max mins: 48	Max mins: 52								
	Avg mins: 16.05	Avg mins: 20.48	Avg mins: 25.95	Avg mins: 28.13								
House Nos.	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees	10 Degrees	15 Degrees	20 Degrees	25 Degrees
H168b	Tot days: 254	Tot days: 248	Tot days: 233	Tot days: 220	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0	Tot days: 0
	69.6% days	67.9% days	63.8% days	60.3% days								
	Tot mins: 7372	Tot mins: 8014	Tot mins: 7498	Tot mins: 7316	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0	Tot mins: 0
	Max mins: 56	Max mins: 60	Max mins: 56	Max mins: 54								
	Avg mins: 29.02	Avg mins: 32.31	Avg mins: 32.18	Avg mins: 33.25								