



APPENDIX 12-5

**TABULATED PREDICTED NOISE
RESULTS**

APPENDIX 12-5 PREDICTED NOISE LEVELS

Table below present the predicted noise levels at all NSLs.

Note: House labelled with an '*' is a landowner financially involved in the project.

House	Survey Location	Parameter	Noise Level, dB L _{A90} at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
H001*	Derelict	Predicted	33.9	36	39.5	42.8	44	44.1	44.1
		Daytime Criterion	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		Night-time Excess	--	--	--	--	--	--	--
H002*	NML 2	Predicted	32.3	35.2	39.2	42.5	43.6	43.6	43.6
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--	--
H003*	NML 2	Predicted	32.6	35.5	39.5	42.9	43.9	44	44
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--	--
H004	NML7	Predicted	27.9	31	35.1	38.6	39.7	39.8	39.8
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H005	NML6	Predicted	27.6	30.8	34.9	38.4	39.4	39.5	39.5
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H006	NML6	Predicted	27.4	30.6	34.7	38.2	39.2	39.3	39.3
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H007	NML4	Predicted	32.9	35.2	38.9	42.1	43.3	43.4	43.4
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	2.1	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	0.3	0.4	0.4
H008	NML4	Predicted	32.6	34.8	38.4	41.7	42.9	43	43
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	1.7	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H009	NML2	Predicted	30.2	33.2	37.3	40.7	41.7	41.8	41.8

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H010	NML7	Predicted	25.5	28.6	32.8	36.3	37.4	37.5
		Daytime Criterion	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H011	NML6	Predicted	29.4	32.6	36.7	40.2	41.1	41.2
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	0.2	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H012	NML3	Predicted	32.2	34.4	38	41.2	42.4	42.5
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H013	NML2	Predicted	24.6	27.5	31.4	34.8	35.8	35.9
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H014	NML2	Predicted	30.4	33.5	37.6	41	41.9	42
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H015	NML7	Predicted	26.5	29.8	34	37.4	38.5	38.6
		Daytime Criterion	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H016	NML6	Predicted	27.4	30.3	34.4	37.9	39	39
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H017	NML1	Predicted	28.6	31.5	35.6	39	40	40.1
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H018	NML4	Predicted	32.9	35.1	38.8	42	43.2	43.3
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	2.0	--	--
		Night-time Criterion	43	43	43	43	43	43

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	0.2	0.3	0.3
H019	NML5	Predicted	31.5	33	36.2	39.2	40.7	40.8	40.8
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H020	NML6	Predicted	28	31.1	35.3	38.7	39.7	39.8	39.8
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H021	NML3	Predicted	32.3	34.5	38.1	41.3	42.6	42.6	42.6
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H022	NML6	Predicted	28	31.1	35.2	38.6	39.7	39.8	39.8
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H023	NML1	Predicted	28.7	31.7	35.8	39.2	40.2	40.3	40.3
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H024	NML7	Predicted	24.9	28.2	32.4	35.9	37	37.1	37.1
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H025	NML7	Predicted	25.1	28.3	32.5	36	37	37.2	37.2
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H026	NML1	Predicted	28.1	31	35	38.4	39.4	39.5	39.5
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H027*	NML 5	Predicted	30.7	32.1	35.2	38.2	39.7	39.8	39.8
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--	--
H028	NML3	Predicted	27.9	31	35	38.4	39.4	39.5	39.5
		Daytime Criterion	45	45	45	45	45.4	46	46.8

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H029	NML4	Predicted	32.3	34.6	38.3	41.6	42.8	42.8	42.8
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	1.6	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H030	NML6	Predicted	27.2	30	34.1	37.6	38.6	38.7	38.7
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H031	NML7	Predicted	24.8	28	32.2	35.7	36.8	36.9	36.9
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H032	NML2	Predicted	30.5	33.2	37.1	40.4	41.5	41.6	41.6
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H033	NML1	Predicted	28.8	31.9	36	39.4	40.4	40.5	40.5
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H034	NML1	Predicted	28.3	31.2	35.3	38.7	39.7	39.8	39.8
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H035	NML6	Predicted	28.6	31.8	35.9	39.3	40.3	40.4	40.4
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H036	NML4	Predicted	32.8	34.9	38.4	41.6	42.9	43	43
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	1.6	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H037	NML5	Predicted	30.6	32.1	35.2	38.3	39.8	39.8	39.8
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
H038	NML5	Predicted	30.8	32.3	35.5	38.5	40	40	40
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H039	NML4	Predicted	32	34.2	37.9	41.2	42.4	42.5	42.5
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	1.2	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H040	NML8	Predicted	29.5	32	36	39.4	40.5	40.5	40.5
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H041	NML4	Predicted	31.2	33.5	37.2	40.4	41.6	41.7	41.7
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	0.4	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H042	NML6	Predicted	27.8	30.8	34.9	38.4	39.4	39.5	39.5
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H043	NML1	Predicted	27.7	30.5	34.6	38	39	39	39
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H044	NML6	Predicted	28	30.8	34.9	38.4	39.4	39.5	39.5
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H045	NML1	Predicted	28	30.9	35	38.4	39.4	39.5	39.5
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H046	NML7	Predicted	24.1	27.4	31.6	35	36.1	36.2	36.2
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H047*	NML 5	Predicted	30	31.4	34.5	37.5	39	39	39
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Night-time Criterion	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--
H048	NML7	Predicted	24	27.2	31.4	34.9	36	36.1
		Daytime Criterion	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H049*	NML 1	Predicted	28	31	35.1	38.5	39.5	39.6
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--
H050	NML6	Predicted	27.8	30.7	34.8	38.3	39.4	39.4
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H051	NML7	Predicted	24.2	27.5	31.7	35.1	36.2	36.3
		Daytime Criterion	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H052	NML2	Predicted	24.6	27.5	31.4	34.7	35.7	35.8
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H053	NML6	Predicted	28.4	31.6	35.7	39.1	40.1	40.2
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H054	NML4	Predicted	32.9	34.8	38.3	41.5	42.8	42.9
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	1.5	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H055	NML1	Predicted	27.5	30.4	34.5	37.9	38.9	39
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H056	NML5	Predicted	29.9	31.4	34.6	37.6	39	39.1
		Daytime Criterion	45	45	45	45	45	45.1
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H057*	NML 7	Predicted	25.6	28.8	33	36.4	37.4	37.6

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--
H058	NML1	Predicted	27.6	30.5	34.5	38	39	39
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H059	NML1	Predicted	27.8	30.9	35	38.3	39.3	39.4
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H060	NML2	Predicted	29.5	32.1	35.9	39.2	40.3	40.4
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H061	NML8	Predicted	28.4	30.8	34.8	38.2	39.3	39.3
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H062	NML2	Predicted	29	31.8	35.8	39.1	40.2	40.3
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H063*	NML 1	Predicted	27.6	30.6	34.7	38.1	39	39.2
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--
H064	NML4	Predicted	31.2	33.6	37.4	40.7	41.8	41.9
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	0.7	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H065	NML1	Predicted	27.2	30.1	34.1	37.5	38.5	38.6
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H066*	NML 7	Predicted	23.2	26.4	30.6	34	35.1	35.2
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H067*	NML 1	Predicted	27	30	34	37.4	38.4	38.5	38.5
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--	--
H068	NML4	Predicted	31.5	33.6	37.1	40.3	41.6	41.6	41.6
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	0.3	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H069	NML1	Predicted	27.4	30.2	34.3	37.7	38.7	38.8	38.8
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H070	NML4	Predicted	32.1	34.1	37.6	40.9	42.2	42.2	42.2
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	0.9	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H071	NML5	Predicted	26.7	28.2	31.3	34.2	35.6	35.6	35.6
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H072*	NML 2	Predicted	29.3	31.7	35.4	38.7	39.8	39.9	39.9
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--	--
H073	NML4	Predicted	31.4	33.4	36.9	40.2	41.4	41.5	41.5
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	0.2	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H074	NML5	Predicted	26.8	28.4	31.5	34.4	35.8	35.9	35.9
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H075	NML2	Predicted	29.2	31.6	35.3	38.6	39.7	39.8	39.8
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H076	NML4	Predicted	28.3	30.4	34.2	37.5	38.7	38.7	38.7
		Daytime Criterion	40	40	40	40	45	45	45

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H077	NML5	Predicted	31.6	33.3	36.7	39.8	41.2	41.2	41.2
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H078	NML8	Predicted	26.5	29	33	36.5	37.7	37.7	37.7
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H079	NML1	Predicted	27	29.8	33.8	37.2	38.2	38.3	38.3
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H080	NML8	Predicted	26.7	29.1	33.2	36.7	37.8	37.8	37.8
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H081	NML1	Predicted	26.3	29.2	33.2	36.6	37.6	37.7	37.7
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H082	NML7	Predicted	22.3	25.6	29.8	33.3	34.3	34.4	34.4
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H083	NML7	Predicted	22.1	25.3	29.5	33.0	34.1	34.2	34.2
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H084	NML1	Predicted	26.2	29	33.1	36.5	37.5	37.6	37.6
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H085	NML1	Predicted	26.1	29	33	36.4	37.4	37.5	37.5
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
H086	NML1	Predicted	26.6	29.4	33.4	36.8	37.8	37.9	37.9
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H087	NML5	Predicted	26.5	28.2	31.3	34.2	35.6	35.6	35.6
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H088*	NML 1	Predicted	26.1	29	33	36.4	37.4	37.5	37.5
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--	--
H089	NML7	Predicted	23.2	26.5	30.6	34.1	35.1	35.3	35.3
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H090	NML3	Predicted	27.8	29.4	32.6	35.6	37	37.1	37.1
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H091	NML6	Predicted	27.4	30.6	34.7	38.1	39.1	39.2	39.2
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H092	NML5	Predicted	26.1	27.6	30.6	33.5	34.9	35	35
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H093	NML7	Predicted	22.1	25.2	29.4	32.9	34	34.1	34.1
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H094	NML1	Predicted	25.9	28.8	32.8	36.2	37.2	37.2	37.2
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H095	NML2	Predicted	23.9	26.8	30.8	34.1	35	35.2	35.2
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H096	NML6	Predicted	24.1	27.1	31.2	34.5	35.5	35.6
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H097	NML2	Predicted	24.3	27.2	31.1	34.4	35.3	35.5
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H098*	NML 1	Predicted	26.2	28.8	32.8	36.2	37.2	37.3
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--
H099	NML1	Predicted	25.7	28.5	32.5	35.9	36.9	37
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H100*	NML 1	Predicted	26.2	28.9	32.9	36.3	37.3	37.4
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--
H101	NML2	Predicted	28.7	31.3	35.2	38.5	39.5	39.6
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H102	NML8	Predicted	28.6	30.7	34.5	37.9	39.1	39
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H103	NML2	Predicted	28.6	31.3	35.2	38.5	39.5	39.6
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H104	NML1	Predicted	25.7	28.5	32.5	35.8	36.9	36.9
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H105	NML7	Predicted	21.6	24.9	29.1	32.6	33.6	33.7

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H106	NML8	Predicted	27.7	29.9	33.8	37.2	38.3	38.3	38.3
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
	NML3	Predicted	25.2	28.1	32.1	35.4	36.4	36.5	36.5
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H108	NML8	Predicted	27.8	30	33.9	37.3	38.5	38.4	38.4
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H109	NML1	Predicted	25.6	28.3	32.3	35.6	36.7	36.7	36.7
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H110	NML7	Predicted	21.2	24.6	28.8	32.2	33.3	33.4	33.4
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H111	NML1	Predicted	25.2	28	32	35.3	36.4	36.4	36.4
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H112	NML1	Predicted	25.6	28.2	32.2	35.6	36.6	36.7	36.7
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H113	NML3	Predicted	25.8	28.7	32.7	36.1	37.1	37.2	37.2
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H114*	NML 4	Predicted	29	31	34.6	37.9	39.1	39.1	39.1
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45	45

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H115	NML3	Predicted	25.1	27.9	31.9	35.2	36.2	36.4	36.4
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H116	NML5	Predicted	25.2	26.7	29.8	32.6	34	34.1	34.1
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H117	NML3	Predicted	24.7	27.3	31.1	34.4	35.4	35.5	35.5
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H118	NML3	Predicted	26.6	28.2	31.3	34.3	35.7	35.7	35.7
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H119	NML2	Predicted	24.4	27.2	31.1	34.4	35.3	35.5	35.5
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H120	NML5	Predicted	25.1	26.6	29.6	32.5	33.9	33.9	33.9
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H121	NML6	Predicted	24.4	27.5	31.6	35	36	36.2	36.2
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H122	NML7	Predicted	20.8	24.2	28.4	31.8	32.8	33	33
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H123	NML1	Predicted	24.6	27.4	31.4	34.8	35.8	35.9	35.9
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H124	NML3	Predicted	24.2	26.8	30.6	33.8	34.8	34.9	34.9
		Daytime Criterion	45	45	45	45	45.4	46	46.8

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H125	NML2	Predicted	25.9	28.6	32.4	35.6	36.7	36.8	36.8
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H126	NML7	Predicted	20.6	23.9	28.1	31.6	32.6	32.8	32.8
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H127	NML2	Predicted	27.4	30	33.9	37.1	38.2	38.3	38.3
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H128	NML3	Predicted	23.9	26.5	30.3	33.5	34.6	34.7	34.7
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H129	NML8	Predicted	27.5	29.6	33.4	36.9	38	38	38
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H130	NML7	Predicted	20.7	24	28.2	31.7	32.7	32.8	32.8
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H131	NML3	Predicted	23.7	26.3	30.1	33.4	34.4	34.5	34.5
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H132	NML7	Predicted	20.6	23.6	27.7	31.2	32.3	32.4	32.4
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H133	NML5	Predicted	24.8	26.4	29.5	32.3	33.7	33.7	33.7
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
H134	NML7	Predicted	21	24.3	28.4	31.9	32.9	33	33
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H135	NML1	Predicted	25.2	27.7	31.6	35	36.1	36.1	36.1
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H136	NML7	Predicted	19.7	22.9	27.1	30.6	31.6	31.8	31.8
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H137	NML3	Predicted	24	26.6	30.4	33.6	34.7	34.8	34.8
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H138	NML3	Predicted	24.1	26.9	30.9	34.2	35.2	35.3	35.3
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H139	NML6	Predicted	24	27	31.1	34.4	35.4	35.5	35.5
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H140	NML3	Predicted	23.9	26.6	30.5	33.7	34.8	34.9	34.9
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H141	NML7	Predicted	20.4	23.3	27.5	31	32.1	32.2	32.2
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H142	NML5	Predicted	24.8	26.4	29.5	32.3	33.7	33.7	33.7
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H143	NML8	Predicted	28	29.8	33.6	37	38.2	38.1	38.1
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H144	NML3	Predicted	23.6	26.3	30.1	33.4	34.4	34.5
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H145	NML1	Predicted	24.5	27.4	31.3	34.7	35.7	35.8
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H146	NML3	Predicted	23.9	26.3	30	33.2	34.3	34.4
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H147	NML6	Predicted	24	27.1	31.2	34.5	35.5	35.6
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H148	NML8	Predicted	27.3	29.3	33.2	36.6	37.8	37.8
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H149	NML3	Predicted	23.3	26	29.9	33.2	34.2	34.3
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H150*	NML 8	Predicted	27.1	29.2	33.1	36.6	37.8	37.7
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--
H151	NML6	Predicted	23.8	26.9	30.9	34.3	35.2	35.4
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H152	NML1	Predicted	24.4	27.2	31.2	34.5	35.5	35.6
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H153	NML3	Predicted	23.8	26.6	30.6	33.9	34.9	35

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H154	NML4	Predicted	28.5	30.5	34.1	37.4	38.6	38.6
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H155*	NML 3	Predicted	23.4	26.1	30	33.3	34.3	34.4
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--
H156	NML8	Predicted	27.5	29.3	33.2	36.6	37.8	37.7
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H157	NML8	Predicted	27.4	29.2	33.1	36.5	37.7	37.6
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H158	NML3	Predicted	25.8	27.6	30.8	33.8	35.1	35.1
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H159	NML2	Predicted	24.5	27.2	31.1	34.4	35.4	35.5
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H160	NML7	Predicted	19	22.3	26.5	30	31	31.1
		Daytime Criterion	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H161	NML6	Predicted	23.9	27	31.1	34.4	35.4	35.6
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H162	NML6	Predicted	22.3	25.2	29.2	32.5	33.4	33.6
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Night-time Excess	--	--	--	--	--	--
H163	NML8	Predicted	27.2	29	32.7	36.2	37.4	37.3
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H164	NML3	Predicted	24	26.8	30.8	34.1	35.1	35.2
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H165	NML6	Predicted	22.4	25.3	29.3	32.6	33.6	33.8
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H166	NML3	Predicted	25.2	26.8	30	32.9	34.2	34.3
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H167	NML6	Predicted	22.2	25.1	29.1	32.4	33.3	33.5
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H168	NML7	Predicted	19.6	22.9	27.1	30.6	31.6	31.7
		Daytime Criterion	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H169	NML2	Predicted	24.5	27.2	31	34.3	35.3	35.4
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H170	NML6	Predicted	21.6	24.6	28.5	31.8	32.8	32.9
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H171	NML3	Predicted	24.8	26.4	29.4	32.3	33.7	33.7
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H172	NML6	Predicted	22.9	26	30.2	33.6	34.5	34.7
		Daytime Criterion	40	40	40	40	45	45

House	Survey Location	Parameter	Noise Level, dB L _{A90} at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H173	NML6	Predicted	22.2	25.1	29.1	32.4	33.3	33.5
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H174	NML3	Predicted	22.5	25.1	28.9	32.2	33.2	33.3
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H175	NML3	Predicted	22.5	25.2	29	32.2	33.2	33.3
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H176	NML5	Predicted	27.2	29	32.3	35.3	36.6	36.7
		Daytime Criterion	45	45	45	45	45	45.1
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H177	NML5	Predicted	27.1	28.9	32.2	35.2	36.5	36.5
		Daytime Criterion	45	45	45	45	45	45.1
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H178	NML3	Predicted	22.8	25.2	28.9	32.1	33.1	33.2
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H179	NML8	Predicted	27.4	29.2	32.9	36.3	37.5	37.4
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H180	NML3	Predicted	22.4	25.1	28.9	32.1	33.1	33.2
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H181	NML3	Predicted	22.4	25	28.8	32.1	33.1	33.2
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--

House	Survey Location	Parameter	Noise Level, dB L _{A90} at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
H182	NML7	Predicted	19.2	22.5	26.7	30.2	31.2	31.3	31.3
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H183	NML1	Predicted	23.6	26.4	30.3	33.6	34.6	34.8	34.8
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H184	NML7	Predicted	18.8	21.7	25.8	29.4	30.4	30.5	30.5
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H185	NML3	Predicted	22.9	25.6	29.5	32.8	33.8	33.9	33.9
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H186	NML3	Predicted	22.3	24.9	28.7	31.9	32.9	33	33
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H187	NML3	Predicted	22.3	25	28.7	32	33	33.1	33.1
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H188	NML5	Predicted	27.2	29.1	32.4	35.4	36.7	36.7	36.7
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H189	NML3	Predicted	24	26.1	29.5	32.6	33.8	33.8	33.8
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H190	NML7	Predicted	19	22.3	26.5	30	31	31.1	31.1
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H191	NML1	Predicted	23.4	26.1	30	33.4	34.4	34.5	34.5
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H192	NML2	Predicted	22.7	25.6	29.5	32.7	33.7	33.8
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H193	NML1	Predicted	23.4	26.1	30	33.3	34.3	34.4
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H194	NML7	Predicted	18.2	21.2	25.4	28.9	30	30.1
		Daytime Criterion	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H195	NML3	Predicted	22.1	24.6	28.4	31.6	32.6	32.7
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H196	NML1	Predicted	23.3	26	29.9	33.2	34.2	34.4
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H197	NML3	Predicted	22.4	24.8	28.5	31.7	32.7	32.8
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H198	NML3	Predicted	22	24.6	28.4	31.6	32.6	32.7
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H199	NML3	Predicted	22	24.5	28.3	31.5	32.5	32.6
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H200	NML3	Predicted	22.3	24.7	28.4	31.5	32.6	32.7
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H201	NML1	Predicted	23.2	25.9	29.8	33.1	34.1	34.2

House	Survey Location	Parameter	Noise Level, dB L _{A90} at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H202	NML7	Predicted	18.7	22	26.2	29.7	30.7	30.8	30.8
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
		Predicted	17.3	20.6	24.8	28.2	29.3	29.4	29.4
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
		Predicted	21.8	24.4	28.1	31.3	32.3	32.4	32.4
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
		Predicted	21.7	24.3	28.1	31.3	32.3	32.4	32.4
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
		Predicted	21.7	24.2	28	31.2	32.2	32.3	32.3
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
		Predicted	24.4	26.2	29.6	32.5	33.8	33.8	33.8
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
		Predicted	18.6	22	26.2	29.6	30.6	30.8	30.8
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
		Predicted	22.8	25.5	29.4	32.7	33.7	33.8	33.8
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
		Predicted	18.8	21.4	25.5	29.1	30.2	30.2	30.2
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Night-time Excess	--	--	--	--	--	--
H211	NML3	Predicted	24.1	25.8	29	31.9	33.2	33.2
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H212	NML3	Predicted	22.1	24.8	28.6	31.8	32.8	33
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H213	NML8	Predicted	27.5	29	32.7	36	37.3	37.2
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H214	NML1	Predicted	23	25.2	29	32.4	33.5	33.5
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H215	NML1	Predicted	23.5	25.5	29.2	32.6	33.8	33.7
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H216	NML8	Predicted	27.1	28.6	32.3	35.7	37	36.8
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H217*	NML 1	Predicted	22.3	24.9	28.8	32	33.1	33.2
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--
H218	NML1	Predicted	22.3	24.9	28.8	32.1	33.1	33.2
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H219	NML7	Predicted	16.8	20.1	24.3	27.7	28.8	28.9
		Daytime Criterion	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H220*	NML 1	Predicted	22.3	24.8	28.6	32	33	33.1
		Daytime Criterion	45	45	45	45	45	45

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--	--
H221	NML8	Predicted	27.5	29	32.7	36	37.3	37.2	37.2
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H222	NML2	Predicted	21.4	24.1	28	31.3	32.2	32.4	32.4
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H223	NML3	Predicted	23.8	25.5	28.7	31.6	32.9	33	33
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H224	NML8	Predicted	27.5	29	32.6	36	37.3	37.2	37.2
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H225	NML6	Predicted	20.5	23.6	27.6	31	32	32.1	32.1
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H226	NML7	Predicted	18.3	21.6	25.8	29.3	30.3	30.4	30.4
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H227	NML3	Predicted	23.8	25.6	28.8	31.6	32.9	33	33
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H228	NML3	Predicted	23.9	25.6	28.8	31.8	33	33.1	33.1
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H229	NML8	Predicted	27.2	28.7	32.4	35.8	37.1	36.9	36.9
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

House	Survey Location	Parameter	Noise Level, dB L _{A90} at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
H230	NML3	Predicted	23.8	25.5	28.7	31.6	32.9	33	33
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H231	NML3	Predicted	21.8	24.5	28.4	31.6	32.6	32.7	32.7
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H232	NML3	Predicted	23.8	25.5	28.7	31.6	32.9	33	33
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H233	NML2	Predicted	24.9	27.2	30.9	34.1	35.1	35.2	35.2
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H234	NML5	Predicted	26.2	28.1	31.5	34.5	35.7	35.8	35.8
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H235	NML1	Predicted	22.3	24.9	28.7	32	33.1	33.1	33.1
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H236	NML3	Predicted	23.8	25.5	28.7	31.6	32.8	32.9	32.9
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H237	NML3	Predicted	23.5	25.2	28.3	31.1	32.4	32.5	32.5
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H238	NML3	Predicted	23.8	25.5	28.7	31.6	32.8	32.9	32.9
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H239	NML2	Predicted	21.4	24.1	28	31.2	32.2	32.4	32.4
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H240	NML8	Predicted	27.2	28.7	32.3	35.8	37	36.9
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H241	NML3	Predicted	23.8	25.5	28.7	31.6	32.8	32.9
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H242	NML3	Predicted	23.7	25.4	28.6	31.5	32.8	32.8
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H243	NML3	Predicted	23.7	25.4	28.6	31.5	32.8	32.8
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H244	NML3	Predicted	23.6	25.4	28.6	31.4	32.7	32.8
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H245	NML7	Predicted	16.4	19.7	23.9	27.4	28.4	28.5
		Daytime Criterion	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H246	NML7	Predicted	20.3	23.0	27.0	30.6	31.7	31.7
		Daytime Criterion	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H247	NML3	Predicted	23.6	25.3	28.5	31.4	32.7	32.7
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H248	NML7	Predicted	19.4	22.2	26.3	29.8	31	31
		Daytime Criterion	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H249	NML3	Predicted	23.6	25.3	28.5	31.4	32.7	32.8

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H250	NML3	Predicted	23.5	25.2	28.3	31.2	32.5	32.6
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H251	NML3	Predicted	23.6	25.3	28.5	31.4	32.6	32.7
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H252	NML3	Predicted	23.6	25.3	28.5	31.4	32.6	32.7
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H253	NML7	Predicted	15.9	19.2	23.4	26.9	27.9	28.1
		Daytime Criterion	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H254	NML2	Predicted	26.1	28.2	31.6	34.7	35.9	36.0
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H255	NML8	Predicted	27.6	28.9	32.6	36	37.3	37.1
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H256	NML5	Predicted	24.6	26.4	29.6	32.4	33.6	33.7
		Daytime Criterion	45	45	45	45	45	45.1
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H257	NML2	Predicted	21.3	24.1	28	31.2	32.2	32.3
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H258	NML5	Predicted	24.4	26.2	29.3	32.2	33.4	33.5
		Daytime Criterion	45	45	45	45	45	45.1
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Night-time Excess	--	--	--	--	--	--
H259	NML1	Predicted	22	24.6	28.4	31.7	32.7	32.8
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H260	NML3	Predicted	23.4	25.2	28.4	31.2	32.5	32.6
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H261	NML3	Predicted	23.3	25	28.1	31	32.2	32.3
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H262	NML1	Predicted	21.8	24.4	28.2	31.5	32.5	32.6
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H263	NML5	Predicted	22.7	24.3	27.3	30	31.2	31.3
		Daytime Criterion	45	45	45	45	45	45.1
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H264*	NML 3	Predicted	20.7	23.1	26.8	29.9	31	31
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--
H265	NML3	Predicted	21	23.4	26.9	30	31.1	31.2
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H266	NML5	Predicted	22.7	24.3	27.3	30	31.3	31.3
		Daytime Criterion	45	45	45	45	45	45.1
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H267	NML7	Predicted	20.5	22.9	27	30.5	31.7	31.7
		Daytime Criterion	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H268	NML3	Predicted	21.6	24.2	28	31.3	32.3	32.4
		Daytime Criterion	45	45	45	45	45.4	46

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H269	NML6	Predicted	19.9	23	27	30.4	31.3	31.4	31.4
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H270	NML5	Predicted	22.4	24	27	29.7	31	31.1	31.1
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H271	NML8	Predicted	27.4	28.7	32.4	35.8	37.1	36.9	36.9
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H272	NML3	Predicted	20.7	23.2	26.9	30.1	31.1	31.2	31.2
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H273	NML7	Predicted	15.6	18.9	23.1	26.6	27.6	27.7	27.7
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H274	NML3	Predicted	21.4	24	27.8	31.1	32.1	32.2	32.2
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H275	NML3	Predicted	21.4	24	27.8	31.1	32.1	32.2	32.2
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H276	NML2	Predicted	21.3	24	27.8	31	32	32.2	32.2
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H277	NML5	Predicted	22.3	23.9	26.8	29.5	30.8	30.8	30.8
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

House	Survey Location	Parameter	Noise Level, dB L _{A90} at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
H278	NML2	Predicted	24.7	26.8	30.4	33.4	34.6	34.7	34.7
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H279	NML7	Predicted	15.5	18.8	23	26.5	27.5	27.6	27.6
		Daytime Criterion	40	40	40	40	40	40	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H280	NML3	Predicted	20.9	23.5	27.3	30.5	31.5	31.6	31.6
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H281	NML1	Predicted	24.3	25.8	29.4	32.8	34.1	34	34
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H282	NML5	Predicted	22.6	24.1	27	29.6	30.9	31	31
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H283	NML3	Predicted	21.3	23.9	27.7	30.9	32	32.1	32.1
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H284	NML8	Predicted	27.8	29	32.7	36.1	37.5	37.3	37.3
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H285	NML3	Predicted	22.9	24.7	27.8	30.7	32	32	32
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H286	NML3	Predicted	21.3	23.9	27.7	30.9	31.9	32	32
		Daytime Criterion	45	45	45	45	45.4	46	46.8
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H287	NML5	Predicted	22.4	24	27	29.7	31	31	31
		Daytime Criterion	45	45	45	45	45	45.1	46.5
		Daytime Excess	--	--	--	--	--	--	--

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s					
			3	4	5	6	7	8
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H288	NML5	Predicted	22.1	23.7	26.6	29.3	30.6	30.6
		Daytime Criterion	45	45	45	45	45	45.1
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H289	NML7	Predicted	17.7	21.1	25.3	28.7	29.7	29.8
		Daytime Criterion	40	40	40	40	40	40
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H290	NML2	Predicted	25.2	27.4	31	34	35.2	35.3
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H291	NML6	Predicted	18.6	21.7	25.8	29.2	30.1	30.3
		Daytime Criterion	40	40	40	40	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H292	NML3	Predicted	20.3	22.8	26.5	29.7	30.7	30.8
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H293	NML1	Predicted	22.2	24.2	27.9	31.2	32.4	32.4
		Daytime Criterion	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H294	NML7	Predicted	17.9	21.2	25.4	28.9	29.8	30
		Daytime Criterion	40	40	40	40	40	40
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H295	NML3	Predicted	20.5	22.7	26.2	29.2	30.3	30.4
		Daytime Criterion	45	45	45	45	45.4	46
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H296	NML2	Predicted	21	23.6	27.4	30.6	31.6	31.8
		Daytime Criterion	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--
H297	NML8	Predicted	28.8	29.8	33.5	36.9	38.3	38

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H298	NML8	Predicted	28.6	29.6	33.2	36.8	38.2	37.9	37.9
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H299	NML8	Predicted	29.1	30.1	33.7	37.2	38.6	38.3	38.3
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H300*	NML 4	Predicted	30.5	33.2	37.2	40.5	41.6	41.6	41.6
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	45	45	45	45	45	45	45
		Night-time Excess	--	--	--	--	--	--	--
H301	Derelict	Predicted	27.4	30.6	34.8	38.3	39.3	39.4	39.4
		Daytime Criterion	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		Night-time Excess	--	--	--	--	--	--	--
H302	Derelict	Predicted	29	32.1	36.3	39.8	40.8	40.9	40.9
		Daytime Criterion	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		Night-time Excess	--	--	--	--	--	--	--
H303	NML2	Predicted	24.4	27	30.8	34.1	35.1	35.2	35.2
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H304	NML2	Predicted	25.5	27.6	31	34.1	35.3	35.4	35.4
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H305	NML2	Predicted	26	28	31.4	34.4	35.6	35.7	35.7
		Daytime Criterion	45	45	45	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H306	NML1	Predicted	22.4	25	28.9	32.2	33.2	33.3	33.3
		Daytime Criterion	40	40	40	45	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

House	Survey Location	Parameter	Noise Level, dB LA90 at Standardised Wind Speed, m/s						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H307	NML6	Predicted	26.4	29.0	33.1	36.6	37.7	37.8	37.8
		Daytime Criterion	40	40	40	40	45	45	45
		Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--