APPENDIX 12-5

PREDICTED NOISE LEVELS

APPENDIX 12-5 PREDICTED NOISE LEVELS

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H003		Predicted	27.8	30.4	35.1	38	38.3	38.3	38.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H005		Predicted	29	31.6	36.1	39	39.2	39.2	39.2
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H006		Predicted	18.8	21.4	26.1	29.1	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H007		Predicted	25.6	28.2	32.9	35.9	36.1	36.1	36.1
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H008		Predicted	25.6	28.2	32.9	35.9	36.1	36.1	36.1
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H009		Predicted	25.9	28.5	33.2	36.2	36.4	36.4	36.4
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H010		Predicted	26.4	28.9	33.6	36.6	36.8	36.8	36.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H011		Predicted	29.5	32.1	36.7	39.6	39.8	39.8	39.8
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H012		Predicted	27.5	30.1	34.8	37.7	38	38	38
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H013		Predicted	27.2	29.7	34.5	37.4	37.7	37.7	37.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H014		Predicted	28.6	30.9	35.1	38	38.4	38.4	38.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H015		Predicted	26.7	29.1	33.4	36.3	36.7	36.7	36.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H016		Predicted	25.2	27.7	32.5	35.4	35.7	35.7	35.7
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H017		Predicted	26.4	28.9	33.7	36.6	36.9	36.9	36.9
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H018		Predicted	26.4	28.9	33.7	36.6	36.9	36.9	36.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H019		Predicted	26.4	28.9	33.7	36.6	36.9	36.9	36.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H020		Predicted	27.8	30.2	34.8	37.8	38	38	38
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H021		Predicted	25.8	28.4	33.1	36.1	36.4	36.4	36.4
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H022		Predicted	29.7	31.9	35.6	38.4	39.1	39.1	39.1
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H023		Predicted	25	27.6	32.3	35.3	35.5	35.5	35.5
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H024		Predicted	28.7	31.2	36	38.9	39.1	39.1	39.1

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H025		Predicted	18.5	21.1	25.8	28.8	29	29	29
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H026		Predicted	18.6	21.2	25.9	28.8	29.1	29.1	29.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H027		Predicted	18.4	21	25.8	28.7	28.9	28.9	28.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H028		Predicted	18.4	21	25.8	28.7	29	29	29
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H029		Predicted	26.3	28.8	33.6	36.5	36.8	36.8	36.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H030		Predicted	27	29.6	34.3	37.3	37.5	37.5	37.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H031		Predicted	28.3	30.9	35.6	38.5	38.8	38.8	38.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H032		Predicted	27.3	29.9	34.6	37.5	37.8	37.8	37.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H033		Predicted	29.2	31.5	35.3	38.2	38.8	38.8	38.8
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H034		Predicted	25.5	28	32.8	35.8	36	36	36
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H035		Predicted	18.4	21	25.8	28.7	28.9	28.9	28.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H036		Predicted	27.2	29.7	34.4	37.4	37.6	37.6	37.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H037		Predicted	25.1	27.7	32.4	35.4	35.6	35.6	35.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H038		Predicted	18.4	21	25.7	28.6	28.8	28.8	28.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H039		Predicted	26.9	29.4	34.2	37.1	37.3	37.3	37.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H040		Predicted	18.3	20.9	25.7	28.6	28.8	28.8	28.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H041		Predicted	18.3	20.9	25.7	28.6	28.8	28.8	28.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H042		Predicted	24.7	27.3	31.8	34.8	35.1	35.1	35.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H043		Predicted	21.5	24	28.6	31.5	31.8	31.8	31.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H044		Predicted	28.9	31.3	35.6	38.5	38.8	38.8	38.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H045		Predicted	18.1	20.7	25.5	28.4	28.6	28.6	28.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H046		Predicted	18.1	20.7	25.5	28.4	28.6	28.6	28.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H047		Predicted	29	31.3	35.6	38.5	38.9	38.9	38.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H048		Predicted	28.2	30.5	34.7	37.6	38	38	38
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H049		Predicted	21.9	24.4	29	31.9	32.2	32.2	32.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H050		Predicted	26.9	29.5	34.2	37.1	37.4	37.4	37.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H051		Predicted	18.3	20.9	25.7	28.6	28.8	28.8	28.8
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H052		Predicted	26.8	29.2	33.4	36.3	36.7	36.7	36.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H053		Predicted	18.2	20.8	25.6	28.5	28.8	28.8	28.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H055		Predicted	26.7	29.3	34	37	37.2	37.2	37.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H056		Predicted	25.3	27.8	32.6	35.5	35.8	35.8	35.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H057		Predicted	26.7	29.3	34	36.9	37.2	37.2	37.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H058		Predicted	21.8	24.3	28.9	31.8	32.1	32.1	32.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H060		Predicted	18	20.6	25.4	28.3	28.5	28.5	28.5

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H061		Predicted	24.3	26.9	31.6	34.6	34.8	34.8	34.8
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H062		Predicted	26	28.5	33.1	36	36.3	36.3	36.3
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H063		Predicted	18	20.6	25.4	28.3	28.5	28.5	28.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H064		Predicted	28.1	30.4	34.6	37.5	37.9	37.9	37.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H065		Predicted	29	31.3	35.1	38	38.6	38.6	38.6
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H066		Predicted	26.9	29.5	34.2	37.1	37.4	37.4	37.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H067		Predicted	21.7	24.3	28.8	31.8	32.0	32.0	32.0
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H068		Predicted	26.3	28.7	32.9	35.8	36.2	36.2	36.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H069		Predicted	18	20.6	25.3	28.2	28.5	28.5	28.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H070		Predicted	26.6	29.2	33.9	36.8	37	37	37
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H071		Predicted	25.1	27.5	32.1	35.1	35.4	35.4	35.4
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H072		Predicted	26.5	28.9	33.1	36	36.4	36.4	36.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H073		Predicted	25.8	28.2	32.8	35.8	36.1	36.1	36.1
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H074		Predicted	26.3	28.8	33.3	36.3	36.6	36.6	36.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H075		Predicted	21.9	24.4	29	31.9	32.2	32.2	32.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H076		Predicted	26.4	28.8	32.9	35.8	36.2	36.2	36.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H077		Predicted	26.4	29	33.7	36.6	36.9	36.9	36.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H079		Predicted	26.2	28.8	33.5	36.4	36.7	36.7	36.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H080		Predicted	25.6	28.1	32.7	35.6	35.9	35.9	35.9
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H081		Predicted	21.9	24.5	29	32	32.2	32.2	32.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H082		Predicted	26.4	29	33.7	36.6	36.9	36.9	36.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H083		Predicted	28	30.6	35.1	37.9	38.1	38.1	38.1
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H084		Predicted	26.5	29	33.8	36.7	36.9	36.9	36.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H085		Predicted	28.8	31.1	34.9	37.8	38.5	38.5	38.5
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H086		Predicted	24.1	26.7	31.2	34.2	34.4	34.4	34.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H087		Predicted	26	28.6	33.3	36.3	36.5	36.5	36.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H088		Predicted	22	24.5	29.1	32	32.3	32.3	32.3
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H089		Predicted	27.7	30.1	34.4	37.2	37.7	37.7	37.7
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H091		Predicted	17.9	20.5	25.3	28.2	28.4	28.4	28.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H092		Predicted	26.3	28.8	33.6	36.5	36.7	36.7	36.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H093		Predicted	19.1	21.7	26.5	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H094		Predicted	24.1	26.6	31.2	34.1	34.4	34.4	34.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H095		Predicted	24.5	27	31.5	34.5	34.8	34.8	34.8
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H096		Predicted	28.7	31	34.8	37.7	38.4	38.4	38.4

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H097		Predicted	28.8	31.1	34.8	37.7	38.4	38.4	38.4
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H098		Predicted	19	21.6	26.4	29.3	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H099		Predicted	22	24.6	29.1	32.1	32.3	32.3	32.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1000		Predicted	19	21.5	26.3	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1001		Predicted	19.4	22	26.8	29.7	30	30	30
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1002		Predicted	19	21.6	26.3	29.3	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H1003		Predicted	18.2	20.8	25.5	28.5	28.7	28.7	28.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1004		Predicted	19.4	22	26.8	29.7	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1005		Predicted	18.9	21.5	26.2	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H1006		Predicted	24.3	27	31	34	34.7	34.7	34.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1007		Predicted	18.9	21.5	26.2	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1008		Predicted	18.9	21.5	26.2	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1009		Predicted	18.9	21.5	26.3	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H100		Predicted	23.9	26.5	31	34	34.2	34.2	34.2
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1010		Predicted	18.9	21.5	26.3	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1011		Predicted	19	21.6	26.4	29.3	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H1012		Predicted	18.8	21.4	26.2	29.1	29.4	29.4	29.4
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1013		Predicted	27.6	29.7	33	35.9	36.8	36.8	36.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1014		Predicted	19.5	22.1	26.8	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1015		Predicted	18.8	21.4	26.2	29.1	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1016		Predicted	21.1	23.7	27.9	30.8	31.1	31.1	31.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1017		Predicted	19.4	22	26.8	29.7	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1018		Predicted	19	21.6	26.4	29.3	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1019		Predicted	16.4	18.9	23.7	26.7	26.9	26.9	26.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H101		Predicted	23.6	26.1	30.9	33.8	34.1	34.1	34.1
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H1020		Predicted	19.3	21.9	26.6	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1021		Predicted	19.4	22	26.7	29.6	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1022		Predicted	20.8	23.4	28	30.8	31	31	31
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1023		Predicted	19.4	22	26.8	29.7	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H1024		Predicted	19	21.6	26.4	29.3	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1025		Predicted	18.8	21.4	26.2	29.1	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1026		Predicted	19	21.6	26.3	29.3	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1027		Predicted	18.8	21.4	26.1	29.1	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1028		Predicted	19.3	21.9	26.7	29.6	29.8	29.8	29.8

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1029		Predicted	19.4	22	26.8	29.7	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H102		Predicted	17.8	20.4	25.2	28.1	28.3	28.3	28.3
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1030		Predicted	19.4	22	26.8	29.7	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1031		Predicted	19.3	21.9	26.7	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1032		Predicted	16	18.7	23.4	26.3	26.5	26.5	26.5
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H1033		Predicted	20.3	23	27.7	30.5	30.7	30.7	30.7
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H1034		Predicted	19	21.6	26.4	29.3	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1035		Predicted	19.3	21.9	26.7	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1036		Predicted	21.5	24.1	28.3	31.1	31.5	31.5	31.5
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1037		Predicted	15.8	18.4	23.1	26.1	26.3	26.3	26.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1038		Predicted	18.8	21.4	26.1	29	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1039		Predicted	19.2	21.8	26.6	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H103		Predicted	26.5	28.8	33	35.9	36.3	36.3	36.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H1040		Predicted	19	21.6	26.3	29.3	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1041		Predicted	18.7	21.3	26.1	29	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1042		Predicted	19.4	22	26.7	29.6	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1043		Predicted	26.3	28.4	31.7	34.5	35.4	35.4	35.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1044		Predicted	19.3	21.9	26.6	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1045		Predicted	19.4	22	26.7	29.7	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1046		Predicted	19.3	21.9	26.6	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1047		Predicted	18.9	21.4	26.2	29.1	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H1048		Predicted	19.3	21.9	26.7	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H1049		Predicted	18.9	21.5	26.2	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H104		Predicted	25.8	28.2	32.3	35.2	35.6	35.6	35.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1050		Predicted	18.7	21.3	26.1	29	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1051		Predicted	18.9	21.5	26.2	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1052		Predicted	18.8	21.4	26.2	29.1	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1053		Predicted	16	18.5	23.2	26.2	26.4	26.4	26.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1054		Predicted	18.8	21.4	26.2	29.1	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1055		Predicted	18.8	21.4	26.2	29.1	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1056		Predicted	18.8	21.4	26.2	29.1	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1057		Predicted	18.3	20.8	25.4	28.3	28.6	28.6	28.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1058		Predicted	24.3	27.1	31	34.1	34.8	34.8	34.8
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1059		Predicted	18.8	21.4	26.1	29.1	29.3	29.3	29.3

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H105		Predicted	18.8	21.5	26.2	29.1	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1060		Predicted	19.3	21.9	26.6	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1062		Predicted	19.2	21.8	26.6	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1064		Predicted	18.9	21.5	26.2	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1065		Predicted	16	18.5	23.3	26.2	26.4	26.4	26.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1066		Predicted	18.8	21.4	26.1	29	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H1067		Predicted	19	21.6	26.3	29.2	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1068		Predicted	20.6	23.3	27.9	30.7	30.9	30.9	30.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1069		Predicted	18.7	21.3	26	29	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H106		Predicted	27.9	30.2	34.4	37.3	37.7	37.7	37.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1070		Predicted	19.3	21.8	26.6	29.5	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1071		Predicted	19.3	21.9	26.7	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1072		Predicted	18.9	21.5	26.3	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H1073		Predicted	18.9	21.5	26.2	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1074		Predicted	19.4	21.9	26.7	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1075		Predicted	18.7	21.3	26.1	29	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1076		Predicted	18.6	21.2	26	28.9	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1077		Predicted	17.9	20.4	24.9	27.9	28.2	28.2	28.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1078		Predicted	19.3	21.9	26.6	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1079		Predicted	19.2	21.8	26.5	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H107		Predicted	26.1	28.7	33.4	36.4	36.6	36.6	36.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1080		Predicted	19.2	21.8	26.6	29.5	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1081		Predicted	18.7	21.3	26	29	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1082		Predicted	15.9	18.4	23.2	26.1	26.4	26.4	26.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1083		Predicted	19.2	21.8	26.6	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1084		Predicted	19.2	21.8	26.6	29.5	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1085		Predicted	18.8	21.4	26.2	29.1	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	46

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1086		Predicted	18.8	21.4	26.2	29.1	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1087		Predicted	18.9	21.5	26.3	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1088		Predicted	18.6	21.2	26	28.9	29.1	29.1	29.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1089		Predicted	15.9	18.5	23.2	26.2	26.4	26.4	26.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H108		Predicted	23.9	26.4	31.2	34.1	34.4	34.4	34.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1090		Predicted	19.3	21.8	26.6	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1091		Predicted	18.8	21.4	26.2	29.1	29.3	29.3	29.3

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1092		Predicted	18.7	21.2	26	28.9	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1093		Predicted	19.3	21.9	26.6	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1094		Predicted	17.4	20	24.8	27.7	27.9	27.9	27.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1095		Predicted	18.9	21.5	26.2	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1096		Predicted	19.2	21.8	26.5	29.4	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1097		Predicted	18.6	21.2	26	28.9	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H1098		Predicted	18.6	21.2	25.9	28.9	29.1	29.1	29.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1099		Predicted	19.2	21.8	26.6	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H109		Predicted	18.7	21.3	26.1	29	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1100		Predicted	24.1	26.8	30.8	33.8	34.5	34.5	34.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1101		Predicted	19.2	21.8	26.5	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1102		Predicted	19.2	21.8	26.6	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1103		Predicted	19.2	21.8	26.6	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H1104		Predicted	18.8	21.4	26.1	29.1	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1105		Predicted	18.8	21.4	26.2	29.1	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1106		Predicted	18.6	21.2	25.9	28.8	29.1	29.1	29.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1107		Predicted	15.9	18.5	23.3	26.2	26.4	26.4	26.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1108		Predicted	18.8	21.4	26.1	29	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1109		Predicted	26.6	28.8	32.1	34.9	35.8	35.8	35.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H110		Predicted	28.6	30.9	34.7	37.6	38.3	38.3	38.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1110		Predicted	19.2	21.8	26.6	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1111		Predicted	15.8	18.3	23.1	26	26.3	26.3	26.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1112		Predicted	18.6	21.2	26	28.9	29.1	29.1	29.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1113		Predicted	19.1	21.7	26.5	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1114		Predicted	18.8	21.4	26.1	29	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1115		Predicted	18.8	21.4	26.2	29.1	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1116		Predicted	19.2	21.8	26.5	29.4	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	46.1

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1117		Predicted	22.3	24.6	27.9	30.6	31.2	31.2	31.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1118		Predicted	17.2	19.7	24.5	27.5	27.7	27.7	27.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1119		Predicted	18.6	21.2	25.9	28.9	29.1	29.1	29.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H111		Predicted	23.7	26.3	30.8	33.8	34	34	34
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1120		Predicted	42.5	44.1	47.4	50.2	51.2	51.2	51.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	2.4	5.2	6.2	6.2	6.2
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	1.1	4.4	7.2	8.2	8.2	8.2
H1122		Predicted	18.5	21.1	25.9	28.8	29	29	29
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1123		Predicted	15.9	18.3	23.1	26.1	26.4	26.4	26.4

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1125		Predicted	15.8	18.4	23.2	26.1	26.3	26.3	26.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1126		Predicted	13.4	16.1	20.9	23.8	23.9	23.9	23.9
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1127		Predicted	13.6	16.2	21	23.9	24.1	24.1	24.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H112		Predicted	19.3	21.9	26.7	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H113		Predicted	25.3	27.8	32.6	35.5	35.8	35.8	35.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H114		Predicted	23.8	26.3	30.8	33.8	34	34	34
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H115		Predicted	22.2	24.8	29.3	32.3	32.5	32.5	32.5
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H116		Predicted	24.9	27.4	31.9	34.9	35.2	35.2	35.2
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H117		Predicted	22.3	24.8	29.4	32.3	32.6	32.6	32.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H118		Predicted	23.6	26.1	30.7	33.6	33.9	33.9	33.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H119		Predicted	22.4	24.9	29.5	32.4	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H120		Predicted	23.2	25.6	29.8	32.7	33.1	33.1	33.1
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H121		Predicted	18.1	20.7	25.5	28.4	28.6	28.6	28.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H122		Predicted	24.3	26.9	31.6	34.6	34.8	34.8	34.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H123		Predicted	22.5	25.1	29.6	32.6	32.8	32.8	32.8
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H124		Predicted	26.8	29.1	33.3	36.1	36.5	36.5	36.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H125		Predicted	18.8	21.4	26.2	29	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H126		Predicted	23.6	26.2	30.7	33.6	33.9	33.9	33.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H127		Predicted	25.8	28.4	33.2	36.1	36.3	36.3	36.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H128		Predicted	21.9	24.5	29	32	32.2	32.2	32.2
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H129		Predicted	24.6	27.0	31.6	34.6	34.9	34.9	34.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H130		Predicted	22.7	25.3	29.8	32.7	33	33	33
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H131		Predicted	25.4	28	32.7	35.7	35.9	35.9	35.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H132		Predicted	24.4	26.9	31.4	34.4	34.7	34.7	34.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H133		Predicted	25.1	27.6	32.4	35.3	35.6	35.6	35.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H134		Predicted	23.5	26	30.5	33.5	33.7	33.7	33.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H135		Predicted	18	20.6	25.4	28.3	28.5	28.5	28.5
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H136		Predicted	18.5	21.1	25.8	28.8	29	29	29
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H137		Predicted	22.0	24.6	29.2	32.1	32.4	32.4	32.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H138		Predicted	22.8	25.4	29.9	32.8	33.1	33.1	33.1
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H139		Predicted	26.9	29.3	33.5	36.4	36.8	36.8	36.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H140		Predicted	22.1	24.6	29.2	32.1	32.4	32.4	32.4
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H141		Predicted	25.7	28.3	33.1	36	36.2	36.2	36.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H142		Predicted	18	20.7	25.4	28.3	28.5	28.5	28.5

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H143		Predicted	26.2	28.5	32.6	35.5	35.9	35.9	35.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H144		Predicted	22.2	24.7	29.3	32.2	32.5	32.5	32.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H145		Predicted	24.9	27.5	32.2	35.2	35.4	35.4	35.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H146		Predicted	23.3	25.8	30.4	33.3	33.6	33.6	33.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H147		Predicted	22.2	24.8	29.3	32.2	32.5	32.5	32.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H148		Predicted	23.8	26.3	31.1	34	34.3	34.3	34.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H149		Predicted	22.9	25.5	30	32.9	33.2	33.2	33.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H150		Predicted	22.3	24.8	29.4	32.4	32.6	32.6	32.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H151		Predicted	17.7	20.4	25.1	28	28.2	28.2	28.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H152		Predicted	18.9	21.5	26.3	29.2	29.4	29.4	29.4
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H153		Predicted	22.3	24.9	29.5	32.4	32.6	32.6	32.6
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H154		Predicted	23.2	25.7	30.2	33.2	33.4	33.4	33.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H156		Predicted	24.3	26.8	31.3	34.3	34.6	34.6	34.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H157		Predicted	20.9	23.5	28	30.9	31.2	31.2	31.2
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H158		Predicted	23.7	26.2	31	33.9	34.2	34.2	34.2
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H159		Predicted	23	25.6	30.3	33.3	33.5	33.5	33.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H160		Predicted	22.4	24.9	29.5	32.4	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H161		Predicted	22.6	25.1	29.6	32.5	32.8	32.8	32.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H162		Predicted	24.6	27.1	31.9	34.8	35.1	35.1	35.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H163		Predicted	23.5	26.1	30.8	33.8	34	34	34
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H164		Predicted	24	26.5	31	34	34.3	34.3	34.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H165		Predicted	23	25.6	30.1	33	33.3	33.3	33.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H166		Predicted	24.8	27.4	32.1	35.1	35.3	35.3	35.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1672		Predicted	13.4	16.1	20.9	23.8	23.9	23.9	23.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1673		Predicted	13.6	16.2	21	23.9	24.1	24.1	24.1
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1677		Predicted	15.9	18.5	23.3	26.2	26.4	26.4	26.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H167		Predicted	17.5	20.1	24.8	27.8	28	28	28
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H168		Predicted	22.8	25.4	30.1	33.1	33.3	33.3	33.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H169		Predicted	22.7	25.2	29.7	32.6	32.9	32.9	32.9
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H170		Predicted	22.7	25.2	29.8	32.7	32.9	32.9	32.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H171		Predicted	25.4	28	32.8	35.7	35.9	35.9	35.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H172		Predicted	17.1	19.7	24.5	27.4	27.6	27.6	27.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H173		Predicted	24.6	27.2	32	34.9	35.1	35.1	35.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H174		Predicted	16.7	19.3	24	27	27.2	27.2	27.2

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H175		Predicted	22.8	25.3	29.8	32.8	33	33	33
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H176		Predicted	23.1	25.6	30.1	33.1	33.4	33.4	33.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H177		Predicted	24.3	26.9	31.6	34.6	34.8	34.8	34.8
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H178		Predicted	23.4	26	30.7	33.7	33.9	33.9	33.9
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H179		Predicted	22.8	25.4	29.9	32.8	33.1	33.1	33.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H180		Predicted	16.6	19.3	24	26.9	27.2	27.2	27.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H181		Predicted	23.6	26.1	30.8	33.8	34	34	34
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H182		Predicted	23.6	26.1	30.9	33.8	34.1	34.1	34.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H1838		Predicted	12.4	15.1	19.9	22.8	22.9	22.9	22.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H183		Predicted	25.3	27.9	32.7	35.6	35.8	35.8	35.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H184		Predicted	16.6	19.2	24	26.9	27.1	27.1	27.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H185		Predicted	26.6	29.2	33.6	36.5	36.7	36.7	36.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H186		Predicted	16.6	19.2	24	26.9	27.1	27.1	27.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H187		Predicted	17.0	19.6	24.3	27.2	27.4	27.4	27.4
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H188		Predicted	23.2	25.8	30.5	33.5	33.7	33.7	33.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H189		Predicted	23.6	26.2	31	33.9	34.1	34.1	34.1
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H190		Predicted	24.2	26.8	31.5	34.5	34.7	34.7	34.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H191		Predicted	23.4	25.9	30.7	33.6	33.9	33.9	33.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H192		Predicted	26.5	29	33.1	36	36.4	36.4	36.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H193		Predicted	24.4	27	31.7	34.7	34.9	34.9	34.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H194		Predicted	16.7	19.4	24.1	27	27.2	27.2	27.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H195		Predicted	16.6	19.2	23.9	26.9	27.1	27.1	27.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H196		Predicted	23.3	25.8	30.6	33.6	33.8	33.8	33.8
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H197		Predicted	17	19.6	24.3	27.3	27.5	27.5	27.5
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H198		Predicted	16.4	19	23.8	26.7	26.9	26.9	26.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H199		Predicted	23.1	25.7	30.4	33.4	33.6	33.6	33.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H200		Predicted	16.7	19.4	24.1	27	27.2	27.2	27.2
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H201		Predicted	23.2	25.7	30.5	33.4	33.6	33.6	33.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H202		Predicted	23.1	25.7	30.4	33.4	33.6	33.6	33.6
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H203		Predicted	23.2	25.7	30.5	33.4	33.6	33.6	33.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H204		Predicted	23.9	26.4	31.2	34.2	34.4	34.4	34.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H205		Predicted	24	26.6	31.4	34.3	34.6	34.6	34.6
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H206		Predicted	16.7	19.4	24.1	27	27.2	27.2	27.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H207		Predicted	23.1	25.6	30.4	33.3	33.6	33.6	33.6

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H208		Predicted	23.2	25.8	30.6	33.5	33.8	33.8	33.8
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H209		Predicted	16.8	19.4	24.2	27.1	27.3	27.3	27.3
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H210		Predicted	16.2	18.8	23.5	26.4	26.6	26.6	26.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H211		Predicted	25.9	28.2	32.2	35.1	35.5	35.5	35.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H212		Predicted	23.6	26	30.6	33.5	33.8	33.8	33.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H214		Predicted	23.4	25.9	30.4	33.4	33.7	33.7	33.7
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H215		Predicted	16.1	18.7	23.5	26.4	26.6	26.6	26.6
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H216		Predicted	22.5	25.1	29.8	32.8	33	33	33
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H217		Predicted	23.9	26.4	31.2	34.1	34.4	34.4	34.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H218		Predicted	16.8	19.3	24.1	27	27.2	27.2	27.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H219		Predicted	25.1	27.7	32.4	35.4	35.6	35.6	35.6
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H220		Predicted	23.9	26.5	31.3	34.2	34.4	34.4	34.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H221		Predicted	16.9	19.5	24.2	27.2	27.4	27.4	27.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H223		Predicted	22.9	25.5	30.2	33.2	33.4	33.4	33.4
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H224		Predicted	16.5	19.1	23.8	26.8	27	27	27
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H225		Predicted	16.9	19.5	24.2	27.2	27.4	27.4	27.4
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H226		Predicted	16.2	18.8	23.5	26.4	26.6	26.6	26.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H227		Predicted	16.3	19	23.7	26.6	26.8	26.8	26.8
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H228		Predicted	23.3	25.8	30.3	33.3	33.6	33.6	33.6
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H229		Predicted	16.7	19.3	24.1	27	27.2	27.2	27.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H230		Predicted	16.7	19.3	24.1	27	27.2	27.2	27.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H231		Predicted	24.9	27.4	32.2	35.1	35.4	35.4	35.4
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H232		Predicted	25	27.6	32.3	35.3	35.5	35.5	35.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H233		Predicted	23.9	26.4	31.2	34.1	34.4	34.4	34.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H234		Predicted	26.1	28.6	32.7	35.6	36.1	36.1	36.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H236		Predicted	27.2	29.4	33.2	35.9	36.4	36.4	36.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H237		Predicted	22.5	25	29.6	32.5	32.8	32.8	32.8
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H238		Predicted	22.9	25.4	29.9	32.8	33.2	33.2	33.2
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H239		Predicted	22.8	25.4	30.1	33.1	33.3	33.3	33.3
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H240		Predicted	23.9	26.4	31.2	34.1	34.4	34.4	34.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H241		Predicted	23.5	26.1	30.8	33.8	34	34	34
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H242		Predicted	16.3	19	23.7	26.6	26.8	26.8	26.8
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H243		Predicted	23.2	25.8	30.5	33.5	33.7	33.7	33.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H244		Predicted	23.2	25.7	30.2	33.1	33.4	33.4	33.4

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H245		Predicted	23.8	26.4	31.2	34.1	34.3	34.3	34.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H246		Predicted	24.8	27.4	32.1	35.1	35.3	35.3	35.3
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H247		Predicted	21.4	23.9	28.4	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H248		Predicted	21.4	24	28.7	31.7	31.9	31.9	31.9
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H249		Predicted	22.4	24.9	29.4	32.3	32.6	32.6	32.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H250		Predicted	16.6	19.1	23.9	26.8	27	27	27
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H251		Predicted	23.2	25.7	30.5	33.4	33.7	33.7	33.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H252		Predicted	22.2	24.7	29.5	32.4	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H253		Predicted	22.2	24.8	29.5	32.5	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H254		Predicted	23.1	25.6	30.4	33.4	33.6	33.6	33.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H255		Predicted	22.2	24.8	29.6	32.5	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H257		Predicted	21.1	23.7	28.5	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H258		Predicted	17.7	20.3	25.1	28	28.2	28.2	28.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H259		Predicted	21.1	23.7	28.4	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H260		Predicted	22	24.5	29.3	32.2	32.5	32.5	32.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H261		Predicted	23.8	26.4	31.2	34.1	34.3	34.3	34.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H262		Predicted	21.4	23.9	28.5	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H263		Predicted	16	18.5	23.3	26.2	26.4	26.4	26.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H264		Predicted	21.6	24.2	28.9	31.8	32.1	32.1	32.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H265		Predicted	22.2	24.8	29.5	32.5	32.7	32.7	32.7
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H266		Predicted	22.3	24.8	29.3	32.2	32.5	32.5	32.5
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H267		Predicted	27.5	30	33.9	36.8	37.5	37.5	37.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H268		Predicted	21.1	23.6	28.2	31.1	31.4	31.4	31.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H269		Predicted	21	23.6	28.4	31.3	31.5	31.5	31.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H270		Predicted	21.5	23.9	28	30.8	31.2	31.2	31.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H271		Predicted	16	18.6	23.4	26.3	26.5	26.5	26.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H272		Predicted	23	25.6	30.2	33.1	33.4	33.4	33.4
		Daytime Criterion	45	45	45	45	45	45	46.1

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H273		Predicted	16.1	18.8	23.5	26.4	26.6	26.6	26.6
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H274		Predicted	22.5	25.1	29.8	32.8	33	33	33
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H275		Predicted	23.3	25.8	30.6	33.5	33.8	33.8	33.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H276		Predicted	22.2	24.8	29.5	32.5	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H277		Predicted	16.2	18.8	23.6	26.5	26.6	26.6	26.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H278		Predicted	26.7	29	32.8	35.5	36	36	36
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H279		Predicted	16.4	19	23.8	26.7	26.9	26.9	26.9

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H280		Predicted	21.3	23.8	28.4	31.3	31.5	31.5	31.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H281		Predicted	20.6	23.2	28	30.9	31.1	31.1	31.1
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H282		Predicted	20.6	23.2	28	30.9	31.1	31.1	31.1
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H283		Predicted	22.2	24.7	29.2	32.1	32.4	32.4	32.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H284		Predicted	23	25.5	30	33	33.3	33.3	33.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H285		Predicted	22.8	25.3	29.8	32.8	33.1	33.1	33.1
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H286		Predicted	22.9	25.4	30.2	33.1	33.4	33.4	33.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H287		Predicted	22.8	25.4	30.1	33.1	33.3	33.3	33.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H288		Predicted	17.1	19.7	24.5	27.4	27.6	27.6	27.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H2890		Predicted	29.4	31.9	36.6	39.4	39.7	39.7	39.7
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H2891		Predicted	27.8	30.3	34.9	37.8	38.1	38.1	38.1
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H289		Predicted	25.7	28	31.9	34.7	35.2	35.2	35.2
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H291		Predicted	15.9	18.5	23.2	26.2	26.4	26.4	26.4
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H292		Predicted	23.7	26.3	31	34	34.2	34.2	34.2
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H293		Predicted	17.2	19.9	24.7	27.6	27.8	27.8	27.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H294		Predicted	16.9	19.5	24.3	27.2	27.4	27.4	27.4
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H295		Predicted	15.8	18.5	23.2	26.2	26.4	26.4	26.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H296		Predicted	16.6	19.2	24	26.9	27.1	27.1	27.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H297		Predicted	21.3	23.9	28.7	31.6	31.8	31.8	31.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H298		Predicted	23.9	26.5	31.3	34.2	34.4	34.4	34.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H300		Predicted	16.5	19.2	23.9	26.8	27	27	27
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H301		Predicted	22.1	24.7	29.4	32.4	32.6	32.6	32.6
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H302		Predicted	20.5	23.1	27.8	30.8	31	31	31
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H303		Predicted	21.7	24.2	28.8	31.7	32	32	32
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H304		Predicted	21.1	23.6	28.2	31.1	31.4	31.4	31.4
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H306		Predicted	21.8	24.4	29.1	32.1	32.3	32.3	32.3
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H307		Predicted	15.8	18.5	23.2	26.1	26.3	26.3	26.3
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H308		Predicted	21.5	24.1	28.8	31.8	32	32	32
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H310		Predicted	20.4	23	27.7	30.7	30.9	30.9	30.9
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H311		Predicted	22	24.5	29.1	32	32.3	32.3	32.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H312		Predicted	22.1	24.6	29.1	32	32.4	32.4	32.4
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H313		Predicted	22.7	25.2	29.7	32.6	33	33	33
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H314		Predicted	21.8	24.4	29.1	32.1	32.3	32.3	32.3
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H315		Predicted	21.8	24.3	29.1	32	32.3	32.3	32.3

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H316		Predicted	21.8	24.4	29.2	32.1	32.3	32.3	32.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H317		Predicted	22.6	25.2	29.9	32.9	33.1	33.1	33.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H318		Predicted	22.2	24.8	29.5	32.4	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H320		Predicted	21.8	24.4	29.2	32.1	32.3	32.3	32.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H321		Predicted	16.5	19.2	23.9	26.8	27	27	27
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H322		Predicted	21.1	23.6	28.2	31.1	31.4	31.4	31.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H323		Predicted	15.7	18.3	23.1	26	26.2	26.2	26.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H324		Predicted	27.3	29.8	33.7	36.7	37.4	37.4	37.4
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H325		Predicted	22.5	25.1	29.8	32.8	33	33	33
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H326		Predicted	20.5	23.1	27.8	30.8	31	31	31
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H327		Predicted	22	24.6	29.3	32.3	32.5	32.5	32.5
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H328		Predicted	16.1	18.7	23.5	26.4	26.6	26.6	26.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H329		Predicted	21.8	24.4	29.2	32.1	32.3	32.3	32.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H330		Predicted	23.5	26	30.8	33.7	34	34	34
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H331		Predicted	22.8	25.3	30.1	33	33.3	33.3	33.3
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H332		Predicted	22.1	24.6	29.4	32.4	32.6	32.6	32.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H333		Predicted	25.6	28.2	32.2	35.1	35.6	35.6	35.6
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H334		Predicted	25.6	28.1	32.5	35.4	35.7	35.7	35.7
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H335		Predicted	15.6	18.2	23	25.9	26.1	26.1	26.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H336		Predicted	22.6	25.2	30	32.9	33.1	33.1	33.1
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H337		Predicted	22	24.6	29.3	32.3	32.5	32.5	32.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H338		Predicted	22	24.6	29.3	32.2	32.5	32.5	32.5
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H339		Predicted	27.8	30.4	34.3	37.3	38	38	38
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H340		Predicted	22.4	24.9	29.7	32.6	32.9	32.9	32.9
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H341		Predicted	20.9	23.5	28	30.9	31.2	31.2	31.2
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H343		Predicted	27.8	30.5	34.3	37.4	38.1	38.1	38.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H344		Predicted	21.5	24.1	28.8	31.8	32	32	32
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H345		Predicted	15.6	18.1	22.9	25.8	26	26	26
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H346		Predicted	22	24.5	29.3	32.2	32.5	32.5	32.5
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H347		Predicted	25.6	28.2	32.1	35	35.6	35.6	35.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H349		Predicted	21.9	24.5	29.2	32.2	32.4	32.4	32.4
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H350		Predicted	25.5	27.8	31.7	34.5	35	35	35
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H351		Predicted	20.8	23.4	27.9	30.8	31.1	31.1	31.1
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H352		Predicted	22.2	24.7	29.5	32.4	32.6	32.6	32.6

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H353		Predicted	20	22.6	27.4	30.3	30.5	30.5	30.5
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H354		Predicted	21.8	24.4	29.1	32.1	32.3	32.3	32.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H355		Predicted	22.9	25.5	30.2	33.2	33.4	33.4	33.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H356		Predicted	21.6	24.2	28.7	31.6	31.9	31.9	31.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H357		Predicted	19.9	22.5	27.3	30.2	30.4	30.4	30.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H358		Predicted	15	17.6	22.4	25.3	25.5	25.5	25.5
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H359		Predicted	15	17.6	22.3	25.3	25.5	25.5	25.5
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H360		Predicted	28	30.7	34.6	37.6	38.4	38.4	38.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H361		Predicted	20.8	23.3	27.8	30.8	31	31	31
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H362		Predicted	21.7	24.2	29	31.9	32.2	32.2	32.2
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H363		Predicted	23.4	26	30.8	33.7	33.9	33.9	33.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H364		Predicted	24.3	27	31.6	34.4	34.6	34.6	34.6
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H365		Predicted	24.2	26.8	31.4	34.2	34.4	34.4	34.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H366		Predicted	22.9	25.5	30.3	33.2	33.4	33.4	33.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H368		Predicted	21.6	24.2	28.9	31.8	32.1	32.1	32.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H369		Predicted	24.2	26.8	31.4	34.2	34.4	34.4	34.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H370		Predicted	16.9	19.6	24.4	27.2	27.4	27.4	27.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H371		Predicted	19.6	22.1	26.7	29.7	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H372		Predicted	21.6	24.1	28.6	31.5	31.8	31.8	31.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H373		Predicted	16	18.7	23.4	26.3	26.5	26.5	26.5
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H374		Predicted	23.1	25.7	30.4	33.4	33.6	33.6	33.6
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H375		Predicted	19.8	22.4	27.1	30.1	30.3	30.3	30.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H376		Predicted	21.8	24.3	28.9	31.8	32.1	32.1	32.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H377		Predicted	21.7	24.2	29	31.9	32.2	32.2	32.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H378		Predicted	14.8	17.4	22.2	25.1	25.3	25.3	25.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H379		Predicted	25.2	27.7	32.1	34.9	35.2	35.2	35.2
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H380		Predicted	14.9	17.5	22.2	25.2	25.4	25.4	25.4
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H381		Predicted	20.8	23.3	27.8	30.8	31	31	31
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H382		Predicted	14.9	17.5	22.3	25.2	25.4	25.4	25.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H383		Predicted	21.7	24.2	29	32	32.2	32.2	32.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H384		Predicted	20.8	23.4	27.9	30.8	31.1	31.1	31.1
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H385		Predicted	21.9	24.4	29.2	32.1	32.4	32.4	32.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H386		Predicted	23.2	25.8	30.5	33.4	33.7	33.7	33.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H387		Predicted	16.6	19.3	24.1	27	27.2	27.2	27.2

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H388		Predicted	20.8	23.4	27.9	30.8	31.1	31.1	31.1
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H389		Predicted	21.5	24	28.5	31.5	31.7	31.7	31.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H390		Predicted	14.8	17.4	22.2	25.1	25.3	25.3	25.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H391		Predicted	20.8	23.4	27.9	30.8	31.1	31.1	31.1
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H392		Predicted	21.7	24.3	29	32	32.2	32.2	32.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H393		Predicted	15.9	18.6	23.4	26.2	26.4	26.4	26.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H394		Predicted	21.4	24	28.8	31.7	31.9	31.9	31.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H395		Predicted	23.2	25.8	30.6	33.5	33.7	33.7	33.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H396		Predicted	14.8	17.4	22.2	25.1	25.3	25.3	25.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H397		Predicted	20.5	23	27.6	30.5	30.7	30.7	30.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H398		Predicted	20.9	23.4	28	30.9	31.1	31.1	31.1
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H399		Predicted	21.5	24.1	28.9	31.8	32	32	32
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H400		Predicted	20.9	23.4	28	30.9	31.2	31.2	31.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H401		Predicted	21.8	24.4	29.1	32.1	32.3	32.3	32.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H402		Predicted	21.3	23.8	28.3	31.2	31.5	31.5	31.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H403		Predicted	22.4	25	29.8	32.7	32.9	32.9	32.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H404		Predicted	21.3	23.9	28.6	31.6	31.8	31.8	31.8
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H405		Predicted	21	23.5	28	30.9	31.2	31.2	31.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H406		Predicted	14.7	17.3	22	25	25.2	25.2	25.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H407		Predicted	16.4	19	23.8	26.7	26.9	26.9	26.9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H408		Predicted	22.4	24.9	29.4	32.3	32.6	32.6	32.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H409		Predicted	23.9	26.6	31.2	34	34.2	34.2	34.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H410		Predicted	21.9	24.4	29	32	32.2	32.2	32.2
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H411		Predicted	14.7	17.4	22.1	25	25.2	25.2	25.2
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H412		Predicted	21	23.5	28	31	31.2	31.2	31.2
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H413		Predicted	22.4	24.9	29.4	32.3	32.6	32.6	32.6
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H414		Predicted	25.3	27.8	31.8	34.8	35.3	35.3	35.3
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H415		Predicted	21	23.6	28.1	31	31.3	31.3	31.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H416		Predicted	21	23.6	28.1	31	31.3	31.3	31.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H417		Predicted	21.2	23.7	28.2	31.2	31.5	31.5	31.5
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H418		Predicted	22.4	25	29.4	32.4	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H419		Predicted	21.4	23.9	28.4	31.3	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H420		Predicted	21.4	23.9	28.7	31.6	31.8	31.8	31.8
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H421		Predicted	22.4	25	29.5	32.4	32.7	32.7	32.7

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H422		Predicted	21.7	24.3	28.8	31.7	32	32	32
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H423		Predicted	21.7	24.3	29	32	32.2	32.2	32.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H424		Predicted	21.6	24.2	28.9	31.8	32	32	32
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H425		Predicted	23.5	26.2	30.7	33.5	33.7	33.7	33.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H426		Predicted	28.7	31.4	35.3	38.4	39.2	39.2	39.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H427		Predicted	22.5	25	29.5	32.4	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H428		Predicted	28.7	31.4	35.3	38.4	39.2	39.2	39.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H429		Predicted	21.4	23.9	28.4	31.4	31.7	31.7	31.7
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H430		Predicted	21.5	24	28.8	31.8	32	32	32
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H431		Predicted	28.8	31.5	35.4	38.5	39.3	39.3	39.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H432		Predicted	14.6	17.2	21.9	24.9	25.1	25.1	25.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H433		Predicted	14.7	17.3	22.1	25	25.2	25.2	25.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H434		Predicted	16.2	18.8	23.6	26.5	26.7	26.7	26.7
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H435		Predicted	21.4	24	28.7	31.7	31.9	31.9	31.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H436		Predicted	28.8	31.5	35.4	38.5	39.3	39.3	39.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H437		Predicted	22.1	24.8	29.6	32.4	32.6	32.6	32.6
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H438		Predicted	21.2	23.8	28.3	31.2	31.5	31.5	31.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H439		Predicted	20	22.5	26.5	29.4	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H440		Predicted	25.2	27.8	31.8	34.7	35.3	35.3	35.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H441		Predicted	22.3	24.8	29.4	32.2	32.5	32.5	32.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H442		Predicted	21.4	23.9	28.7	31.6	31.9	31.9	31.9
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H443		Predicted	28.9	31.6	35.5	38.6	39.4	39.4	39.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H444		Predicted	29	31.7	35.5	38.6	39.4	39.4	39.4
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H445		Predicted	21.2	23.8	28.6	31.5	31.7	31.7	31.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H446		Predicted	27.7	30.4	34.4	37.4	38.2	38.2	38.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H447		Predicted	27.7	30.4	34.4	37.4	38.2	38.2	38.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H448		Predicted	29	31.7	35.5	38.6	39.4	39.4	39.4
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H449		Predicted	21.6	24.2	28.9	31.8	32.1	32.1	32.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H450		Predicted	21.6	24.2	28.9	31.8	32.1	32.1	32.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H451		Predicted	21.6	24.2	28.9	31.8	32.1	32.1	32.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H452		Predicted	21.6	24.2	28.9	31.8	32.1	32.1	32.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H453		Predicted	21.6	24.2	28.9	31.8	32.1	32.1	32.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H454		Predicted	21.6	24.2	28.9	31.8	32.1	32.1	32.1
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H455		Predicted	14.6	17.2	22	24.9	25.1	25.1	25.1

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H456		Predicted	20.8	23.4	27.9	30.8	31.1	31.1	31.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H457		Predicted	22	24.6	29.1	32	32.2	32.2	32.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H458		Predicted	21.3	23.9	28.7	31.6	31.8	31.8	31.8
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H459		Predicted	21.2	23.8	28.6	31.5	31.7	31.7	31.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H460		Predicted	19.3	21.9	26.7	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H461		Predicted	21.1	23.7	28.5	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H462		Predicted	14.2	16.8	21.6	24.5	24.7	24.7	24.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H463		Predicted	22.3	25	29.7	32.5	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H464		Predicted	22.4	24.9	29.4	32.3	32.6	32.6	32.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H465		Predicted	21.1	23.6	28.2	31.1	31.4	31.4	31.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H466		Predicted	21.8	24.5	29.3	32.2	32.3	32.3	32.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H467		Predicted	21.6	24.2	28.8	31.7	31.9	31.9	31.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H468		Predicted	14.2	16.8	21.5	24.5	24.7	24.7	24.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H469		Predicted	29.1	31.8	35.6	38.7	39.5	39.5	39.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H470		Predicted	14.7	17.3	22.1	25	25.2	25.2	25.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H471		Predicted	29.2	31.8	35.7	38.8	39.6	39.6	39.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H472		Predicted	21.2	23.7	28.5	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H473		Predicted	29.2	31.8	35.7	38.8	39.6	39.6	39.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H474		Predicted	19.2	21.8	26.6	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H475		Predicted	20.8	23.3	27.8	30.7	31	31	31
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H476		Predicted	20.8	23.4	28.2	31.1	31.4	31.4	31.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H477		Predicted	20.4	22.9	27.4	30.4	30.6	30.6	30.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H478		Predicted	22.4	24.9	29.4	32.4	32.6	32.6	32.6
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H479		Predicted	15.8	18.4	23.2	26.1	26.2	26.2	26.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H480		Predicted	21.1	23.6	28.1	31	31.3	31.3	31.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H481		Predicted	14.6	17.2	22	24.9	25.1	25.1	25.1
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H482		Predicted	22.6	25.1	29.6	32.4	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H483		Predicted	21.3	23.9	28.4	31.3	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H484		Predicted	29.5	32	35.8	38.8	39.7	39.7	39.7
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H485		Predicted	15.8	18.5	23.2	26.1	26.3	26.3	26.3
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H486		Predicted	21.3	23.9	28.6	31.6	31.8	31.8	31.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H487		Predicted	14.4	17.1	21.8	24.7	24.9	24.9	24.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H488		Predicted	20.9	23.4	28	30.9	31.2	31.2	31.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H489		Predicted	22	24.6	29.1	32	32.3	32.3	32.3

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H490		Predicted	21.9	24.6	29.3	32.2	32.4	32.4	32.4
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H491		Predicted	14.9	17.5	22.2	25.2	25.4	25.4	25.4
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H492		Predicted	21.1	23.6	28.1	31	31.3	31.3	31.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H493		Predicted	21.9	24.6	29.4	32.2	32.4	32.4	32.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H494		Predicted	14	16.6	21.4	24.3	24.5	24.5	24.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H495		Predicted	25.2	27.8	31.8	34.7	35.3	35.3	35.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H496		Predicted	15.6	18.3	23	26	26.1	26.1	26.1
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H497		Predicted	21	23.5	28.3	31.2	31.5	31.5	31.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H498		Predicted	21	23.6	28.3	31.3	31.5	31.5	31.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H499		Predicted	21.1	23.6	28.2	31.1	31.4	31.4	31.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H500		Predicted	20.4	22.9	27.4	30.3	30.6	30.6	30.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H501		Predicted	20.5	23	27.8	30.7	31	31	31
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H502		Predicted	15.6	18.3	23	25.9	26.1	26.1	26.1
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H503		Predicted	22.5	25	29.5	32.3	32.6	32.6	32.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H504		Predicted	27.2	29.9	33.9	36.9	37.7	37.7	37.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H505		Predicted	25.7	27.8	31.2	33.9	34.6	34.6	34.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H506		Predicted	21	23.6	28.4	31.3	31.5	31.5	31.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H507		Predicted	15.6	18.2	23	25.9	26.1	26.1	26.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H508		Predicted	25.7	27.8	31.2	33.9	34.6	34.6	34.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H509		Predicted	27.2	29.9	33.8	36.9	37.6	37.6	37.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H510		Predicted	14	16.6	21.4	24.3	24.5	24.5	24.5
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H511		Predicted	20.6	22.9	26.6	29.5	30	30	30
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H512		Predicted	20.8	23.4	28.1	31.1	31.3	31.3	31.3
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H513		Predicted	20.8	23.3	27.8	30.8	31	31	31
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H514		Predicted	23	25.7	30.2	33	33.2	33.2	33.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H515		Predicted	14.6	17.2	21.9	24.9	25.1	25.1	25.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H516		Predicted	21	23.5	28.1	31	31.2	31.2	31.2
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H517		Predicted	22.4	25.1	29.6	32.5	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H518		Predicted	18.9	21.5	26.3	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H519		Predicted	25.7	27.8	31.1	33.8	34.5	34.5	34.5
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H520		Predicted	19.7	22.1	26	28.9	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H521		Predicted	22.8	25.5	30.1	32.9	33.1	33.1	33.1
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H522		Predicted	21.5	24.1	28.8	31.8	32	32	32
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H523		Predicted	20.6	23.1	27.6	30.5	30.8	30.8	30.8

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H524		Predicted	15.6	18.2	23	25.9	26	26	26
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H525		Predicted	20.4	22.9	27.7	30.6	30.8	30.8	30.8
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H526		Predicted	26	28.1	31.4	34.1	34.9	34.9	34.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H527		Predicted	13.8	16.4	21.1	24.1	24.3	24.3	24.3
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H528		Predicted	23	25.7	30.2	33.1	33.3	33.3	33.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H529		Predicted	14.5	17.1	21.9	24.8	25	25	25
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H530		Predicted	20.2	22.8	27.6	30.5	30.7	30.7	30.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H531		Predicted	21.4	24	28.7	31.7	31.9	31.9	31.9
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H532		Predicted	13.8	16.3	21.1	24	24.3	24.3	24.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H533		Predicted	20.8	23.3	28.1	31	31.2	31.2	31.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H534		Predicted	27.1	29.9	33.8	36.9	37.6	37.6	37.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H535		Predicted	13.4	16	20.8	23.7	23.9	23.9	23.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H536		Predicted	21.4	24	28.7	31.6	31.9	31.9	31.9
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H537		Predicted	23.9	26.5	30.6	33.4	33.9	33.9	33.9
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H538		Predicted	25.6	27.7	31	33.7	34.4	34.4	34.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H539		Predicted	20.4	23	27.7	30.7	30.9	30.9	30.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H540		Predicted	22.5	25.2	29.7	32.6	32.8	32.8	32.8
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H541		Predicted	24	26.5	30.6	33.4	33.9	33.9	33.9
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H542		Predicted	22.8	25.4	30	32.8	33	33	33
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H543		Predicted	27.7	29.6	32.8	35.5	36.4	36.4	36.4
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H544		Predicted	13.8	16.4	21.2	24.1	24.3	24.3	24.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H545		Predicted	13.7	16.3	21	24	24.2	24.2	24.2
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H546		Predicted	20.6	23.2	28	30.9	31.1	31.1	31.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H547		Predicted	22.9	25.5	30.1	33	33.1	33.1	33.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H548		Predicted	14.2	16.8	21.6	24.5	24.7	24.7	24.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H549		Predicted	13.3	15.9	20.7	23.6	23.8	23.8	23.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H550		Predicted	19.2	21.7	26.3	29.3	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45.1	48.3

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H551		Predicted	25.5	27.6	31	33.6	34.4	34.4	34.4
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H552		Predicted	20	22.6	27.4	30.3	30.5	30.5	30.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H553		Predicted	21.2	23.8	28.6	31.5	31.7	31.7	31.7
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H554		Predicted	22.6	25.3	29.9	32.7	32.9	32.9	32.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H555		Predicted	20.4	22.8	26.5	29.3	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H557		Predicted	25.4	27.5	30.9	33.6	34.3	34.3	34.3
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H558		Predicted	23.8	26.4	30.6	33.5	33.8	33.8	33.8

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H559		Predicted	15.4	18	22.8	25.7	25.9	25.9	25.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H560		Predicted	22.6	25.3	29.9	32.7	32.9	32.9	32.9
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H561		Predicted	22.5	25.2	29.8	32.6	32.8	32.8	32.8
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H562		Predicted	20.4	23	27.8	30.7	30.9	30.9	30.9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H563		Predicted	21.2	23.7	28.5	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H564		Predicted	13.2	15.8	20.6	23.5	23.7	23.7	23.7
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H565		Predicted	18.5	21.1	25.9	28.8	29	29	29
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H566		Predicted	14.2	16.8	21.5	24.5	24.7	24.7	24.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H567		Predicted	13.2	15.8	20.6	23.5	23.7	23.7	23.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H568		Predicted	22.1	24.7	29	31.9	32.2	32.2	32.2
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H569		Predicted	15.7	18.3	23.1	26	26.2	26.2	26.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H570		Predicted	26.5	29.2	33.2	36.3	37	37	37
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H571		Predicted	13.2	15.8	20.6	23.5	23.7	23.7	23.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H572		Predicted	21.1	23.7	28.4	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H573		Predicted	19.2	21.6	26.2	29.2	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H574		Predicted	13.2	15.8	20.6	23.5	23.7	23.7	23.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H575		Predicted	20.6	23.1	27.6	30.6	30.9	30.9	30.9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H576		Predicted	25.4	27.5	30.9	33.6	34.3	34.3	34.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H577		Predicted	13.2	15.8	20.6	23.5	23.7	23.7	23.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H578		Predicted	25.3	27.4	30.9	33.6	34.2	34.2	34.2
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H579		Predicted	21.1	23.7	28.4	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H580		Predicted	14.5	17.1	21.9	24.8	25	25	25
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H581		Predicted	20.4	23	27.7	30.7	30.9	30.9	30.9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H582		Predicted	21.1	23.7	28.4	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H583		Predicted	21.1	23.7	28.5	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H584		Predicted	20.2	22.8	27.6	30.5	30.8	30.8	30.8
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H585		Predicted	18.5	21.2	25.9	28.8	29	29	29
		Daytime Criterion	45	45	45	45	45	45	46.1

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H586		Predicted	22.7	25.4	29.9	32.8	33	33	33
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H587		Predicted	21.2	23.8	28.5	31.4	31.7	31.7	31.7
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H588		Predicted	21.1	23.7	28.5	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H589		Predicted	22.6	25.3	29.8	32.7	32.9	32.9	32.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H591		Predicted	13.2	15.7	20.5	23.4	23.6	23.6	23.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H592		Predicted	21	23.6	28.4	31.3	31.5	31.5	31.5
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H593		Predicted	21	23.6	28.4	31.3	31.5	31.5	31.5

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H594		Predicted	21	23.6	28.4	31.3	31.5	31.5	31.5
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H595		Predicted	21.1	23.7	28.5	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H596		Predicted	21.1	23.7	28.4	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H597		Predicted	20.3	22.9	27.7	30.6	30.8	30.8	30.8
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H598		Predicted	13.1	15.7	20.5	23.4	23.6	23.6	23.6
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H599		Predicted	13.1	15.7	20.5	23.4	23.6	23.6	23.6
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H600		Predicted	14.1	16.7	21.4	24.4	24.6	24.6	24.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H601		Predicted	21.1	23.7	28.5	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H602		Predicted	20.2	22.8	27.6	30.5	30.7	30.7	30.7
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H603		Predicted	20.9	23.5	28.3	31.2	31.4	31.4	31.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H604		Predicted	13.1	15.7	20.5	23.4	23.6	23.6	23.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H605		Predicted	15.3	17.9	22.7	25.6	25.8	25.8	25.8
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H606		Predicted	14.2	16.8	21.6	24.5	24.7	24.7	24.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H607		Predicted	20.9	23.5	28.3	31.2	31.4	31.4	31.4
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H608		Predicted	13.4	16	20.8	23.7	24	24	24
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H609		Predicted	20.9	23.5	28.2	31.2	31.4	31.4	31.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H610		Predicted	18.2	20.8	25.5	28.4	28.6	28.6	28.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H611		Predicted	13.1	15.7	20.4	23.4	23.6	23.6	23.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H612		Predicted	20.9	23.4	27.9	30.8	31.1	31.1	31.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H613		Predicted	18.3	20.9	25.7	28.6	28.8	28.8	28.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H614		Predicted	20.2	22.8	27.6	30.5	30.8	30.8	30.8
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H615		Predicted	20.2	22.7	27.5	30.4	30.7	30.7	30.7
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H616		Predicted	24.9	27.6	31.5	34.5	35.1	35.1	35.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H617		Predicted	18.9	21.4	25.9	28.9	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H618		Predicted	21.8	24.1	27.6	30.4	30.9	30.9	30.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H619		Predicted	20.8	23.4	28.1	31	31.3	31.3	31.3
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H620		Predicted	15	17.6	22.4	25.3	25.5	25.5	25.5
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H621		Predicted	29.8	32.5	36.4	39.5	40.4	40.4	40.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H622		Predicted	18.9	21.4	25.9	28.9	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H623		Predicted	20.7	23.2	27.7	30.6	30.9	30.9	30.9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H624		Predicted	20.6	23.2	27.9	30.8	31.1	31.1	31.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H625		Predicted	21	23.5	28	31	31.2	31.2	31.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H626		Predicted	21	23.6	28.3	31.3	31.5	31.5	31.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H627		Predicted	20.1	22.7	27.4	30.4	30.6	30.6	30.6

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H628		Predicted	22.1	24.7	29.1	31.9	32.2	32.2	32.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H629		Predicted	20.1	22.7	27.5	30.4	30.6	30.6	30.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H630		Predicted	20.3	22.9	27.6	30.6	30.8	30.8	30.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H631		Predicted	20.8	23.4	28.2	31.1	31.3	31.3	31.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H632		Predicted	20.5	23	27.5	30.4	30.7	30.7	30.7
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H633		Predicted	20.8	23.4	28.2	31.1	31.3	31.3	31.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H634		Predicted	18.2	20.8	25.6	28.5	28.7	28.7	28.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H635		Predicted	18.7	21.2	25.8	28.8	29.1	29.1	29.1
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H636		Predicted	20.8	23.4	28.2	31.1	31.3	31.3	31.3
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H637		Predicted	20.9	23.5	28.3	31.2	31.4	31.4	31.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H638		Predicted	25.5	27.6	30.9	33.6	34.3	34.3	34.3
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H639		Predicted	20.8	23.4	28.1	31.1	31.3	31.3	31.3
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H640		Predicted	20.8	23.4	28.1	31.1	31.3	31.3	31.3
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H641		Predicted	20.9	23.5	28.3	31.2	31.4	31.4	31.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H642		Predicted	18.2	20.8	25.6	28.5	28.7	28.7	28.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H643		Predicted	18.9	21.3	25.9	28.9	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H644		Predicted	22.7	25.4	30	32.8	33	33	33
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H645		Predicted	20.5	23.1	27.9	30.8	31	31	31
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H646		Predicted	19.4	22	26.6	29.5	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H647		Predicted	20.1	22.7	27.4	30.4	30.6	30.6	30.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H648		Predicted	14	16.6	21.4	24.3	24.5	24.5	24.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H649		Predicted	20.2	22.7	27.2	30.1	30.4	30.4	30.4
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H650		Predicted	20.9	23.4	27.9	30.8	31.1	31.1	31.1
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H651		Predicted	18.7	21.1	25.7	28.7	29	29	29
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H652		Predicted	12.9	15.5	20.3	23.2	23.4	23.4	23.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H653		Predicted	18.6	21.1	25.7	28.7	29	29	29
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H654		Predicted	22.8	25.4	30	32.8	33	33	33
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H655		Predicted	18.6	21.1	25.6	28.6	28.9	28.9	28.9
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H656		Predicted	20.5	23.1	27.8	30.8	31	31	31
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H657		Predicted	18.6	21.1	25.7	28.6	28.9	28.9	28.9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H658		Predicted	19.2	21.7	26.3	29.2	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H659		Predicted	23.3	25.8	30.1	33	33.3	33.3	33.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H660		Predicted	15.5	18.1	22.9	25.8	26	26	26
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H661		Predicted	24.9	27.5	31.5	34.5	35.1	35.1	35.1

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H662		Predicted	20.6	23.2	28	30.9	31.1	31.1	31.1
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H663		Predicted	18.5	21	25.6	28.5	28.8	28.8	28.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H664		Predicted	19.1	21.6	26.2	29.1	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H665		Predicted	12.8	15.4	20.2	23.1	23.3	23.3	23.3
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H666		Predicted	14.1	16.7	21.4	24.4	24.6	24.6	24.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H667		Predicted	20.2	22.7	27.2	30.2	30.4	30.4	30.4
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H668		Predicted	28.6	30.5	33.7	36.4	37.4	37.4	37.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H669		Predicted	18.5	21	25.5	28.5	28.8	28.8	28.8
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H670		Predicted	12.8	15.4	20.2	23.1	23.3	23.3	23.3
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H671		Predicted	20.5	23.1	27.8	30.8	31	31	31
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H672		Predicted	18.9	21.4	25.9	28.9	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H673		Predicted	22.6	25.2	29.8	32.6	32.8	32.8	32.8
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H674		Predicted	19.3	21.8	26.4	29.3	29.6	29.6	29.6
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H675		Predicted	22.5	25.2	29.7	32.5	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H676		Predicted	19.1	21.7	26.3	29.2	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H677		Predicted	18	20.6	25.4	28.3	28.5	28.5	28.5
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H678		Predicted	19.3	21.7	25.5	28.3	28.8	28.8	28.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H679		Predicted	14.5	17.2	22	24.9	25	25	25
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H680		Predicted	19.4	21.9	26.5	29.4	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H681		Predicted	15.1	17.8	22.6	25.4	25.6	25.6	25.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H682		Predicted	22.6	25.2	29.8	32.6	32.8	32.8	32.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H683		Predicted	22.4	25	29.6	32.4	32.6	32.6	32.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H684		Predicted	20.5	23.1	27.9	30.8	31	31	31
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H685		Predicted	18.4	20.9	25.4	28.4	28.7	28.7	28.7
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H686		Predicted	19.5	22	26.6	29.5	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H687		Predicted	19.8	22.4	27.2	30.1	30.3	30.3	30.3
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H688		Predicted	18.9	21.3	25.9	28.9	29.2	29.2	29.2
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H689		Predicted	22.3	25	29.5	32.3	32.5	32.5	32.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H690		Predicted	19.8	22.4	27.2	30.1	30.3	30.3	30.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H691		Predicted	20.5	23	27.5	30.4	30.7	30.7	30.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H692		Predicted	22.5	25.1	29.7	32.5	32.7	32.7	32.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H693		Predicted	23.5	26.1	30.1	33	33.5	33.5	33.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H694		Predicted	21.8	24.1	27.5	30.2	30.8	30.8	30.8
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H695		Predicted	19.7	22.2	26.8	29.8	30	30	30

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H696		Predicted	20.4	23	27.7	30.7	30.9	30.9	30.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H697		Predicted	20.5	23.1	27.8	30.8	31	31	31
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H698		Predicted	12.7	15.3	20.1	23	23.2	23.2	23.2
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H699		Predicted	18.4	20.9	25.4	28.4	28.7	28.7	28.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H700		Predicted	12.7	15.3	20.1	23	23.2	23.2	23.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 1	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H701		Predicted	22.1	24.8	29.4	32.2	32.4	32.4	32.4
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H702		Predicted	20.7	23.2	27.8	30.7	31	31	31
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H703		Predicted	18.6	21.1	25.6	28.6	28.9	28.9	28.9
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H704		Predicted	12.3	14.9	19.7	22.6	22.8	22.8	22.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H705		Predicted	18.2	20.8	25.3	28.3	28.6	28.6	28.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H706		Predicted	27.4	30.3	34.3	37.5	38.2	38.2	38.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H708		Predicted	14.2	16.8	21.6	24.5	24.7	24.7	24.7
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H709		Predicted	19.7	22.2	26.8	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H710		Predicted	25.2	27.9	31.9	35	35.6	35.6	35.6
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H711		Predicted	18.4	20.9	25.5	28.4	28.7	28.7	28.7
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H712		Predicted	19.7	22.2	27	29.9	30.2	30.2	30.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H713		Predicted	25.8	28.6	32.6	35.6	36.3	36.3	36.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H714		Predicted	18.3	20.8	25.4	28.4	28.6	28.6	28.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H715		Predicted	18.7	21.1	25.7	28.7	29	29	29
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H716		Predicted	18.8	21.2	25.8	28.8	29.1	29.1	29.1
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H717		Predicted	18.6	21	25.6	28.6	28.9	28.9	28.9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H718		Predicted	17.8	20.4	25.2	28.1	28.3	28.3	28.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H719		Predicted	18.2	20.7	25.2	28.2	28.5	28.5	28.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H720		Predicted	20.3	22.8	27.3	30.3	30.6	30.6	30.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H721		Predicted	24.7	26.9	30.4	33.1	33.7	33.7	33.7
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H722		Predicted	18.3	20.8	25.3	28.3	28.6	28.6	28.6
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H723		Predicted	22.3	25	29.5	32.4	32.5	32.5	32.5
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H724		Predicted	22.4	25	29.6	32.4	32.6	32.6	32.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H725		Predicted	22.1	24.8	29.3	32.2	32.4	32.4	32.4
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H726		Predicted	20.3	22.9	27.7	30.6	30.8	30.8	30.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H727		Predicted	18.2	20.6	25.2	28.2	28.5	28.5	28.5
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H728		Predicted	23.5	26.1	30	32.9	33.5	33.5	33.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H729		Predicted	22.2	24.9	29.4	32.2	32.4	32.4	32.4
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H730		Predicted	22.2	24.9	29.4	32.3	32.5	32.5	32.5

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H731		Predicted	20	22.6	27.3	30.3	30.5	30.5	30.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H732		Predicted	22.2	24.8	29.4	32.2	32.4	32.4	32.4
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H733		Predicted	18.3	20.7	25.3	28.3	28.6	28.6	28.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H734		Predicted	20.3	22.9	27.6	30.6	30.8	30.8	30.8
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H735		Predicted	19.6	22.1	26.7	29.7	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H736		Predicted	18.6	21.1	25.6	28.6	29	29	29
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H737		Predicted	18	20.6	25.1	28.1	28.3	28.3	28.3
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H738		Predicted	18.8	21.2	25.8	28.8	29.1	29.1	29.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H739		Predicted	25.8	28.6	32.6	35.7	36.4	36.4	36.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H741		Predicted	12.1	14.7	19.5	22.4	22.6	22.6	22.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H742		Predicted	20.3	22.9	27.6	30.6	30.8	30.8	30.8
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H743		Predicted	18.4	20.9	25.4	28.4	28.6	28.6	28.6
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H744		Predicted	19.8	22.4	27.2	30.1	30.3	30.3	30.3
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H745		Predicted	21.4	23.8	27.2	29.9	30.5	30.5	30.5
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H746		Predicted	25.4	28.2	32.2	35.2	35.9	35.9	35.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H747		Predicted	18.2	20.7	25.2	28.2	28.5	28.5	28.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H748		Predicted	12.1	14.7	19.5	22.4	22.6	22.6	22.6
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H749		Predicted	25.3	28.1	32.1	35.1	35.8	35.8	35.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H750		Predicted	20.2	22.8	27.6	30.5	30.7	30.7	30.7
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H751		Predicted	25.3	28.1	32	35.1	35.8	35.8	35.8
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H752		Predicted	14	16.7	21.5	24.4	24.5	24.5	24.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H753		Predicted	19.5	22.1	26.9	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H754		Predicted	25.7	28.5	32.5	35.6	36.3	36.3	36.3
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H755		Predicted	25.2	28	32	35	35.7	35.7	35.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H756		Predicted	11.6	14.3	19	21.9	22.1	22.1	22.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H757		Predicted	20.2	22.8	27.5	30.5	30.7	30.7	30.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H758		Predicted	17.6	20.1	24.6	27.6	27.9	27.9	27.9
		Daytime Criterion	45	45	45	45	45	45	46.1

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H759		Predicted	18.2	20.7	25.3	28.2	28.5	28.5	28.5
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H760		Predicted	11.6	14.2	19	21.9	22.1	22.1	22.1
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H761		Predicted	18.6	21.1	25.7	28.6	29	29	29
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H762		Predicted	11.6	14.3	19	22	22.1	22.1	22.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H763		Predicted	17.8	20.4	24.9	27.9	28.1	28.1	28.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H764		Predicted	18.6	21	25.6	28.6	28.9	28.9	28.9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H765		Predicted	18.1	20.6	25.2	28.1	28.4	28.4	28.4

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H766		Predicted	11.5	14.2	18.9	21.8	22	22	22
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H767		Predicted	17.6	20.1	24.8	27.8	28.1	28.1	28.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H768		Predicted	19.4	22	26.7	29.6	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H769		Predicted	18	20.6	25.1	28	28.3	28.3	28.3
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H770		Predicted	21.8	24.4	29	31.8	32	32	32
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H771		Predicted	18.6	21.1	25.6	28.6	28.9	28.9	28.9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H772		Predicted	17.6	20.2	25	27.9	28.1	28.1	28.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H773		Predicted	19.8	22.3	27.1	30	30.2	30.2	30.2
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H774		Predicted	19.8	22.3	27.1	30	30.2	30.2	30.2
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H775		Predicted	11.5	14.1	18.9	21.8	22	22	22
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H776		Predicted	25.5	28.3	32.2	35.3	36	36	36
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H777		Predicted	23.2	25.8	29.8	32.7	33.2	33.2	33.2
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H778		Predicted	25.6	28.4	32.4	35.4	36.1	36.1	36.1
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H780		Predicted	19.6	22.1	26.7	29.7	29.9	29.9	29.9
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H781		Predicted	16.8	19.4	24.1	27.1	27.3	27.3	27.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H782		Predicted	17.6	20.1	24.9	27.9	28.1	28.1	28.1
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H783		Predicted	24.6	27.3	31.3	34.3	35	35	35
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H784		Predicted	25.3	28.1	32.1	35.2	35.9	35.9	35.9
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H785		Predicted	19.3	21.9	26.6	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H786		Predicted	19.9	22.5	27.3	30.2	30.4	30.4	30.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H787		Predicted	19.9	22.5	27.3	30.2	30.4	30.4	30.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H788		Predicted	17.6	20.3	25	28	28.1	28.1	28.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H789		Predicted	20	22.6	27.4	30.3	30.5	30.5	30.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H790		Predicted	25.1	27.9	31.9	34.9	35.6	35.6	35.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H791		Predicted	11.4	14.1	18.8	21.8	21.9	21.9	21.9
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H792		Predicted	11.5	14.1	18.9	21.8	22	22	22
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H793		Predicted	11.5	14.1	18.9	21.8	22	22	22
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H794		Predicted	17.3	19.9	24.6	27.6	27.8	27.8	27.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H796		Predicted	17.6	20.1	24.8	27.8	28.1	28.1	28.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H797		Predicted	19.2	21.8	26.6	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H798		Predicted	17.2	19.8	24.5	27.5	27.7	27.7	27.7
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H799		Predicted	18.4	20.9	25.4	28.4	28.7	28.7	28.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H800		Predicted	11.5	14.1	18.9	21.8	22	22	22
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H802		Predicted	18.4	20.8	25.4	28.4	28.7	28.7	28.7

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H803		Predicted	21.4	23.8	27.1	29.9	30.5	30.5	30.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H804		Predicted	18	20.6	25.3	28.3	28.5	28.5	28.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H805		Predicted	21.7	24.4	28.9	31.8	32	32	32
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H806		Predicted	17.4	19.9	24.6	27.6	27.9	27.9	27.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H807		Predicted	19.1	21.7	26.5	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H808		Predicted	25	27.8	31.8	34.8	35.5	35.5	35.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H809		Predicted	17.1	19.8	24.5	27.4	27.6	27.6	27.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H810		Predicted	19.9	22.5	27.3	30.2	30.4	30.4	30.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H811		Predicted	21.8	24.4	28.7	31.5	31.8	31.8	31.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H812		Predicted	21.6	24.2	28.5	31.3	31.7	31.7	31.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H813		Predicted	19.2	21.8	26.5	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H814		Predicted	17.2	19.9	24.6	27.5	27.7	27.7	27.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H815		Predicted	17.5	20	24.7	27.7	28	28	28
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H816		Predicted	16.5	19	23.8	26.8	27	27	27
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H817		Predicted	11.3	14	18.7	21.6	21.8	21.8	21.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H818		Predicted	17	19.5	24.3	27.2	27.5	27.5	27.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H819		Predicted	11.4	14	18.8	21.7	21.9	21.9	21.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H820		Predicted	23.2	25.9	29.8	32.7	33.3	33.3	33.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H821		Predicted	19.3	21.8	26.6	29.5	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H822		Predicted	24.5	27.2	31.2	34.2	34.9	34.9	34.9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H823		Predicted	19.8	22.4	27.2	30.1	30.3	30.3	30.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H824		Predicted	11.4	14	18.8	21.7	21.8	21.8	21.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H825		Predicted	16.9	19.4	24.2	27.1	27.4	27.4	27.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H826		Predicted	19	21.6	26.4	29.3	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H827		Predicted	18.3	20.9	25.6	28.6	28.8	28.8	28.8
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H828		Predicted	11.3	13.9	18.7	21.6	21.8	21.8	21.8
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H829		Predicted	23.2	25.8	29.7	32.6	33.2	33.2	33.2
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H830		Predicted	17.2	19.7	24.5	27.5	27.7	27.7	27.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H831		Predicted	17.2	19.7	24.5	27.4	27.7	27.7	27.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H832		Predicted	19.2	21.8	26.6	29.5	29.7	29.7	29.7
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H833		Predicted	19	21.5	26	29	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H834		Predicted	16.8	19.3	24.1	27.1	27.3	27.3	27.3
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H835		Predicted	21.6	23.9	27.3	30	30.6	30.6	30.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H836		Predicted	23.3	25.9	29.9	32.8	33.4	33.4	33.4

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H837		Predicted	28	30.1	33.3	36.1	37	37	37
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H838		Predicted	21.6	24.2	28.8	31.6	31.8	31.8	31.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H839		Predicted	24.2	26.4	29.7	32.4	33.1	33.1	33.1
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H840		Predicted	17.1	19.6	24.4	27.4	27.6	27.6	27.6
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H841		Predicted	19.2	21.8	26.6	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H842		Predicted	18.8	21.4	26.1	29.1	29.3	29.3	29.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H843		Predicted	16.7	19.3	24	27	27.2	27.2	27.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H844		Predicted	21.5	24.2	28.7	31.6	31.8	31.8	31.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H845		Predicted	24.6	27.4	31.3	34.3	35	35	35
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H846		Predicted	19.6	22.2	27	29.9	30.1	30.1	30.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H847		Predicted	16.9	19.5	24.2	27.2	27.4	27.4	27.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H849		Predicted	19.6	22.2	27	29.9	30.1	30.1	30.1
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H851		Predicted	23.3	25.9	29.9	32.8	33.4	33.4	33.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H852		Predicted	16.7	19.3	24.1	27	27.2	27.2	27.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H853		Predicted	24.9	27.6	31.6	34.7	35.4	35.4	35.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H854		Predicted	22.8	25.1	28.5	31.2	31.9	31.9	31.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H855		Predicted	19.6	22.2	26.9	29.9	30.1	30.1	30.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H856		Predicted	16.6	19.2	23.9	26.9	27.1	27.1	27.1
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H857		Predicted	17.1	19.6	24.3	27.3	27.6	27.6	27.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H858		Predicted	24.6	27.4	31.4	34.4	35.1	35.1	35.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H859		Predicted	13.3	16	20.8	23.7	23.8	23.8	23.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H860		Predicted	16.8	19.4	24.1	27.1	27.3	27.3	27.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H861		Predicted	17.9	20.4	24.9	27.9	28.2	28.2	28.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H862		Predicted	23.6	25.8	29.3	32	32.6	32.6	32.6
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H863		Predicted	17.6	20.2	24.9	27.9	28.1	28.1	28.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H864		Predicted	18.9	21.5	26.3	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H865		Predicted	18.5	21.1	25.9	28.8	29	29	29
		Daytime Criterion	45	45	45	45	45	45	46

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H866		Predicted	19.6	22.2	27	29.9	30.1	30.1	30.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H867		Predicted	16.5	19.1	23.8	26.8	27	27	27
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H869		Predicted	19.3	22	26.8	29.7	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H870		Predicted	17	19.5	24.2	27.2	27.5	27.5	27.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H871		Predicted	23.3	26	29.9	32.8	33.4	33.4	33.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H872		Predicted	25	27.8	31.8	34.9	35.6	35.6	35.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H873		Predicted	16.9	19.5	24.3	27.2	27.4	27.4	27.4

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H874		Predicted	21.4	24.1	28.6	31.4	31.6	31.6	31.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H875		Predicted	19.5	22.1	26.9	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H876		Predicted	19.5	22.1	26.9	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H877		Predicted	19.4	21.9	26.5	29.4	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H879		Predicted	21.3	24	28.5	31.3	31.5	31.5	31.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H880		Predicted	16.6	19.2	24	26.9	27.1	27.1	27.1
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H881		Predicted	19.5	22	26.6	29.5	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H882		Predicted	17.7	20.1	24.6	27.6	28	28	28
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H883		Predicted	19.2	21.8	26.6	29.5	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H884		Predicted	19.1	21.7	26.5	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H885		Predicted	24.7	27.5	31.5	34.5	35.2	35.2	35.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H886		Predicted	13.3	15.9	20.7	23.6	23.8	23.8	23.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H887		Predicted	19	21.6	26.2	29.1	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H888		Predicted	24.9	27.7	31.7	34.8	35.5	35.5	35.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H889		Predicted	18.9	21.5	26.2	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H890		Predicted	26.2	29	33.1	36.2	37	37	37
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H891		Predicted	21.3	24	28.5	31.3	31.5	31.5	31.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H892		Predicted	19.2	21.8	26.6	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H893		Predicted	18.1	20.7	25.4	28.4	28.6	28.6	28.6
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H894		Predicted	16.4	19	23.7	26.7	26.9	26.9	26.9
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H895		Predicted	17	19.5	24.2	27.3	27.6	27.6	27.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H896		Predicted	18.2	20.7	25.3	28.2	28.5	28.5	28.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H897		Predicted	16.4	18.9	23.6	26.6	26.9	26.9	26.9
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H898		Predicted	23.1	25.8	29.7	32.6	33.2	33.2	33.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H899		Predicted	19.1	21.7	26.4	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H900		Predicted	19.2	21.8	26.5	29.4	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H901		Predicted	24.6	27.4	31.4	34.4	35.1	35.1	35.1
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H903		Predicted	16.9	19.4	24.1	27.1	27.4	27.4	27.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H905		Predicted	20.7	23.4	27.9	30.8	31	31	31
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H906		Predicted	23.8	26	29.4	32.1	32.8	32.8	32.8
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H907		Predicted	19.4	22	26.7	29.6	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H908		Predicted	20.1	22.8	27.4	30.3	30.4	30.4	30.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H909		Predicted	19.1	21.7	26.5	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H910		Predicted	23.3	26	29.9	32.8	33.4	33.4	33.4

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H911		Predicted	19.2	21.8	26.5	29.5	29.7	29.7	29.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H912		Predicted	21.2	23.9	28.4	31.2	31.4	31.4	31.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H914		Predicted	23.2	25.8	29.8	32.7	33.3	33.3	33.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H915		Predicted	19.1	21.7	26.4	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H916		Predicted	19.1	21.7	26.4	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H917		Predicted	20.2	22.9	27.6	30.4	30.6	30.6	30.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H918		Predicted	17.8	20.3	25.1	28	28.3	28.3	28.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H919		Predicted	16.5	19.1	23.9	26.8	27	27	27
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H920		Predicted	19.1	21.7	26.5	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H921		Predicted	16.9	19.4	24.1	27.1	27.4	27.4	27.4
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H923		Predicted	16.8	19.3	24	27	27.3	27.3	27.3
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H924		Predicted	21.2	23.8	28.3	31.1	31.4	31.4	31.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H925		Predicted	19.7	22.3	27.1	30	30.2	30.2	30.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H927		Predicted	19.1	21.7	26.4	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H928		Predicted	16.2	18.8	23.5	26.5	26.7	26.7	26.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H929		Predicted	19.7	22.2	27	30	30.2	30.2	30.2
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H930		Predicted	19.1	21.7	26.5	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H931		Predicted	19	21.6	26.4	29.3	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H932		Predicted	16.8	19.3	24	27	27.3	27.3	27.3
		Daytime Criterion	45	45	45	45	45	45.1	48.3
	NML 6	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43.9
		Night-time Excess	--	--	--	--	--	--	--
H933		Predicted	19.7	22.3	27.1	30	30.2	30.2	30.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H934		Predicted	18	20.6	25.3	28.2	28.5	28.5	28.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H935		Predicted	19.4	21.9	26.7	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H936		Predicted	19.7	22.3	27	30	30.2	30.2	30.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H937		Predicted	19	21.6	26.4	29.3	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H938		Predicted	27.8	29.9	33.2	36	37	37	37
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H939		Predicted	19.7	22.3	27	30	30.2	30.2	30.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H940		Predicted	19.7	22.2	27	29.9	30.2	30.2	30.2
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H941		Predicted	19.1	21.7	26.4	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H942		Predicted	19.6	22.2	27	29.9	30.1	30.1	30.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H943		Predicted	19.1	21.7	26.4	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H944		Predicted	19.6	22.1	26.9	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H945		Predicted	19.6	22.2	27	29.9	30.2	30.2	30.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H946		Predicted	21.1	23.8	28.3	31.1	31.3	31.3	31.3
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H947		Predicted	19.5	22.1	26.9	29.8	30	30	30

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H948		Predicted	19.5	22.1	26.9	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H949		Predicted	19.6	22.2	26.9	29.8	30.1	30.1	30.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H950		Predicted	19.6	22.2	26.9	29.8	30.1	30.1	30.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H951		Predicted	19.6	22.2	26.9	29.9	30.1	30.1	30.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H952		Predicted	19.6	22.1	26.9	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H953		Predicted	19.6	22.1	26.9	29.8	30	30	30
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H954		Predicted	19.5	22.1	26.9	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H955		Predicted	19.6	22.2	26.9	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H956		Predicted	19.5	22.1	26.8	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H957		Predicted	19.5	22.1	26.8	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H958		Predicted	13.2	15.8	20.6	23.5	23.7	23.7	23.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H959		Predicted	13.4	15.9	20.7	23.6	23.9	23.9	23.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H960		Predicted	19	21.6	26.3	29.3	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H961		Predicted	22.3	24.8	29	31.8	32.2	32.2	32.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H962		Predicted	19	21.6	26.4	29.3	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H963		Predicted	19.6	22.2	27	29.9	30.1	30.1	30.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H964		Predicted	17.8	20.4	25.1	28	28.3	28.3	28.3
		Daytime Criterion	45	45	45	45	45	45	46
	NML 3	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H966		Predicted	19.6	22.2	26.9	29.9	30.1	30.1	30.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H967		Predicted	16.2	18.8	23.6	26.5	26.7	26.7	26.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H968		Predicted	20.7	23.4	28	30.8	31	31	31
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H969		Predicted	19	21.6	26.4	29.3	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H970		Predicted	19.6	22.2	26.9	29.8	30.1	30.1	30.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H971		Predicted	19.6	22.2	26.9	29.8	30.1	30.1	30.1
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H972		Predicted	16.2	18.8	23.6	26.5	26.7	26.7	26.7
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H973		Predicted	19.3	21.9	26.7	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H974		Predicted	20.8	23.5	28.1	30.9	31.1	31.1	31.1
		Daytime Criterion	45	45	45	45	45	45.1	46.9
	NML 10	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H975		Predicted	16.3	18.9	23.6	26.6	26.8	26.8	26.8
		Daytime Criterion	45	45	45	45	45	45	45

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H976		Predicted	18.2	20.8	25.6	28.5	28.7	28.7	28.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H977		Predicted	14.2	16.8	21.5	24.5	24.7	24.7	24.7
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H978		Predicted	19.5	22.1	26.9	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H979		Predicted	20.2	22.9	27.6	30.4	30.6	30.6	30.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H980		Predicted	19.7	22.4	27.2	30	30.2	30.2	30.2
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H981		Predicted	19.1	21.7	26.4	29.4	29.6	29.6	29.6
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H982		Predicted	19.5	22.1	26.9	29.8	30	30	30

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H983		Predicted	16.1	18.6	23.4	26.4	26.6	26.6	26.6
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H984		Predicted	19.5	22.1	26.9	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H985		Predicted	19.5	22.1	26.8	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 2	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H986		Predicted	19.5	22.1	26.8	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	45
	NML 4	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H988		Predicted	19.5	22.1	26.8	29.8	30	30	30
		Daytime Criterion	45	45	45	45	45	45	46.1
	NML 8	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H989		Predicted	27.8	29.9	33.2	36	37	37	37
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
H991		Predicted	19.3	21.9	26.6	29.6	29.8	29.8	29.8
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H992		Predicted	19.4	22	26.8	29.7	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H993		Predicted	19.4	22	26.8	29.7	29.9	29.9	29.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H995		Predicted	19	21.6	26.3	29.3	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H996		Predicted	19	21.6	26.3	29.3	29.5	29.5	29.5
		Daytime Criterion	40	40	45	45	45	45	45
	NML 5	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H997		Predicted	24.5	27.2	31.2	34.2	34.9	34.9	34.9
		Daytime Criterion	45	45	45	45	45	45	45
	NML 9	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--
H998		Predicted	18.9	21.5	26.3	29.2	29.4	29.4	29.4
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43

NSL Ref	NML Assigned	Parameter	Predicted Omni-directional Cumulative Turbine Noise Level dB L_{A90} at Standardised Wind Speed at 10m						
			3	4	5	6	7	8	9
		Night-time Excess	--	--	--	--	--	--	--
H999		Predicted	19	21.5	26.3	29.2	29.5	29.5	29.5
		Daytime Criterion	45	45	45	45	45	45	45
	NML 7	Daytime Excess	--	--	--	--	--	--	--
		Night-time Criterion	43	43	43	43	43	43	43
		Night-time Excess	--	--	--	--	--	--	--

Note: A new NSL to the south of H434 with reference H3014 has been granted permission in late September 2026. This receiver is expected to have similar noise levels from operational turbines. It is acknowledged that future residential dwellings will be permitted and built in the area. However, at the time of the assessment (September 2026), the above list is complete.