AtkinsRéalis

Appendix 17-3 – Inventory of Recorded Structures in the Study Area

Uisce Éireann
October 2026

BALLINA AND LOUGH TALT WATER SUPPLY UPGRADE

Appendix 17.3

Inventory of Recorded Structures in the Study Area.

CH016	RMP/SMR RPS NIAH	MA030-037 0007 31303019	Located in mixed woodland, formerly part of the Belleek Castle estate, close to the W bank of the River Moy. This monument was commissioned by Charles James Knox (1835-1924) as a memorial to his father, Sir Francis Arthur Knox-Gore, Baronet and Lord Lieutenant of Sligo (1803-1873), who built the manor house, Belleek Abbey, located 150 m to NW. An elaborate cut-limestone, gothic-style structure crowns the summit of a substantial circular, flat-topped earthen mound (diam. approx. 23 m; top 10m; H 3.7 m). The mound is enclosed at its base by a fosse (Wth at base 4m) with external bank (Wth 10.3 m; int. H 2-2.5 m; ext. H 1 m). Steps have been cut into the slope of the mound at the SSE providing access to the top.	Monumental structure	Garrankeel
CH043	RPS NIAH	002 31303017	Detached five-bay (two-bay deep) two-storey over basement country house, begun 1825; completed 1831, on an E-shaped plan with single-bay two-storey gabled advanced end bays centred on single-bay full-height gabled breakfront; nine-bay two-storey rear (north) elevation centred on three-bay two-storey breakfront. Occupied, 1911. Sold, 1942. Vacant, 1948. In alternative use, 1954. Vacated, 1956. Sold, 1961, to accommodate alternative use. Pitched slate roofs on an E-shaped plan behind parapet with pressed or rolled lead ridges, limestone ashlar octagonal chimney stacks on cut-limestone chamfered cushion courses on limestone ashlar bases having stringcourses below corbelled stepped capping supporting terracotta or yellow terracotta octagonal pots, part iron-covered dragged cut-limestone coping to gables with cut-limestone octagonal pinnacles to apexes, and concealed rainwater goods retaining embossed cast-iron octagonal or ogee hopper and downpipes. Tuck pointed drag edged dragged limestone ashlar walls to front (south elevation on moulded cushion course on drag edged dragged cut-limestone plinth with pinnacle-topped drag edged dragged limestone ashlar octagonal piers to corners centred on drag edged dragged limestone	Country house (Belleek Abbey/Manor)	Garrankeel

			ashlar battlemented octagonal piers to corners (breakfront); tuck pointed drag edged tooled limestone ashlar surface finish (remainder) on moulded cushion course on drag edged dragged cut-limestone plinth with drag edged tooled cut-limestone flush quoins to corners. Hipped Tudor-headed central door opening approached by flight of four drag edged tooled cut-limestone steps, dragged cut-limestone doorcase with engaged colonettes supporting archivolt framing timber panelled double doors having sidelights on shield-detailed panelled risers below fanlight. Square-headed flanking window openings in bipartite arrangement with carved timber cruciform mullions and cut-limestone block-and-start surrounds having chamfered reveals with hood mouldings framing timber casement windows. Square-headed window openings (remainder) with drag edged dragged cut-limestone sills and drag edged tooled cut-limestone block-and-start surrounds with hood mouldings framing one-over-one (ground floor) or six-over-six (first floor) timber sash windows. Interior including (ground floor): central entrance hall with polished Portland Stone flagged floor, carved timber neo-Jacobean chimneypiece, quatrefoil-detailed carved timber Gothic-style surrounds to door openings framing timber panelled doors, and fan vaulted ceiling with carved timber ribs on panelled octagonal corbels centred on "Acanthus"-detailed ceiling rose; and carved timber surrounds to door openings to remainder framing timber panelled doors with carved timber surrounds to window openings framing timber panelled shutters on panelled risers. Set in landscaped grounds with drag edged tooled limestone ashlar chamfered piers to perimeter having moss-covered shallow pyramidal capping supporting quatrefoil-detailed cast-iron double gates.		
CH044	NIAH	31302206	Mullafarry Presbyterian Church. Detached three-bay double-height single-cell Presbyterian church, dated 1824; "unfinished" 1826; complete 1829, on a rectangular plan with single-bay single-storey gabled projecting porch to entrance (west) front abutting single-bay two-storey vestry. Pitched slate roofs including pitched (gabled) slate roof (porch) with clay or	Church/chapel	Mullafarry

			terracotta ridge tiles, rendered coping to gables including rendered red brick coping to gable (porch), and cast-iron rainwater goods on rendered eaves retaining cast-iron octagonal or ogee hoppers and downpipes. Rendered, ruled and lined walls. Pointed-arch window openings with rendered red brick sills, and concealed dressings framing storm glazing over three-over-nine timber sash windows without horns having interlocking Y-tracery glazing bars. Paired lancet window openings (east) with rendered red brick sills, and concealed dressings framing fixed-pane timber fittings having stained glass margins centred on leaded glazing bars. Full-height interior with tessellated terracotta tiled central aisle between trefoil-detailed timber pews, timber boarded or tongue-and-groove timber panelled wainscoting supporting carved timber dado rail, cut-white marble Classical-style wall monument (----), and carpeted stepped dais (east) with paired stained glass windows centred on trefoil-perforated Gothic-style timber panelled pulpit on an octagonal plan. Set in landscaped grounds with rendered piers to perimeter having gabled cruciform capping supporting spear head-detailed wrought iron double gates.		
CH045	NIAH	31302205	Detached three-bay single-storey school house with half-dormer attic, extant 1838, on a rectangular plan with outline of single-bay single-storey gabled advanced or projecting porch. In use, 1901. Disused, 1911. Pitched slate roof on timber construction with clay ridge tiles, ivy-covered rendered off-central chimney stack with capping not visible, and no rainwater goods surviving on cut-limestone eaves. Part ivy-covered fine roughcast walls. Square-headed window openings (east) with cut-limestone sills, and concealed dressings framing remains of six-over-six timber sash windows. Square-headed door opening (west) with concealed dressings framing timber boarded door. Square-headed window openings to gables to side elevations with cut-limestone sills, and concealed dressings framing one one-over-one timber sash windows. Road fronted with overgrown verge to front.	School	Lisglennon

CH046	NIAH	31302204	Detached four-bay double-height Board of First Fruits Church of Ireland church, under construction 1806; complete 1810, on a rectangular plan comprising three-bay double-height nave opening into single-bay double-height chancel (east) with single-bay three-stage tower to entrance (west) front on a square plan. "Improved", 1853-4. Closed, 1980. Now in ruins. Pitched roofs now missing with tooled cut-limestone coping to gables, and no rainwater goods surviving on tooled cut-limestone eaves retaining cast-iron octagonal or ogee hoppers and downpipes. Part creeper- or ivy-covered fine roughcast coursed rubble limestone walls with concealed hammered limestone flush quoins to corners; fine roughcast surface finish (tower) with tooled cut-limestone stringcourse (bell stage) supporting battlemented parapet having tooled cut-limestone coping. Pointed-arch window openings with drag edged dragged cut-limestone sills, timber Y-mullions, and drag edged tooled cut-limestone block-and-start surrounds centred on keystones framing fixed-pane timber fittings having cast-iron lattice glazing bars. Cusped "Trinity Window" (east) with drag edged dragged cut-limestone sill and drag edged tooled hammered limestone block-and-start surround having chamfered reveals framing fixed-pane fittings having cast-iron lattice glazing bars. Pointed-arch window opening (tower) with drag edged dragged cut-limestone sill, and concealed dressings with no fittings surviving. Pointed-arch openings (bell stage) with drag edged dragged cut-limestone surrounds having chamfered reveals framing applied timber Y-mullions on louvered fittings. Interior in ruins with remains of plastered slate hung surface finish, and Tudor-headed chancel arch framing overgrown stepped dais to chancel (east) below "Trinity Window". Set in landscaped grounds with piers to perimeter having lichen-covered dragged cut-limestone pyramidal capping supporting "Fleur-de-Lys"-detailed looped wrought iron double gates.	Church	Lisglennon
CH047	NIAH	31302207	Detached three-bay two-storey manse, "secured" 1872, on a T-shaped plan centred on single-bay single-storey gabled projecting porch to ground floor. Occupied, 1901; 1911. Reroofed, ----. Replacement pitched artificial	Manse	Mullafarry

			slate roofs including pitched (gabled) artificial slate roof (porch) with ridge tiles, red brick Running bond chimney stacks having corbelled stepped stringcourses below capping supporting terracotta or yellow terracotta octagonal pots, and uPVC rainwater goods on box eaves. Rendered walls with rusticated rendered quoins to ends. Segmental-headed central door opening with concealed dressings framing replacement timber panelled door having overlight. Square-headed window openings with cut-limestone sills, and concealed dressings framing two-over-two timber sash windows having part exposed sash boxes. Set back from road in landscaped grounds.		
CH048	NIAH	31302208	Detached three-bay two-storey split-level over part raised basement Board of First Fruits Church of Ireland glebe house, designed 1815; built 1820, on an L-shaped plan centred on single-bay single-storey flat-roofed projecting porch to ground floor; single-bay (west) or two-bay (east) full-height side elevations. "Improved", 186-, producing present composition. Occupied, 1901; 1911. Sold, 1933. Now disused. Hipped slate roof on an L-shaped plan with clay ridge tiles centred on limestone ashlar chimney stack having lichen-spotted cut-limestone stringcourse below capping supporting terracotta or yellow terracotta tapered pots, and remains of cast-iron rainwater goods on cut-limestone eaves on cut-limestone consoles retaining cast-iron downpipes. Part creeper- or ivy-covered lime rendered coursed or snecked limestone walls on cut-limestone chamfered cushion course on rendered base with concealed cut- or hammered limestone flush quoins to corners. Square-headed central window opening in round-headed recess (porch) with cut-limestone sill, and concealed dressings framing two-over-two timber sash window. Central door opening into glebe house. Square-headed window openings in round-headed recesses (ground floor) with drag edged dragged cut-limestone sills, and concealed red brick block-and-start surrounds framing two-over-two timber sash windows. Square-headed window openings (first floor) with drag edged dragged cut-limestone sills, and concealed red brick block-and-start surrounds framing two-	Rectory	Mullafarry

			over-two timber sash windows. Interior including (ground floor): central vestibule; hall retaining moulded surrounds to door openings with fittings now missing, staircase with balustrade now missing, and moulded surrounds to door openings to landing with fittings now missing. Set in unkempt grounds.		
CH049	NIAH	31303015	Detached three-bay single-storey crossing guard's lodge, commissioned 1893[?]; extant 1896, on a T-shaped plan centred on single-bay single-storey lean-to advanced porch with two-bay single-storey rear (south-east) elevation. Decommissioned, 1934. Now disused. Pitched slate roof on a T-shaped plan centred on lean-to slate roof with clay ridge tiles, red brick Running bond off-central chimney stack having stepped capping supporting terracotta or yellow terracotta pots, rendered chamfered coping to gables, and remains of cast-iron rainwater goods on timber eaves boards on exposed timber rafters retaining cast-iron downpipes. Rendered walls. Square-headed central door opening with red brick block-and-start surround framing unhinged timber boarded door. Square-headed flanking window openings with cut-limestone sills, and red brick block-and-start surrounds framing six-over-six timber sash windows. Set in unkempt grounds on a corner site.	Worker's house	Rathroeen
CH050	NIAH	31303018	Stable complex, begun 1825; completed 1831, on a U-shaped plan about a courtyard including (south): Detached three- or seven-bay single-storey stable block with half-attic on a symmetrical plan. Now disused. Pitched slate roof with moss-covered clay or terracotta ridge tiles, dragged cut-limestone coping to gables with tooled cut-limestone octagonal pinnacles to apexes, and cast-iron rainwater goods on cut-limestone eaves retaining cast-iron downpipes. Tuck pointed coursed or snecked tooled limestone walls with tooled cut-limestone flush quoins to corners. Series of three square-headed door openings in camber-headed recesses with tooled limestone ashlar voussoirs framing timber panelled doors. Square-headed window openings in camber-headed recesses with drag edged dragged cut-limestone sills, and tooled limestone ashlar voussoirs framing fixed-pane fittings having lattice glazing bars;	Stables (Belleck Abbey)	Garrankeel

			(west): Detached three-bay double-height stable block on a symmetrical plan. Now disused. Part overgrown pitched slate roof on collared timber construction with clay ridge tiles, and cast-iron rainwater goods on cut-limestone eaves retaining cast-iron downpipes. Tuck pointed snecked tooled limestone walls with tooled cut-limestone flush quoins to corners. Square ventilation loops centred on square-headed central door opening with cut-limestone surround having chamfered reveals framing remains of timber panelled door. Square-headed flanking window openings with cut-limestone surrounds having chamfered reveals framing remains of timber fittings; (north): Detached six-bay single-storey coach house with half-attic on a symmetrical plan. Now disused. Pitched slate roof with rolled iron ridge, dragged cut-limestone coping to gables with tooled cut-limestone octagonal pinnacles to apexes, and remains of cast-iron rainwater goods on cut-limestone eaves with downpipes now missing. Tuck pointed coursed or snecked tooled limestone walls with tooled cut-limestone flush quoins to corners. Series of four segmental-headed central carriageways with drag edged tooled limestone ashlar voussoirs centred on drag edged tooled cut-limestone keystones framing timber boarded double doors. Square-headed window openings in camber-headed recesses with drag edged dragged cut-limestone sills, and tooled limestone ashlar voussoirs framing fixed-pane fittings having cast-iron lattice glazing bars. Set in landscaped grounds shared with Belleek Manor.		
CH051	NIAH	31303025	Submerged reinforced concrete tugboat hull (SS Creteboom), launched 1919. Sold, 1922. Decommissioned, 1924. Dismantled, 1935. Resold, 1937, to accommodate alternative use. Repositioned, 1974. Set in marsh on bank of River Moy.	SS Creteboom	Garrankeel
CH052	NIAH	31303028	Detached four-bay single-storey national school, built 1900; extant 1901, on a T-shaped plan with single-bay (single- or two-bay deep) full-height central return (south). "Improved", 1961, producing present composition[?]. Closed, 1982[?]. In alternative use, 2007. Pitched slate roof on a T-shaped plan centred	School	Quignaman ger

			on pitched slate roof (south) with terracotta ridge tiles centred on rendered chimney stack having capping supporting terracotta pot, and cast-iron rainwater goods on exposed timber rafters retaining cast-iron downpipes. Roughcast walls on rendered chamfered plinth. Square-headed window openings with concrete or cut-limestone sills, and concealed dressings framing six-over-six timber sash windows. Set in unkempt grounds with ivy-covered piers to perimeter having chamfered capping.		
CH053	NIAH	31303102	Detached six-bay double-height Catholic church, reconstructed 1908/23, on a cruciform plan comprising three-bay double-height nave opening into single-bay (single-bay deep) double-height transepts centred on two-bay double-height chancel to crossing (east). "Restored", 1942. Renovated, ----, with sanctuary reordered. Pitched slate roof on a cruciform plan with clay ridge tiles, dragged cut-limestone coping to gables on "slated" kneelers with Cross finials to apexes, and replacement uPVC rainwater goods on eaves boards on rendered eaves retaining cast-iron downpipes. Replacement cement rendered walls. Lancet window openings with cut-limestone sills, and concealed dressings framing storm glazing over fixed-pane fittings having stained glass margins centred on leaded stained-glass panels. Lancet "Trinity Windows" to transepts with cut-limestone sills, and concealed dressings with hood mouldings over framing storm glazing over fixed-pane fittings having stained glass margins centred on leaded stained-glass panels. Pointed-arch window opening to chancel (east) with timber Y-mullion, and concealed dressings framing storm glazing over fixed-pane fittings having stained glass margins centred on leaded stained-glass panels. Lancet window opening to entrance (west) front with cut-limestone sill, and concealed dressings framing storm glazing over fixed-pane fitting having stained glass margins centred on leaded stained-glass panel. Pointed-arch door openings to transepts with concealed dressings framing timber boarded or tongue-and-groove timber panelled double doors having overpanels. Full-height interior open into roof with carpeted central aisle between timber pews, Gothic-style timber memorial stations between stained glass windows (1995) with	Church/chapel	Bunnyconnellan West

			timber panelled confessional boxes to transepts below stained glass "Trinity Windows" (????), exposed strutted collared timber roof construction on cut-limestone corbels with wind braced ceiling on carved timber cornice, and pointed-arch chancel arch framing carpeted stepped dais to sanctuary (east) reordered, ----, with timber altar table below stained glass memorial "East Window" (ob. 1943). Set in landscaped grounds.		