

Filename: \\na.aecomnet.com\lfs\EMEA\Leeds-UKLDS2\Legacy\UKLDS2PFPSW001\V1\IE\ENVIRONMENT\Proposals and Marketing\FY26 SpeculativeAir Quality\Dublin Airport IA EIAR Update\Deliverables\Figures\Chapter7_Figures_v2.aprx

Revision: P02 Drawn: OW Checked: GH Approved: GH Date: 2026-11-04

AECOM

PROJECT

Dublin Airport (Passenger Capacity) Act 2026

CLIENT

daa
Údarás Aerfort Bhaile Átha Cliath
Dublin Airport Authority

CONSULTANT

AECOM Limited
10th Floor The Clarence West Building
2 Clarence St W,
Belfast BT2 7GP
Tel: +44 (0)28 9060 7200
www.aecom.com

LEGEND

- Human Health Receptors
- Nature Conservation Receptors

NOTES

Microsoft, Vantor, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community
Copyright Government of Ireland, Licensed for re-use under the Creative Commons 4.0

ISSUE PURPOSE

FOR ISSUE

PROJECT NUMBER

60601864

FIGURE TITLE

Air Quality Monitoring Locations

FIGURE NUMBER

Figure 7-2f