

RECEIVED: 20/05/2026



APPENDIX 12-5

Tabulated V136 Noise Results

APPENDIX 12-5 TABULATED V136 NOISE RESULTS

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H001	Predicted	30.0	33.4	38.3	41.8	42.3	42.1	42.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H002	Predicted	28.0	31.4	36.3	39.8	40.3	40.1	40.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H003	Predicted	26.4	29.9	34.8	38.3	38.7	38.5	38.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H004	Predicted	28.4	31.9	36.8	40.3	40.8	40.6	40.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H005	Predicted	27.8	31.3	36.2	39.7	40.1	40.0	40.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H006	Predicted	28.4	31.9	36.8	40.3	40.8	40.6	40.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H007	Predicted	26.5	30.0	34.9	38.4	38.8	38.6	38.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H008	Predicted	27.8	31.3	36.2	39.7	40.1	39.9	39.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H009	Predicted	26.5	30.0	34.9	38.4	38.8	38.6	38.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H010	Predicted	27.4	30.9	35.8	39.3	39.8	39.6	39.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H011	Predicted	27.8	31.2	36.1	39.6	40.1	39.9	39.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H012	Predicted	26.2	29.7	34.6	38.1	38.6	38.4	38.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H013	Predicted	26.4	29.9	34.7	38.3	38.7	38.5	38.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H014	Predicted	27.0	30.5	35.3	38.9	39.3	39.1	39.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H015	Predicted	27.5	31.0	35.8	39.4	39.8	39.6	39.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H016	Predicted	26.9	30.4	35.3	38.8	39.2	39.0	39.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H017	Predicted	27.2	30.7	35.6	39.1	39.5	39.3	39.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H018	Predicted	27.3	30.8	35.6	39.2	39.6	39.4	39.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H019	Predicted	26.6	30.1	35.0	38.5	39.0	38.8	38.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H020	Predicted	25.7	29.2	34.1	37.6	38.1	37.9	37.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H021	Predicted	25.9	29.5	34.3	37.8	38.3	38.1	38.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H022	Predicted	25.4	28.9	33.8	37.3	37.8	37.5	37.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H023	Predicted	26.0	29.5	34.4	37.9	38.3	38.1	38.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H024	Predicted	25.7	29.2	34.0	37.6	38.0	37.8	37.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H025	Predicted	27.4	30.9	35.8	39.3	39.7	39.5	39.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H026	Predicted	25.1	28.6	33.5	37.0	37.5	37.2	37.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H027	Predicted	25.0	28.5	33.4	36.9	37.4	37.1	37.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H028	Predicted	25.0	28.5	33.4	36.9	37.4	37.1	37.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H029	Predicted	25.4	28.9	33.8	37.3	37.7	37.5	37.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H030	Predicted	26.3	29.8	34.7	38.2	38.7	38.4	38.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H031	Predicted	25.1	28.6	33.5	37.0	37.5	37.2	37.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H032	Predicted	26.3	29.8	34.7	38.2	38.7	38.4	38.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H033	Predicted	26.2	29.7	34.6	38.1	38.6	38.3	38.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H034	Predicted	25.0	28.5	33.3	36.9	37.3	37.1	37.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H035	Predicted	24.4	28.0	32.8	36.4	36.8	36.6	36.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H036	Predicted	25.6	29.1	34.0	37.5	38.0	37.7	37.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H037	Predicted	25.6	29.2	34.0	37.6	38.0	37.8	37.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H038	Predicted	24.7	28.2	33.0	36.6	37.0	36.8	36.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H039	Predicted	24.3	27.8	32.7	36.2	36.6	36.4	36.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H040	Predicted	25.3	28.8	33.6	37.2	37.6	37.4	37.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H041	Predicted	24.3	27.8	32.7	36.2	36.7	36.4	36.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H042	Predicted	25.7	29.3	34.1	37.7	38.1	37.9	37.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H043	Predicted	24.2	27.7	32.5	36.1	36.5	36.3	36.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H044	Predicted	25.2	28.7	33.6	37.1	37.6	37.3	37.3

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H045	Predicted	25.5	29.0	33.9	37.4	37.9	37.6	37.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H046	Predicted	24.0	27.5	32.4	35.9	36.3	36.1	36.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H047	Predicted	24.0	27.5	32.3	35.9	36.3	36.1	36.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H048	Predicted	23.5	27.0	31.9	35.4	35.9	35.6	35.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H049	Predicted	25.0	28.5	33.4	36.9	37.3	37.1	37.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H050	Predicted	25.3	28.8	33.6	37.2	37.6	37.4	37.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H051	Predicted	23.5	27.0	31.8	35.4	35.8	35.6	35.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H052	Predicted	24.8	28.3	33.2	36.7	37.1	36.9	36.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H053	Predicted	24.7	28.2	33.0	36.6	37.0	36.8	36.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H054	Predicted	23.2	26.7	31.6	35.1	35.6	35.3	35.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H055	Predicted	22.8	26.4	31.2	34.8	35.2	34.9	34.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H056	Predicted	24.5	28.0	32.8	36.4	36.8	36.6	36.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H057	Predicted	24.2	27.8	32.6	36.2	36.6	36.4	36.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H058	Predicted	22.4	25.9	30.7	34.3	34.7	34.4	34.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H059	Predicted	22.7	26.2	31.1	34.6	35.0	34.8	34.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H060	Predicted	22.6	26.1	31.0	34.5	35.0	34.7	34.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H061	Predicted	22.4	25.9	30.8	34.3	34.7	34.5	34.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H062	Predicted	22.5	26.0	30.9	34.4	34.8	34.6	34.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H063	Predicted	22.1	25.6	30.5	34.0	34.4	34.2	34.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H064	Predicted	22.2	25.8	30.6	34.2	34.6	34.3	34.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H065	Predicted	23.1	26.6	31.4	35.0	35.4	35.2	35.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H066	Predicted	22.0	25.6	30.4	34.0	34.4	34.1	34.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H067	Predicted	22.0	25.5	30.4	33.9	34.3	34.1	34.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H068	Predicted	22.2	25.7	30.6	34.1	34.5	34.3	34.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H069	Predicted	22.5	26.1	30.9	34.5	34.9	34.6	34.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H070	Predicted	23.4	26.9	31.7	35.3	35.7	35.4	35.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H071	Predicted	22.6	26.2	31.0	34.6	35.0	34.7	34.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H072	Predicted	21.8	25.3	30.1	33.7	34.1	33.8	33.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H073	Predicted	21.3	24.9	29.7	33.3	33.7	33.4	33.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H074	Predicted	22.8	26.3	31.2	34.7	35.2	34.9	34.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H075	Predicted	21.7	25.2	30.1	33.6	34.0	33.8	33.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H076	Predicted	22.4	26.0	30.8	34.4	34.8	34.5	34.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H077	Predicted	21.7	25.2	30.1	33.6	34.0	33.8	33.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H078	Predicted	21.8	25.4	30.2	33.8	34.2	33.9	33.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H079	Predicted	21.3	24.8	29.6	33.2	33.6	33.4	33.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H080	Predicted	21.6	25.2	30.0	33.6	34.0	33.7	33.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H081	Predicted	21.0	24.5	29.4	32.9	33.4	33.1	33.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H082	Predicted	21.3	24.9	29.7	33.3	33.7	33.4	33.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H083	Predicted	22.0	25.5	30.3	33.9	34.3	34.0	34.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H084	Predicted	21.0	24.5	29.4	32.9	33.4	33.1	33.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H085	Predicted	20.9	24.5	29.3	32.9	33.3	33.0	33.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H086	Predicted	21.1	24.6	29.5	33.0	33.4	33.2	33.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H087	Predicted	20.7	24.3	29.1	32.7	33.1	32.8	32.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H088	Predicted	20.7	24.2	29.0	32.6	33.0	32.7	32.7

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H089	Predicted	20.8	24.3	29.1	32.7	33.1	32.8	32.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H090	Predicted	20.9	24.4	29.2	32.8	33.2	32.9	32.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H091	Predicted	19.9	23.5	28.3	31.9	32.3	32.0	32.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H092	Predicted	20.1	23.6	28.4	32.0	32.4	32.1	32.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H093	Predicted	20.3	23.8	28.6	32.2	32.6	32.3	32.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H094	Predicted	20.4	23.9	28.8	32.3	32.7	32.4	32.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H095	Predicted	20.6	24.2	29.0	32.6	33.0	32.7	32.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H096	Predicted	20.7	24.2	29.1	32.6	33.1	32.8	32.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H097	Predicted	20.8	24.4	29.2	32.8	33.2	32.9	32.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H098	Predicted	20.6	24.2	29.0	32.6	33.0	32.7	32.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H099	Predicted	20.4	23.9	28.8	32.3	32.7	32.4	32.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H100	Predicted	20.6	24.1	29.0	32.5	32.9	32.6	32.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H101	Predicted	20.1	23.7	28.5	32.1	32.5	32.2	32.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H102	Predicted	20.2	23.7	28.5	32.1	32.5	32.2	32.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H103	Predicted	20.7	24.2	29.1	32.6	33.0	32.8	32.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H104	Predicted	20.0	23.6	28.4	32.0	32.4	32.1	32.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H105	Predicted	19.7	23.2	28.1	31.6	32.0	31.7	31.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H106	Predicted	19.3	22.9	27.7	31.3	31.7	31.4	31.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H107	Predicted	19.8	23.4	28.2	31.8	32.2	31.9	31.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H108	Predicted	19.3	22.8	27.7	31.2	31.6	31.4	31.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H109	Predicted	20.8	24.4	29.2	32.8	33.2	32.9	32.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H110	Predicted	19.8	23.3	28.1	31.7	32.1	31.8	31.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H111	Predicted	19.6	23.2	28.0	31.6	32.0	31.7	31.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H112	Predicted	19.4	23.0	27.8	31.4	31.8	31.5	31.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H113	Predicted	20.2	23.7	28.5	32.1	32.5	32.2	32.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H114	Predicted	18.6	22.2	27.0	30.6	31.0	30.7	30.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H115	Predicted	18.4	21.9	26.8	30.3	30.7	30.4	30.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H116	Predicted	18.8	22.3	27.2	30.7	31.2	30.8	30.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H117	Predicted	18.9	22.4	27.3	30.8	31.3	31.0	31.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H118	Predicted	19.1	22.7	27.5	31.1	31.5	31.2	31.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H119	Predicted	18.7	22.2	27.1	30.6	31.0	30.7	30.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H120	Predicted	18.7	22.2	27.0	30.6	31.0	30.7	30.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H121	Predicted	18.9	22.5	27.3	30.9	31.3	31.0	31.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H122	Predicted	18.6	22.1	27.0	30.5	30.9	30.6	30.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H123	Predicted	18.3	21.9	26.7	30.3	30.7	30.4	30.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H124	Predicted	18.4	22.0	26.8	30.4	30.8	30.5	30.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H125	Predicted	18.6	22.2	27.0	30.6	31.0	30.7	30.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H126	Predicted	18.3	21.8	26.6	30.2	30.6	30.3	30.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H127	Predicted	18.3	21.8	26.7	30.2	30.7	30.4	30.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H128	Predicted	18.7	22.2	27.1	30.6	31.0	30.7	30.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H129	Predicted	18.5	22.1	26.9	30.5	30.9	30.6	30.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H130	Predicted	18.2	21.7	26.5	30.1	30.5	30.2	30.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H131	Predicted	18.1	21.6	26.4	30.0	30.4	30.1	30.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H132	Predicted	17.4	21.0	25.8	29.4	29.8	29.4	29.4

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H133	Predicted	17.4	20.9	25.8	29.3	29.7	29.4	29.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H134	Predicted	18.1	21.6	26.5	30.0	30.4	30.1	30.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H135	Predicted	18.2	21.8	26.6	30.2	30.6	30.3	30.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H136	Predicted	17.7	21.3	26.1	29.7	30.1	29.8	29.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H137	Predicted	17.3	20.9	25.7	29.3	29.7	29.4	29.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H138	Predicted	18.2	21.8	26.6	30.2	30.6	30.3	30.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H139	Predicted	18.5	22.0	26.9	30.4	30.8	30.5	30.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H140	Predicted	18.3	21.9	26.7	30.3	30.7	30.4	30.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H141	Predicted	18.1	21.7	26.5	30.0	30.5	30.2	30.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H142	Predicted	18.2	21.8	26.6	30.2	30.6	30.2	30.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H143	Predicted	17.2	20.7	25.6	29.1	29.5	29.2	29.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H144	Predicted	18.2	21.8	26.6	30.2	30.6	30.3	30.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H145	Predicted	17.1	20.6	25.5	29.0	29.4	29.1	29.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H146	Predicted	17.3	20.8	25.7	29.2	29.6	29.3	29.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H147	Predicted	17.7	21.2	26.1	29.6	30.1	29.7	29.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H148	Predicted	17.0	20.6	25.4	29.0	29.4	29.0	29.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H149	Predicted	18.0	21.5	26.3	29.9	30.3	30.0	30.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H150	Predicted	16.8	20.3	25.2	28.7	29.1	28.8	28.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H151	Predicted	16.6	20.1	24.9	28.5	28.9	28.6	28.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H152	Predicted	17.2	20.8	25.6	29.2	29.6	29.3	29.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H153	Predicted	16.5	20.1	24.9	28.5	28.9	28.6	28.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H154	Predicted	16.6	20.1	25.0	28.5	28.9	28.6	28.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H155	Predicted	16.4	20.0	24.8	28.4	28.8	28.4	28.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H156	Predicted	16.8	20.4	25.2	28.8	29.2	28.9	28.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H157	Predicted	16.4	20.0	24.8	28.4	28.8	28.4	28.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H158	Predicted	17.2	20.8	25.6	29.2	29.6	29.2	29.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H159	Predicted	16.3	19.9	24.7	28.3	28.7	28.3	28.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H160	Predicted	16.3	19.8	24.7	28.2	28.6	28.3	28.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H161	Predicted	16.2	19.8	24.6	28.2	28.6	28.3	28.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H162	Predicted	16.2	19.8	24.6	28.2	28.6	28.2	28.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H163	Predicted	16.1	19.6	24.5	28.0	28.4	28.1	28.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H164	Predicted	16.1	19.7	24.5	28.1	28.5	28.2	28.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H165	Predicted	17.1	20.6	25.5	29.0	29.4	29.1	29.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H166	Predicted	15.9	19.5	24.3	27.9	28.3	27.9	27.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H167	Predicted	16.8	20.4	25.2	28.8	29.2	28.8	28.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H168	Predicted	15.9	19.5	24.3	27.9	28.3	27.9	27.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H169	Predicted	15.8	19.3	24.2	27.7	28.1	27.8	27.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H170	Predicted	15.8	19.3	24.2	27.7	28.1	27.8	27.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H171	Predicted	15.7	19.2	24.1	27.6	28.0	27.7	27.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H172	Predicted	15.7	19.2	24.1	27.6	28.0	27.7	27.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H173	Predicted	16.4	20.0	24.8	28.3	28.8	28.4	28.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H174	Predicted	15.4	19.0	23.8	27.4	27.8	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H175	Predicted	15.3	18.9	23.7	27.3	27.7	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H176	Predicted	15.8	19.4	24.2	27.8	28.2	27.8	27.8

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H177	Predicted	15.3	18.9	23.7	27.3	27.7	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H178	Predicted	15.3	18.9	23.7	27.3	27.7	27.3	27.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H179	Predicted	15.1	18.6	23.5	27.0	27.4	27.1	27.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H180	Predicted	15.1	18.6	23.5	27.0	27.4	27.1	27.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H181	Predicted	15.0	18.6	23.4	27.0	27.4	27.0	27.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H182	Predicted	14.8	18.4	23.2	26.8	27.2	26.8	26.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H183	Predicted	14.7	18.2	23.1	26.6	27.0	26.7	26.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H184	Predicted	15.6	19.2	24.0	27.5	28.0	27.6	27.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H185	Predicted	14.6	18.2	23.0	26.6	27.0	26.6	26.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H186	Predicted	15.4	19.0	23.8	27.4	27.8	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H187	Predicted	15.4	19.0	23.8	27.4	27.8	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H188	Predicted	15.4	19.0	23.8	27.4	27.8	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H189	Predicted	15.4	19.0	23.8	27.4	27.8	27.4	27.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H190	Predicted	15.2	18.8	23.6	27.2	27.6	27.2	27.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H191	Predicted	15.2	18.7	23.6	27.1	27.5	27.2	27.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H192	Predicted	15.1	18.6	23.5	27.0	27.4	27.1	27.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H193	Predicted	15.1	18.7	23.5	27.0	27.4	27.1	27.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H194	Predicted	15.0	18.6	23.4	27.0	27.4	27.0	27.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H195	Predicted	14.4	18.0	22.8	26.4	26.8	26.4	26.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H196	Predicted	14.3	17.9	22.7	26.3	26.7	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H197	Predicted	15.0	18.5	23.4	26.9	27.3	27.0	27.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H198	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H199	Predicted	14.4	18.0	22.8	26.4	26.8	26.4	26.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H200	Predicted	15.1	18.7	23.5	27.1	27.5	27.1	27.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H201	Predicted	14.9	18.4	23.3	26.8	27.2	26.9	26.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H202	Predicted	14.9	18.5	23.3	26.9	27.3	26.9	26.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H203	Predicted	14.3	17.8	22.7	26.2	26.6	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H204	Predicted	14.9	18.5	23.3	26.8	27.2	26.9	26.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H205	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H206	Predicted	14.8	18.4	23.2	26.8	27.2	26.8	26.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H207	Predicted	14.8	18.4	23.2	26.7	27.1	26.8	26.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H208	Predicted	14.0	17.6	22.5	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H209	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H210	Predicted	14.0	17.6	22.5	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H211	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H212	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H213	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H214	Predicted	15.0	18.6	23.5	27.0	27.4	27.1	27.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H215	Predicted	14.0	17.5	22.4	25.9	26.3	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H216	Predicted	13.9	17.5	22.3	25.9	26.3	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H217	Predicted	13.9	17.5	22.4	25.9	26.3	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H218	Predicted	14.1	17.7	22.5	26.1	26.5	26.1	26.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H219	Predicted	13.9	17.5	22.3	25.9	26.3	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H220	Predicted	13.8	17.4	22.3	25.8	26.2	25.8	25.8

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H221	Predicted	13.9	17.4	22.3	25.8	26.2	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H222	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H223	Predicted	14.6	18.1	23.0	26.5	26.9	26.6	26.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H224	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H225	Predicted	14.5	18.1	22.9	26.5	26.9	26.5	26.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H226	Predicted	14.5	18.1	22.9	26.5	26.9	26.5	26.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H227	Predicted	14.8	18.4	23.2	26.8	27.2	26.8	26.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H228	Predicted	13.8	17.4	22.2	25.7	26.1	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H229	Predicted	13.8	17.4	22.2	25.7	26.1	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H230	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H231	Predicted	14.5	18.0	22.9	26.4	26.8	26.5	26.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H232	Predicted	13.8	17.3	22.2	25.7	26.1	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H233	Predicted	14.5	18.1	22.9	26.5	26.9	26.5	26.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H234	Predicted	13.7	17.3	22.2	25.7	26.1	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H235	Predicted	13.7	17.3	22.1	25.7	26.1	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H236	Predicted	14.7	18.3	23.2	26.7	27.1	26.8	26.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H237	Predicted	14.4	17.9	22.8	26.3	26.7	26.4	26.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H238	Predicted	13.5	17.1	21.9	25.5	25.9	25.5	25.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H239	Predicted	14.3	17.9	22.7	26.2	26.6	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H240	Predicted	13.9	17.5	22.3	25.9	26.3	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H241	Predicted	14.6	18.2	23.0	26.6	27.0	26.6	26.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H242	Predicted	14.2	17.8	22.7	26.2	26.6	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H243	Predicted	13.9	17.5	22.3	25.9	26.3	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H244	Predicted	14.3	17.9	22.7	26.3	26.7	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H245	Predicted	13.8	17.4	22.3	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H246	Predicted	13.9	17.4	22.3	25.8	26.2	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H247	Predicted	13.9	17.5	22.3	25.9	26.3	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H248	Predicted	13.9	17.5	22.3	25.8	26.2	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H249	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H250	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H251	Predicted	13.8	17.3	22.2	25.7	26.1	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H252	Predicted	13.4	17.0	21.8	25.4	25.8	25.4	25.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H253	Predicted	14.4	18.0	22.8	26.4	26.8	26.4	26.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H254	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H255	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H256	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H257	Predicted	13.7	17.3	22.1	25.7	26.1	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H258	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H259	Predicted	14.0	17.5	22.4	25.9	26.3	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H260	Predicted	14.0	17.5	22.4	25.9	26.3	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H261	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H262	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H263	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H264	Predicted	13.9	17.5	22.3	25.9	26.3	25.9	25.9

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H265	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H266	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H267	Predicted	14.3	17.9	22.7	26.3	26.7	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H268	Predicted	14.3	17.9	22.7	26.3	26.7	26.3	26.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H269	Predicted	14.0	17.6	22.4	26.0	26.4	26.0	26.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H270	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H271	Predicted	13.6	17.1	22.0	25.5	25.9	25.6	25.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H272	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H273	Predicted	13.7	17.2	22.1	25.6	26.0	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H274	Predicted	13.9	17.4	22.3	25.8	26.2	25.9	25.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H275	Predicted	14.2	17.8	22.6	26.2	26.6	26.2	26.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H276	Predicted	13.7	17.3	22.1	25.7	26.1	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H277	Predicted	13.7	17.2	22.1	25.6	26.0	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H278	Predicted	13.1	16.6	21.5	25.0	25.4	25.0	25.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H279	Predicted	13.3	16.9	21.7	25.2	25.6	25.3	25.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H280	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H281	Predicted	14.1	17.7	22.5	26.1	26.5	26.1	26.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H282	Predicted	13.4	17.0	21.8	25.3	25.7	25.4	25.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H283	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H284	Predicted	13.1	16.7	21.5	25.1	25.5	25.1	25.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H285	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H286	Predicted	13.4	16.9	21.8	25.3	25.7	25.3	25.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H287	Predicted	12.9	16.5	21.4	24.9	25.3	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H288	Predicted	13.7	17.3	22.1	25.7	26.1	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H289	Predicted	13.1	16.6	21.5	25.0	25.4	25.0	25.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H290	Predicted	13.7	17.2	22.1	25.6	26.0	25.7	25.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H291	Predicted	13.2	16.7	21.6	25.1	25.5	25.1	25.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H292	Predicted	13.1	16.7	21.5	25.1	25.5	25.1	25.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H293	Predicted	12.9	16.5	21.4	24.9	24.0	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H294	Predicted	12.9	16.5	21.3	24.9	25.3	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H295	Predicted	13.6	17.2	22.0	25.6	26.0	25.6	25.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H296	Predicted	12.6	16.1	21.0	24.5	23.6	24.5	24.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H297	Predicted	12.9	16.5	21.3	24.9	25.3	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H298	Predicted	13.1	16.7	21.5	25.1	25.5	25.1	25.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H299	Predicted	12.9	16.5	21.3	24.9	25.3	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H300	Predicted	13.8	17.4	22.2	25.8	26.2	25.8	25.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H301	Predicted	12.9	16.4	21.3	24.8	25.2	24.8	24.8
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H302	Predicted	13.6	17.2	22.0	25.5	25.9	25.6	25.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H303	Predicted	10.9	14.5	19.3	22.9	23.3	22.9	22.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H304	Predicted	12.9	16.5	21.3	24.9	25.3	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H305	Predicted	12.9	16.4	21.3	24.8	25.2	24.9	24.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H306	Predicted	11.2	14.7	19.6	23.1	23.2	23.2	23.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H307	Predicted	11.2	14.8	19.6	23.2	23.6	23.2	23.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H308	Predicted	10.9	14.4	19.3	22.8	23.2	22.8	22.8

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H309	Predicted	13.5	17.0	21.9	25.4	25.8	25.4	25.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H310	Predicted	13.4	17.0	21.8	25.4	25.8	25.4	25.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H311	Predicted	13.4	17.0	21.8	25.4	25.8	25.4	25.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H312	Predicted	11.4	15.0	19.8	23.4	23.8	23.4	23.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H313	Predicted	11.4	14.9	19.8	23.3	23.7	23.4	23.4
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H314	Predicted	13.7	17.2	22.1	25.6	26.0	25.6	25.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H315	Predicted	11.3	14.9	19.7	23.3	23.7	23.3	23.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H316	Predicted	13.0	16.6	21.4	24.9	25.3	25.0	25.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
H317	Predicted	10.9	14.5	19.3	22.9	23.3	22.9	22.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H318	Predicted	11.0	14.6	19.4	23.0	23.4	23.0	23.0
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H319	Predicted	11.3	14.8	19.7	23.2	23.6	23.3	23.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H320	Predicted	12.6	16.2	21.0	24.6	25.0	24.6	24.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H321	Predicted	12.5	16.1	20.9	24.4	24.8	24.5	24.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H322	Predicted	13.6	17.2	22.0	25.5	25.9	25.6	25.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H323	Predicted	12.7	16.2	21.1	24.6	25.0	24.7	24.7
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H324	Predicted	13.5	17.1	21.9	25.5	25.9	25.5	25.5
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H325	Predicted	11.2	14.7	19.6	23.1	23.5	23.2	23.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0

NSL Ref	Parameter	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H326	Predicted	10.6	14.2	19.0	22.6	23.0	22.6	22.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H327	Predicted	11.1	14.7	19.5	23.1	23.5	23.1	23.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H328	Predicted	11.1	14.6	19.5	23.0	23.4	23.1	23.1
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H329	Predicted	27.1	30.6	35.5	39.0	39.5	39.3	39.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H330	Predicted	28.2	31.7	36.6	40.1	40.5	40.3	40.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H331	Predicted	21.1	24.6	29.5	33.0	33.4	33.2	33.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H332	Predicted	21.5	25.0	29.9	33.4	33.8	33.6	33.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H333	Predicted	20.8	24.3	29.2	32.7	33.2	32.9	32.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H334	Predicted	20.5	24.1	28.9	32.5	32.9	32.6	32.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0

NSL Ref	Parameter	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H335	Predicted	21.2	24.8	29.6	33.2	33.6	33.3	33.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H336	Predicted	18.2	21.8	26.6	30.2	30.6	30.3	30.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H337	Predicted	20.6	24.1	29.0	32.5	32.9	32.6	32.6
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H338	Predicted	18.9	22.4	27.3	30.8	31.2	30.9	30.9
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H339	Predicted	17.3	20.9	25.7	29.2	29.7	29.3	29.3
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--
H340	Predicted	19.2	22.7	27.6	31.1	31.5	31.2	31.2
	Daytime Criterion	40.0	40.0	40.0	45.0	45.0	45.0	45.0
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night-time Excess	--	--	--	--	--	--	--