

-Tree guard - 600 mm x 57mm diameter, attached using ties. tree guard fixed using a 900mm x 25mm square softwood pressure treated stake driven 300mm into the 1000mm centres Proposed woodland understorey; refer to planting schedule -75mm depth ornamental grade bark mulch, well composted bark mulch 5-35mm grading as specified 400mm high quality topsoil to BS3882:2007 Existing subsoil excavated a minimum of 400mm, regraded and prepared for imported topsoil as specified. **GENERAL NOTE:** 1. all plants to be thoroughly graded for quality prior to planting. planting in single species blocks of 9 at 1.5m all plants treated with alginure rootdip prior to planting. all plants to be plumbed, firmed up and treated with 70g enmag after planting.
all transplants to be fitted with tree guards. fit in accordance with manufacturer's written instructions.

PROPOSED HEDGE PLANTING. REFER TO PLANTING SCHEDULE -75MM DEPTH ORNAMENTAL GRADE **BARK MULCH**

-900MM X 400MM DEEP TRENCH BACKFILLED WITH PROPOSED TOPSOIL -100MM CLEAN STONE DRAINAGE LAYER EXISTING SUBSOIL EXCAVATED A MINIMUM OF 200MM, REGRADED AND PREPARED FOR TOPSOIL

04 TYPICAL SOIL PROFILE: WOODLAND EDGE MIX

05 HEDGE DETAIL 7000 SCALE 1 : 20@A1

PROJECT

CASTLETREASURE HOUSING **DEVELOPMENT**


CLIENT

CAIRN PLC

CONSULTANT

AECOM Ireland Ltd 1st Floor Montrose House Carrigaline Road Douglas, Cork, Ireland T +353-021-436-5006 www.aecom.com

ISSUE/REVISION



PROJECT NUMBER


60577778

SHEET TITLE

TYPICAL SOFTSCAPE DETAILS 1/3

SHEET NUMBER

60577778-SHT-20-0000-L-7000



03 WOODLAND AND UNDERSTOREY TRANSPLANT DETAIL

7000 SCALE 1 : 20@A1

WOODLAND EDGE MIX REFER TO PLANTING SCHEDULE 75MM DEPTH ORNAMENTAL GRADE BARK MULCH 400MM DEPTH TOPSOIL 650MM DEPTH SUBSOIL

7000 SCALE 1 : 20@A1