DRIP IRRIGATION SYSTEM UNDER MULCH CONNECTED TO PLANT ROOM AND ELECTRICAL DISTRIBUTION BOARD

> HIGH QUALITY TO SOIL TO SPECIFICATION REFER TO SPECIFICATION CLAUSE Q28


> 50MM BARK MULCH AS PER SPECIFICATION

2NO UPLIGHTERS PER PLANTER.

UPLIGHTING TO LIGHTING ENGINEER'S DETAIL.

PRODUCT: WE-EF ETC 109 LED OR EQUIVALENT STEEL SUPPORTS TO BASE 100MM ABOVE GROUND TO ALLOW MOVEMENT BY FORKLIFT / TROLLY JACK

IN BASEMENT BY M&E SPECIALIST. REFER TO SPECIFICATION S14 110 -



5MMM POWDER COATED GALVANISED STEEL PLANTER FRAME 75MM RETURN AT TOP RAL COLOUR TO BE AGREED NON METALLIC PACKING BETWEEN OUTER AND INNER PLANTER, SUFFICIENT TO PREVENT DENTING AND BUCKLING OF OUTER CLADDING.

GRP INTERNAL PLANTER TO STEEL PLANTER ALLOW FOR DRAINAGE, IRRIGATION AND POWER SUPPLY FROM BASE PLANTER TO BE BRACED AS NECESSARY TO ENSURE THAT IT IS RIGID ENOUGH TO BE MOVED BY FORKLIFT/ TROLLEY JACK.


25MM DRAINAGE AND RESERVOIR WITH NON WOVEN MEMBRANE BETWEEN SOIL AND PLANTER WITH 3No WEEP HOLES TO ALLOW POSITIVE DRAINAGE

FABRICATION DRAWINGS TO BE PROVIDED FOR APPROVAL BY STRUCTURAL ENGINEER AND LANDSCAPE ARCHITECT

NATURALISED BULBS SHOULD BE SCATTERED BY HAND WITHIN THE DESIGNATED PLANTING AREA AND PLANTED WHERE THEY FALL. BULBS SHOULD BE PLANTED AT CORRECT DEPTH AND ORIENTATION.

02 FEATHER TREE DETAIL

7002 SCALE 1 : 20@A1



03 TYPICAL SOIL PROFILE: BULBS 7002 SCALE 1 : 20@A1

01 PLANTER DETAIL - APARTMENT COURTYARD 7002 SCALE 1 : 20@A1

ISSUE/REVISION

23-04-19 FOR PLANNING I/R DATE DESCRIPTION

AECOM

CASTLETREASURE

DEVELOPMENT

PROJECT

CLIENT

HOUSING

CAIRN PLC

CONSULTANT

AECOM Ireland Ltd

T +353-021-436-5006

Carrigaline Road Douglas, Cork, Ireland

www.aecom.com

1st Floor Montrose House

PROJECT NUMBER

60577778

SHEET TITLE

TYPICAL SOFTSCAPE DETAILS 3/3

SHEET NUMBER

60577778-SHT-20-0000-L-7002