

© Copyright  
This drawing and any design hereon is the copyright of the Consultants and must not be reproduced without their written consent.

All drawings remain the property of the Consultants.

**LEGEND**

PROPOSED SURFACE WATER DRAIN AND MANHOLE	
EXISTING SURFACE WATER DRAIN AND MANHOLE	
PROPOSED FOUL WATER DRAIN AND MANHOLE	
EXISTING FOUL WATER DRAIN AND MANHOLE	
PROPOSED FOUL RISING MAIN	
EXISTING FOUL RISING MAIN	
SURFACE WATER OUTFALL	
PROPOSED SPOT LEVELS	
SITE BOUNDARY	

**NOTES:**

UP TO INSPECTION CHAMBERS, THE FOUL SEWER SYSTEM HAS BEEN DESIGNED AND DETAILED IN ACCORDANCE WITH IRISH WATER'S CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE (IW-CDS-5030-03) AND IRISH WATER'S WASTEWATER INFRASTRUCTURE STANDARD DETAILS (IW-CDS-5030-01).

THE FOUL SEWER SYSTEM IS TO BE CONSTRUCTED IN ACCORDANCE WITH IRISH WATER'S CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE (IW-CDS-5030-03) AND IRISH WATER'S WASTEWATER INFRASTRUCTURE STANDARD DETAILS (IW-CDS-5030-01).

CONSTRUCTION OF THE FOUL SEWER SYSTEM SHALL ENSURE REQUIRED SEPARATION DISTANCES AS SPECIFIED IN SECTION 3.5 OF IW-CDS-5030-03.

FOUL SEWERS TO BE THERMOPLASTIC STRUCTURED WALL PIPES IN ACCORDANCE WITH SECTION 3.13 OF IW-CDS-5030-03.

FOUL SERVICE CONNECTIONS TO BE UPVC PIPES IN ACCORDANCE WITH SECTION 3.13 OF IW-CDS-5030-03.

MANHOLES TO BE PRECAST CONCRETE AND IN ACCORDANCE WITH SECTION 3.12 OF IW-CDS-5030-03 AND STD-WW-10 OF IW-CDS-5030-01, WITH BACKDROP MANHOLES TO BE AS PER STD-WW-12.

PRIVATE-SIDE INSPECTION CHAMBERS SHALL BE AS PER STD-WW-13.

WHERE LOCATED IN UNPAVED AREAS, MANHOLE COVERS TO BE SURROUNDED WITH A CONCRETE PLINTH AS PER NOTE 9 OF STD-WW-10 AND FORMED WITH C20/25 CONCRETE, 20MM AGGREGATE SIZE, BEDDED IN CLAUSE 804 MATERIAL.



Rev.	Suit.	Description	Drawn	Chkd	Date
P05	S4	For Planning	JL	PME	15.04.19
P04	S4	Revised Tanker Access	JL	PME	12.03.19
P03	S4	For Irish Water Review	JL	PME	08.03.19
P02	S4	For Irish Water Review	JL	PME	06.03.19
P01	S4	For Irish Water Review	JL	PME	11.01.19

Client  
**CAIRN HOMES PROPERTIES LTD.**

Client's Representative:

3 Eastgate Road, Eastgate tel +353 21 475 7800  
Business Park, Little Island, web www.jbbarry.ie  
Co. Cork, Ireland email cork@jbbarry.ie

Project  
**STRATEGIC HOUSING DEVELOPMENT CASTLETREASURE**

Drawing Title  
**PROPOSED FOUL AND SURFACE WATER DRAINAGE LAYOUT (SHEET 6 OF 6)**

Drawn by:	JL	Date:	11.02.19
Checked by:	PMcE	Date:	11.02.19
Approved by:	TF	Date:	11.02.19

Internal Project REF: JBB: 18203  
Scales: 1:500 @ A1  
Stage: **PLANNING**

Drawing No.:	18203-JBB-1C-XX-DR-C-0506	Revision	P05	Suitability Code	S4
--------------	---------------------------	----------	-----	------------------	----

File Name: P:\Barry's Project Files\18 Projects\18203-Cairn Homes Development\100. Work in Progress\01 - Civil\02. Drawings\18203-JBB-1C-XX-DR-C-0506\_Proposed\_Foul\_and\_Surface\_Water\_Drainage\_Layout\_-\_Sheet\_6\_of\_6\_P05.dwg