




COVER LEVEL	70.843				
INVERT LEVEL	68.674	5.005	68.107 68.107	5.006	67.681 67.681
DEPTH (m)	2.169		1.566		1.790
DISTANCE (m)		51.57		42.64	29.34
PIPE SLOPE		1:91		1:100	1:86
PIPE SIZE		225mm		225mm	225mm




COVER LEVEL		76.953			
INVERT LEVEL		74.800	3.000	74.340 74.340	3.001
DEPTH (m)		2.153		1.504	
DISTANCE (m)			23.11		21.20
PIPE SLOPE			1:50		1:60
PIPE SIZE			225mm		225mm




COVER LEVEL	73.737	
INVERT LEVEL	70.727	4.000
DEPTH (m)	3.010	
DISTANCE (m)		29.55
PIPE SLOPE		1:60
PIPE SIZE		225mm




COVER LEVEL	75.251				
INVERT LEVEL	71.579	8.000	68.713 68.713	8.001	68.271 68.271
DEPTH (m)	3.672		2.109		2.675
DISTANCE (m)		55.98		44.74	49.13
PIPE SLOPE		1:30		1:30	1:80
PIPE SIZE		225mm		225mm	225mm



COVER LEVEL	68.143				
INVERT LEVEL	68.100	6.000	67.679 67.679	6.001	67.232 67.232
DEPTH (m)	1.043		1.434		2.675
DISTANCE (m)		25.25		49.83	50.40
PIPE SLOPE		1:60		1:120	1:120
PIPE SIZE		225mm		225mm	225mm




COVER LEVEL	69.143	
INVERT LEVEL	68.100	7.000
DEPTH (m)	1.043	
DISTANCE (m)		27.16
PIPE SLOPE		1:80
PIPE SIZE		150mm



COVER LEVEL	68.350	
INVERT LEVEL	66.800	11.000
DEPTH (m)	1.750	
DISTANCE (m)		26.62
PIPE SLOPE		1:59
PIPE SIZE		225mm

© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.



- NOTES:
- ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES
 - ALL LEVELS ARE IN METRES AND ARE RELATED TO ORDNANCE DATUM
 - CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE
 - ALL WORKS TO BE CONSTRUCTED IN ACCORDANCE WITH THE NRA SPECIFICATION FOR ROAD WORKS UNLESS NOTED OTHERWISE
 - THIS DRAWING IS FOR PLANNING PURPOSES ONLY
 - MANHOLE COVER LEVELS ARE TO CONFORM WITH FINISHED ROAD AND PATH LEVELS
 - WHERE COVER TO PIPE IS LESS THAN 1200mm (ROAD/PATH/VERGE) OR 900mm (OPEN SPACE) SURROUND PIPE IN MINIMUM 150mm CONCRETE

KEY
 - - - - - EXISTING GROUND PROFILE
 _____ PROPOSED GROUND PROFILE

REV.	DATE	DESCRIPTION	BY	CHKD.
PLANNING				
DESIGNED	BK	PREPARED	ICD	
DATE	APR 2019	CHECKED	DJR	

DBFL Consulting Engineers
 Dublin Office: Ormond House, Upper Ormond Quay, Dublin 7, Ireland. PHONE +353 1 400 4000 FAX +353 1 400 4050
 Waterford Office: Unit 2, The Chandlery, 1-2 O'Connell Street, Waterford, Ireland. PHONE +353 51 309 550 FAX +353 51 844 913
 Email: info@dbfl.ie, www.dbfl.ie

PROJECT
LANDS AT CAPDOO, CLANE, CO. KILDARE

DRG. TITLE
LONGITUDINAL SECTIONS THROUGH FOUL SEWER SHEET 2

CLIENT
ARDSTONE RESIDENTIAL FUND

SCALE	1:500 @A1	FILE REF.	162074-3020
DRG. NO.	162074-3022		