Housing Quality Assessment - Apartments

ENTRANCE LEVEL	STAIR CORE	UNIT NUMBER	UNIT TYPE	DESCRIPTION (NO. OF ROOMS)	NO. OF PERSONS	FLOOR TO FLOOR HEIGHT	ASPECT (# SIDES)	ASPECT (ORIENTATION)	AREA	MIN. AREA REQUIRED	TOTAL AREA LIVING/ DINING/KITCHEN (SQM)	TOTAL REQUIRED	BEDROOM 1 (AREA SQM)	BEDROOM 1 (WIDTH M)	BEDROOM 2 (AREA SQM)	BEDROOM 2 (WIDTH M)	TOTAL AGGREGATE AREA (SQM)	TOTAL AGGREGATE BEDROOM REQUIRED (SQM)	BATHROOM (AREA SQM)	EN-SUITE AREA (SQM)	UTILITY/STORE 1 AREA (SQM)	STORE 2 AREA (SQM)	STORE 3 AREA (SQM)	STORE 4 AREA (SQM)	TOTAL UNIT STORE AREA (SQM)	TOTAL STORE REQUIRED (SQM)	PATIO / TERRACE (SQM)	WINTER GARDEN (SQM)	BALCONY (SQM)	TOTAL PRIVATE OPEN SPACE (SQM)	TOTAL PRIVATE OPEN SPACE REQUIRED (SQM)
		B1.01	1	1	2	3.1	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.02	1	1	2	3.1	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.03	1	1	2	3.1	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.04	1	1	2	3.1	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.05	1	1	2	3.1	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.06	2	2	4	3.1	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.07	3	2	4	3.1	2	S,W	81	73	36.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			17.3	17.3	7.0
		B1.08	1	1	2	3.1	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.09	1	1	2	3.1	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.10	2	2	4	3.1	1	W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			6.0	6.0	7.0
		B1.11	1	1	2	3.1	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.0	3.1		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.12	2	2	4	3.1	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.13	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.14	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.15	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.16	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.17	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.18	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.19	3	2	4	2.9	2	S,W	81	73	36.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			17.3	17.3	7.0
		B1.20	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.21	2	2	4	2.9	1	W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.22	2	2	4	2.9	1	W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.23	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.24	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.25	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.26	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.27	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.28	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.29	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.30	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	B	B1.31	3	2	4	2.9	2	S,W	81	73	36.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			17.3	17.3	7.0
	L	B1.32	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
	O	B1.33	2	2	4	2.9	1	W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	C	B1.34	2	2	4	2.9	1	W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	K	B1.35	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.36	2	2	4	2.9	1	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.37	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	B	B1.38	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
	1	B1.39	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.40	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.41	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.42	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.43	3	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.1	1.3	3.2	2.4	0.8	7.7	6.0			17.3	17.3	7.0
		B1.44	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.45	2	2	4	2.9	1	W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.46	2	2	4	2.9	1	W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.47	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.48	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.49	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.50	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.51	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.52	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.53	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.54	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.55	3	2	4	2.9	2	S,W	81	73	36.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			17.3	17.3	7.0
		B1.56	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.57	2	2	4	2.9	2	W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.58	2	2	4	2.9	2	W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.59	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B1.60	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B1.61	4A	2	4	2.9	2	N,E	74	73	30.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			25.0	25.0	7.0
		B1.62	5	1	2	2.9	1	E	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B1.63	5	1	2	2.9	1	E	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B1.64	4A	2	4	2.9	2	S,E	74	73	30.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			25.0	25.0	7.0
		B1.65	4	2	4	2.9	2	S,W	74	73	32.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	7.2	6.0			25.0	25.0	7.0
		B1.66	5	1	2	2.9	1	W	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B1.67	5	1	2	2.9	1	W	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B1.68	4	2	4	2.9	2	N,E	75	73	32.0	30.0	13.5	3.4	13.0	2.8	26.5	25.0	4.3	3.2	3.3	2.1	1.4	0.7	6.8	6.0			50.2	50.2	7.0

		B2.01	2	2	4	2.9	2	W,S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.02	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.03	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.04	2	2	4	2.9	2	W,N	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.05	2	2	4	2.9	2	E,N	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.06	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.07	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.08	1	1	2	2.9	1	E,S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.09	2	2	4	2.9	2	W,S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.10	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.11	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.12	2	2	4	2.9	2	W,N	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.13	2	2	4	2.9	2	E,N	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.14	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.15	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.16	2	2	4	2.9	2	E,S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.17	2	2	4	2.9	2	W,S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.18	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.19	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
	B	B2.20	2	2	4	2.9	2	W,N	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	L	B2.21	2	2	4	2.9	2	E,N	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	O	B2.22	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
	C	B2.23	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
	K	B2.24	2	2	4	2.9	2	E,S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.25	2	2	4	2.9	2	W,S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	B	B2.26	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
	2	B2.27	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.28	2	2	4	2.9	2	W, N	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.29	2	2	4	2.9	2	E,N	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.30	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.31	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.32	2	2	4	2.9	2	E,S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.33	2	2	4	2.9	2	W,S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.34	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.35	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.36	2	2	4	2.9	2	W,N	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.37	2	2	4	2.9	2	E,N	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.38	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.39	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B2.40	2	2	4	2.9	2	E,S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B2.41	9	2	4	2.9	3	S,W,E	84	73	38.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			16.9	16.9	7.0
		B2.42	5	1	2	2.9	1	W	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.7	12.7	5.0
		B2.43	5	1	2	2.9	1	W	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.7	12.7	5.0
		B2.44	9	2	4	2.9	3	S,W,E	84	73	38.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			16.9	16.9	7.0
		B2.45	5	1	2	2.9	1	E	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.7	12.7	5.0
		B2.46	5	1	2	2.9	1	E	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.7	12.7	5.0

		B3.01	2	2	4	3.1	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.02	6	1	2	3.1	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.03	6	1	2	3.1	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.04	6	1	2	3.1	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.05	6	1	2	3.1	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.06	2	2	4	3.1	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.07	2	2	4	3.1	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.08	1	1	2	3.1	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B3.09	1	1	2	3.1	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B3.10	2	2	4	3.1	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.11	1	1	2	3.1	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B3.12	2	2	4	3.1	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.13	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			6.0	7.0	7.0
		B3.14	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.15	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.16	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.17	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.18	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.19	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.20	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B3.21	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.22	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.23	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B3.24	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.25	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.26	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.27	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.28	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.29	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
	B	B3.30	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	L	B3.31	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	O	B3.32	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
	C	B3.33	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	K	B3.34	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.35	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
	B	B3.36	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	3	B3.37	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.38	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.39	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.40	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.41	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.42	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.43	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.44	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B3.45	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.46	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.1	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.47	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B3.48	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.49	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.50	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.51	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.52	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.53	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B3.54	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.55	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.56	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B3.57	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.1	1.3	3.2	2.4	0.8	7.7	7.0			7.0	7.0	7.0
		B3.58	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.59	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B3.60	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.1	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B3.61	4A	2	4	2.9	3	S,W,N	74	73	30.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			25.6	25.6	7.0
		B3.62	5	1	2	2.9	1	N	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B3.63	5	1	2	2.9	1	N	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B3.64	4A	2	4	2.9	3	N,E	74	73	30.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			25.6	25.6	7.0
		B3.65	4	2	4	2.9	2	S,E	74	73	32.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0		7.2	6.0			50.2	50.2	7.0
		B3.66	5	1	2	2.9	1	S	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.1	12.1	5.0
		B3.67	5	1	2	2.9	1	S	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.1	12.1	5.0
		B3.68	4	2	4	2.9	2	S,W	75	73	32.0	30.0	13.5	3.4	13.0	2.8	26.5	25.0	4.3	3.2	3.3	2.1	1.4	0.7	6.8	6.0			50.2	50.2	7.0

		B4.01	2	2	4	3.1	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.02	6	1	2	3.1	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.03	6	1	2	3.1	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.04	6	1	2	3.1	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.05	6	1	2	3.1	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.06	2	2	4	3.1	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.07	2	2	4	3.1	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.08	1	1	2	3.1	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B4.09	1	1	2	3.1	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B4.10	2	2	4	3.1	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.11	1	1	2	3.1	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B4.12	2	2	4	3.1	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.13	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.14	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.15	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.16	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.17	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.18	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.19	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.20	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B4.21	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.22	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.23	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B4.24	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.25	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.26	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.27	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.28	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.29	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.30	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	B	B4.31	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	L	B4.32	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
	O	B4.33	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	C	B4.34	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	K	B4.35	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B4.36	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	B	B4.37	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	4	B4.38	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.39	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.40	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.41	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.42	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.43	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.44	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B4.45	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.46	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.47	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B4.48	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.49	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.50	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.51	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.52	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.53	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		B4.54	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.55	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.56	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B4.57	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.58	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.59	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B4.60	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B4.61	4A	2	4	2.9	3	W,N	74	73	30.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			25.0	25.0	7.0
		B4.62	5	1	2	2.9	1	N	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B4.63	5	1	2	2.9	1	N	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B4.64	4A	2	4	2.9	3	N,E	74	73	30.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			25.0	25.0	7.0
		B4.65	4	2	4	2.9	2	S,E	74	73	32.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	7.2	6.0			25.0	25.0	7.0
		B4.66	5	1	2	2.9	1	S	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B4.67	5	1	2	2.9	1	S	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B4.68	4	2	4	2.9	2	S,W	75	73	32.0	30.0	13.5	3.4	13.0	2.8	26.5	25.0	4.3	3.2	3.3	2.1	1.4	0.7	6.8	6.0			18.0	18.0	7.0

		B5.01	2	2	4	3.1	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.02	1	1	2	3.1	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.03	1	1	2	3.1	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.04	1	1	2	3.1	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.05	1	1	2	3.1	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.06	2	2	4	3.1	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.07	2	2	4	3.1	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.08	1	1	2	3.1	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.09	1	1	2	3.1	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.10	2	2	4	3.1	2	E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.11	1	1	2	3.1	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.12	2	2	4	3.1	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.13	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.14	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.15	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.16	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.17	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.18	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.19	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.20	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.21	2	2	4	2.9	2	E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.22	2	2	4	2.9	2	E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.23	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.24	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.25	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.26	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.27	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.28	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.29	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.30	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	B	B5.31	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	L	B5.32	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
	O	B5.33	2	2	4	2.9	2	E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	C	B5.34	2	2	4	2.9	2	E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	K	B5.35	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.36	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	B	B5.37	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
	5	B5.38	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.39	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.40	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.41	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.42	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.43	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.44	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.45	2	2	4	2.9	2	E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.46	2	2	4	2.9	2	E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.47	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.48	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.49	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.50	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.51	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.52	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.53	1	1	2	2.9	1	W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.54	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.55	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.56	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.57	2	2	4	2.9	2	E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.58	2	2	4	2.9	2	E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.59	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		B5.60	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		B5.61	4A	2	4	2.9	3	W,N	74	73	30.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			25.0	25.0	7.0
		B5.62	5	1	2	2.9	1	W	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B5.63	5	1	2	2.9	1	W	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B5.64	4A	2	4	2.9	3	N,W	74	73	30.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			25.0	25.0	7.0
		B5.65	4	2	4	2.9	2	N,E	74	73	32.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.4	0.7	7.6	6.0			25.0	25.0	7.0
		B5.66	5	1	2	2.9	1	S	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B5.67	5	1	2	2.9	1	S	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		B5.68	4	2	4	2.9	2	S,W	75	73	32.0	30.0	13.5	3.4	13.0	2.8	26.5	25.0	4.3	3.2	3.3	2.1	1.4	0.7	6.8	6.0			50.2	50.2	7.0

		C1.01	1	1	2	3.1	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.02	1	1	2	3.1	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.03	1	1	2	3.1	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.04	1	1	2	3.1	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.05	1	1	2	3.1	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.06	2	2	4	3.1	2	N,E	75	73	30.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.1	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.07	3	2	4	3.1	2	S,E	81	73	36.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			17.3	17.3	7.0
		C1.08	1	1	2	3.1	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.09	1	1	2	3.1	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.10	2	2	4	3.1	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.11	1	1	2	3.1	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.12	2	2	4	3.1	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.13	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.14	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.15	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.16	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.17	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.18	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.19	3	2	4	2.9	2	S,E	81	73	36.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			17.3	17.3	7.0
		C1.20	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.21	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.22	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.23	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.24	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.25	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.26	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.27	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.28	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.29	1	1	2	2.9	1	E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.30	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
B		C1.31	3	2	4	2.9	2	S,E	81	73	36.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	7.0			17.3	17.3	7.0
L		C1.32	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
O		C1.33	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
C		C1.34	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
K		C1.35	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.36	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
C		C1.37	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
1		C1.38	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.39	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.40	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.41	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.42	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.43	3	2	4	2.9	2	S,E	81	73	36.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			17.3	17.3	7.0
		C1.44	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.45	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.46	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.47	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.48	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.49	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.50	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.51	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.52	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.53	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.54	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.55	3	2	4	2.9	2	S,E	81	73	36.0	30.0	13.0	2.9	12.2	2.8	25.2	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			17.3	17.3	7.0
		C1.56	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.57	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.58	2	2	4	2.9	2	S	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.59	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C1.60	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C1.61	4A	2	4	2.9	3	N,W	74	73	30.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			25.0	25.0	7.0
		C1.62	5	1	2	2.9	1	N	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		C1.63	5	1	2	2.9	1	N	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		C1.64	4A	2	4	2.9	3	N,E	74	73	30.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			25.0	25.0	7.0
		C1.65	4	2	4	2.9	2	S,E	74	73	32.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	7.2	6.0			25.0	25.0	7.0
		C1.66	5	1	2	2.9	1	S	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		C1.67	5	1	2	2.9	1	S	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		C1.68	4	2	4	2.9	2	S,W	75	73	32.0	30.0	13.5	3.4	13.0	2.8	26.5	25.0	4.3	3.2	3.3	2.1	1.4	0.7	6.8	6.0			50.0	50.0	7.0

		C2.01	7	1	2	3.1	1	N	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			6.0	6.0	6.0
		C2.02	1	1	2	3.1	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.03	1A	1	2	3.1	1	N,E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		2.3	1.1			3.4	3.0			6.0	6.0	5.0
		C2.04	1	1	2	3.1	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.05	1	1	2	3.1	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.06	7	2	3	3.1	2	S,E	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.07	10	2	3	2.9	2	N,W	70	63	30	28	13	2.8	8.5	2.1	22	20.1	4		1	2.5	1.4	2.2	7.1	5			10	10	6
		C2.08	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.09	7	2	3	2.9	2	N	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.10	7	2	3	2.9	2	N	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.11	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.12	10	2	3	2.9	2	N,E	70	63	30	28	13	2.8	8.5	2.1	22	20.1	4		1	2.5	1.4	2.2	7.1	5			10	10	6
		C2.13	7	2	3	2.9	2	S,W	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			10	10	6
		C2.14	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.15	7	2	3	2.9	2	S	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.16	7	2	3	2.9	2	S	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.17	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.18	7	2	3	2.9	2	S,E	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.19	10	2	3	2.9	2	N,W	70	63	30	28	13	2.8	8.5	2.1	22	20.1	4		1	2.5	1.4	2.2	7.1	5			10	10	6
		C2.20	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.21	7	2	3	2.9	2	N	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.22	7	2	3	2.9	2	N	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.23	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.24	10	2	3	2.9	2	N,E	70	63	30	28	13	2.8	8.5	2.1	22	20.1	4		1	2.5	1.4	2.2	7.1	5			10	10	6
		C2.25	7	2	3	2.9	2	S,E	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			10	10	6
		C2.26	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
B		C2.27	7	2	3	2.9	2	S	70	63	33	28	13	2.8	10	2.1	23	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
L		C2.28	7	2	3	2.9	2	S	70	63	33	28	13	2.8	10	2.1	23	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
O		C2.29	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
C		C2.30	7	2	3	2.9	2	S,E	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
K		C2.31	10	2	3	2.9	2	N,E	70	63	30	28	13	2.8	8.5	2.1	22	20.1	4		1	2.5	1.4	2.2	7.1	5			10	10	6
		C2.32	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
C		C2.33	7	2	3	2.9	2	N	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
2		C2.34	7	2	3	2.9	2	N	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.35	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.36	10	2	3	2.9	2	N,E	70	63	30	28	13	2.8	8.5	2.1	22	20.1	4		1	2.5	1.4	2.2	7.1	5			10	10	6
		C2.37	7	2	3	2.9	2	S,E	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			10	10	6
		C2.38	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.39	7	2	3	2.9	2	S	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.40	7	2	3	2.9	2	S	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.41	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.42	7	2	3	2.9	2	S,E	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.43	1	1	2	2.9	1	N,W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			16.4	16.4	5.0
		C2.44	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.45	7	2	3	2.9	2	N	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.46	7	2	3	2.9	2	N	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.47	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.48	10	2	3	2.9	2	N,E	70	63	30	28	13	2.8	8.5	2.1	22	20.1	4		1	2.5	1.4	2.2	7.1	5			10	10	6
		C2.49	1	1	2	2.9	1	S,W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			15.2	15.2	5.0
		C2.50	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.51	7	2	3	2.9	2	S	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.52	7	2	3	2.9	2	S	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.53	1	1	2	2.9	1	S	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C2.54	7	2	3	2.9	2	S,E	70	63	30	28	12	2.8	10	2.1	22	20.1	4.3		2	0.6	1.3	2.4	6.3	5			7	7	6
		C2.55	8	2	4	2.9	2	N,W	74	73	32	30	13	3.3	13.5	2.8	26.5	25.0	4.3		3	1	2.1	1.4	7.5	6			19	19	6
		C2.56	8	2	4	2.9	2	N,E	74	73	32	30	13	3.3	13.5	2.8	26.5	25.0	4.3		3	1	2.1	1.4	7.5	6			19	19	6
		C2.57	5	1	2	2.9	2	S,W	51	45	29.0	23.0	11.5	3.1			11.5	11.4	3.2		1.5	1.0	2.2		4.7	3.0			13.0	13.0	5.0
		C2.58	5	1	2	2.9	2	S	51	45	29.0	23.0	11.5	3.1			11.5	11.4	3.2		1.5	1.0	2.2		4.7	3.0			13.0	13.0	5.0
		C2.59	5	1	2	2.9	2	S	51	45	29.0	23.0	11.5	3.1			11.5	11.4	3.2		1.5	1.0	2.2		4.7	3.0			13.0	13.0	5.0
		C2.60	5	1	2	2.9	2	S,E	51	45	29.0	23.0	11.5	3.1			11.5	11.4	3.2		1.5	1.0	2.2		4.7	3.0			13.0	13.0	5.0

		C3.01	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C3.02	1	1	2	2.9	1	N	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0					
		C3.03	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		C3.04	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			10.0	10.0	7.0
		C3.05	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			10.0	10.0	7.0
		C3.06	1	1	2	2.9	1	S,W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C3.07	1	1	2	2.9	1	S,E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C3.08	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			10.0	10.0	7.0
		C3.09	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C3.10	1	1	2	2.9	1	N,E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0					
		C3.11	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
		C3.12	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			10.0	10.0	7.0
		C3.13	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			10.0	10.0	7.0
B		C3.14	1	1	2	2.9	1	S,W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
L		C3.15	1	1	2	2.9	1	S,E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
O		C3.16	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			10.0	10.0	7.0
C		C3.17	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
K		C3.18	1	1	2	2.9	1	N,E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0					
		C3.19	6	1	2	2.9	2	N,W	53.6	45	33	23	11.4				11.4	11.4	3.2		3.3	0.7			4	3					
C		C3.20	2	2	4	2.9	2	N,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			10.0	10.0	7.0
3		C3.21	2	2	4	2.9	2	S,E	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			10.0	10.0	7.0
		C3.22	1	1	2	2.9	1	S,W	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C3.23	1	1	2	2.9	1	S,E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C3.24	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			10.0	10.0	7.0
		C3.25	2	2	4	2.9	2	N,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			7.0	7.0	7.0
		C3.26	1	1	2	2.9	1	N,E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0					
		C3.27	5	1	2	2.9	1	N	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			16.0	16.0	5.0
		C3.28	9	2	4	2.9	3	N,E,S	84	73	38.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			17.0	17.0	7.0
		C3.29	5	1	2	2.9	1	S	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.0	12.0	5.0
		C3.30	1	1	2	2.9	1	S,E	50	45	29.0	23.0	11.4	2.8			11.4	11.4	3.2		3.3	0.7			4.0	3.0			6.0	6.0	5.0
		C3.31	2	2	4	2.9	2	S,W	75	73	30.0	30.0	13.0	2.8	12.6	2.8	25.6	25.0	4.3	3.2	1.3	3.2	2.4	0.8	7.7	6.0			10.0	10.0	7.0
		C3.32	9	2	4	2.9	3	N,E,S	84	73	38.0	30.0	13.5	2.8	13.0	3.4	26.5	25.0	4.3	3.2	3.4	2.1	1.0	0.7	6.5	6.0			17.0	17.0	7.0
		C3.33	5	1	2	2.9	1	N	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.7	12.7	5.0
		C3.34	5	1	2	2.9	1	N	51	45	29.0	23.0	11.5	3.6			11.5	11.4	3.2		1.5	2.2	1.0		4.7	3.0			12.7	12.7	5.0