

UWF GRID CONNECTION REFERENCE DOCUMENTS

UWF RELATED WORKS VOLUME F2: EJAR MAIN REPORT (PART 1 OF 2)

| | | |
|-----------------|--|--|
| Volume A | Planning Application Documents – Application Form; Site/Newspaper Notice; Letters of Consent; Schedule of Submitted Documents etc. | |
| Volume B | Planning Drawings | |
| Volume C | UWF Grid Connection EIA Report (EJAR) | Volume C1: EJAR Non-Technical Summary Volume C2: EJAR Main Report Volume C3: EJAR Figures Volume C4: EJAR Appendices |
| Volume D | Environmental Management Plan for UWF Grid Connection | |
| Volume E | Appropriate Assessment Reporting | |
| VOLUME F | REFERENCE DOCUMENTS FOR OTHER ELEMENTS OF THE WHOLE UWF PROJECT | Volume F1 to F3: UWF Related Works EIA Report VOLUME F2: EJAR MAIN REPORT (2 PARTS) Volume F4: Environmental Management Plan for the UWF Related Works Volume F5 TO F7: 2018 UWF Replacement Forestry EIA Report Volume F8 to F9: Upperchurch Windfarm DETAILS OVERLEAF |

Planning Application to An Bord Pleanála
by Ecopower Developments Limited, Zetec House, IDA Purcellsinn Business Park, Kilkenny.
Tel: 056-7750140. Email:office@ecopower.ie

Project Website: www.upperchurchwindfarmgridconnection.ie

REFERENCE DOCUMENTS DETAILS

Volumes F1 to F3: 2018 UWF Related Works EIA Report

Volume F1: EIAR Non-Technical Summary & EIAR Figures

Volume F2: EIAR Main Report (2 Parts)

Volume F3: EIAR Appendices (3 Parts)

Volume F4: Environmental Management Plan for the UWF Related Works

Volumes F5 to F7: 2018 UWF Replacement Forestry EIA Report

Volume F5: EIAR Non-Technical Summary & EIAR Figures

Volume F6: EIAR Main Report (2 Parts)

Volume F7: EIAR Appendices (3 Parts)

Volumes F8 to F9: Upperchurch Windfarm

Volume F8: 2013 EIS for Upperchurch Windfarm

Volume F9: 2013 RFI for Upperchurch Windfarm & 2014 ABP Inspector's Report for Upperchurch Windfarm & 2014 Grant of Permission & Conditions for Upperchurch Windfarm

UPPERCHURCH WINDFARM RELATED WORKS (UWF RELATED WORKS)

VOLUME C2: REVISED EIAR MAIN REPORT (PART 1 OF 2)

| | | |
|-----------------|--|---|
| Volume A | Planning Application Documents – Application Form; Site/Newspaper Notice; Letters of Consent; Schedule of Submitted Documents etc. | |
| Volume B | Planning Drawings | |
| VOLUME C | UWF RELATED WORKS REVISED EIA REPORT (Revised EIAR) | Volume C1: Revised EIAR Non-Technical Summary VOLUME C2: REVISED EIAR MAIN REPORT (2 PARTS) Volume C3: Revised EIAR Figures Volume C4: Revised EIAR Appendices |
| Volume D | Revised Environmental Management Plan for UWF Related Works | |
| Volume E | Revised Appropriate Assessment Reporting | |
| Volume F | Reference Documents for Other Elements of the Whole UWF Project | Vol F1 to F3: UWF Grid Connection EIA Report Vol F4: Environmental Management Plan for the UWF Grid Connection Vol F5 to F7: 2018 UWF Replacement Forestry EIA Report Vol F8 to F9: Upperchurch Windfarm |

Planning Appeal to An Bord Pleanála
by Ecopower Developments Limited, Zetec House, IDA Purcellsinn Business Park, Kilkenny.
Tel: 056-7750140. Email: office@ecopower.ie

Project Website: www.upperchurchwindfarm.ie

Upperchurch Windfarm Related Works (UWF Related Works)

UWF Related Works Revised EIA Report (EIAR) VOLUME C2: REVISED EIAR MAIN REPORT (Part 1 of 2)

EIA Report Authors:



EIAR Coordinator:

ECOPOWER

January 2019

Table of Contents

| ElAR Main Report Chapter No. | Chapter Title |
|---------------------------------|---|
| Part 1 of 2 | |
| Chapter 1 | Introduction |
| Chapter 2 | The EIA Report Process including Scoping |
| Chapter 3 | The Scoping Consultations |
| Chapter 4 | Alternatives Considered |
| Chapter 5 | Description of the Development (UWF Related Works) |
| Chapter 6 | Population |
| Chapter 7 | Human Health |
| Chapter 8 | Biodiversity |
| Chapter 9 | Land |
| Chapter 10 | Soils |
| Part 2 of 2 | |
| Chapter 11 | <i>See Volume C2: ElAR Main Report (Part 2 of 2)</i> |
| Chapter 12 | |
| Chapter 13 | |
| Chapter 14 | |
| Chapter 15 | |
| Chapter 16 | |
| Chapter 17 | |
| Chapter 18 | |
| Chapter 19 | |
| Chapter 20 | |

UWF Related Works Revised EIA Report

Volume C2: Revised EIAR Main Report

Chapter 1: Introduction



January 2019

Table of Contents

| | | |
|-----------------|---|-----------------|
| <u>1</u> | <u>Introduction.....</u> | <u>1</u> |
| 1.1 | Introduction to the Applicant..... | 1 |
| 1.2 | Introduction to the Revised EIA Report | 1 |
| 1.2.1 | Revisions in the January 2019 EIA Report..... | 2 |
| 1.2.2 | Introduction to the Subject Application..... | 3 |
| 1.3 | Structure of the Planning Appeal and Planning Application Documents | 4 |
| 1.4 | Description of UWF Related Works..... | 5 |
| 1.4.1 | Purpose of UWF Related Works..... | 5 |
| 1.4.2 | Location and overview description of UWF Related Works | 5 |
| 1.5 | Cumulative Evaluation of UWF Related Works..... | 7 |
| 1.5.1 | Cumulative Locational Context of all the Elements | 8 |

List of Figures

| <u>Figure No.</u> | <u>Figure Title</u> |
|--------------------------|---|
| Figure RW 1.1 | Location of UWF Related Works on OSI Discovery Mapping (The Subject Development) |
| Figure CE 1.1 | Location of UWF Related Works and the Other Elements of the Whole UWF Project on OSI Mapping |
| Figure CE 1.2 | UWF Related Works and the Other Elements of the Whole UWF Project in the vicinity of Upperchurch Windfarm |
| Figure CE 1.3 | UWF Related Works and the Other Elements of the Whole UWF Project in Knockmaroe, Knockcurraghbola Commons and Knockcurraghbola Crownlands |

Figures and mapping referenced in this chapter can be found in **Volume C3 Revised EIAR Figures**.

List of Appendices

| <u>Appendix No.</u> | <u>Appendix Title</u> |
|----------------------------|--|
| Appendix 1.1 | UWF Related Works Refusal from TCC 10.01.18 |
| Appendix 1.2 | UWF Related Works Planners Report 1 and 2 |
| Appendix 1.3 | UWF Related Works NPWS Submission 13.12.18 |
| Appendix 1.4 | UWF Grid Connection Board Order 17.12.18 |
| Appendix 1.5 | UWF Grid Connection ABP Inspectors Report 27.11.18 |
| Appendix 1.6 | UWF Related Works Response to Further Information 10.10.18 |

Glossary of Terms

| <u>Term</u> | <u>Definition</u> |
|---|--|
| EIA Directive | European Union Directive 2011/92/EU (as amended by Directive 2014/52/EU) |
| Environmental Factors | The factors in the environment required to be identified, described and assessed during the EIA process. These are specified in Article 3 (1) of the EIA Directive as Population and Human Health; Biodiversity; Land; Soils; Water; Air; Climate; Material Assets; Cultural Heritage and Landscape. |
| Competent Authority | The body legally delegated to decide on the Planning Application |
| Competent Expert | Experts who are qualified and competent in their field of expertise |
| Consented Windfarm | Upperchurch Windfarm – 22 wind turbines, substation, windfarm roads and ancillary works, consented in August 2014 under Planning Reference: Tipperary County Council 13/51/0003, ABP PL 22.243040 |
| Element | One of the 5 No. elements listed in ‘Whole UWF Project’ below |
| Project Design Environmental Protection Measures | Mitigation Measures for environmental protection, incorporated into the design of the project. |
| Sensitive Aspect | Any sensitive receptor in the local environment which could be impacted by the project. |
| Whole UWF Project | Project made up of 5 No. elements – UWF Grid Connection; UWF Related Works, UWF Replacement Forestry, Upperchurch Windfarm (UWF) and UWF Other Activities. |

List of Abbreviations

| <u>Abbreviation</u> | <u>Full Term</u> |
|---------------------|--|
| ABP | An Bord Pleanála |
| EDL | Ecopower Developments Limited |
| EIA | Environmental Impact Assessment |
| EIAR | Environmental Impact Assessment Report |
| EMP | Environmental Management Plan |
| GC | Grid Connection |
| kV | kilovolt |
| OA | Other Activities |
| OSI | Ordnance Survey Ireland |
| RF | Replacement Forestry |
| RFI | Response to Further Information |
| RW | Related Works |
| UWF | Upperchurch Windfarm |
| UGC | Underground Cables |

1 Introduction

1.1 Introduction to the Applicant

Ecopower Developments Limited (EDL) is part of the Ecopower group of specialist on-shore wind energy development, operation & maintenance and asset management companies, and has been involved in wind energy developments in Ireland since 1996.

1.2 Introduction to the Revised EIA Report

An Environmental Impact Assessment Report (EIA Report or EIAR¹) was prepared to accompany a planning application by Ecopower Developments Limited to Tipperary County Council for works relating to the construction and operation of the already consented Upperchurch Windfarm – to be called UWF Related Works. The planning application was submitted on 17/07/2018, Further Information was requested on 10/09/2018. Tipperary County Council Refused Permission on 10th January, 2019.

The UWF Related Works project has not been changed in terms of location and characteristics for the Appeal to An Bord Pleanála.

However the original May 2018 EIA Report has been revised for the subject appeal to An Bord Pleanála – to be called Revised EIA Report (EIAR). The revisions to the May 2018 EIAR were necessary in order to take account of the Reason for Refusal by Tipperary County Council of UWF Related Works; the 2 No. Tipperary County Council Planner's Reports (dated 06/09/2018 and 10/01/2019); and the Submission to Tipperary County Council on UWF Related Works from NPWS dated 13.12.18.

The Revised EIAR also takes account of the Refusal by An Bord Pleanála to Grant planning for UWF Grid Connection (ABP-301959-18: Board Order dated 17/12/2018); and the ABP Inspector's Report on UWF Grid Connection (dated 27th November 2018).

Relevant Volume C4 Revised EIAR Appendices:

Appendix to Chapter 1:

App. 1.1: UWF Related Works Refusal from TCC 10.01.18

App. 1.2: UWF Related Works Planners Report 1 and 2

App. 1.3: UWF Related Works NPWS Submission 13.12.18

App. 1.4: UWF Grid Connection Board Order 17.12.18

App. 1.5: UWF Grid Connection ABP Inspectors Report 27.11.18

App. 1.6: EDL Response to RFI dated 10.09.2018 on UWF Related Works

¹ Directive 2011/92/EU as amended by 2014/52/EU uses the term environmental impact assessment report rather than environmental impact statement. EIA Report and EIAR are used throughout these submission documents, in the place of EIS and Environmental Impact Statement.

1.2.1 Revisions in the January 2019 EIA Report

This Revised EIA Report (January 2019) incorporates the following changes to the May 2018 EIA Report;

- **The effects on Hen Harrier, and particularly the ex-situ effects outside the SPA,** have been clarified and additional baseline information on Hen harrier nest locations and Hen harrier usage of the study areas has been provided in **Section 8.6: Sensitive Aspect No. 5: Hen Harrier of Chapter 8: Biodiversity of this Revised EIA Report.**
- **Additional information has been provided on the baseline survey for Bats** in **Section 8.8: Sensitive Aspect No. 7: Bats of Chapter 8: Biodiversity of this Revised EIA Report.**
- **Additional information has been provided on the baseline survey for Badger** in **Section 8.9: Sensitive Aspect No. 8: Non-Volant Animals of Chapter 8: Biodiversity of this Revised EIA Report.**
- **11 No. Project Design Environmental Protection Measures (1.2.1 Measures) have been updated.**
- **Note:** The Appropriate Assessment Reporting has also been revised to clarify effects on Hen Harrier and taking into account the additional baseline information on Hen Harrier usage in the area; the planning submission from NPWS; comments in the 2 No. Tipperary County Council Planner's Reports and the Refusal to Grant permission for UWF Related Works by Tipperary County Council.
- The May 2018 EIA Report had 2 No. study areas defined for each Sensitive Aspect of each Environmental Topic: 1) the UWF Related Works study area and 2) a cumulative study area which included the full extent of the Whole UWF Project. This **Revised EIA Report defines an additional study area specifically for the cumulative effects of UWF Related Works.** There is a distinct cumulative evaluation for this additional study area added to **Section X.X.4²: Impact Evaluation Table(s),** in each of the environmental topic chapters.

Therefore the study areas presented in this Revised EIA Report on each environmental topic, sensitive aspect are;

- UWF Related Works Study Area
- UWF Related Works Cumulative Evaluation (CE) Study Area (***new in this Revised EIAR***)
- Whole Project (WP) Cumulative Evaluation Study Area

This additional study area - UWF Related Works Cumulative Evaluation (CE) Study Area – provides more clarity on the specific and distinct cumulative effects of UWF Related Works in the area where there is potential for the subject development to cause cumulative effects with Other Elements of the Whole UWF Project and with Other Project & Activities. **The geographical extent of cumulative impact of UWF Related Works is identified in this additional study area.** Outside of this cumulative evaluation study area there is no potential for significant cumulative effects from UWF Related Works.

- **The effects of the passage of time in the baseline environment of Upperchurch Windfarm,** since the EIS and RFI was prepared for the planning application in 2013 and the Board's assessment of the windfarm in 2014, is set out in **Section X.X.2.3.3 Element 4: Already Consented Upperchurch Windfarm** of each of the topic chapters 6 to 17 of this Revised EIA Report.
- **A revised cumulative assessment** of the Whole Upperchurch Windfarm (UWF) Project to take account of the 110kV grid connection cable route (110kV UGC) which is the preliminary preferred route for the 110kV UGC following the refusal, by An Bord Pleanála, for the previous 110kV UGC route. This new preliminary

² The 1st X represents the Chapter Number. The 2nd X represents the Sensitive Aspect Number.

preferred route, along the Regional Road: R503, is an alternative to the previously submitted route which was mainly cross country. A revised application for UWF Grid Connection, which will include a substation at Mountphilips as before and a new 110kV UGC route, will be submitted to An Bord Pleanála for approval, in the coming months. Changing of the proposed 110kV cable route requires that a revised cumulative evaluation for all the environmental topics evaluated in the UWF Related Works EIAR, be carried out. Therefore [Section X.X.2:3 Cumulative Projects & Baseline Characteristics](#) and [Section X.X.4: Cumulative Evaluation of Impacts](#) is revised in of each of the topic chapters 6 to 17, of this Revised EIA Report.

1.2.2 Introduction to the Subject Application

The subject application is called the UWF Related Works and the consented Upperchurch Windfarm is called the Upperchurch Windfarm or UWF throughout this report.

UWF Related Works, comprises the following elements:

- Internal Windfarm Cabling
- Realigned Windfarm Roads
- Haul Route Roads
- Telecom Relay Pole
- RW Ancillary Works

UWF Related Works was Refused planning permission by Tipperary County Council and this refusal is now being appealed to An Bord Pleanála.

³ The 1st X being the Chapter Number, the 2nd X being the individual Sensitive Aspect Evaluations

1.3 Structure of the Planning Appeal and Planning Application Documents

The planning application comprises a suite of particulars, which include

- Planning Documents; Planning Drawings; and Reference Documents which are unchanged for the appeal and
- EIA Report and accompanying Figures and Appendices; Appropriate Assessment Reporting and revised Environmental Management Plan

All the above documents are presented in separate volumes. Table 1.1 below, summarises the contents of these volumes so that it is clear, to the reader, where information can be found.

Table 1-1: Documents accompanying the planning application

| Volume No. | Document Title | |
|---|--|--|
| Volume A (No Revisions to Planning Application Vol A) | Planning Application Documents – Application Form; Site/Newspaper Notice; Letters of Consent; Schedule of Submitted Documents etc. | |
| Volume B | Planning Drawings (No Revisions to Planning Application Vol B) | |
| Volume C | UWF Related Works Revised EIA Report (January 2019) (Revisions on Appeal to Vol C) | Volume C1: Revised EIAR Non-Technical Summary Volume C2: Revised EIAR Main Report Volume C3: Revised EIAR Figures Volume C4: Revised EIAR Appendices (Full pack included - Figures that have been revised for the Appeal to An Bord Pleanála are dated January 2019) |
| Volume D | Revised Environmental Management Plan for UWF Related Works (January 2019) (Revisions on Appeal to Vol D) | |
| Volume E | Revised Appropriate Assessment Reporting and Appendices (January 2019) (Revisions on Appeal to Vol E) | |
| Volume F | Reference Documents for Other Elements of the Whole UWF Project | <u>UWF Grid Connection</u> (Refused by ABP – no longer relevant) 2018 UWF Grid Connection EIA Report 2018 UWF Grid Connection Environmental Management Plan <u>UWF Replacement Forestry</u> 2018 UWF Replacement Forestry EIA Report <u>Upperchurch Windfarm</u> 2013 EIS for Upperchurch Windfarm 2013 RFI for Upperchurch Windfarm 2014 ABP Inspector's Report for Upperchurch Windfarm 2014 Grant of Permission & Conditions for Upperchurch Windfarm <u>UWF Other Activities</u> Appendix 5.6 Description of UWF Other Activities |

All the above documents (including the Appeal Documents) are available online at

www.upperchurchwindfarm.ie

1.4 Description of UWF Related Works

1.4.1 Purpose of UWF Related Works

Internal Windfarm Cabling: to connect the Consented UWF Turbines to the Consented UWF Substation.

Realigned Windfarm Roads: to realign two lengths of Consented UWF Roads and to provide access to a new telecom relay pole.

Haul Route Works: to facilitate the haulage of turbine components to the Upperchurch Windfarm site.

Telecom Relay Pole: to be erected in order to carry telecoms relay equipment, which will mitigate communication links impacts from operational Consented UWF Turbines on the communication signals between the existing Foilnaman Mast and the existing Laghtseefin Mast. The Telecom Relay Pole will fulfil Condition No. 18 of the planning conditions associated with the Upperchurch Windfarm.

RW Ancillary Works: to facilitate the construction of the UWF Related Works.

Note: The Consented UWF Turbines, Consented UWF Roads and the Consented UWF Substation refer to components of Upperchurch Windfarm (UWF). UWF received planning consent in 2014, but is not yet constructed.

1.4.2 Location and overview description of UWF Related Works

The **Internal Windfarm Cabling** will connect the Consented UWF Turbines to the Consented UWF Substation, through the installation of underground cables in agricultural; forestry lands; and across public roads; in the townlands of Graniera, Shevry, Knockcurraghbola Commons, Knockmaroe, Grousehall, Cummer, Foilnaman, Gleninchaveigh, Coumnageeha, Coumbeg, Knocknamena Commons, Glenbeg and Seskin. Approximately 62% of the Internal Windfarm Cabling is proposed to be located under Consented UWF Roads or Realigned Windfarm Roads, with the remaining Cabling in the vicinity of the windfarm site.

The Internal Windfarm Cabling consists of electrical cables, communication cables and the copper conductor cables which are installed inside ducting in underground trenches. Cable Protection and Warning Tapes will also be laid in the trench. The trench will be excavated, ducting and warning tapes installed and the trench backfilled and reinstated, the cables will then be pulled through the ducting. The only surface expression of the Internal Windfarm Cabling will be the over-ground identification marker posts and marker plates which will be installed at regular intervals above the cables trench.

The **Realigned Windfarm Roads** are two sections of the already consented windfarm roads which require realignment and one length of new road to link a telecoms mast to the windfarm road. The roads are proposed for agricultural and forestry lands in the townlands of Shevry, Knockmaroe, and Grousehall, which are all within the Upperchurch Windfarm site.

The **Haul Route Works** are proposed for public road verges, roadside boundaries and grassland fields located adjacent to the L4139-0, L4138-12, L2264-50, L6188-0, L6185-13 and R503 roads in the following townlands: Shevry, Knockcurraghbola Commons, Knocknabansha, Knockmaroe and Grousehall. Works include the removal of soils and laying of crushed stone and hard-core in roadside verges; temporary removal or part-

removal of roadside boundaries; opening of temporary entrances and the construction of temporary access roads on private lands.

The **Telecom Relay Pole** is an 18m wooden pole proposed for a location in Knockmaroe townland, close to the existing Foilnaman Mast. Laghtseefin Mast is 9.5km directly south. The Relay Pole will be contained within a small compound, and a low voltage power and communications supply will be provided from the existing Foilnaman Mast. A short length of access road, Realigned Windfarm Road No. RWR3, will provide access to the Telecom Relay Pole from the Consented UWF Road network.

RW Ancillary Works will facilitate the construction of the UWF Related Works and will include temporary access roads; temporary and permanent watercourse crossings; temporary site entrances; change of use from 'agriculture' to 'forestry and agriculture' at an entrance to a proposed new forestry replanting area (UWF Replacement Forestry) at Foilnaman; along with forestry felling; temporary and permanent hedgerow/tree removal; permanent hedgerow replanting; fencing; relocation of existing telephone poles and temporary storage of excavated materials; at various locations within construction works area boundaries.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 1.1: Location of UWF Related Works on OSI Discovery Mapping (The Subject Development)

1.5 Cumulative Evaluation of UWF Related Works

The subject application (UWF Related Works) is part of a whole project which comprises the following other elements – UWF Grid Connection, UWF Replacement Forestry, Upperchurch Windfarm (UWF) and UWF Other Activities. These five elements are collectively referred to as the Whole UWF Project in this EIAR.

The purpose of the UWF Grid Connection, UWF Related Works, UWF Replacement Forestry and UWF Other Activities elements is to facilitate the construction and operation of the already consented Upperchurch Windfarm (UWF). Upperchurch Windfarm when operational, will produce renewable electricity from the wind to supply the National Grid.

Table 1-2: Element 2 of the Whole UWF Project

| | The Subject Development | Composition of the Subject Development | Planning Status and Competent Authority for the Subject Development |
|---|-------------------------|---|---|
| 2 | UWF Related Works (RW) | Internal Windfarm Cabling Realigned Windfarm Roads Haul Route Works Telecom Relay Pole RW Ancillary Works | Subject Development planning appeal to An Bord Pleanála |

Table 1-3: Element 1,3,4 and 5 of the Whole UWF Project

| | Element of the whole UWF project | Composition of each Element | Planning Status and Competent Authority for each Element |
|---|----------------------------------|--|---|
| 1 | UWF Grid Connection (GC) | Mountphilips Substation Mountphilips – Upperchurch 110kV UGC (preliminary preferred route January 19) Grid Connection Access Roads Grid Connection Ancillary Works | Revised Planning Application with new proposal for 110kV UGC route, to be lodged in the coming months to An Bord Pleanála |
| 3 | UWF Replacement Forestry (RF) | Replacement Forestry at Foilnaman | Afforestation license received from the Minister for Agriculture, Food and the Marine 07.11.18. Contract Number CN81893 |
| 4 | Upperchurch Windfarm (UWF) | Consented UWF Turbines Consented UWF Substation Consented UWF Roads UWF Ancillary Works | Already consented under Planning Reference: Tipperary Co.Co. 13/51/0003, ABP PL 22.243040 |
| 5 | UWF Other Activities (OA) | Haul Route Activities Upperchurch Hen Harrier Scheme Monitoring Activities Overhead Line Activities | No planning permission required |

Relevant Volume C3 Revised EIAR Figures:

The location of each element of the whole UWF project is illustrated on:

Figure CE 1.1: Location of the UWF Related Works and the Other Elements of the Whole UWF Project on OSI Mapping.

1.5.1 Cumulative Locational Context of all the Elements

The vast majority of the Whole UWF Project is located in County Tipperary with some minor activities along the Upperchurch Windfarm turbine component haul route and on the Killonan to Nenagh 110kV overhead line, in County Limerick (these activities are part of Element 5: UWF Other Activities).

The vast majority of the interaction of the Elements is in and around the consented Upperchurch Windfarm.

UWF Related Works is predominately located adjacent to and overlaps with Other Elements of the Whole UWF Project, in particular the consented Upperchurch Windfarm per:

- The majority of the Internal Windfarm Cabling overlaps the Consented UWF Roads,
- The Realigned Windfarm Roads will provide alternative access to Consented UWF Turbines,
- The Haul Route Works and Telecom Relay Pole are located in the immediate vicinity of various parts of the Upperchurch Windfarm,
- The UWF Related Works overlap and are adjacent to the UWF Grid Connection and the Upperchurch Windfarm in Knocknabansha, Knockmaroe, Knockcurraghbola Crownlands and Knockcurraghbola Commons,
- Haul Route Works are located adjacent to Haul Route Activities (UWF Other Activities) in the Knocknabansha/Knockmaroe area.

Relevant Volume C3 Revised EIAR Figures:

Figure CE 1.2: UWF Related Works and the Other Elements of the Whole UWF Project in the vicinity of Upperchurch Windfarm

Figure CE 1.3: UWF Related Works and the Other Elements of the Whole UWF Project in Knockmaroe, Knockcurraghbola Commons and Knockcurraghbola Crownlands

UWF Related Works Revised EIA Report

Volume C2: Revised EIAR Main Report

Chapter 2: The EIAR Process including Scoping



Table of Contents

| | | |
|------------|---|-----------|
| 2 | The EIA Report Process including Scoping..... | 1 |
| 2.1 | Legislative Context of EIA..... | 1 |
| 2.1.1 | The EIA Directive | 1 |
| 2.1.2 | Screening for the requirement for EIA | 1 |
| 2.2 | The EIA Report | 3 |
| 2.2.1 | EIA Report Requirements under EIA Directive | 3 |
| 2.2.2 | Guidance Documents for the EIA Report | 3 |
| 2.2.3 | The Project Design Team | 4 |
| 2.2.4 | The EIA Report Team | 5 |
| 2.2.5 | Cumulative Evaluation..... | 11 |
| 2.2.5.1 | Cumulative Evaluation Requirements | 11 |
| 2.2.5.2 | What are Cumulative Impacts? | 11 |
| 2.2.5.3 | Cumulative Projects..... | 11 |
| 2.3 | Scoping for Content and Extent of the EIA Report..... | 12 |
| 2.3.1 | Key Activities in the preparation of the EIA Report..... | 12 |
| 2.3.2 | Scoping for Receptors and Effects..... | 13 |
| 2.3.2.1 | Scoping out of effects | 13 |
| 2.3.2.2 | Scoping for Cumulative Effects..... | 14 |
| 2.4 | Descriptive Terminology Used in this EIA Report | 16 |
| 2.4.1 | Types of Effects..... | 18 |
| 2.5 | Presentation of the EIA Report..... | 19 |
| 2.5.1 | Presentation of Cumulative Evaluations in the EIA Report topic chapters | 20 |
| 2.6 | EIA Report Review | 21 |

List of Figures

| <u>Figure No.</u> | <u>Figure Title</u> |
|-------------------|---|
| Figure CE 2.1 | Other Projects or Activities Scoped In for Cumulative Evaluation in the Environmental Factor topic chapters |

Figures and mapping referenced in this chapter can be found in **Volume C3 Revised EIAR Figures**.

List of Appendices

| <u>Appendix No.</u> | <u>Appendix Title</u> |
|---------------------|---|
| Appendix 2.1 | Review of Compliance with Legislation |
| Appendix 2.2 | Environmental Topic Authors Statement of Competency |
| Appendix 2.3 | Scoping of Other Projects or Activities |
| Appendix 2.4 | <u>Completed</u> EIA Report Checklist |

Appendices referenced in this chapter can be found in **Volume C4 Revised EIAR Appendices**.

Glossary of Terms

| <u>Term</u> | <u>Definition</u> |
|---|--|
| EIA Directive | European Union Directive 2011/92/EU (as amended by Directive 2014/52/EU) |
| Environmental Factors | The factors in the environment required to be identified, described and assessed during the EIA process. These are specified in Article 3 (1) of the EIA Directive as Population and Human Health; Biodiversity; Land; Soils; Water; Air; Climate; Material Assets; Cultural Heritage and Landscape. |
| Competent Authority | The body legally delegated to decide on the Planning Application |
| Competent Expert | Experts who are qualified and competent in their field of expertise |
| Consented Windfarm | Upperchurch Windfarm – 22 wind turbines, substation, windfarm roads and ancillary works, consented in August 2014 under Planning Reference: Tipperary County Council 13/51/0003, ABP PL 22.243040 |
| Element | One of the 5 No. elements listed in 'Whole UWF Project' below. |
| Project Design Environmental Protection Measures | Mitigation Measures for environmental protection, incorporated into the design of the project. |
| Sensitive Aspect | Any sensitive receptor in the local environment which could be impacted by the project. |
| Whole UWF Project | Project made up of 5 No. elements – UWF Grid Connection; UWF Related Works, UWF Replacement Forestry, Upperchurch Windfarm (UWF) and UWF Other Activities. |

List of Abbreviations

| Abbreviation | Full Term |
|---------------------|--|
| ABP | An Bord Pleanála |
| EDL | Ecopower Developments Limited |
| EIA | Environmental Impact Assessment |
| EIAR | Environmental Impact Assessment Report |
| EMP | Environmental Management Plan |
| RFI | Response to Further Information |
| | |
| PD | Ecopower Project Design Environmental Protection Measure developed by members of the EIAR Team |
| UWF | Upperchurch Windfarm |
| UGC | Underground Cables |

2 The EIA Report Process including Scoping

2.1 Legislative Context of EIA

2.1.1 The EIA Directive

The Environmental Impact Assessment (EIA) of projects is governed by the terms of European Union Directive 2011/92/EU (as amended by Directive 2014/52/EU) on the assessment of the effects of certain public and private projects on the environment. The EIA Directive requires that public and private Projects that are likely to have significant effects on the environment be made subject to an assessment prior to development consent being given.

The previous Directive - Directive 2011/92/EU has been amended by Directive EIA 2014/52/EU, in a number of respects. Generally the amending EIA Directive is an elaboration/expansion of matters referred to in the 2011 Directive, with additional matters to be considered. The amending Directive was transposed to Irish Planning Law in September 2018. The May 2018 EIA Report and this Revised EIA Report have been prepared in compliance with the requirements of both 'Directive 2011/92/EU' and 'Directive 2011/92/EU as amended by 2014/52/EU' and fulfils all the requirements of an EIS under Directive 2011/92/EU as well as the requirements of an Environmental Impact Assessment Report under Directive 2011/92/EU as amended by 2014/52/EU.

The EIA Directive Article 1: Paragraph 2(a) defines 'project' as

- The execution of construction works or of other installations or schemes and
- Other interventions in the natural surroundings and landscape including those involving the extraction of mineral resources.

The EIA Directive divides potential Projects into two lists;

- Annex I – where EIA is required in all cases.
- Annex II – where Member States shall determine whether an EIA is required.

The UWF Related Works as a Project is not an Annex I or Annex II type project.

2.1.2 Screening for the requirement for EIA

UWF Related Works is part of a whole project (Upperchurch Windfarm UWF) which includes a Project described in Annex II: Paragraph 3. Energy Industry (i) Installations for the harnessing of wind power for energy production (wind farms).

Under Irish planning law, Part X (Ten): Environmental Impact Assessment of the Planning and Development Act 2000 (as amended) sets out the requirements under the Act, for environmental impact assessment on Projects of a Class listed in Schedule 5 of the Planning and Development Regulations 2001. Schedule 5: Part 2: Paragraph 3 (i) lists 'Installations for the harnessing of wind power for energy production (wind farms) with more than 5 turbines or having a total output greater than 5 megawatts'. Therefore Upperchurch Windfarm required that an Environmental Impact Assessment be carried out.

Notwithstanding that UWF Related Works in itself is not an Annex I or Annex II project as defined in the EIA Directive and also that the nature and scale of the development in itself is not likely to cause significant effects on the environment, EDL prepared an EIA Report for UWF Related Works in order to facilitate the Competent Authority in carrying out the whole project cumulative assessment requirements of the EIA Directive.

This EIA Report is a Revision of the May 2018 EIA Report submitted to Tipperary County Council with the planning application for the subject development, UWF Related Works. The revision has been prepared for the subject 1st Party Appeal to An Bord Pleanála.

2.2 The EIA Report

The desirability of an environmental impact assessment thus screened in, the promotor (EDL) is obliged to prepare an environmental impact assessment report (EIA Report)¹.

2.2.1 EIA Report Requirements under EIA Directive

The information to be provided in the EIA Report, is set out in Article 5 and also in Annex IIA and Annex IV of the EIA Directive. This EIA Report was compiled having regard to the generality of the EIA Directive (meaning both Directive 2011/92/EU¹ and 'Directive 2011/92/EU as amended by 2014/52/EU') and specifically to the requirements of Article 5; Annex IIA and Annex IV.

2.2.2 Guidance Documents for the EIA Report

This EIA Report has been prepared in accordance with the following Guidance Documents:

- **EIA Directive:** Article 5, Annex IIA and Annex IV
(ec.europa.eu/environment/eia/pdf/EIA_Directive_informal.pdf).
- **Transposition of 2014 EIA Directive** (2014/52/EU) in the Land Use Planning and EPA Licensing Systems (Department of Housing, Planning, Community and Local Government, 2 May 2017). (www.housing.gov.ie/sites/default/files/publications/files/key_issues_in_transposition_of_2014_eia_directive_-_stakeholder_consultation_document_02may2017.pdf)
- **Guidance on the preparation of the EIA Report** (European Commission, 2017) (ec.europa.eu/environment/eia/eia-support.htm)
- **Guidance on Screening** (European Commission, 2017) (ec.europa.eu/environment/eia/eia-support.htm)
- **Guidance on Scoping** (European Commission, 2017) (ec.europa.eu/environment/eia/eia-support.htm)
- **Guidelines for the Assessment of Indirect and Cumulative Impacts** as well as Impact Interactions, (European Commission, 1999). (ec.europa.eu/environment/eia/eia-support.htm)
- Draft Guidelines on the information to be contained in Environmental Impact Assessment Reports (EIAR) (EPA 2017) (www.epa.ie/pubs/advice/licensee/drafteiarguidelines.html)
- Guidelines on the information to be contained in Environmental Impact Statements (EPA 2002); (www.epa.ie/pubs/advice/ea/guidelines)
- **Advice Notes on Current Practice** in the preparation of Environmental Impact Statements (EPA 2003). Both at (www.epa.ie/pubs/advice/ea/guidelines)
- **Planning and Development Act 2000** (as amended) – Part X Environmental Impact Assessment
- **Planning and Development Regulations** (as amended) – Part 10 Environmental Impact Assessment
- **Chapter 3: The Scoping Consultations**

¹ Directive 2011/92/EU as amended by 2014/52/EU uses the term Environmental Impact Assessment Report rather than Environmental Impact Statement. EIA Report and Environmental Impact Assessment Report are used throughout these submission documents, in the place of EIS and Environmental Impact Statement

2.2.3 The Project Design Team

An EIA Report Coordinator was appointed, who arranged for all the initial consultations, site investigations, development designs and technical investigation to be carried out; appointed engineering and scientific experts as The Project Design Team to prepare the final project design; assembled the EIA Report Team of experts (which includes the project design team members) to prepare the specialist environmental factors or topic chapters for the EIA Report on the chosen design; co-ordinated the assembly and presentation of the EIA Report and carried out continuous reviews of the Report, including the revision of the EIA Report for this Appeal. Julie Brett of EDL is the EIA Report Coordinator for the UWF Related Works project.

In order to anticipate and avoid adverse effects on the environment, EDL engaged specialist engineering and environmental consultants for planning and design of UWF Related Works. The specialists considered the technical requirements according to ESB specifications and also alternative locations, layouts, design mitigation measures and processes. These specialists are competent experts² in their field of expertise and, are identified in Table 2.1 below.

Table 2-1: The Project Design Team

| Team Member | Competence | Design Area |
|------------------------------------|--|--|
| Ecopower Developments (EDL) | Windfarm planning and development specialists Project Supervisor Design Process (PSDP) EIA practitioners | Supervision of overall design Overall Alternatives Considered Project Design Environmental Protection Measures development. EIAR Coordinators |
| Denis Moriarty the Kerries | Civil Engineers | Alternatives Considered in relation to the Public Road Network |
| INIS Environmental | Environmental Consultants specialising in ecology & environmental management | Alternatives Considered in relation to Biodiversity Project Design Environmental Protection Measures development. |
| Hydro Environmental Services (HES) | Environmental engineers and hydrogeologists | Alternatives Considered in relation to Soils and Water Project Design Environmental Protection Measures development. |
| AGEC | Geotechnical Engineering Consultants | Alternatives Considered in relation to Peat Stability |
| Kilkenny Archaeology | Archaeologists | Alternatives Considered in relation to Cultural Heritage Project Design Environmental Protection Measures development. |
| David Walsh | Agricultural Advisor | Alternatives Considered in relation to Land |
| Ai Bridges | Communication specialists | Alternatives Considered in relation to Built Services |
| NRB Consulting Engineers | Roads & Traffic | Project Design Environmental Protection Measures development. |

² Competent Experts: Article 5(3) Directive 2014/52/EU

2.2.4 The EIA Report Team

Including the Project Design Team, EDL engaged the services of additional suitably qualified and experienced Competent Experts to appraise the likely effects on all the Environmental Factors of the UWF Related Works development as proposed and to put forward additional Project Design Environmental Protection Measures and Additional Mitigation Measures (if required). The competency of these experts is summarised in Table 2-2 below.

Table 2-2: The EIAR Team

| Environmental Factor | EIAR Chapter/ Appendix Title | EIA Report Chapter | EIAR Team Competent Expert Involved | Company & Experience |
|--------------------------------|--|-----------------------------------|---|---|
| EIAR Coordination & Management | | | Julie Brett Lead Assessor (Dip. EIA) Philomena Kenealy (Dip. EIA) | EDL Managers in EIA and AA Reporting for Ecopower since 1996 (Philomena Kenealy) and 2003 (Julie Brett) and in that time have been part of a multi-disciplinary team which has completed site investigations, assessments and planning applications on 20 windfarm projects on-shore in Ireland. |
| | Introduction | Chapter 1 | | |
| | The EIA Report Process including Scoping | Chapter 2 | | |
| | Scoping Consultation | Chapter 3 | | |
| | Alternatives Considered | Chapter 4 | | |
| | Description of the Development | Chapter 5 | | |
| | Interaction of the Foregoing | Chapter 18 | | |
| | Monitoring Arrangements | Chapter 19 | | |
| | Executive Summary | Chapter 20 | | |
| | Non-technical Summary | Volume C1 | | |
| Population & Human Health | Population (Socio-economics) | Chapter 6 & Appendix 6.1 CSO Data | John Lawler (M. Econ. Sc. Hons) Ciara Morley | John has a M. Econ. Sc. Hons and is a Director at EY-DKM Economic Advisory Services (EY-DKM). John has over 20 years' experience of economic analysis and prior to that worked in the Environmental Policy Research Centre of the ESRI. Ciara Morley has a Ph.D. Finance and is a Senior Consultant with EY-DKM and also previously worked in the ESRI. |

| Environmental Factor | EIAR Chapter/ Appendix Title | EIA Report Chapter | EIAR Team Competent Expert Involved | Company & Experience |
|---------------------------|---|-----------------------|---|--|
| | Human Health | Chapter 7 | Dr Andrew Buroni PhD, MSc, BSc (Hons) Fellow of the Royal Society of Medicine and Fellow of the Royal Society of Public Health | RPS Group Energy Resources and Environmental Consultancy Experience in Health and Social Impact Assessment in the energy, oil and gas, waste management, transport, civil aviation, spatial planning, regeneration and sustainable development sectors. |
| Biodiversity ³ | Chapter 8 Biodiversity & Appendix 8.1 Detailed Biodiversity Data and Supplementary Information and Figures | | Howard Williams BSc CEnv MCIEEM CBiol MRSB MIFM Christopher Cullen Dip. Eng. Dip. Ecol. ACIEEM Sarah Ingham BSc MSc ACIEEM John Deasy BSc. MSc. Rosemarie McDonald MSc. B.A (Mod) (Hons) GradCIEEM Gyr Penn Bird Surveyor | Inis Environmental Consultants specialising in ecology & environmental management. Howard Williams (Chartered Environmentalist and Chartered Biologist, CEO Inis) has acted as Lead Ecologist on more than 50 operating wind farm developments in Ireland and the UK since 2000. He has also prepared surveys and ecological/ environmental documentation for more than 600km of high voltage grid infrastructure. Christopher Cullen (Senior Ecologist, COO Inis) has a broad range of experience within the ecological consultancy sector including bird and habitat surveys. He is a specialist in ornithological surveys and assessments, in particular, collision risk modelling (CRM). |

³ Referred to as 'Flora and Fauna' in Directive 2011/92/EU

| Environmental Factor | EIAR Chapter/ Appendix Title | EIA Report Chapter | EIAR Team Competent Expert Involved | Company & Experience |
|----------------------|--|--------------------|--|---|
| | | | Patrick Quinn BSc (Hons.) AMIFM Timothy Gallagher Ecologist/ Mammologist | |
| Land | Land | Chapter 9 | Andy Dunne BAgrSc: MSc (Agr) | Director of EAEC (Environmental Agricultural Engineering Consultancy) 20 years' experience in land use and agricultural development activity and national and EU regulation and policy in the area. |
| Soils | Soils | Chapter 10 | Michael Gill B.A., B.A.I., M.Sc., Dip. Geol, MIEI Hydrogeologist David Broderick BSc, H. Dip Env Eng, MSc Environmental Engineer | Hydro Environmental Services (HES) Geologist and Hydrogeologist Environmental engineering consultancy established in 2005 as a hydrological, hydrogeological and environmental practice, specialising in peatland and upland hydrology in Ireland and Northern Ireland. |
| | Consented Upperchurch Windfarm Site Investigations | Appendix 10.4 | Consulting Engineers | Malachy Walsh & Partners |

| Environmental Factor | EIAR Chapter/ Appendix Title | EIA Report Chapter | EIAR Team Competent Expert Involved | Company & Experience |
|----------------------|---|---------------------------|---|---|
| Water | Chapter 11 Appendix 11.1 Survey of Existing & Proposed Watercourse Crossing Locations Appendix 11.2 Surface Water Sampling Results Appendix 11.3 Flood Risk Assessment | | Michael Gill B.A., B.A.I., M.Sc., Dip. Geol, MIEI Environmental Engineer David Broderick BSc, H. Dip Env Eng, MSc Hydrogeologist | Hydro Environmental Services (HES) Geologist and Hydrogeologist Environmental engineering consultancy established in 2005 as a hydrological, hydrogeological and environmental practice, specialising in peatland and upland hydrology in Ireland and Northern Ireland. |
| Air | Air Quality Appendix 12.1 Air Quality & Monitoring Standards | Chapter 12 and Appendices | Ciara Nolan BSc (Hons) in Energy Systems Engineering and Master in Applied Environmental Science | AWN Consulting, multidisciplinary environmental consultancy with specialities in Acoustics, Air Quality, Climate. |
| | Noise & Vibration Appendix 12.2 Noise Modelling & Background Noise Measurements | | Peter Barry Environmental scientist and EIA Practitioner | Malachy Walsh & Partners, Consulting and Environmental Engineers. Peter has particular expertise in the measurement, assessment, prediction and control of environmental noise and is a member of the Institute of Acoustics and the Institute of Environmental Management and Assessment. |
| | Electromagnetic Radiation Appendix 10.3 Explanation & Measurement of EMF | | John McAuley MSc (Hons) in Engineering Lewis Brien B (Hons) in Electronics Nigel Duignan | John is CEO of CEI (Compliance Engineering Ireland) engineering consultancy specialising in electromagnetic fields. Experience includes the 400kV North South Interconnector, East West Interconnector, many windfarm, solar and compressed air projects, and assisted Eirgrid with EMF evidence-based studies. |

| Environmental Factor | EIAR Chapter/ Appendix Title | EIA Report Chapter | EIAR Team Competent Expert Involved | Company & Experience |
|----------------------|---|--|---|---|
| | | | MSc (Hons) in Electronics | Lewis is experienced in carrying out site surveys and measurements on power lines, power stations and substations. Nigel is experienced in carrying out site surveys and measurements on power lines, trains and substations. |
| Climate | Climate | Chapter 13 | Ciara Nolan BSc (Hons) in Energy Systems Engineering and Master in Applied Environmental Science | AWN Consulting, multidisciplinary environmental consultancy with specialities in Acoustics, Air Quality, Climate. |
| Material Assets | Built Services: Electricity Network | Chapter 14 & Appendix 14.1 Location of Built Services and Built Service Users in the Study Area | Ruairí Geary Chartered Engineer | TLI (Transmission Links Ireland) Utility Infrastructure Development Consultancy Ruairí has over 10 years' experience in a wide range of Electrical/Mechanical engineering projects, specialising in the area of distribution and transmission network Design, and in particular working on the ESB system. |
| | Built Services: Communication Network | | Kevin Hayes Master of Electronic Engineering Software Design Engineer | Engineering Director, Ai Bridges Telecommunication Specialists Kevin has 15 years of experience in telecommunications network design, analysis and troubleshooting of radio frequency issues and development of telecommunication projects. |
| | Built Services: Water Supply Infrastructure | | David Broderick Hydrogeologist | HES (as above) |
| | Roads & Traffic | Chapter 15 Appendix 15.1 Traffic & | Eoin Reynolds Chartered Engineer | Director of NRB Consulting Engineers Eoin has 26 years' experience in a wide range of civil engineering projects, specialising in the area of |

| Environmental Factor | EIAR Chapter/ Appendix Title | EIA Report Chapter | EIAR Team Competent Expert Involved | Company & Experience |
|-------------------------------|------------------------------|---|---|--|
| | | Transportation Assessment Appendix 15.2.2 FWD Testing Appendix 15.3.2 Site Photographs | | Traffic & Transportation and Roads Design, and in particular in assessing the infrastructure needs of development. |
| Cultural Heritage | Cultural Heritage | Chapter 16 Appendix 16.1.1 Archaeological & Historical Background Appendix 16.1.2 Cultural Heritage Sites within the Study Area Appendix 16.1.5 Test Excavation Report – Knockcurraghbola Commons Appendix 16.1.6 Field Walking Description | Barry Fitzgibbon MA Archaeology | Archaeologist with Kilkenny Archaeology, an experienced archaeology consultancy since 1998 specialising in evaluating the impact of large-scale development on Cultural Heritage sites involving the production of more than 50 EISs for large-scale developments. |
| Landscape | Landscape | Chapter 17 & Appendix 17.1.1 Contextual Photographs of the Study Area Appendix 17.1.3 ZTV No.2: Telecom Relay Pole within the 2km Study Area. | Richard Barker MLArch Landscape Architecture | Principle Landscape Architect with Macroworks Visualisation Specialists. Richard's experience includes the landscape and visual impact assessment of more than 90 wind energy development proposals including 5 no. SID and also road schemes, electricity transmission lines (overhead and underground) as well as water and sewage pipelines. |
| Interaction of the Foregoing, | | Chapter 18 | All Competent Experts EIA Coordinators | As above |

See [Appendix 2.2 Environmental Topic Authors Statement of Competency](#) for further details of the competent expert's qualifications and experience ([Volume C4: Revised EIAR Appendices](#)).

2.2.5 Cumulative Evaluation

2.2.5.1 Cumulative Evaluation Requirements

Under the EIA Directive, the totality of a project must be considered which includes off-site projects, secondary developments and other projects and activities.

2.2.5.2 What are Cumulative Impacts?

Cumulative impacts are the addition of many effects, including effects of other projects, to create larger, more significant effects.

2.2.5.3 Cumulative Projects

Off-Site Projects are integral to the primary project, i.e. they are required for the primary project to operate. UWF Related Works is part of a whole project which comprises the following elements – Element 1: UWF Grid Connection, Element 2: UWF Related Works, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF) and Element 5: UWF Other Activities. Elements 1, 3, 4 and 5 are off-site projects relevant to the Subject Development – UWF Related Works.

Secondary projects are projects that may arise largely because of the existence of the principal project, though they are usually not carried out by the promotor of the principal project.

Other Projects or Activities relate to existing or consented projects in the area which by addition, could create larger, more significant effects.

2.3 Scoping for Content and Extent of the EIA Report

According to 'EC 2017 Guidance on Scoping', scoping is the process of determining the content and extent of the information to be submitted to the Competent Authority to ensure that the environmental assessment is focused on the project's most significant effects on the environmental factors. Scoping was carried out throughout the whole EIA Report preparation process for UWF Related Works.

2.3.1 Key Activities in the preparation of the EIA Report

The key activities involved in the preparation of this EIA Report included:

- A preliminary description of the proposed development was prepared by EDL
- Scoping by competent experts and consultation with environmental authorities and local and regional authorities, other interested parties and the public, to define the EIA Report content.
- Scoping following the results of consultation to finalise the particulars of the development, identify the potentially significant effects on environmental factors and consider alternative options to those particulars.
- The final particulars thus established, a description of the final proposed development was prepared by EDL which included the final proposed characteristics of the Project including the Environmental Protection Measures designed into the Project; the life-cycle stages including construction and operation phases; the use of natural resources including Land, Biodiversity, Water and Soils; and expected residues, emissions, and waste from the Project. The particulars of off-site projects, secondary projects and other projects and activities are described.
- This is followed by the 12 No. topic specific chapters (Chapters 6 – 17) covering Population; Human Health; Biodiversity; Land; Soils; Water; Air; Climate; Built Services; Roads & Traffic; Cultural Heritage and Landscape. These were prepared by topic specific experts. These chapters describe the Baseline Information sources; Evaluation methodology, Scoping of Sensitive Aspects; relevant Project Design Environmental Protection Measures; Evaluation of effects (including direct, indirect, and cross-factor effects) on individual Receptors directly from the UWF Related Works and cumulatively with off-site projects, secondary projects and other projects and activities; Mitigation Measures and Evaluation of Residual Impact; followed by a description of Best Practice Measures and the Policy Context for the topic. A summary table was prepared for each Receptor Evaluation and a summary description was prepared for the end of the chapter itself.
- The Interaction of the Foregoing (Chapter 18) was then finalised. Some impacts can affect more than one environmental factor. Consideration of interactions ensures that cross factor effects are evaluated.
- Chapter 19 – the Monitoring Arrangements for the UWF Related Works was prepared by the EIA Coordinator, based on the survey and monitoring requirements which form part of project design or best practice measures.
- Chapter 20 - an Executive Summary of the results of the EIA Report evaluations, was prepared by the EIA Coordinator.
- A non-technical summary of the information contained in the EIA Report, was prepared by the EIA Coordinator.
- The EIA Report was reviewed, by the EIA Coordinator, for compliance with EIA Legislation and completeness of the EIA Report.

2.3.2 Scoping for Receptors and Effects

Scoping to identify the likely receptors of significant impacts from the Project was carried on through all iterations of the Project from initial design; through to alternatives; inclusion of environmental protection measures in the project design; during examination of the final design of the Project and on appeal to An Bord Pleanála.

The scoping process considered topic specific publications; legislation or regulatory controls relevant to the project; information from the Competent Authority and the Local Authority and from Statutory Bodies and NGOs and other parties who were likely to have either or both, thematically specific or area specific concerns; Landowner and Community feedback; competent expert fieldwork and desktop studies; combined Design Team walkover surveys on site and EIA Report Team meetings at EDL's offices.

The Scoping process followed the same pattern irrespective of Project design stage;

- **Identification of a Study Area:** The receiving environment relevant for each topic was scoped using a combination of industry guidance and competent expert's knowledge and expertise, to delineate a study area boundary where effects could arise.
- **Scoping to identify Receptors:** All Receptors within this Study Area likely to be affected by the project were identified using a combination of field surveys; desktop surveys of mapping including designated sites mapping; industry guidance on protection standards for the environmental topics and the competent expert's knowledge and expertise.
- **Scoping to identify Impact Pathways:** The Conceptual Site Model technique was used by the Competent Experts to identify likely source-pathway-receptor links to these Receptors (see Table 2-3 below).
- **Receptors which could likely be affected** were then examined for magnitude of impact. If impacts were likely to occur then the Receptor was included as a Sensitive Receptor, for evaluation for significance of effects, in the topic chapter.
- **Meetings were held between members of the EIA Report team** wherein it was decided in which topic chapters certain Sensitive Aspects or Impacts Pathways would be evaluated, and cross-factor effects were discussed between experts.

The terms used in this EIA Report to describe impacts/ source/ pathway/ receptor are defined in Table 2-3.

Table 2-3: Definition of Terms – Source, Pathway, Receptor (EPA, August 2017)

| Term | Description |
|---------------|---|
| Effect/Impact | A change resulting from the implementation of a project |
| Source | The activity or place from which an effect originates |
| Pathway | The route by which an effect is conveyed between a source and a receptor. |
| Receptor | Any element in the environment which is subject to impacts, i.e. a Sensitive Aspect |

2.3.2.1 Scoping out of effects

During all stages of EIAR preparation, the competent experts also scoped out (excluded) potential effects to Receptors. This was because either:

- there will be no potential for effect, or
- the effect is not likely to take place or
- the effect will be Neutral

Note: EPA define 'Neutral' as 'No effects or effects that are imperceptible, within normal bounds of variation or within the margin of forecasting error'. In this EIA Report, the terms 'less than imperceptible' and 'no measurable effect' have the same meaning as 'Neutral'.

2.3.2.2 Scoping for Cumulative Effects

There are three cumulative studies in this Revised EIA Report –

- An evaluation of the cumulative effects of UWF Related Works (**new in this Revised EIAR**)
- A cumulative evaluation of UWF Related Works in-combination with all the other Elements of the Whole UWF Project and
- A cumulative evaluation with Other Projects and Activities in the area.

2.3.2.2.1 Evaluation of the Cumulative Effects of UWF Related Works

The Revised EIA Report defines an additional cumulative study area and includes an additional cumulative evaluation, to the May 2018 EIA Report, in order to identify the likely cumulative effects associated with the subject development, UWF Related Works. Evaluations of the cumulative effect of UWF Related Works is presented for each Sensitive Aspect under examination.

2.3.2.2.2 Evaluation of Whole Project Effect

In order to evaluate the ‘whole project’ effect, all of the other Elements of the Whole UWF Project are included in the initial cumulative scoping for each Sensitive Aspect.

The competent expert’s evaluations start from certain basic assumptions for the other elements:

- The evaluation is based on the description of the UWF Grid Connection; UWF Replacement Forestry; Upperchurch Windfarm and UWF Other Activities Elements provided in this **EIAR Chapter 5: Description of the Development: Section 5.6.1: Description of the Other Elements of the Whole UWF Project**. A more detailed description can be found in **Appendix 5.3** (UWF Grid Connection including the preliminary preferred route for the 110kV UGC); **Appendix 5.4** (UWF Replacement Forestry); **Appendix 5.5** (Upperchurch Windfarm) and **Appendix 5.6** (UWF Other Activities).
- The evaluation of the cumulative effects of the Consented Windfarm is based on the 2014 An Bord Pleanála Inspectors Report and the 2013 windfarm planning application EIS; 2013 Reply to Further Information and additional information submitted. It is assumed that the Consented Windfarm will be constructed incorporating all mitigation measures and planning conditions imposed by the 2014 Board Order to Grant Permission. **Note:** The topic specific competent experts did not carry out a new evaluation of the Consented Windfarm, rather they relied on the effects of the Consented Windfarm (with all mitigation measures) as have been already established and deemed acceptable, by An Bord Pleanála. Impact information and impact significance is drawn from the Board’s assessment, from the reasons and considerations and planning conditions as set out in the Board’s Order and from the EIS, Reply to Further Information and additional information submitted during the planning process in 2013/2014.
- The effect of the passage of time since the 2014 assessment on the baseline environment of Upperchurch Windfarm is also considered, and presented in the Cumulative (baseline) Information for each Sensitive Aspect in each of the Environmental Factor topic chapters.
- In the event of any new impact pathway being identified, during scoping for cumulative receptors, then this new impact pathway was examined for the Consented Windfarm also, so that the cumulative impact of UWF Related Works and of the Whole UWF Project could be determined for this new impact.
- A description of Upperchurch Windfarm has been prepared and can be found at **UWF Related Works: Revised EIAR Chapter 5: Description of the Development: Section 5.6.1** with a more detailed description (in a Chapter 5 type format) at **Appendix 5.5**.

2.3.2.2.3 Cumulative effects with Other Projects and Activities

A 15km area around the footprint of all Elements of the Whole UWF Project was drawn, and research of other large projects within this area was carried out by Construction Information Services (CIS), one of Ireland's leading research companies. To cover all projects which may have received planning (and an additional extension of duration) and which could be constructed at the same time as UWF Related Works or of the Whole UWF Project. The search covers the period from January 2011.

In addition to this, the EIAR Team's knowledge of the area added existing projects such as existing windfarms, to the list. Activities in the area surrounding the works were also considered. This extensive list was reduced to 35 No. Projects or Activities which had potential to cause cumulative effects.

The list was reviewed for the Revised EIAR and revised to 34 No. Projects to reflect a lapsed planning permission for 1 No. project. This list was examined for the geographical or 'spatial' boundary and the temporal or 'time frame' boundary relevant for each environmental topic and was scoped to identify the projects likely to have a measureable cumulative effect. These projects were brought forward for cumulative evaluation in the topic specific chapters. [Appendix 2.3 Scoping of Other Projects & Activities in the Cumulative Evaluation Study Area](#)

In total, 10 No. of Other Projects or Activities were brought forward for cumulative evaluation, these Other Projects or Activities are identified on [Figure CE 2.1: Other Projects or Activities Scoped In for Cumulative Evaluation in the Environmental Factor topic chapters](#).

The Other Projects or Activities brought forward for cumulative evaluation in the Environmental Factor topic chapters are included in the initial cumulative scoping for each Sensitive Aspect.

2.4 Descriptive Terminology Used in this EIA Report

Terms that have a widely accepted meaning are used consistently throughout this EIA Report. Specialised or technical terms are listed in the Glossary of Terms at the beginning of every topic chapter (Chapter 6 - 17). The terms 'effect' and 'impact'; 'appraised' and 'evaluated'; 'indirect impact' and 'secondary impact' are used interchangeably in this EIA Report.

The terms used to describe effects are EPA definitions taken from the latest relevant guidance per;

- EPA Guidelines on the information to be contained in Environmental Impact Assessment Reports (draft August 2017);

The standard descriptive terminology for Effects, which is used in this EIA Report is set out below, for;

- Probability
- Significance
- Extent and Context
- Quality
- Duration and Frequency
- Type of Effects

Table 2-4: Definition of Probability of Effects

| Probability of Effect | Description |
|-------------------------|--|
| Likely Impact | The effects that are specifically predicted to take place - based on an understanding of the interaction of the proposed project and the receiving environment or the effects that can reasonably be expected to occur because of the planned project if all mitigation measures are properly implemented. |
| Unlikely Effects | The effects that can reasonably be expected not to occur because of the planned project, if all mitigation measures are properly implemented. |

Source: EPA (draft August 2017) Guidelines on the information to be contained in EIA Reports

Table 2-5: Definition of Quality of Effects

| Quality of Effect | Description |
|-------------------------|---|
| Positive Effect | A change which improves the quality of the environment (for example, by increasing species diversity; or the improving reproductive capacity of an ecosystem, or by removing nuisances or improving amenities) |
| Neutral Effect | No effects or effects that are imperceptible, within normal bounds of variation or within the margin of forecasting error. |
| Negative/Adverse Effect | A change which reduces the quality of the environment (for example, lessening species diversity or diminishing the reproductive capacity of an ecosystem; or damaging health or property or by causing nuisance). |

Source: EPA (draft August 2017) Guidelines on the information to be contained in EIA Reports

Extent and Context refers to the 'size' or 'amount' of an impact, determined on a quantitative basis and the 'context' which refers to whether the effect is unique or, perhaps, commonly or increasingly experienced.

Table 2-6: Definition of the Extent and Context of Effects

| Extent and Context | Description |
|--------------------|---|
| Extent | The size of the area, the number of sites and the proportion of a population affected by an effect |
| Context | Describe whether the extent, duration, or frequency will conform or contrast with established (baseline) conditions (is it the biggest, longest effect ever?) |

Source: EPA (draft Sept. 2015) Revised Guidelines on the information to be contained in EIS

Table 2-7: Definition of the Duration and Frequency of an Impact

| Duration of Effect | Description |
|-----------------------------|---|
| Momentary Effects | Effects lasting from seconds to minutes |
| Brief Effects | Effects lasting less than a day |
| Temporary Effects | Effects lasting less than a year |
| Short-term Effects | Effects lasting one to seven years |
| Medium-term Effects | Effects lasting seven to fifteen years |
| Long-term Effects | Effects lasting fifteen to sixty years |
| Permanent Effects | Effects lasting over sixty years |
| Frequency of Effects | How often the effect will occur. (once, rarely, occasionally, frequently, constantly – or hourly, daily, weekly, monthly, annually) |

Source: EPA (draft August 2017) Guidelines on the information to be contained in EIA Reports

Table 2-8: Definition of Significance of Effects

| Significance of Effect | Description |
|------------------------|--|
| Imperceptible | An effect capable of measurement but without significant consequences. |
| Not Significant | An effect which causes noticeable changes in the character of the environment but without significant consequences. |
| Slight Effect | An effect which causes noticeable changes in the character of the environment without affecting its sensitivities |
| Moderate Effect | An effect that alters the character of the environment in a manner that is consistent with existing and emerging trends |
| Significant | An effect which, by its character, magnitude, duration or intensity alters a sensitive aspect of the environment |
| Very Significant | An effect which, by its character, magnitude, duration or intensity significantly alters most of a sensitive aspect of the environment |
| Profound | An effect which obliterates sensitive characteristics |



Source: EPA (draft August 2017) Guidelines on the information to be contained in EIA Reports

2.4.1 Types of Effects

Direct effects are those that result from direct cause-effect consequences of interactions between the environmental factor and the Project.

Indirect and cumulative impacts and impact interactions are also considered. The definitions presented below have been used in the appraisals of the various environmental factors in the Environmental Topic Chapters 6-17.

Table 2-9: Definition of Indirect, Cumulative and Impact Interaction

| Type of Effect | Description |
|--|--|
| Indirect Effects (aka Secondary Effects) | Impacts on the environment, which are not a direct result of the project, often produced away from the project site or because of a complex pathway.  |
| Cumulative Effects | The addition of many minor or significant effects, including effects of other projects, to create larger, more significant effects.  |

Source: EPA (draft August 2017) Guidelines on the information to be contained in EIA Reports

Graphics from EC (May 1999) Guidelines for the Assessment of Indirect and Cumulative Impacts as well as Impact Interactions: Section 2.1

Table 2-10: Definition of Other Types of Effects

| Type of Effect | Description |
|------------------------|--|
| 'Do Nothing' Effects | The environment as it would be in the future should the subject project not be carried out. |
| 'Worst Case' Effects | The effects arising from a project in the case where mitigation measures substantially fail. |
| Indeterminable Effects | When the full consequences of a change in the environment cannot be described. |
| Reversible Effects | Effects that can be undone, for example through remediation or restoration |
| Irreversible Effects | When the character, distinctiveness, diversity or reproductive capacity of an environment is permanently lost. |
| Residual Effects | The degree of environmental change that will occur after the proposed mitigation measures have taken effect. |
| Synergistic Effects | Where the resultant effect is of greater significance than the sum of its constituents, (e.g. combination of SO _x and NO _x to produce smog). |

Source: EPA (draft August 2017) Guidelines on the information to be contained in EIA Reports

2.5 Presentation of the EIA Report

In this EIA Report the Coordinators' aim is to set out the herein environmental information in a rational and systematic format so that the EIA Directive requirements are shown to be addressed. This is achieved thorough briefing and editing by the lead assessor during the whole EIAR process in order to keep the focus on evaluating the likely effects on important or sensitive environmental receptors. Accessibility, legibility and clarity were the key considerations during chapter review and editing. The result is an EIA Report that is concise and well integrated across the specialist chapters.

To achieve this concise and focused style, the key presentation techniques deployed were;

- The Non-Technical Summary is presented in a handy, short, separate volume with figures included. This is **Volume C1: Non-Technical Summary**.
- In the **Main Report**, the information in the Environmental Factor topic Chapters 6 – 17 is prepared by various experts but presented in the chapters using a standardised structure with a pre-defined layout, terms and definitions; standard evaluation processes (including scoping) and standard descriptive methods and impact descriptions in order to ensure that all likely and significant effects are clearly communicated, placed in context and **easily cross-referenced**.
- The impacts are evaluated by Sensitive Aspect.
- Every Environmental Factor chapter is set out in the following manner;
 - **Section X.1:** (*'X' being the chapter number, e.g. Section 6.1 in the Population chapter*): comprises an introduction to the topic, a list of the Sensitive Aspect (receptors); overview of the development, the authors; sources of baseline information; and methodology for evaluation.
 - **Section X.2 – X.X** (*2nd X depending on how many Sensitive Aspects are Evaluated*): comprises an evaluation of the Sensitive Aspects including the study area; baseline characteristics; relevant project design measures; evaluation of impacts (Section X.X.4) including cumulative evaluations; mitigation; residual impact; application of best practice measures, and summary table.
 - **Final Sections** - Policy Context followed by Best Practice Measures relevant to the topic, and a Summary of the Topic Chapter.
- To help readers navigate to various individual Sensitive Aspects and their descriptions/evaluations, an **individual colour code is used for each Sensitive Aspect** throughout the topic chapter. The colour-codes have been applied to section headings; tables; and on sidebars on the edge of the page.
- The impacts are evaluated for the Project as it is described in Chapter 5: Description of Development. At the conception of the Project, the design team evaluated the potential or likely significant effects of the development on the receiving environment. Any potential or likely significant effects were avoided, in most cases, by integrating **Project Design Environmental Protection Measures** into the fundamental design of the development. **The development, as described in Chapter 5, is the final iteration of the project including these project design measures**. It is this final iteration that is examined in Chapters 6 to 17, for effects on the prescribed environmental factors, by the topic competent experts.
- **Appendices** have been used for including detailed or supplementary information and photographs that is not core to the EIA Report but which is nonetheless required for a more detailed understanding, or technical scrutiny of significant issues. Appendices are cross referenced in the text of the EIA Report where relevant. These appendices are contained in a separate volume - **Volume C4: Revised EIAR Appendices**;
- **Mapping and Illustrations**, including maps, plans, sections and diagrams are presented in a separate volume so that they can be prepared at a scale that is legible and so that they do not distract from the flow of the text. Illustrations are cross referenced in the text of the EIA Report where relevant. These illustrations are contained in a separate volume – **Volume C3: Revised EIAR Figures**.

- **Red Font** is used to **cross reference** to the **location** of all appendices, illustrations and references to interacting environmental factors in other chapters of the EIA Report.
- At the beginning of each chapter is a **table of contents**, **lists of figures**, and **list of appendices**, to make the EIA Report easier to navigate.
- A **Glossary of Terms** and **list of abbreviations** (if required), is located under the table of contents, figures and appendices for each chapter.
- **Red Font** is also used for indicating the **Chapter Section** in the page header.
- **EPA evaluation criteria and definitions** are used across all the topic Chapters. EIA Report Descriptive Terminology is set out in **Section 2.4 above**.

2.5.1 Presentation of Cumulative Evaluations in the EIA Report topic chapters

So that the information for the **cumulative evaluation** is clearly distinguishable from the information on the subject development, all information on other projects which facilitated the cumulative evaluation is highlighted in light grey.

In the evaluation sections of each environmental topic chapter, the cumulative information appears greyed out but the cumulative evaluation at the bottom of each evaluation table appears again with white background, as it serves as the cumulative evaluation of the Subject Development.

Please Note: In some instances, the Subject Development will not cause any effects by itself, and therefore cannot have a cumulative effect. However, the Other Elements must be considered because the UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project.

2.6 EIA Report Review

The EIA Report was reviewed by the EIA Coordinator using a checklist (compiled by the EIA Coordinator) of the information that must be provided by the promotor, in the EIA Report. The completed checklist details the location in the EIA Report, of all the prescribed information provided. The checklist was used as a final check that the legislative requirements regarding information, were met. The completed Compliance with Legislation Checklist can be found in [Appendix 2.1: Review of Compliance with Legislation](#).

A more in-depth review of the information contained in the EIA Report, was carried out by the EIA Report Coordinator, using a checklist from the EC Guidance document 'Guidance on the preparation of the Environmental Impact Assessment Report (Directive 2011/92/EU as amended by 2014/52/EU) Part C: [The EIA Report Checklist](#)'. This checklist is designed to demonstrate that the required information is provided; that it is sufficient and that there are no omissions vital to the evaluation or assessment process; and if there are vital omissions the checklist should provide an indication of what supplementary information is needed.

As well as the EIA Report team, this checklist can be used by the Planning Authority and others (including members of the public) involved in the consultation process, as a quick guide to the location and sufficiency of all of the information provided in the EIA Report. The final completed EIA Report Checklist can be found at [Appendix 2.4 Completed EIA Report Checklist](#).

UWF Related Works Revised EIA Report

Volume C2: Revised Main EIA Report

Chapter 3: The Scoping Consultations



REFERENCE DOCUMENTS

Contents

3 The Scoping Consultations1

3.1 Consultation with Competent Authorities1

3.2 Consultation with Statutory Bodies and Other Parties1

3.2.1 Consultation with National Parks & Wildlife Service and Inland Fisheries Ireland 1

3.2.1.1 Submissions from NPWS and IFI post application 3

3.2.2 Consultation with other Statutory Bodies and Parties 4

3.3 Consultation with the Public7

3.3.1 Public Consultation 7

3.3.1.1 3rd Party Submissions post application 9

List of Figures

| <u>Figure No.</u> | <u>Figure Title</u> |
|-------------------|---------------------|
| No Figures | |

List of Appendices

| <u>Appendix No.</u> | <u>Appendix Title</u> |
|---------------------|---|
| Appendix 3.1 | Consultation with Competent Authorities |
| Appendix 3.2 | Consultation with Statutory Bodies and Other Parties |
| Appendix 3.3 | Public Consultation Information Day Documentation |
| Appendix 3.4 | Community Liaison & Consultation Strategy |
| Appendix 3.5 | Reply to 3 rd Party Submissions post application |

Appendices referenced in this chapter can be found in **Volume C4 Revised EIAR Appendices**.

Glossary of Terms

| <u>Term</u> | <u>Definition</u> |
|---|--|
| EIA Directive | European Union Directive 2011/92/EU (as amended by Directive 2014/52/EU) |
| Environmental Factors | The factors in the environment required to be identified, described and assessed during the EIA process. These are specified in Article 3 (1) of the EIA Directive as Population and Human Health; Biodiversity; Land; Soils; Water; Air; Climate; Material Assets; Cultural Heritage and Landscape. |
| Competent Authority | The body legally delegated to decide on the Planning Application |
| Competent Expert | Experts who are qualified and competent in their field of expertise |
| Consented Windfarm | Upperchurch Windfarm – 22 wind turbines, substation, windfarm roads and ancillary works, consented in August 2014 under Planning Reference: Tipperary County Council 13/51/0003, ABP PL 22.243040 |
| Element | One of the 5 No. elements listed in ‘Whole Windfarm Project’ below |
| Project Design Environmental Protection Measures | Mitigation Measures for environmental protection, incorporated into the design of the project. |
| Sensitive Aspect | Any sensitive receptor in the local environment which could be impacted by the project. |
| Whole UWF Project | Project made up of 5 No. elements – UWF Grid Connection; UWF Related Works, UWF Replacement Forestry, Upperchurch Windfarm (UWF) and UWF Other Activities. |

List of Abbreviations

| Abbreviation | Full Term |
|-----------------------------|--|
| ABP | An Bord Pleanála |
| BCI | Bat Conservation Ireland |
| BWI | Birdwatch Ireland |
| DAU | Developments Application Unit of Department of Arts, Heritage, Regional, Rural and Gaeltacht Affairs. |
| EDL | Ecopower Developments Limited |
| EIA | Environmental Impact Assessment |
| EIAR | Environmental Impact Assessment Report |
| EMP | Environmental Management Plan |
| EPA | Environmental Protection Agency |
| ESBN or ESB Networks | ESB Networks – Distribution System Operator (DSO) |
| IFI | Inland Fisheries Ireland |
| NPWS | National Parks and Wildlife Services of Department of Arts, Heritage, Regional, Rural and Gaeltacht Affairs. |
| PD | Ecopower Project Design Environmental Protection Measure developed by members of the EIAR Team |
| SAC | Special Area of Conservation |
| SPA | Special Protection Area (for wild birds) |
| UWF | Upperchurch Windfarm |
| UGC | Underground Cable |

REFERENCE DOCUMENTS

3 The Scoping Consultations

The main provisions of the EIA Directive on consultations are Articles 6 and 7. Article 7 refers to trans-boundary projects so just Article 6 is relevant here. Article 6 requires consultations with two different groups on the content of the EIA Report 1) the public concerned and 2) public authorities when they are likely to be concerned.

Scoping consultation in the form of written consultation and responses and/or face-to-face meetings took place with Competent Authorities; Statutory Bodies and Other Parties that are likely to be concerned; and The Public in the general area of development. Consultees were appraised of the details of the Subject Development as well as the other elements of the Whole UWF Project. All feedback received was considered and given due consideration in the final design of the subject development; in the content and the extent of the information contained in the EIA Report; and in the methodology employed to examine all factors in the Report.

3.1 Consultation with Competent Authorities

Consultations, with An Bord Pleanála took place to ascertain if some or all of the Elements of the Whole UWF Project were to be submitted directly to the Board under the Strategic Infrastructure Act (2006). The Board issued a determination notice on 11th January 2018 stating that Element 1: UWF Grid Connection was Strategic Infrastructure but that UWF Related Works is to be submitted to Tipperary County Council .

In the meantime, face-to-face meetings took place with Tipperary County Council regarding elements of the Whole UWF Project on 9th July 2015 and 9th June 2017, one of which was formally recorded.

Relevant Appendices in Volume C4: Revised EIAR Appendices

Appendix 3.1.8: ABP Determination Notice re SID, 11th January, 2018

Appendix 3.1.1: Tipperary County Council Pre-planning meeting, 9th July 2015

3.2 Consultation with Statutory Bodies and Other Parties

3.2.1 Consultation with National Parks & Wildlife Service and Inland Fisheries Ireland

Extensive consultation took place on the Whole UWF Project which includes UWF Related Works, with the Development Application Unit (DAU) and National Parks and Wildlife Service (NPWS) of the Department of Arts, Heritage, Regional, Rural and Gaeltacht Affairs; and Inland Fisheries Ireland (IFI). This consultation is outlined in Table 3-1 below, and was led by Inis Environmental Consultants, the authors of the Biodiversity topic chapter and the Natura Impact Statement.

Table 3-1: Chronology of formal Biodiversity related consultation both issued to and received from, statutory and non- statutory environmental agencies and organisations

| Date | Consultees | Action |
|----------|--------------------|---|
| 31/08/15 | DAU NPWS IFI | Posted initial consultation documents to DAU (the Manager), NPWS (Jervis Good) and IFI (Michael Fitzsimons and Frank O'Donoghue). |
| 09/02/16 | DAU NPWS IFI | Posted further consultation documents to DAU (the Manager), NPWS (Jervis Good) and IFI (Michael Fitzsimons and Frank O'Donoghue). |

| Date | Consultees | Action |
|----------|--------------------|--|
| 16/02/16 | DAU NPWS IFI | Posted supplementary consultation documents to DAU (the Manager), NPWS (Jervis Good) and IFI (Michael Fitzsimons and Frank O'Donoghue) |
| 22/02/16 | IFI | Initial consultation meeting between IFI (Michael Fitzsimons and Frank O'Donoghue), INIS (Howard Williams and Sarah Ingham) and Ecopower Developments Ltd (Julie Brett) at the IFI offices in Limerick. |
| 24/02/16 | IFI | Verbal communication from Mr Michael Fitzsimons that IFI were very satisfied with the detailed plans being prepared for all watercourse crossings by Ecopower Developments Ltd. Mr Fitzsimons stressed that Ecopower Developments Ltd/Inis had put a lot of work into site specific mitigation which he was confident would protect all watercourses comprehensively during the construction stage. |
| 24/02/16 | NPWS | Initial consultation meeting between NPWS (Jervis Good and Stefan Jones), INIS (Howard Williams and Sarah Ingham) and EDL (Julie Brett) at the NPWS offices in Blackrock, Cork. |
| 29/04/16 | DAU NPWS IFI | Posted (by registered post) project amendment consultation documents re changes to 110kV UGC route and access to Mountphilips substation to DAU (the Manager), NPWS (Jervis Good) and IFI (Michael Fitzsimons and Frank O'Donoghue). |
| 11/05/16 | DAU | Telecon between Sarah Ingham (INIS) and Michael Murphy (DAU) in which Mr. Murphy confirmed receipt of all documentation by both email and post and of his forwarding of same to Dr Jervis Good for review. He advised that there is currently a backlog in Dr Good's work load and that he would formally respond in due course. |
| 19/05/16 | IFI | Onsite meeting between Mr Howard Williams (INIS) and Mr Michael Fitzsimons (IFI) to inspect potential impacts of proposed watercourse crossing methodologies on the aquatic ecology of a number of watercourses along the 110kV UGC route. |
| 26/05/16 | IFI | Formal written response received from Mr Fitzsimons in respect of the onsite meeting, outlining his professional opinions and recommendations regarding particular watercourses crossing methods. IFI concludes from this meeting that all watercourse crossings are possible during the open season but that more detailed methodologies should be drafted prior to work commencing. |
| 23/06/16 | NPWS | Meeting between Howard Williams (INIS) and Pat Foley (NPWS Regional Manager) at hotel in Limerick. Consultation documentation supplied to Mr Foley outlining all ecological survey work conducted, the results to date and what further pre-planning survey work we proposed to provide to ensure a comprehensive Ecology assessment for the entire project. |
| 28/10/16 | DAU/NPWS | Received formal response letter from DAU stating that based on the documentation submitted by Inis, <i>"the Department of Arts, Heritage, Regional, Rural and Gaeltacht Affairs has no further observations regarding nature conservation considerations"</i> . |
| 20/01/17 | NPWS | Onsite meeting between Ms Aine Lynch (NPWS, CR), Ms Julie Brett (EDL) and Howard Williams (INIS). Mr Williams outlined to Ms. Lynch the ecological receptors covered by the surveys, the actual survey effort completed for each of the ecological receptors for the project to date. Mr. Williams also presented the survey effort outstanding and planned for the future of the project prior to the submission of the planning application. |

| Date | Consultees | Action |
|------------|----------------------------------|---|
| | | In addition to this information, provisional results of all surveys to date were presented to Ms. Lynch by way of GIS mapping of the locations of all ecological receptors/ecologically sensitive areas recorded relative to the location of the Whole UWF Project. |
| 27/01/17 | NPWS | Further to this meeting, Ms. Lynch held a telephone consultation with Mr. Williams on Friday 27 th January 2017 during which she confirmed that she had subsequently relayed all details of the meeting to Dr Jervis Good, Regional Ecologist. |
| 06/06/17 | DAU NPWS IFI BWI BCI | Scoping document outlining up-to-date project amendments, ecological surveys to date, a brief synopsis of ecological survey results to date, in addition to an overview of potential impacts resulting from the proposed project sent. |
| 27/7/2017 | NPWS | Watercourse crossings, biosecurity, marsh fritillary, drainage at Bleanbeg Bog, forestry felling and replanting as well as proposed mitigation measures for bats and hen harrier foraging habitats discussed. |
| 23/8/2017 | IFI | Conference Call between Mr. Howard Williams (INIS) and Mr Michael Fitzsimons (IFI) in respect of watercourse evaluations in terms of fisheries importance and proposed crossing methods. |
| 13/12/2017 | NPWS | <u>Final Project Overview</u> . Formal meeting between NPWS (Mr Pat Foley - Deputy Regional Manager), and the Developer - Ms Julie Brett. Mr Howard Williams and Mr Chris Cullen as the Ecology Experts were in attendance. Mr Williams provided Mr Foley with a full Project Overview and explained that all Ecology surveys and documentation had been finalized and were ready for submission. Mr Williams explained the surveys and mitigation strategies for all relevant species to Mr Foley. Mr Foley acknowledged the comprehensive nature of the surveys and data. Mr Foley also stated that all his comments were without prejudice and that the project would be judged on its merits by NPWS. |

In addition to the formal consultation meetings outlined in Table 3-1, an ‘information meeting’ was held between Dr. Jervis Good (NPWS, Divisional Ecologist), and Mr. Howard Williams (INIS) on the 27th August 2017. This meeting provided an update of the Whole Windfarm Project, including UWF Related Works, for NPWS staff and a discussion on each receptor within the project study area.

Written responses from IFI and the DAU are included in [Appendix 3.2: Consultation with Statutory Bodies and Other Parties – Appendix 3.2.1 and 3.2.2 respectively](#).

3.2.1.1 Submissions from NPWS and IFI post application

3.2.1.1.1 National Parks and Wildlife Services (NPWS)

NPWS Submission on UWF Related Works post application dated 13.12.2018

NPWS submit that the NIS has not considered whether hen harriers which breed within the SPA require to use the hunting habitat outside the SPA boundary (such as the habitat within the proposed wind farm) and therefore the NPWS does not yet have sufficient information to enable a definitive appropriate assessment to be concluded. NPWS states that as the wind-farm is outside of, but near to, the SPA, the key question is the extent to which the hen harriers breeding within the SPA are dependent upon any suitable hunting habitat within the site of the proposed windfarm. NPWS references the EIAR (Appendix 8.1: Subsection 1.2.4.3) where it is stated that several hen harrier nest locations were within 1 km of the construction

boundary of the windfarm (sic¹) (three in 2016, two in 2017). Therefore the NPWS consider that the following three questions remain outstanding;

1. Were any of the above nests within the SPA?
2. Is there sufficient hunting habitat with the adjacent parts of the SPA to provide for any nearby nesting pair of hen harriers within the SPA, or is it likely that one or more nesting pairs within the SPA will need to rely on the hunting habitat, for which mitigation is required, within the wind-farm?
3. If a summary of the recorded use by hen harriers of the hunting habitat within the proposed wind-farm is compiled, does it indicate significant use by hen harriers on the western side of the proposed wind-farm which may indicate some dependency on the hunting habitat available there?

Ecopower Developments Comment post application: The effects on Hen Harrier, and particularly the ex-situ effects outside the SPA have been clarified and additional baseline information has been produced. The above 3 No. questions have been answered in [Section 8.6: Sensitive Aspect No. 5: Hen Harrier of Chapter 8: Biodiversity of this Revised EIA Report; in Volume E: Revised Appropriate Assessment Reporting](#) and in the [Appeal Cover Letter](#) where the matter is summarised.

3.2.1.1.2 Inland Fisheries Ireland

IFI Submission on UWF Related Works dated 20.08.2018

The stated principal concern of IFI is the protection of the fishery resource and in particular reference to UWF Related Works, both the instream and riparian habitat and the water quality of all watercourses on and bounding the proposed site. IFI does not identify any inadequacies in the submitted planning documentation but rather states that if the project is to proceed, they would require that stringent controls and mitigation measures are in place and that these controls be a condition of planning.

Recommendations are made with regard to prevention of discharges of polluting matter such as cement; prevention of silt deposition in streams; installation of silt traps & settlement ponds; stream crossings; culvert design; hardcore areas; storage of fuels/oils etc.; ground stability; and restrictions on instream work between 1st October and 30th June the following year, in order to protect spawning and juvenile fish. All of these recommendations are anticipated in the Project Design Measures specifically designed into the project, to protect Local Surface Water Bodies. These measures are detailed in [Table 11-20; Section 11.2.3 of Chapter 11: Water of the Revised EIA Report](#).

IFI also recommend prior consultation with IFI before any alterations to watercourses are made and that responsibility for preventing the discharge of deleterious or polluting matter to waters is assigned to the contractor in the CEMP and agreed Works Method Statements.

Ecopower Developments Comment post application: Along with the Project Design Measures for Local Surface Water Bodies already designed into the project, the developer will carry out these additional recommendations included in the IFI submission.

3.2.2 Consultation with other Statutory Bodies and Parties

Scoping consultations were also carried out with other statutory bodies including the environmental authorities and local and regional authorities, NGOs and other parties who were likely to have either or both, a thematically specific or area specific concerns in relation to the Whole UWF Project, including UWF Related Works.

¹ 'of the windfarm' is additional to the text in Appendix 8.1 EIAR 2018. The construction boundary was not specified. In fact the nests identified are within 1km of the May 2018 proposed UWF Grid Connection route. None of these nests are within 1km of UWF Related Works.

Written consultation in the form of the scoping document and consideration of the responses and/or face-to-face meetings took place with statutory consultees and other agencies or bodies – listed in Table 3-2. Written responses from consultees are included as [Appendix 3.2: Consultation with Statutory Bodies and Other Parties \(Volume C4: EIAR Appendices\)](#)

Table 3-2: Other Statutory Consultees, Other Agencies or Bodies Contacted

| Consultee | Type of Consultation | Summary of Feedback |
|---|--|---|
| Tipperary County Council Roads Department | Written and face to face | Agreement on sightline requirements, use of flagmen and the permanent provision of sightlines at Knockcurraghbola Commons, consultation regarding the traffic management plan and process regarding Road Opening/Closing licences. |
| Tipperary County Council Heritage Officer Environmental Officer | Written (Inis) – No Reply | |
| Limerick County Council | Written – No Reply | |
| Kilkenny County Council | Written – reply in Appendix 3.2.3 (Volume C4: Revised EIAR Appendices) <i>Note: The UWF Replacement Forestry was originally proposed for a site in County Kilkenny.</i> | Requests that an alternative location for UWF Replacement Forestry be considered on Biodiversity, Road Safety and Cultural heritage grounds. |
| Southern Regional Assembly | Written – reply in Appendix 3.2.4 (Volume C4: Revised EIAR Appendices) | Requested that account be taken of Regional Planning Guidelines and in particular the Mid-West Regional Planning Guidelines 2010-2022. |
| Department of Communications, Climate Action and Environment | Written – No Reply | |
| Office of Climate, Licensing & Resource Use, Environmental Protection Agency | Written – No Reply | |
| Department of Agriculture, Food and the Marine | Written – No Reply | |
| Minister for Arts, Heritage, Regional, Rural and Gaeltacht Affairs – Developments Application Unit | Written – reply in Appendix 3.2.2 and 3.2.5 (Volume C4: Revised EIAR Appendices) | The subject development is located within a wider area of known archaeological settlement and activity, assessment should include effect on wider archaeological landscape, particularly regarding visual impacts on prehistoric monuments. |

| Consultee | Type of Consultation | Summary of Feedback |
|--|---|---|
| National Parks and Wildlife Service | Meetings and Written – See Section 3.2.1 above. | |
| Inland Fisheries Ireland | Meetings and Written – See Section 3.2.1 above. | |
| Commission for Energy Regulation | Written – No Reply | |
| Health and Safety Authority | Written – No Reply | |
| Health Services Executive - Naas | Written – reply in Appendix 3.2.6 (Volume C4: Revised EIA Appendices) | Assessment should include particulars of Public Consultation, Noise, Ground and Surface Water protection, Shadow Flicker. |
| Institute of Public Health | Written – No Reply | |
| Irish Water | Written – No Reply. Informal meetings in Newport 2016 and 2017 | The proposed location of the 110kV Underground Cable in relation to Irish Water assets was discussed along with the crossing method for the Mulkear River. |
| Transport Infrastructure Ireland | Written – reply in Appendix 3.2.7 (Volume C4: Revised EIA Appendices) | Identifies risk to the National Roads Network and future schemes. Request that a TTA be carried out. Haul routes to be identified. TII Publications to be used as reference documents. |
| The Heritage Council | Written – No Reply | |
| An Taisce | Written – No Reply | |
| An Chomhairle Ealaíonn (Arts Council of Ireland) | Written – No Reply | |
| Fáilte Ireland | Written – reply in Appendix 3.2.8 (Volume C4: Revised EIA Appendices) | Recommend that Fáilte Ireland's Guidelines for the treatment of tourism in an EIS should be taken into account when preparing the EIA Report |
| Irish Aviation Authority | Written – No Reply | |
| Office of Public Works | Written – No Reply. Telephone Consultation with Limerick Office | Section 50 Application for new or altered water crossing structures to be made to the OPW following the receipt of planning permission. Advised that 2013 Guidelines are followed, 900m minimum diameter of new crossing structures, bedding in of structures and sizing of structures to cope with a minimum 100 year flood event. |
| Birdwatch Ireland | Written (Inis) – No Reply | |
| Bat Conservation Ireland | Written (Inis) – No Reply | |

| Consultee | Type of Consultation | Summary of Feedback |
|--|---|---|
| Geological Survey of Ireland | Written – No Reply | |
| National Federation of Group Water Schemes | Written (HES) – phone response | No group water schemes registered with the Federation in the area, advised to contact Tipperary County Council. |
| Irish Peatland Conservation Council | Written – reply in Appendix 3.2.9 (Volume C4: Revised EIAR Appendices) | <p>Regard should be had to the National Peatlands Strategy (NPWS 2015) and Bogland: Sustainable Management of Peatlands in Ireland (EPA 2011).</p> <p>Issues raised about</p> <ul style="list-style-type: none"> the planned 110kV UGC route close to Bleanbeg Bog (Site code: 02450) possibility of alternative 110kV UGC routes for the peatland habitats on the Killeenan to Kilcommon Route possibilities of re-routing the 110kV UGC route which passes close to the southern margin of Knocknamena Commons area of blanket bog |
| Sustainable Energy Authority of Ireland (SEAI) | Written – No Reply | |
| Teagasc – (Dept of Ag) | Written – No Reply | |
| Friends of the Irish Environment | Written – No Reply | |

3.3 Consultation with the Public

3.3.1 Public Consultation

As part of the public consultation for the Whole UWF Project which includes UWF Related Works, EDL held public consultation & information days in the following three venues (at the same time and date for all three venues); Kilcommon Community Centre; Rear Cross Community Centre and Lee's Bar, Newport on Tuesday 10th October, 2017 from 2pm to 8pm. The events were advertised in the two newspapers widely read locally – the Tipperary Star and the Nenagh Guardian and the Rear Cross Kilcommon Newsletter; by word of mouth through the landowners involved in the windfarm and grid connection; poster in and around the 3 venue locations and by email to the local authority members representing the relevant municipal districts i.e. Templemore Thurles Municipal District and Nenagh Municipal District.



Plate 3-1: Public Consultation & Information Day at Rear Cross Community Centre

EDL representatives were present to provide information, answer any questions and engage in consultation on the details and timing of the Subject Development and on the other elements of the Whole UWF Project. The EDL representatives were;

- Phil Kenealy (EIA Coordinator) and Aoife Butler (EIAR and Mapping EDL) attended Rear Cross.
- Pat Brett (CEO EDL), Julie Brett (EIAR Coordinator) and Conor Brett (EIAR and Mapping EDL) and Dr Andrew Buroni (Public Health expert RPS Group) attended Kilcommon.
- Jack Brett (Route Design EDL) and Peter Brett (Electrical Maintenance Manager EDL) attended Newport.

As the Whole UWF Project initially proposed 110kV UGC, partially concerned Coillte property, a Coillte representative attended the Rear Cross information event and 2 further Coillte representatives attended all 3 venues for a period, while the events were taking place, to answer any Coillte specific queries with regards to the project.

Most attendees were landowners involved in either the windfarm including UWF Related Works lands or the grid connection route lands or all of the above. The landowners had a general interest in the Whole UWF Project; the sequencing; projected start date; types of jobs involved in the construction and how to access

employment in the area; possibility of catering being provided by local companies during construction; design and safety of the Internal Windfarm Cables and the 110kV UGC and disruption caused by the cabling works to farming day to day.

Of the 3rd parties who attended all were local to the Whole UWF Project development area. Their interests in the project are listed below:

- Disruption caused by the cabling works to local residents passing and repassing by car on the Local Roads; landowners going about their farm work and walkers on the designated walks (4)
- Proximity of the works to their private property (4)
- It was pointed out that the Ormond Way Walk and Ormond Way Cycle were missing from the Walks mapping presented at the events and that the Eamonn a Chnoic Walk was incorrectly mapped (2)
- Was there capacity to connect more wind turbines if the grid connection was built? (1)
- Interest in the water crossing methods (1)
- Proximity and visual impact of the Mountphilips substation (2)

There was general support expressed for undergrounding of the grid connection and internal windfarm cables. There was house call to a Kilcommon resident who could not attend the event and who was concerned about her private well and more turbines being erected in the local hills.

Action from the events:

- Contact will be maintained with the landowners on the day to day timing of the works.
- A dedicated Community Liaison Officer will keep very active contact with local residents on the traffic arrangements around the works, day to day.
- Mapping error on Walks to be corrected and the Ormond Way Walk and Cycle to be appraised.
- Private well GPS to be recorded and assessed for one resident near Kilcommon in relation to the grid connection UGC.

The planning documents submitted to Tipperary County Council will be available for inspection and purchase at Tipperary County Council's offices in Nenagh and also on the Tipperary County Council website.

In addition, all the application documents will be available on the Applicant's dedicated project website at www.upperchurchwindfarm.ie. The project website also included details of the submission/observation procedure and contact details of the Applicant.

A copy of the newspaper adverts and posters for the event, are included at **Appendix 3.3: Public Consultation Information Day Documentation. (Volume C4: Revised EIAR Appendices)**

Public Consultation was carried out according to **Appendix 3.4: Community Liaison & Consultation Strategy.**

3.3.1.1 3rd Party Submissions post application

Six post application submissions were made by 3rd Parties following submission of the planning application. A reply to these submissions has been prepared and the submission and corresponding reply comprise new **Appendix 3.5: Reply to 3rd Party Submissions post application** to be found in **Volume C4: Revised EIAR Appendices.**

UWF Related Works Revised EIA Report

Volume C2: Revised Main EIA Report

Chapter 4: Alternatives Considered



Contents

| | | |
|-----------|---|-----------------|
| 4. | <u>Alternatives Considered</u> | <u>1</u> |
| 4.1 | Introduction..... | 1 |
| 4.1.1 | Comparison of Environmental Effects | 1 |
| 4.2 | Alternative Locations..... | 2 |
| 4.2.1 | Alternative Delivery Routes | 2 |
| 4.2.1.1 | Description & Comparison of Alternative Delivery Routes..... | 2 |
| 4.2.1.2 | Reason for Selection of Alternative Routes | 3 |
| 4.2.2 | Description & Comparison of Alternative Turning Areas for Road C Selection | 4 |
| 4.2.2.1 | Reason for selection of alternative turning area | 4 |
| 4.2.3 | Alternative Location – Telecoms Relay Pole | 5 |
| 4.2.3.1 | Description & Comparison of Alternative Locations – Telecoms Relay Pole | 5 |
| 4.2.3.2 | Reason for selection of final location – Telecoms Relay Pole..... | 5 |
| 4.3 | Alternative Layouts | 6 |
| 4.3.1 | Alternative Layout – Internal Windfarm Cables..... | 6 |
| 4.3.1.1 | Description & Comparison of Alternative Layout – Internal Windfarm Cables..... | 6 |
| 4.3.1.2 | Reason for selection of final Layout – Internal Cabling | 7 |
| 4.3.2 | Alternative Layout – Realigned Windfarm Roads | 7 |
| 4.3.2.1 | Description & Comparison of Alternative Layouts for Realigned Windfarm Roads RWR1 and RWR28 | 7 |
| 4.3.2.2 | Reason for selection of alternative layouts | 8 |
| 4.4 | Alternative Process..... | 9 |
| 4.5 | Alternative Mitigation Measures | 13 |
| 4.6 | ‘Do-Nothing’ Alternative | 14 |

List of Figures

| <u>Figure No.</u> | <u>Figure Title</u> |
|-------------------|------------------------------------|
| Figure RW 4-1 | Alternatives for UWF Related Works |

Figures and mapping referenced in this chapter can be found in **Volume C3 EIAR Figures**.

Glossary of Terms

| <u>Term</u> | <u>Definition</u> |
|---|--|
| EIA Directive | European Union Directive 2011/92/EU (as amended by Directive 2014/52/EU) |
| Environmental Factors | The factors in the environment required to be identified, described and assessed during the EIA process. These are specified in Article 3 (1) of the EIA Directive as Population and Human Health; Biodiversity; Land; Soils; Water; Air; Climate; Material Assets; Cultural Heritage and Landscape. |
| Competent Authority | The body legally delegated to decide on the Planning Application |
| Competent Expert | Experts who are qualified and competent in their field of expertise |
| Consented Windfarm | Upperchurch Windfarm – 22 wind turbines, substation, windfarm roads and ancillary works, consented in August 2014 under Planning Reference: Tipperary County Council 13/51/0003, ABP PL 22.243040 |
| Element | One of the 5 No. elements listed in ‘Whole UWF Project’ below. |
| Project Design Environmental Protection Measures | Mitigation Measures for environmental protection, incorporated into the design of the project. |
| Sensitive Aspect | Any sensitive receptor in the local environment which could be impacted by the project. |
| Whole UWF Project | Project made up of 5 No. elements – UWF Grid Connection; UWF Related Works, UWF Replacement Forestry, Upperchurch Windfarm (UWF) and UWF Other Activities. |

List of Abbreviations

| <u>Abbreviation</u> | <u>Full Term</u> |
|-----------------------------|--|
| ABP | An Bord Pleanála |
| EIA | Environmental Impact Assessment |
| EIAR | Environmental Impact Assessment Report |
| EMP | Environmental Management Plan |
| EPA | Environmental Protection Agency |
| ESBN or ESB Networks | ESB Networks – System Operator |
| PD | Ecopower Project Design Environmental Protection Measure developed by members of the EIAR Team |
| UWF | Upperchurch Windfarm |
| UGC | Underground Cables |

4. Alternatives Considered

4.1 Introduction

The purpose of the subject application – UWF Related Works is to facilitate the construction of the already permitted but not constructed, Upperchurch Windfarm (UWF).

There are 5 No. components to the subject application:

- Internal Windfarm Cabling – connecting the turbines to the Consented UWF Substation.
- Realigned Windfarm Roads – realignment of some three lengths of the Consented Windfarm Roads
- Haul Route Works - facilitating the haulage of turbine components and construction materials during construction of UWF
- Telecom Relay Pole – required to relay communication signals from the existing mast at Knockmaroe in order to avoid interference from the operating UWF
- Ancillary RW Works – works required to facilitate the construction of the subject application.

The consideration of alternatives is an information requirement of Annex IV of the EIA Directive, and the single most effective means of avoiding significant environmental effects.

Annex IV (2) of the amended Directive¹ requires;

“A description of the reasonable alternatives (for example in terms of project design, technology, location, size and scale) studied by the developer, which are relevant to the proposed project and its specific characteristics, and an indication of the main reasons for selecting the chosen option, including a comparison of the environmental effects.”

In this Chapter 4, a description of the process of consideration of reasonable alternative locations, layouts, processes and mitigation measures which was carried out by the EIAR design team, during the design and environmental appraisal of the subject application, is presented. The chosen options were decided having regard to a comparison of the relevant/significant environmental effects of each option.

4.1.1 Comparison of Environmental Effects

An integer is assigned to environmental effects according to the impact level per;

| | Potential to cause |
|---|--|
| 4 | slightly Positive Effect (<i>An effect which causes noticeable changes in the character of the environment without affecting its sensitivities</i>) |
| 3 | Neutral Effect (<i>No effects or effects that are imperceptible within normal bounds of variation or within the margin of forecasting error</i>) |
| 2 | slightly Negative Effect (<i>An effect which causes noticeable changes in the character of the environment without affecting its sensitivities</i>) |
| 1 | potentially Significant Negative Effect – (<i>An effect which, by its character, magnitude, duration or intensity alters a sensitive aspect of the environment</i>). |

This high level ranking of options provides a guide to the EIAR design team, of the likely significant effects on the Environmental Factors of the various options, which assisted in the choice of final option.

¹ EIA Directive 2011/92/EU as amended by Directive 2014/52/EU

4.2 Alternative Locations

Some locations have more inherent environmental problems than others. Such locations have been avoided in favour of sites which have fewer constraints and the maximum capacity to sustainably assimilate the proposal into the receiving environment.

4.2.1 Alternative Delivery Routes

The Local Roads in the vicinity of the windfarm will be required to deliver the construction materials, turbine components and electrical plant. Alternative delivery routes, using different combinations of the Local Road network, were investigated.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 4-1: Alternatives for UWF Related Works

4.2.1.1 Description & Comparison of Alternative Delivery Routes

UWF will be constructed on broadly 4 No. areas;

- (Turbines) T1 to T8 in the Shevry area, where there is access for construction traffic directly from the R503
- T9 to T16 in the Knocknamena Commons area, where there is access only from the Local Roads
- T17 to T21 in the Knockmaroe/Grousehall area, where there is access only from the Local Roads
- T22 and the windfarm substation at Knockcurraghbola Commons, where there is access only from the Local Roads.

In summary, for access for construction traffic for T9 upto T22 and the substation, which are not directly accessible from the R503, Local Roads will be used for access. Works will be required to upgrade these roads, in particular, to facilitate the abnormal loads needed for turbine components. Alternative Local Road delivery routes were investigated for this access and these routes were appraised for the general condition and capacity of the road including width; pavement strength; traffic use and water crossings.

Three Local Road sections were investigated and these are identified as **A, B and C on Figure RW 4-1**. These are;

- Road A - L4139-0.
- Road B - the eastern section of the L6188-0
- Road C - the L2264-50 and the western section of the L6188-0

A combination of these Local Roads (i.e AB or CB or AC) is required to deliver construction materials, turbine components for T9 upto T22 and electrical equipment to the substation.

Table 4-1: Comparison of Environmental Effects of Alternative Delivery Routes

| Potential Effects | Road A | | Road B | | Road C | |
|---|--|---|---|---|--|---|
| Water (water quality) | No bridge | 3 | 1 No. bridge (Fahy's Bridge, very narrow, works required) | 1 | No bridge | 3 |
| Roads (road surface) | Widening and reinstatement required | 1 | Widening and reinstatement required | 1 | Main Borisoileigh Road. Less widening and reinstatement required | 2 |
| Road Users (Road safety/Traffic delays) | Stop/Go traffic management required. Not a busy road | 2 | Road closure and Stop/Go traffic management required | 1 | Some traffic control required | 2 |
| Total Score | | 6 | | 3 | | 7 |

4.2.1.2 Reason for Selection of Alternative Routes

A score for the route combinations was thus created;

- Roads A+B = 9
- Roads C+B = 10
- Roads A+C = 13

Road A in combination with Road C is the highest score after comparison of environmental effects. Therefore this combination is proposed. Road A will be reached through the windfarm roads in the Shevry area (which have direct access from the R503) and will be used to access T9 to T16 in Knocknamena Commons. Road C (which is directly off the R503) will be used to access T17 to T22 and the windfarm substation. Road B, the lowest scoring road, will not be used for construction traffic.

The works required to upgrade the chosen routes are the Haul Route Works part of the Subject Application, to be carried out at 13 No. locations, called HW1 to HW13.

4.2.2 Description & Comparison of Alternative Turning Areas for Road C Selection

The Local Roads delivery routes thus chosen, consideration of alternative locations for access to Road C (Borrisoleigh Road), from the R503 were considered. Turbine components will come from the Thurles direction and the abnormal load lengths will not be able to make the right turn from the R503, onto Road C. A turning area is required west of the turnoff, so that the manoeuvre can be made 'straight on'.

2 No. alternative turning area locations were identified;

- Turning Point 1: Turning point from the R497 at Knocknabansha, which is at an existing farm entrance.
- Turning Point 2: Turning point from the R503, which is at an existing entrance to a forestry yard.

Table 4-2: Comparison of Environmental Effects of Alternative Turning Area for Road C

| Potential Effects | Location 1 | | Location 2 | |
|---------------------------------|--|---|--|---|
| Land (Landuse) | Grassland – Productive Land | 1 | Paved Yard – Non-productive land | 3 |
| Soils (Excavations and erosion) | Excavations required. Erosion impacts | 2 | No excavations required | 3 |
| Water (water quality) | Potential for water quality impacts from excavations | 2 | No excavations – no water quality implications | 3 |
| Total Score | | 5 | | 9 |

4.2.2.1 Reason for selection of alternative turning area

The existing yard at Location 2 is the better choice when compared for environmental effects. Haul Route Works (HW 7) are proposed for Location 2.

4.2.3 Alternative Location – Telecoms Relay Pole

A new relay pole is required in order to redirect signals between the existing Foilnahan and existing Laghtseefin telecommunications mast.

The following locational criteria apply;

- Line of sight with the existing Foilnahan Mast (300m to the north at Knockmaroe) and the existing Laghtseefin Mast (9.5km to the south),
- Access,
- Power supply.

4.2.3.1 Description & Comparison of Alternative Locations – Telecoms Relay Pole

There were two possible location options with line of sight to both the Foilnahan and Laghtseefin masts;

- **Location 1:** Top of Knockcurraghbola Crownlands.
- **Location 2:** Top of Knockmaroe.

Table 4-3: Comparison of Environmental Effects of Alternative Site Locations – Telecoms Relay Pole

| Potential Effects | Location 1 | | Location 2 | |
|--|--|----------|--|----------|
| Soils (excavations) | New access road required | 2 | Much shorter access road required | 3 |
| Water (water quality) | Water quality risk from access road construction | 2 | Less water quality risk from access road construction | 3 |
| Landscape (Landscape Character) | No nearby power source – LV overhead line required | 2 | No requirement for a new overhead power supply, 300m of underground cable from existing Foilnahan mast possible for power supply | 3 |
| Total Score | | 6 | | 9 |

4.2.3.2 Reason for selection of final location – Telecoms Relay Pole

Location 2 at Knockmaroe scores the highest for mitigating environmental effects due to the easy access and also a readily available power source, negating the need to build a low voltage overhead line to provide power. Location 2 is therefore the chosen site for the Telecoms Relay Pole.

4.3 Alternative Layouts

Alternative layouts can often be devised to consider how different elements of a proposal can be arranged on a site typically with different environmental, as well as design, implications.

4.3.1 Alternative Layout – Internal Windfarm Cables

Internal cabling is required to connect the wind turbines to the windfarm substation.

4.3.1.1 Description & Comparison of Alternative Layout – Internal Windfarm Cables

The internal cabling will be located in the townlands of Graniera, Shevry, Knockcurraghbola Commons, Knockmaroe, Grousehall, Cummer, Foilnahan, Gleninchaveigh, Coumnageeha, Coumbeg, Knocknamena Commons, Glenbeg and Seskin.

There were two possible layout options;

- a. **Layout A:** Laid windfarm roads and in the local roads whenever possible.
- b. **Layout B:** Laid in windfarm roads and in improved grassland and forestry with local road crossings.

Table 4-4: Comparison of Environmental Effects of Alternative Internal Cables Layout

| Potential Effects | Layout A – Laid windfarm roads and in the local roads whenever possible | | Layout B – Laid in windfarm roads and in improved grassland and forestry with local road crossings | |
|--|--|----------|---|----------|
| Biodiversity (habitat loss, disturbance) | Road corridors have low biodiversity value. | 3 | The location of internal cable layout is not within a designated European Site - the Slieve Felim to Silvermines Mountain SPA is 580m to the west. There are no nesting hen harriers in the area (closest nest in SPA is 4.5km to the west). The lands around the internal cables are not optimal for hen harrier, being predominately permanent grassland, with livestock farming, dairying and beef cattle rearing ongoing. Imperceptible and temporary change from baseline conditions with reinstatement of cables trench. While the magnitude of the impact will be imperceptible, given the high importance of the hen harrier, the effect will be slightly negative. | 2 |
| Land (landuse) | No effect to productive land | 3 | Lands to be reinstated – imperceptible and temporary change from baseline conditions of productive agricultural and forestry land. | 3 |
| Roads (damage to Public Roads, decrease in road safety & traffic delays) Population (business disruption) | Cabling could cause significant damage to road pavements, due to the narrow nature of many local roads. Significant temporary impact to road users due to road closures on all roads and lengthy detours would be required, causing travel delays to road users. | 1 | Crossing works will be of a brief duration (typically less than one day) with works across the road instead along the length. These works can be stopped intermittently and a steel plate can be used to cover the trench temporarily to allow vehicles to cross the trench. | 3 |
| Total Score | | 7 | | 8 |

4.3.1.2 Reason for selection of final Layout – Internal Cabling

Layout B scored higher for relevant effects to environmental topics, because it was considered that because the area is a farmed area dominated by improved grassland and forestry, there is little biodiversity value. While hen harrier has a very high sensitivity, nesting birds are unlikely to forage in the internal windfarm cabling area due to the dominance of grassland and the distance from nearest nests (4.5km), studies have shown that hen harrier concentrate foraging within 2km of the nest. Layout A would require extensive road closures and prolonged road closures, and inconvenient detours, albeit that the number of people affected would be low, their inconvenience would be temporary but substantial. Therefore, on balance, it was considered that **Layout B was the best option as the cables can be laid off-road without significantly affecting biodiversity or roads or road users.**

4.3.2 Alternative Layout – Realigned Windfarm Roads

For RWR1 and RWR2: Alternative layouts were identified for two lengths of the already Consented UWF Roads.

For RWR3: In the subject application, a short length (30m) of new access road is proposed between the Consented UWF Roads in Knockmaroe to the new Telecoms Relay Pole. The location chosen is the shortest and most direct access choice from the windfarm roads to the new telecom pole.

4.3.2.1 Description & Comparison of Alternative Layouts for Realigned Windfarm Roads RWR1 and RWR2

RWR1: The Consented UWF Road to Turbine No.5 in Shevry is 560m in length. As part of pre-construction geotechnical studies, this road was surveyed by engineering consultants using advanced aerial Lidar, which produces high resolution contour topography data, irrespective of the presence of forestry. The Lidar investigation shows that a shorter access road, by a more direct route up to T5, is technically possible. The Consented UWF Road curved up the hill to T5 by a longer, more circuitous route. This new information informed alternative layout investigations to replace Consented UWF Road to T5, in its entirety.

The alternative layout is Realigned Windfarm Road RWR1. RWR1 will be shorter at 230m in length, through forestry and will require forestry felling of 0.26ha.

RWR2: The consented UWF road between Turbine No.19, Turbine No. 20 and Turbine No. 21 is 840m long in total. It is proposed to replace 370m of this road by Realigned Windfarm Road RWR2, for the same length of 370m, 150m of which is on existing farm road. It was the landowner's preference that an existing farm track would be used to reflect changes to farming practices on his farm.

Table 4-5: Comparison of Environmental Effects of RWR1 Layout

| Potential Effects | RWR1 | | Consented UWF Road | |
|---------------------------------|--|---|---|---|
| Land (landuse) | 230m strip of productive land required 0.26ha of forestry felled. | 2 | 560m strip of productive land required | 2 |
| Soils (excavations and erosion) | No cut & fill excavations | 3 | Cut & fill excavations | 2 |
| Water (water quality) | Less potential for negative impact on Water Quality | 2 | More potential for negative impact on Water Quality | 1 |
| Total Score | | 7 | | 5 |

Table 4-6: Comparison of Environmental Effects of RWR2 Layout

| Potential Effects | RWR2 | | Consented UWF Road | |
|-------------------|---|---|--|---|
| Land (landuse) | 220m strip of productive land required Upgrade of existing farm road | 3 | 370m strip of productive land required | 2 |

4.3.2.2 Reason for selection of alternative layouts

On-going pre-construction site investigations and landowner consultations indicated that alternative layouts should be considered for 2 no. lengths of already consented windfarm roads. When alternatives were examined, the alternative layouts chosen scored higher in a comparison of environmental effects. Therefore these layouts for RWR1 and RWR2 are now being proposed.

4.4 Alternative Process

Within each design solution there can be a number of alternatives as to how the processes or activities of the development can be carried out e.g. the management of processes that affect the volumes and characteristics of emissions, residues, traffic and the use of natural resources. Consideration of alternative process at the earlier stages in the evolution of a project represent significant potential for avoidance of adverse effects on the environment.

The processes associated with the construction and operation of the project, were identified by the Design and EIAR evaluation teams and also through consultation with interested parties. An examination of these processes, resulted in alternative processes being devised to avoid, prevent or reduce environmental effects. These alternative processes are an intrinsic part of the design of the subject development.

These alternative processes are listed in the table below. These processes are also discussed in the specific environmental topic chapters.

Table 4-7: Alternative Processes introduced as part of the project design

| Environmental Factor | Potential Significant Negative Effect | Alternative Process and Comparison of Environmental Effect |
|--------------------------------------|--|---|
| Air & Human Health (Local Residents) | Dust and noise from construction works and machinery | <p><u>The Process</u>: Construction works for various elements of the Whole UWF Project taking place at the same time.</p> <p><u>Alternative Process</u>: UWF Related Works construction works in Knocknabansha, Knockmaroe, Knockcurraghbola Crownlands, and Knockcurraghbola Commons townlands, which are within 350m of any local residences, will not take place at the same time as either the UWF Grid Connection or Upperchurch Windfarm.</p> <p><u>Comparison</u>: This timing of works will prevent significant cumulative effects to Air (Local Residents & Community) due to noise from more than one source of construction works that may have arisen should the works take place at the same time.</p> |
| Water Soils | Contamination of water and soils | <p><u>The Process</u>: Unregulated refuelling of vehicles; overnight parking of machinery and storage of fuels in the construction works area; concrete batching; run-off from dewatering works discharged over lands.</p> <p><u>Alternative Process</u>:</p> <ul style="list-style-type: none"> • There will be no refuelling of vehicles or plant permitted within 50m of a watercourse, or within the boundary. • There will be no storage of fuels within 50m of any other watercourse. • The main fuel stocks for, and chemical wastes arising from, construction activities will be stored in a designated location, away from main traffic activity, within the temporary Upperchurch Windfarm Site Compound No. 1. All fuel will be stored in bunded, locked storage containers. • Overnight parking of plant and machinery will only be permitted at locations which are greater than 50m from watercourses and where there is an existing hard-core surface in place. |

| Environmental Factor | Potential Significant Negative Effect | Alternative Process and Comparison of Environmental Effect |
|---|---|---|
| | | <ul style="list-style-type: none"> Only precast concrete structures will be used at culvert watercourse crossing locations. No batching of wet cement will take place on-site. <p><u>Comparison:</u> The alternative process prevents a potential risk of contamination to Water or Soils that may arise from unregulated processes with regard to refuelling, overnight parking and use of cementitious material.</p> |
| Water | Sedimentation effects | <p><u>The Process:</u> stockpiling of excavated soils anywhere within the works area boundary; allowing permanent storage berms to revegetate naturally.</p> <p><u>Alternative Process:</u></p> <ul style="list-style-type: none"> All excavated material will be removed for temporary or permanent storage more than 50m away from Class 1 and Class 2 watercourses. Permanent overburden storage berms will be graded and seeded immediately after emplacement. <p><u>Comparison:</u> The alternative process prevents the risk of significant sedimentation effects to Water (Local SWBs) that may occur if there was no control on the location of stockpiled soils and if standard reinstatement procedures were used.</p> |
| Water (In this EIA Report Class 1 and Class 2 watercourses are watercourses which contain habitats suitable for fish and aquatic species, such as streams and rivers. Drains, on the other hand are generally classified as Class 3 and Class 4 watercourses, which means that they no fisheries value). | In-combination sedimentation effects to Water | <p><u>The Process:</u> Watercourse crossing works, earthworks, forestry felling and excavation dewatering taking place at the same time, within 50m of a Class 1 or Class 2 watercourse.</p> <p><u>Alternative Process:</u> A phased approach will be undertaken in relation to watercourse crossing works, earthworks, forestry felling and excavation dewatering, where these works occur within 50m of a Class 1 or Class 2 watercourse. The phased approach will only permit one of main potential sediment producing activities, listed above, to be carried out within 50m of a Class 1 or Class 2 watercourse, at any one time.</p> <p><u>Comparison:</u> This timing of works will reduce the potential for localised in-combination effects on surface water quality from the main potential sediment sources during construction works (i.e. Watercourse Crossing Works, Earthworks, Tree Felling and Excavation Dewatering) that might otherwise occur if the works took place at the same time.</p> |
| Biodiversity (badgers) | Disturbance effects | <p><u>The Process:</u> Normal construction working hours (7am to 7pm) and no seasonal restrictions in place during the badger breeding season.</p> <p><u>Alternative Process:</u></p> <ul style="list-style-type: none"> Construction works will only take place during daylight hours. No construction works will take place within 50m of an active badger sett in the main breeding season (December to June inclusive). <p><u>Comparison:</u> Tailoring of seasonal and daily working hours would prevent disturbance to badgers whereas unrestricted construction</p> |

| Environmental Factor | Potential Significant Negative Effect | Alternative Process and Comparison of Environmental Effect |
|----------------------------------|---|--|
| | | activity timing increases the potential for significant effects to these mammals. |
| Biodiversity (Hen Harrier) | Disturbance effects | <p><u>The Process:</u> Normal construction working hours and no seasonal restrictions within 500m of a hen harrier nest.</p> <p><u>Alternative Process:</u> Construction works for the UWF Related Works will be not be carried out during the hen harrier breeding season March to August inclusive.</p> <p><u>Comparison:</u> Tailoring of seasonal and daily working hours would prevent disturbance to breeding and roosting hen harrier whereas unrestricted timing on construction activity would increase the potential for significant effects to the bird.</p> |
| Biodiversity (Bats) | Disturbance effects and habitat fragmentation through hedgerow severance | <p><u>The Process:</u> Normal construction working hours (7am to 7pm) and the use of lights during these hours if it is dark. Hedgerow removal and trimming without mitigating alternatives.</p> <p><u>Alternative Process:</u></p> <ul style="list-style-type: none"> Construction works will take place during daylight hours, to avoid disturbance effects to bats at night. Narrowing the construction works area at hedgerow crossing points to minimise the amount of hedgerow requiring removal. At identified hedgerow locations bat crossing structures will be erected. The structures will provide a continuation of flight-line for bats during the works and in the post construction period, while the hedgerow is re-growing. <p><u>Comparison:</u> Tailoring of daily working hours will prevent disturbance to bats. Minimising hedgerow removal and trimming and also constructing leafy structures to continue the line of flight along the hedgerow is a better alternative process to mitigate negative hedgerow severance effects to Biodiversity (Bats).</p> |
| Material Assets (Built Services) | Damage to overhead electricity and telephone lines and underground services | <p><u>The Process:</u> Construction activity commences without confirmatory consultations with Irish Water, Eir and ESBN and confirmatory ground surveys at service locations taking place; no goal posts used; no banksmen used.</p> <p><u>Alternative Process:</u> Confirmatory consultations with Irish Water, Eir and ESBN and confirmatory ground surveys at service locations will be carried out ahead of works; 'Goal Posts' will be used to identify and highlight the height of nearby overhead lines; and a foreman/banksman will look out for underground pipes during excavations near services.</p> |

| Environmental Factor | Potential Significant Negative Effect | Alternative Process and Comparison of Environmental Effect |
|----------------------------------|---|---|
| | | <u>Comparison:</u> The alternative processes will prevent significant effects to Built Services whereas the absence of such measures could result in damage through accidental severance. |
| Material Assets (Built Services) | Loss of roadside boundaries and the relocation of telephone and electricity poles in the boundaries | <p><u>The Process:</u> Removal of roadside boundaries including hedgerows and tree and removal/relocation of built services poles, in order to create adequate sightlines at temporary site entrances.</p> <p><u>Alternative Process:</u> Flag-men will be used at temporary site entrances rather than creating sightlines by the removal of roadside boundaries. These flagmen will control the access and egress through these entrances, so that the other road users can continue to use the local road network in a safe and efficient manner.</p> <p><u>Comparison:</u> The use of flagmen at the temporary entrances will prevent significant effects to Biodiversity, Built Services and Cultural Heritage that would otherwise happen if adequate sightlines were required for these temporary entrances.</p> |

4.5 Alternative Mitigation Measures

Within each design and process solution there can be a number of different options available to mitigate effects on the environment. Consideration of mitigation measures at the earlier stages in the evolution of a project represent significant potential for avoidance of adverse effects on the environment.

Mitigation measures were identified by the Design and EIAR evaluation teams and also through consultation with interested parties. An examination of these measures, resulted in an alternative measure being devised to refine the mitigating environmental effects on Cultural Heritage.

Table 4-1: Alternative Mitigation Measure introduced as part of the project design

| Environmental Factor | Potential Significant Negative Effect | Alternative Process and Comparison of Environmental Effect |
|----------------------|---------------------------------------|--|
| Cultural Heritage | Loss or damage | <p><u>The Process:</u> Groundworks in the vicinity of identified RPS or known archaeology to be monitored by an archaeologist under license from the National Monuments Service.</p> <p><u>The Alternative Mitigation Measure:</u> All initial groundworks will be monitored by an archaeologist under license from the National Monuments Service.</p> <p><u>Comparison:</u> Monitoring of all groundworks (during the initial groundworks) is an improved mitigation measure to prevent significant effects to Cultural Heritage (Unrecorded Subsurface Sites) than the alternative of monitoring groundworks near known sites only.</p> |

4.6 'Do-Nothing' Alternative

The 'do-nothing' alternative examines trends currently occurring in the environment and the effects caused by not proceeding with the development which may cause a secondary effect of Upperchurch Windfarm not being built.

UWF Related Works will be constructed at the same time as Upperchurch Windfarm. The same crew will be involved in the civil and electrical works. The economic opportunity cost of UWF Related Works alone equates to the loss of;

- c.8 persons working directly on the construction of UWF Related Works
- c.€100,000 to local landowners in the form of option payments and wayleave agreements
- c.€c.€500,000 induced expenditure on locally sourced goods and services.

This represents a lost opportunity for employment in the area and direct transfers to the local landowners.

As the subject application comprises works to facilitate the construction and operation of Upperchurch Windfarm, a secondary impact of the development not progressing would be that Upperchurch Windfarm may not build and therefore;

- Ireland has signed up to several Climate agreements including the "2030 Climate and Energy Policy Framework" which aims to reduce GHG emissions by 40% compared with 1990 levels by 2030. In the 'do-nothing' alternative there will be a consequential loss of the carbon offset potential from the generation of 150 million kWh of renewable energy per annum, which will avoid the emission of 128,118 tonnes of greenhouse gases per annum which would result from generating the same amount of electricity by fossil fuel plant. This generation may or may not be realised at another renewable energy plant.
- The latest EPA data would indicate that, due to increased economic growth, Ireland will be in breach of its EU 2020 target. If Upperchurch Windfarm is not built, Ireland is less likely to meet the National Renewable Energy Action Plan (NREAP) target of 40% electricity generation to come from renewable sources by 2020.
- There will be no improvement to balance of payments through the substitution of an indigenous energy source (wind) for an imported energy source (fossil fuels).
- There will be no long term economic gain locally during the operation phase of UWF per;
 - Annual rental payments to 36 local landowners of €700,000 annually for the lifetime of UWF.
 - Annual commercial rates payments of est. €1.1 million for the lifetime of UWF.
 - Two teams (3 persons) wind turbine technicians and one caretaker in full time employment on UWF.

This represents a lost opportunity for positive impacts on Population (employment and direct transfer of money) and Material Assets (commercial rates to the Local Authority).

If Upperchurch Windfarm is not built then UWF Grid Connection will not be built and therefore result in the lost opportunity cost of;

- A valuable high voltage link in the Silvermines area.

These are the do-nothing alternatives for UWF Related Works.

UWF Related Works Revised EIA Report

Volume C2: Revised EIAR Main Report

Chapter 5

Description of Development (UWF Related Works)



Revised January 2019

Contents

| | | |
|-------------|---|-----------|
| 5. | Description of the Development - UWF Related Works..... | 1 |
| 5.1. | Introduction to Chapter 5 | 1 |
| 5.2. | Characteristics of UWF Related Works | 2 |
| 5.2.1. | Purpose of UWF Related Works..... | 2 |
| 5.2.2. | Location and overview description of UWF Related Works | 2 |
| 5.2.3. | Characteristics of UWF Related Works | 4 |
| 5.2.3.1. | Realigned Windfarm Roads..... | 4 |
| 5.2.3.2. | Internal Windfarm Cabling..... | 5 |
| 5.2.3.3. | Haul Route Works | 6 |
| 5.2.3.4. | Telecom Relay Pole | 8 |
| 5.2.3.5. | RW Ancillary Works..... | 9 |
| 5.2.3.6. | Response to RFI from Roads Department, Tipperary County Council..... | 15 |
| 5.2.4. | Environmental Protection Measures (Mitigation Measures) designed into the UWF Related Works | 18 |
| 5.2.4.1. | Environmental Management Plan | 21 |
| 5.2.4.2. | Response to RFI on Mitigation, Monitoring and Compensatory Measures | 21 |
| 5.3. | Life Cycle Stages of UWF Related Works..... | 23 |
| 5.3.1. | Construction Stage - UWF Related Works | 23 |
| 5.3.1.1. | Overview of the Construction Process..... | 23 |
| 5.3.1.2. | Duration & Timing..... | 23 |
| 5.3.1.3. | Construction Personnel..... | 24 |
| 5.3.1.4. | Construction Stage Activities | 24 |
| 5.3.1.5. | Use of Machinery and Equipment | 26 |
| 5.3.1.6. | Use of Hydrocarbons..... | 27 |
| 5.3.1.7. | Other Facilities - Fuel Storage & Tool Storage | 27 |
| 5.3.1.8. | Imported Construction Materials | 27 |
| 5.3.1.9. | Traffic Management at Temporary Entrances and Road Work Locations..... | 28 |
| 5.3.1.10. | EMP for the UWF Related Works..... | 29 |
| 5.3.2. | Operational Stage – UWF Related Works | 30 |
| 5.3.2.1. | Duration and Timing of Operational Stage | 30 |
| 5.3.2.2. | Operational Personnel | 30 |
| 5.3.2.3. | Operational Activities..... | 30 |
| 5.3.2.4. | Use of Machinery and Equipment | 31 |
| 5.3.2.5. | Use of Hydrocarbons..... | 32 |

| | | |
|-------------|--|-----------|
| 5.3.2.6. | Welfare Facilities..... | 32 |
| 5.3.2.7. | Other Facilities - Fuel Storage & Tool Storage | 32 |
| 5.3.3. | Changes to UWF Related Works | 33 |
| 5.3.3.1. | Decommissioning..... | 33 |
| 5.4. | Use of Natural Resources, Emissions & Wastes | 34 |
| 5.4.1. | Use of Natural Resources..... | 34 |
| 5.4.1.1. | Use of Resources: Land..... | 34 |
| 5.4.1.2. | Use of Resources: Biodiversity..... | 35 |
| 5.4.1.3. | Use of Resources: Water..... | 36 |
| 5.4.1.4. | Use of Resources: Soils | 37 |
| 5.4.2. | Emissions..... | 38 |
| 5.4.2.1. | Dust | 38 |
| 5.4.2.2. | Vehicle Exhausts..... | 38 |
| 5.4.2.3. | Noise | 38 |
| 5.4.2.4. | Vibration | 38 |
| 5.4.2.5. | Light..... | 38 |
| 5.4.2.6. | Electromagnetic Radiation | 38 |
| 5.4.3. | Waste | 39 |
| 5.4.3.1. | Waste Water | 39 |
| 5.4.3.2. | General Waste | 39 |
| 5.4.3.3. | Chemical Waste | 39 |
| 5.4.3.4. | Arisings..... | 40 |
| 5.4.3.5. | Waste Management Plan..... | 40 |
| 5.5. | Vulnerability of the Project to Major Accidents and Natural Disasters | 41 |
| 5.5.1. | Vulnerability to Major Accidents | 41 |
| 5.5.2. | Vulnerability to Natural Disasters (Land slippage, Flooding)..... | 41 |
| 5.5.2.1. | Land-slippage | 41 |
| 5.5.2.2. | Flooding..... | 41 |
| 5.5.2.3. | Consequences of Natural Disasters Occurring..... | 42 |
| 5.5.2.4. | Overall Risk..... | 42 |
| 5.5.2.5. | Mitigation Measures..... | 42 |
| 5.6. | Cumulative Descriptions | 43 |
| 5.6.1. | Description of the Other Elements of the Whole UWF Project..... | 43 |
| 5.6.1.1. | Element 1: UWF Grid Connection | 44 |
| 5.6.1.2. | Element 3: UWF Replacement Forestry..... | 47 |
| 5.6.1.3. | Element 4: Upperchurch Windfarm..... | 49 |

| | | |
|----------|---|----|
| 5.6.1.4. | Element 5: UWF Other Activities | 51 |
| 5.6.1.5. | Cumulative Locational Context of all the Elements | 53 |
| 5.6.2. | Secondary Projects..... | 54 |
| 5.6.3. | Description of Other Projects and Activities..... | 55 |
| 5.6.3.1. | Existing Killonan to Nenagh 110kV Overhead Line | 55 |
| 5.6.3.2. | Existing Shannonbridge – Killonan 220kV Overhead Line | 55 |
| 5.6.3.3. | Consented Bunkimalta Windfarm..... | 56 |
| 5.6.3.4. | Consented Castlewaller Windfarm | 56 |
| 5.6.3.5. | Existing Milestone Windfarm..... | 56 |
| 5.6.3.6. | Operational Windfarms in the Republic of Ireland | 57 |
| 5.6.3.7. | Existing Communication Structures..... | 57 |
| 5.6.3.8. | Activities – Forestry, Agriculture..... | 57 |
| 5.6.3.9. | Activity – Turf-Cutting | 57 |

List of Figures

| Figure No. | Figure Title |
|----------------|---|
| Figure RW 5.1 | Location of UWF Related Works on OSI Discovery Mapping |
| Figure RW 5.2 | Layout of UWF Related Works on Aerial Photography Mapping |
| Figure RW 5.3 | UWF Related Works Construction Works Area Boundary |
| Figure RW 5.4 | Layout of Internal Windfarm Cabling on Aerial Photography Mapping |
| Figure RW 5.5 | Cross Section of Internal Windfarm Cables Trench |
| Figure RW 5.6 | Cross Section of Internal Windfarm Cabling in Public Road Pavement |
| Figure RW 5.7 | Layout of Realigned Windfarm Roads on Aerial Photography Mapping |
| Figure RW 5.8 | Cross Section of Realigned Windfarm Road |
| Figure RW 5.9 | Layout of Haul Route Works on Aerial Photography Mapping |
| Figure RW 5.10 | Location and Layouts of Haul Route Works (Overview and Maps 1 to 3) |
| Figure RW 5.11 | Location of the Telecom Relay Pole on Aerial Photography Mapping |
| Figure RW 5.12 | Plan and Elevation of Telecom Relay Pole and Compound |
| Figure RW 5.13 | Location of “Change of Use at Existing Entrance” (including sightlines) |
| Figure RW 5.14 | Plan View of Typical Temporary Site Entrance |
| Figure RW 5.15 | Cross Section of Temporary Access Roads |
| Figure RW 5.16 | Watercourse Crossing Type A1 & A2 – UWF Related Works at Existing Crossing Structure |
| Figure RW 5.17 | Watercourse Crossing Type B1 & B2–UWF Related Works at Replaced and /or Widened Crossing Structure |
| Figure RW 5.18 | Watercourse Crossing Type C1–New Permanent Structure |
| Figure RW 5.19 | Watercourse Crossing Type C2 – New Temporary Structure & Watercourse Crossing Type C4 – New Permanent Structure |
| Figure RW 5.20 | Watercourse Crossing Type C3 – Internal Windfarm Cable trench and ducting only |
| Figure RW 5.21 | Watercourse Crossing Type E – Plan and Cross Section Views of Bailey Bridge |
| Figure RW 5.22 | Watercourse Crossing Type F - New permanent clear-span bridge |
| Figure RW 5.23 | Haul Routes for Delivery of Aggregate, Concrete and Other Materials to UWF Site Compound No. 1 |
| Figure RW 5.24 | Haul Routes from UWF Site Compound No.1 to Construction Works Areas |
| Figure RW 5.25 | Advance Warning Signage for Half Lane Closures |
| Figure RW 5.26 | Operational Stage Land Use Change |
| Figure RW 5.27 | Cross Section of Hedgerow Removal and Reinstatement |

Note: The numbering system for Figures follows the sequence ‘Figure Number-Appendix Number’.

Figures and mapping referenced in this chapter can be found in **Volume C3 Revised EIAR Figures**.

List of Appendices

| Appendix No. | Appendix Title |
|--------------|---|
| Appendix 5.1 | Outline Construction Methodologies for UWF Related Works |
| Appendix 5.2 | Classification and Crossing Method for UWF Related Works Watercourses |
| Appendix 5.3 | Description of Development (UWF Grid Connection) |
| Appendix 5.4 | Description of Development (UWF Replacement Forestry) |
| Appendix 5.5 | Complied Description of Upperchurch Windfarm |
| Appendix 5.6 | Description of the UWF Other Activities |
| Appendix 5.7 | A Guide to Risk Assessment in Major Emergency Management Jan 2010 |
| Appendix 5.8 | EDL Response to RFI from Roads Department, Tipperary County Council |

Appendices referenced in this chapter can be found in **Volume C4 Revised EIAR Appendices**

Glossary of Terms

| <u>Term</u> | <u>Definition</u> |
|---|--|
| EIA Directive | European Union Directive 2011/92/EU (as amended by Directive 2014/52/EU) |
| Environmental Factors | The factors in the environment required to be identified, described and assessed during the EIA process. These are specified in Article 3 (1) of the EIA Directive as Population and Human Health; Biodiversity; Land; Soils; Water; Air; Climate; Material Assets; Cultural Heritage and Landscape. |
| Competent Authority | The body legally delegated to decide on the Planning Application |
| Competent Expert | Experts who are qualified and competent in their field of expertise |
| Consented Windfarm | Upperchurch Windfarm – 22 wind turbines, substation, windfarm roads and ancillary works, consented in August 2014 under Planning Reference: Tipperary County Council 13/51/0003, ABP PL 22.243040 |
| Element | One of the 5 No. elements listed in ‘Whole UWF Project’ below. |
| Project Design Environmental Protection Measures | Mitigation Measures for environmental protection, incorporated into the design of the project. |
| Sensitive Aspect | Any sensitive receptor in the local environment which could be impacted by the project. |
| Whole UWF Project | Project made up of 5 No. elements – UWF Grid Connection; UWF Related Works, UWF Replacement Forestry, Upperchurch Windfarm (UWF) and UWF Other Activities. |

List of Abbreviations

| <u>Abbreviation</u> | <u>Full Term</u> |
|----------------------------|---|
| ABP | An Bord Pleanála |
| EDL | Ecopower Developments Limited |
| EIA | Environmental Impact Assessment |
| EIAR | Environmental Impact Assessment Report |
| EMP | Environmental Management Plan |
| EPA | Environmental Protection Agency |
| PD | Ecopower <u>Project Design</u> Environmental Protection Measure developed by members of the EIAR Team |
| RFI | Response to Further Information |
| SAC | Special Area of Conservation |
| SPA | Special Protection Area (for wild birds) |
| OCM | Outline Construction Methodologies |
| UWF | Upperchurch Windfarm |
| UGC | Underground Cables |

5. Description of the Development - UWF Related Works

5.1. Introduction to Chapter 5

There has been no revision to the location and characteristics; life-cycle stages; use of natural resources; emissions or wastes of UWF Related Works from the original planning application to Tipperary County Council, except for a revision on the characteristics on Haul Route Works HW7. Otherwise, this Chapter is only revised at **Section 5.6 Cumulative Descriptions: 5.6.1.1 Element 1: UWF Grid Connection** to reflect the refusal by An Bord Pleanála of UWF Grid Connection and in particular the 110kV UGC route. A new preferred preliminary 110kV UGC route is described in this revised Section 5.6.1.1.

UWF Related Works are described in this chapter, in the following order:

| | |
|--|---|
| Section 5.2 | <ul style="list-style-type: none"> • A Description of the Location and Characteristics of the subject development (the UWF Related Works). • The Project Design Environmental Protection Measures incorporated into the design to avoid, prevent or reduce likely significant adverse effects on the environment. |
| <p><u>The Development as described in Section 5.2</u></p> <p>At the conception of the UWF Related Works, the design team evaluated the potential or likely significant effects of the development, on the receiving environment. Any potential or likely significant effects were avoided, in most cases, <u>by integrating environmental protection measures into the fundamental design of the UWF Related Works</u>. Various measures, particularly options for mitigation by avoidance and mitigation by prevention, were considered; these included alternative locations, alternative designs and alternative processes. Once the chosen location, design and process was decided the proposal was examined for opportunities to incorporate further mitigation measures (generally mitigation by reduction) in the final iteration of the development to be evaluated in the EIA Report. <u>The development, as described in Section 5.2, is the final iteration of the UWF Related Works</u>. It is this final iteration that is examined in Chapters 6 to 17, for effects on the prescribed environmental factors, by the topic competent experts.</p> | |
| Section 5.3 | The durations and timing, main activities, personnel and material requirements for both the construction and operation stages. Any changes to the UWF Related Works, such as decommissioning. |
| Section 5.4 | The use of natural resources, emissions and production of wastes for each stage. |
| Section 5.5 | The vulnerability of the UWF Related Works to major accidents and natural disasters. |
| Section 5.6 | <p>Cumulative Descriptions:</p> <p>For the purposes of cumulative assessment of the whole Upperchurch windfarm (UWF) project, a description of the other elements of the Whole UWF Project namely; UWF Grid Connection; already licenced UWF Replacement Forestry; the already consented Upperchurch Windfarm (UWF) and UWF Other Activities, is provided.</p> <p>For the purposes of a cumulative assessment with Other Existing or Consented Projects or Activities, a description of Other Existing or Consented Projects or Activities that were scoped in by the EIAR Team is also provided.</p> |

5.2. Characteristics of UWF Related Works

The UWF Related Works proposal comprises of the following parts:

- Internal Windfarm Cabling
- Realigned Windfarm Roads
- Haul Route Roads
- Telecom Relay Pole
- RW Ancillary Works

5.2.1. Purpose of UWF Related Works

Internal Windfarm Cabling: to connect the Consented UWF Turbines to the Consented UWF Substation.

Realigned Windfarm Roads: to realign two lengths of Consented UWF Roads and to provide access to a new telecom relay pole.

Haul Route Works: to facilitate the haulage of turbine components to the Upperchurch Windfarm site.

Telecom Relay Pole: to be erected in order to carry telecoms relay equipment, which will mitigate communication links impacts from operational Consented UWF Turbines on the communication signals between Foilnaman Mast and Laghtseefin Mast. The Telecom Relay Pole will fulfil Condition No. 18 of the planning conditions associated with the Upperchurch Windfarm.

RW Ancillary Works: will facilitate the construction of the UWF Related Works.

Note: the Consented UWF Turbines, Consented UWF Roads and the Consented UWF Substation refer to components of Upperchurch Windfarm (UWF). UWF has already received planning consent, but is not yet constructed.

5.2.2. Location and overview description of UWF Related Works

The **Internal Windfarm Cabling** will connect the Consented UWF Turbines to the Consented UWF Substation, through the installation of underground cables in agricultural; forestry lands; and across public roads; in the townlands of Graniera, Shevry, Knockcurraghbola Commons, Knockmaroe, Grousehall, Cummer, Foilnaman, Gleninchaveigh, Coumnageeha, Coumbeg, Knocknamena Commons, Glenbeg and Seskin. Approximately 62% of the Internal Windfarm Cabling is located under Consented UWF Roads or Realigned Windfarm Roads, the remaining Cabling is located in the vicinity of the windfarm site.

The Internal Windfarm Cabling consists of electrical cables, communication cables and the copper conductor cables which are installed inside High Density Polyethylene (HDPE) ducting in underground trenches. Cable Protection and Warning Tapes will also be laid in the trench. The trench will be excavated, ducting and warning tapes installed and the trench backfilled and reinstated. When the ducting installation is finished and the trench reinstated, the electrical, communication and copper conductor cables will then be pulled through the ducting. The only surface expression of the Internal Windfarm Cabling will be the over-ground identification marker posts and marker plates which will be installed at regular intervals above the cables trench.

The **Realigned Windfarm Roads** (labelled RWR on the mapping) are two sections of the already consented windfarm roads which require realignment and one length of new road to link a telecoms mast to the windfarm road. These changes are proposed for windfarm roads in agricultural and forestry lands in the townlands of Shevry, Knockmaroe, and Grousehall, which are all within the Upperchurch Windfarm site.

The **Haul Route Works** (labelled HW on the mapping), are proposed for public road verges, roadside boundaries and grassland fields located adjacent to the L4139-0, L4138-12, L2264-50, L6188-0, L6185-13 and R503 roads in the following townlands: Shevry, Knockcurraghbola Commons, Knocknabansha, Knockmaroe and Grousehall. Works include the removal of soils and laying of crushed stone and hard-core in roadside verges; temporary removal or part-removal of roadside boundaries; opening of temporary entrances and the construction of temporary access roads on private lands.

The **Telecom Relay Pole** is an 18m wooden pole proposed for a location in Knockmaroe townland, close to the existing Foilnaman Mast. Laghtseefin Mast is 9.5km directly south. The Relay Pole will be contained within a small compound, and a low voltage power and communications supply will be provided from the existing Foilnaman Mast. A short length of access road, Realigned Windfarm Road No. RWR3, will provide access to the Telecom Relay Pole from the Consented UWF Road network.

RW Ancillary Works will facilitate the construction of the UWF Related Works and will include temporary access roads; temporary and permanent watercourse crossings (labelled WW on the mapping); temporary site entrances (labelled EW on the mapping); change of use from 'agriculture' to 'forestry and agriculture' at the UWF Replacement Forestry entrance at Foilnaman (labelled EW10 on the mapping); along with forestry felling; temporary and permanent hedgerow/tree removal; permanent hedgerow replanting; fencing; relocation of existing telephone poles and temporary storage of excavated materials; at various locations within construction works area boundaries.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.1: Location of UWF Related Works on OSI Discovery Mapping

Figure RW 5.2: Layout of UWF Related Works on Aerial Photography Mapping which comprises all the UWF Related Works in one large format map in order to provide a comprehensive overview.

Figure RW 5.3: UWF Related Works Construction Works Area Boundary.

Construction Works Area Boundary: All construction works e.g. machinery movement; excavations; excavated materials storage, will take place within the construction works area boundary as delineated on **Figure RW 5.3**. This construction works area is predominately 12m in width. On Figures RW 5.3, consecutive Sections along the Internal Windfarm Cabling routes, (numbered from SW1 to SW84) are identified. These section numbers are used throughout the EIA Report and Appendices to refer to a particular geographical area of the Internal Windfarm Cabling routes.

UWF Related Works is abbreviated throughout this chapter as RW. All the Figures Numbers are prefaced by RW per e.g. Figure RW 5.1

5.2.3. Characteristics of UWF Related Works**5.2.3.1. Realigned Windfarm Roads**

The Upperchurch Windfarm Roads require realigning at three locations; RWR1, RWR2 and RWR3 as follows

- **RWR1:** The consented windfarm road to Turbine No.5 in Shevry is 560m in length, and it will replace this road in its entirety by the Realigned Windfarm Road RWR1, which will be 230m in length through forestry and will require forestry felling of 0.2ha, but will avoid the felling of 0.4Ha along the original consented route to Turbine No.5.
- **RWR2:** The consented windfarm road between Turbine No.19, Turbine No. 20 and Turbine No. 21, is 840m long in total. It will replace 370m of this road by Realigned Windfarm Road RWR2, which will also be 370m in length. 220m of RWR2 is located on grassland field, with the remaining length located on existing farm road. The existing farm road section will be upgraded during construction works.
- **RWR3:** A short length (30m) of new access road will be between the Upperchurch Windfarm Roads in Knockmaroe to the new Telecom Relay Pole.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.7: Layout of Realigned Windfarm Roads on Aerial Photography Mapping

Figure RW 5.8: Cross Section of Realigned Windfarm Road

Relevant Appendix 5.1 UWF Related Works Outline Construction Methodology:

RW.OCM-04: Realigned Windfarm Roads

5.2.3.2. Internal Windfarm Cabling

Internal Windfarm Cabling will comprise c.17.9km of trenching, laid with ducts which will house 33kV electrical cables and communications cables. The cables trench will be 1.25m deep and 0.6 m wide. Closer to the windfarm substation in Knockcurraghbola Commons (in Section SW84, SW29, SW30 and SW31 where the electrical circuits from different directions are merging), a 400m length of the trench will be double width at 1.2m, to accommodate the double set of cabling. Cable Protection and Warning Tapes will also be laid in the trench as warning of the presence of electrical cables. Above ground identification marker posts and plates will be positioned to mark the location of the underground cables. The design of Internal Windfarm Cabling is typical of medium voltage windfarm cabling systems.

The majority (11.1km) of the Internal Windfarm Cabling will be installed under Consented UWF Roads or Realigned Windfarm Roads. The remainder of the Internal Windfarm Cabling will be installed in agricultural lands (4.6km), forestry lands (2.1km), and crossing under 9 No. public roads (40 meters) (labelled RW1 to RW9 on the mapping).

5.2.3.2.1. Public Road Works for Internal Windfarm Cabling

Road works will be required along the route of the **Internal Windfarm Cabling** where it crosses the public road on the L4139-0, L4139-16, L6188-0, L61881-0, L2264-50, L6185-13 and the L2264-34 local roads. In total there are 9 No. crossing points where the cables trench will be excavated across the road. **Traffic flow** will be maintained by placing a steel plate over the trench to allow traffic to pass over, while the works are on-going and flagmen will control a stop/go system.

Lane closures: A lane closure will be required on the L-2264-50 (Borrisoleigh Road). Flagmen will control a stop/go system for these lane closures.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.4: Layout of Internal Windfarm Cabling on Aerial Photography Mapping

Figure RW 5.5: Cross Section of Internal Windfarm Cables Trench

Figure RW 5.6: Cross Section of Internal Windfarm Cabling in Public Road Pavement

Relevant Appendix 5.1 UWF Related Works Outline Construction Methodology:

RW.OCM-08: Internal Windfarm Cabling

5.2.3.3. Haul Route Works

Haul Route Works will be carried out at thirteen locations in the vicinity of Upperchurch Windfarm. A description of the Haul Route Works at each location is included in the table below.

The **Haul Route Works** will take place on the L4139-0, L4138-12, L6188-0, L2264-50 and the L6185-13 local roads, and mainly comprise works within the public road corridor and consist of widening of the public road into the verge and in some cases, the removal of the roadside boundary and the widening of the road into the boundary or across the boundary into private lands. Soil in the verge will be removed and temporarily stored nearby and hardcore will be laid and compacted on these verges to provide access onto construction works areas on lands adjacent to the road. Any existing drainage channels at these entrances will be piped under the hardcore layer. This hardcore will prevent any damage to the edges of road pavements. This widening of the public road network will facilitate the delivery of the turbine components for the Upperchurch Windfarm. The verges and boundaries will be reinstated following the completion of component deliveries.

Table 5-1: Description of Haul Route Works

| Haul Route Works ID | Description of the Haul Route Works |
|---------------------|---|
| HW1 | Widening of the L4139-0 by 0.5m into both verges for a length of c.120m. Temporary removal of 130m of roadside boundary. |
| HW2 | Widening of the L4139-0 by 1.5m on the eastern side, for a length of c.280m, by moving the roadside drain and roadside boundary (earthen bank) onto agricultural grassland. Temporary removal of 150m of roadside boundary. As a result the existing concrete culvert at watercourse WW12 will be widened by 1m, with minimal interference to the existing structure. |
| HW3 | Widening of bend along the L4139-0 by 1.5m on western side and 3.5m on eastern side in agricultural grasslands for a length of c.70m. Temporary removal of 100m of roadside boundary. |
| HW4 | Widening of the L4139-0 by 1.5m on the eastern side, for a length of c.270m, by moving the roadside drain and earthen bank onto agricultural grassland. Temporary removal of 130m of roadside boundary. |
| HW5 | Construction of 170m of new temporary site access road on agricultural lands between the L4139-0 and the L4138-12. Temporary removal of 40m of roadside boundary. |
| HW6 | Widening of the L4138-12 by 0.5m into both verges for a length of c.170m. Temporary removal of 45m of roadside boundary. |
| HW7 | Widening of Coillte entrance on the R503 by 30m, construction of 40m of new temporary site access road on forestry lands and the use of an existing hardcored yard for turning manoeuvres. Temporary removal of 70m of roadside boundary. Clearance of scrub and use of matting where required. (changed here in Revised EIAR 2019) |
| HW8 | Widening of the L2264-50 on the eastern side by 13m for the initial 40m and then by 1.5m for the next 190m, by moving the roadside boundary (earthen bank) onto agricultural grassland. Temporary removal of 180m of roadside boundary. |
| HW9 | Widening of the L2264-50 by 1.5m on the northern side, for a length of c.40m, by moving the roadside boundary (earthen bank) onto agricultural grassland. Temporary removal of 10m of roadside boundary. |
| HW10 | Widening of the L2264-50 by 0.5m on the northern side, for a length of c.40m, by widening into the roadside verge. |
| HW11 | 80m of new temporary site access road on agricultural lands between the L2264-50 and the L6188-0. Temporary removal of 20m of roadside boundary. |
| HW12 | Widening of the L6188-0 by 0.5m into both verges for a length of c.280m. Temporary removal of 160m of roadside boundary. As a result the existing concrete culvert at watercourse WW31 will be widened by 1m, with minimal interference to the existing structure. |
| HW13 | Widening of the L6185-13 by 1.5m on the southern side, for a length of c.210m, by widening into the roadside verge. Permanent removal of 25m of roadside boundary. The public road pavement over watercourse crossing WW32 will be widened, by 1m, into the roadside verge with minimal interference to the existing structure. |

In summary, the above Haul Route Works include widening of roadside verges for 1710m in total; temporary removal and reinstatement of 1035m of hedgerow and earthen banks which form roadside boundaries; permanent removal of 25m of roadside boundary and the construction of 290m temporary access roads on private lands.

All road works will be subject to a Road Opening License ---application to Tipperary County Council and will be carried out in accordance with the Tii Guidelines on the Opening, Backfilling and Reinstatement of Openings in Public Roads. The extensions to the existing structures at HW2 and HW12 will be carried out in accordance with the OPW guidelines Construction, Replacement or Alteration of Bridges and Culverts (2013). The detailed design will be agreed with the Tipperary County Council District Engineer prior to these extension works.

Following the delivery of turbine components to Upperchurch Windfarm, the Haul Route Works areas will be reinstated and roadside boundaries will be put back along their original alignment.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.9: Layout of Haul Route Works on Aerial Photography Mapping

Figure RW 5.10: Location and Layouts of Haul Route Works (Overview and Maps 1 to 3)

Relevant Appendix 5.1 UWF Related Works Outline Construction Methodology:

RW.OCM-06: Haul Route Works

5.2.3.4. Telecom Relay Pole

The Telecom Relay Pole will comprise a wooden pole, up to 18m in height, with relay equipment attached to the top of the pole. A small compound, 5m X 5m in size, will enclose the relay pole, along with a ground based outdoor cabinet 2m high, 1.2m long and 1m wide and ancillary equipment. The compound will be fenced with 2.4m high palisade fencing; a native hedgerow will be planted on the berm created from the excavations. A communications and low voltage (LV) electricity supply will be cabled 300m to the compound, from the existing supply at the Foilnahan mast. The connection will be by underground cables which will be laid under Realigned Windfarm Road RWR3 and Upperchurch Windfarm Road.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.11: Location of the Telecom Relay Pole on Aerial Photography Mapping

Figure RW 5.12: Plan and Elevation of Telecom Relay Pole and Compound

Relevant Appendix 5.1 UWF Related Works Outline Construction Methodology:

RW.OCM-07: Telecom Relay Pole

5.2.3.5. RW Ancillary Works**5.2.3.5.1. Site Entrances**

There is a change of use required for an existing entrance and 14 No. temporary site entrances required, for UWF Related Works. In addition, 11 No. site entrances that are already consented for UWF will be used for the UWF Related Works developments.

5.2.3.5.2. Change of Use of Existing Agricultural Entrance to Agricultural and Forestry Entrance

Replacement forestry is required for any felled forestry that occurs during the construction works for the whole UWF project. This forestry, the UWF Replacement Forestry, will be planted on lands in Foilnaman. An existing agricultural entrance leading off the L-2264-34 at Foilnaman, will be used to access these UWF Replacement Forestry lands. The existing permanent entrance is a farm entrance only. This will change use to an agricultural and forestry entrance and as before, remain in permanent use. No widening of the entrance is required as the existing sightlines comply with North Tipperary County Development Plan 2010 (as amended) Table 10.1: Sightline Requirements. This entrance is identified on the mapping as EW10.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.13: Location of “Change of Use at Existing Entrance” (including sightlines)

5.2.3.5.3. Temporary Site Entrances

To facilitate the installation of the Internal Windfarm Cabling and the construction of the Haul Route Works for the delivery of turbine components, a total of 14 No. temporary site entrances will be required. These entrances are identified on the mapping as EW. The EW ID number; whether the entrance is existing or new; the type of boundary to be opened and UWF element to which the entrance relates; are listed in Table 5-2.

Table 5-2: Temporary Site Entrances for UWF Related Works

| Entrance ID | Existing Entrance | Type | Relevant part of the UWF Related Works |
|-------------|-------------------|---|--|
| EW1 | No | Earthen bank (removed) | Haul Route Works – HW5 |
| EW2 | Yes | Gate and concrete block wall (widened) | Haul Route Works – HW5 |
| EW3 | No | Hedgerow (removed) | Internal Windfarm Cable |
| EW4 | No | Hedgerow (removed) | Internal Windfarm Cable |
| EW5 | No | Post and Wire Fence (removed) | Internal Windfarm Cable |
| EW6 | No | Earthen bank (removed) | Internal Windfarm Cable |
| EW7 | No | Post and Wire Fence (removed) | Internal Windfarm Cable |
| EW8 | No | Earthen bank (removed) | Internal Windfarm Cable |
| EW9 | Yes | Farm & House Entrance (no widening) | Internal Windfarm Cable |
| EW11 | No | Hedgerow (removed) | Internal Windfarm Cable |
| EW12 | Yes | Field Entrance (no widening) | Internal Windfarm Cable |
| EW13 | Yes | Yard Entrance - needs to be widened by hedgerow removal | Haul Route Works - HW7 |
| EW14 | No | Hedgerow (removed) | Haul Route Works - HW11 |
| EW15 | No | Post and Wire Fence (removed) | Haul Route Works - HW11 |

The above table does not include EW10, as this is a permanent entrance for the UWF Replacement Forestry.

In summary, 4 No. of the temporary site entrances will be through existing farm or forestry entrances. The remaining 10 No. will be created by the removal of the roadside boundary, whether fence, earthen bank or hedgerow. Where widening is required, these entrances will be widened to 5m. All these entrances will be opened during the construction stage and closed after construction is complete. In the event of larger components such as blade or tower replacement at Upperchurch Windfarm during the operational phase, these entrances will need to be reopened to facilitate the delivery of the components, and will be closed again directly after the deliveries.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.2: Layout of UWF Related Works on Aerial Photography Mapping

Figure RW 5.4: Layout of Internal Windfarm Cabling on Aerial Photography Mapping

Figure RW 5.9: Layout of Haul Route Works on Aerial Photography Mapping

Figure RW 5.14: Plan View of Typical Temporary Site Entrance

Relevant Appendix 5.1 UWF Related Works Outline Construction Methodology:

RW.OCM-03: Temporary Site Entrances

5.2.3.5.4. Temporary Access Roads

During the construction stage, up to 5.3km of temporary access roads will be constructed within the construction works area boundary, to facilitate the movement of machinery and vehicles along the Internal Windfarm Cabling areas. Three methods will be employed to provide temporary access roads, where needed: matting, excavate and fill, or floating road. In general, the method of temporary road construction employed at any particular location will depend on the prevailing soil and weather conditions at the time of construction, and will be determined by the Contractor in conjunction with the Environmental Clerk of Works. The layout and temporary access road cross sections are illustrated on:

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.4: Layout of Internal Windfarm Cabling on Aerial Photography Mapping

Figure RW 5.15: Cross Section of Temporary Access Roads

Relevant Appendix 5.1 UWF Related Works Outline Construction Methodology:

RW.OCM-05: Temporary Access Roads

5.2.3.5.5. Watercourse Crossings

The construction of the UWF Related Works will involve crossing a total of 32 No. watercourses, which range in size from streams to small field drains, as outlined on Table 5-3.

Table 5-3: Watercourse Classifications at Crossing Points

| Class | Watercourse Description | Number |
|-------|---|--------|
| 1 | EPA mapped blue line, major river or stream (fisheries value) | 1 |
| 2 | Headwater Stream Equivalent to EPA blue line but not mapped (fisheries value) | 5 |
| 3 | Sub-optimal, heavily vegetated with low or no flow during dry periods (low fisheries value) | 2 |
| 4 | Drain (no fisheries value) | 24 |

The construction of the UWF Related Works will involves:

- Crossing of 6 No. existing structures (Watercourse Crossing Type A1 and A2),
- Replacement of 1 No. existing crossing structures, (Type B1),
- Widening of 2 No. existing crossing structures at Watercourse Crossings WW12 and WW31, (Type B2)
- Construction of 5 No. new permanent crossing structures (cable and traffic), (Type C1),
- Construction of 5 No. new temporary crossing structures (cable and traffic), (Type C2) ,
- Trenching and ducting of 9 No. crossings (cable only, no traffic), (Type C3),
- Construction of 3 No. new permanent crossing structures (no cable, traffic only), (Type C4),
- Construction of 1 No. new permanent clear-span bridge (no in-stream works, cable and traffic), (Type F)
- In order to progress construction works across watercourses subject to fisheries timing restriction, temporary bailey bridges will be used to facilitate the passage of traffic across the watercourse.

All permanent watercourse culverts will be sized to cope with a minimum 100-year flood event. All pipe culverts will be at least 900mm in diameter regardless of the anticipated flood flow. 900mm culverts will be embedded into the bed of the watercourse to a depth of 300mm, while 1200mm culverts will be embedded to a depth of 500mm.

New and replaced permanent crossing structures will be construction in accordance with the Office of Public Works (OPW) guidelines Construction, Replacement or Alteration of Bridges and Culverts (2013), and as agreed with OPW (telephone consultation, February 2018) will be subject to a Section 50 application to OPW following the grant of planning permission. Details of the proposed works at WW12 and WW31 (culvert widening at Haul Route Works locations) will be agreed in advance with the District Engineer. No works to the road pavement will be required for the culvert extensions.

The treatment of each watercourse crossing along the UWF Grid Connection is specified in **Volume C4: Revised EIAR Appendices: Appendix 5-2: Classification and Crossing Method for UWF Grid Connection Watercourses.**

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.2: Layout of the UWF Related Works on Aerial Photography Mapping

Figure RW 5.16: Watercourse Crossing Type A1 & A2 – UWF Related Works at Existing Crossing Structure

Figure RW 5.17: Watercourse Crossing Type B1 & B2–UWF Related Works at Replaced and /or Widened Crossing Structure

Figure RW 5.18: Watercourse Crossing Type C1–New Permanent Structure

Figure RW 5.19: Watercourse Crossing Type C2 – New Temporary Structure & Watercourse Crossing Type C4 – New Permanent Structure

Figure RW 5.20: Watercourse Crossing Type C3 – Internal Windfarm Cable trench and ducting only

Figure RW 5.21: Watercourse Crossing Type E – Plan and Cross Section Views of Bailey Bridge

Figure RW 5.22: Watercourse Crossing Type F - New permanent clear-span bridge

Relevant Appendix 5.1 UWF Related Works Outline Construction Methodology:

RW.OCM-09: Instream Works Preparation and Reinstatement

RW.OCM-10: Instream Works

RW.OCM-11: Bailey Bridge

5.2.3.5.6. Drainage Systems

New hard surface areas: An integrated drainage system will be installed along the newly Realigned Windfarm Roads and at the Telecom Relay Pole. This integrated drainage system will keep ‘clean’ water upslope of the works separate from ‘dirty’ water runoff from construction works areas, while maintaining the existing drainage regime through the regular piping and release of clean water from the upslope side the works area to the downslope side. The integrated drainage system will include the installation of check dams, settlement ponds, clean water cross drains and outfall weirs. These parts of the drainage system will effectively avoid any contribution to flooding risk, minimise erosion, maintain drainage regimes, and minimise the amount of sediment entering downslope watercourses, through the attenuation (slow-down) of water flow rates and the settlement of suspended solid (sediment).

Temporary roads will be constructed upslope of the cables trench so that any surface water runoff will flow into the trench. Where dewatering of trenches or excavations is required, there will be no direct discharge of treated water into any watercourse or drain. Rather, all pumped water will be treated prior to discharge using an infiltration trench, settlement pond, suitable water treatment train such as a Silbuster or controlled release across existing vegetation, as appropriate.

Existing roadside drainage which occurs close to works associated with the Internal Windfarm Cables trench; Haul Route Works and at Permanent and Temporary Entrances will be piped to maintain flow.

Following construction, the drainage system around permanent features, will be left in place for the operations phase except for settlement ponds, which will be removed. The drainage system at all temporary works locations will be removed.

5.2.3.5.7. Forestry Felling

Small areas of coniferous forestry at various locations along the Internal Windfarm Cabling and the Realigned Windfarm Roads will be permanently felled to facilitate construction and operation in these areas. In total, 0.3 hectares of forestry will be felled, 0.2Ha in Shevry along RWR1 and 0.1Ha in Knockcurraghbola Commons along the Internal Windfarm Cable route. This felling will be carried out under a felling license from the Forest Service, and an equivalent area of forestry will be replanted in Foilnaman townland (UWF Replacement Forestry) under the conditions of this license.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.4: Layout of Internal Windfarm Cabling on Aerial Photography Mapping

Figure RW 5.7 : Layout of Realigned Windfarm Roads on Aerial Photography Mapping

Relevant Appendix 5.1 UWF Related Works Outline Construction Methodology:

RW.OCM-13: Forestry Felling

5.2.3.5.8. Fencing

Fencing will be erected at a number of locations during the construction of the UWF Related Works and will include:

- Temporary post and wire fencing which will be used to delineate construction works areas;
- Temporary battery powered electric fencing on the outside of construction works area boundaries, to prevent livestock from entering works areas. Electric fencing will also be used to protect reinstated lands until the grass is established;
- Temporary goal posts to mark the location of overhead electricity and telephone lines along construction works areas;
- Temporary timber post and rail fencing with gates which will be erected at the temporarily widened site entrances and at Haul Route Works locations, where required.
- Temporary bat crossing structures at selected hedgerow crossing locations along UWF Related Works areas.

Existing fencing and boundaries which are required to be removed from the works areas or from widened existing entrances or Haul Route Works locations will be reinstated, in the original alignment and position, following construction works.

5.2.3.5.9. Relocation of local overhead services

A number of existing telephone poles will be moved, in conjunction with the infrastructure owner, as follows:

- At HW3, 1 No. existing telephone pole will be moved behind the widened haul route area;
- At HW4, 1 No. existing telephone pole will be moved behind the widened haul route area;
- At HW6, 1 No. existing telephone pole will be moved behind the widened haul route area.
- At HW9, 1 No. existing telephone pole will be moved behind the widened haul route area.
- At HW13, 1 No. existing telephone pole will be moved behind the widened haul route area.

These telephone poles are identified with blue dot on Figure RW 5.10.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.10: Location and Layout of Haul Route Works (Maps 1 and 2 of 3)

Relevant Appendix 5.1 UWF Related Works Outline Construction Methodology:

RW.OCM-06: Haul Route Works

5.2.3.5.10. Storage of Excavated Materials

In total 11,830m³ of material will be excavated from the UWF Related Works areas. This will include topsoil, subsoils and to a lesser extent bedrock, along with spoil from public road sections.

This excavated material will be managed as follows:

- 930m³ will be permanently stored in berms on both sides of the Realigned Windfarm Roads and around the Telecom Relay Pole Compound;
- 10,850m³ will be temporarily placed alongside the Internal Windfarm Cables and Haul Route Works construction works areas, in separate soils layers, and will be used for infilling the trenches and reinstatement of the works areas. No excavated materials will be stored within 50m of a Class 1 or Class 2 Watercourse;
- 50m³ will consist of spoil from public road sections and will be removed to the licensed landfill at Thurles.

Relevant Appendix 5.1 UWF Related Works Outline Construction Methodology:

RW.OCM-14: Overburden Storage Berms

5.2.3.5.11. Reinstatement of Construction Works Areas

Following the completion of construction works in an area, with the exception of new permanent infrastructure such as Realigned Windfarm Roads or Telecom Relay Pole hardstand, the lands under the construction works areas will be reinstated to their former condition and returned to the landowner for use as before.

Reinstatement of construction works areas: the temporarily stored excavated soils will be used to backfill and landscape the works areas. These areas will then be sown with native, Irish sourced, certified seeds, seedlings or plants to reflect the habitats that were present before the work.

Landholding boundaries including any existing, hedgerows, banks or gates will be reinstated on their original alignment.

Haul Route Works locations: will be reinstated, in the original alignment and boundary position, following construction works.

Reinstatement of hedgerow: will involve the replanting of hedgerow with established (at least 3 years old) native hedgerow plants in their original locations, following the completion of the works in the area.

Along **sensitive bat corridors**, the bat crossing structures which will be installed during construction works will remain in place post-construction until the hedgerow has sufficiently regrown to provide viable habitat for bats. These bat crossing structures will be monitored by a suitably qualified bat specialist and maintained on a yearly basis, until they are no longer required.

Relevant Appendix 5.1 UWF Related Works Outline Construction Methodology:

RW.OCM-15: Reinstatement of Land

5.2.3.5.12. Reinstatement of Public Roads

Trenches within road pavements will be reinstated in accordance with the Tii Guidelines on the Opening, Backfilling and Reinstatement of Openings in Public Roads. Where the cables trench crosses perpendicular to the road, full width surface overlay to a distance of 5m beyond either side of the trench will be carried out.

Along **construction materials haulage routes**, confirmatory condition surveys involving pre-construction and post-construction inspections, high definition video surveys and falling weight deflectometer (FWD) surveys will be undertaken along the routes of concentrated construction traffic between the R503 and the site access points. Whilst it is not expected to occur, any damage to structures or road pavements will be repaired to at least as good a condition as pre-works, and on damaged sections of roads where the Surface Curvature Index (SCI), measured during FWD testing, is greater than 250, full-width surface overlay will be carried out.

Reinstatement of **roadside boundaries**: All road boundaries at temporary site access points will be reinstated along the existing alignment.

5.2.3.6. EDL Response to RFI from Roads Department, Tipperary County Council

The 1st iteration EIAR (May 2018) was submitted with the planning application to Tipperary County Council for UWF Related Works on 17/07/2018. A Request for Further Information was issued on 10/09/2018. The Roads Department specifically requested;

The applicant is requested to provide:

- (a) *a schedule and accompanying road network map of public roads by road number identifying all roads impacted by haulage operations and construction traffic associated with the development. Same shall set out the length, width and grid coordinates of the start and finish point of each section of road together with facilitation and remedial works proposed,*
- (b) *a schedule and accompanying map of all new entrances/amendments to existing entrances together with a layout plan for each entrance demonstrating appropriate sightlines, setbacks and forward stopping distances to satisfy the County Development Plan. Pavement construction specifications and surface water measures for each entrance are to be detailed,*
- (c) *proposals for contribution or upgrade of the junction of the R497/L2264-50/R503 to accommodate the proposed development. A proposed upgrade may require revised site boundary and public notices.*

5.2.3.6.1. EDL Response to Tipperary County Council Request – Roads and Entrances

A copy of EDL's response to the Roads and Entrances RFI, which was submitted on 14th November, 2018, is incorporated below and Figures and Appendices can be found in the EIAR volumes as indicated;

(a) Public road network impacted by haulage operations and construction traffic

A schedule of the public roads impacted by haulage operations and construction traffic has been compiled in reply to this request. The schedule sets out the length, width, and grid coordinates of the start and finish points of each section of road, together with a summary of the road works proposed for each section of road. These road sections are identified on the accompanying maps.

Relevant Volume C4: Revised Appendices

RW Appendix 5.8: Schedule of the Public Roads impacted by haulage operations and construction traffic and description of Haul Route Works.

Relevant Volume C3: Revised EIAR Figures:

UWF.RW.RFI-01 to UWF RW. RFI-04 – Figure UWF.RW.RFI-01: Reply to RFI Site Location Map

UWF.RW.RFI-01 to UWF RW. RFI-04 - Figure UWF.RW.RFI-02: Public Road Network Map.

(b) New entrances/Amendments to existing entrances

Temporary Site Entrances

To facilitate the construction of UWF Related Works, specifically the installation of the Internal Windfarm Cabling and the construction of the Haul Route Works for the delivery of turbine components, fourteen temporary site entrances will be required. These entrances will be used temporarily during the construction period for a short period of time. All temporary entrances, roadside boundaries, verges and roadside drainage will be reinstated to the satisfaction of Tipperary County Council following the completion of the works and following the delivery of turbine components, as relevant. It was agreed during consultation with Peter Fee, Executive Engineer Nenagh Municipal District, that flagmen may be used at these temporary entrances instead of providing sightlines and forward stopping distances, thereby avoiding the environmental effects which would have resulted from the removal of hedgerows and earthen banks to provide temporary sightlines.

Relevant Volume C3 Revised EIAR Figures:

UWF.RW.RFI-01 to UWF RW. RFI-04: Figure UWF.RW.RFI-03: Site Entrances (overview map)

UWF.RW.RFI-01 to UWF RW. RFI-04: Figures UWF.RW.RFI-03: Site Entrances Maps 1 to 11 comprising a layout plan; ITM co-ordinates; photo; description of works required; width of public road at that point; drainage; duration of use; total traffic movements and 85 percentile traffic design speed for the fourteen temporary site entrances and 1 No. 'Change of Use of Existing Entrance EW10' (see below).

UWF.RW.RFI-01 to UWF RW. RFI-04: Figures UWF.RW.RFI-04: Temporary Site Entrance Drainage Arrangements

See also:

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.2, Figure RW 5.4 and Figure RW 5.9 wherein the temporary entrances are identified as EW1 to EW9, and EW11 to EW15.

Already consented entrances (as part of Upperchurch Windfarm)

There are eleven other site entrances to be used to gain access to UWF Related Works, these entrances are the Upperchurch Windfarm entrances which have already been permitted under Upperchurch Windfarm planning permission Ref: 13/510003 and are identified as 'Consented UWF Site Entrance' on **Drawing Numbers UWF RW 04 to 11: Site Layout Maps 1 to 8** in Volume B: Planning Drawings.

Change of Use of Existing Entrance EW10

There is a 'change of use' permit required for an existing permanent entrance off the L2264-34 at Foilnaman. This will be used as access to sow/plant and maintain replacement forestry which is required for any forestry felling that occurs during the construction works for the whole Upperchurch Windfarm project.

The existing entrance (E10) is an agricultural (farm) entrance leading onto a farm track. This will change use to an 'agricultural and forestry entrance' and as before, remain in permanent use. A change of use from 'agriculture' to 'agriculture and forestry' is now being sought from the local authority for EW10 as part of this UWF Related Works application.

The L2264-34 local road is a very lightly trafficked with 99.5% spare capacity. There will be no noticeable increase in traffic volumes on this road due to the extremely low traffic volumes associated with the UWF Replacement Forestry - the planting stage will generate 1-2 van/jeep vehicles movements per day over a one-month period, and as a comparative example this level of traffic is substantially less than the daily level of traffic generated by a single residential dwelling. During the growth stage, traffic will be in the region of a negligible 2 to 4 van/jeep vehicle movements per year. The UWF Replacement Forestry will be a permanent native woodland and will not be harvested and therefore no harvesting traffic will occur. The change of use and necessary sightlines was discussed and agreed with Peter Fee during the pre-planning stage.

Relevant Volume C3 Revised EIAR Figures:

UWF.RW.RFI-01 to UWF RW. RFI-04: Figure UWF.RW.RFI-03: Site Entrances (overview map)

UWF.RW.RFI-01 to UWF RW. RFI-04: Figure UWF.RW.RFI-03: Site Entrance Map 8 of 11 comprising a layout plan including sightlines, set back, and forward stopping distances; ITM co-ordinates; photo; description of works required; width of public road at that point; drainage; duration of use; total traffic movements and 85 percentile traffic design speed at EW10.

(c) Junction of the R497/L2264-50/R503

The Haul Route Works, which are included in the UWF Related Works, will facilitate the delivery of large turbine components. There are no Haul Route Works proposed or required at the junction of the R497/L2264-50/R503.

To clarify, the delivery of turbine components coming from the Thurles direction, will pass off the R497/L2264-50/R503 junction, and will continue down the regional road and turn in the area known locally as 'the Christmas Tree yard' (HW7). The delivery can then approach the R497/L2264-50/R503 junction from the south/Newport side and make the turn onto the L2264-50 without requiring modifications to the junction, save some hedge trimming and road sign removal and replacement.

EDL confirm that no works are required at the junction of the R497/L2264-50/R503 to accommodate the proposed development – UWF Related Works, or indeed to accommodate the already permitted Upperchurch Windfarm

Relevant Volume C3 Revised EIAR Figures:

UWF.RW RFI Attachment 5 OA2 Map 8 of 8 from Appendix A5.6 to Chapter 5: Description of Development, where UWF Other Activities are described, is reproduced here in the Figures volume. This Figure shows the vegetation trimming and temporary traffic sign removal required at this junction (**HA23 on Figure OA2**).

5.2.4. Environmental Protection Measures (Mitigation Measures) designed into the UWF Related Works

The design of the UWF Related Works includes the Project Design Environmental Protection Measures (Mitigation Measures) listed on Table 5-4, which were devised to avoid, prevent or reduce likely or potentially significant effects on the environment. Eleven Project Design Measures (mitigation measures) were updated in January 2019, to take account of the Reason for Refusal by Tipperary County Council of UWF Related Works; the 2 No. Tipperary County Council Planner's Reports; and the Submission to Tipperary County Council on UWF Related Works from NPWS. Any amendments to Project Design Measures is tracked, with additions in red and underlined text, and any ~~deleted text identified with a strikethrough~~.

Relevant individual Project Design Environmental Protection Measures from the list below are duplicated in the **Environmental Factor topic chapters**, and the list is duplicated in full as a set of Environmental Commitments in **Volume D: Revised EMP for UWF Related Works** with the planning application.

The interaction of Project Design Environmental Protection Measures across the various Environmental Factors is provided in matrix format in **Chapter 18: Interaction of the Foregoing**.

Table 5-4: Schedule of Project Design Environmental Protection Measures (mitigation measures)

| PD ID | Schedule of Project Design Environmental Protection Measure (Mitigation Measure) |
|-------|---|
| PD01 | All construction works will be carried out during daylight hours. |
| PD02 | Flag-men will be used at temporary site entrances rather than creating sightlines by the removal of roadside boundaries. These flagmen will control the movement of traffic on the public road, so that road users can continue to use the local road network in a in a safe and efficient manner. |
| PD03 | Construction works in <u>Knocknabansha</u> , Knockmaroe, <u>Knockcurraghbola Crownlands</u> and Knockcurraghbola Commons townlands, which are within 350m of local residences, will not take place at the same time as either the UWF Grid Connection or Upperchurch Windfarm. |
| PD04 | Confirmatory consultations with Irish Water, Eir and ESB and confirmatory ground surveys at service locations will be carried out ahead of works; 'Goal Posts' will be used to identify and highlight the height of nearby overhead lines; and a foreman will look out for underground pipes during excavations near services. |
| PD05 | Land reinstatement will not be carried out during very wet weather or when the soil is waterlogged. |
| PD06 | If any compaction has occurred along the construction works area, these areas will be ploughed with a sub-soiler to loosen the subsoil layer |
| PD07 | Construction traffic will be restricted to the construction works area and tracking across adjacent ground will not be permitted |
| PD08 | All initial groundworks will be monitored by an archaeologist under license from the National Monuments Service, to archaeologically record and preserve, either in situ or by record, any structures, features or objects of archaeological significance which may be encountered during the works. <u>Where excavations occur in areas of archaeological potential such as fording points and associated marsh lands and watercourses all excavated material will be spread out and metal detected (under licence to National Monuments Service) as part of the finds retrieval strategy.</u> |
| PD09 | New permanent access roads (<u>Realigned Windfarm Roads</u>) will have a permanent surface water drainage network in place which will include check dams. These check dams will settle suspended solids in water runoff while also slowing down the rate of water run-off from these areas. |
| PD10 | Only precast concrete culverts or structures will be used at watercourse crossing locations. No batching of wet cement will take place on-site. |
| PD11 | Instream construction works will be followed by site-specific reinstatement measures to ensure the restoration of flow character and morphology within the affected reach. Measures will include: bank stabilisation using boulder armour or willow/brush bank protection; reinstatement of bank slope and character, creation of compound channels where necessary; reinstatement of instream flow features |

| PD ID | Schedule of Project Design Environmental Protection Measure (Mitigation Measure) |
|-------|--|
| | such as boulder substrates, pool / riffle sequences, or spawning cobbles; and planting along the riparian margin to stabilise banks, add flood protection and provide riparian buffer. |
| PD12 | A phased approach will be undertaken in relation to watercourse crossing works, earthworks, forestry felling and excavation dewatering, where these works occur within 50m of a Class 1 or Class 2 watercourse. The phased approach will only permit one of main potential sediment producing activities, listed above, to be carried out within 50m of a Class 1 or Class 2 watercourse, at any one time. |
| PD13 | All excavated material will be removed for temporary or permanent storage at a suitable location more than 50m away from all other Class 1 and Class 2 watercourses. <u>Spoil excavations from public roads being transported to landfill will be covered during transport.</u> |
| PD14 | Temporary silt control methods such as silt fencing or containment berms will be placed around all overburden storage areas. |
| PD15 | Permanent overburden storage berms will be graded and seeded immediately after emplacement. |
| PD16 | For works within 50m of a Class 1 or Class 2 watercourse, additional mitigation measures include double silt fencing, temporary drain blocking, placement of straw bale arrangements along preferential surface water flowpaths and, where necessary, the use of matting to prevent ground erosion and rutting. |
| PD17 | Where dewatering of trenches or excavations is required, there will be no direct discharge of treated water into any watercourse or drain. Rather all pumped water will be treated prior to discharge using an infiltration trench or settlement pond or suitable water treatment train such as a Siltbuster, as appropriate. |
| PD18 | There will be no refuelling of vehicles or plant permitted within 100m of a watercourse |
| PD19 | The main fuel stocks for, and chemical wastes arising from, construction activities will be stored in a designated location, away from main traffic activity, within the temporary compound (<u>Consented Upperchurch Windfarm Site Compound No.1</u>). All fuel will be stored in bunded, locked storage containers. |
| PD20 | Overnight parking of plant and machinery will only be permitted at locations which are greater than 50m from watercourses and where there is an existing hard-core surface in place. |
| PD21 | No refuelling of plant or equipment will be permitted within 100m of identified wells |
| PD22 | In-stream works at Class 1 and Class 2 watercourses will only be undertaken during the IFI specified period (July, August and September) and will be carried out to best practice (IFI, 2016). |
| PD23 | In-stream works will not be undertaken without isolation of flow within the watercourse, any fish within the isolated section will be removed using electrofishing and, following collection of biometrics, transferred immediately downstream of the crossing point and placed back in the water. The water will then be isolated from the works by over pumping, flume (pipe) or channel diversion methods. |
| PD24 | All new permanent watercourse culverts will be sized to cope with a minimum 100-year flood event. All pipe culverts will be a minimum of 900mm in diameter regardless of the anticipated flood flow. |
| PD25 | All new permanent culverts on Class 1 and Class 2 type watercourses will be bottomless or clear spanning. |
| PD26 | If works are programmed to begin in the Hen Harrier breeding season (March to August) Confirmatory hen harrier breeding surveys will be completed, before such works , such that all pre breeding nuptial activity, nesting activity and active nests are recorded within 2km of the construction works area boundary. These surveys will be completed prior to the start-up of all construction activities, until construction is complete and for 3 years thereafter. No construction works <u>for UWF Related Works</u> will take place within 500m of an active hen harrier breeding attempt or active nesting activity , during the <u>hen harrier</u> breeding season (March to August). |
| PD27 | During the hen harrier roosting season (October to February inclusive), construction works within 1000m of a roost will be limited to the period between one hour after sunrise to one hour before sunset. |
| PD28 | Hedgerow removal and clearance of any other breeding bird vegetation will take place outside of the bird breeding season <i>i.e.</i> not during the period of March to August inclusive, where possible . This includes hedgerow and scrub removal in addition to hedgerow trimming. |

| PD ID | Schedule of Project Design Environmental Protection Measure (Mitigation Measure) |
|-------|---|
| PD29 | Confirmatory surveys for active Otter holts and activity (particularly holts at which breeding females or cubs are present) will be carried out 150m upstream and downstream of watercourse crossing locations. |
| PD30 | All construction works within 150m of an active otter holt, will be carried out during daylight hours and outside of 2 hours after sunrise or before sunset during summer/outside of 1 hours after sunrise or before sunset during winter. |
| PD31 | If an active holt (particularly holts at which breeding females or cubs are present) is located within 150 meters of the watercourse crossing points, no works will be undertaken <u>while cubs are present in the holt</u> and NPWS will be notified immediately |
| PD32 | No wheeled or tracked vehicles (of any kind) will be used within 20m of active, but non-breeding otter Holts, and light work, such as digging by hand or scrub clearance will not take place within 15m of such holts, except under license. |
| PD33 | The prohibited working area associated with otter holts will, where appropriate, be fenced with temporary fencing prior to any possibly invasive works and declared as 'out of bounds'. Fencing will be in accordance with Clause 303 of the NRA's Specification for Roadworks (National Roads Authority). Appropriate awareness of the purpose of the enclosure will be conveyed through toolbox talks with site staff and sufficient signage will be placed on each exclusion fence. All contractors or operators on site will be made fully aware of the procedures pertaining to each affected holt (NRA, 2006) and subject to audits and non-conformance records in the event of non-compliance, to be included in reports submitted to Local Authorities and relevant Statutory Consultees. |
| PD34 | Confirmatory surveys will be carried out within 50 m of either side of the construction works area boundary of identified badger setts to determine the current status of known badger setts (i.e. active or inactive) and to determine if any new setts have been established in the intervening period following initial pre-planning surveys and the commencement of construction activity. These confirmatory badger surveys will be undertaken no more than 10-12 months in advance of proposed construction activities, during the period November and April when vegetation cover is reduced. NWPS will be notified immediately if the sett previously identified is confirmed as active or if a further active sett is located within 50 meters of the footprint of the development. If sett exclusion is required, this will be undertaken by an experienced ecologist under the necessary license and following best practice guidance (NRA, 2005). |
| PD35 | No construction works will be carried within 50m of an active sett during the main breeding season (December 1 st to June 30 th). |
| PD36 | Construction activity in the environs of a known active badger sett outside of the breeding period will follow NRA (2005) guidelines, i.e. no heavy machinery will be used within 30m of badger setts (unless carried out under license); lighter machinery (generally wheeled vehicles) will not be used within 20m of a sett entrance; light work, such as digging by hand or scrub clearance will not take place within 10m of sett entrances. |
| PD37 | All construction works will be carried out during daylight hours. Security lighting will be used at <u>the Consented Upperchurch Windfarm Site Compound No.1 compound</u> . All lighting will be cowed in order to prevent light spill and no lighting will be left turned on overnight. Lighting will be controlled by motion and time sensors to minimise the amount of time the lights are operational. |
| PD38 | Confirmatory surveys will be carried out at all trees with bat suitability that will require felling or other major modifications (e.g. removal of rotten branches). These trees will be subject to a ground-level visual inspection by the Project Ecologist (or a bat specialist acting on their behalf) prior to site clearance works in order to confirm the findings of the 2016 / 2017 surveys. |
| PD39 | Where a tree with moderate or high bat suitability is to be felled, a presence/absence bat surveys will be carried out. (Note. It is not expected that any trees with moderate or high suitability will be felled). |
| PD40 | Felling of trees with bat roost suitability will be undertaken in the period late-August to late-October/early-November. Trees with low suitability for bats will be felled carefully and slowly in order to avoid impact-related injuries to any bats that may be roosting inside them. Sections of the tree with potential roost features for bats (e.g. crevices, damaged branches) will be cut in sections, lowered carefully to the ground and left undisturbed for 48 hours before removal. <u>(Note. It is not expected that any trees with moderate or high suitability will be felled).</u> |

| PD ID | Schedule of Project Design Environmental Protection Measure (Mitigation Measure) |
|-------|---|
| PD41 | Where the felling of trees with bat suitability is carried out, robust, weather-proof bat-boxes, for example Schwegler type 1FF and 2F models, will be placed in each of the affected sections to compensate for the loss of potential tree roosts. The number of bat boxes will match the number of trees with bat suitability to be felled. <u>Bat boxes will be placed on an exposed section of tree trunk at a minimum height of 4-5m, providing a clear space in front of the box for bats to enter and exit. Boxes will be placed in locations that will receive at least 6-7 hours of sunlight during summer months, and will typically be placed on the southern side of the tree. The Project Ecologist will supervise the installation of bat boxes in order to ensure that they are sited appropriately.</u> |
| PD42 | Installation of bat crossing structures at severed hedgerows, proximate to areas of high bat activity or roost locations. And following the completion of construction works, the replanting of these severed hedgerows with <u>at least the same number of</u> semi-mature shrubs/trees (like for like) <u>Irish-sourced, native trees</u> and <u>limits on no</u> temporary <u>construction works area</u> lighting near hedgerows. |
| PD43 | Pre-construction survey of the distribution of Devil's-bit Scabious (larval food plant of Marsh Fritillary) during the last available April prior to the commencement of construction works. This requires that any areas of Devil's-bit Scabious that are located within the construction works area boundary, will be strimmed/cut to ground level in the last available late April / early May period prior to the commencement of construction. |

5.2.4.1. Environmental Management Plan

An Environmental Management Plan (EMP) is included with Volume D of the planning application. The purpose of the EMP is to communicate environmental control measures that apply to the development of the UWF Related Works to those with responsibility for carrying out works on site so that any likely significant adverse effects of the development on the receiving environment can be prevented.

The Environmental Management Plan includes the Schedule of Mitigation Measures - the Project Design Environmental Project Measures (*Schedule in Table 5-4 above*), along with the Best Practice Methods that are included at the end of topic Chapters 6 to 17. Management plans for Traffic, Waste, Surface Water Quality and Invasive Species are also included in the EMP.

The environmental protection measures for UWF Other Activities which relate to UWF Related Works will be monitored through the UWF Related Works Environmental Management Plan.

See: *Volume D: Revised EMP for UWF Related Works*

5.2.4.2. Response to RFI on Mitigation, Monitoring and Compensatory Measures

This EIAR was submitted with the planning application to Tipperary County Council on 17/07/2018. A Request for Further Information was issued on 10/09/2018. The request and response in relation to Mitigation, Monitoring and Compensatory Measures is incorporated below;

Request for Further Information under S.172 (1E) of the Planning and Development Act 2000 (as amended), as follows:

The applicant is requested to submit a comprehensive

- *Schedule of features/measures to avoid, prevent or reduce/offset adverse effects on the environment;*
- *Schedule of monitoring measures;*
- *Schedule of compensatory measures.*

5.2.4.2.1. EDL Response to Mitigation, Monitoring and Compensatory Measures RFI

Schedule of features/measures to avoid, prevent or reduce/offset adverse effects

The Project Design Environmental Protection Measures included in the application documents, constitute the features/measures to avoid, prevent or reduce/offset adverse effects on the environment. There are forty-three Project Design Environmental Protection Measures in total – named PD01 to PD43.

A Schedule of Project Design Environmental Protection Measures (Mitigation Measures) are located in the EIA Report in

- **Volume C2 EIA Report: Chapter 5: Description of Development: Section 5.2.4: Table 5-4 (above)**
- Volume C2 EIA Report: Chapters 6 to 17 where relevant
- Volume D: Environmental Management Plan (EMP): Table 7 (P. 19)

In response to Tipperary County Council on RFI, the features/measures to avoid, prevent or reduce/offset adverse effects on the environment were also reproduced in a separate schedule – the Schedule of Project Design Environmental Protection Measures (Mitigation Measures) in **Volume D: Revised EMP for UWF Related Works: Section 5.1 Project Design Measures**, Page 19.

Schedule of monitoring measures

Monitoring measures are included throughout the EIA Report and Environmental Management Plan (EMP). In particular, monitoring measures are part of the Project Design Environmental Protection Measures (PDs), the Traffic Management Plan, the Surface Water Management Plan, the Invasive Species Management Plan, the Waste Management Plan and the Best Practice Measures (BPMs), which plans are all part of UWF Related Works Environmental Management Plan (EMP).

In response to RFI, a Schedule of these Monitoring Measures has been collated from the EIA Report and the EMP and this Schedule is included **at the end of the Monitoring Arrangements Chapter 19 of this Revised EIAR**.

Schedule of compensatory measures

There is only one compensatory measure included in the UWF Related Works project:

Project Design Environmental Protection Measure PD41

PD41: Where the felling of trees with bat suitability is carried out, robust, weather-proof bat-boxes, for example Schwegler type 1FF and 2F models, will be placed in each of the affected sections to compensate for the loss of potential tree roosts. The number of bat boxes will match the number of trees with bat suitability to be felled.

5.3. Life Cycle Stages of UWF Related Works

5.3.1. Construction Stage - UWF Related Works

5.3.1.1. Overview of the Construction Process

The construction process for the UWF Related Works, is a relatively straightforward civil build. A number of separate dedicated 'crews' will work from the consented compound associated with the Upperchurch Windfarm Site Compound No.1, each working on a different part of the UWF Related Works. The workers will arrive and depart daily to and from the relevant construction compounds, parking spaces will be provided at the site compound. The various crews will then be transported to the specific works location by means of 'crew-cab' 4x4 vehicles or similar. Bulk deliveries of materials will be delivered to the windfarm site compound and stored there until needed. Materials required at works locations will be transported by way rigid body vehicle or tractor and trailer. Aggregate and concrete will be delivered directly to works locations.

5.3.1.2. Duration & Timing

The duration and timing of the construction of UWF Related Works is outlined in Table 5-5.

Table 5-5: Duration and timing of the construction of the UWF Related Works

| Construction Activities | Duration of the Construction Stage | Timing of Construction Activities |
|--|------------------------------------|--|
| Pre-Construction - Detailed design, confirmatory surveys, felling, hedgerow/tree removal or pruning etc. | 3 - 6 months | Immediately prior to the commencement of the main construction period |
| Main Construction Activities - Construction of Internal Windfarm Cabling, Realigned Windfarm Roads, Haul Route Works, Telecom Relay Pole and RW Ancillary Works | 6 – 8 months | Projected Start Date: 2018/2019 The UWF Related Works will take place during the same period as the construction of the Upperchurch Windfarm and Grid Connection (exceptions listed in Scheduling of Works below) |

The duration of works provided are approximate and may be shorter or longer, depending on the final number of crews used, weather conditions etc. A formal programme of works will be prepared by the appointed Contractor prior to the commencement of construction activities.

5.3.1.2.1. Construction Hours of Work

Normal construction times will be 07.00 to 19.00hrs Monday to Friday and 08.00 – 16.30hrs on Saturdays. These normal hours of work will be further restricted at particular locations as outlined in Scheduling of Works.

5.3.1.2.2. Scheduling of Works

To protect residential amenity, surface water quality and biodiversity, the following timing or scheduling of works will be implemented during the Construction Stage:

- Construction works will be carried out during daylight hours.

- Construction works in Knockmaroe and Knockcurraghbola Commons townlands, which are within 350m of any local residences, will not take place at the same time as other elements of the Whole UWF Project.
- To reduce the potential for localised in-combination effects on surface water quality from the main potential sediment sources during construction works (i.e. Watercourse Crossing Works, Earthworks, Tree Felling and Excavation Dewatering), a phased approach will be undertaken during the construction works for these activities, where works within 50m of a Class 1 or Class 2 watercourse are required. The phased approach will only permit one of main potential sediment producing activities to be carried out at any one time within the local catchment to a watercourse (refer to Chapter 11: Water).
- In-stream works will only be undertaken during the IFI specified period (July – September) for the Class 1 and Class 2 watercourses.
- No construction works will take place within 2km of an active hen harrier nest, or active nesting activity, during the breeding season (March to August). Additionally, during the roosting season, (October to February), construction works will only be carried out during the period between one hour after sunrise and one hour before sunset in areas within 1000m of an active winter roost.
- No construction works will be carried within 50m of an active badger sett during the main breeding season (December 1st to June 30th).
- Felling of trees (if any) with bat roost suitability will be undertaken in the period late-August to late-October/early-November.
- If an active otter holt (holts at which breeding females or cubs are present) is located within 150 meters of the watercourse crossing points, no works will be undertaken while cubs are present in the holt.
- All construction works within 150m of an active otter holt, will be carried out during daylight hours and outside of 2 hours after sunrise or before sunset during summer/outside of 1 hours after sunrise or before sunset during winter.

5.3.1.3. Construction Personnel

The civil and electrical construction personnel involved in the construction of the Upperchurch Windfarm will also be involved in the construction of the Internal Windfarm Cabling, Realigned Windfarm Roads, Haul Route Works and the construction of the Telecom Relay Pole compound and the installation of underground communication and electricity cables between the existing Foilnaman Mast and the Relay Pole compound, no extra personnel will be required for these works and c.5 personnel from the Upperchurch Windfarm construction crew will be involved in the UWF Related Works. A specialist communication engineering crew, made up of c. 3 personnel, will be involved in the erection and set up of the Telecom Relay Pole.

5.3.1.3.1. Welfare Facilities

Upperchurch Windfarm Site Compound No.1 will contain site offices, welfare, canteen and parking facilities, storage locations for oils and fuels, materials and wastes.

Welfare Facilities at active construction works areas will consist of solar powered, single, self-contained portable toilets.

Toilet Servicing: All toilets will be serviced on a weekly (Toilet blocks at Upperchurch Windfarm Site Compound No.1) or bi-weekly (portable toilets at construction works areas) basis. A record of servicing will be kept by the licensed waste removal operator. Servicing shall include internal cleansing, emptying and recharging with water and toilet additive and replenishing of all consumables.

5.3.1.4. Construction Stage Activities

Construction stage activities will involve the following works:

- Pre-Construction Activities
- Construction Works Area Preparation
- Temporary Site Entrances
- Realigned Windfarm Roads
- Temporary Access Roads
- Haul Route Works
- Telecom Relay Pole
- Internal Windfarm Cabling
- Instream Works Preparation and Reinstatement
- Instream Works
- Bailey Bridge
- Relocation of Overhead Lines
- Felling of Forestry
- Overburden Storage Berms
- Reinstatement of Land

Individual Outline Construction Methodologies (OCMs) for all of the above listed main works and activities of UWF Grid Connection can be found at **Appendix 5-1: Outline Construction Methodologies for UWF Related Works**. In the OCMs, a brief description of the work involved; the duration of this work; personnel, machinery, equipment and tools requirements; construction materials; details of the standard methodology for the construction activities and any variations to those methods are also outlined. These OCMs are specific to each distinct body of work or activity. The final Method Statements for the construction works will be developed by the appointed Contractor and will be based on these OCMs, prior to construction.

The OCMs are also provided in **Volume D: Revised EMP for UWF Related Works**

5.3.1.5. Use of Machinery and Equipment

The main machinery, equipment and tools which will be required during the construction stage are listed in Table 5-6. A full list of machinery, equipment and tools which will be used during the construction of the UWF Related Works is listed on the Outline Construction Methodologies in [Appendix 5.1](#).

Table 5-6: Construction machinery, equipment and tools

| Construction Machinery | Construction Equipment and Tools |
|------------------------------|--|
| 1 No. 12ton excavator | Hand tools |
| 1 No. 6ton excavator | Cable Jointing tools |
| 2 No. dump trucks | 1 No. dewatering pumps |
| 1 No. Vibrating roller | 1 No. water pumps and associated pipes |
| 1 No. roller | 1 No. Diesel generator |
| 1 No. van | Sand bags |
| 1 No. Cable Pulling winch | Silt traps and silt fences |
| Pole planter and auger drill | Oil absorbent booms |
| | Siltbuster units and skips |
| | Wooden stakes and wooden fencing lats |
| | Boundary tape and wire |
| | Battery powered electric fencers |
| | geotextile matting /plastic mats |

5.3.1.6. Use of Hydrocarbons

Hydrocarbons will be used on UWF Related Works areas during construction activities and is limited to the diesel or petrol fuel and oils used by the site vehicles and machinery, delivery vehicles and any mobile generators used. Grease may be coated on the cables to aid in cable pulling during the construction stage.

5.3.1.7. Other Facilities - Fuel Storage & Tool Storage

All fuels required for construction activities will be stored in a designated location, away from main traffic flows, within Upperchurch Windfarm Site Compound No.1. All fuel will be stored in bunded, locked storage containers.

Tools and smaller pieces of equipment will be stored in locked containers, at Upperchurch Windfarm Site Compound No.1, during the construction stage.

5.3.1.8. Imported Construction Materials

The construction materials, which will be brought onto the UWF Related Works areas, are listed in Table 5-7 along with details of the quantity and source of the materials.

Table 5-7: Quantities, type and source of construction materials

Note: The quantities shown below are worst case volumes and will be lower than those stated.

| Materials | Quantity | Source of Materials |
|--|------------------------------------|--|
| Semi-dry Lean Mix Concrete | 180m ³ / 23 No. loads | Roadstone Killough, Co Tipperary Roadstone Bunratty, Co Clare |
| Aggregate (crushed stone) <i>Based on use of stone on all temporary access roads. Any stone used for the temporary access roads will be reused in the windfarm roads and hardstands.</i> | 4620m ³ / 285 No. loads | Shanballyedmond, Rear Cross |
| Hard core for temporary public road surface | 50m ³ / 7 No. loads | Clare |
| Surface dressing asphalt (public road sections) | 12m ³ / 2 No. loads | Clare |
| Geotextile | 4 No. loads | Cork |
| Duct jointing collars | 1 No. load | Cork |
| 125mm outer diameter HDPE Duct | 12 No. loads | Cork |
| 50mm outer diameter HDPE Comms Duct | 4 No. loads | Cork |
| 33KV electrical cable | 12 No. loads | Cork |
| Fibre Optic communication cables | 3 No. loads | Cork |
| Red cable protection strip | 1 No. load | Cork |
| Relay Pole and Telecommunication Equipment | 1 No. load | Cork |
| Yellow warning tape | 1 No. load | Cork |
| Marker posts and plates | 1 No. load | Dundrum, Co Dublin |
| Hedging | 1 No. load | Dundrum, Co Tipperary |
| Fencing materials, posts, rails, wire | 1 No. load | Arrabawn Co-Op, Reiska |
| Precast concrete and HDPE culverts Plastic matting and bog mats | 1 No. load | Thurles |

5.3.1.8.1. Material and Delivery Traffic Management

Aggregate and Concrete

HGV loads of aggregate, concrete and public road dressing will be delivered directly to construction works areas. These HGVs will travel to the works areas using both the regional and local road networks, as specified on **Figure RW 5.23**. These haul routes have been agreed with the Area Roads Engineer.

Other Construction Material

Other materials, such as ducting, geotextile and other construction materials, will be sourced from various suppliers and will be transported to the Upperchurch Windfarm Site Compound No.1 via the national and regional road network, as identified on **Figure RW 5.24**.

This material will be stored at Upperchurch Windfarm Site Compound No.1 until required at works areas. Each day a smaller truck will be used to deliver the daily volume of ducting, matting, cable protection strip, warning tape, duct jointing collars etc. to each active works area.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.23: Haul Routes for Delivery of Aggregate, Concrete and Other Materials to UWF Site Compound No. 1

Figure RW 5.24: Haul Routes from UWF Site Compound No.1 to Construction Works Areas.

5.3.1.9. Traffic Management at Temporary Entrances and Road Work Locations

5.3.1.9.1. Road Licences

All road works will be subject to a Road Opening License application to Tipperary County Council and will be carried out in accordance with the Tii Guidelines on the Opening, Backfilling and Reinstatement of Openings in Public Roads.

5.3.1.9.2. Flagmen

Flagmen will be employed at temporary site entrances and road work locations to control the movement of traffic on the public road, so that road users can continue to use the local road network in a safe and efficient manner.

5.3.1.9.3. Advance warning signage

Advance warning signage will be erected on both approaches to temporary site entrance locations and road works locations. The placement of this signage has been designed based on the recorded 85th percentile traffic speeds, or the posted limit, whichever is the higher.

5.3.1.9.4. Reinstatement of road boundaries

Following the completion of construction works, all road boundaries at temporary site access points or at temporary road widening locations will be reinstated along the existing alignment.

5.3.1.9.5. Engagement with Local Residents regarding Traffic

Contact will be maintained with the landowners on the day to day timing of the works. A Community Liaison Officer (CLO) will be appointed as the point of contact between the developer, the local community and the wider public. The CLO will keep very active contact with local residents on the traffic arrangements around the works day to day.

5.3.1.9.6. Traffic Management Plan

A Traffic Management Plan is included in [Volume D: Revised EMP for UWF Related Works](#).

Relevant Volume C3 Revised EIAR Figures:

[Figure RW 5.25: Advance Warning Signage for Half Lane Closures](#)

5.3.1.10. EMP for the UWF Related Works

An Environmental Management Plan (EMP) for the UWF Related Works is included as Volume D of the EIA Report. The purpose of the EMP is to communicate environmental control measures that apply to the development of the UWF Related Works to those with responsibility for carrying out works on site, so that any likely significant adverse effects of the development on the receiving environment can be prevented.

The EMP comprises the main EMP statement; environmental commitments, environmental control measures and management plans for Surface Water Quality; Traffic, Waste, and Invasive Species; a schedule of Project Design Mitigation Measures and a compiled schedule of Best Practice Measures from the environmental topic chapters.

During construction, an Environmental Clerk of Works will be appointed and it will be their responsibility to ensure that the EMP is implemented through liaising with the Construction Site Manager and the Project Manager and by carrying out weekly audits on EMP compliance.

[EIAR Volume D: Revised EMP for UWF Related Works](#).

5.3.2. Operational Stage – UWF Related Works

Once constructed and commissioned, as required, the UWF Related Works will be operated and maintained as part of the Upperchurch Windfarm.

5.3.2.1. Duration and Timing of Operational Stage**Table 5-8: Duration and timing of Operation Phase of the UWF Related Works**

| Description | Duration |
|------------------------------------|--|
| Operation of the UWF Related Works | The duration of the operational period for the UWF Related Works will correspond with the operational period of the Upperchurch Windfarm which is granted for 25 years from the date of commissioning of the wind turbines under Condition 4 of the grant of planning permission for Upperchurch Windfarm, unless a planning period for a further period is granted. |
| Internal Windfarm Cables | 1 day per year to carry out a visual inspection |
| Realigned Windfarm Roads | 30mins per month 1 day per 5 years |
| Haul Route Works | During any subsequent, although infrequent, turbine component delivery: 2 days to re-use Haul Route Works Areas 1 week to reinstate roadside boundaries and lands |
| Telecom Relay Pole | 1 day per year |
| RW Ancillary Works | No works |

5.3.2.2. Operational Personnel

The personnel involved in the operation and maintenance of the Upperchurch Windfarm will also be involved in the operation and maintenance of the UWF Related Works. In addition, 2-3 No. specialised telecommunications personnel will be involved in an annual inspection and maintenance of the Telecom Relay Pole.

5.3.2.3. Operational Activities**5.3.2.3.1. Internal Windfarm Cabling**

Operational activities will include both annual visual inspections of the cable routes, using a four wheel drive vehicle along Upperchurch Windfarm Roads and Realigned Windfarm Roads, or by walking over cross-country sections. The cables will have a design life of 80 to 100 years. It is not expected that the cables will require replacement during their operation.

5.3.2.3.2. Realigned Windfarm Roads

Operational activities will include both monthly visual inspection of the Realigned Windfarm Roads, using a four wheel drive vehicle and annual maintenance of roads and the associated drainage network, using both hand tools and mini-diggers as required.

5.3.2.3.3. Haul Route Works

Annual visual inspection of Haul Route Works areas at H1 to H13. Occasional hedge trimming may be required, to accommodate the delivery of abnormal loads during major maintenance works at the Upperchurch Windfarm. To facilitate the occasional delivery of larger components, some roadside boundaries at Haul Route Works locations will be temporarily reopened (having been reinstated following construction) or temporarily removed. Geotextile material will laid over the concealed hard-core access roads in private lands where required. Once the components have been delivered, the roadside boundaries on these temporarily widened areas will be reinstated in their original alignment and ground cover on private lands will be reinstated.

5.3.2.3.4. Telecom Relay Pole

The support structure itself requires little maintenance during its operational lifetime; operational activities would consist of annual inspection and maintenance of the communications equipment mounted on the structure, outdoor cabinet, and compound area.

5.3.2.3.5. UWF Ancillary Works

No operational activities associated with these works are expected to take place during the operational stage.

5.3.2.4. Use of Machinery and Equipment

Table 5-9: Use of Machinery and Equipment during the Operation of the UWF Related Works

| Machinery | Equipment | Materials |
|--|--|---|
| 4x4 vehicle for routine inspection, | Tools for occasional maintenance works | Aggregate for Realigned Windfarm Road maintenance, if required |
| small excavator and roller for occasional maintenance and haul route works | Hand tools & testing equipment | Replacement communication equipment for the Telecom Relay Pole, if required |
| | fencing equipment | Replacement fencing for Haul Route Works locations, if required. |

5.3.2.5. Use of Hydrocarbons

A small volume of hydrocarbons will be used on-site during operational activities and is limited to the diesel or petrol fuel used by the site vehicles and occasional machinery used.

5.3.2.6. Welfare Facilities

The Upperchurch Windfarm site office containing site offices, welfare, and canteen and parking facilities will be available to any personnel working on UWF Related Works.

5.3.2.7. Other Facilities - Fuel Storage & Tool Storage

There will be no requirement for fuel storage for the UWF Related Works. There will also be no requirement for tool storage facilities -all tools will be brought onto site as required.

5.3.3. Changes to UWF Related Works

5.3.3.1. Decommissioning

The UWF Related Works will cease to function following the decommissioning of the Upperchurch Windfarm. The following decommissioning works are relevant to the UWF Related Works:

Internal Windfarm Cables: The cables will be pulled from the ducts and will be re-used or recycled off-site in a licensed recycling facility.

Realigned Windfarm Roads will be left in situ, for use by the landowner. No works required.

Haul Route Works will be left in situ. No works required.

Telecom Relay Pole: The Relay Pole will be decommissioned following the decommissioning of the Upperchurch Windfarm. The communication links between Foilnahan Mast and Laghtseefin Mast will be restored, and then the antennae removed from the Relay Pole, the Pole, fence and the outdoor equipment will be decommissioned and removed. The footprint of the compound will be reinstated with the soils which formed the berms around the compound during construction.

5.4. Use of Natural Resources, Emissions & Wastes

5.4.1. Use of Natural Resources

The resources which will be imported onto the UWF Related Works areas or which will be obtained from within the works areas during the development of the UWF Related Works are described below.

5.4.1.1. Use of Resources: Land

5.4.1.1.1. Requirements for Land

Construction Stage Requirement: In order to safely accommodate the construction works and construction traffic, the land requirement for the construction of the UWF Related Works is greater than for the operation of the UWF Related Works. In total UWF Related Works will take place on 20.9 hectares of land within construction works areas, as follows; 0.3ha of farm roads, 6.9ha of agricultural land, 0.2ha of forestry road, 0.7ha of forestry firebreak, 0.4ha of forestry, 1.4ha of public road and 11.1ha of Upperchurch Windfarm Roads. These lands are outlined in red on Figure RW 5.3

Operational Stage Requirement: Following construction, with the exception of the 25m² Telecom Relay Pole compound, all of the lands will be returned to the landowner for their own use. The Realigned Windfarm Roads will be used by both the landowner and Upperchurch Windfarm.

5.4.1.1.2. Landuse Restrictions

Restrictions on the use of land by landowners is limited to the Construction Stage, during which the use of the lands by the landowner will be restricted to varying degrees depending on the location and type of works taking place, as per:

- The use of agricultural lands, firebreaks and felled forestry in the construction works area will be restricted during construction works on these areas, with restrictions continuing until vegetation has re-established following construction works; and
- The use of farm or forestry roads can continue during the construction works with some restrictions in place, forestry traffic if it occurs will use alternative routes along the forestry road network where available.
- Access will be maintained to lands at all times during construction, by arrangement with the individual landowners.
- Following construction, the majority of the lands will be returned to their former use.

5.4.1.1.3. Landuse Change

The construction of the UWF Related Works will result in the change of use of 25m² (0.0025Ha) of agricultural land to utility for the Telecom Relay Pole. In addition, 0.13ha of agricultural land will change use to Permanent Road, 0.09ha of forestry plantation will change use to Permanent Roads and 0.21ha will change use to Unplanted Forestry Firebreak.

During decommissioning, the Telecom Relay Pole will be removed, and 25m² of associated lands will be reinstated and returned to use as agricultural lands.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.3: UWF Related Works Construction Works Area Boundary.

Figure RW 5.26: Operational Stage Land Use Change

5.4.1.2. Use of Resources: Biodiversity

5.4.1.2.1. Field Boundaries – Earthen Banks/Hedgerow/Trees

Hedgerows and earthen banks occur at most field boundaries within the Internal Windfarm Cabling, Realigned Windfarm Roads and Haul Route Works locations. Some hedgerows also contain trees of varying maturity. The removal of field boundaries and the pruning or removal of hedgerows and trees is predominately limited to the construction stage. Field boundaries at Haul Route Works locations may also require temporary pruning or removal during the operational and decommissioning stage to facilitate the transport of turbine components.

Pruning: In total 540m of hedgerow will be pruned, 330m at Haul Route Works locations to facilitate delivery of turbine components and 210m close to works locations to facilitate the passage of machinery along works areas. All pruning will be conducted outside of the bird breeding season.

Permanent Removal: In total, 170m of hedgerow will be permanently removed to facilitate Haul Route Works (HR6 and HR13) and Realigned Windfarm Roads (RWR2). These hedgerows and trees will be replaced with an equivalent length of new native hedgerow along with an equivalent number of native trees immediately adjacent to the area.

Temporary Removal: In total, 145m of hedgerow and 4 No. trees will be temporarily removed at Internal Windfarm Cabling and some Haul Route Works locations.

Bat Crossing Structures: Bat crossing structures will be install at 2 no. locations. 1 no. at a 10m wide section of field boundary along Realigned Windfarm Road RWR2 and another at a 10m wide sections of roadside boundary (concrete wall) Haul Route Works HW5, a bat crossing structure in the form of ‘goal posts’ will be erected following the removal of a 10m section of each boundary. Vegetation and netting will be attached to these goal posts to provide a continuation of flight-line for bats during the construction works.

Reinstatement of Hedgerows: Following the completion of construction works in an area, **the temporarily removed** section of field boundary will be reinstated, with the formation of earthen banks and the replanting like for like with established (at least 3 year old) native hedgerow plant. Reinstatement will be carried out immediately following the completion of the works in the area.

Along **sensitive bat corridors**, the bat crossing structures installed during construction works will remain in place post-construction until the field boundary has been reinstated.

New Hedgerow created: c.370m of new hedgerow will be planted with locally sourced native species alongside the Realigned Windfarm Road RWR2.

Relevant Volume C3 Revised EIAR Figures:

Figure RW 5.2 : Layout of the UWF Related Works on Aerial Photography Mapping

Figure RW 5.27: Cross Section of Hedgerow Removal and Reinstatement

5.4.1.2.2. Forestry Felling

Forestry felling is limited to the construction stage. In total 0.3ha of coniferous forestry will be permanently felled¹, under a felling license from the Forest Service. Forestry felling will be carried out outside of the bird breeding season.

5.4.1.2.3. Invasive Species

Packaging will be checked for the presence of white toothed shrew and prior to arrival on site, contractor's vehicles and equipment will be thoroughly cleaned and then dried. High-pressure steam cleaning, with water hotter than 65 degrees Celsius, in addition to the removal of all vegetative material, will be required for all vehicles and equipment involved in construction works.

An Invasive Species Management Plan will be implemented to prevent the spread of knotweed species, this Plan is included in **Volume D: Revised EMP for UWF Related Works**.

5.4.1.3. Use of Resources: Water

5.4.1.3.1. Potable & Non-Potable Water

During construction, All water requirements for welfare facilities and drinking purposes will be supplied at Upperchurch Windfarm Site Compound No.1 during the Construction Stage, no additional water will be required for the UWF Related Works.

During operation, All water requirements for welfare facilities and drinking purposes will be supplied at the Upperchurch Windfarm Site Office during the Operational Stage, no additional water will be required for the UWF Related Works.

¹ A condition of the felling license will require that an equivalent area of forestry be replanted in another location. The New native woodland at Foilnahan, (UWF Replacement Forestry element of the whole UWF project) will fulfil this obligation.

5.4.1.4. Use of Resources: Soils**5.4.1.4.1. Excavated Soils**

During the construction of the UWF Related Works, natural materials such as topsoil, subsoil and rock will arise from excavation works during the construction of the UWF Related Works. Approximately 4750m³ topsoil, 6670m³ subsoil and 360m³ rock, will arise from excavation works. All of this excavated material will be used to backfill cables trenches, used to reinstate land along construction works areas. In addition, c.50m³ of spoil will also arise during excavations in public roads

5.4.1.4.2. Permanent Storage

Some of the excavated material (930m³) will be permanent stored in berms alongside Realigned Windfarm Roads and around the Telecom Relay Pole compound.

5.4.1.4.3. Temporary Storage

The remaining material excavated from UWF Related Works construction works areas will be temporarily stored, within the construction works area. Topsoil, subsoil and rock will be stored separately, with as much surface vegetation left intact on the topsoil layer as possible. Suitable excavated competent material will be used to backfill the Cables Trench and following the completion of works in any area; the temporarily stored soil will be used to reinstate and landscape the works areas.

5.4.1.4.4. Public Road Arising's and Contaminated Material

The excess material arising from short lengths of Internal Windfarm Cabling excavated in the public road at the 9 no. road crossing locations, or contaminated material arising during the construction of UWF Related Works will be collected by Arlo Group and transported to their approved licensed facilities at Thurles, County Tipperary,

5.4.1.4.5. Imported Rock

Approximately 4,600m³ of graded crushed stone will be imported onto UWF Related Works areas from the local Rear Cross Quarry. This stone will be mainly used for the Realigned Windfarm Roads, telecom relay pole compound and temporary access roads for installing the internal windfarm cabling.

This calculation is based on a circumstances where there is not plastic/bog mats used for the temporary roads but all of the temporary roads are built with crushed stone. The volume of crushed stone will reduce substantially by the use of matting and the promoter intends to utilise matting as much as possible.

Also the amount of stone required for the realigned roads will offset a similar amount of rock that will not be required for the section of originally consented roadway because it will not be built so therefore there will be no overall increase in the volume of stone required for the windfarm roadways.

5.4.1.4.6. Operational Stage - Soil

No excavations of soils will be required during the routine operation of the UWF Related Works.

Small amounts of aggregate/hard core may be required from time to time, during occasional maintenance activities, to recap the Realigned Windfarm Roads.

5.4.2. Emissions**5.4.2.1. Dust**

During the construction stage, dust may arise, due to the transportation of aggregate to UWF Related Works areas, the movement of excavated material within the works areas and from stored excavated materials at the works areas, particularly during dry and windy weather. Dust will not cause any significant adverse effects to Air Quality. During the operational stage, the works areas will be re-vegetated therefore dust emissions will not occur. Dust emission would be limited to that emanating from occasional maintenance of the Realigned Windfarm Roads.

5.4.2.2. Vehicle Exhausts

During the construction stage, operating machinery used during the construction stage will be run on hydrocarbons and will emit nitrogen dioxide and other greenhouse gas emissions during their operation. Exhaust emissions will not be at levels to cause significant adverse effects. During the operational stage, a van or four wheel drive vehicle will be used for c.12 half days per year for monthly visual inspections, larger machinery may be required for 2 – 3 days every five years or so for road maintenance on the Realigned Windfarm Roads or occasionally for re-use of Haul Route Works areas. This minimal use of vehicles will result in negligible amounts of nitrogen dioxide and other greenhouse gas emissions during operation.

5.4.2.3. Noise

During the construction stage, heavy machinery and vehicles which will be used at works areas during the construction stage will emit noise during their operation, noise will also be emitted from certain construction activities such as excavation or rock breaking or by mobile generators which may be used at work areas. Noise emissions will not be at levels to cause significant adverse effects. During the operational stage, the presence of vehicles, and therefore noise emissions, during operation is considered negligible with a van or four wheel drive vehicle being used c.2 days per year during monthly visual inspections, larger machinery may be required for 2 – 3 days every five years for road maintenance on the Realigned Windfarm Roads or occasionally for c.7 days longer during any re-use of Haul Route Works areas.

5.4.2.4. Vibration

Construction works, including excavations and the use of heavy machinery will cause low levels of ground vibration. No blasting or piling will occur at the UWF Related Works construction works areas. Vibration emissions will not be at levels to cause significant adverse effects. No vibration emissions are expected during the operation of the UWF Related Works.

5.4.2.5. Light

Lighting will be used at Upperchurch Windfarm Site Compound No.1 during construction. This lighting will use a cowled design along with motion-sensor and timer controlled lights which will not remain turned-on overnight. No lighting will be required at construction works areas associated with the UWF Related Works and all construction works will be carried out during daylight hours.

5.4.2.6. Electromagnetic Radiation

Low frequency electrical and magnetic fields (EMF) will be present anywhere electricity is generated, distributed or used and therefore these fields are a common occurrence in everyday life. The operational Internal Windfarm Cables will be a source of very low frequency (50Hz) electromagnetic fields.

Electromagnetic fields will not be at levels to cause significant effects. No emissions of electromagnetic fields will occur during the construction stage.

5.4.3. Waste

The greatest potential for waste occurs during the Construction Phase.

5.4.3.1. Waste Water

The UWF Related Works will be constructed by the personnel involved in the construction of the Upperchurch Windfarm. Self-contained toilets, with integrated waste water storage tanks, will be provided for construction workers at Upperchurch Windfarm Site Compound No.1. Waste water will be collected by licensed collector - by Arlo Group or other appropriately licensed operator, and transported to an approved water treatment plant in Thurles, County Tipperary or other appropriately licensed facility.

The personnel involved in the operation and maintenance of UWF Related Works will also be involved in the operation and maintenance of Upperchurch Windfarm, and will have access to the Upperchurch Windfarm site office facilities, including toilets serviced by an existing septic tank. Waste water will be collected by licensed collector - by Arlo Group or other appropriately licensed operator, and transported to an approved water treatment plant in Thurles, County Tipperary or other appropriately licensed facility.

5.4.3.2. General Waste

During the construction stage, general waste materials such as pallets, packaging, and excess construction and building materials will be generated in small quantities at construction works areas. All individual waste streams will be identified at source, and stored at a designated area at Upperchurch Windfarm Site Compound No.1 with other General Waste arising from the Upperchurch Windfarm construction works. General waste will be collected by licensed collector - Arlo Group or other appropriately licensed operator and transported to their approved licensed facilities at Thurles, County Tipperary or other appropriately licensed facility. No general waste is expected during the operation of the UWF Related Works

5.4.3.3. Chemical Waste

Any chemical waste which may be generated during the construction of the UWF Related Works will be limited to solid waste-oil such as oily rags or any oil contaminated material. Should any chemical waste arise, it will be stored in a secure, bunded container in a designated area at Upperchurch Windfarm Site Compound No.1 with other Chemical Waste arising from the Upperchurch Windfarm construction works. All chemical waste will be removed by Arlo Group or other appropriately licensed operator and transported to either Enva Ireland Limited approved licensed facilities at Shannon, Cork, Portlaoise or Dublin or to the Rilta Environmental Ltd. approved licensed facility in Dublin.

No chemical waste or contaminated material is expected during the operation of the UWF Related Works. However, should any chemical waste occur, it will be stored in a secure bunded container at the Upperchurch Windfarm site office with any other chemical waste arising from the Upperchurch Windfarm operational activities. All chemical waste will be removed from the Upperchurch Windfarm site office by Arlo Group or other appropriately licensed operator and transported to either Enva Ireland Limited approved licensed facilities at Shannon, Cork, Portlaoise or Dublin or to the Rilta Environmental Ltd. approved licensed facility in Dublin.

5.4.3.4. Arisings

During the construction stage, arisings from any excavations within the structure of the public road will consist of old chip, tar, subsoils and rock material. Arisings also include any contaminated soils from off-road construction works areas. All of this material will be collected by operator Arlo Group or other appropriately licensed operator and transported to their approved licensed facilities at Thurles, County Tipperary or other appropriately licensed facility. No arisings from the public road network are expected during operation.

5.4.3.5. Waste Management Plan

Any wastes which result from the operation of the UWF Related Works will be managed under the Waste Management Plan. The Plan includes a hierarchy of controls in relation to waste; Prevent, Reduce, Reuse, Recover and Responsibility and the controls and procedures which will be undertaken as part of the management of waste are specified. A strict chain of custody system will be set up as part of the Waste Management Plan to enable all wastes to be controlled in the appropriate manner.

The **Waste Management Plan** is included in **Volume D: Revised EMP for UWF Related Works**.

5.5. Vulnerability of the Project to Major Accidents and Natural Disasters

Major accidents or natural disasters which have the potential to affect the UWF Related Works are described hereunder. The vulnerability (exposure and resilience) of the UWF Related Works to major accidents and disasters and the risk of these accidents or disasters is classified according to the *Guide to Risk Assessment in Major Emergency Management* (DoEHLG, 2010). This Guide is included as **Appendix 5.7 Volume C4: Revised EIAR Appendices**.

5.5.1. Vulnerability to Major Accidents

It is clear from the EIA Directive that 'major accident' mainly applies to notified Seveso establishments which operate under the Chemicals Act (Control of Major Accident Hazards involving Dangerous Substances) Regulations 2015, where Dangerous Substances are identified in Schedule 1.

The UWF Related Works **is not vulnerable to Major Accidents**, due to the minimal volumes of the Dangerous Substances which will be used, limited to small volumes of diesel fuel used by vehicles during the construction and operation of the UWF Related Works. Furthermore there are no Seveso sites in proximity to the UWF Related Works site, the closest being Grassland Agro in Limerick and MSD (pharmaceutical) in Kilsheelan, near Clonmel, Co Tipperary.

5.5.2. Vulnerability to Natural Disasters (Land slippage, Flooding)

Natural disasters which could potentially affect the UWF Related Works include land slippage and flooding. The likelihood of these natural disasters occurring is discussed below, with likelihood of the natural disaster occurring rated according to the DoEHLG 2010 Guidelines. The risk classification tables are included in **Appendix 5.7: A Guide to Risk Assessment in Major Emergency Management Jan 2010**.

5.5.2.1. Land-slippage

It is considered that the UWF Related Works is not vulnerable to natural disasters such as land slippage, due to the absence of peat or very shallow peats at the works locations. Therefore it is considered that the likelihood of land slippage disaster occurring along the UWF Related Works is **Extremely Unlikely**.

5.5.2.2. Flooding

In recent years, high rainfall events and subsequent flooding have become more frequent in Ireland. Where complete the Catchment Flood Risk Assessment and Management (CFRAM)² OPW Flood Risk Assessment Maps are now the primary reference for flood risk planning in Ireland and supersede the Preliminary Flood Risk Assessment Maps (PFRA) maps. CFRAM mapping is not currently available for the area of the Upperchurch Windfarm site and therefore the PFRA maps have been examined.

A Stage II Flood Risk Assessment was completed for the subject development by Hydro Environmental Services, a specialist hydrological and hydrogeological consultancy, who concluded that there is a low risk of

² CFRAM is Catchment Flood Risk Assessment and Management. The national CFRAM programme commenced in Ireland in 2011, and is managed by the OPW. The CFRAM Programme is central to the medium to long-term strategy for the reduction and management of flood risk in Ireland.

potential flooding because based on the PFRA mapping all of the works areas and infrastructure are located in mapped Flood Zone C (Low Risk) – where the probability of flooding is low (less than 0.1% or 1 in 1,000). The elevated nature of the UWF Related Works areas means no significant pluvial or fluvial flooding would be expected.

Also, there will be no potential of increased local flood risk as a result of the UWF Related Works as most of the subject development is located underground (i.e. windfarm cabling). The footprint of the above-ground permanent infrastructure (i.e. realigned windfarm access roads, relay pole base etc) is minimal and distributed over several catchments and all new permanent watercourse crossing culverts will be suitably designed to accommodate flood flows.

Therefore it is considered that the likelihood of flooding disaster affecting the UWF Related Works areas is **Unlikely**.

The Flood Risk Assessment can be found in **Appendix 11.3: Flood Risk Assessment**, of **Volume C4 Revised EIAR Appendices**.

5.5.2.3. Consequences of Natural Disasters Occurring

The consequence of the impact if the event occurs is described here.

Due to the low number of personnel working on-site at any one location, the consequence of any flooding or land slippage events, if they did occur, is considered to be **Limited**.

Due to the low number of people living or working locally, the consequence of any flooding or land slippage events, if they did occur, is also considered to be **Limited**.

The consequences to water quality due to land slippage or flooding could be **Serious** due to the widespread effects and extended duration of sedimentation effects in downstream watercourses.

5.5.2.4. Overall Risk

When the likelihood and the consequence of a potential land slippage or flooding event occurring is applied to the risk matrix from the DoEHLG 2010 guidelines, a broad indication of the critical nature of each risk can be determined.

In relation to on-site personnel and other people in the locality, a land slippage or flooding event would be classed a 'normal emergency' - based on a likelihood rating of Extremely Unlikely and a consequence rating of Limited.

In relation to downstream water quality, due to the higher level of effect (Serious) on water quality a land slippage or flooding event could be a major emergency. According to the DoEHLG 2010 guidelines, both flooding and landslip events would be at the lowest extreme of 'major emergency'.

5.5.2.5. Mitigation Measures

No measures are required for land slippage risk. In relation to flooding, instream works on Class 1 and Class 2 watercourses will also be carried out during dry periods in the months of July, August and September, and all new permanent crossing structures will be sized to cope with a minimum 100 year flood event.

Should a disaster occur, unconnected to the project but in the locality – the above mitigation measures already designed into the project will ensure that the project will not make the consequences of the event worst. In addition the presence of the project will not increase the likelihood of such an event occurring.

5.6. Cumulative Descriptions

Table 5-10: Subject Development: UWF Related Works - Element 2 of the Whole UWF Project

| Element No. | The Subject Development | Composition of the Subject Development | Status |
|-------------|--|---|---------------------------------|
| 2 | <u>The Subject Development</u> UWF Related Works (RW) | Internal Windfarm Cabling Realigned Windfarm Roads Haul Route Works Telecom Relay Pole RW Ancillary Works | This Appeal to An Bord Pleanála |

An **overview of Element 2, UWF Related Works**, the subject development, is provided in [Section 5.2.2 above](#). A **full description** of the subject development is provided in the [successive Sections 5.2 to 5.5](#).

5.6.1. Description of the Other Elements of the Whole UWF Project

In order that a cumulative evaluation can be carried out for the UWF Related Works, an overview description is provided hereunder of all the other elements of the whole UWF project.

Table 5-11: Element 1 and Element 3 to 5 of the Whole UWF Project

| | Element of the whole UWF project | Composition of each Element | Relevant Appendix Location for description of each element |
|---|----------------------------------|--|--|
| 1 | UWF Grid Connection (GC) | Mountphilips Substation Mountphilips – Upperchurch 110kV UGC Grid Connection Access Roads Grid Connection Ancillary Works | Appendix 5.3 |
| 3 | UWF Replacement Forestry (RF) | Replacement Forestry at Foilnaman | Appendix 5.4 |
| 4 | Upperchurch Windfarm (UWF) | Consented UWF Turbines Consented UWF Substation Consented UWF Roads UWF Ancillary Works | Appendix 5.5 |
| 5 | UWF Other Activities (OA) | Haul Route Activities Upperchurch Hen Harrier Scheme Monitoring Activities Overhead Line Activities | Appendix 5.6 |

Relevant Volume C3 Revised EIAR Figures:

[Figure CE 1.1: Location of UWF Related Works and the Other Elements of the Whole UWF Project on OSI Mapping.](#)

This information on the other elements of the whole UWF project can be found in the following locations;

- **Full EIA Report** or EIS (as appropriate) for **Elements 3 and 4** in [Volume F: Reference Documents for Other Elements of the Whole UWF Project](#).
- **Description of Elements 1 and 5** (presented in a format similar to this chapter and with smaller scale reference mapping and figures) in [Appendix 5.3 and Appendix 5.6](#) see [Volume C4: Revised EIAR Appendices](#).
- **Overview description of each elements 1, 3, 4, and 5** of each element in this Section hereunder.

5.6.1.1. Element 1: UWF Grid Connection

An application for planning permission for a revised UWF Grid Connection will most likely be submitted directly to An Bord Pleanála under Section 182A (9) of the Planning and Development (Strategic Infrastructure) Act (2006). The application will be accompanied by an EIA Report. A pre-application request was made to An Bord Pleanála on 4th January, 2019. ABP Ref. No. **303385-19**.

A **detailed description** of the revised UWF Grid Connection (presented in a format similar to 5.2 to 5.5 above) along with **accompanying figures** is included in **Appendix 5.3: Description of Development (UWF Grid Connection)**.

A summary overview of the revised UWF Grid Connection is provided hereunder.

5.6.1.1.1. Location and Characteristics of UWF Grid Connection

There is no revision to Mountphilips Substation from the 1st SID application. The route of Mountphilips – Upperchurch 110kV UGC has been revised and therefore UWF Grid Connection Ancillary Works; life-cycle stages; use of natural resources; emissions or wastes have also been revised.

The UWF Grid Connection will comprise of the following:

Mountphilips Substation: A new substation is proposed for a location adjacent to the existing Killonan - Nenagh 110kV overhead line in agricultural grassland in Mountphilips townland, 2km north of Newport, 4km south of Birdhill, 17km north east of Limerick City and 23km west of the Upperchurch Windfarm. The new 110kV electrical substation will comprise 2 No. End Masts located at the Killonan – Nenagh 110kV overhead line; a compound, 230 meters east of the overhead line, measuring 95 meters x 94 meters which will contain a control building; 110kV busbars; circuit breakers; line disconnects; current and voltage measuring equipment; cable chairs; surge arresters; lightening protection monopoles and other electrical apparatus. The 2 No. End Masts will be connected to the electrical equipment in the compound via underground cable.

Mountphilips - Upperchurch 110kV UGC: The 110kV UGC will connect Mountphilips Substation to Upperchurch Windfarm through the Consented UWF Substation, through the installation of underground cables along the public road. The preferred preliminary route of the 110kV UGC, which is 28.9km in length, will follow a generally west/east course along the Public Road - Thurles to Newport Regional Road R503. The 110kV UGC route starting at Mountphilips Substation will be under a grassland field for 0.52km; under Local Road L2166-0 for 2.26km, under the Regional Road R503 for 23.14km; under the L2264-50 for 1.93km; the L6188-0 for 0.33km and under a Private Farm Road for 0.72km as far as UWF Substation. The route is through the townlands of Mountphilips, Coole, Freagh, Foildarrig, Newport, Tullow, Cooldrisla, Derryleigh, Kilnacappagh, Scraggeen, Derrygareen, Inchadrinagh, Knockancullenagh, Fanit, Lackamore, Tooreenbrien Upper, Tooreenbrien Lower, Reardnogy Beg, Reardnogy More, Shanballyedmond, Baurnadomeeny, Coonmore, Foildarragh, Kilcommon, Loughbrack, Knocknabansha, Knockmaroe, Knockcurraghbola Crownlands and Knockcurraghbola Commons. The 110kV UGC will be installed in trenches, which will be laid with ducts through which the electrical cables and communications cables will be pulled. The cable lengths will be pulled through and joined together at Joint Bay locations, in joint bay chambers. The ducts will be surrounded by concrete and the trench backfilled with aggregate and the road surface will be reinstated according to Local Authority specifications. The only surface expression of the 110kV UGC will be the man-hole type covers over the Joint Bays and the over-ground identification marker posts and marker plates.

UWF Grid Connection Ancillary Works will support the construction of UWF Grid Connection and will include the construction of a new Permanent Entrance at Coole townland (including the provision of sightlines) and Permanent Access Road from the new entrance to the proposed substation at Mountphilips townland;

construction and use of a Temporary Compound at Mountphilips; replacement of watercourse crossing structures; installation of drainage systems at Mountphilips Substation, around the Temporary Compound and along the new Access Road; fencing; protection of existing underground services; provision of electricity supply to Mountphilips substation; excavation and reinstatement and disposal of spoil; hedgerow/tree removal at Mountphilips and hedgerow replanting and site reinstatement.

5.6.1.1.2. UWF Grid Connection: Construction & Operation

UWF Grid Connection Construction Phase: All elements of the whole UWF project will be constructed at the same time. Construction of UWF is expected to commence in 2019 and will take approx. 12 months. Approximately 100 persons will be engaged in the pre-construction, main construction, cable jointing and commissioning works for the UWF Grid Connection. 1290 No. loads of concrete; 1320 No. loads of aggregate; and 210 No. loads of surface dressing (public road sections) will be imported from Roadstone Killough, Co Tipperary and Bunratty, Co Clare and Shanballyedmond, Rear Cross. 20 No. loads of general building materials including geotextile, and 310 No. loads of electrical plant and equipment including lattice towers, control building doors and switching gear, will be imported to the site from various suppliers throughout Ireland and the EU. The excavated material from the 110kV public road trenches will be classed as spoil and will amount to 23,810m³, all of which will be removed to a licensed waste facility.

UWF Grid Connection Operational Phase: Once commissioned and energised, the UWF Grid Connection will be taken in charge by ESB Networks and the Mountphilips Substation and the Mountphilips – Upperchurch 110kV UGC will become part of the national electricity network. The new asset will be managed and operated by ESB Networks. Scheduled inspection and maintenance activities will be carried out by ESB Networks personnel (2 men crews) over a total of 13 days per year. Very infrequent planned maintenance or unplanned repairs may be required, if at all, during the lifetime of the UWF Grid Connection, it is expected that one crew with c.6 ESB Networks personnel would be required for 1 – 2 weeks duration, depending on the nature of the repairs work. The UWF Grid Connection will remain permanently in place as part of the national electricity network and thus decommissioning is not envisaged.

UWF Grid Connection use of Natural Resources: Construction Phase – There will be 5.9 hectares of **land** required for the construction works site. The use of the Public Road corridor (24.1 hectares) is not considered a natural resource. 35m of **hedgerow** and 2 No. of **trees**, which are immature, will be permanently removed to facilitate either a permanently widened entrance off the public road or a new permanent access road. These hedgerows and trees will be replaced immediately adjacent to the area. c.700m of new hedgerow will be planted with locally sourced native species. **Water** required for welfare facilities will be brought onto site. Approximately 2,470m³ of **topsoil**, 1,570m³ of **subsoil** and 30m³ of **rock** will be permanently excavated from the works areas. 300m³ of the excavated topsoil will be used to reinstate the temporary access road to the End Masts. 3,770m³ of the excavated material will be permanently stored around the Mountphilips Substation and along the Permanent Access Road as linear berms.

UWF Grid Connection use of Natural Resources: Operation Phase – The Land required will reduce considerably to just 2.0ha of land permanently changing use - comprising the footprint of the Mountphilips Substation and access road. No further **hedgerow** or **tree pruning or removal** will be required during the operational stage. Non-potable **water** requirements will be provided at the Mountphilips Substation via a rain water harvesting system, and drinking water will be brought onto site as needed. **No excavations of soils** will be required during the routine operation of the UWF Grid Connection. Planned maintenance or unplanned repairs, if any occur are likely to involve the re-opening of the underground chambers, at Joint Bays. This work which will result in very small volumes of crushed stone and sand being temporarily removed from the area directly over the joint bay covers, stored adjacent to the Joint Bay, and re-used to reinstate the top of the Joint Bay following the completion of the repairs.

UWF Grid Connection Emissions: Dust, construction machinery exhaust, noise, vibration and light will be emitted during the construction stage, negligible levels are associated with the operation and maintenance activities. During operation, Mountphilips Substation will emit **noise** however this is unlikely to be audible above the existing background noise levels at nearest residence, which is 385m distant. The operational substation and 110kV underground cable will be a source of very low frequency (50Hz) **electromagnetic fields**.

UWF Grid Connection Waste: Waste water from construction stage welfare facilities will be contained in self-contained units and emptied by a licenced facility. General and chemical waste will be segregated and stored in allocated tanks, bins, skips or areas at the Temporary Compound. Waste will be collected by an appropriately licensed waste contractor. Any wastes which result from the construction of the UWF Grid Connection will be managed under a specific **Waste Management Plan**. Approximately 22,210m³ of spoil will arise during excavations in public roads. This excess material or other contaminated material arising during the construction of UWF Grid Connection will be collected by a licenced operator and disposed of in a licenced facility.

There will be minimal general and chemical waste during the Operational Stage, with any waste taken offsite by ESNB personnel.

5.6.1.2. Element 3: UWF Replacement Forestry

An **afforestation license** for UWF Replacement Forestry **was granted by the Minister for Agriculture, Food and the Marine on 07/11/2018**. Forest Owner Number FO138819C. Contract Number CN81893. The application for the licence was accompanied by an EIA Report.

The full **EIA Report including mapping and figures for UWF Replacement Forestry** was submitted with the planning application for UWF Related Works to Tipperary County Council in **Volume F: Reference Documents for Other Elements of the Whole UWF Project**.

An extract from Volume F of the **detailed description** of the UWF Replacement Forestry (presented in a format similar to 5.2 to 5.5 above) along with **a copy of the accompanying figures** is included in **Volume C4: Revised EIAR Appendix 5.4: Description of Development (UWF Replacement Forestry)**.

A summary overview of UWF Replacement Forestry is provided hereunder.

5.6.1.2.1. Location and Characteristics of UWF Replacement Forestry

UWF Replacement Forestry relates to the planting with forestry, of 6ha of agricultural lands as part of the whole UWF project.

Located at Foilnaman townland, near Upperchurch, County Tipperary, 6 hectares (6ha) of agricultural grassland at will be planted with native woodland species, set in clusters of well-matched native species. There will be varied spacing created between the clusters according to Forest Service recommendations. A mixture of tall trees and understory shrubs will be planted, and the design includes wide ride-lines between deeper areas of core woodland. The ride-lines will create open spaces with tree-lined boundaries, which is much favoured by birds of prey during the day (e.g. hen harrier) and bats at night as hunting ground. A mixture of land cover – tall grasses, short grasses and scrub will be maintained under the planting and in the ride lines. Tree guards will be used to protect the saplings and young trees from rabbit damage. A livestock-proof fence will be erected around the perimeter of the planting.

The lands to be afforested are currently in two agricultural landholdings. A small watercourse, with an existing culvert crossing, runs through the centre. The existing riparian habitat along this watercourse will be enhanced through planting with hazel, alder and willow species and the entire afforestation land will be protected from livestock by the perimeter fencing.

There is a change of use required for an existing agricultural entrance to agricultural and forestry entrance which will remain in permanent use. This change of use is part of UWF Related Works – RW Ancillary Works.

The UWF Replacement Forestry will be designed and planted in accordance with the *Forest Service (2006) Information Note No. 5: Establishment, Design and Stocking Densities of New Native Woodland* and *Felling and Reforestation Policy published by the Forest Service (May 2017)*.

5.6.1.2.2. UWF Replacement Forestry: Planting and Growth Stage

UWF Replacement Forestry Planting Stage: Tree planting will be carried out by 4 No. forestry professionals. Tree saplings, wooden fence posts and fencing wire and gates will be imported to the site by 4WD vehicle.

UWF Growth Stage: Once planted, the trees will go through numerous stages of growth from sapling, through to maturity, old age and eventual decay with natural regeneration occurring through the lifecycle of the native wood. Other than thinning activities and grass/scrub management, natural maturation, old age and regeneration, no other changes to the native woodland are expected. Felling is not envisaged.

Use of Natural Resources: 6ha of agricultural land will be planted with mixed species to create a native woodland, comprising tall trees and understory shrubs, along with wide ride-lines, and a mix of tall grasses, short grasses and scrub land cover maintained during the growth stage. This will enhance biodiversity in the area. New trees and shrubs will be set back from the watercourse which runs through the UWF Replacement Forestry site. The existing riparian habitat will be enhanced through the planting with hazel, alder and willow species and the lands will be protected from livestock by the perimeter fence. Planting will be carried out by hand using spades. Small localised patches of disturbed soil will occur at the sapling tree trunks.

Emissions – Planting and Growth Stage: Negligible.

Waste - Planting and Growth Stage - such as packaging, and excess planting materials will be generated in very small quantities and this waste will be removed at source and disposed of in an appropriate licensed facility.

5.6.1.3. Element 4: Upperchurch Windfarm

An overview description of already consented Upperchurch Windfarm (UWF) is provided hereunder.

An application for planning permission for Upperchurch Windfarm (Consented UWF) was made to Tipperary County Council in January 2013. The **windfarm was permitted by Tipperary County Council in January 2014** and the permission was upheld by An Bord Pleanála in August 2014. The application was accompanied by an EIA Report (known as EIS at the time) and Natura Impact Statement. The full planning documents for consented UWF can be found in **Volume F: Reference Documents for Other Elements of the Whole UWF Project**.

5.6.1.3.1. Overview of the Location and Characteristics of Upperchurch Windfarm

UWF will comprise 22 wind turbines with an overall height up to 126.6 metres, 2 meteorological masts with an overall height of up to 80 metres, turbine foundation and crane hardstanding areas, access roads and an electrical substation.

The Upperchurch Windfarm site is located in the townlands of Graniera, Shevry, Knockcurraghbola Commons, Knockmaroe, Grousehall, Cummer, Foilnahan, Gleninchaveigh, Coumnageeha, Coumbeg, Knocknamena Commons, Glenbeg and Seskin. This is an area 2km west of Upperchurch village and 18km to the west of Thurles, County Tipperary.

The 22 wind turbines, associated crane hardstandings and ancillary works will be constructed on a series of small hills ranging in elevation from 280m to 401m OD, set out generally over four areas. The substation will be constructed in Knockcurraghbola Commons and the turbines will be connected by underground cables to the substation. There will be two meteorological masts erected, one in Grousehall and a second in Knocknamena townlands. Ancillary Works will include borrow pits in Shevry, Knocknamena, Knockmaroe and Grousehall; 1 No. site entrance from the R503 Regional Road at Graniera and; 10 No. site entrances from local public roads, through and around the site, which will provide access to the windfarm.

A document, with a **detailed description of the Upperchurch Windfarm**, has been compiled from the original 2013 Upperchurch Windfarm EIS, from the Reply to Further Information, the additional information submitted during the planning process and mitigation measures and planning conditions attaching to the Grant of Permission, to reflect a description of the development as it is now permitted. This compilation document has been prepared in the same format as the current application Chapter 5, for ease of cross referencing. The compilation document can be found in **Appendix 5.4: Complied Description of Upperchurch Windfarm**.

The full planning documents for Upperchurch Windfarm can be found in **Volume F: Reference Documents for Other Elements of the Whole UWF Project**.

Upperchurch Windfarm (UWF) is comprised of the following parts:

- **Consented UWF Turbines** - 22 No. wind turbines of the three-bladed, tubular tower model, light grey in colour and an overall height to blade tip upto 126.6m. The turbines will be constructed on concrete bases with an adjacent hard-core hardstand area. There is no requirement for fencing of turbine areas. The turbines will be connected by underground cables to the Consented UWF Substation.
- **Consented UWF Substation** - 110kV substation compound which includes a control building, main transformer and other electrical equipment enclosed in a compound by a palisade fence. The substation will measure 64m x 41m.
- **Consented UWF Windfarm Roads** - 11.6km of windfarm access roads will comprise 8km of newly built 5m wide roads and 3.6km of existing farm roads which will require upgrading and widening (by an average of 2m).

- **Consented Ancillary Works** - The main items of ancillary works will include, 2 No. meteorological masts up to 80m in height; 11 No. site entrances; 1 No. stream crossing; site drainage system; 2 No. construction site compounds; 6 No. borrow pits from which most of the aggregate required will be won; forestry felling, hedgerow removal and reinstatement; excavation, storage and reinstatement of soils.

5.6.1.3.2. Upperchurch Windfarm: Construction & Operation

UWF Construction Phase: All elements of the whole UWF project will be constructed at the same time.

Construction of UWF is expected to commence 2018/2019 and will take approx. 12 months. Approximately 277 persons will be engaged in the civil, electrical, project management, legal and financial services, material supply and component deliveries for the windfarm. Approximately 950 No. loads of concrete; 15 No. loads of reinforcing steel and 5 No. loads of general building materials and 212 No. loads of electrical plant and equipment (abnormal size loads) will be imported to the site by HGV. The abnormal turbine loads will be transported from Foynes Port.

UWF Operational Phase: UWF has been granted permission to operate for 25 years from the date of commissioning of the wind turbines, whereupon there will then be an option to apply for continuance of use or decommission the plant and restore the site. There will be 8 permanent jobs created in operation and maintenance activities, legal, electricity sales and asset management during the operational phase.

UWF use of Natural Resources: 56.3 hectares of land within the construction works site will reduced to 6.4 ha during the operational phase; Approx. 108,000m³ of excavated soils; 43,000m³ of aggregate mostly won on-site and otherwise imported from local quarry at Shanballyedmond, Rear Cross; small amounts of potable water, carried on-site; felling of 4.4 hectares of conifers; 960m of hedgerow removed.

UWF Emissions: Dust, construction machinery exhaust, noise, vibration and light will be emitted during the construction stage. There is no house within 200m of the construction works. During the **Operational Stage** there will be negligible dust, vehicle exhaust, vibration and light emitted. The turbines will emit noise during operation. Permitted noise emissions are prescribed by planning condition. The operational electrical plant will be a source of very low frequency (50Hz) electromagnetic fields but these will not be at levels to cause significant effects at the turbine locations, and no effects will occur at local residences.

UWF Waste: During construction, waste water from welfare facilities will be contained in self-contained units and emptied by a licenced facility or in the case of the Site Offices, will be treated in the existing septic tank. General and chemical waste will also arise from construction activities and processes. During operation, minimal general and chemical waste will arise on site. All waste will be stored in a designated and secure areas, for collection by an appropriately licenced operator. Any wastes which result from the construction, operation and decommissioning of the Windfarm will be managed under a specific Waste Management Plan.

5.6.1.4. Element 5: UWF Other Activities

Although UWF Other Activities do not require planning permission, they do form part of the whole UWF project and therefore are included in the cumulative evaluation. A description of these activities, along with **mapping and figures** is included in **Appendix 5.6: Description of the UWF Other Activities**.

An overview of UWF Other Activities is provided hereunder.

5.6.1.4.1. Location and Activities of UWF Other Activities

The **Haul Route Activities** will facilitate the transportation of turbine components to the Upperchurch Windfarm site and are located at various points on the national and regional road network along the UWF turbine component haul route between Foynes Port in County Limerick and junction of the R503 and R497 Regional Roads in Knockmaroe townland, County Limerick. Activities comprise the laying of matting over verges at up to 5 No. locations, removal and replacement of street furniture (mainly signposts) at 13 No. locations and the trimming of up to 960m of hedgerow/trees at up to 15 No. locations.

The **Upperchurch Hen Harrier Scheme** will enhance and protect habitat for hen harrier in the vicinity of Upperchurch Windfarm, in order to fulfil planning condition No.18, attaching to the windfarm. The Upperchurch Hen Harrier Scheme is located in Knockcurraghbola Commons, Coumnageeha, Foilnaman, Knockmaroe and Grousehall townlands on 128ha of agricultural lands between the Slievefelim to Silvermines SPA and the Upperchurch Windfarm. Activities associated with the Scheme includes once off activities such as planting of hedgerows and trees; enhancement of riparian corridors and scrub/wood areas; and the fencing off of watercourses and newly planted trees and shrubs. The Scheme also includes long-term farm management practices such as management of rush coverage, livestock grazing and the control of the use of lime, fertilizers and burning of gorse, amongst others. Nine local landowners are signed-up to the Scheme. Implementation involves a mix of initial once-off activities which will both create new habitat and protect and enhance existing habitat; and on-going farming practices which will result in the long term maintenance of hen harrier habitat.

Monitoring Activities will monitor the Whole UWF Project for compliance with the environmental protection measures and mitigation measures detailed in the UWF 2013 EIS and 2013 RFI (including the Construction Environmental Management Plan for Upperchurch Windfarm and the Ecological Management Plan for Upperchurch Windfarm); Planning Conditions attaching to the already consented UWF; and measures in the 2018 UWF Grid Connection EIA Report, the 2018 UWF Related Works EIA Report and the 2018 UWF Replacement Forestry EIA Report and associated UWF Grid Connection Environmental Management Plan and UWF Related Works Environmental Management Plans. Monitoring will also involve the supervision and recording of key construction activities, and monitoring of progress of land reinstatement.

Overhead Line Activities include re-sagging activities and fibre wrapping activities. The purpose of the re-sagging activities is to correct the tension of the existing overhead line, following the installation of the UWF Grid Connection End Masts, so that the lines are held within predefined tension parameters. The purpose of fibre wrapping is to provide a communication link to the newly installed Mountphilips Substation. The tension will be corrected on 2 no. Sections - i) between ESNB Angle Mast Structure No. 79 (c.200m south of Mountphilips substation) to New Mountphilips End Mast No. 1 and ii) between New Mountphilips End Mast No. 2 and ESNB Angle Mast Structure No. 90 (2.3 km north of Mountphilips substation). Wrapping the overhead line with fibre optic cable from Killonan ESNB substation (just east of Limerick City) to Mountphilips substation. The Overhead Line Activities will be carried out according to industry standard method statements, including standard health & safety and environmental management systems.

5.6.1.4.2. UWF Other Activities: Construction & Operation

Timing: The **Haul Route Activities** will occur prior to commencement of turbine component haulage and reinstatement will occur immediately after the passage of all components. The initial once-off activities associated with the **Upperchurch Hen Harrier Scheme** such as permanent planting and fencing of newly planted areas and watercourses will be carried out during the same period as the construction of UWF and UWF Related Works. There will be pre-construction **Monitoring Activities** before UWF and UWF Related Works commence. **Overhead Line Activities** will take place at the same time as the construction of Mountphilips substation.

UWF Other Activities Construction Phase: Approximately 50 persons will be engaged in UWF Other Activities including haul route activities, landowners involved in the hen harrier scheme, environmental experts engaged in the monitoring schemes and ESB Crews involved in overhead line activities. There will be very little materials delivered to the activity sites, these will include deliveries of geotextile matting, trees and shrubs, fencing materials and specialist ESB equipment.

UWF Other Activities Operational Phase: The same **Haul Route Activities** as for the construction phase, will be required in the occasional event of a large component delivery to UWF, if required, during the operational phase. The farming practices required under the **Upperchurch Hen Harrier Scheme** will continue throughout the lifetime of UWF. **Monitoring** of the success of Upperchurch Hen Harrier Scheme will be carried out during the operational lifetime of UWF. Monitoring will also include operational planning conditions and Ecological Management Plan compliance.

Use of Natural Resources: No land use changes required. No water or welfare facilities required. No mechanical excavations required; all planting will be carried out by hand. For haul route activities, up to 960m of roadside boundary hedges/treelines will be trimmed, outside of the general bird breeding season. For the Hen Harrier Scheme, 2.2ha of trees, 1.4km of riparian habitat and 2.8km of new hedgerow will be enhanced or created during initial activities. In total 128 hectares of agricultural lands will be management for the benefit of hen harrier.

There will be negligible **Emissions** from vehicles transporting personnel and any general **Waste** arising on-site will be removed by the crew themselves during the **construction** and **operational phase** of these Other Activities.

5.6.1.5. Cumulative Locational Context of all the Elements

The majority of the whole UWF project is located in County Tipperary with some minor activities along the Upperchurch Windfarm turbine component haul route and on the Killonan to Nenagh 110kV overhead line, in County Limerick (these activities are part of Element 5: UWF Other Activities).

The UWF Related Works is predominately located adjacent to and overlaps with Other Elements of the Whole UWF Project, in particular the consented Upperchurch Windfarm per:

- The majority of the Internal Windfarm Cabling overlaps the Consented UWF Roads,
- The Realigned Windfarm Roads will provide alternative access to Consented UWF Turbines,
- The Haul Route Works and Telecom Relay Pole are located in the immediate vicinity of various parts of the Upperchurch Windfarm
- The UWF Related Works overlap and are adjacent to the UWF Grid Connection and the Upperchurch Windfarm in Knocknabansha, Knockmaroe, Knockcurraghbola Commons and Knockcurraghbola Crownlands
- Haul Route Works are located adjacent to Haul Route Activities (UWF Other Activities) in the Knocknabansha/Knockmaroe area.

Relevant Volume C3 Revised EIAR Figures:

Figure CE 1.2: UWF Related Works and the Other Elements of the Whole UWF Project in the Upperchurch Windfarm area.

Figure CE 1.3: UWF Related Works and the Other Elements of the Whole UWF Project in Knocknabansha, Knockmaroe, Knockcurraghbola Commons and Knockcurraghbola Crownlands.

5.6.2. Secondary Projects

The development of the UWF Related Works is not expected to result in any secondary or consequential development.

In relation to the Other Elements of the Whole UWF Project, the addition of Mountphilips Substation (UWF Grid Connection) will add a new high voltage electrical substation in the Newport area. This may facilitate new connections to the Mountphilips substation in the future. There are no new connections planned at present.

5.6.3. Description of Other Projects and Activities

A cumulative evaluation of the effects of the subject development together with the Other Elements of the Whole UWF Project and Other Projects or Activities is presented in the Environmental Factor topic chapters.

Other Projects or Activities in the area were scoped using geographical and time-frame boundaries and conceptual site model exercises, see [Appendix 2.3: Scoping of Other Projects or Activities](#). The results of this scoping exercise is presented in Table 5-12, where Other Projects or Activities which have been scoped in for cumulative evaluation are listed in the left hand column of the matrix table, and the relevant Environmental Factor topic is identified in grey shading in the matrix.

Table 5-12: List of Other Projects or Activities included in the Environmental Factor Cumulative Evaluation

| Project (These projects are identified on Figure CE 2.1: Other Projects or Activities Scoped In for Cumulative Evaluation in the Environmental Factor topic chapters) | Population | Human Health | Biodiversity | Land | Soils | Water | Air | Climate | Built Services | Roads | Cultural | Landscape |
|---|------------|--------------|--------------|------|-------|-------|-----|---------|----------------|-------|----------|-----------|
| Existing Killonan to Nenagh 110kV Overhead Line | | | | | | | | | | | | |
| Existing Shannonbridge – Killonan 220kV Overhead Line | | | | | | | | | | | | |
| Consented Bunkimalta Windfarm | | | | | | | | | | | | |
| Consented Castlewaller Windfarm | | | | | | | | | | | | |
| Existing Milestone Windfarm (includes permitted turbine at Inchivara) currently under construction | | | | | | | | | | | | |
| Operational Windfarms in the Republic of Ireland | | | | | | | | | | | | |
| Existing Communication Structures - Foilnahan Mast - Cummermore Communications Pole | | | | | | | | | | | | |
| Activity – Forestry | | | | | | | | | | | | |
| Activity – Agriculture | | | | | | | | | | | | |
| Activity –Turf-cutting | | | | | | | | | | | | |

A brief overview of each of the above listed projects is provided below. The location of each project in relation to the elements of the Whole UWF Project is identified on [Figure CE 2.1: Other Projects or Activities Scoped In for Cumulative Evaluation in the Environmental Factor topic chapters](#).

5.6.3.1. Existing Killonan to Nenagh 110kV Overhead Line

A high voltage (110kV) overhead line which runs between Killonan Station and Nenagh ESB substation (County Tipperary). The existing line is located to the west of the UWF Grid Connection and does not pass over the route of the 110kV UGC. The new Mountphilips Substation will be connected to this line via two new End Masts in farmland, west of the substation compound.

5.6.3.2. Existing Shannonbridge – Killonan 220kV Overhead Line

A high voltage (220kV) overhead line which runs between Shannonbridge ESB substation in County Offaly and Killonan ESB substation in County Limerick. A section of the line passes close to the UWF Grid Connection 110kV UGC in the townlands of Coole and Mountphilips.

5.6.3.3. Consented Bunkimalta Windfarm

The Bunkimalta Windfarm is a consented 16-turbine windfarm, located on Coillte lands, c.2.5km to the north of the UWF Grid Connection at Bunkimalta, Bauraglanna, Lackabrack, Knockfune and Foilduff at, Keeper Hill, Co. Tipperary.

Bunkimalta Windfarm will comprise 16 wind turbines, each having a rated electrical output of approximately 2,500 - 3,000 kilowatts, access tracks, a fenced Electrical Transformer Station comprising a single-storey Control Building and Substation, an effluent treatment system, three anemometer masts, repository areas, borrow pits and all associated site works, above and below ground. Each wind turbine will comprise a tower up to a maximum of 100 metres high, with a diameter of about 4 metres at the base. Three blades, up to a maximum of 50 metres in length, will be attached.

The Bunkimalta Windfarm will connect to the National Grid via an already consented underground grid connection to the existing Nenagh Substation, on the outskirts of Nenagh town.

The Bunkimalta Windfarm could be constructed during the same period as the UWF Grid Connection and the Whole UWF Project. Bunkimalta Windfarm, when built, will be operational during the operational stage of the Whole UWF Project.

An Environmental Impact Statement and Natura Impact Statement accompanied the planning application 13510035.

5.6.3.4. Consented Castlewaller Windfarm

The Castlewaller Windfarm is a 16-turbine windfarm, comprising 16 wind turbine generators (each with a maximum hub height of 100m, maximum rotor diameter of 90m, and with a total tip height of 145m), one permanent meteorological mast, 2 borrow pits, a sub-station including a control building, new internal access roads, upgrading of existing internal access roads, expansion of drainage system, turbine hardstands, wastewater holding tank, underground cables and ancillary works which is located along part of the 110kV UGC route in Castlewaller townland.

An Environmental Impact Statement and Natura Impact Statement accompanied the planning application 11/51/0251 for Castlewaller Windfarm.

Castlewaller Windfarm has not as yet secured a grid connection offer to connect to the National Grid from either Eirgrid or E.S.B Networks and therefore is not likely to be in construction at the same time as the construction of the Whole UWF Project.

5.6.3.5. Existing Milestone Windfarm

Milestone Windfarm is an operational (since 2018) 6-turbine windfarm located adjacent to the southwest of the consented Upperchurch Windfarm with 5 No. turbines consented under planning ref: 12510385 at Knockcurraghbola Commons, Knockcurraghbola Crownlands, Graniera, Shevry and 1 No. turbine consented under planning ref: 1410 at Inchivara and Knockduff. Milestone Windfarm comprises wind turbines each with a maximum tip height of 126m, along with new access tracks, and electrical substation, a borrow pit and associated works. The grid connection associated with the Milestone Windfarm is towards the south at ESBN Cauteen Station, cabled along the public road network. An Environmental Impact Statement accompanied the planning applications for Milestone Windfarm – Ref: 12510385 & 1410.

Part of the landholding associated with the Milestone Windfarm occurs within one of the landholdings associated with the 110kV UGC element of the UWF Grid Connection, in Knockcurraghbola Commons townland.

5.6.3.6. Operational Windfarms in the Republic of Ireland

The Republic of Ireland has a generating capacity of 2,909.66 MW based on 233 windfarms.

5.6.3.7. Existing Communication Structures

Foilnaman Mast: An existing communications mast comprising a 30m steel lattice mast structure at Knockmaroe townland, in the vicinity of the UWF Related Works/Upperchurch Windfarm site.

Cummermore Communications Pole: An existing communications structure comprising a 20m support pole, c.2km to the southwest of the Upperchurch Windfarm, and within 4km of the UWF Related Works (Telecom Relay Pole). This existing pole carries radio aerials and a communications dish, together with associated equipment, cabling, gantry pole, GPS timing antenna, cabinet and fencing. Planning Ref: 14600313

5.6.3.8. Activities – Forestry, Agriculture

Agriculture and forestry are the predominant land uses in the area of the Whole UWF Project.

5.6.3.9. Activity – Turf-Cutting

Turbary (rights to cut turf) exists at Bleanbeg Bog immediately to the north of the UWF Grid Connection (110kV UGC) in the Castlewaller area.

The above projects and activities are included in the cumulative evaluations in the Environmental Topic chapters – Chapters 6 to 17. The relevant Environmental Factor topic is identified on Table 5-12.

| | |
|---------|--|
| Chapter | Description of Development – UWF Related Works |
|---------|--|

UWF Related Works Revised EIA Report

Volume C2: Revised EIAR Main Report

Chapter 6: Population

Topic Chapter Authors:



EIAR Coordinator:



January 2019

| | |
|-------|------------|
| Topic | Population |
|-------|------------|

Contents

| | | |
|------------|---|-----------|
| 6 | Environmental Factor: Population | 1 |
| 6.1 | Introduction to the Population Chapter | 1 |
| 6.1.1 | What is Population? | 1 |
| 6.1.2 | Overview of Population in the Local Environment | 1 |
| 6.1.3 | Sensitive Aspects of the Population Environment included for further evaluation | 1 |
| 6.1.4 | Sensitive Aspects excluded from further evaluation | 2 |
| 6.1.5 | Overview of the Subject Development | 3 |
| 6.1.6 | The Authors of the Population Chapter | 3 |
| 6.1.7 | Sources of Baseline Information | 3 |
| 6.1.7.1 | Certainty and Sufficiency of Information Provided | 4 |
| 6.1.8 | Methodology for Evaluating Effects | 4 |
| 6.2 | Sensitive Aspect No.1: Local Economy | 5 |
| 6.2.1 | BASELINE CHARACTERISTICS of Local Economy | 5 |
| 6.2.1.1 | STUDY AREA for Local Economy | 5 |
| 6.2.1.2 | Baseline Context and Character of Local Economy in the UWF Related Works Study Area | 5 |
| 6.2.1.3 | Importance of Local Economy | 6 |
| 6.2.1.4 | Sensitivity of Local Economy | 7 |
| 6.2.1.5 | Trends in the Baseline Environment (the 'Do-Nothing' scenario) | 7 |
| 6.2.1.6 | Receiving Environment (the Baseline + Trends) | 7 |
| 6.2.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics | 9 |
| 6.2.2.1 | Cumulative Evaluation Study Areas | 9 |
| 6.2.2.2 | Scoping for Other Projects or Activities & Potential for Impacts | 10 |
| 6.2.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 11 |
| 6.2.3 | PROJECT DESIGN MEASURES for Local Economy | 13 |
| 6.2.4 | EVALUATION OF IMPACTS to Local Economy | 14 |
| 6.2.4.1 | Impact Evaluation Table: Gross Value Added to Businesses & Employment Opportunities | 15 |
| 6.2.4.2 | Description and Rationale for Excluded (scoped out) Impacts | 18 |
| 6.2.5 | Mitigation Measures for Impacts to Local Economy | 21 |
| 6.2.6 | Evaluation of Residual Impacts to Local Economy | 21 |
| 6.2.7 | Application of Best Practice and the EMP for Local Economy | 21 |
| 6.2.8 | Summary of Impacts to Local Economy | 22 |
| 6.3 | Policy Context | 23 |
| 6.3.1 | National Policy | 23 |

| | | |
|------------|--|-----------|
| 6.3.2 | Regional Policy..... | 23 |
| 6.3.3 | North Tipperary County Development Plan 2010 (as varied):..... | 23 |
| 6.4 | Best Practice Measures | 24 |
| 6.5 | Summary of the Population Chapter..... | 25 |
| 6.5.1 | Summary of UWF Related Works Impacts | 25 |
| 6.5.2 | Summary of UWF Related Works Cumulative Impacts..... | 25 |
| 6.5.3 | Summary of the Whole Project Effect..... | 25 |
| 6.5.4 | Summary of Cumulative Impacts with Other Projects or Activities..... | 25 |
| 6.6 | Reference List | 26 |

List of Figures

| <u>Figure No.</u> | <u>Figure Title</u> |
|-------------------|---|
| Figure RW 6.1 | Location of the UWF Related Works |
| Figure RW 6.2 | Local Economy within the UWF Related Works Study Area |
| Figure CE 6.2 | Local Economy within the UWF Related Works Cumulative Evaluation Study Area |
| Figure WP 6.2 | Local Economy within the Whole Project Cumulative Evaluation Study Area |
| Figure 6.2.1 | Tourism Products within the Cumulative Evaluation Study Areas |

Figures and mapping referenced in this topic chapter can be found in **Volume C3 EIAR Figures**.

List of Appendices

| <u>Appendix No.</u> | <u>Appendix Title</u> |
|---------------------|--------------------------------|
| Appendix 6.1 | Central Statistics Office Data |

Appendices referenced in this topic chapter can be found in **Volume C4 EIAR Appendices**.

Glossary of Terms

| <u>Term</u> | <u>Definition</u> |
|-------------------------------------|--|
| Electoral Districts (EDs) | Defined by the CSO as the smallest legally defined administrative areas in the State for which Small Area Population Statistics (SAPS) are published from the Census. There are 3,440 legally defined in the State. |
| National Economy | The economy of the Republic of Ireland. It encompasses the value of all goods and services manufactured within the country. |
| Local Economy | The economic system and range of economic activity in a local area that serves a local population. |
| Gross Domestic Product (GDP) | The measure of total output of an economy in a given period |
| Gross Value Added (GVA) | The measure of the values of goods and services produced in an area, industry or sector of an economy |
| Induced Spending | Induced spending is the portion of consumption that varies with disposable income - people are prone to spend the income they have. If they have more income, then they are inclined (that is, induced) to spend more. If they have less income, then they spend less. |
| Sensitive Aspect | Any sensitive receptor in the local environment which could be impacted by the project. |
| Project Design Measure | Measures for environmental protection, incorporated into the design of the project. |

List of Abbreviations

| <u>Abbreviation</u> | <u>Full Term</u> |
|---------------------|--|
| BPM | Ecopower Best Practice Measure developed by members of the EIAR Team |
| UGC | Underground Cables |
| UWF | Upperchurch Windfarm |

| |
|------------|
| Population |
| Topic |

6 Environmental Factor: Population

6.1 Introduction to the Population Chapter

6.1.1 What is Population?

Population relates to the people living in the area, and includes the demographic makeup, economic activity and social functioning of local communities.

6.1.2 Overview of Population in the Local Environment

UWF Related Works is located in County Tipperary. The surrounding area is largely rural, running through agricultural grassland, commercial forestry plantations, private roads and public roads. Isolated residences and farmsteads are also scattered throughout the area. Nearby settlements include the villages of Upperchurch and Kilcommon.

The location of the UWF Related Works is illustrated on OSI Mapping on **Figure RW 6.1: Location of the UWF Related Works**.

Figures and mapping referenced in this topic chapter can be found in Volume C3 EIAR Figures.

6.1.3 Sensitive Aspects of the Population Environment included for further evaluation

Any sensitive receptor in the local environment which could be impacted by the project is a Sensitive Aspect. The following Sensitive Aspect is **included in this topic chapter** as it could be potentially impacted:

| | | |
|------------------------|---------------|-------------|
| Sensitive Aspect No. 1 | Local Economy | Section 6.2 |
|------------------------|---------------|-------------|

The above listed Sensitive Aspect is evaluated in Section 6.2 of this Chapter.

To help readers navigate, the colour code for the Sensitive Aspect used above is also used in the Sensitive Aspect Section 6.2. The colour-code has been applied to the section headings, tables and on side-tabs on the edge of the pages.

6.1.4 Sensitive Aspects excluded from further evaluation

The following Sensitive Aspects **are excluded from this topic chapter**:

| | |
|------------------------------|--|
| National Economy | Rationale for exclusion: Neutral effects The National economy relates to economic activity and employment over the territory of the entire State. In 2016 national Gross Domestic Product (GDP) amounted to €275.5 billion, while Gross National Product (GNP), which nets out the profits of foreign-owned companies, amounted to 225.8 billion. ¹ At a national level, the financial transactions (positive impact) associated with the construction and operation of the UWF Grid Connection, UWF Related Works, UWF Replacement Forestry cumulatively with the Other Elements of the Whole UWF Project will be very low, representing approximately 0.04 and 0.002 per cent, respectively, of the national economy and therefore will have a neutral effect on the national economy. |
| Settlement Patterns | Rationale for exclusion: impacts will be Neutral The financial transactions (positive) and business disruption impacts (negative) during the Construction, Operational and Decommissioning Stages of the UWF Grid Connection, UWF Related Works or UWF Replacement Forestry, or the consented Upperchurch Windfarm or UWF Other Activities, will not be of a nature as to impact on local settlement patterns i.e. it will not require or result in the temporary or permanent relocation of business or population. ² |
| Land Users | Rationale for exclusion: Evaluated in Chapter 9: Land |
| Local Residents & Community, | Rationale for exclusion: Evaluated in Chapters 7: Human Health; Chapter 12: Air; Chapter 17: Landscape. |
| Transient People | Rationale for exclusion: Evaluated in Chapters 7: Human Health; Chapter 12: Air; Chapter 17: Landscape. |
| End users of Built Services | Rationale for exclusion: Evaluated in Chapter 14: Material Assets - Built Services |
| Road Users | Rationale for exclusion: Evaluated in Chapter 15: Material Assets - Roads |

¹ <http://www.cso.ie/en/releasesandpublications/er/nie/niear2016/>

² As per the Tipperary Wind Strategy Policy (2016), 'By their nature, wind farm developments are typically located on more elevated, isolated locations which coincide with lower population densities...' See <http://www.tipperarycoco.ie/sites/default/files/Tipperary%20Wind%20Energy%20Strategy%202016.pdf>

6.1.5 Overview of the Subject Development

The UWF Related Works are the subject development, being the subject of this appeal to An Bord Pleanála. The main parts of the UWF Related Works are identified in Table 6-1 below.

Table 6-1: Subject Development – UWF Related Works

| Project ID | The Subject Development | Composition of the Subject Development |
|------------|---|---|
| Element 2 | The Subject Development UWF Related Works (RW) | Internal Windfarm Cabling Realigned Windfarm Roads Haul Route Works Telecom Relay Pole RW Ancillary Works |

Note: The UWF Related Works are 'Element 2' of the Whole UWF Project.

A description of the location, size and design, life-cycle stages, use of natural resources, emissions and wastes, and the vulnerability to major accidents and natural disasters is provided in [Chapter 5: Description of the Development – UWF Related Works \(Volume C2 EIAR Main Report\)](#).

This EIA Report is also available on www.upperchurchwindfarm.ie.

6.1.6 The Authors of the Population Chapter

This report has been written by John Lawlor (M. Econ. Sc. Hons), Director at EY-DKM Economic Advisory Services (EY-DKM) and Ciara Morley (Ph.D. Finance), Senior Consultant with EY-DKM. John has over 20 years' experience of economic analysis with EY-DKM, and prior to that worked in the Environmental Policy Research Centre of the ESRI. Ciara works on issues in the Irish and global economy and in the areas of urban economics, transport, construction and tourism, and also previously worked in the ESRI. EY-DKM Economic Advisory Services was recently formed following the acquisition of DKM Economic Consultants by EY (Ernest and Young, Financial Consultants).

6.1.7 Sources of Baseline Information

The information sources outlined in Table 6-2 were reviewed during desktop studies and confirmed during fieldwork in order to gather information on the baseline environment. The recommendations in the guidelines listed in the table, have been considered during the preparation of this chapter.

Table 6-2: Sources of Baseline Information for Population

| Type | Source |
|--------------|--|
| Consultation | Feedback was received from <ul style="list-style-type: none"> Fáilte Ireland Members of the public during the Public Consultation and Information Day See Chapter 3: The Scoping Consultations, and Appendices for further details. |
| Desktop | <ul style="list-style-type: none"> Census of Population 2016 and 2011, various volumes published by the CSO. North Tipperary County Development Plan 2010 (as varied in 2016). South Tipperary County Development Plan 2009 (as varied in 2016). Limerick County Development Plan 2010-2016. |

| Type | Source |
|-----------|---|
| | <ul style="list-style-type: none"> Newport Local Area Plan 2010-2016. GeoDirectory database of business and residential premises. Ecopower Developments Ltd. (2013) Upperchurch Windfarm Environmental Impact Statement 13510003 Ecopower Developments Ltd. (2013) Upperchurch Windfarm Response to Further Information 13510003 Chapter 12: Air Chapter 15: Material Assets - Roads Chapter 17: Landscape |
| Fieldwork | <ul style="list-style-type: none"> Site Visit to assess extent of local businesses |

NOTE: GREY Shading relates to additional information to facilitate the cumulative evaluations.

6.1.7.1 Certainty and Sufficiency of Information Provided

A clear documentary trail is provided throughout this chapter and chapter appendix to the competency of data and methods used and the rationale for selection of same. The information used to compile this chapter is collated from data and reports supplied by reports and documentation from various county development plans, including for North and South Tipperary, and Limerick, along with the Newport local area plan. Data was sourced from the Central Statistic Offices Census 2011 and Census 2016 and from GeoDirectory. In all cases the most recent data and reports are relied on. All data and reports used are included in **Appendix 6-1** of **Volume C4: EIA Report Appendices**.

6.1.8 Methodology for Evaluating Effects

There is no specific guidance on the production of a Population chapter of an EIA Report, with respect to Economic Activity and Employment. However, extensive experience with EIA and planning systems together with the EPA guidance on EIS preparation (2002 & draft 2017) has informed the production of this Population appraisal reports.

6.2 Sensitive Aspect No.1: Local Economy

This Section provides a description and evaluation of the Sensitive Aspect - Local Economy.

6.2.1 BASELINE CHARACTERISTICS of Local Economy

6.2.1.1 STUDY AREA for Local Economy

The study areas for Local Economy in relation to the UWF Related Works is described in Table 6-3 and illustrated on **Figure RW 6.2: Local Economy within the UWF Related Works Study Area** (Volume C3 EIAR Figures).

Table 6-3: UWF Related Works Study Area for Local Economy

| Study Area for Local Economy | Justification for the Study Area Extents |
|---|---|
| Electoral Divisions (EDs): Foilnaman, Upperchurch and Gortakelly, in County Tipperary | Includes surrounding urban areas containing local businesses and local labour force that could potentially be impacted by the UWF Related Works |

6.2.1.2 Baseline Context and Character of Local Economy in the UWF Related Works Study Area

The UWF Related Works are located in two EDs – Upperchurch and Foilnaman, which include the village of Kilcommon. Upperchurch village lies immediately adjacent to Upperchurch ED in the ED of Gortakelly. Due to its proximity, Gortakelly is also included in the UWF Related Works Study Area.

In Census 2016, the population of the UWF Related Works Study Area was 1,176 persons. Over the previous 20 years, population increases of between 13% and 20% have occurred in Foilnaman and Gortakelly EDs, while a population decrease of 9% has occurred in Upperchurch ED. Overall the population has increased by 9.5% in the UWF Related Works Study Area.

All of the EDs listed above, are included in the Mid-West region, which accounted for approximately 10 per cent of the national population of 4.6 million people. The area is typical of a rural upland area in Ireland and is sparsely populated, with a population density below the State average.

Gross Value Added: GDP data at a regional level is available up to 2014, but is not available at county or sub-county level.³ Tipperary North, which contains all of the EDs listed above, make up the Mid-West region, along with Limerick and County Clare.⁴ The Mid-West region accounted for approximately 7 per cent of total national GDP (€181 billion) in 2014. In 2014 regional GVA per person stood at €28,900. Based on the population of the UWF Related Works Study Area (1,176 persons) and a GVA per person of €28,900, the Local Economy is estimated to have a GVA of €36.5 million.

Key data from the Census of Population and GeoDirectory is described in detail in **Appendix 6.1 of Volume C4: EIA Report Appendices** (see Volume C4: EIAR Appendices).

Since 2011, labour market conditions have improved greatly with the unemployment rate falling substantially. The numbers on the Live Register at the local Social Welfare offices have also fallen substantially in the past five years which points to improvements in the local economy. In 2014, disposable

³ <http://www.cso.ie/en/releasesandpublications/er/cirgdp/countyincomesandregionalgdp2014/>

⁴ The former North Tipperary forms part of the Mid-West NUTS III area while the former South Tipperary is in the South-East NUTS III area. The unified county is fully incorporated in Southern Assembly region. Arising from the strong linkage between the northern part of the county and Limerick and between the southern part and Waterford, the 3 Tipperary assembly members will be members of both the Mid-West and South-East Strategic Planning Areas (SPAs). Source: <http://www.southernassembly.ie/regional-planning/mid-west-spa>

income per person was approximately 5 per cent lower in Tipperary North, compared to the State average of €19,178.⁵

Agriculture and forestry are important sectors in the UWF Related Works study area, accounting for 78 per cent of business premises (see [Table 12 in Appendix 6.1](#)). Across the study area some 17 per cent of the workforce was engaged in Agriculture, Forestry & Fishing, higher than the State average of 4 per cent⁶ (see [Table 6 in Appendix 6.1](#)). Despite the reliance of the study area on agriculture and to a lesser extent, forestry, there is evidence that the level of income generated from farming has declined marginally in the area between 2013 and 2014 (as well as at a national level) which may impact the relative strength of the farming sector.⁷

Tourism is relatively strong in Tipperary County however much of this is driven by South Tipperary, with only 17 per cent of tourists to the county in 2015 travelling to North Tipperary, where the County Tipperary EDs comprising the study area are located. Available data for Tipperary County indicates the revenue generated by overseas visitors to North Tipperary in 2015 was 64 per cent lower than that generated in South Tipperary⁸. The level of tourism revenue generated in North Tipperary accounts for only 28 per cent of the total tourism revenue generated in the county. As indicated on [Figure 6.2.1: Tourism Products within the Cumulative Evaluation Study Areas](#), there are 4 B&Bs within the UWF Related Works Study Area (*the Cumulative Study area is described in Section 6.2.2.2 below*).

Walking and hiking are popular tourism pursuits in Ireland. Fáilte Ireland's *Tourism Facts 2015*⁹ indicates that walking/cross country hiking was by some margin the most cited activity by international tourists in Ireland, while for domestic holidaymakers it was the second most cited activity. The importance of walking/hiking to Tipperary's tourist product is highlighted in the Tipperary *Strategic Tourism Marketing, Experience & Destination Development Plan 2016-2021*.¹⁰ The Strategy refers to the village of Upperchurch as "a gateway to the Slieve Felim Mountains and environs as a walking destination. The location of the village is very lovely and although not far from Thurles in miles, feels like a million miles away." It designates the village as a "priority Level 2 village with strategic potential". The Eamonn a Chnoic Loop, Ormond Way (currently under development), and the Ormond Way Cycle route are located within the UWF Related Works Study Area.

6.2.1.3 Importance of Local Economy

The local economy is key to Population well-being, and sustains and underpins the structures of society. Through economic activity and employment, the local economy generates incomes for the population, which enables individuals and families to prosper and achieve their social aspirations, all of which is important in creating sustainable local communities. These issues are particularly important at a local level for a predominantly rural area, where the range of economic opportunities is limited compared to larger more urban areas.

Census data from 2016 indicates that a significant proportion of the local workforce commutes to work, and that the key employment sectors in the study area are Commerce & Trade and Professional Services.

⁵ <http://www.cso.ie/en/releasesandpublications/er/cirgdp/countyincomesandregionalgdp2014/>

⁶ CSO Census of Population 2016.

⁷ <http://www.revenue.ie/en/corporate/information-about-revenue/statistics/other-datasets/farming-sector.aspx>

⁸ http://www.failteireland.ie/FailteIreland/media/WebsiteStructure/Documents/3_Research_Insights/2_Regional_SurveysReports/Regional-tourism-performance-in-2014-Final-February-2016.pdf?ext=.pdf

⁹ http://www.failteireland.ie/FailteIreland/media/WebsiteStructure/Documents/3_Research_Insights/3_General_SurveysReports/Failte-Ireland-s-tourism-facts-2015.pdf?ext=.pdf

¹⁰ <http://www.tipperarycoco.ie/sites/default/files/Publications/Tipperary%20Tourism%20Development%20Strategy%202016%20-%202021.pdf>

So it is likely that they are accessing employment opportunities in the nearby urban areas, notably Limerick, Thurles and Nenagh.

6.2.1.4 Sensitivity of Local Economy

Within the study area, one of the three EDs – Upperchurch, has experienced a fall in population in the past 20 years, with a decline of 9 per cent between 2011 and 2016 (see [Table 1 in Appendix 6.1](#)). This may be an indication of reducing economic opportunities in this area.

Brexit also represents a particular sensitivity. According to a recent paper by the Irish Farmers Association (IFA)¹¹, 40 per cent of food exports from Ireland go to the UK. Potential impacts from Brexit are therefore likely to be particularly felt by the agriculture sector, and given the reliance on agriculture in the study area, it is likely that these impacts will be felt in the area. The IFA paper further indicates that agri-food exports were estimated to be €570 million less than they otherwise would have been in 2016, due mainly to weakening sterling in the wake of the Brexit referendum vote. Beef farmers in particular took a hit of €150 million alone. The forestry sector also has a high reliance on the UK market, and has experienced major growth in exports to the UK in recent years. Broadly speaking, tourism is also sensitive to global uncertainties. The most immediate impact facing tourism in Ireland is the threat of euro-sterling parity which could see a large drop in the number of tourists visiting Ireland from the UK.

6.2.1.5 Trends in the Baseline Environment (the ‘Do-Nothing’ scenario)

There is limited data on trends in the Local Economy. In terms of population in the area, data from the past 10 years of Censuses suggests that population growth peaked in the decade to 2016, with a notable slowdown in population growth in the last five years recorded in Census 2016.

In terms of the labour force, since 2011, labour market conditions have improved greatly with the unemployment rate in the mid-west falling from 15.8 per cent in Q1 2011 to 6.8 per cent in Q1 2017. For the Mid-West region, which contains all the above EDs in the study area, the unemployment rate has fallen from 16.1 per cent to 6.8 per cent (lower than the State average).¹² In the period since the 2016 Census, the numbers on the Live Register at the local Social Welfare offices have fallen substantially, as indicated in [Graph 1 in Appendix 6.1](#), which points to improvements in the Local Economy.

Fáilte Ireland’s *Tourism Facts* for recent years point to very strong growth in both international and domestic tourist numbers in Ireland. The statistics confirm that walking and hiking have maintained their strong popularity for tourists as overall numbers have grown, pointing to growing opportunities for locations and business catering for these activities.

6.2.1.6 Receiving Environment (the Baseline + Trends)

It is anticipated that construction of the subject development will commence in late 2019 or 2020 and as such economic forecasts for 2018 through 2020, as described above, are relevant.

In relation to operational impacts, the UWF Related Works will coexist with the Upperchurch Windfarm, which is permitted to operate for 25 years. While forecasting the level of economic change that will occur over this timeframe is beyond the scope of this appraisal, it can be expected that the local economy will change substantially over this period. It is assumed in this EIAR that the area will remain predominantly rural, and as such agriculture and forestry are likely to remain important. Under moderate assumptions, the CSO projects that the State population will increase by 19% from 4.7 million people in 2016 to 5.6 million by

¹¹ See <https://www.ifa.ie/wp-content/uploads/2017/03/763773Brexit-imperatives-policy-paper55629.pdf>

¹² CSO QNHS <http://www.cso.ie/px/pxeirestat/Statire/SelectVarVal/Define.asp?maintable=QNQ22&PLanguage=0>

| |
|------------------|
| Local Economy |
| Sensitive Aspect |

2046.¹³ Should local populations grow in tandem; the populations of the UWF Related Works Study Area will grow by from 1,176 to c.1,395 persons by 2046.

| |
|------------|
| Population |
| Topic |

¹³ http://www.cso.ie/en/media/csoie/releasespublications/documents/population/2013/poplabfor2016_2046.pdf

6.2.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics

6.2.2.1 Cumulative Evaluation Study Areas

6.2.2.1.1 UWF Related Works Cumulative Evaluation Study Area

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for Local Economy | Justification for the Study Area Extents |
|---|--|
| Electoral Divisions (EDs): Foilnaman, Upperchurch and Gortakelly, in County Tipperary | Includes EDs containing local businesses and local labour force that could potentially be impacted by the UWF Related Works alone and cumulatively with other projects |

The study is illustrated on **Figure CE 6.2: Local Economy within the UWF Related Works Cumulative Evaluation Study Area**.

6.2.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project. A description of these Other Elements is included in this EIA Report at **Appendices 5.3, 5.4, 5.5 and 5.6**, in **Volume C4 EIAR Appendices**. Scoping of these Other Elements is presented in **Section 6.2.2.2.1** below

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements which are described in Table 6-4 and the study area is illustrated on **Figure WP 6.2: Local Economy within the Whole Project Cumulative Evaluation Study Area**.

Table 6-4: Whole Project Cumulative Evaluation Study Area for Local Economy

| Cumulative Project | Whole Project Cumulative Evaluation Study Area Boundary | Justification for Study Area Extent |
|--|--|---|
| Element 1: UWF Grid Connection | Slieve Felim to Silvermines Uplands Area comprising the Electoral Divisions (EDs) of Kilcomenty, Newport, Killoscully, Kilnarath, Abington ¹⁴ , Foilnaman, Upperchurch, Gortakelly Dolla, Templederry, Borrisoleigh, Glengar, Curraheen, Cappagh, Donohill, Clonoulty West, Clogher, Moyaliff, Greenhall/Lackagh and Kilmore in County Tipperary and Glenstal, Doon West, Cappamore and Bilboa in County Limerick | Electoral Districts comprising the general extent of the Slievefelim to Silvermines uplands area. |
| Element 2: UWF Related Works | | |
| Element 3: UWF Replacement Forestry | | |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

¹⁴ Abington is located in both Counties Tipperary and Limerick

6.2.2.2 Scoping for Other Projects or Activities & Potential for Impacts

The evaluation of cumulative impacts to Local Economy also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Local Economy with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in [Appendix 2.3: Scoping of Other Projects or Activities \(Section A2.3.1 and Section A2.3.2.6\)](#).

The results of this scoping exercise are that: Bunkimalta Windfarm (consented) has been scoped in for evaluation of cumulative effects to the Local Economy.

6.2.2.2.1 Potential for Other Elements or Other Projects to cause Impacts to Local Economy

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project and for the Other Projects or Activities to cause cumulative effects to the Sensitive Aspect Local Economy. The results of this evaluation are included in Table 6-5.

The location of, and study area boundary associated with, the Other Elements and Other Projects or Activities which are included for cumulative evaluation is illustrated on [Figure WP 6.2](#). The baseline character of the areas around these projects is described in Section 6.2.2.3.

Table 6-5: Results of the Evaluation of the Other Elements and Other Projects or Activities

| <u>Other Elements of the Whole UWF Project</u> | |
|---|---|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects |
| Element 3: UWF Replacement Forestry | <u>Evaluated as excluded</u> : Impacts will be Neutral due to UWF Replacement Forestry is located in Foilnaman Electoral Division, which has a population of 333 people in 2016 (CSO). The size of the Local Economy is based on the Gross Value Added (GVA) per person, GVA is the measure of the values of goods and services produced in an area, industry or sector of an economy. In 2014 regional GVA per person for the Mid-West Region stood at €28,900. Based on a population of 333 persons, the Local Economy of Foilnaman ED is estimated to have a GVA of €9.6 million. The trees required for the UWF Replacement Forestry will be sourced from a nursery located outside the Foilnaman Electoral District and outside the wider Cumulative Evaluation Study Area for the Whole UWF Project. At a local scale, the financial transactions (positive impact) associated with the Replacement Forestry will be very low. Capital expenditure will be greatest during the planting stage and will represent less than 1% of the GVA for Foilnaman ED. |
| Element 4: Upperchurch Windfarm (UWF) | <u>Included</u> for the evaluation of cumulative effects |
| Element 5: UWF Other Activities | <u>Evaluated as excluded</u> : Impacts will be Neutral due to: At a local scale, the financial transactions (positive impact) associated with the UWF Other Activities (Haul Route Activities, Overhead Line Activities, Monitoring Activities and the Upperchurch Hen Harrier Scheme) will be very low in the context of the size of the local economy. Specifically in relation to the Haul Route Activities, no business disruption is likely given the location of these Activities on the verges of regional and national roads, the small extent and momentary to temporary duration of the activities. |
| <u>Other Projects or Activities</u> | |
| Bunkimalta Windfarm | <u>Yes, included</u> for the evaluation of cumulative effects |

6.2.2.3 Cumulative Information: Baseline Characteristics – Context & Character

The population of the Whole Project Cumulative Evaluation Study Area was 15,323 in 2016. The value of the Local Economy in the Whole Project Cumulative Evaluation Study Area is estimated at €443 million.

6.2.2.3.1 Element 1: UWF Grid Connection – including preliminary preferred 110kV UGC route Jan'19

The UWF Grid Connection is located in four separate EDs in County Tipperary – Kilcomenty, Newport, Abington and Foilnaman, which include the villages of Birdhill, Rear Cross, and Kilcommon and the town of Newport. The villages of Murroe, Cappamore, Borrisoleigh, Dolla and Upperchurch are located in the adjacent EDs of Templederry, Upperchurch, Borrisoleigh, Dolla, Glenstal, Doon West, Cappamore and Bilboa in Counties Tipperary and Limerick.

In Census 2016, the population of the UWF Grid Connection Study Area was 10,433 persons. The population has been growing steadily (in line with the State average) over the previous 20 years.

Based on the population of the UWF Grid Connection Study Area (10,344 persons), the Local Economy is estimated to have a GVA of €298 million.

Agriculture and forestry are important sectors in the study area, accounting for 60 per cent of business premises (see **Table 12 in Appendix 6.1**). Across the study area some 8 per cent of the workforce was engaged in Agriculture, Forestry & Fishing, higher than the State average of 4 per cent¹⁵ (see **Table 6 in Appendix 6.1**).

As indicated on **Figure 6.2.1: Tourism Products within the Cumulative Evaluation Study Areas**, outside of Newport town which has a number of food and accommodation premises, there are 4 No. B&Bs located within the UWF Grid Connection Study Area.

The Slievefelim Way and Ormond Way are located within the UWF Grid Connection Study Area.

UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area in Foilnamon ED.

6.2.2.3.2 Element 3: UWF Replacement Forestry

Not applicable – Element evaluated as excluded. See Section 6.2.2.2.1

6.2.2.3.3 Element 4: Already Consented Upperchurch Windfarm

The Upperchurch Windfarm is located in two EDs – Upperchurch and Foilnaman, which include the village of Kilcommon. Upperchurch village lies immediately adjacent to Upperchurch ED in the ED of Gortakelly. The villages of Rear Cross and Borrisoleigh are located in the surrounding EDs of Abington and Borrisoleigh (both County Tipperary).

The baseline characteristics of the UWF Related Works area above, also relates to the Upperchurch Windfarm.

Consideration of the Passage of Time: While there have been small changes in the populations of Upperchurch, Foilnaman, and Gortakelly EDs, and likely to have been some improvement in the local economy since 2014, these changes are small and not material. In 2018, the Milestone Windfarm was constructed in Foilnaman ED, this is a relatively small 4-turbine windfarm with 2 landowners involved in the project, this project is not expect to be causing a noticeable effect in the local economy. No other large projects have been built in the Upperchurch or Foilnaman EDs. Overall it is considered that the descriptions in the 2013 and 2014 documents remain relevant to the cumulative evaluations in this Revised EIAR.

¹⁵ CSO Census of Population 2016.

| | |
|------------------|---|
| Local Economy | 6.2.2.3.4 Element 5: UWF Other Activities |
| | Not applicable – Element evaluated as excluded. See Section 6.2.2.2.1 |
| Sensitive Aspect | 6.2.2.3.5 Other Projects or Activities |
| | Bunkimalta Windfarm will consist of approximately 17 wind turbines, 5 turbines fewer than Upperchurch Windfarm. The consented Bunkimalta Windfarm is located in the EDs of Greenhall/Lackagh, Kilnarath and Abington. In Census 2016, the population of these EDs was 1,297 persons, this equates to a GVA of the local economy of €37.5 million. |
| Population | |
| Topic | |

| |
|------------------|
| Local Economy |
| Sensitive Aspect |

| |
|------------|
| Population |
| Topic |

6.2.3 PROJECT DESIGN MEASURES for Local Economy

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

There are no Project Design Mitigation Measures specific to Local Economy.

6.2.4 EVALUATION OF IMPACTS to Local Economy

In this Section, the likely direct and indirect effects of the UWF Related Works are identified and evaluated. Then the likely cumulative effects of the UWF Related Works together with the Other Elements of the Whole UWF Project and Other Projects or Activities are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Local Economy.

As a result of the exercise, some impacts were included and some were excluded.

Table 6-6: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts Included (Evaluated in the Impact Evaluation Table sections) | Impacts Excluded (Justification at the end of the Impact Evaluation Table sections) |
|---|---|
| Gross Value Added to Businesses & Employment Opportunities (construction stage) | Business disruption (construction stage) |
| | Reduction in tourism revenue (construction stage) |
| | Gross Value Added to Businesses & Employment Opportunities (operational stage) |
| | Reduction in tourism revenue (operational stage) |

The source-pathway-receptor links for the impact included are described in the Impact Evaluation Table in the next section.

The source-pathway-receptor links and the rationale for impacts excluded are described in the section directly after the Impact Evaluation Table section.

The Impact Evaluation Table is presented in the following section 6.2.4.1.

6.2.4.1 Impact Evaluation Table: Gross Value Added to Businesses & Employment Opportunities

Impact Description

Project Life Cycle Stage: Construction stage

Impact Source: Construction contracts, purchasing of material and services, landowner payments

Cumulative Impact Source: Construction contracts, purchasing of material and services, landowner payments

Impact Pathway: Financial transactions

Impact Description: An increase in gross value added to business and employment opportunities in the study area due to the purchase of goods, materials and services, employment, and payments to landowners, which will also result in secondary induced spending in the local economy.

Impact Quality: Positive

Evaluation of the Subject Development Impact – Gross Value Added to Businesses & Employment Opportunities

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude:

- c.8 persons working directly on the project during construction
- c.€100,000 in landowner payments
- c.€500,000 induced expenditure on locally sourced goods and services

Significance of the Impact: Imperceptible (positive)

Rationale for Impact Evaluation:

- the additional GVA generated, €600,000, is equivalent to approximately 2% per cent of the GVA of the Local Economy in the UWF Related Works Study Area, and
- temporary duration of the construction stage.

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude: UWF Related Works are works facilitating the build out of Upperchurch Windfarm and will be constructed during the same period by the same construction crews, and therefore the cumulative impact is the combined impact of UWF Related Works and Upperchurch Windfarm, per

- c.100 persons working directly on the project, most of them on-site, over the course of the construction phase
- c.€220,000 to local landowners in the form of wayleave agreements, option payments and land purchases.
- c.€1.7 million to be spent regionally on Stone & Concrete from Rear Cross Quarry (Holycross) and Roadstone (Bunratty).
- c.€1 million induced expenditure on locally sourced goods and services.

The value of the Local Economy in the UWF Related Works Cumulative Evaluation Study Area is €36.5 million.

No Other Projects have potential to cause cumulative effects with UWF Related Works. As stated in Section 6.2.2.3.3, Milestone Windfarm is now operational (construction 2018) in Foilnahan ED, as this project is operational it has no potential to cause cumulative construction spend effects with UWF Related Works.

Significance of the Cumulative Impact: Slight (positive)

Rationale for Cumulative Impact Evaluation:

- the cumulative GVA generated, €3 million, will be equivalent to approximately 8% per cent of the overall size

| | | |
|---------------|------------------|---|
| Local Economy | Sensitive Aspect | of the Local Economy in the UWF Related Works Cumulative Evaluation Study Area, in the year of construction, |
| | | <ul style="list-style-type: none"> • Temporary duration of the construction stage, |
| | | |
| | | Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project |
| | | Element 1: UWF Grid Connection |
| | | <p>Impact <u>Magnitude</u>:</p> <ul style="list-style-type: none"> • c.100 persons working directly on the project, most of them on-site, over the course of the construction phase • c.€1.5 million to be spent regionally on Stone & Concrete from Rear Cross Quarry (Holycross) and Roadstone (Bunratty). • c.€1.4 million to local landowners, in the form of wayleave agreements and land purchases • c.€350,000 induced expenditure on locally sourced goods and services |
| | | <u>Significance of the Impact</u> : Imperceptible (positive) |
| | | <p><u>Rationale</u> for Impact Evaluation:</p> <ul style="list-style-type: none"> • the additional GVA generated, €3.3million, is equivalent to approximately 1% per cent of the overall size of the Local Economy in the UWF Grid Connection study area, in the year of construction • Temporary duration of the construction stage. |
| | | Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 6.2.2.2.1 |
| | | Element 4: Consented Upperchurch Windfarm |
| Population | Topic | <p>Impact <u>Magnitude</u>:</p> <ul style="list-style-type: none"> • c.100 persons working directly on the project, most of them on-site, over the course of the construction phase • c.€120,000 to local landowners in the form of option payments and wayleave agreements. • c.€1.7 million to be spent regionally on Stone & Concrete from Rear Cross Quarry (Holycross) and Roadstone (Bunratty). • c.€500,000 induced expenditure on locally sourced goods and services |
| | | <u>Significance of the Impact</u> : Slight (positive) |
| | | <p><u>Rationale</u> for Impact Evaluation:</p> <ul style="list-style-type: none"> • the value of the Local Economy (Foilnahan, Upperchurch and Gortakelly EDs) is €36.5m, the population of these EDs was 1176 in 2016, • the additional GVA generated, €2.3 million, is equivalent to approximately 6% per cent of the overall size of the Local Economy, in the year of construction, • Temporary duration of the construction stage |
| | | Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 6.2.2.2.1 |
| | | |
| | | Cumulative Information: Individual Evaluations of Other Projects or Activities |
| | | Other Project: Bunkimalta Windfarm (consented) |
| | | <p>Impact <u>Magnitude</u>: Bunkimalta Windfarm will consist of approximately 17 wind turbines, 5 turbines fewer than Upperchurch Windfarm. Bunkimalta Windfarm (including its grid connection) has potential to be constructed during the same period as the Whole UWF Project.</p> <ul style="list-style-type: none"> • It is estimated, based on employment levels for the Upperchurch project, that c.130 people will be employed during the construction phase • It is estimated, based on the Upperchurch Project that c.€2 million could be spend locally on stone & concrete, |
| | | |
| | | |

| | |
|------------------|--|
| Local Economy | <p>if sourced locally.</p> <ul style="list-style-type: none"> It is estimated, based on induced spending for the Upperchurch Project, that there will be c.€750,000 of induced expenditure on locally sourced goods and services |
| | <p><u>Significance of the Impact:</u> Slight (positive)</p> |
| Sensitive Aspect | <p><u>Rationale</u> for Impact Evaluation:</p> <ul style="list-style-type: none"> the value of the Local Economy (Kilnarath, Abington and Greenall/Lackagh EDs) is €37.5m, the population of these EDs was 1297 in 2016, the additional local GVA generated, €2.75 million, is equivalent to approximately 7% per cent of the Local Economy in the year of construction, Temporary duration of the construction stage. |
| | <p>Evaluation of Other Cumulative Impacts – Gross Value Added to Businesses & Employment Opportunities</p> |
| | <p>Whole UWF Project Effect</p> |
| | <p>Cumulative Impact <u>Magnitude</u>:</p> <ul style="list-style-type: none"> c.200 persons working directly on the project, most of them on-site, over the course of the construction phase c.€1.6 million to local landowners in the form of wayleave agreements, option payments and land purchases. c.€3.2 million to be spent regionally on Stone & Concrete from Rear Cross Quarry (Holycross) and Roadstone (Bunratty). c.€1.4 million induced expenditure on locally sourced goods and services. <p>The value of the Local Economy in the Cumulative Evaluation Study Area is €335 million.</p> |
| | <p>Significance of the Cumulative Impact: Imperceptible (positive)</p> |
| | <p><u>Rationale</u> for Cumulative Impact Evaluation:</p> <ul style="list-style-type: none"> the cumulative GVA generated, €6.2 million, will be equivalent to approximately 2% per cent of the overall size of the Local Economy in the Cumulative Evaluation Study Area, in the year of construction, Temporary duration of the construction stage, |
| | <p>Whole UWF Project cumulatively with Other Projects or Activities</p> |
| | <p><u>Cumulative Impact Magnitude</u>: Both Upperchurch and Bunkimalta Windfarms potentially could be constructed at the same time. Both windfarms are of similar scale. Cumulative local impacts include:</p> <ul style="list-style-type: none"> c.330 persons working directly on the projects, most of them on-site, over the course of the construction phase c.€1.6 million to local landowners in the form of wayleave agreements, option payments and land purchases. Between c.€5.2 million to be spent regionally on Stone & Concrete from Rear Cross Quarry (Holycross) and Roadstone (Bunratty) C.€2.3 million induced expenditure on locally sourced goods and services <p>The value of the Local Economy in the Cumulative Evaluation Study Area is €372 million.</p> |
| | <p>Significance of the Cumulative Impact: Imperceptible (positive)</p> |
| | <p><u>Rationale</u> for Cumulative Impact Evaluation:</p> <ul style="list-style-type: none"> the cumulative additional local GVA generated, of between c.€9 million, will be equivalent to approximately 2% per cent of the overall size of the Local Economy in the Cumulative Evaluation Study Area, in the year of construction, Temporary duration of the construction stage |
| Population | |
| Topic | |

6.2.4.2 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in Table 6-7 below.

Table 6-7: Description and Rationale for Excluded Impacts to Local Economy

Key: 1: UWF Grid Connection; 2: UWF Related Works; 3: UWF Replacement Forestry; 4: Upperchurch Windfarm; 5: UWF Other Activities

| Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|--|-----------------|-----------------|------------------------------|--|
| Construction Stage | | | | |
| Traffic Management Measures Increased Traffic Volumes | 1, 2, 4 | Roads | Business disruption | <p>Rationale for Excluding: Based on the evaluations in Chapter 15: Material Assets - Roads, it is considered that any business disruption caused by interrupted/disrupted access will have a neutral effect on the local economy.</p> <p>Chapter 15: Material Assets - Roads assess the impact of construction works i.e. traffic management works on increased journey times and interruption or disruption of access to property. This chapter concludes that in the case of journey times, the effect of the Whole UWF Project construction works will be negative and imperceptible due to the temporary duration of the works, the implementation of traffic management, the use of 'stop/go' systems and flagmen, and the relatively lightly trafficked nature of the roads upon which the works will take place.</p> |
| Construction activities | 1, 2, 4 | Air, Visibility | Reduction in tourism revenue | <p>Rationale for Excluding: Based on the evaluations in Chapter 12: Air and Chapter 17: Landscape, it is considered that any increased dust and noise levels or a reduction in rural tranquillity during construction works will have a neutral effect on tourism revenue or the local economy.</p> <p>Chapter 12: Air (Air Quality) assesses the effects of dust soiling on transient people. In this Chapter it is determined that at the construction stage there will be a negative effect of slight significance due in part to the fact that users of any trails in the area will be present in the areas affected by dust emissions for no longer than minutes at a time and the reversibility of the impact.</p> <p>In addition Chapter 12: Air (Noise) assesses the impact of increases in ambient noise levels on transient people. At the construction stage it is found that the effect will be negative but of moderate significance due to the low number of total receptors (see Chapter 12 Air), the temporary duration of the effects and the compliance with guidelines.</p> <p>Chapter 17: Landscape deals with the impact of the construction phase of Whole UWF Project in causing a reduction in rural tranquillity. It is found that the negative impact will be of imperceptible significance due to the modest scale and extent of construction activities and the temporary and short-term duration of construction activity and reversibility of effects.</p> |

Local Economy

Sensitive Aspect

Population

Topic

Topic

| Local Economy | Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|------------------|---|-----------------|---------|------------------------|--|
| | | | | | In addition, research by Fáilte Ireland ¹⁶ in 2012 found that 48 per cent of tourists to Ireland declared that viewing a wind farm did not impact on their sightseeing and a further 32 per cent reported the viewing of a windfarm to have a positive impact on sightseeing. In the same report, when asked what impact the likelihood of further windfarms have on their decision to visit Ireland again 43 per cent said it would have no impact/it depends with a further 28 per cent saying it would have a positive impact. |
| Sensitive Aspect | Decommissioning Stage | | | | |
| | <p>Rationale for Excluding:</p> <p>The UWF Grid Connection will not be decommissioned, therefore no impacts will occur.</p> <p>UWF Related Works & Upperchurch Windfarm: The financial transactions (positive) associated with the decommissioning of the these elements will be very low, representing 0.0007 per cent of the total capital costs of the project and relates to 0.0003 per cent of the local economy. No business disruption is likely given the temporary duration and very low traffic volumes which will be associated with decommissioning activities.</p> | | | | |

| Population |
|------------|
| Topic |

¹⁶[http://www.failteireland.ie/FailteIreland/media/WebsiteStructure/Documents/3_Research_Insights/4_Visitor_Insights/WindFarm-VAS-\(FINAL\)-\(2\).pdf?ext=.pdf](http://www.failteireland.ie/FailteIreland/media/WebsiteStructure/Documents/3_Research_Insights/4_Visitor_Insights/WindFarm-VAS-(FINAL)-(2).pdf?ext=.pdf)

6.2.5 Mitigation Measures for Impacts to Local Economy

No additional mitigation measures are required as **no significant adverse impacts** are concluded by the topic authors as likely to occur to the Local Economy as a consequence of the UWF Related Works.

6.2.6 Evaluation of Residual Impacts to Local Economy

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures were required, and thus the Residual Impact is the same as the Impact set out in the Impact Evaluation Table above (Section 6.2.4.1) – i.e. **impacts will be Neutral**.

6.2.7 Application of Best Practice and the EMP for Local Economy

Best Practice Measures (BPM), although not part of the Project Design for the UWF Related Works, will be employed to afford further protection to the Environment.

The following Best Practice Measures have been developed, for the protection of **Local Economy**, by the authors of this topic chapter, using industry best practice:

| | |
|-----------|-------------------------------------|
| RW-BPM-26 | Local Employment and Local Sourcing |
|-----------|-------------------------------------|

These Best Practice Measures are included in full at the end of this topic chapter, and also form part of the **UWF Related Works Environmental Management Plan**, which is included as **Volume D** with the planning application.

6.2.8 Summary of Impacts to Local Economy

A summary of the Impact to Local Economy is presented in Table 6-8.

Table 6-8: Summary of the impacts to Local Economy

| Impact to Local Economy: | Gross Value Added to Businesses & Employment Opportunities |
|---|--|
| <i>Evaluation Impact Table</i> | <i>Section 6.2.4.1</i> |
| Project Life-Cycle Stage | Construction |
| <u>UWF Related Works (direct/indirect impact)</u> | Imperceptible (positive) |
| <u>UWF Related Works Cumulative Impact</u> | Slight (positive) |
| Element 1: UWF Grid Connection | Imperceptible (positive) |
| Element 3: UWF Replacement Forestry | Neutral Impact - Evaluated as Excluded, see Section 6.2.2.2.1 |
| Element 4: Upperchurch Windfarm | Slight (positive) |
| Element 5: UWF Other Activities | Neutral Impact - Evaluated as Excluded, see Section 6.2.2.2.1 |
| <u>Other Cumulative Impacts:</u> | |
| Whole UWF Project Effect | Imperceptible (positive) |
| Whole UWF Project <u>cumulatively with</u> Other Projects or Activities Bunkimalta Windfarm | Imperceptible (positive) |

The greyed out boxes in the above summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to show the totality of the project.

6.3 Policy Context

6.3.1 National Policy

A joint submission of behalf of Limerick City & County Council, Tipperary County Council and Clare County Council to the National Planning Framework 2040¹⁷ recognises the importance of retaining and sustaining communities within rural Ireland and acknowledges that, where possible, future growth should take place in the nearest towns and villages.

The joint submission also highlighted the need to identify locations with immediate capacity for growth in maximising natural resources and renewable energy which will provide the greatest return on capital investment made.

6.3.2 Regional Policy

These Guidelines¹⁸ do not set precise requirements for the provision of renewable energy in the Mid-West Region. However, under planning and economic development it is highlighted that development plans should make provision for new uses of agricultural land including afforestation and alternative energy, where suitable.

It also states that one of the key investment priorities required to support the development of the Region is the strengthening of the electricity transmission grid in the Region.

6.3.3 North Tipperary County Development Plan 2010 (as varied):

The UWF Grid Connection, UWF Related Works, UWF Replacement Forestry and consented UWF are wholly within the former North Tipperary County Council administrative area. The Development Plan acknowledges that the rural economy also extends beyond the traditional sector of agriculture with industries developed to harness the natural resources of the county, including mining, quarrying, forestry, peat extraction and renewable energy. These industries provide economic resources which contribute to sustaining their local communities.

Rural areas provide opportunities for development in expanding economic sectors such as bio-energy and rural tourism. The Plan (as varied) supports the sustainable diversification of the rural economy and seeks to use the natural resources of the county for new employment opportunities.

¹⁷ <https://www.limerick.ie/sites/default/files/media/documents/2017-03/Ireland%202040.PDF>

¹⁸ http://www.southernassembly.ie/uploads/general-files/http---www.southernassembly_.ie-images-uploads-MW_RPGs_.pdf

6.4 Best Practice Measures

| RW-BPM-26 Local Employment and Local Sourcing | |
|--|--|
| Environmental Commitment | |
| Where feasible, to source contracts, materials and workforce locally during the construction stage of the UWF Related Works | |
| Responsibility of | Role/Duty |
| Construction Manager | <ul style="list-style-type: none"> • Where possible, to operate a local bias when recruiting employees and sourcing materials. • Develop a Local Employment and Local Sourcing Policy |
| Community Liaison Officer (CLO) | <ul style="list-style-type: none"> • Management of local employment and resources database • Engage with service businesses in the area ahead of construction works • Monitor the recruitment and training of local employees in line with Policy |
| <u>Measures for Increasing potential for local sourcing and local employment</u> | |
| <ul style="list-style-type: none"> • Contact local business ahead of works and contracts being awarded, so that the main contactors are aware of the services and materials available locally • Management of local employment and resources database • Engage with service businesses in the area ahead of construction works • Monitor the recruitment and training of local employees in line with Policy | |

6.5 Summary of the Population Chapter

UWF Related Works is located in County Tipperary. The surrounding area is rural with isolated residences and farmsteads scattered throughout the area. Nearby settlements include the villages of Upperchurch and Kilcommon.

The Sensitive Aspect of Population which was evaluated in this topic chapter is the Local Economy.

UWF Related Works was evaluated for potential to cause impacts to Population as a result of spending and job demand in the Local Economy.

6.5.1 Summary of UWF Related Works Impacts

- Positive impacts to the Local Economy will be Neutral, when considered in the context of the value of the Local Economy.

6.5.2 Summary of UWF Related Works Cumulative Impacts

The UWF Related Works are generally in the vicinity of Upperchurch Windfarm, and therefore the cumulative impact relates to the combined spend on these two projects.

- In summary, cumulative effects to the Local Economy due to combined spending and jobs in the local economy, will be positive and slight.

6.5.3 Summary of the Whole Project Effect

As UWF Related Works is one element of the larger Whole Upperchurch Windfarm Project (Whole UWF Project), the potential for cumulative effects with these Other Elements, in particular Upperchurch Windfarm and UWF Grid Connection, was also examined.

- In summary, cumulative effects to the Local Economy due to combined spending and jobs in the local economy, will be positive and imperceptible, in the context of the wider local economy in the upland area.

6.5.4 Summary of Cumulative Impacts with Other Projects or Activities

Bunkimalta Windfarm, was also evaluated for cumulative effects in this topic chapter as it is both at a sufficient scale to contribute to cumulative impacts and it also has potential to be constructed during the same period as the Whole UWF Project.

Positive Cumulative effects to the Local Economy due to the combined spend and labour demand of the UWF Related Works and the Other Elements of the Whole UWF Project and the Bunkimalta Windfarm, will be Imperceptible, when considered in the context of the value of the Local Economy in the Slievefelim to Silvermines Mountain upland area.

6.6 Reference List

Central Statistics Office (2016), Census of Population, retrieved from <http://www.cso.ie/en/methods/population/censusofpopulation/censusofpopulation/>

Central Statistics Office (2013), Population and Labour Force Projections 2016 – 2046. Retrieved from http://www.cso.ie/en/media/csoie/releasespublications/documents/population/2013/poplabfor2016_2046.pdf

Ecopower Developments Ltd. (2013) Upperchurch Windfarm Environmental Impact Statement

Ecopower Developments Ltd. (2013) Upperchurch Windfarm Response to Further Information 13510003

An Bord Pleanála (2014) Inspectors Report for Upperchurch Windfarm PL22.243040

An Bord Pleanála (2014) Grant of Permission for Upperchurch Windfarm PL22.243040

Fáilte Ireland (2016), Regional Tourism Performance in 2014. Retrieved from http://www.failteireland.ie/FailteIreland/media/WebsiteStructure/Documents/3_Research_Insights/2_Regional_SurveysReports/Regional-tourism-performance-in-2014-Final-February-2016.pdf?ext=.pdf

Fáilte Ireland (2012), Visitor Attitudes on the Environment. Retrieved from [http://www.failteireland.ie/FailteIreland/media/WebsiteStructure/Documents/3_Research_Insights/4_Visitor_Insights/WindFarm-VAS-\(FINAL\)-\(2\).pdf?ext=.pdf](http://www.failteireland.ie/FailteIreland/media/WebsiteStructure/Documents/3_Research_Insights/4_Visitor_Insights/WindFarm-VAS-(FINAL)-(2).pdf?ext=.pdf)

Irish Farmers Association (2017), Ireland and the UK – A Vital Relationship. Retrieved at <https://www.ifa.ie/brexit/brexit-ireland/>

Irish Farmers Association (2017), Brexit: The Imperatives for Irish Farmers and the Agri-Food Sector. Retrieved from <https://www.ifa.ie/wp-content/uploads/2017/03/763773Brexit-imperatives-policy-paper55629.pdf>

Limerick City & County Council, Tipperary County Council, Clare County Council (2017), Ireland 2014: National Planning Framework. Retrieved from <https://www.limerick.ie/sites/default/files/media/documents/2017-03/Ireland%202040.PDF>

Mid-West Regional Authority (2010), Mid-West Regional Planning Guidelines 2010-2022. Retrieved from http://www.southernassembly.ie/uploads/general-files/http---www.southernassembly_.ie-images-uploads-MW_RPGs_.pdf

Revenue (2017), The Farming Sector in Ireland: A Profile from Revenue Data Statistics. Retrieved from <http://www.revenue.ie/en/corporate/information-about-revenue/statistics/other-datasets/farming-sector.aspx>

Tipperary County Council (2016), Tipperary Wind Energy Strategy, retrieved from <http://www.tipperarycoco.ie/sites/default/files/Tipperary%20Wind%20Energy%20Strategy%202016.pdf>

Tipperary County Council (2010), North Tipperary County Development Plan 2010 (as varied). Retrieved from [https://www.tipperarycoco.ie/sites/default/files/North Tipperary County Development Plan 2010 As Varied.pdf](https://www.tipperarycoco.ie/sites/default/files/North%20Tipperary%20County%20Development%20Plan%202010%20As%20Varied.pdf) Ecopower Developments Ltd. (2013) Upperchurch Windfarm Environmental Impact Statement 13510003

UWF Related Works Revised EIA Report

Volume C2: Revised EIAR Main Report

Chapter 7: Human Health

Topic Chapter Authors:



RPS Group

EIAR Coordinator:



January 2019

| |
|--------------|
| Human Health |
| Topic |

Contents

| | | |
|------------|---|-----------|
| 7 | Environmental Factor: Human Health | 1 |
| 7.1 | Introduction to the Human Health Chapter..... | 1 |
| 7.1.1 | What is Human Health?..... | 1 |
| 7.1.2 | Overview of Human Health in the Local Environment..... | 1 |
| 7.1.3 | Sensitive Aspects of the Human Health Environment included for further evaluation | 1 |
| 7.1.4 | Sensitive Aspects excluded from further evaluation | 1 |
| 7.1.5 | Overview of the Subject Development | 2 |
| 7.1.6 | The Authors of the Human Health Chapter | 2 |
| 7.1.7 | Sources of Baseline Information | 3 |
| 7.1.7.1 | Certainty and Sufficiency of Information Provided | 3 |
| 7.1.8 | Methodology for Evaluating Effects..... | 4 |
| 7.2 | Sensitive Aspect No.1: Local Residents & Community | 5 |
| 7.2.1 | BASILINE CHARACTERISTICS of Local Residents & Community..... | 5 |
| 7.2.1.1 | STUDY AREA for Local Residents & Community..... | 5 |
| 7.2.1.2 | Baseline Context and Character of Local Residents & Community in the UWF Related Works Study Area | 6 |
| 7.2.1.3 | Importance of Local Residents & Community..... | 7 |
| 7.2.1.4 | Sensitivity of Local Residents & Community | 8 |
| 7.2.1.5 | Trends in the Baseline Environment (the 'Do-Nothing' scenario)..... | 8 |
| 7.2.1.6 | Receiving Environment (the Baseline + Trends)..... | 8 |
| 7.2.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics..... | 9 |
| 7.2.2.1 | UWF Related Works Cumulative Evaluation Study Area..... | 9 |
| 7.2.2.2 | Overview of Other Elements, Other Projects or Activities..... | 10 |
| 7.2.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 12 |
| 7.2.3 | PROJECT DESIGN MEASURES for Local Residents & Community..... | 15 |
| 7.2.4 | EVALUATION OF IMPACTS to Local Residents & Community | 16 |
| 7.2.4.1 | Impact Evaluation Table: Increased Employment..... | 17 |
| 7.2.4.2 | Description and Rationale for Excluded (scoped out) Impacts | 20 |
| 7.2.5 | Mitigation Measures for Impacts to Local Residents & Community | 25 |
| 7.2.6 | Evaluation of Residual Impacts to Local Residents & Community..... | 25 |
| 7.2.7 | Application of Best Practice and the EMP for Local Residents & Community..... | 25 |
| 7.2.8 | Summary of Impacts to Local Residents & Community | 26 |
| 7.3 | Sensitive Aspect No.2: Transient People | 27 |

| | | |
|---------|---|-----------|
| 7.3.1 | BASELINE CHARACTERISTICS of Transient People..... | 27 |
| 7.3.1.1 | STUDY AREA for Transient People..... | 27 |
| 7.3.1.2 | Baseline Context and Character of Transient People in the UWF Related Works Study Area..... | 27 |
| 7.3.1.3 | Importance of Transient People..... | 27 |
| 7.3.1.4 | Sensitivity of Transient People | 28 |
| 7.3.1.5 | Trends in the Baseline Environment (the 'Do-Nothing' scenario)..... | 28 |
| 7.3.1.6 | Receiving Environment (the Baseline + Trends)..... | 28 |
| 7.3.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics..... | 29 |
| 7.3.2.1 | Cumulative Evaluation Study Area | 29 |
| 7.3.2.2 | Scoping of Other Elements, Other Projects or Activities & Potential for Impacts | 30 |
| 7.3.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 32 |
| 7.3.3 | PROJECT DESIGN MEASURES for Transient People..... | 33 |
| 7.3.4 | EVALUATION OF IMPACTS to Transient People | 34 |
| 7.3.4.1 | Description and Rationale for Excluded (scoped out) Impacts | 35 |
| 7.3.5 | Mitigation Measures for Impacts to Transient People | 38 |
| 7.3.6 | Evaluation of Residual Impacts to Transient People..... | 38 |
| 7.3.7 | Application of Best Practice and the EMP for Transient People..... | 38 |
| 7.3.8 | Summary of Impacts to Transient People | 39 |
| 7.4 | Policy Context | 40 |
| 7.4.1 | National Policy..... | 40 |
| 7.4.2 | Regional Policy..... | 40 |
| 7.4.3 | North Tipperary County Development Plan 2010 (as varied):..... | 40 |
| 7.5 | Summary of the Human Health Chapter | 41 |
| 7.5.1 | Summary of UWF Related Works Impacts | 41 |
| 7.5.2 | Summary of Cumulative Impacts to Human Health..... | 41 |
| 7.5.3 | Summary of Cumulative Impacts with Other Projects or Activities..... | 42 |
| 7.6 | Reference List | 43 |

List of Figures

| Figure No. | Figure Title |
|---|---|
| Figure RW 7.1 | Location of the UWF Related Works Study Area |
| Figures for Local Residents & Community | See Figures and Mapping associated with Chapters 6: Population (Figure RW 6.2, Figure CE 6.2, Figure WP 6.2) Chapter 11: Water (Figure RW 11.4, Figure CE 11.4, Figure WP 11.4) Chapter 12: Air (Figure RW 12.2.1, Figure RW 12.2.2, Figure CE 12.2.1, Figure CE 12.2.2, Figure WP 12.2.1, Figure WP 12.2.2) Chapter 15: Material Assets (Roads) (Figure RW 15.3, Figure CE 15.3, Figure WP 15.3) |
| Figure for Transient People | See Figures and Mapping associated with Chapter 12: Air (Figure RW 12.3, Figure CE 12.3, Figure WP 12.4) Chapter 15: Material Assets (Roads) (Figure RW 15.3, Figure CE 15.3, Figure WP 12.5) |

Figures and mapping referenced in this topic chapter can be found in **Volume C3 EIAR Figures**.

Glossary of Terms

| Term | Definition |
|-------------------------------|---|
| Sensitive Aspect | Any sensitive receptor in the local environment which could be impacted by the project. |
| Project Design Measure | Measures for environmental protection, incorporated into the design of the project. |

List of Abbreviations

| Abbreviation | Full Term |
|---------------------|--|
| AA | Appropriate Assessment |
| COMEAP | Committee on the Medical Effects of Air Pollutants |
| CSO | Central Statistics Office |
| dB | Decibel |
| DECC | Department for Energy and Climate Change |
| EIA | Environmental Impact Assessment |
| EIAR | Environmental Impact Assessment Report |
| EMF | Electro-magnetic Fields |
| EPA | Environmental Protection Agency |
| EU | European Union |
| HDPE | High-density polyethylene |
| IAQM | Institute of Air Quality Management |
| ICNIRP | International Commission on Non-Ionizing Radiation Protection |
| IFA | Irish Farmers' Association |
| IPH | Institute of Public Health in Ireland |
| PD | Ecopower Project Design Environmental Protection Measure developed by members of the EIAR Team |
| PM | Particulate Matter |
| WHO | World Health Organisation |
| UGC | Underground Cables |

| <u>Abbreviation</u> | <u>Full Term</u> |
|---------------------|----------------------|
| UWF | Upperchurch Windfarm |

7 Environmental Factor: Human Health

7.1 Introduction to the Human Health Chapter

7.1.1 What is Human Health?

The World Health Organisation (WHO) defines health as ‘a state of complete physical, mental and social wellbeing and not merely the absence of disease or infirmity’. Health is determined not only by access to quality healthcare services and lifestyle choices but also by the social and economic conditions in which people live (IPH, 2009).

7.1.2 Overview of Human Health in the Local Environment

UWF Related Works is located in the Mid-West region within North Tipperary. North Tipperary performs marginally worse than the national average for the majority of health status indicators. However, mental health indicators such as “deliberate self-harm”, those diagnosed with a “psychological or emotional condition”, and “deaths from respiratory disease” all perform better in North Tipperary compared to the national average.

The location of the UWF Related Works is illustrated on OSI Mapping on **Figure RW 7.1: Location of the UWF Related Works**.

Figures and mapping referenced in this topic chapter can be found in Volume C3 EIAR Figures.

7.1.3 Sensitive Aspects of the Human Health Environment included for further evaluation

Any sensitive receptor in the local environment which could be impacted by the project is a Sensitive Aspect. The following Sensitive Aspects **are included in this topic chapter** as they could be potentially impacted:

| | | |
|------------------------|--|-------------|
| Sensitive Aspect No. 1 | Local Residents & Community | Section 7.2 |
| Sensitive Aspect No. 2 | Transient People (walkers, road users, farm workers etc) | Section 7.3 |

Each of the above listed Sensitive Aspects are evaluated individually in Sections 7.2 to 7.3 of this Chapter.

To help readers navigate to individual sensitive aspect sections, the colour codes for each Sensitive Aspect used above are also used in the Sensitive Aspect sections Section 7.2 to 7.3. The colour-codes have been applied to section headings, tables and on side-tabs on the edge of the pages.

7.1.4 Sensitive Aspects excluded from further evaluation

No Sensitive Aspects **are excluded from this topic chapter**.

7.1.5 Overview of the Subject Development

The UWF Related Works are the subject development, being the subject of a current application to Tipperary County Council. The main parts of the UWF Related Works are identified in Table 7-1 below.

Table 7-1: Subject Development – UWF Related Works

| Project ID | The Subject Development | Composition of the Subject Development |
|------------|---|---|
| Element 2 | The Subject Development UWF Related Works (RW) | Internal Windfarm Cabling Realigned Windfarm Roads Haul Route Works Telecom Relay Pole RW Ancillary Works |

Note: The UWF Related Works are 'Element 2' of the Whole UWF Project.

A description of the location, size and design, life-cycle stages, use of natural resources, emissions and wastes, and the vulnerability to major accidents and natural disasters is provided in [Chapter 5: Description of the Development – UWF Related Works \(Volume C2 EIAR Main Report\)](#).

This EIA Report is also available on www.upperchurchwindfarm.ie

7.1.6 The Authors of the Human Health Chapter

The RPS Health and Social Impact Assessments (HIA) team is a market leader for robust planning focussed HIA services, with an unrivalled catalogue of major HIA examples, and an unmatched level of proven HIA expertise and experience.

This report was written by Dr. Andrew Buroni (PhD, MSc, BSc (Hons)), Fellow of the Royal Society of Medicine, Fellow of the Royal Society of Public Health), who has over 18 years of experience as a Health and Social Impact Assessment practitioner within the energy, oil and gas, waste management, transport, civil aviation, spatial planning, regeneration and sustainable development sectors.

Tara Barratt (MSc, DIC, BSc (Hons), AIEMA) assisted in the composition of this report. Tara has a Master of Science in Environmental Technology with a focus in environmental epidemiology, following a Bachelor of Science in Geography. Tara has a range of HIA experience which includes windfarms and their grid connections, major transport infrastructure projects and new nuclear power stations.

7.1.7 Sources of Baseline Information

The information sources outlined in Table 7-2 were reviewed during desktop studies and confirmed during fieldwork in order to gather information on the baseline environment. The recommendations in the guidelines listed in the table, have been considered during the preparation of this chapter.

Table 7-2: Sources of Baseline Information for Human Health

| Type | Source |
|--------------|--|
| Consultation | <p>Feedback was received from</p> <ul style="list-style-type: none"> Health Services Executive Members of the public during the Public Consultation and Information Day <p>See Chapter 3: The Scoping Consultations, and Appendices for further details.</p> |
| Guidelines | <ul style="list-style-type: none"> Institute of Public Health in Ireland. (2009). Health Impact assessment Guidance (http://publichealth.ie/files/file/IPH%20HIA.pdf); DECC, "Power Lines: Demonstrating compliance with EMF public exposure guidelines. A voluntary Code of Practice," Department of Energy and Climate Change, 2012 (UK); The Committee on Medical Effects for Air Pollution (COMEAP) quantitative exposure response functions for changes in air quality; International Commission on Non-ionizing Radiation Protection., "ICNIRP guidelines for Limiting Exposure to Time Varying Electric and Magnetic Fields (1 Hz to 100 kHz)," Health Physics, vol. 99, no. 6, pp. 818-836, 2010; and EirGrid (2014) Study 1: EMF Literature review of electromagnetic fields (EMF) and human health, and an evidence base of EMF measurements from the Irish Transmission System |
| Desktop | <ul style="list-style-type: none"> Available Census of Population data published by the CSO; Committee on Medical Effects for Air Pollution (COMEAP); EirGrid (2014) Study 1: EMF Literature review of electromagnetic fields (EMF) and human health, and an evidence base of EMF measurements from the Irish Transmission System; Public health and hospital admissions data from the Health Well; Revised EIAR Chapter 6: Population, Chapter 11: Water, Chapter 12: Air, Chapter 14: Material Assets (Built Services) & Chapter 15: Material Assets (Roads) Ecopower Developments Ltd. (2013) Upperchurch Windfarm Environmental Impact Statement 13510003 Ecopower Developments Ltd. (2013) Upperchurch Windfarm Response to Further Information 13510003 An Bord Pleanála (2014) Inspectors Report for Upperchurch Windfarm PL22.243040 An Bord Pleanála (2014) Grant of Permission for Upperchurch Windfarm PL22.243040 |
| Fieldwork | <ul style="list-style-type: none"> Site Visit Attendance at public information and consultation event |

NOTE: GREY Shading relates to additional information to facilitate the cumulative evaluations.

7.1.7.1 Certainty and Sufficiency of Information Provided

As per the EPA Guidelines (EPA, 2015), the Human Health chapter investigates and assesses the likelihood of significant effects directly attributable to what is proposed, and sets out analysis used to form the conclusions.

7.1.8 Methodology for Evaluating Effects

The Human Health section follows the approach recommended by the Institute of Public Health in Ireland (IPH 2009), Such an approach provides the flexibility to investigate, remove and address potential environmental health issues, while also providing a framework to explore wider determinants of health and community requirements important to good health and wellbeing.

The Human Health section draws from and builds upon the wider EIA technical disciplines, most notably Chapter 6: Population, Chapter 11: Water (in particular Local Wells & Springs), Chapter 12: Air (air quality, noise, vibration, and electromagnetic fields), Chapter 14: Material Assets (Built Services) and Chapter 15: Material Assets (Roads).

7.2 Sensitive Aspect No.1: Local Residents & Community

This Section provides a description and evaluation of the Sensitive Aspect - Local Residents & Community.

7.2.1 BASELINE CHARACTERISTICS of Local Residents & Community

The surrounding area of UWF Related Works is sparsely populated due to its rural nature.

7.2.1.1 STUDY AREA for Local Residents & Community

The Human Health section draws from and builds upon the wider EIA technical disciplines, most notably Chapter 6: Population, Chapter 11: Water (in particular Local Wells & Springs), Chapter 12: Air (air quality, noise, vibration, and electromagnetic fields) and Chapter 15: Material Assets (Roads).

The study area for Local Residents & Community in relation to the UWF Related Works is described in Table 7-3 and illustrated on the Figures and Mapping associated with [Chapter 6: Population Figure RW 6.2](#)), [Chapter 11: Water Figure RW 11.4](#), [Chapter 12: Air Figure RW 12.2.2.1](#), [Chapter 14: Material Assets \(Built Services\) Figure RW 14.2](#) and [Chapter 15: Material Assets \(Roads\) Figure RW 15.3](#), all in Volume C3 EIAR Figures.


Table 7-3: UWF Related Works Study Area for Local Residents & Community

| Study Area for Local Residents & Community | Justification for the Study Area Extents |
|--|--|
| In order to evaluate cross-factor effects, the same geographical boundaries were used for Human Health as those used for Chapter 6: Population (Local Economy), Chapter 11: Water (Local Wells & Springs), Chapter 12: Air (Local Residents & Community), Chapter 14: Material Assets – Built Services (Local Residents & Community) and Chapter 15: Material Assets - Roads (Road Users). | The geographic boundaries are consistent with Chapter 6: Population (Local Economy), Chapter 11: Water (Local Wells & Springs), Chapter 12: Air (Local Residents & Community), Chapter 14: Material Assets – Built Services (Local Residents & Community and Chapter 15: Material Assets - Roads (Road Users) thereby enabling the Human Health section to appraise the potential change in environmental and socio-economic determinants of health. |

7.2.1.2 Baseline Context and Character of Local Residents & Community in the UWF Related Works Study Area

The surrounding area of UWF Related Works is sparsely populated due to its rural nature. The UWF Related Works is located within North Tipperary; the population structure within North Tipperary is displayed in Graph 7-1.

Graph 7-1: Population Structure of North Tipperary Compared to Ireland Source: (CSO, 2016)



As shown in Graph 7-1, local residents and communities in North Tipperary are generally of a similar demographic to the national average. The most significant differences can be seen in the youngest and oldest age categories where there is a higher proportion of those aged 0-4, 10-14, and 75-80+ in North Tipperary compared to the national average.

Physical, mental and social health status of the population in North Tipperary, in which the UWF Related Works is located, is summarised and compared to the national average in Table 7-4. Cells highlighted in green indicate a better health status than the national average, while red highlighted cells represent a worse health status compared to the national average.

Table 7-4: North Tipperary Health Baseline Compared to the Ireland Average

| Indicator | North Tipperary | Ireland Average |
|---|-----------------|-----------------|
| Limiting Long-Term Illness (2011) | | |
| Total persons with a disability | 13.7% | 13.0% |
| Condition that limits basic physical activities | 43.8% | 41.1% |
| Mental Health | | |
| Psychological or emotional condition (2011) | 14.6% | 16.1% |
| Suicide per 100,000 (2007-2013) | 12.8 | 11.3 |
| Deliberate self-harm per 100,000 (2012) | 417.8 | 423.1 |
| 5 Year Standardised Mortality Rates | | |
| All deaths – all ages | 669.7 | 563.6 |

| Indicator | North Tipperary | Ireland Average |
|--|-----------------|-----------------|
| Deaths heart disease and stroke – all ages (2008-2012) | 252.6 | 182.8 |
| Deaths cancer – all ages (2008-2012) | 204.6 | 175.6 |
| Deaths respiratory disease – all ages (2008-2012) | 57.4 | 64.9 |

Sources: (IPH, n.d.) (Lenus, 2015)

As shown in Table 7-4, North Tipperary performs marginally worse than the national average for the majority of health status indicators. However, mortality from respiratory disease and mental health indicators such as deliberate self-harm and those diagnosed with a psychological or emotional condition are lower in North Tipperary compared to the national average. Overall, the most noticeable health status disparities in the study area compared to the national average are the higher mortality rates for all-causes, cardiovascular disease, and cancer.

Local environmental and socio-economic context:

As described in Chapter 6: Population, the UWF Related Works are located in two Electoral Districts – Upperchurch and Foilnahan, which include the village of Kilcommon. Upperchurch village lies immediately adjacent in the Electoral District of Gortakelly. Due to its proximity, Gortakelly is also included in the UWF Related Works Study Area. In Census 2016, the population of the UWF Related Works Study Area was 1,176 persons. In 2014, disposable income per person was approximately 5 per cent lower in Tipperary North, compared to the State average of €19,178. Agriculture and forestry are important sectors in the study area, accounting for 78 per cent of business premises. Census data from 2016 indicates that a significant proportion of the local workforce commutes to work. The area around UWF Related Works is sparsely populated, comprising once off houses and farmsteads. The nearest villages are Upperchurch and Kilcommon.

As described in Chapter 10: Air, there is a good air quality baseline for the area. Background concentrations of air pollutants are very low and are substantially below the EU limit values. This area is also an area of low background noise and there are no significant sources of vibration. Electromagnetic fields result from electrical objects in residential and working environments in addition to local overhead electricity lines which are generally aligned beside the public road network in the vicinity. In relation to potential air quality and noise related effects, there are 41 no. local residences within 350m of construction, 9 no. of which are within 50m of construction works. In addition 33 local residences are located along construction material haul routes. In relation to the potential for electromagnetic field related effects, there are 9 no. local residences within 100m of Internal Windfarm Cabling. There are no schools located in the UWF Related Works Study Areas.

As described in Chapter 11: Water and Chapter 14 Material Assets Built Services, there are no wells within 100m downslope of UWF Related Works. The majority of residences and farms in close proximity to UWF Related Works are supplied via public water supply pipelines.

As described in Chapters 14: Material Assets Built Services, local residents are generally serviced by overhead electricity lines and overhead telephone lines. Underground water supply also occurs along roads in the area.

As described in Chapter 15: Material Assets Roads, roads in the UWF Related Works study area generally comprise local roads and one regional road (R503), these roads are very lightly trafficked at present.

7.2.1.3 Importance of Local Residents & Community

In the absence of good physical, mental and social health and wellbeing, individuals and communities become limited in achieving their full potential. Therefore, achieving and maintaining good health and wellbeing

through prevention techniques rather than treatment is of utmost importance. In addition to the clear benefits of good health on an individual and community scale, healthy lifestyles and behaviours contribute to relieving any unnecessary burden on healthcare services across Ireland to maintain good quality, access, value, standards of care and patient outcomes.

7.2.1.4 Sensitivity of Local Residents & Community

Individuals are considered more sensitive if there is an existing burden of poor health within the area, or there is a dominantly older or younger demographic. The age structure presented in Graph 7-1 is generally very similar to the national average but shows the most significant differences in the youngest and oldest age categories, where there is a higher proportion of those aged 0-4, 10-14, and 75-80+ in North Tipperary compared to the national average. In addition, the health baseline presented in Table 7-4 shows a higher existing burden of poor health in comparison to the national average. Overall, this suggests that the community surrounding the UWF Related Works are marginally more sensitive to changes to environmental and socio-economic health pathways than the average population in Ireland, potentially resulting in disproportionate health effects. This spatial sensitivity has been taken into account within the health assessment.

7.2.1.5 Trends in the Baseline Environment (the 'Do-Nothing' scenario)

Between 2011 and 2016, population growth in County Tipperary (North and South) has been only 0.5% which is lower than the national average of 3.8% (CSO, 2016). Following this trend, in a do-nothing scenario it would be expected that levels of population growth would be minimal by the commencement of construction or operation.

7.2.1.6 Receiving Environment (the Baseline + Trends)

The trends identified will not significantly change by the time the construction or operation phases commence. Therefore, it is assumed in this report that the baseline environment identified above will be the receiving environment.

7.2.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics

7.2.2.1 UWF Related Works Cumulative Evaluation Study Area

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for Local Residents & Community | Justification for the Study Area Extents |
|---|--|
| In order to evaluate cross-factor cumulative effects, the same geographical boundaries were used for Human Health as those used for Chapter 6: Population (Local Economy), Chapter 11: Water (Local Wells & Springs), Chapter 12: Air (Local Residents & Community), Chapter 14: Material Assets – Built Services (Local Residents & Community) and Chapter 15: Material Assets - Roads (Road Users). | The geographic boundaries are consistent with Chapter 6: Population (Local Economy), Chapter 11: Water (Local Wells & Springs), Chapter 12: Air (Local Residents & Community), and Chapter 15: Material Assets - Roads (Road Users) thereby enabling the Human Health section to appraise the potential cumulative change in socio-economic determinants of health, drinking water quality, cumulative changes in air quality, and ambient levels of noise, vibration or EMF, and in-combination effects to road safety. |

The study area is illustrated on [Chapter 6: Population Figure CE 6.2](#), [Chapter 11: Water Figure CE 11.4](#), [Chapter 12: Air Figure CE 12.2.2.1](#), [Chapter 14: Material Assets \(Built Services\) Figure CE 14.2](#) and [Chapter 15: Material Assets \(Roads\) Figure CE 15.3](#), all in Volume C3 EIAR Figures.

7.2.2.1.1 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project. A description of these Other Elements is included in this EIA Report at [Appendices 5.3, 5.4, 5.5 and 5.6](#), in [Volume C4 EIAR Appendices](#). Scoping of these Other Elements is presented in [Section 7.2.2.2.1](#) below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements and Other Projects or Activities which are described in Table 7-5 and illustrated on [Chapter 6: Population Figure WP 6.2](#), [Chapter 11: Water Figure WP 11.4](#), [Chapter 12: Air Figure WP 12.2.1 and Figure WP 12.2.2](#), [Chapter 14: Material Assets \(Built Services\) Figure WP 14.2](#) and [Chapter 15: Material Assets \(Roads\) Figure WP 15.3](#), all in Volume C3 EIAR Figures..

Table 7-5: Whole Project Cumulative Evaluation Study Area for Local Residents & Community

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|--|--|---|
| Element 1: UWF Grid Connection | In order to evaluate cross-factor cumulative effects, the same geographical boundaries were used for Chapter 6: Population (Local Economy), Chapter 11: Water (Local Wells & Springs), Chapter 12: Air (Local Residents & Community), and Chapter 15: Material Assets - Roads (Road Users) thereby enabling the Human Health section to appraise the potential cumulative change in socio- | The geographic boundaries are consistent with Chapter 6: Population (Local Economy), Chapter 11: Water (Local Wells & Springs), Chapter 12: Air (Local Residents & Community), and Chapter 15: Material Assets - Roads (Road Users) thereby enabling the Human Health section to appraise the potential cumulative change in socio- |
| Element 2: UWF Related Works | | |
| Element 3: UWF Replacement Forestry | | |
| Element 4: | | |

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|------------------------------------|--|---|
| Upperchurch Windfarm (UWF) | Material Assets – Built Services (Local Residents & Community) and Chapter 15: Material Assets - Roads (Road Users). | economic determinants of health, drinking water quality, cumulative changes in air quality, and ambient levels of noise, vibration or EMF, and in-combination effects to road safety. |
| Element 5: UWF Other Activities | | |

7.2.2.2 Overview of Other Elements, Other Projects or Activities

The evaluation of cumulative impacts to Local Residents & Community also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Local Residents & Community with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in [Appendix 2.3: Scoping of Other Projects or Activities \(Section A2.3.1 and Section A2.3.2.7\)](#).

The results of this scoping exercise are that: Bunkimalta Windfarm has been scoped in for evaluation of cumulative effects to Local Residents & Community.

7.2.2.2.1 Potential for Impacts to Local Residents & Community

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project and for the Other Projects or Activities to cause cumulative effects to the Sensitive Aspect Local Residents & Community. The results of this evaluation are included in Table 7-6.

The location of, and study area boundary associated with, the Other Elements and Other Projects or Activities which are included for cumulative evaluation is illustrated on the Figures and Mapping associated with [Figure WP 6.2, Figure WP 11.4; Figure WP 12.2.1 and Figure WP 12.2.2, Figure WP 14.2 and Figure WP 15.3](#). The baseline character of the areas around these projects is described in Section 7.2.2.3.

Table 7-6: Results of the Evaluation of the Other Elements and Other Projects or Activities

| Other Elements of the Whole UWF Project | |
|--|--|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects |
| Element 3: UWF Replacement Forestry | <p><u>Evaluated as excluded</u>: no potential to cause any adverse health impacts to Local Residents & Community, as there will be:</p> <ul style="list-style-type: none"> Neutral impacts to the local economy: as per Chapter 6: Population, Section 6.2.1, trees are likely to be sourced from Dundrum or further afield, which is located just outside the larger cumulative evaluation study area. At a local scale, the financial transactions (positive impact) associated with the UWF Replacement Forestry will be relatively low. Capital expenditure will be greatest during the planting stage and will represent less than 1% of the Local Economy. On this basis, health impacts to local populations will be Neutral. No impact to water quality in local wells & springs: as per Chapter 11: Water, Section 11.2.4, due to Project Design Measures any impacts to local surface water bodies will be no greater than Imperceptible, additionally no springs or wells were identified within 50m of the UWF |

| | |
|---------------------------------|--|
| | <p>Replacement Forestry (Chapter 11: Water, Section 11.4.2.2.1). On this basis, there is no potential for any impact on local water quality or water availability sufficient to impact upon local health.</p> <ul style="list-style-type: none"> No likely impacts to public water supply: as per Chapter 14: Material Assets (Built Services), Section 14.2.4, due to Project Design measures. On this basis there is no potential for any health impacts due to contaminated water or disruption of supply. No material adverse impact on air quality, noise or vibration: as per Chapter 12: Air, Section 12.2.2.2.1, planting of the new woodland will have Neutral impact on air quality as works will be carried out by hand using spades, with use of vehicles limited to personnel vehicles. No mechanical noise or vibration sources during planting stage, as planting will be carried out by hand in grassland fields, therefore no noise or vibration impact will occur. During the growth stage, chainsaws may be used during thinning activities, however this type of activity will be infrequent, brief in nature and at a distance from local residents. Potential community exposure to environmental health pathways are therefore not of a magnitude, timing or duration to quantify any adverse impacts to local community health during any planting activities or thinning activities. No EMF emissions: in relation to electromagnetic fields, there are no electrical or radio-communication parts associated with the UWF Replacement Forestry. Therefore, the UWF Replacement Forestry will not influence local EMF or result in any change in exposure, with no potential for impacts to health. Neutral impact on traffic volumes: as per Chapter 15: Material Assets (Roads), Section 15.3.2.2.1, the planting programme will generate extremely low traffic volumes, with 1-2 vehicles movements per day over a one month period. As a comparative example this level of traffic is substantially less than the daily level of traffic generated by a single residential dwelling. During the growth stage, traffic will be in the region of 2 to 4 vehicle movements per year. Due to the extremely low traffic volumes associated with the UWF Replacement Forestry, it is considered that Neutral effects will occur to Road Users on the local roads in the vicinity, with Neutral impact on local health. No decommissioning effects, as UWF Replacement Forestry will be permanent woodland. |
| Element 4: Upperchurch Windfarm | <u>Included</u> for the evaluation of cumulative effects |
| Element 5: UWF Other Activities | <p><u>Evaluated as excluded: no potential to cause any adverse health impacts to Local Residents & Community</u>, as there will be:</p> <ul style="list-style-type: none"> Neutral impacts to the local economy: as per Chapter 6: Population, Section 6.2.2.2.1, at a local scale, the financial transactions (positive impact) associated with the UWF Other Activities will be relatively low and will not cause any measurable effect to the local economy. Specifically in relation to the Haul Route Activities, no business disruption is likely given the location of these activities on the verges of regional and national roads, the small extent and momentary to temporary duration of the activities. On this basis, there is no material risk to health. Neutral impacts to water quality: as per Chapter 11: Water, Section 11.4.2.2.1, no likely effects to water quality as a result of Haul Route Activities, Overhead Line Activities or Monitoring Activities, no major excavations required for Upperchurch Hen Harrier Scheme, therefore any effects to water quality will be neutral. On this basis, health effects caused by contaminated water are also not likely to occur. No likely impacts to public water supply: as per Chapter 14: Material Assets (Built Services), Section 14.2.2.2.1. |

- Neutral impacts to Air: as per **Chapter 12: Air, Section 12.2.2.2.1**, any vehicle and equipment use will be of a short duration, transient in nature, and the relative change in concentration and community exposure will be orders of magnitude lower than is required to quantify any material impact on health. Any noise or vibration emitted by machinery or vehicles used to carry out the UWF Other Activities, will be in the context of background noise and vibration from regional or national roads, or will not be noticeable in the context of local traffic and farming activity. Equipment which will be used includes a hedge cutter and tractor and hand tools. Activities will take between 15 minutes and 2 days to complete at the various locations. Given that any change will be temporary and transient in nature, of a short duration and low magnitude with limited opportunity for community exposure, there is Neutral risk to health. In relation to electromagnetic fields, there are no electrical or radio-communication parts associated with the UWF Other Activities. On this basis, there is no potential for changes in exposure to EMF, and Neutral risk to health.
- Neutral impacts to Road Users: as per **Chapter 15: Roads & Road Users, Section 15.3.2.2.1**, the traffic increases as a result of the Haul Route Activities (tree trimming, laying of matting, street furniture removal), will be in all cases considerably less than 1% of the current traffic volumes on these roads. Given that the normal day-to-day variation in traffic conditions can be as much as 10%, the relative change is not of a level to quantify any impact on health. In addition, no works to the road network or road boundaries form part of the Overhead Line Activities, or Upperchurch Hen Harrier Scheme or Monitoring Activities, and taking into consideration the extremely low volumes of traffic associated with these activities, and the brief duration of any public road use, no effects to Road Users are likely.
- No decommissioning effects, as any activities consequent of Upperchurch Windfarm decommissioning will be minimal, brief and reversible.

Other Projects or Activities

| | |
|---------------------|---|
| Bunkimalta Windfarm | <u>Yes, included</u> for the evaluation of cumulative effects |
|---------------------|---|

7.2.2.3 Cumulative Information: Baseline Characteristics – Context & Character

The cumulative study area, in relation to Other Elements of the Whole UWF Project and Other Projects (Bunkimalta), includes additional areas in North Tipperary, and also extends into South County Tipperary and County Limerick to reflect the entire Slievefelim to Silvermine Upland Area for the evaluation of indirect Population effects. It is assumed in this chapter that the population structure of the Cumulative Evaluation Study is similar to the North Tipperary Data provided in Graph 7-1.

The physical, mental and social health status of population in North Tipperary is outlined in Table 7-4, the status of the populations of South Tipperary and County Limerick is outlined in Table 7-7.

Table 7-7: South Tipperary and County Limerick Health Baseline

| <u>Indicator</u> | <u>South Tipperary</u> | <u>County Limerick</u> |
|---|-------------------------------|-------------------------------|
| Limiting Long-Term Illness (2011) | | |
| Total persons with a disability | 14.7% | 12.6% |
| Condition that limits basic physical activities | 44.2% | 42.2% |
| Mental Health | | |
| Psychological or emotional condition (2011) | 15.6% | 15.1% |
| Suicide per 100,000 (2007-2013) | 14.5 | 11.6 |

| <u>Indicator</u> | <u>South Tipperary</u> | <u>County Limerick</u> |
|--|------------------------|------------------------|
| Deliberate self-harm per 100,000 (2012) | 401.1 | 314.7 |
| 5 Year Standardised Mortality Rates | | |
| All deaths – all ages | 536.1 | 643.1 |
| Deaths heart disease and stroke – all ages (2008-2012) | 180.4 | 215.5 |
| Deaths cancer – all ages (2008-2012) | 166.9 | 188.6 |
| Deaths respiratory disease – all ages (2008-2012) | 51.8 | 81.6 |

Sources: (IPH, n.d.) (Lenus, 2015) (Lenus, 2015)

7.2.2.3.1 Element 1: UWF Grid Connection – including preliminary preferred 110kV UGC route Jan'19

Mountphilips Substation is located off a local road to the north of Newport town, while the 110kV UGC is routed along the public road through Newport, then along the R503 through Rear Cross village to Knocknabansha and then along local roads to the Consented Upperchurch Windfarm Substation.

Local environmental and socio-economic context:

Population, with the exception of the Newport area, the upland area around the 110kV UGC is sparsely populated, comprising once off houses and farmsteads and small villages. The nearest villages are Rear Cross and Kilcommon. Local residents and community facilities in the area are concentrated in Newport town.

Air, there is a good air quality with very low background concentrations of air pollutants. The area around Mountphilips Substation is an area of low background noise, while the area along public road networks is considered to have normal background noise levels. There are two high voltage (110kV and 220kV) overhead lines in the vicinity of Coole/Mountphilips. In relation to potential air quality and noise related effects, there are 866 no. local residents and 91 no. community facilities within 350m of construction. Construction material haulage will also occur on these roads, and 371 no. of the local residents and 68 no. of the community facilities are located within 50m of construction material haul routes. In relation to the potential for electromagnetic field related effects, there are 532 no. local residents, 74 no. community facilities (3 of which are schools) within 100m of the 110kV UGC. The distance of the UWF Grid Connection from these 3 local schools is 23m from Newport College Secondary School, 16m from Lackamore National School and 62m from Rear Cross National School.

As described in Chapter 11: Water, it is likely that local residents and community facilities in Newport and Rear Cross are on the public water supply network, and while it is also likely that the majority of houses in close proximity to the 110kV UGC route are supplied via public water supply pipelines that there may be some wells which are close to construction works areas.

As described in Chapters 14: Material Assets Built Services, local residents are generally serviced by overhead electricity lines and overhead telephone lines. Underground water supply also occurs along some roads in the area.

As described in Chapter 15: Material Assets Roads, roads in the UWF Related Works study area generally comprise local roads and one regional road (R503), these roads are very lightly trafficked at present.

UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area in the Knocknabansha, Knockmaroe, Knockcurraghbola Commons, and Knockcurraghbola Crownlands where the 110kV UGC is located the public roads R503, L2264-50 and L-6188-0 and along the forestry road to the Consented UWF Substation.

| | |
|-----------------------------|---|
| Local Residents & Community | 7.2.2.3.1 Element 3: UWF Replacement Forestry |
| | Not applicable – Element evaluated as excluded. See Section 12.2.2.2.1 |
| Sensitive Aspect | 7.2.2.3.2 Element 4: Consented Upperchurch Windfarm |
| | <p>Upperchurch Windfarm is a consented 22-turbine windfarm, which is located on a series of hills between the villages of Kilcommon and Upperchurch.</p> <p>Local environmental and socio-economic context:</p> <p>Population, the area around the Consented Upperchurch Windfarm is sparsely populated, comprising once off houses and farmsteads and the small villages of Upperchurch and Kilcommon.</p> <p>Air, there is a good air quality with very low background concentrations of air pollutants. In relation to potential air quality and noise related effects, there are 32 no. local residences (no community facilities) within 350m of construction works areas, and 33 no. local residences within 50m of construction material haul routes on the local roads in the windfarm area. In relation to potential electromagnetic field related effects, there are no local residences or community facilities within 100m of Consented UWF Turbines or the Consented UWF Substation.</p> <p>As described in Chapter 11: Water, there are no wells or springs within 100m of construction works.</p> <p>As described in Chapters 14: Material Assets Built Services, local residents are serviced by overhead electricity and telephone lines. Underground water supply also occurs along most roads in the area.</p> <p>As described in Chapter 15: Material Assets Roads, roads in the Upperchurch Windfarm study area generally comprise local roads and one regional road (R503), these roads are very lightly trafficked at present.</p> <p><u>Consideration of the Passage of Time:</u> Human health was not specifically evaluated in the 2013 and 2014 assessments for the consented Upperchurch Windfarm. However, this environmental factor is now considered in the evaluations in this Revised EIAR for UWF Related Works, and a cumulative evaluation is carried out for Upperchurch Windfarm.</p> |
| Human Health | 7.2.2.3.1 Element 5: UWF Other Activities |
| | Not applicable – Element evaluated as excluded. See Section 12.2.2.2.1 |
| Topic | 7.2.2.3.2 Other Projects or Activities: <u>Consented Bunkimalta Windfarm</u> |
| | <p>Bunkimalta Windfarm (consented): is a 16 – turbine windfarm, located in the northern half of the Slievefelim to Silvermines Mountain upland area, and at a substantial separation distance to any of the Whole UWF Project Elements.</p> |

7.2.3 PROJECT DESIGN MEASURES for Local Residents & Community

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

The Project Design Measures outlined in Table 7-8 are relevant to the Environmental Factor, Human Health, and in particular to the sensitive aspect **Local Residents & Community**.

Table 7-8: UWF Related Works Project Design Measures relevant to Local Residents & Community

| PD ID | Project Design Environmental Protection Measure (PD) |
|-------|--|
| PD01 | All construction works will be carried out during daylight hours. |
| PD02 | Flag-men will be used at temporary site entrances rather than creating sightlines by the removal of roadside boundaries. These flagmen will control the movement of traffic on the public road, so that road users can continue to use the local road network in a in a safe and efficient manner. |
| PD03 | Construction works in Knocknabansha , Knockmaroe, Knockcurraghbola Crownlands and Knockcurraghbola Commons townlands, which are within 350m of local residences, will not take place at the same time as either the UWF Grid Connection or Upperchurch Windfarm. |
| PD04 | Confirmatory consultations with Irish Water, Eir and ESB and confirmatory ground surveys at service locations will be carried out ahead of works; ‘Goal Posts’ will be used to identify and highlight the height of nearby overhead lines; and a foreman will look out for underground pipes during excavations near services. |
| PD10 | Only precast concrete culverts or structures will be used at watercourse crossing locations. No batching of wet cement will take place on-site. |
| PD18 | There will be no refuelling of vehicles or plant permitted within 100m of a watercourse |
| PD19 | The main fuel stocks for, and chemical wastes arising from, construction activities will be stored in a designated location, away from main traffic activity, within the temporary compound (Consented Upperchurch Windfarm Site Compound No.1). All fuel will be stored in bunded, locked storage containers. |
| PD20 | Overnight parking of plant and machinery will only be permitted at locations which are greater than 50m from watercourses and where there is an existing hard-core surface in place. |
| PD21 | No refuelling of plant or equipment will be permitted within 100m of identified wells |

Cumulative Information: Potential or likely significant impacts caused by the Other Elements of the Whole UWF Project were avoided, prevented or reduced by incorporating Project Design Measures into the design of the UWF Grid Connection and into the consented design of the Upperchurch Windfarm. These Project Design Measures are included in the description of these Elements, and can be found in this EIA Report in [Appendices 5.3 and 5.5](#), in [Volume C4: EIAR Appendices](#).

7.2.4 EVALUATION OF IMPACTS to Local Residents & Community

In this Section, the likely direct and indirect effects of the UWF Related Works are identified and evaluated. Then the likely cumulative effects of the UWF Related Works together with the Other Elements of the Whole UWF Project and Other Projects or Activities are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Local Residents & Community.

As a result of the exercise, some impacts were included and some were excluded.

Table 7-9: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts <u>Included</u> (Evaluated in the Impact Evaluation Table sections) | Impacts <u>Excluded</u> (Justification at the end of the Impact Evaluation Table sections) |
|---|---|
| Increased employment which is a wider determinant of health (construction stage) | Potential impact on health as a result of contamination of well water supplies (construction stage) |
| | Potential impact upon cardiovascular and respiratory health from changes to air quality (construction stage) |
| | Potential impact upon mental health (from stress, annoyance and sleep disturbance) and as a consequence, impact on cardiovascular health associated with exposure to noise and vibration (construction stage) |
| | Increased risk of injury from road traffic accidents (construction stage) |
| | Increased employment which is a wider determinant of health (operational stage) |
| | Potential impact upon mental health (from stress, annoyance and sleep disturbance) and as a consequence, impact on cardiovascular health associated with exposure to noise and vibration (operational stage) |
| | Potential impact on health as a result of exposure to EMF (operational stage) |
| | Increased risk of injury from road traffic accidents (operational stage) |

The source-pathway-receptor links for the impact included are described in the Impact Evaluation Table in the next section. **The Impact Evaluation Table is presented in the following Section 7.2.4.1.**

The source-pathway-receptor links and the rationale for impacts excluded are described in the section directly after the Impact Evaluation Table section, in Section 7.2.4.2

7.2.4.1 Impact Evaluation Table: Increased Employment**Impact Description**

Project Life Cycle Stage: Construction stage

Impact Source: Construction contracts

Cumulative Impact Source: Construction contracts

Impact Pathway: Financial transactions

Impact Description: An increase in direct employment within the study area which is associated with individual financial welfare, and also results in secondary induced spending in the local economy.

Impact Quality: **Positive**

Evaluation of the Subject Development Impact – Increased Employment**Element 2: UWF Related Works – direct/indirect impact**

Impact Magnitude:

There will be approximately 5 people working directly on the UWF Related Works element of the project over the course of the construction phase.

Significance of the Impact: Imperceptible

Rationale for Impact Evaluation:

- Income and employment are key determinants of health. In this instance, the direct employment opportunities offered during the construction phase are minor and temporary, but still represent a health benefit at the individual level, with residual indirect and diffuse socio-economic health benefits.

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude:

Overall, there will be approximately 100 people working directly on UWF Related Works and Upperchurch Windfarm over the course of the construction phase (there is no increase in employment numbers as UWF Related Works will be carried out by Upperchurch Windfarm construction crews).

Significance of the Cumulative Impact: Slight Positive

Rationale for Cumulative Impact Evaluation:

- Income and employment are key determinants of health. In this instance, the direct employment opportunities offered during the construction phase are temporary but still represent a minor positive effect on health from direct income and employment, with residual indirect and diffuse benefits at the regional and local level.

Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project**Element 1: UWF Grid Connection**

Impact Magnitude: There will be approximately 100 people working directly on the UWF Grid Connection element of the project over the course of the construction phase.

Significance of the Impact: Slight positive

Rationale for Impact Evaluation:

- Income and employment are key determinants of health. In this instance, the direct employment opportunities offered during the construction phase are temporary but still represent a minor positive effect on health from direct income and employment, with residual indirect and diffuse benefits at the regional and local level.

Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 7.2.2.2.1

Element 4: Consented Upperchurch Windfarm

Impact Magnitude: There will be approximately 100 people working directly on the Upperchurch Windfarm element of the project over the course of the construction phase.

Significance of the Impact: Slight positive

Rationale for Impact Evaluation:

- Income and employment are key determinants of health. In this instance, the direct employment opportunities offered during the construction phase are temporary but still represent a minor positive effect on health from direct income and employment, with residual indirect and diffuse benefits at the regional and local level.

Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 7.2.2.2.1

Cumulative Information: Individual Evaluations of Other Projects or Activities

Bunkimalta Windfarm (consented)

Impact Magnitude: As per Chapter 6 Population: it is estimated that there will be approximately 130 people working directly on the Bunkimalta Windfarm project (including the grid connection) over the course of its construction period.

Significance of the Impact: Slight positive

Rationale for Impact Evaluation:

- Income and employment are key determinants of health. In this instance, the direct employment opportunities offered during the construction phase are temporary but still represent a minor positive effect on health from direct income and employment, with residual indirect and diffuse benefits at the regional and local level.

Evaluation of Other Cumulative Impacts – Increased Employment

Whole UWF Project Effect

Cumulative Impact Magnitude:

Overall, there will be approximately 200 people working directly on the UWF Grid Connection and the UWF Related Works and the Upperchurch Windfarm over the course of the construction phase.

Significance of the Cumulative Impact: Slight Positive

Rationale for Cumulative Impact Evaluation:

- Income and employment are key determinants of health. The cumulative direct employment opportunities offered during the construction phase are temporary but support job security; and represent a minor positive contribution effect on health from direct income and employment, with residual indirect and diffuse benefits at the regional and local level.

All Elements of the Whole UWF Project with Other Projects or Activities

Cumulative Impact Magnitude:

Overall, there will be approximately 330 people working directly on the Whole UWF Project and the Bunkimalta Windfarm project during their construction periods.

Significance of the Cumulative Impact: Imperceptible Positive

Rationale for Cumulative Impact Evaluation:

- The temporary duration of the construction stage, in the context of the larger Cumulative Evaluation Study Area

Local Residents & Community

Sensitive Aspect

Human Health

Topic

7.2.4.2 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in Table 7-10 below.

Table 7-10: Description and Rationale for Excluded Impacts to Local Residents & Community

Key: 1: UWF Grid Connection; 2: UWF Related Works; 3: UWF Replacement Forestry; 4: Upperchurch Windfarm; 5: UWF Other Activities

| Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|---|-----------------|---------|--|---|
| Construction Stage | | | | |
| Contamination of water supply | 1, 2, 4 | Water | Potential impact on health as a result of contamination of well water supplies | Rationale for Excluding: No likely health impacts As stated in Chapter 11 (Water) there are small volumes of potential contamination sources on-site (stored fuels and oils). In addition, appropriate project design measures will be put in place during the construction phase and it was considered by the authors of Chapter.11 Water that effects to water supply are not likely to occur. As a result, health effects caused by contaminated water are also not likely to occur. |
| Contamination of water supply | 1, 2, 4 | Water | Potential impact on health as a result of contamination of public water supplies | Rationale for Excluding: No potential for health impacts The vast majority of local Residents, Local Community (UWF Grid Connection only) and local schools (UWF Grid Connection only) are serviced by water supply is via the piped Irish Water public supply, as stated in Chapter 14: Material Assets (Built Services - Water Supply) due to UWF Related Works and UWF Grid Connection project design measures there is no likelihood of any impacts to this water supply. As a result, health effects caused by contaminated water are also not likely to occur. |
| Air quality impacts from vehicle emissions and dust (PM ₁₀ and PM _{2.5}) | 1, 2, 4 | Air | Potential impact upon cardiovascular and respiratory health | Rationale for Excluding: Neutral health impacts According to IAQM guidelines, the sensitivity of the surrounding area to human health impacts is Low and the majority of residential properties and community facilities (including schools) are greater than 50m away from construction works or construction haul routes. In addition, background levels of pollutants are significantly below relevant EU limit values set for the protection of human health. As a result, any impact to air quality during the construction phase will be temporary, intermittent and not of a concentration or exposure to quantify any adverse health outcome to local residents or members of the community. |
| Noise impacts from machinery | 1, 2, 4 | Air | Potential impact upon mental health (from stress, annoyance and sleep disturbance) and as a consequence, | Rationale for Excluding: Neutral health impacts The nature of construction noise will be temporary and intermittent. Noise generated from construction activities (measured at the façade of dwellings) has potential to exceed the NRA threshold limits over a period of 1-2 days at a limited number of houses, the threshold limits will not be exceeded at other house |

Local Residents & Community

Sensitive Aspect

Human Health

Topic

| Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|---|-----------------|---------|--|--|
| | | | impact on cardiovascular health | <p>locations, and any increases in noise will be temporary.</p> <p>Noise level impacts will be reduced through project design measures such as limiting working hours to daytime hours only (07:00-19:00hrs Monday to Friday and 08:00-16:30hrs on Saturday), along with the control of sequencing of works in the Knockmaroe/Knockcurraghbola to ensure only one Element is being constructed at any one time within 350m of a residence. Although not planned, any construction works that take place between 19:00 and 22:00 (Monday to Friday), 08:00 to 16:30 (Sunday and bank holidays), or at any other time, will require the explicit permission of the relevant local authority unless in an emergency and will be limited to 60 LAeq(1 hour) dB.</p> <p>As a result, noise generated during the construction phase presents limited opportunity for any risk of annoyance or sleep disturbance, and when considered in the context of the very short duration of works within close proximity to any property it is considered that there will be Neutral health effects to local residents or community.</p> <p>In relation to local schools: Noise generated along the 110kV UGC route during the construction phase is limited, where the closest Local School is located approximately 30m away. As per Section 12.2.4.2: worst case scenario for noise will not exceed 70dB at approximately 30m. The UWF Grid Connection will not be constructed within 30m of Local Schools during school opening hours, therefore it is considered that health effects to children and teachers at Local Schools will be neutral.</p> |
| Construction traffic and road works along haul routes | 1, 2, 4 | Roads | Increased risk of injury from road traffic accidents | <p>Rationale for Excluding: No likely health impacts</p> <p>As per Chapter 15: Material Assets (Roads), the local and regional roads in the study area are very lightly trafficked, with no records of serious traffic accidents on any of the local roads. The speeds recorded during traffic counts were well below to allowable limits (80km) on most of the roads in the area. In relation to the R503, this road is also very lightly trafficked with 1 serious accident in the last 10 years (Newport, 2011).</p> <p>Construction traffic will not add substantial volumes of traffic, and in excess of 90% of road capacity will remain available. In addition, road safety has been designed into the UWF Grid Connection project through the use of appropriate advance warning signage, flagmen and traffic management measures (such as scheduling of deliveries past local schools to take place outside of school drop-off/pick-up times).</p> |

Local Residents & Community

Sensitive Aspect

Human Health

Topic

| Local Residents & Community | Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|-----------------------------|--|-----------------|------------------------|--|---|
| | | | | | As a result and in summary, any changes to traffic flows as a result of the construction phase will be temporary, appropriately managed and as a result the increased risk of injury from road traffic accidents will be Neutral. |
| Sensitive Aspect | Operational Stage | | | | |
| | Employment opportunities | 1, 2, 4 | Financial transactions | | <p>Rationale for Excluding: Neutral health impacts</p> <p>Employment levels during the operational phase are very low for the UWF Grid Connection (c. 17 man days per year), UWF Related Works (c. 3 man days per year) and Upperchurch Windfarm (8 permanent jobs).</p> <p>Consequently, there will be a positive impact to financial prosperity important to socio-economic health and wellbeing, albeit not of a magnitude sufficient to assess at a population level.</p> |
| | Noise impacts from the Mountphilips Substation, the Consented UWF Substation, and the Consented UWF Turbines | 1, 2, 4 | Air | Potential impact upon mental health (from stress, annoyance and sleep disturbance) and as a consequence, impact on cardiovascular health | <p>Rationale for Excluding: No likely health impacts</p> <p><u>UWF Grid Connection</u>: There are 6 local residences (no schools or community facilities) within 400m of the Mountphilips Substation; the nearest of these is 385m to the east of the substation along the L2166-0 local road. A noise level of 60dB(A) was measured at 5m away from a representative substation, which has been calculated to result in a worst case noise level of 22dB(A) at 385m; this is below the background noise threshold of 35dB(A) for low background noise locations. The WHO states that "Guideline values for annoyance have been set at 50-55dB(A), representing daytime levels below which a majority of the adult population will be protected from becoming moderately or seriously annoyed, respectively". As the worst case noise level at 385m will be well below the 50dB(A) WHO guideline, it is expected that there will be no annoyance or consequential health impact as a result of the operation of the existing Mountphilips Substation.</p> <p><u>UWF Related Works</u>: No noise will be omitted by the operational Telecom Relay Pole or by any other part of the UWF Related Works.</p> <p><u>Upperchurch Windfarm</u>: The consented UWF Substation will emit a similar level of noise as the Mountphilips Substation. The nearest residence to the UWF Substation is similarly just less than 400m away and is the only residence within 400m from the Consented UWF Substation. In relation to the operational turbines, as stated in the RFI 2013, there are approximately 93 dwellings within 900m of the Consented UWF Turbines. Despite an increase in ambient noise levels as a result of the operational Consented UWF Turbines, the level of increase will remain within permitted levels for the most part, and in any case will be lower than WHO guideline values for annoyance, even in a worst case scenario. The</p> |
| Human Health | | | | | |
| Topic | | | | | |

| Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|--|-----------------|---------|--|--|
| | | | | <p>Grant of Permission explicitly states that “subject to compliance with the conditions set out below, the proposed development would not seriously injure the amenities of the area or of property in the vicinity, would not be prejudicial to public health and would be acceptable in terms of traffic safety and convenience”.</p> <p>It is also considered that there is no potential for cumulative effects from all individual project elements as the noise emissions from the UWF Grid Connection (Mountphilips Substation) will not be heard in the same places as noise emissions from the Upperchurch Windfarm.</p> |
| Operational transmission of electricity | 1, 2, 4 | Air | | <p>Rationale for Excluding: Neutral health impacts</p> <p>There will be some increase in magnetic field levels at the 532 No. local residences and 74 No. community facilities (including 3 No. schools) which are within 100m of the 110kV UGC. The worst case increase in levels of magnetic fields at local residences and community facilities within 100m ranged from 0.012μT to 4.372μT. The upper limit would apply where residences/community facilities are closest to the 110kV UGC in Newport town. At the 3 local schools, the worst case increase in levels of magnetic fields is 0.461μT at Newport College Secondary School, 0.123μT at Lackamore National School and 0.046μT at Rear Cross National School.</p> <p>There are 5 No. local residences which are within 100m of both the 110kV UGC and the Internal Windfarm Cabling in the Knockmaroe and Knockcurraghboola Commons area. At these residences the cumulative, worst case increase in magnetic fields will be 0.046μT, which will increase ambient magnetic fields at the closest local residences to 0.246μT.</p> <p>The worst case in-combination ambient magnetic field levels due to both the UWF Grid Connection and the existing overhead line network relates to 1 No. local residence in Coole which is within 100m of both the existing 220kV and the 110kV UGC, worst case EMF would be 0.98μT.</p> <p>All of these worst case levels remain significantly below the more conservative International Commission on Non-Ionizing Radiation Protection (ICNIRP) magnetic field reference level of 100μT (ICNIRP, 1998). As a result, it is expected that there will be a Neutral impact to human health.</p> |
| Operational traffic and road works along haul routes | 1, 2, 4 | Roads | Increased risk of injury from road traffic accidents | <p>Rationale for Excluding: No likely health impacts</p> <p>As per Chapter 15: Material Assets (Roads), the local and regional roads in the study are very lightly trafficked, with no records of serious traffic accidents on any of the local roads. In relation to the</p> |

Local Residents & Community

Sensitive Aspect

Human Health

Topic

| Local Residents & Community | | Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|--|--|----------------------|-----------------|---------|------------------------|--|
| Sensitive Aspect | | | | | | <p>R503, this road is also very lightly trafficked with 1 serious accident in the last 10 years (Newport, 2011).</p> <p>The speeds recorded during traffic counts were well below to allowable limits (80km) on most of the roads in the area. Operational traffic associated with the UWF Grid Connection, UWF Related Works and the Upperchurch Windfarm will add negligible volumes of traffic to the local or regional road network (either individually or cumulatively). In addition, the vast majority of vehicle journeys will be by van or four wheel drive vehicle. Any testing of Joint Bays (UWF Grid Connection) on public roads will be subject to traffic management with advance signage, flagmen/stop-go systems put in place.</p> <p>As a result and in summary, any changes to traffic flows as a result of the operation phase will cause no effect on the risk of injury from road traffic accidents.</p> |
| Decommissioning Stage | | | | | | |
| <p>Rationale for Excluding: Neutral impacts</p> <p>No decommissioning of the UWF Grid Connection.</p> <p>Decommissioning activities associated with the UWF Related Works or the Upperchurch Windfarm will be minimal, temporary, intermittent, and will only be taking place during the day time, no health impacts are expected.</p> | | | | | | |

7.2.5 Mitigation Measures for Impacts to Local Residents & Community

Mitigation measures were incorporated into the UWF Related Works project design including the Project Design Measures. No additional mitigation measures are required as **no adverse health impacts** are concluded by the topic authors as likely to occur to Local Residents & Community as a consequence of the UWF Related Works.

7.2.6 Evaluation of Residual Impacts to Local Residents & Community

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures are required and thus the Residual Impact is the same as the Impact set out in Impact Evaluation Table sections for Local Residents & Community above (Section 7.2.4) – i.e. **no adverse health impacts**.

7.2.7 Application of Best Practice and the EMP for Local Residents & Community

No UWF Related Works Best Practice Measures have been developed specifically for Local Residents & Community.

7.2.8 Summary of Impacts to Local Residents & Community

A summary of the Impact to Local Residents & Community is presented in Table 7-11.

Table 7-11: Summary of the impacts to Local Residents & Community

| Impact to Local Residents & Community: | Increased Employment |
|---|---|
| <i>Evaluation Impact Table</i> | <i>Section 7.2.4.1</i> |
| Project Life-Cycle Stage | Construction Stage |
| <u>UWF Related Works</u> <i>Direct or indirect impact</i> | Imperceptible (positive) |
| <u>UWF Related Works</u> <i>Cumulative impact</i> | Slight (positive) |
| Element 1: UWF Grid Connection | Slight (positive) |
| Element 3: UWF Replacement Forestry | No Potential for Impact - Evaluated as Excluded, see Section 7.2.2.2.1 |
| Element 4: Upperchurch Windfarm | Slight (positive) |
| Element 5: UWF Other Activities | No Potential for Impact - Evaluated as Excluded, see Section 7.2.2.2.1 |
| <u>Cumulative Impact:</u> | |
| All Elements of the Whole UWF Project | Slight (positive) |
| All Elements of the Whole UWF Project <u>and</u> Other Projects or Activities Bunkimalta Windfarm | Imperceptible (positive) |

The greyed out boxes in the above summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to show the totality of the project.

7.3 Sensitive Aspect No.2: Transient People

This Section provides a description and evaluation of the Sensitive Aspect - Transient People.

7.3.1 BASELINE CHARACTERISTICS of Transient People

7.3.1.1 STUDY AREA for Transient People

The Human Health section draws from and builds upon the wider EIA technical disciplines, most notably, Chapter 12: Air (air quality, noise, vibration, and electromagnetic fields) and Chapter 15 Material Assets (Roads).

The study area for Transient People in relation to the UWF Related Works is described in Table 7-12 and illustrated on [Chapter 12: Air \(Figure RW 12.3, Figure CE 12.3\)](#), [Chapter 15: Material Assets \(Roads\) \(Figure RW 15.3, Figure CE 15.3\)](#) (Volume C3 EIAR Figures).

Table 7-12: UWF Related Works Study Area for Transient People

| Study Area for Transient People | Justification for the Study Area Extents |
|--|---|
| In order to evaluate cross-factor effects, the same geographical boundaries were used for Human Health as those used for Chapter 12: Air (Transient People), and Chapter 15: Material Assets - Roads (Road Users). | The geographic boundaries are consistent with Chapter 12: Air (Local Residents & Community), and Chapter 15: Material Assets - Roads (Road Users) thereby enabling the Human Health section to appraise the potential change in environmental determinants of health. |

7.3.1.2 Baseline Context and Character of Transient People in the UWF Related Works Study Area

Transient people represent those who may work in or visit the area such as farm and forestry workers, road users, walkers and other recreational users.

The surrounding rural area of the UWF Related Works is comprised of agricultural land and countryside, with a number of minor roads and waymarked trails. Here, there is the potential for transient people to be present who are travelling, present for recreation purposes, or undertaking work on the land.

Specifically, in relation to waymarked trails, the Eamonn a Chnoic Loop, Ormond Way (walking and cycle) are routed through the UWF Related Works study area.

7.3.1.3 Importance of Transient People

In the absence of good physical, mental and social health and wellbeing, individuals and communities become limited in achieving their full potential. Therefore, achieving and maintaining good health and wellbeing through prevention techniques rather than treatment is of utmost importance. In addition to the clear benefits of good health on an individual and community scale, healthy lifestyles and behaviours contribute to relieving any unnecessary burden on healthcare services across Ireland to maintain good quality, access, value, standards of care and patient outcomes.

7.3.1.4 Sensitivity of Transient People

It is difficult to obtain demographic and health status data for visitors classified as transient people as their origin is unknown. However, visitors to the area (for walking, bird watching etc.) will only be exposed to changes in the environment associated with the Whole UWF Project temporarily and as a result, are not considered particularly sensitive.

Individuals who live and work on the land, such as farmers, will also be temporarily exposed to changes in the environment associated with the Whole UWF Project. It should be noted that recent research suggests that farmers are 7 times more at risk to mortality from circulatory diseases than other occupation groups (IFA, 2012) and as a result are considered marginally more sensitive to changes in the environment than the average population. However, due to the temporary nature of their exposure it persists that farmers are not considered particularly sensitive receptors.

7.3.1.5 Trends in the Baseline Environment (the 'Do-Nothing' scenario)

As stated in Chapter 6: Population, Fáilte Ireland's *Tourism Facts* for recent years point to very strong growth in both international and domestic tourist numbers in Ireland. The statistics confirm that walking and hiking have maintained their strong popularity for tourists as overall numbers have grown, and it is likely that the number of walkers using the waymarked trails in the Slievefelim to Silvermines Upland Area will continue to increase slowly over time, notwithstanding that tourists and visitor favour tourism products in South Tipperary over those in North Tipperary.

7.3.1.6 Receiving Environment (the Baseline + Trends)

Any changes to the baseline environment are anticipated to occur slowly. Therefore, it is assumed that the baseline environment identified above will be the receiving environment of the commencement of the construction or operational phases of the UWF Related Works.

7.3.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics

7.3.2.1 Cumulative Evaluation Study Area

7.3.2.1.1 UWF Related Works Cumulative Evaluation Study Area

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for Transient People | Justification for the Study Area Extents |
|--|---|
| In order to evaluate cross-factor cumulative effects, the same geographical boundaries were used for Human Health as those used for Chapter 12: Air (Transient People) and Chapter 15: Material Assets - Roads (Road Users). | The geographic boundaries are consistent with Chapter 12: Air (Transient People) and Chapter 15: Material Assets - Roads (Road Users), thereby enabling the Human Health section to appraise the potential cumulative changes in air quality, and ambient levels of noise, vibration or EMF, and in-combination effects to road safety. |

The study area is illustrated on [Chapter 12: Air Figure CE 12.3](#) and [Chapter 15: Material Assets \(Roads\) Figure CE 15.3](#), all in Volume C3 EIAR Figures.

7.3.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project.

A description of these Other Elements is included in this EIA Report at [Appendices 5.3, 5.4, 5.5 and 5.6](#), in [Volume C4 EIAR Appendices](#). Scoping of these Other Elements is presented in [Section 7.3.2.2.1](#) below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements and Other Projects or Activities which are described in Table 7-13 and illustrated on [Chapter 12: Air \(Figure WP 12.3\)](#), [Chapter 15: Material Assets \(Roads\) \(Figure WP 15.3\)](#) (Volume C3 EIAR Figures).

Table 7-13: Whole Project Cumulative Evaluation Study Area for Transient People

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|--|---|--|
| Element 1: UWF Grid Connection | In order to evaluate cross-factor cumulative effects, the same geographical boundaries were used for Human Health as those used for Chapter 12: Air (Transient People), and Chapter 15: Material Assets - Roads (Road Users). | The geographic boundaries are consistent with Chapter 12: Air (Local Residents & Community), and Chapter 15: Material Assets - Roads (Road Users) thereby enabling the Human Health section to appraise the potential cumulative changes in air quality, and ambient levels of noise, vibration or EMF, and in-combination effects to road safety. |
| Element 2: UWF Related Works | | |
| Element 3: UWF Replacement Forestry | | |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

7.3.2.2 Scoping of Other Elements, Other Projects or Activities & Potential for Impacts

The evaluation of cumulative impacts to Transient People also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Transient People with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in [Appendix 2.3: Scoping of Other Projects or Activities \(Section A2.3.1 and Section A2.3.2.7\)](#).

The results of this scoping exercise are that: it is evaluated that no Other Projects or Activities are likely to cause cumulative health effects to Transient People with either the UWF Related Works or the Other Elements of the Whole UWF Project, and therefore no Other Projects or Activities are scoped in for evaluation of cumulative effects to Transient People.

7.3.2.2.1 Potential for Impacts to Transient People

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project to cause cumulative effects to the Sensitive Aspect, Transient People. The results of this evaluation are included in Table 7-14.

The location of, and study area boundary associated with, the Other Elements which are included for cumulative evaluation is illustrated on [Chapter 12: Air \(Figure WP 12.3\)](#), [Chapter 15: Material Assets \(Roads\) \(Figure WP 15.3\)](#) (Volume C3 EIAR Figures). The baseline character of the areas around these projects is described in Section 7.2.2.3.

Table 7-14: Results of the Evaluation of the Other Elements of the Whole UWF Project

| Other Elements of the Whole UWF Project | |
|--|---|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects |
| Element 3: UWF Replacement Forestry | <p><u>Evaluated as excluded</u>: No potential for any health impacts to Transient People, as there will be:</p> <ul style="list-style-type: none"> no material impact on air quality, noise or vibration: as per Chapter 12: Air, Section 12.3.2.2.1, planting works associated with UWF Replacement Forestry will have a neutral impact on air quality as works will be carried out by hand using spades, with use of vehicles limited to personnel 4WD vehicles. There will be no mechanical noise or vibration sources during planting stage, as planting will be carried out by hand in grassland fields, therefore no noise or vibration impact will occur. During the growth stage, chainsaws may be used during thinning activities, however this type of activity will be infrequent, brief in nature and at a distance from Transient People. Potential exposure of Transient People to environmental health pathways are therefore not of a magnitude, timing or duration to cause impacts to their health during any planting or thinning activities. no EMF emissions: there are no electrical or radio-communication parts associated with the UWF Replacement Forestry. Therefore, the UWF Replacement Forestry will not influence local EMF or result in any change in exposure, with no impact to health. |

| | | |
|--|---|------------------|
| | <ul style="list-style-type: none"> extremely low traffic volumes: as per Chapter 15: Material Assets (Roads), Section 15.3.2.2.1, the planting programme will generate extremely low traffic volumes, with 1-2 vehicles movements per day over a one month period. As a comparative example this level of traffic is substantially less than the daily level of traffic generated by a single residential dwelling. During the growth stage, traffic will be in the region of 2 to 4 vehicle movements <u>per year</u>. Due to the extremely low traffic volumes associated with the UWF Replacement Forestry, it is considered that neutral effects will occur to Road Users on the local roads in the vicinity, with no impacts to the health of any Transient People who may be using the roads. | Transient People |
| Element 4: Upperchurch Windfarm (UWF) | <u>Included</u> for the evaluation of cumulative effects | Sensitive Aspect |
| Element 5: UWF Other Activities | <p><u>Evaluated as excluded</u>: No potential for any adverse health impacts to Transient People, as there will be:</p> <ul style="list-style-type: none"> no material impact on air quality, noise or vibration: as per Chapter 12: Air, Section 12.3.2.2.1, any emissions from vehicles and equipment used will be of a short duration, transient in nature, and the relative change in air quality will be orders of magnitude lower than is required to quantify any material impact on health, any noise or vibration emitted by machinery or vehicles used to carry out the UWF Other Activities, will be in the context of background noise and vibration from regional or national roads, or will not be noticeable in the context of local traffic and farming activity. Notwithstanding the very low magnitude and brief duration of UWF Other Activities, any exposure of Transient People to dust, noise or vibration will be of a momentary duration as a person passes in close proximity to works, and therefore no impacts to health are likely to occur. no EMF emissions: there are no electrical or radio-communication parts associated with the UWF Other Activities. On this basis, there is no potential for changes in exposure to EMF, and no risk to health. extremely low traffic volumes: as per Chapter 15: Material Assets (Roads), Section 15.3.2.2.1, the traffic increases as a result of the Haul Route Activities (tree trimming, laying of matting, street furniture removal), will be in all cases considerably less than 1% of the current traffic volumes on these roads. Given that the normal day-to-day variation in traffic conditions can be as much as 10%, the relative change is not of a level to quantify any impact on health. In addition, no works to the road network or road boundaries form part of the Overhead Line Activities or the Upperchurch Hen Harrier Scheme or Monitoring Activities, and taking into consideration the extremely low volumes of traffic associated with these activities, and the brief duration of any public road use, no effects to Road Users are likely, consequently there will be no impacts to the health of any Transient People who may be using the local roads. | Human Health |
| | | |

7.3.2.3 Cumulative Information: Baseline Characteristics – Context & Character

Transient people represent those who may work in or visit the area such as farm and forestry workers, road users, walkers and other recreational users.

The surrounding rural area of the UWF Grid Connection, UWF Related Works and Upperchurch Windfarm is comprised of agricultural land and countryside, with a number of minor roads and waymarked trails. Here, there is the potential for transient people to be present who are travelling, present for recreation purposes, or undertaking work on the land.

7.3.2.3.1 Element 1: UWF Grid Connection – including preliminary preferred 110kV UGC route Jan'19

Specifically, in relation to waymarked trails, the Slievefelim Way and Ormond Way (cycle) are routed through the UWF Grid Connection study area, see Chapter 12: Air (Figure WP 12.3: Transient People in the UWF Grid Connection Study Area. [Chapter 12: Air \(Figure GC 12.3\)](#) is part of the EIA Report for the UWF Grid Connection, and is included in [Volume F: Reference Documents](#) with this planning application.

UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area in the Knocknabansha, Knockmaroe and Knockcurraghbola Commons, and Knockcurraghbola Crownlands where the 110kV UGC is located the public roads R503, L2264-50 and L-6188-0 and along the forestry road to the Consented UWF Substation. These roads are used by Road Users along with cyclists on the Ormond Way Cycle. In addition forestry or farm works may be present on agricultural lands and forestry lands in the vicinity of these public roads.

7.3.2.3.2 Element 3: UWF Replacement Forestry

Not applicable – Element evaluated as excluded. See Section 7.3.2.2.1.

7.3.2.3.3 Element 4: Upperchurch Windfarm

Walkers may also be present on the Eamonn a Chnoic Loop, or Ormond Way walking route which is currently under development, where these walks are routed through the consented Upperchurch Windfarm.

Consideration of the Passage of Time: Human health was not specifically evaluated in the 2013 and 2014 assessments for the consented Upperchurch Windfarm. However, this environmental factor is now considered in the evaluations in this Revised EIAR for UWF Related Works, and a cumulative evaluation for Transient People is carried out for Upperchurch Windfarm.

7.3.2.3.4 Element 5: UWF Other Activities

Not applicable – Element evaluated as excluded. See Section 7.3.2.2.1.

7.3.2.3.5 Other Projects or Activities

Not applicable – No Other Projects or Activities were scoped in for evaluation of cumulative effects, see Section 7.3.2.2.1.

7.3.3 PROJECT DESIGN MEASURES for Transient People

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

There are no Project Design Mitigation Measures specific to Transient People.

Transient People

Sensitive Aspect

Human Health

Topic

7.3.4 EVALUATION OF IMPACTS to Transient People

In this Section, the likely direct and indirect effects of the UWF Related Works and the likely cumulative effects of the Other Elements of the Whole UWF Project are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Transient People.

As a result of the exercise, **no impacts were included for further evaluation – all impacts were excluded from further evaluation.**

Table 7-15: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts Included (Evaluated in the Impact Evaluation Table sections) | Impacts Excluded (Justification at the end of the Impact Evaluation Table sections) |
|--|--|
| No Impacts were Included for Further Evaluation | <i>Potential impact on health as a result of contamination of well water supplies (construction stage)</i> |
| | <i>Potential impact upon cardiovascular and respiratory health from changes to air quality (construction stage)</i> |
| | <i>Potential impact upon mental health (from stress, annoyance and sleep disturbance) and as a consequence, impact on cardiovascular health associated with exposure to noise and vibration (construction stage)</i> |
| | <i>Increased risk of injury from road traffic accidents (construction stage)</i> |
| | <i>Increased employment which is a wider determinant of health (construction stage)</i> |
| | <i>Potential impact upon mental health (from stress, annoyance and sleep disturbance) and as a consequence, impact on cardiovascular health associated with exposure to noise and vibration (operational stage)</i> |
| | <i>Increased risk of injury from road traffic accidents (operational stage)</i> |
| | <i>Increased employment which is a wider determinant of health (operational stage)</i> |
| | <i>Potential impact on health as a result of exposure to EMF (operational stage)</i> |

The source-pathway-receptor links and the rationale for excluded impacts are described in Section 7.3.4.1.

7.3.4.1 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in Table 7-16 below.

Table 7-16: Description and Rationale for Excluded Impacts to Transient People

Key: 1: UWF Grid Connection; 2: UWF Related Works; 3: UWF Replacement Forestry; 4: Upperchurch Windfarm; 5: UWF Other Activities

| Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|--|-----------------|---------|--|---|
| Construction Stage | | | | |
| Air quality impacts from vehicle emissions and dust (PM10 and PM2.5) | 1, 2, 4 | Air | Potential impact upon cardiovascular and respiratory health | Rationale for Excluding: Neutral health impacts According to IAQM guidelines, the sensitivity of the surrounding area to human health impacts is Low and the majority of waymarked trails and agricultural/forestry lands (where workers may be present) are greater than 50m away from construction works or construction haul routes. In addition, background levels of pollutants are significantly below relevant EU limit values set for the protection of human health. As a result, any impact to air quality during the construction phase will be temporary, intermittent and not of a concentration or exposure to quantify adverse health impact to any nearby farm or forestry workers. |
| Noise impacts from machinery | 1, 2, 4 | Air | Potential impact upon mental health (from stress or annoyance) and as a consequence, impact on cardiovascular health | Rationale for Excluding: Neutral health impacts The nature of construction noise will be temporary and intermittent. As a result, noise generated during the construction phase presents limited opportunity for any risk of annoyance, and when considered in the context of the very short duration of works within close proximity to any waymarked walks and the linear nature of works in agricultural/forestry lands, it is considered that adverse health effects are not likely to occur to Transient People who may be working or walking close to construction works areas. |
| Construction traffic and road works along haul routes | 1, 2, 4 | Roads | Increased risk of injury from road traffic accidents | Rationale for Excluding: No likely health impacts As per Chapter 15: Material Assets (Roads), the local and regional roads in the study are very lightly trafficked, with no records of serious traffic accidents on any of the local roads. The speeds recorded during traffic counts were well below to allowable limits (80km) on most of the roads in the area. In relation to the R503, this road is also very lightly trafficked with 1 serious accident in the last 10 years (Newport 2011). Construction traffic will not add substantial volumes of traffic, and in excess of 90% of road capacity will remain available. In addition, road safety has been designed into the project through the use of appropriate advance warning signage, flagmen and traffic management measures. As a result and in summary, any changes to traffic flows as a result of the construction phase will be temporary, appropriately managed and as a result does not |

| Topic | | Human Health | | Sensitive Aspect | | Transient People | | | |
|--|--|-------------------|--|------------------|--|--|--|--|--|
| | | | | | | | | | |
| Source(s) of Impacts | | Project Element | | Pathway | | Impacts (Consequences) | | Rationale for Excluding (Scoping Out) | |
| | | | | | | | | represent any measurable increased risk of injury to Transient People from road traffic accidents. | |
| | | Operational Stage | | | | | | | |
| Noise impacts from the Mountphilips Substation, Consented UWF Substation, and Consented UWF Turbines | | 1, 2, 4 | | Air | | Potential impact upon mental health (from stress or annoyance) and as a consequence, impact on cardiovascular health | | Rationale for Excluding: Neutral health impacts There are no waymarked trails within 400m of the Mountphilips Substation or the Consented UWF Substation and as a result, there is no potential for health impacts to transient people. Noise will be emitted by the operational UWF Turbines; while turbines will be heard in close proximity by transient people, the noise will not be intrusive (either alone or cumulatively with neighbouring Milestone Windfarm turbines) and as a result there will be a Neutral impact to human health. | |
| Operational traffic and road works along haul routes | | 1, 2, 4 | | Roads | | Increased risk of injury from road traffic accidents | | Rationale for Excluding: No likely health impacts As per Chapter 15: Material Assets (Roads), the local and regional roads in the study are very lightly trafficked, with no records of serious traffic accidents on any of the local roads. The speeds recorded during traffic counts were well below to allowable limits (80km) on most of the roads in the area. In relation to the R503, this road is also very lightly trafficked with 1 serious accident in the last 10 years (Newport 2011). Operational traffic associated with the UWF Grid Connection, UWF Related Works and the Upperchurch Windfarm will add negligible volumes of traffic to the local or regional road network (either individually or cumulatively). In addition, the vast majority of vehicle journeys will be by van or four wheel drive vehicle. Any testing of Joint Bays (UWF Grid Connection) on public roads will be subject to traffic management with advance signage, flagmen/stop-go systems put in place. As a result and in summary, any changes to traffic flows as a result of the operation phase is not likely to cause health effects to Transient People from road traffic accidents. | |
| Operational transmission of electricity | | 1, 2, 4 | | Air | | Potential impact on health as a result of exposure to EMF | | Rationale for Excluding: Neutral health impacts As per Chapter 12: Air, Section 12.3.4, the maximum level of EMF in relation to Transient People will be generated on the local road L-2264-50, where some agricultural and forestry lands and a short section of the Ormond Way cycle and walking routes will be within 100m of both the 110kV UGC and the Internal Windfarm Cabling in Knockmaroe/Knockcurraghbola townlands, where the Internal Windfarm Cabling is routed across the 110kV UGC on the L-2264-50. The worst case possible levels will be at public road crossing point, where levels will be 55.8 µT. On the Upperchurch Windfarm site, farm and forestry workers and walkers on the Ormond Way and the Eamonn a Chnoic Loop will | |

| Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|---|-----------------|---------|------------------------|---|
| | | | | <p>be within 100m of both the Internal Windfarm Cabling and the Consented UWF Turbines in close proximity to the turbines. The worst case possible cumulative increase in magnetic field levels will be beside the turbine towers and over Internal Windfarm Cabling, where worst case levels will be 7.8 μT.</p> <p>The worst case in-combination ambient magnetic field levels due to both the UWF Grid Connection and the existing overhead line network relates farm or forestry workers who are within 100m of both the 110kV UGC and the existing 110kV overhead line or within 100m of both the 110kV UGC and the existing 220kV overhead line in Mountphilips, where worst case EMF would be 69μT and 79.7μT respectively, at the points directly above the 110kV UGC and directly under the OHLs.</p> <p>The worst case in-combination ambient magnetic field levels due to both the UWF Grid Connection and the existing overhead line network relates to 1 No. local residence in Coole which is within 100m of both the existing 220kV and the 110kV UGC, worst case EMF would be 0.98μT.</p> <p>These values remain significantly below the more conservative International Commission on Non-Ionizing Radiation Protection (ICNIRP) magnetic field reference level of 100μT (ICNIRP, 1998). As a result, it is expected that there will be no impact to human health.</p> |
| Decommissioning Stage | | | | |
| <p>Rationale for Excluding: Neutral impact</p> <p>The UWF Grid Connection will not be decommissioned. Decommissioning activities will be minimal in relation to UWF Related Works and Upperchurch Windfarm and decommissioning activities will be temporary, intermittent, and will only be taking place during the day time.</p> | | | | |

Transient People

Sensitive Aspect

Human Health

Topic

| |
|------------------|
| Transient People |
| Sensitive Aspect |

7.3.5 Mitigation Measures for Impacts to Transient People

Mitigation measures were incorporated into the UWF Related Works project design including the Project Design Measures. No additional mitigation measures are required as the topic authors conclude that impacts to Transient People as a consequence of the UWF Related Works **will be neutral**.

7.3.6 Evaluation of Residual Impacts to Transient People

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures are required and thus the Residual Impact is the same as the Impact set out in the Evaluation of UWF Related Works (Section 7.3.4), i.e. **neutral impacts**.

7.3.7 Application of Best Practice and the EMP for Transient People

No UWF Related Works Best Practice Measures have been developed specifically for Transient People.

| |
|--------------|
| Human Health |
| Topic |

7.3.8 Summary of Impacts to Transient People

The topic authors conclude that impacts to Transient People as a consequence of the development of the UWF Related Works will be neutral.

Table 7-17: Summary of the impacts to Transient People

| | |
|--|---|
| Impact to Transient People: | - |
| <i>Impact Evaluation</i> | <i>Section 7.3.4.1</i> |
| Project Life-Cycle Stage | All |
| <u>UWF Related Works</u> | Neutral Impacts |
| Element 1: UWF Grid Connection | Neutral Impacts |
| Element 3: UWF Replacement Forestry | No Potential for Impact - Evaluated as Excluded, see Section 7.3.2.2.1 |
| Element 4: Upperchurch Windfarm | Neutral Impacts |
| Element 5: UWF Other Activities | No Potential for Impact - Evaluated as Excluded, see Section 7.3.2.2.1 |
| <u>Cumulative Impact:</u> | |
| All Elements of the Whole UWF Project | No Cumulative Impacts |

The greyed out boxes in the above summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to show the totality of the project.

Note: No cumulative information for Other Projects or Activities is included in the table above, because no Other Projects or Activities were evaluated as having potential to cause cumulative health effects to Transient People with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 7.34.2.1).

7.4 Policy Context

7.4.1 National Policy

There is no specific national policy relating to the impacts of human health as a result of infrastructure development within Ireland

7.4.2 Regional Policy

The administrative area of North Tipperary fell under the Mid-West Regional Authority until it was incorporated into the new Southern Regional Assembly in 2014. The Southern Regional Assembly is currently preparing a new Spatial Economic and Planning Strategy for the Region. The Mid-West Regional Planning Guidelines 2010-2022 still apply until this new strategy is published.

The Mid-West Regional Planning Guidelines 2010-2022 (MWRPG) state that to improve the health of the Irish population, a focus on health services alone is inadequate. In addition, potential health consequences must be considered in relation to a range of topics including housing, education, local economy, natural environment, built environment, water, sanitation and air quality.

7.4.3 North Tipperary County Development Plan 2010 (as varied):

North and South Tipperary County Councils were amalgamated into Tipperary County Council in June 2014.

The relevant County Development Plan for the formally North Tipperary local authority area is now North Tipperary County Development Plan 2010-2016 (as varied), adopted in December 2015. This plan is the current policy document for the location of all the Project Elements at present.

There is no specific mention of protection of public health in relation to new infrastructure projects such as wind farms and their associated infrastructure within the North Tipperary County Development Plan 2010-2016.

Land use Zoning Objectives North Tipperary County Development Plan 2010 (as varied):

The Land use Zoning Objectives North Tipperary County Development Plan 2010 states that “Factors such as density, height, massing, traffic generation, public health, design criteria, visual amenity, and potential nuisance by way of noise, odour and pollution are also significant and relevant to the proper planning and development of the area.”

7.5 Summary of the Human Health Chapter

Health is determined not only by the local environment, access to quality healthcare services and lifestyle choices but also by the social and economic conditions in which people live. The Human Health chapter investigates and assesses the likelihood of significant effects directly attributable to the development and draws from and builds upon, the conclusions of the other chapters most notably Chapter 6: Population, Chapter 11: Water, Chapter 12: Air, Chapter 14: Material Assets (Built Services) and Chapter 15: Material Assets (Roads).

UWF Related Works is located in the Mid-West region within North Tipperary. North Tipperary performs marginally worse than the national average for the majority of health status indicators. However, mental health indicators such as “deliberate self-harm”, those diagnosed with a “psychological or emotional condition”, and “deaths from respiratory disease” all perform better in North Tipperary compared to the national average.

Sensitive Aspects evaluated in this topic chapter include Local Residents & Community and Transient People (walkers/cyclists, road users, farm/forestry workers etc.).

7.5.1 Summary of UWF Related Works Impacts

- Positive Imperceptible impacts to Local Residents & Community are expected as a result of cross-factor positive effects to the local economy through increased employment opportunities during the construction stage. Increased employment can positively influence health by supporting job security; and represents a positive contribution to socio-economic health determinants.
- No adverse cross-factor health impacts are likely to occur to Local Residents & Community or Transient People.

7.5.2 Summary of UWF Related Works Cumulative Impact

- Slight positive cumulative impacts to Local Residents & Community are expected as a result of cross-factor positive effects to the local economy through combined increased employment opportunities during the construction stage from UWF Related Works and Upperchurch Windfarm.
- No adverse cross-factor cumulative health impacts are likely to occur to Local Residents & Community or Transient People.

7.5.3 Summary of Cumulative Impacts with Other Elements of the Whole UWF Project

As UWF Related Works is one element of the larger Whole Upperchurch Windfarm Project (Whole UWF Project), the potential for cumulative effects with these Other Elements, in particular Upperchurch Windfarm and UWF Grid Connection, was also examined.

- No cumulative adverse health effects are expected.
- Cumulative positive effects to Local Residents & Community due to combined increased employment, are expected to be of Slight significance.

7.5.4 Summary of Cumulative Impacts with Other Projects or Activities

Bunkimalta Windfarm, was also evaluated for cumulative effects in this topic chapter as it is both at a sufficient scale to have measurable cumulative impacts and it also has potential to be constructed during the same period as the Whole UWF Project.

- Cumulative positive effects to Local Residents & Community, of the UWF Related Works, together with the Other Elements of the Whole UWF Project (UWF Grid Connection and Upperchurch Windfarm) and the Bunkimalta Windfarm, are expected to be Imperceptible in the context of the size of the Population in this upland area.

7.6 Reference List

- CSO. (2016). Census 2016 Small Area Population Statistics. Retrieved from CSO: <http://census.cso.ie/sapmap/>
- EPA. (2015, September). Revised Guidelines on the Information to be Contained in Environmental Impact Statements Draft. Retrieved from Environmental Protection Agency Ireland: <https://www.epa.ie/pubs/consultation/reviewofdraftguidelinesadvisenotes/Draft%20Guidelines%20on%20the%20Information%20to%20be%20contained%20in%20an%20EIS.pdf>
- IPH. (n.d.). IPH Community Profiles. Retrieved from IPH: <http://www.thehealthwell.info/community-profiles/VIEWINDICATOR/atlas.html?data=final-master-roi&select=2>
- IPH. (2009). Health Impact Assessment Guidance. Retrieved from Institute of Public Health in Ireland : https://www.publichealth.ie/sites/default/files/documents/files/IPH%20HIA_0.pdf
- Lenus. (2015). Health Profile 2015 Limerick County. Retrieved from Lenus: <http://www.lenus.ie/hse/bitstream/10147/584048/1/Limerick+County.pdf>
- Lenus. (2015). Health Profile 2015 Tipperary North. Retrieved from Lenus: <http://www.lenus.ie/hse/bitstream/10147/584062/1/Tipperary+North.pdf>
- Smyth, B., Evans, D., Kelly, A., Cullen L., and O'Donovan, D. "The farming population in Ireland: mortality trends during the 'Celtic Tiger' years," *European Journal of Public Health*, vol. 23, no. 1, pp. 50-55, 2012.
- Ecopower Developments Ltd. (2013) Upperchurch Windfarm Environmental Impact Statement 13510003
- Ecopower Developments Ltd. (2013) Upperchurch Windfarm Response to Further Information 13510003
- An Bord Pleanála (2014) Inspectors Report for Upperchurch Windfarm PL22.243040
- An Bord Pleanála (2014) Grant of Permission for Upperchurch Windfarm PL22.243040

Reference List

Human Health

Topic

UWF Related Works Revised EIA Report

Volume C2: Revised EIAR Main Report

Chapter 8: Biodiversity

Topic Chapter Authors:

Inís

EIAR Coordinator:



January 2019

REFERENCE DOCUMENTS

Contents

| | | |
|---------|--|-----------|
| 8 | Environmental Factor: Biodiversity | 1 |
| 8.1 | Introduction to the Biodiversity Chapter | 1 |
| 8.1.1 | What is Biodiversity? | 1 |
| 8.1.2 | Overview of Biodiversity in the Local Environment..... | 1 |
| 8.1.3 | Sensitive Aspects of the Biodiversity Environment included for further evaluation | 1 |
| 8.1.4 | Sensitive Aspects excluded from further evaluation | 2 |
| 8.1.5 | Overview of the Subject Development | 2 |
| 8.1.6 | The Authors of the Biodiversity Chapter..... | 2 |
| 8.1.7 | Sources of Baseline Information..... | 3 |
| 8.1.7.1 | Certainty and Sufficiency of Information Provided | 6 |
| 8.1.8 | Methodology for Evaluating Effects | 7 |
| 8.1.8.1 | Determining the Importance of Biodiversity receptors (excluding birds) (NRA 2009) | 7 |
| 8.1.8.2 | Percival and NRA Evaluation Criteria for biodiversity receptors (birds) | 9 |
| 8.1.8.3 | Fieldwork Methodology - Hen Harrier | 13 |
| 8.1.8.4 | Fieldwork Methodology - Habitats..... | 13 |
| 8.1.8.5 | Fieldwork Methodology for Classifying Ecological Value of Watercourses | 14 |
| 8.1.8.6 | Fieldwork Methodology - Bat Species | 15 |
| 8.1.8.7 | Fieldwork Methodology - Non-Volant Mammals..... | 17 |
| 8.1.8.8 | EPA EIAR Guidance Definitions of Effects..... | 18 |
| 8.2 | Sensitive Aspect No.1: European Sites..... | 21 |
| 8.2.1 | BASELINE CHARACTERISTICS of European Sites..... | 21 |
| 8.2.1.1 | STUDY AREA for European Sites | 21 |
| 8.2.1.2 | Baseline Context and Character of European Sites in the UWF Related Works Study Area..... | 21 |
| 8.2.1.3 | Importance of European Sites | 23 |
| 8.2.1.4 | Sensitivity of European Sites | 24 |
| 8.2.1.5 | Trends in the Baseline Environment (the 'Do-Nothing' scenario)..... | 24 |
| 8.2.1.6 | Receiving Environment (the Baseline + Trends)..... | 25 |
| 8.2.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics | 26 |
| 8.2.2.1 | Cumulative Evaluation Study Areas..... | 26 |
| 8.2.2.2 | Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts..... | 26 |
| 8.2.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 27 |
| 8.2.3 | PROJECT DESIGN MEASURES for European Sites..... | 29 |
| 8.2.4 | EVALUATION OF IMPACTS to European Sites..... | 31 |
| 8.2.4.1 | Evaluation of Effects to the Lower River Shannon SAC & Lower River Suir SAC..... | 31 |

| | | |
|--------------|--|-----------|
| 8.2.4.2 | Evaluation of Effects to the Slieve Felim to Silvermines Mountain SPA | 31 |
| 8.2.4.3 | Conclusion of the Assessment of Significance of Impacts to European Sites | 31 |
| 8.2.5 | Mitigation Measures for Impacts to European Sites..... | 32 |
| 8.2.6 | Evaluation of Residual Impacts to European Sites..... | 32 |
| 8.2.7 | Application of Best Practice and the EMP for European Sites | 33 |
| 8.2.7.1 | Surface Water Management Plan | 33 |
| 8.2.7.2 | Invasive Species Management Plan | 33 |
| 8.2.8 | Summary of Impacts to European Sites | 34 |
| 8.3 | Sensitive Aspect No.2: National Sites | 35 |
| 8.3.1 | UWF RELATED WORKS – EVALUATED AS EXCLUDED | 35 |
| 8.3.1.1 | Baseline Characteristics of National Sites in relation to UWF Related Works Study Area..... | 35 |
| 8.3.1.2 | Evaluation of UWF Related Works | 36 |
| 8.3.1.3 | Cumulative Evaluation for the Other Elements of the Whole UWF Project (grey background).. | 36 |
| 8.3.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics..... | 37 |
| 8.3.2.1 | Cumulative Evaluation Study Areas..... | 37 |
| 8.3.2.2 | Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts..... | 37 |
| 8.3.3 | Mitigation Measures for Impacts to National Sites | 40 |
| 8.3.4 | Evaluation of Residual Impacts to National Sites | 40 |
| 8.3.5 | Application of Best Practice and the EMP for National Sites..... | 40 |
| 8.3.6 | Summary of Impacts to National Sites..... | 41 |
| 8.4 | Sensitive Aspect No.3: Aquatic Habitats & Species..... | 43 |
| 8.4.1 | BASELINE CHARACTERISTICS of Aquatic Habitats & Species..... | 43 |
| 8.4.1.1 | STUDY AREA for Aquatic Habitats & Species..... | 43 |
| 8.4.1.2 | Baseline Context and Character of Aquatic Habitats & Species in the UWF Related Works Study Area | 43 |
| 8.4.1.3 | Importance of Aquatic Habitats & Species..... | 44 |
| 8.4.1.4 | Sensitivity of Aquatic Habitats & Species | 44 |
| 8.4.1.5 | Trends in the Baseline Environment (the ‘Do-Nothing’ scenario)..... | 44 |
| 8.4.1.6 | Receiving Environment (the Baseline + Trends)..... | 45 |
| 8.4.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics..... | 46 |
| 8.4.2.1 | Cumulative Evaluation Study Areas..... | 46 |
| | UWF Related Works Cumulative Evaluation Study Area | 46 |
| 8.4.2.2 | Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts..... | 47 |
| 8.4.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 49 |
| 8.4.3 | PROJECT DESIGN MEASURES for Aquatic Habitats & Species..... | 51 |
| 8.4.4 | EVALUATION OF IMPACTS to Aquatic Habitats & Species..... | 53 |

| | | |
|--------------|--|------------|
| 8.4.4.1 | Impact Evaluation Table: Decrease in instream aquatic habitat quality..... | 54 |
| 8.4.4.2 | Impact Evaluation Table: Changes to Flow Regime..... | 60 |
| 8.4.4.3 | Impact Evaluation Table: Disturbance or Displacement | 64 |
| 8.4.4.4 | Impact Evaluation Table: Riparian habitat degradation..... | 68 |
| 8.4.4.5 | Impact Evaluation Table: Spread of Aquatic Invasive Species | 72 |
| 8.4.4.6 | Description and Rationale for Excluded (scoped out) Impacts | 74 |
| 8.4.5 | Mitigation Measures for Impacts to Aquatic Habitats & Species..... | 75 |
| 8.4.6 | Evaluation of Residual Impacts to Aquatic Habitats & Species..... | 75 |
| 8.4.7 | Application of Best Practice and the EMP for Aquatic Habitats & Species | 75 |
| 8.4.7.1 | Surface Water Management Plan | 76 |
| 8.4.7.2 | Invasive Species Management Plan | 76 |
| 8.4.8 | Summary of Impacts to Aquatic Habitats & Species..... | 77 |
| 8.5 | Sensitive Aspect No.4: Terrestrial Habitats..... | 79 |
| 8.5.1 | BASELINE CHARACTERISTICS of Terrestrial Habitats..... | 79 |
| 8.5.1.1 | STUDY AREA for Terrestrial Habitats | 79 |
| 8.5.1.2 | Baseline Context and Character of Terrestrial Habitats in the UWF Related Works Study Area.. | 79 |
| 8.5.1.3 | Importance of Terrestrial Habitats..... | 80 |
| 8.5.1.4 | Sensitivity of Terrestrial Habitats | 80 |
| 8.5.1.5 | Trends in the Baseline Environment (the ‘Do-Nothing’ scenario)..... | 80 |
| 8.5.1.6 | Receiving Environment (the Baseline + Trends)..... | 81 |
| 8.5.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics..... | 82 |
| 8.5.2.1 | Cumulative Evaluation Study Areas..... | 82 |
| 8.5.2.2 | Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts..... | 83 |
| 8.5.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 84 |
| 8.5.2.4 | Cumulative Information Baseline Characteristics - Importance of Terrestrial Habitats | 86 |
| 8.5.2.5 | Cumulative Information Baseline Characteristics – Receiving Environment | 87 |
| 8.5.3 | PROJECT DESIGN MEASURES for Terrestrial Habitats | 88 |
| 8.5.4 | EVALUATION OF IMPACTS to Terrestrial Habitats | 89 |
| 8.5.4.1 | Impact Evaluation Table: Reduction in Terrestrial Habitats..... | 90 |
| 8.5.4.2 | Impact Evaluation Table: Hedgerow Severance | 93 |
| 8.5.4.3 | Impact Evaluation Table: Loss of High Nature Value Trees..... | 96 |
| 8.5.4.4 | Description and Rationale for Excluded (scoped out) Impacts | 99 |
| 8.5.5 | Mitigation Measures for Impacts to Terrestrial Habitats..... | 101 |
| 8.5.6 | Evaluation of Residual Impacts to Terrestrial Habitats | 101 |
| 8.5.7 | Application of Best Practice and the EMP for Terrestrial Habitats..... | 101 |
| 8.5.7.1 | Invasive Species Management Plan | 101 |

| | | |
|--------------|--|------------|
| 8.5.8 | Summary of Impacts to Terrestrial Habitats | 102 |
| 8.6 | Sensitive Aspect No.5: Hen Harrier..... | 103 |
| 8.6.1 | BASELINE CHARACTERISTICS of Hen Harrier..... | 103 |
| 8.6.1.1 | STUDY AREA for Hen Harrier | 103 |
| 8.6.1.2 | Baseline Context and Character of Hen Harrier in the UWF Related Works Study Area | 103 |
| 8.6.1.3 | Importance of Hen Harrier | 109 |
| 8.6.1.4 | Sensitivity of Hen Harrier | 109 |
| 8.6.1.5 | Trends in the Baseline Environment (the 'Do-Nothing' scenario)..... | 109 |
| 8.6.1.6 | Receiving Environment (the Baseline + Trends)..... | 110 |
| 8.6.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics..... | 111 |
| 8.6.2.1 | Cumulative Evaluation Study Areas..... | 111 |
| 8.6.2.2 | Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts..... | 112 |
| 8.6.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 113 |
| 8.6.3 | PROJECT DESIGN MEASURES for Hen Harrier..... | 117 |
| 8.6.4 | EVALUATION OF IMPACTS to Hen Harrier..... | 118 |
| 8.6.4.1 | Impact Evaluation Table: Permanent or Temporary Reduction or Loss of Suitable Foraging Habitat | 119 |
| 8.6.4.2 | Impact Evaluation Table: Disturbance/Displacement of foraging Hen Harrier (ex-Situ during the breeding season) | 126 |
| 8.6.4.3 | Description and Rationale for Excluded (scoped out) Impacts | 132 |
| 8.6.5 | Mitigation Measures for Impacts to Hen Harrier..... | 135 |
| 8.6.6 | Evaluation of Residual Impacts to Hen Harrier..... | 135 |
| 8.6.7 | Application of Best Practice and the EMP for Hen Harrier | 135 |
| 8.6.8 | Summary of Impacts to Hen Harrier | 136 |
| 8.7 | Sensitive Aspect No.6: General Bird Species | 137 |
| 8.7.1 | BASELINE CHARACTERISTICS of General Bird Species | 137 |
| 8.7.1.1 | STUDY AREA for General Bird Species..... | 137 |
| 8.7.1.2 | Baseline Context and Character of General Bird Species in the UWF Related Works Study Area | 137 |
| 8.7.1.3 | Importance of General Bird Species..... | 139 |
| 8.7.1.4 | Sensitivity of General Bird Species | 139 |
| 8.7.1.5 | Trends in the Baseline Environment (the 'Do-Nothing' scenario)..... | 140 |
| 8.7.1.6 | Receiving Environment (the Baseline + Trends)..... | 140 |
| 8.7.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics..... | 141 |
| 8.7.2.1 | Cumulative Evaluation Study Areas..... | 141 |
| 8.7.2.2 | Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts..... | 142 |
| 8.7.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 142 |

| | | |
|--------------|--|------------|
| 8.7.3 | PROJECT DESIGN MEASURES for General Bird Species | 147 |
| 8.7.4 | EVALUATION OF IMPACTS to General Bird Species | 148 |
| 8.7.4.1 | Impact Evaluation Table: Golden Plover - Habitat Loss..... | 149 |
| 8.7.4.2 | Impact Evaluation Table: Golden Plover - Disturbance/Displacement | 152 |
| 8.7.4.3 | Impact Evaluation Table: Meadow Pipit – Habitat Loss | 155 |
| 8.7.4.4 | Impact Evaluation Table: General Birds - Habitat Enhancement | 158 |
| 8.7.4.5 | Description and Rationale for Excluded (scoped out) Impacts | 161 |
| 8.7.5 | Mitigation Measures for Impacts to General Bird Species | 164 |
| 8.7.6 | Evaluation of Residual Impacts to General Bird Species | 164 |
| 8.7.7 | Application of Best Practice and the EMP for General Bird Species..... | 164 |
| 8.7.7.1 | Invasive Species Management Plan | 164 |
| 8.7.8 | Summary of Impacts to General Bird Species..... | 165 |
| 8.8 | Sensitive Aspect No.7: Bats..... | 167 |
| 8.8.1 | BASELINE CHARACTERISTICS of Bats..... | 167 |
| 8.8.1.1 | STUDY AREA for Bats | 167 |
| 8.8.1.2 | Baseline Context and Character of Bats in the UWF Related Works Study Area | 167 |
| 8.8.1.3 | Importance of Bats | 170 |
| 8.8.1.4 | Sensitivity of Bats | 170 |
| 8.8.1.5 | Trends in the Baseline Environment (the ‘Do-Nothing’ scenario)..... | 170 |
| 8.8.1.6 | Receiving Environment (the Baseline + Trends)..... | 171 |
| 8.8.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics..... | 172 |
| 8.8.2.1 | Cumulative Evaluation Study Areas..... | 172 |
| 8.8.2.2 | Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts..... | 173 |
| 8.8.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 175 |
| 8.8.3 | PROJECT DESIGN MEASURES for Bats..... | 178 |
| 8.8.4 | EVALUATION OF IMPACTS to Bats..... | 179 |
| 8.8.4.1 | Impact Evaluation Table: Destruction or disturbance of bat roosts in trees | 180 |
| 8.8.4.2 | Impact Evaluation Table: Severance of commuting routes or feeding areas | 183 |
| 8.8.4.3 | Impact Evaluation Table: Disturbance or Displacement due to Lighting | 187 |
| 8.8.4.4 | Description and Rationale for Excluded (scoped out) Impacts | 190 |
| 8.8.5 | Mitigation Measures for Impacts to Bats..... | 193 |
| 8.8.6 | Evaluation of Residual Impacts to Bats..... | 193 |
| 8.8.7 | Application of Best Practice and the EMP for Bats | 193 |
| 8.8.8 | Summary of Impacts to Bats | 194 |
| 8.9 | Sensitive Aspect No.8: Non-Volant Mammals..... | 195 |
| 8.9.1 | BASELINE CHARACTERISTICS of Non-Volant Mammals..... | 195 |

| | | |
|---------------|--|------------|
| 8.9.1.1 | STUDY AREA for Non-Volant Mammals..... | 195 |
| 8.9.1.2 | Baseline Context and Character of Non-Volant Mammals in the UWF Related Works Study Area | 195 |
| 8.9.1.3 | Importance of Non-Volant Mammals..... | 196 |
| 8.9.1.4 | Sensitivity of Non-Volant Mammals..... | 197 |
| 8.9.1.5 | Trends in the Baseline Environment (the ‘Do-Nothing’ scenario)..... | 197 |
| 8.9.1.6 | Receiving Environment (the Baseline + Trends)..... | 197 |
| 8.9.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics..... | 198 |
| 8.9.2.1 | Cumulative Evaluation Study Area | 198 |
| 8.9.2.2 | Overview of Other Elements, Other Projects or Activities..... | 198 |
| 8.9.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 199 |
| 8.9.3 | PROJECT DESIGN MEASURES for Non-Volant Mammals..... | 202 |
| 8.9.4 | EVALUATION OF IMPACTS to Non-Volant Mammals..... | 204 |
| 8.9.4.1 | Impact Evaluation Table: Badger - Habitat Loss | 205 |
| 8.9.4.2 | Impact Evaluation Table: Badger - Disturbance/Displacement..... | 209 |
| 8.9.4.3 | Impact Evaluation Table: Otter - Disturbance/Displacement | 212 |
| 8.9.4.4 | Impact Evaluation Table: Irish Hare, Pine Marten, Red Squirrel and Fallow Deer - Habitat Loss..... | 216 |
| 8.9.4.5 | Impact Evaluation Table: Irish Hare, Pine Marten, Red Squirrel and Fallow Deer - Disturbance /Displacement | 219 |
| 8.9.4.6 | Description and Rationale for Excluded (scoped out) Impacts | 223 |
| 8.9.5 | Mitigation Measures for Impacts to Non-Volant Mammals..... | 226 |
| 8.9.6 | Evaluation of Residual Impacts to Non-Volant Mammals..... | 226 |
| 8.9.7 | Application of Best Practice and the EMP for Non-Volant Mammals | 227 |
| 8.9.7.1 | Surface Water Management Plan | 227 |
| 8.9.7.2 | Invasive Species Management Plan | 227 |
| 8.9.8 | Summary of Impacts to Non-Volant Mammals | 228 |
| 8.10 | Sensitive Aspect No.9: Amphibians & Reptiles..... | 230 |
| 8.10.1 | BASELINE CHARACTERISTICS of Amphibians & Reptiles..... | 230 |
| 8.10.1.1 | STUDY AREA for Amphibians & Reptiles | 230 |
| 8.10.1.2 | Baseline Context and Character of Amphibians & Reptiles in the UWF Related Works Study Area | 230 |
| 8.10.1.3 | Importance of Amphibians & Reptiles | 230 |
| 8.10.1.4 | Sensitivity of Amphibians & Reptiles..... | 231 |
| 8.10.1.5 | Trends in the Baseline Environment (the ‘Do-Nothing’ scenario)..... | 231 |
| 8.10.1.6 | Receiving Environment (the Baseline + Trends)..... | 231 |
| 8.10.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics..... | 232 |
| 8.10.2.1 | Overview of Other Elements, Other Projects or Activities..... | 232 |

| | | |
|---------------|--|------------|
| 8.10.2.2 | Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts..... | 232 |
| 8.10.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 234 |
| 8.10.3 | PROJECT DESIGN MEASURES for Amphibians & Reptiles..... | 236 |
| 8.10.4 | EVALUATION OF IMPACTS to Amphibians & Reptiles..... | 237 |
| 8.10.4.1 | Description and Rationale for Excluded (scoped out) Impacts | 238 |
| 8.10.5 | Mitigation Measures for Impacts to Amphibians & Reptiles..... | 239 |
| 8.10.6 | Evaluation of Residual Impacts to Amphibians & Reptiles..... | 239 |
| 8.10.7 | Application of Best Practice and the EMP for Amphibians & Reptiles | 239 |
| 8.10.7.1 | Invasive Species Management Plan | 239 |
| 8.10.8 | Summary of Impacts to Amphibians & Reptiles | 240 |
| 8.11 | Sensitive Aspect No.10: Marsh Fritillary | 241 |
| 8.11.1 | BASELINE CHARACTERISTICS of Marsh Fritillary | 241 |
| 8.11.1.1 | STUDY AREA for Marsh Fritillary..... | 241 |
| 8.11.1.2 | Baseline Context and Character of Marsh Fritillary in the UWF Related Works Study Area | 241 |
| 8.11.1.3 | Importance of Marsh Fritillary..... | 242 |
| 8.11.1.4 | Sensitivity of Marsh Fritillary..... | 242 |
| 8.11.1.5 | Trends in the Baseline Environment (the ‘Do-Nothing’ scenario)..... | 242 |
| 8.11.1.6 | Receiving Environment (the Baseline + Trends)..... | 242 |
| 8.11.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics..... | 243 |
| 8.11.2.1 | Cumulative Evaluation Study Areas..... | 243 |
| 8.11.2.2 | Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts..... | 243 |
| 8.11.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 245 |
| 8.11.3 | PROJECT DESIGN MEASURES for Marsh Fritillary | 246 |
| 8.11.4 | EVALUATION OF IMPACTS to Marsh Fritillary | 247 |
| 8.11.4.1 | Impact Evaluation Table: Habitat Loss | 248 |
| 8.11.4.2 | Description and Rationale for Excluded (scoped out) Impacts | 251 |
| 8.11.5 | Mitigation Measures for Impacts to Marsh Fritillary | 253 |
| 8.11.6 | Evaluation of Residual Impacts to Marsh Fritillary | 253 |
| 8.11.7 | Application of Best Practice and the EMP for Marsh Fritillary..... | 253 |
| 8.11.8 | Summary of Impacts to Marsh Fritillary..... | 254 |
| 8.12 | Policy Context | 256 |
| 8.12.1 | National Policy - National Biodiversity Action Plan | 256 |
| 8.12.2 | Regional Policy - Mid-West Regional Planning Guidelines 2010-2022 | 256 |
| 8.12.3 | North Tipperary County Development Plan 2010 (as varied):..... | 257 |
| 8.12.4 | Felling and Reforestation Policy | 257 |
| 8.13 | Best Practice Measures..... | 258 |

8.14 Summary of the Biodiversity Chapter 298

8.14.1 Summary of Effects on European Sites 298

8.14.2 Summary of UWF Related Works Impacts to the other Sensitive Aspects 298

8.14.3 Summary of UWF Related Works Cumulative Impacts 299

8.14.4 Summary of Cumulative Impacts with Other Elements of the Whole UWF Project..... 299

8.14.5 Summary of Cumulative Impacts with Other Projects or Activities 300

8.15 Reference List..... 302

List of Figures

| Figure No. | Figure Title |
|-------------------|--|
| Figure RW 8.1 | UWF Related Works Location Map |
| Figure RW 8.2 | European Sites within the UWF Related Works Study Area |
| Figure CE 8.2 | European Sites within the UWF Related Works Cumulative Evaluation Study Area |
| Figure RW 8.3 | National Sites within the UWF Related Works Study Area |
| Figure WP 8.3 | National Sites within the Whole Project Cumulative Evaluation Study Area |
| Figure RW 8.4 | Aquatic Habitats & Species within the UWF Related Works Study Area |
| Figure CE 8.4 | Aquatic Habitats & Species within the UWF Related Works Cumulative Evaluation Study Area |
| Figure WP 8.4 | Aquatic Habitats & Species within the Whole Project Cumulative Evaluation Study Area |
| Figure RW 8.5 | Terrestrial Habitats within the UWF Related Works Study Area |
| Figure CE 8.5 | Terrestrial Habitats within the UWF Related Works Cumulative Evaluation Study Area |
| Figure WP 8.5 | Terrestrial Habitats within the Whole Project Cumulative Evaluation Study Area |
| Figure RW 8.6 | Hen Harrier within the UWF Related Works Study Area |
| Figure CE 8.6 | Hen Harrier within the UWF Related Works Cumulative Evaluation Study Area |
| Figure WP 8.6 | Hen Harrier within the Whole Project Cumulative Evaluation Study Area |
| Figure RW 8.7 | General Bird Species within the UWF Related Works Study Area |
| Figure CE 8.7 | General Bird Species within the UWF Related Works Cumulative Evaluation Study Area |
| Figure WP 8.7 | General Bird Species within the Whole Project Cumulative Evaluation Study Area |
| Figure RW 8.8 | Bats within the UWF Related Works Study Area |
| Figure CE 8.8 | Bats within the UWF Related Works Cumulative Evaluation Study Area |
| Figure WP 8.8 | Bats within the Whole Project Cumulative Evaluation Study Area |
| Figure RW 8.9 | Non-Volant Mammals within the UWF Related Works Study Area |
| Figure CE 8.9 | Non-Volant Mammals within the UWF Related Works Cumulative Evaluation Study Area |
| Figure WP 8.9 | Non-Volant Mammals within the Whole Project Cumulative Evaluation Study Area |
| Figure RW 8.10 | Amphibians & Reptiles within the UWF Related Works Study Area |
| Figure CE 8.10 | Amphibians & Reptiles within the UWF Related Works Cumulative Evaluation Study Area |
| Figure WP 8.10 | Amphibians & Reptiles within the Whole Project Cumulative Evaluation Study Area |
| Figure RW 8.11 | Marsh Fritillary within the UWF Related Works Study Area |
| Figure CE 8.11 | Marsh Fritillary within the UWF Related Works Cumulative Evaluation Study Area |
| Figure WP 8.11 | Marsh Fritillary within the Whole Project Cumulative Evaluation Study Area |

Figures and mapping referenced in this topic chapter can be found in **Volume C3 EIAR Figures**.

List of Appendices

| <u>Appendix No.</u> | <u>Appendix Title</u> |
|---------------------|--|
| Appendix 8.1 | Detailed Biodiversity Data and Supplementary Information |

Appendices referenced in this topic chapter can be found in **Volume C4 EIAR Appendices**.

Glossary of Terms

| Term | Definition |
|-----------------------------------|---|
| Afforestation | The establishment of a forest or stand of trees (forestation) in an area where there was no previous tree cover |
| Anadromous | Fish that migrate up rivers from the sea to spawn |
| Appropriate Assessment | An assessment required by the EU Habitats Directive where a project (or plan) would be likely to have a significant effect on a European site, either alone or in combination with other plans or projects |
| Avoidance | Prevention of impacts occurring, having regard to predictions about potentially negative environmental effects (e.g. project decisions about site location or design). |
| Baseline Environment | The conditions that would pertain in the absence of the proposed project at the time that the project would be constructed / operated / decommissioned. The definition of these baseline conditions should be informed by changes arising from other causes (e.g. other consented developments) |
| Bern Convention | Convention on the Conservation of European Wildlife and Natural Habitats in Bern in 1992 ensures that governments take into account the conservation needs of species during the formulation of planning and development policies |
| Biodiversity | The biological diversity of the earth's living resources. The total variability among organisms and ecosystems. In common usage, and within these Guidelines, biodiversity is used to describe the conservation of the natural environment, rather than describing the variation within it. |
| Catchment | A catchment area is a hydrological unit. Each drop of precipitation that falls into a catchment area eventually ends up in the same river. Catchment areas are separated from each other by watershed |
| Climate change | A change in global or regional climate patterns, in particular a change apparent from the mid to late 20th century onwards and attributed largely to the increased levels of atmospheric carbon dioxide produced by the use of fossil fuels. |
| Compensation | Measures taken to make up for the loss of, or permanent damage to, ecological features despite mitigation. Any replacement area should be similar in terms of biological features and ecological functions that have been lost or damaged, or with appropriate management have the ability to reproduce the ecological functions and conditions of those biological features. |
| Competent Authority | An organisation or individual who is responsible for determining an application for consent for a project. Competent authorities in relation to Appropriate Assessment in Ireland are set out in SI 477 of 2011. |
| Conceptual Site Model | Model used to facilitate the identification of source-pathway-receptor links between a project and the receiving environment |
| Connectivity | A measure of the functional availability of the habitats needed for a particular species to move through a given area. Examples include the flight lines used by bats to travel between roosts and foraging areas or the corridors of appropriate habitat needed by some slow colonising species if they are to spread. |
| Conservation objective | Objective for the conservation of biodiversity (e.g. specific objective within a management plan or broad objectives of policy). |
| Conservation status | The state of a species or habitat including for example, extent, abundance, distribution and their trends. |
| Couches | Overground nest like structure used by Otter for resting and/or breeding |
| Cumulative impact / effect | Additional changes caused by a proposed development in conjunction with other developments or the combined effect of a set of developments taken together. |

| Term | Definition |
|---|---|
| Degradation | The condition or process of degrading or being degraded. |
| Designated Sites | General term for sites which have been designated for nature conservation and for which legal protection has been conferred onto the sites. In Ireland, these included Special Areas of Conservation and Special Protection Areas. In addition to Natural Heritage Areas designated under national legislation. |
| Displacement | The action of moving something from its place or position. |
| Distribution | The geographical presence of a feature. This can depend on factors such as climate and altitude. |
| Disturbance | Disturbance is a temporary change in environmental conditions that causes a pronounced change in an ecosystem. |
| Ecosystem | A dynamic complex of plant, animal and micro-organism communities and their non-living environment interacting as a functional unit |
| Effect | Outcome to an ecological feature from an impact. For example, the effects on a dormouse population from loss of a hedgerow. See also 'Impact'. |
| EIAR | Environmental Impact Assessment Report |
| Endangered | A taxon is Endangered when the best available evidence indicates that it meets any of the criteria A to E for Endangered (Section V of IUCN Red List Categories and Criteria (2012) Version 3.1 2nd edn.), and it is therefore considered to be facing a very high risk of extinction in the wild. |
| Enhancement | The genuine enhancement of the natural heritage interest of a site or area because the project includes improved management or new habitats or features, which are better than the prospective management, or the habitats or features present there now. There is, therefore, a net or new benefit to the natural heritage |
| Environmental Impact Assessment (EIA) | Assessment of projects carried out under the EIA Directive and Regulations. |
| Environmental Impact Assessment Report | A document describing the effects of a project on the environment prepared during EIA |
| European sites | Special Areas of Conservation (cSACs) and Special Protection Areas (SPAs) which comprise the Natura 2000 network which are designated under European legislation |
| Fauna | Fauna is all of the animal life of any particular region or time. |
| Favourable condition | Satisfactory condition of an ecological feature. In some cases, favourable condition is specifically defined (e.g. for some designated sites). |
| Flora | Flora is the plant life occurring in a particular region or time. |
| Flora Protection Order | The current list of plant species protected by Section 21 of the Wildlife Act, 1976 is set out in the Flora (Protection) Order, 2015, which supersedes orders made in 1980, 1987 and 1999. |
| Fragmentation | The breaking up of a habitat, ecosystem or land-use type into smaller parcels with a consequent impairment of ecological function. |
| Groundwater | Groundwater is the water found underground in the cracks and spaces in soil, sand and rock. It is stored in and moves slowly through geologic formations of soil, sand and rocks called aquifers. |
| Habitat | The place or type of site where an organism or population naturally occurs. Often used in the wider sense referring to major assemblages of plants and animals found together |
| Hinterland | Area of surrounding landscape |

| Term | Definition |
|---------------------------------------|---|
| Holts | Created or existing underground shelter used by Otter for resting and/or breeding |
| Hydrological | Associated with or related to the scientific study of the properties, distribution, and effects of water on the earth's surface, in the soil and underlying rocks, and in the atmosphere. |
| Impact | Actions resulting in changes to an ecological feature. For example, the construction activities of a development removing a hedgerow. See also 'Effect' |
| Important ecological features | Ecological features requiring specific assessment within EclA. Ecological features can be important for a variety of reasons (e.g. quality and extent of designated sites or habitats, habitat / species rarity). |
| Larvae | Plural form of larva; The active immature form of an insect, especially one that differs greatly from the adult and forms the stage between egg and pupa |
| Life-cycle stages | In this context, the stages of a project; i.e. Construction, Operational and Decommissioning |
| Mitigation/Mitigation Measures | Measures taken to avoid or reduce negative impacts. Measures may include: locating the development and its working areas and access routes away from areas of high ecological interest, fencing off sensitive areas during the construction period, or timing works to avoid sensitive periods. An example of a reduction measure is a reed bed silt trap that is designed to minimise the amount of polluted water running directly into an ecologically important watercourse. See also compensation (which is separate from mitigation). |
| Natura Impact Statement | Under the European Communities (Birds and Natural Habitats) Regulations 2011 (SI 477 of 2011), an EclA report including the scientific assessment of a plan or project in relation to relevant Natura 2000 sites and other information required to enable a competent authority to carry out an Appropriate Assessment |
| Natural Heritage Area | The basic designation for wildlife in Ireland is the Natural Heritage Area (NHA). This is an area considered important for the habitats present or which holds species of plants and animals whose habitat needs protection. |
| Non-native invasive species | Any non-native animal or plant that has the ability to spread causing damage to the environment, the economy, our health and the way we live. Equivalent of 'alien species' as used by the Convention on Biological Diversity |
| Non-Volant | Incapable of flight |
| Population | A collection of individuals (plants or animals), all of the same species and in a defined geographical area. |
| Precautionary Principle | The principle that the absence of complete information should not preclude precautionary action to mitigate the risk of significant harm to the environment. |
| Project Design Measure | Measures for environmental protection, incorporated into the design of the project. |
| Proposed Natural Heritage Area | Proposed NHAs (pNHAs) were published on a non-statutory basis in 1995 and have not since been statutorily proposed or designated. These sites are of significance for wildlife and habitats are subject to limited protection, in the form of agri-environmental farm planning schemes, NPWS approval for afforestation schemes on pNHA lands and recognition of the ecological value of pNHAs by Planning and Licencing Authorities |
| Qualifying Interest | Habitats listed on Annex I and Species listed on Annex II of the EU Habitats Directive for which Special Areas of Conservation have been designated. |
| Rarity | A measure of relative abundance |
| Receptors | Any ecological or other defined feature (e.g. human beings) that is sensitive to or has the potential to be affected by an impact. |

| Term | Definition |
|--------------------------------------|---|
| Replacement | The creation of a habitat that is an acceptable substitute for the habitat which has been lost. |
| Restoration | The re-establishment of a damaged or degraded system or habitat to a close approximation of its pre-degraded condition. |
| Riparian | Relating to or situated on the banks of a river |
| Roost | Resting place for a bird or bat |
| SAC/cSAC | Site designated according to the habitats directive. Special area of conservation means a site of Community importance designated by the Member States through a statutory, administrative and/or contractual act where the necessary conservation measures are applied for the maintenance or restoration, at a favourable conservation status, of the natural habitats and/or the populations of the species for which the site is designated |
| Scoping | The process of determining the content and extent of the matters which should be covered in the environmental information (the EIA Report) to be submitted to a Competent Authority for developments which are subject to EIA. |
| Screening | Determination of whether or not an EIA is necessary. |
| Sensitive Aspect | Any sensitive receptor in the local environment which could be impacted by the project. |
| Sett | Series of underground tunnels and chambers of varying complexity used by Badgers for resting and breeding |
| Significance | The importance of the outcome of the impact (or the consequence of change) for the receiving environment. |
| Source-Impact-Pathways | Method used to identify the source of any potential impacts, predicting any potential impacts and identifying the pathways by which the potential impacts can reach the sensitive receptor |
| SPA | Area classified under Article 4 of the birds directive (Council Directive 79/409/EEC of 2 April 1979 on the conservation of wild birds). |
| Special Conservation Interest | Species listed on Annex I of the EU Birds Directive as well as wetland habitats for which Special Protection Areas have been designated for the conservation of birds. |
| Sustainable Development | Sustainable development is a pattern of resource use that aims to meet human needs while preserving the environment so that these needs can be met not only in the present, but also for future generations. |
| Taxa | Plural form of Taxon; a taxonomic group of any rank, such as a species, family, or class. |
| Tributary | A river or stream which flows into a larger river or lake |
| Turbary | Turf-cutting, the legal right to cut turf or peat for fuel on common ground or on another person's ground |
| Upland | Area of hilly or mountainous land. Upland habitats are defined as unenclosed areas of land over 150 m and contiguous areas of related habitat that extend below this altitude |
| Vulnerable | A taxon is Vulnerable when the best available evidence indicates that it meets any of the criteria A to E for Vulnerable (see Section V of IUCN Red List Categories and Criteria (2012) Version 3.1 2nd edn.), and it is therefore considered to be facing a high risk of extinction in the wild. |
| Zone(s) of Influence | The area(s) over which ecological features may be affected by the biophysical changes caused by the proposed project and associated activities. |

List of Abbreviations

| Abbreviation | Full Term |
|---------------------|--|
| AA | Appropriate Assessment |
| ABP | An Bord Pleanála |
| AMM | Ecopower Additional Mitigation Measure developed by members of the EIAR Team |
| BCI | Bat Conservation Ireland |
| BOCCI | Birds of Conservation Concern in Ireland |
| BPM | Ecopower Best Practice Measure developed by members of the EIAR Team |
| BWI | Birdwatch Ireland |
| CIEEM | Chartered Institute of Ecology and Environmental Management |
| CIRIA | Construction Industry Research and Information Association |
| DAHRGA | Department of Arts, Heritage, Regional, Rural and Gaeltacht Affairs |
| DoEHLG | Department of Environment, Heritage and Local Government |
| EcIA | Ecological Impact Assessment |
| EIA | Environmental Impact Assessment |
| EIAR | Environmental Impact Assessment Report |
| EMP | Environmental Management Plan |
| EPA | Environmental Protection Agency |
| ERFB | Eastern Regional Fisheries Board |
| FPO | Flora Protection Order |
| GSI | Geological Survey of Ireland |
| IEEM | Institute of Ecology and Environmental Management |
| IFI | Inland Fisheries Ireland |
| IFM | Institute of Fisheries Management |
| JNCC | Joint Nature Conservation Committee |
| NBDC | National Biodiversity Data Centre |
| NGO | Non-Governmental Organisation |
| NHA | Natural Heritage Area |
| NIS | Natura Impact Statement |
| NPWS | National Parks and Wildlife Service |
| NRA | National Roads Authority |
| OSI | Ordnance Survey of Ireland |
| PD | Ecopower Project Design Environmental Protection Measure developed by members of the EIAR Team |
| PEA | Preliminary Ecological Appraisal |
| pNHA | Proposed Natural Heritage Area |
| RFI | Request for Further Information |
| SAC/cSAC | Special Area of Conservation |
| SEA | Strategic Environmental Assessment |
| SNH | Scottish Natural Heritage |
| SPA | Special Protection Area |
| UGC | Underground Cable |
| UWF | Upperchurch Windfarm |

| <u>Abbreviation</u> | <u>Full Term</u> |
|---------------------|------------------|
| | |

8 Environmental Factor: Biodiversity

8.1 Introduction to the Biodiversity Chapter

8.1.1 What is Biodiversity?

Biodiversity is the variability among living organisms from all sources, including terrestrial, marine, and other aquatic ecosystems and the ecological complexes of which they are part. This includes diversity within and between species and ecosystems.

8.1.2 Overview of Biodiversity in the Local Environment

The UWF Related Works are located within the Slievefelim to Silvermines mountains area. The receiving environment is representative of typical upland habitats, and includes lands under active management for agriculture and forestry. Features of the local environment on or around the works include the Bilboa River in the Lower River Shannon catchment and tributaries of the Multeen River such as the Clodiagh, Owenbeg and the Turraheen River which form part of the Lower River Suir catchment.

Birds, Bats and other mammals, amphibians, reptiles and invertebrates are present within the receiving environment.

European Sites such as the Slievefelim to Silvermines Mountains SPA, the Lower River Shannon cSAC, and the Lower River Suir cSAC, are found in the surrounding area. Both of the cSACs mentioned are designated for the protection of salmonids and freshwater aquatic species. The Slievefelim to Silvermines Mountains SPA is designated for the protection of Hen Harrier. NHAs and pNHAs are also found within the surrounding area.

The location of the UWF Related Works is illustrated on OSI Mapping on [Figure RW 8.1: UWF Related Works Location Map](#).

Figures and mapping referenced in this topic chapter can be found in **Volume C3 EIAR Figures**.

8.1.3 Sensitive Aspects of the Biodiversity Environment included for further evaluation

Any sensitive receptor in the local environment which could be impacted by the project is a Sensitive Aspect. The following Sensitive Aspects are included in this topic chapter as they could be potentially impacted:

| | | |
|------------------------|----------------------------|--------------|
| Sensitive Aspect No. 1 | European Sites | Section 8.2 |
| Sensitive Aspect No. 2 | National Sites | Section 8.3 |
| Sensitive Aspect No. 3 | Aquatic Habitats & Species | Section 8.4 |
| Sensitive Aspect No.4 | Terrestrial Habitats | Section 8.5 |
| Sensitive Aspect No.5 | Hen Harrier | Section 8.6 |
| Sensitive Aspect No.6 | General Bird Species | Section 8.7 |
| Sensitive Aspect No.7 | Bats | Section 8.8 |
| Sensitive Aspect No.8 | Non-Volant Mammals | Section 8.9 |
| Sensitive Aspect No.9 | Amphibians & Reptiles | Section 8.10 |
| Sensitive Aspect No.10 | Marsh Fritillary | Section 8.11 |

Each of the above listed Sensitive Aspects are evaluated individually in Sections 8.2 to 8.11 of this Chapter.

To help readers navigate to individual sensitive aspect sections, the colour codes for each Sensitive Aspect used above are also used in the Sensitive Aspect sections Section 8.2 to 8.11. The colour-codes have been applied to section headings, tables and on side-tabs on the edge of the pages.

8.1.4 Sensitive Aspects excluded from further evaluation

The following Sensitive Aspects are excluded from this topic chapter:

| | |
|---|---|
| General Invertebrates other than Marsh Fritillary | Effects evaluated as Neutral ¹ due to the scale of the works (construction, operational and decommissioning) and small number of machines/vehicles at any one location, in addition to the general low ecological value of habitats in the receiving environment in terms of Invertebrate diversity. |
| Natterjack toad (Bufo (Epidalea) calamita), | Effects evaluated as not likely, due to the location of the Elements of the UWF Whole Project beyond the geographical range of this species. |
| Slow worm (Anguis fragilis) | Effects evaluated as not likely, due to the location of the Elements of the UWF Whole Project beyond the geographical range of this legless lizard species. |

8.1.5 Overview of the Subject Development

The UWF Related Works are the subject development, being the subject of a current application to Tipperary County Council. The main parts of the UWF Related Works are identified in Table 8.1 below.

Table 8-1: Subject Development – UWF Related Works

| Project ID | The Subject Development | Composition of the Subject Development |
|------------|--|---|
| Element 2 | <u>The Subject Development</u> UWF Related Works (RW) | Internal Windfarm Cabling Realigned Windfarm Roads Haul Route Works Telecom Relay Pole RW Ancillary Works |

Note: The UWF Related Works are 'Element 2' of the Whole UWF Project.

A description of the location, size and design, life-cycle stages, use of natural resources, emissions and wastes, and the vulnerability to major accidents and natural disasters is provided in **Chapter 5: Description of the Development – UWF Related Works (Volume C2 EIAR Main Report)**.

This EIA Report is also available on www.upperchurchwindfarm.ie.

8.1.6 The Authors of the Biodiversity Chapter

This report was written by Howard Williams BSc CEnv MCIEEM CBiol MRSB MIFM (Senior Environmental Consultant); Christopher Cullen Dip. Eng. Dip. Ecol. ACIEEM (Senior Ecologist); Sarah Ingham BSc MSc ACIEEM (Project Ecologist/GIS); Peter O Connor MSc. (GIS) and John Deasy BSc. MSc. (Ecologist/GIS) of Inis Environmental Consultants: an established consultancy providing expertise in environmental project management and specialist ecological services.

¹ No effects or effects that are imperceptible, within the normal bounds of variation or within the margin of forecasting error". See EPA, August 2017, and Table 8-9.

8.1.7 Sources of Baseline Information

The information sources outlined in Table 8-2 were reviewed during desktop studies and confirmed during fieldwork in order to gather information on the baseline environment. The recommendations in the guidelines listed in the table, have been considered during the preparation of this chapter.

Table 8-2: Sources of Baseline Information for Biodiversity

| Type | Source |
|--------------|---|
| Consultation | <p>Feedback was received from</p> <ul style="list-style-type: none"> • An Bord Pleanála • Tipperary County Council • Developments Application Unit • National Parks and Wildlife Service • Inland Fisheries Ireland • Irish Peatland Conservation Council <p>See Chapter 3: The Scoping Consultations, and Appendices A3.1, A3.2.</p> |
| Guidelines | <p><u>Ecological Evaluation</u></p> <ul style="list-style-type: none"> • Guidelines for Assessment of Ecological Impacts of National Road Schemes. Dublin – (National Roads Authority, 2009) • Guidelines for Ecological Impact Assessment in the United Kingdom- (CIEEM, 2016). • Barbour, M.T. and Stribling, J.B. (1991) Use of Habitat Assessment in Evaluating the Biological Integrity of Stream Communities. In: Methods in Stream Ecology (Eds. Hauer, F.R. and Lamberti, G.A. Academic Press. • Kelly & King (2001) A review of the ecology and distribution of three lamprey species, <i>Lampetra fluviatilis</i> (L.), <i>Lampetra planeri</i> (Bloch), and <i>Petromyzon marinus</i> (L.): A context for conservation and biodiversity considerations in Ireland. <i>Biology and the Environment</i>. 101B(3):165-185. • Kennedy, GJA & Strange, CD (1986) The effects of intra- and inter-specific competition on the distribution of stocked juvenile Atlantic salmon, <i>Salmo salar</i> L., in relation to depth and gradient in an upland trout, <i>Salmo trutta</i> L., stream. <i>J. Fish. Biol.</i>, 29(2):199-214. • Greenberg, L.A. and Dahl, J. 1998. Effect of habitat type on growth and diet of brown trout (<i>Salmo trutta</i> L.) in stream enclosures. <i>Fisheries Management & Ecology</i> 5: 331-348. • Hatfield, T. & Bruce, J. (2000) Predicting Salmonid Habitat–Flow Relationships for Streams from Western North America. <i>North American Journal of Fisheries Management</i> 20:1005–1015, 2000 • O'Grady, M.F., Curtin, J (1993) The Enhancement of drained salmonid rivers in Ireland. A bioengineering perspective. <i>Hydroecol. Appl.</i>, 5(2):7-26. • Collins, J. (ed.) (2016). Bat surveys for professional ecologists: good practice guidelines (3rd edn). The Bat Conservation Trust, London. • Billington, G.E. & Norman, G.M. (1997). The Conservation of Bats in Bridges Project – A report on the survey and conservation of bat roosts in bridges in Cumbria. • Percival, S.M. Predicting the effects of wind farms on birds in the UK: the development of an objective assessment method. [ed.] M., Janss, F.E., Ferrer, M. De Lucas. Madrid - (Quercus, 7, pp. 137-152).2007 <p><u>Hen Harrier</u></p> |

| Type | Source |
|------|---|
| | <ul style="list-style-type: none"> Recommended Bird Survey Methods to Inform Impact Assessment of Onshore Wind Farms. (Scottish Natural Heritage, 2014). Raptors: A Field Guide for surveys and Monitoring, third Edition (Hardey <i>et al.</i>, 2014). <p><u>Other Birds</u></p> <ul style="list-style-type: none"> Recommended Bird Survey Methods to Inform Impact Assessment of Onshore Wind Farms. (Scottish Natural Heritage, 2014). Ecological Surveying Techniques for Protected Flora and Fauna during the Planning of National Road Schemes. (National Roads Authority, 2008). Assessing the effectiveness of monitoring methods for Merlin <i>Falco columbarius</i> in Ireland: the Pilot Merlin Survey 2010. Lusby, J., Fernandez-Bellon, D., Noriss, D., Lauder, A. Kilcoole, Co. Wicklow. : BirdWatch Ireland, 2011, Irish Birds, Vols. Volume 9, Number 2, pp. 143-154. Bibby CJ, Burgess ND, Hill DA and Mustoe SH (2000). Bird Census Techniques, 2nd Edition. Academic Press, London. Birdwatch Ireland. An assessment of the effects of Arterial Drainage Maintenance on Kingfisher and other riparian birds. Wicklow: Birdwatch Ireland and OPW, 2010. Cummins, S., Bleasdale, A., Douglas, C., Newton, S., O'Halloran, J. & Wilson, H.J. (2010) The status of Red Grouse in Ireland and the effects of land use, habitat and habitat quality on their distribution. Irish Wildlife Manuals, No. 50. National Parks and Wildlife Service, Department of the Environment, Heritage and Local Government, Dublin, Ireland. <p><u>Terrestrial Habitats</u></p> <ul style="list-style-type: none"> A Guide to the Habitats of Ireland. The Heritage Council, Kilkenny. (Fossitt, 2000). Best Practice Guidance for Habitat Survey and Mapping (Smith <i>et al.</i>, 2011). <p><u>Bats</u></p> <ul style="list-style-type: none"> Guidelines for the Treatment of Bats during the Construction of National Road Schemes (National Roads Authority, 2005). Best Practice Guidelines for the Conservation of Bats in the Planning of National Road Schemes (National Roads Authority, 2005). Bat Surveys for Professional Ecologists: Good Practice Guidelines (3rd Ed.) Collins, 2016 <p><u>Badgers</u></p> <ul style="list-style-type: none"> Guidelines for the Treatment of Badgers prior to the Construction of National Road Schemes (National Roads Authority, 2005). Ecological Surveying Techniques for Protected Flora and Fauna during the Planning of National Road Schemes. (National Roads Authority, 2008). <p><u>Otters</u></p> <ul style="list-style-type: none"> Guidelines for the Treatment of Otters prior to the Construction of National Road Schemes (National Roads Authority, 2006). The Good Roads Guide: Nature Conservation Advice in Relation to Otters <i>Design Manual for roads and Bridges</i> (Highways Agency, 1999, HA 81/99). Ecological Surveying Techniques for Protected Flora and Fauna during the Planning of National Road Schemes. (National Roads Authority, 2008). <p><u>Aquatic Habitats & Species</u></p> <ul style="list-style-type: none"> Guidelines for the Crossing of Watercourses during the Construction of National Road Schemes (National Roads Authority, 2005). |

| Type | Source |
|---------|--|
| | <ul style="list-style-type: none"> Guidelines on Protection of Fisheries during Construction Works in and Adjacent to Waters (Inland Fisheries Ireland, 2016). Water Framework Directive (2000/60/EC). UK Pollution Prevention Guidelines (PPG). Requirements for the Protection of Fisheries Habitat during Construction and Development Works at River Sites (Eastern Regional Fisheries Board, not dated). CIRIA (Construction Industry Research and Information Association) 2006: Guidance on 'Control of Water Pollution from Linear Construction Projects' (CIRIA Report No. C648. London, 2006). CIRIA 2006: Control of Water Pollution from Construction Sites - Guidance for Consultants and Contractors. (CIRIA Report No. C532. London, 2006). <p><u>Ecological Surveying Techniques for Protected Flora and Fauna during the Planning of National Road Schemes. (National Roads Authority, 2008).</u></p> |
| Desktop | <ul style="list-style-type: none"> NPWS website National Biodiversity Data Centre website(NBDC); Environmental Protection Agency website (EPA); Inland Fisheries Ireland (IFI); Birdwatch Ireland (BWI); Bat Conservation Ireland (BCI); Butterfly Ireland; North Tipperary County Development Plan 2010-2016 (as varied), adopted in December 2015 Draft North Tipperary Local Biodiversity Action Plan 2007 North Tipperary Heritage Plan 2013-2018 Tipperary Renewable Energy Strategy 2016 South Tipperary Biodiversity Action Plan 2010-2015 <p><u>In co-ordination with and by review of the other EIA Report Chapters as follows:</u></p> <ul style="list-style-type: none"> Chapter 10: Soils Chapter 11: Water Chapter 12: Air <p><u>Consented Upperchurch Windfarm planning documents</u></p> <ul style="list-style-type: none"> Ecopower Developments Ltd. (2013) Upperchurch Windfarm Environmental Impact Statement 13510003 Ecopower Developments Ltd. (2013) Upperchurch Windfarm Response to Further Information 13510003 Ecopower Developments Ltd. (2013) Upperchurch Windfarm Badger Sett Survey prepared by Malachy Walsh and Partners (MWP) Ecopower Developments Ltd. (2013) Upperchurch Windfarm Bat Survey prepared by Malachy Walsh and Partners (MWP) Ecopower Developments Ltd. (2013) Upperchurch Windfarm Ecological Management Plan prepared by Malachy Walsh and Partners (MWP) An Bord Pleanála (2014) Inspectors Report for Upperchurch Windfarm PL22.243040 An Bord Pleanála (2014) Grant of Permission for Upperchurch Windfarm PL22.243040 |

| Type | Source |
|-----------|--|
| | <u>Other Projects planning documents</u> <ul style="list-style-type: none"> • Castlewaller Woodland Partnership (2007) Castlewaller Windfarm Environmental Impact Statement prepared by Fehily Timoney and Company • Castlewaller Woodland Partnership (2007). Response to RFI from North Tipperary County Council prepared by Fehily Timoney and Company • ESB Wind Development Ltd. and Coillte (2013) Bunkimalta Wind Energy Project Environmental Impact Statement prepared by ESBI • An Bord Pleanála (2013) Inspectors Report for Bunkimalta Wind Energy Project PL22.241924 |
| Fieldwork | <ul style="list-style-type: none"> • Field Walking • Habitat Surveys • Species specific surveys |

NOTE: GREY Shading relates to additional information to facilitate the cumulative evaluations.

Note: Information from the Upperchurch Windfarm planning documents listed above (2013 EIS, 2013 RFI, 2014 Inspectors report etc.) were used throughout this EIA Report chapter to describe the baseline and receiving environment and to describe the effects of the UWF on the environment.

Further detail on the information referenced in Table 8-2 above is provided in [Appendix 8.1.in Volume C4 EIAR Appendices](#) and includes:

- Desktop Review Datasets
- Survey Results
- Hen Harrier Survey Data

8.1.7.1 Certainty and Sufficiency of Information Provided

A clear documentary trail is provided throughout this chapter, and chapter appendix, Appendix 8.1, to the competency of data and methods used and the rationale for selection of same. The information used to compile this chapter is collated from reports and documents generated by local authorities and statutory agencies, including the Department of Arts, Heritage, Regional, Rural and Gaeltacht Affairs and North Tipperary County Development Plan 2010 (as varied), with remit in the regulatory field. In all cases the most recent publications available are relied on. All documentation used is referenced at the end of the chapter.

In respect of Biodiversity no significant limitations of difficulties were encountered, nevertheless some minor limitations are discussed below:

Restricted Access to Properties: Where possible within the vicinity of elements 2 -4, detailed bat surveys were carried out for buildings of high or moderate suitability within 150m. It was not always possible to obtain permission to enter private property and/or to access the interior of buildings, so in some cases the presence / absence surveys were carried out from public roads. However, this is not considered to have negatively affected the results, because swarming behaviour can usually be observed at any location around a building, even if the roost entry point is not directly visible.

8.1.8 Methodology for Evaluating Effects**8.1.8.1 Determining the Importance of Biodiversity receptors (excluding birds) (NRA 2009)**

Table 8-3 outlines the Guidance from which receptor/resource evaluations (excluding birds) have been derived.

Table 8-3: NRA Evaluation Guidance (NRA 2009)

| <u>Resource Evaluation</u> | <u>NRA Criteria</u> |
|-----------------------------------|---|
| International Importance | <ul style="list-style-type: none"> • ‘European Site’ including Special Area of Conservation (SAC), Site of Community Importance (SCI), Special Protection Area (SPA) or proposed Special Area of Conservation. • Proposed Special Protection Area (SPA). Site that fulfils the criteria for designation as a ‘European Site’ (see Annex III of the Habitats Directive, as amended). Features essential to maintaining the coherence of the Natura 2000 Network. • Site containing ‘best examples’ of the habitat types listed in Annex I of the Habitats Directive. • Resident or regularly occurring populations (assessed to be important at the national level) of the following: Species of bird, listed in Annex I and/or referred to in Article 4(2) of the Birds Directive; and/or Species of animal and plants listed in Annex II and/or IV of the Habitats Directive. • Ramsar Site (Convention on Wetlands of International Importance Especially Waterfowl Habitat 1971). World Heritage Site (Convention for the Protection of World Cultural & Natural Heritage, 1972). • Biosphere Reserve (UNESCO Man & The Biosphere Programme). Site hosting significant species populations under the Bonn Convention (Convention on the Conservation of Migratory Species of Wild Animals, 1979). • Site hosting significant populations under the Berne Convention (Convention on the Conservation of European Wildlife and Natural Habitats, 1979). • Biogenetic Reserve under the Council of Europe. European Diploma Site under the Council of Europe. • Salmonid water designated pursuant to the European Communities (Quality of Salmonid Waters) Regulations, 1988, (S.I. No. 293 of 1988). |
| National Importance | <ul style="list-style-type: none"> • Site designated or proposed as a Natural Heritage Area (NHA). • Statutory Nature Reserve. • Refuge for Fauna and Flora protected under the Wildlife Acts. • National Park. • Undesignated site fulfilling the criteria for designation as a Natural Heritage Area (NHA); • Statutory Nature Reserve; • Refuge for Fauna and Flora protected under the Wildlife Act; and/or a National Park. • Resident or regularly occurring populations (assessed to be important at the national level) of the following: Species protected under the Wildlife Acts; and/or Species listed on the relevant Red Data list. Site containing ‘viable areas’ of the habitat types listed in Annex I of the Habitats Directive. |
| County Importance | <ul style="list-style-type: none"> • Area of Special Amenity. • Area subject to a Tree Preservation Order. |

| <u>Resource Evaluation</u> | <u>NRA Criteria</u> |
|-----------------------------------|--|
| | <ul style="list-style-type: none"> • Area of High Amenity, or equivalent, designated under the County Development Plan. • Resident or regularly occurring populations (assessed to be important at the County level) of the following: Species of bird, listed in Annex I and/or referred to in Article 4(2) of the Birds Directive; Species of animal and plants listed in Annex II and/or IV of the Habitats Directive; Species protected under the Wildlife Acts; and/or Species listed on the relevant Red Data list. • Site containing area or areas of the habitat types listed in Annex I of the Habitats Directive that do not fulfil the criteria for valuation as of International or National importance. • County important populations of species, viable areas of semi-natural habitats or natural heritage features identified in the National or Local BAP, if this has been prepared. • Sites containing semi-natural habitat types with high biodiversity in a county context and a high degree of naturalness, or populations of species that are uncommon within the county. • Sites containing habitats and species that are rare or are undergoing a decline in quality or extent at a national level. |
| Local Importance (Higher Value) | <ul style="list-style-type: none"> • Locally important populations of priority species or habitats or natural heritage features identified in the Local BAP, if this has been prepared; • Resident or regularly occurring populations (assessed to be important at the Local level) of the following: Species of bird, listed in Annex I and/or referred to in Article 4(2) of the Birds Directive; Species of animal and plants listed in Annex II and/or IV of the Habitats Directive; Species protected under the Wildlife Acts; and/or Species listed on the relevant Red Data list. • Sites containing semi natural habitat types with high biodiversity in a local context and a high degree of naturalness, or populations of species that are uncommon in the locality; • Sites or features containing common or lower value habitats, including naturalised species that are nevertheless essential in maintaining links and ecological corridors between features of higher ecological value. |
| Local Importance (Lower Value) | <ul style="list-style-type: none"> • Sites containing small areas of semi natural habitat that are of some local importance for wildlife; • Sites or features containing non-native species that is of some importance in maintaining habitat links. |

8.1.8.2 Percival and NRA Evaluation Criteria for biodiversity receptors (birds)**8.1.8.2.1 Determining Bird Sensitivity (Percival 2007 & NRA 2009)**

Table 8-4 outlines the Guidance from which avian (bird) receptor/resource evaluations have been derived.

Table 8-4: Bird Sensitivity Rating Equivalency (Percival 2007 and NRA 2009 Combined)

| <u>Sensitivity of Bird receptor</u> | <u>Percival 2007 criteria</u> | <u>NRA Resource Evaluation</u> | <u>NRA Criteria</u> | <u>Combined Criteria</u> |
|-------------------------------------|--|--------------------------------|---|--|
| Very High | <p>Species is cited interest of SPA.</p> <p>Species present in Internationally important numbers.</p> | International Importance. | Resident or regularly occurring populations (assessed to be important at the national level) of the following: Species of bird, listed in Annex I and/or referred to in Article 4(2) of the Birds Directive | <p>Species is cited interest of SPA.</p> <p>Species present in Internationally important numbers.</p> <p>Resident or regularly occurring populations (assessed to be important at the national level) of the following: Species of bird, listed in Annex I and/or referred to in Article 4(2) of the Birds Directive</p> |
| High | <p>Other non-cited species which contribute to integrity of SPA.</p> <p>Ecologically sensitive species (<300 breeding pairs in UK) and less common birds of prey.</p> <p>Species listed on Annex 1 of the EU bird's directive.</p> <p>Regularly occurring relevant migratory species which are rare or vulnerable</p> | National Importance | Resident or regularly occurring populations (assessed to be important at the national level) of the following: Species protected under the Wildlife Acts; and/or Species listed on the relevant Red Data list | <p>Other non-cited species which contribute to integrity of SPA</p> <p>Ecologically sensitive species (<300 breeding pairs nationally) and less common birds of prey.</p> <p>Species listed on Annex 1 of the EU bird's directive.</p> <p>Regularly occurring relevant migratory species which are rare or vulnerable</p> <p>Resident or regularly occurring populations (assessed to be important at the national level) of the following: Species protected under the Wildlife Acts; and/or Species listed on the</p> |

| <u>Sensitivity of Bird receptor</u> | <u>Percival 2007 criteria</u> | <u>NRA Resource Evaluation</u> | <u>NRA Criteria</u> | <u>Combined Criteria</u> |
|--|--|---------------------------------------|--|--|
| | | | | relevant Red Data list (in this case BOCCI Red list). |
| Medium | <p>Species present in regionally important numbers (>1% of regional population).</p> <p>Species occurring within SPA's but not crucial to the integrity of the site.</p> <p>Species listed as priority species in the UK BAP subject to special conservation measures</p> | County Importance | <p>Resident or regularly occurring populations (assessed to be important at the County level) of the following: Species of bird, listed in Annex I and/or referred to in Article 4(2) of the Birds Directive;</p> <p>County important populations of species.</p> <p>Sites containing habitats and species that are rare or are undergoing a decline in quality or extent at a national level.</p> | <p>Species present in regionally important numbers (>1% of regional population).</p> <p>Species occurring within SPA's but not crucial to the integrity of the site.</p> <p>Resident or regularly occurring populations (assessed to be important at the County level) of the following: Species of bird, listed in Annex I and/or referred to in Article 4(2) of the Birds Directive;</p> <p>County important populations of species.</p> <p>Species that are rare or are undergoing a decline in quality or extent at a national level.</p> |
| Low | <p>Species covered above which are present very infrequently or in very low numbers.</p> <p>Any other species of conservation interest not covered above, e.g. species listed on the red or amber lists of the BoCCI.</p> | Local Importance (High Value) | <p>Locally important populations of priority species or habitats or natural heritage features identified in the Local BAP, if this has been prepared;</p> <p>Resident or regularly occurring populations (assessed to be important at the Local level) of the following: Species of bird, listed in Annex I and/or referred to in</p> | <p>Locally important populations of priority species identified in the Local BAP, if this has been prepared;</p> <p>Resident or regularly occurring populations (assessed to be important at the Local level) of the following: Species of bird, listed in Annex I and/or referred to in Article 4(2) of the Birds Directive; Species protected under the Wildlife Acts; and/or Species listed on the relevant Red Data list.</p> |

| <u>Sensitivity of Bird receptor</u> | <u>Percival 2007 criteria</u> | <u>NRA Resource Evaluation</u> | <u>NRA Criteria</u> | <u>Combined Criteria</u> |
|-------------------------------------|---|--------------------------------|--|--|
| | | | Article 4(2) of the Birds Directive; Species protected under the Wildlife Acts; and/or Species listed on the relevant Red Data list. | Amber listed species. |
| Negligible | Species that remain common and widespread | Local Importance (Low Value) | n/a | Species that remain common and widespread Green Listed Species. |

8.1.8.2.2 Determining Magnitude of Effect to Birds (Percival 2007)

Table 8-5 outlines the definition of terms in respect of magnitude for avian receptor evaluations. This rating system has also been used as a general guide for magnitude quantification throughout.

Table 8-5: Birds - Definition of Terms relating to Magnitude (Percival 2007)

| <u>Magnitude</u> | <u>Description</u> |
|-------------------|--|
| Very High | Total loss or very major alteration to key elements/ features of the baseline conditions such that the post development character/ composition/ attributes will be fundamentally changed and may be lost from the site altogether. Guide: < 20% of population / habitat remains |
| High | Major loss or major alteration to key elements/ features of the baseline (pre-development) conditions such that post development character/ composition/ attributes will be fundamentally changed. Guide: 20-80% of population/ habitat lost |
| Medium | Loss or alteration to one or more key elements/features of the baseline conditions such that post development character/composition/attributes of baseline will be partially changed. Guide: 5-20% of population/ habitat lost |
| Low | Minor shift away from baseline conditions. Change arising from the loss/alteration will be discernible but underlying character/composition/attributes of baseline condition will be similar to pre-development circumstances/patterns. Guide: 1-5% of population/ habitat lost |
| Negligible | Very slight change from baseline condition. Change barely distinguishable, approximating to the "no change" situation. Guide: < 1% population/ habitat lost |

8.1.8.2.3 Determining Risk of Effect to Birds (Percival 2007)

Table 8-6 outlines probability rating definitions used to inform avian receptor impact appraisal.

Table 8-6: Birds - Risk classifications or likelihood that an impact will occur (Percival 2007)

| <u>Probability</u> | <u>Description</u> | <u>Comments</u> |
|--------------------|---|---|
| High | Impact is likely to occur (>50% likelihood) | Species known to be vulnerable to specific impact |
| Medium | Impact may occur (5-50% likelihood) | Species may be affected by specific impact |
| Low | Impact is very unlikely (<5% likelihood) | Species known to be tolerant to specific impact |

8.1.8.2.4 Determining Significance of Effect to Birds (Percival 2007 & EPA 2017 combined)

Table 8-7 outlines the significance matrix used for avian receptor impact appraisal.

Table 8-7: Birds - Significance Matrix for high probability impacts (Percival 2007 with equivalent EPA Significance Ratings).

| <u>Significance</u> | | <u>Sensitivity</u> | | | |
|---------------------|-------------------|--------------------------------|--------------------------------|------------------------------|------------------------------|
| | | Very High | High | Medium | Low |
| <u>Magnitude</u> | Very High | Very high/ Very significant | Very high/ Very significant | High/ Significant effects | Medium/ Moderate effects |
| | High | Very high/ Very significant | Very high/ Very significant | Medium/ Moderate effects | Low/ Slight effects |
| | Medium | Very high/ Very significant | High/ Significant effects | Low/ Slight effects | Very low/ Not Significant |
| | Low | Medium/ Moderate effects | Low/Slight effects | Low/Slight effects | Very low/ Not Significant |
| | Negligible | Low/ Slight effects | Very low/ Not Significant | Very low/ Not Significant | Very low/ Not Significant |

8.1.8.3 Fieldwork Methodology - Hen Harrier

Following scoping and formal consultation with NPWS as described, it was established that, based on likely sensitivities, and source-pathways linkages in respect of disturbance and displacement, the primary objective of Hen Harrier surveys should be to identify all Hen Harrier breeding and winter roosting sites in suitable habitat within a 2km radius of proposed works (i.e. any likely source stimulus in terms of disturbance or displacement –with the distance of 2km being the radius stipulated by SNH guidance). This approach was formulated in consultations with NPWS and is supported in SNH guidance.

By virtue of the prior appraisal of Upperchurch Windfarm, breeding occupancy and presence of winter roosts has already been established for those areas of habitat within and proximal to the Upperchurch Windfarm, which includes the UWF Related Works, and elements of the UWF Other Activities.

Remaining elements of the UWF Other Activities were scoped out for further appraisal in terms of impact pathways on breeding or winter roosting Hen Harrier, due to distance from Hen Harrier habitat, location on public roads and the minimal nature of works involved (e.g. the lifting and re-instatement of street furniture).

The proposed Telecom Relay Pole at Knockmaroe was scoped out as a source-impact-pathway for collision mortality as there are no records of Hen Harrier collision and/or mortality with structures of this size and nature.

As no breeding habitat is present at the UWF Grid Connection Mountphilips Substation location, then this was scoped out as a likely source of disturbance/displacement to breeding birds, in addition the distance to nearest Hen Harrier habitat and absence of records of collision mortality with buildings/structures such as sub-stations imply collision mortality is not a risk.

UWF Replacement Forestry was also scoped out as no breeding or winter roosting habitat is present.

Existing records of Hen Harrier usage of the area, dating back to 2003, were collated to establish suitable nesting or roosting habitat and further consultation undertaken in January 2019 with local Hen Harrier experts and NPWS.

Satellite imagery was additionally reviewed to identify areas of potentially suitable breeding habitat.

Ornithological surveys were performed from March 2015 to April 2017. The 5 No. vantage points are listed below:

- VP1: 594124 E 662083 N
- VP2: 595759 E 660170 N
- VP3: 596303 E 660414 N
- VP4: 595529 E 658478 N
- VP5: 598177 E 664307 N

All observations were restricted to hours of daylight (range 06.45-20.35). All 5 vantage points focused on suitable nesting habitat and historical nest locations within 2km of the UWF Related Works/Upperchurch Windfarm site.

8.1.8.4 Fieldwork Methodology - Habitats

Existing habitat information was reviewed to identify potentially sensitive habitats following a data request made to the NPWS. A further walkover of the UWF Related Works in July 2017 also allowed potentially sensitive areas to be identified prior to commencing habitat surveys.

All habitat surveys undertaken for the UWF Related Works followed best practice guidance (Smith *et al.*, 2011) and utilised the habitat classification presented in Fossitt (2000). All habitats within a 50-m buffer of

work locations were surveyed and classified to level 3. All surveys were carried out in good weather with no constraints.

With regard to previous habitat surveys within the Upperchurch Windfarm (EIS 2013), the methodology also followed best practice guidance (Smith *et al.*, 2011) and utilised the habitat classification presented in Fossitt (2000).

8.1.8.5 Fieldwork Methodology for Classifying Ecological Value of Watercourses

Surveys of watercourse crossings pertaining to UWF Related Works were carried out on 7th of July, 2017. There are no watercourse crossings for the UWF Replacement Forestry whilst confirmatory surveys of a number of watercourses associated with the Upperchurch Windfarm were undertaken on the 9th and 13th September 2017. These surveys included biological sampling (Q-values) and fisheries assessments for watercourses draining the Upperchurch Windfarm at or in close proximity to the following locations: WW31; WW32; WW2, in addition to 4 locations previously identified in studies for Upperchurch Windfarm (MWP6; MWP2; MWP3; MWP4). The character of watercourses within the study area, including tributaries and main stem channel evaluations were completed for the upper reaches of the Clodiagh and Owenbeg Rivers.

Evaluations of any watercourses pertinent to UWF Other Activities were carried out visually in conjunction with site visits on 25th of July, 2017 however no watercourse crossings are proposed for this project element.

Watercourses have previously been characterised into 4 classes; see Section 11.2 of Chapter 11 Water.

Following the above broad characterisations, and using a combination of the following Best Practice we evaluated each watercourse crossing for fisheries and assigned a fisheries importance rating of Optimal, Sub-Optimal or Poor. We note that instances of marginal fisheries value (typically between Sub-Optimal and Poor) were subsumed into the Sub-Optimal category to allow for more robust evaluation of effects. Best Practice literature utilised was as follows:

- Barbour, M.T. and Stribling, J.B. (1991) Use of Habitat Assessment in Evaluating the Biological Integrity of Stream Communities. In: Methods in Stream Ecology (Eds. Hauer, F.R. and Lamberti, G.A. Academic Press.
- Kelly & King (2001) A review of the ecology and distribution of three lamprey species, *Lampetra fluviatilis* (L.), *Lampetra planeri* (Bloch), and *Petromyzon marinus* (L.): A context for conservation and biodiversity considerations in Ireland. *Biology and the Environment*. 101B(3):165-185.
- Kennedy, GJA & Strange, CD (1986) The effects of intra- and inter-specific competition on the distribution of stocked juvenile Atlantic salmon, *Salmo salar* L., in relation to depth and gradient in an upland trout, *Salmo trutta* L., stream. *J. Fish. Biol.*, 29(2):199-214.
- Greenberg, L.A. and Dahl, J. 1998. Effect of habitat type on growth and diet of brown trout (*Salmo trutta* L.) in stream enclosures. *Fisheries Management & Ecology* 5: 331-348.
- Hatfield, T. & Bruce, J. (2000) Predicting Salmonid Habitat-Flow Relationships for Streams from Western North America. *North American Journal of Fisheries Management* 20:1005–1015, 2000
- O'Grady, M.F., Curtin, J (1993) The Enhancement of drained salmonid rivers in Ireland. A bioengineering perspective. *Hydroecol. Appl.*, 5(2):7-26.

Watercourse Characterisations and equivalent fisheries Evaluations follow Best Practice

8.1.8.6 Fieldwork Methodology - Bat Species**8.1.8.6.1 Scoping of surveys**

The key sensitivities of bats are the destruction or disturbance of their roosting places, and the modification of their commuting routes and foraging habitats. During the day, bats roost in man-made structures (typically houses, farm buildings and bridges), mature trees and caves. They may suffer direct effects due to the destruction or modification of their roosts (e.g. the demolition of a house or felling of a tree), or indirect effects due to disturbance of the area surrounding a roost (e.g. illumination of exit / entry points, or removal of surrounding vegetation). They are most sensitive to effects during their maternity and hibernation periods, which are from May to August and November to March, respectively. During the night, bats 'commute' from their roosts to a suitable feeding area (which may be several kilometres from their roost), and spend most of the night foraging for insect prey. They typically favour linear habitat features (e.g. hedgerows and forest edges) for commuting and foraging, and usually avoid brightly-lit areas.

The aims of the bat surveys were to:

- Assess the bat roost suitability of buildings and mature trees that will be directly affected by the project,
- Identify any important bat roosts (particularly maternity and hibernation roosts) in the vicinity of the project.
- Identify any important commuting routes / feeding areas along hedgerows, treelines or other linear features that will be severed or otherwise modified

8.1.8.6.2 Preliminary evaluation of buildings, trees and bridges

A Preliminary Ecological Appraisal was carried out for all buildings within 150m of the UWF Related Works using the approach outlined in Section 4.3 of Collins (2016). All buildings were assigned a suitability category of negligible, low, moderate or high suitability, based on the age and condition of structural features used by roosting bats (e.g. roof tiles, attic spaces, soffit / fascia boards, walls).

A preliminary ground-level inspection was carried out for all mature trees within 50m of the Related Works, using a high-powered torch and binoculars (Steiner SkyHawk 3.0 10x42). The aim of the ground-level inspection was to identify any potential roost features (cavities or crevices on trunks or limbs) and evidence of bats (e.g. droppings, fur-oil stains at access points). Coniferous trees within plantations were not inspected, because they are rarely large enough to have any features suitable for bats, and because it is standard forestry practice to remove any trees that have obvious signs of damage and disease; as a result, trees within plantations typically have negligible suitability for bats.

Visual inspections were also carried out for bridges within 150m of the Whole UWF Project material haul routes, using the methods outlined in Collins (2016) and Billington & Norman (1997). Although bridges were eventually scoped out of the impact assessment, the surveys were carried out before it had been confirmed that no bridge strengthening / modifications were required and were thus pre-cautionary in nature. All watercourse crossings along local roads and overlapping material haulage routes (i.e. excluding national and regional roads) were characterised by type (e.g. culvert, bridge), building materials (e.g. concrete, stone), dimensions, condition, and the presence of obvious cracks and crevices, and were assigned a roost suitability category as outlined above. Records of bat roosts and bat activity within 10km of the Whole UWF Project were obtained from Bat Conservation Ireland.

8.1.8.6.3 Surveys of potential roosts

Within the vicinity of the UWF Related Works follow-up surveys were carried out for all features of high or moderate roost suitability that were considered to be at risk of direct or indirect effects, subject to the approval of landowners. In most cases this included a preliminary roost appraisal and a presence / absence

survey, as defined in Collins (2016). Where evidence of bats was found, roost characterisation surveys (Collins, 2016) were carried out. If droppings were found but could not be identified, samples were collected and sent for DNA analysis at the Department of Chemical and Life Sciences at the Waterford Institute of Technology.

Within the vicinity of the UWF Related Works presence / absence surveys and roost characterisation surveys involved a manual detector survey at dusk and dawn using an EM3+ bat detector (Wildlife Acoustics); this is a high-specification modern bat detector that is fit for purpose. The surveyor focussed on the building / feature for the majority of the survey period, but if no bats were observed entering the structure at dawn then the observer took the opportunity to track passing bats to other roosts in the surrounding area (i.e. a back-tracking survey, Collins 2016).

Five additional buildings in the vicinity of UWF Related Works were surveyed in July/August 2017 to cover the maternity period.

8.1.8.6.4 Evaluation of foraging areas / commuting routes Surveys using automated detectors

Bat activity surveys were carried within the vicinity of the UWF Related Works. Surveys were undertaken using automated Anabat Express bat detectors (Titley Scientific, purchased in 2015-16); these are high-specification modern bat detectors that are fit for purpose. External microphones were mounted on canes at a height of approximately 1.5m in order to obtain 'clean' recordings that were not affected by surrounding vegetation.

One detector was placed in each location for two nights in the mid-summer period (June – August 2016) and two nights in the autumn season (September / October 2016). Night length ranged from 7.15 hours in late June to 12.45 hours in early October, giving a total survey effort of approx. 35-40 hours at each sampling point. We consider that this survey effort was sufficient to provide a good representation of bat activity during their most active periods, that it was proportionate to the potential effects of the Whole UWF Project (as discussed in Section 2.2.5 of Collins (2016) and included sampling of bat activity within the zone of effect for the UWF Related Works

Surveys were carried out during suitable weather conditions, i.e. minimum temperatures above 10°C, average winds of less than 4m/s and little or no rainfall. There was wet weather or high winds on some of the survey nights in September, so the survey was extended until two nights of suitable conditions were obtained.

8.1.8.6.5 Species identification and interpretation of data

Sonograms from Anabat Express detectors were obtained in the 'zero-crossing' format and viewed using AnalookW software (Corben 2014). Species were identified with reference to British Bat Calls: A Guide to Species Identification (Russ 2012) based primarily on frequency and call shape, but also with reference to call slope for *Myotis* spp. Social calls were classified as unidentified bats unless they closely matched the examples provided in Russ (2012).

It is acknowledged that *Myotis* spp. can have very similar calls, and that the classification of sonograms can be imprecise, so all *Myotis* records in this document should be considered as *conferre* records, i.e. *Myotis* cf *daubentonii*. There can also be overlaps in call frequency between *Pipistrellus* spp. - calls with a CF component at 50 kHz may be either soprano pipistrelle or common pipistrelle, while calls at 40 kHz may be either common pipistrelle or Nathusius' pipistrelles – but in most cases, it is possible to determine the species based on call characteristics and/or other calls immediately before or after the recording. If a bat pass could not be confidently identified to species level it was recorded as an unidentified bat, or identified only to genus level (e.g. *Myotis* spp.).

8.1.8.6.6 Calculation and comparison of bat activity indices

In order to standardise bat activity between the mid-summer and autumn survey periods, results are displayed as a 'Bat Activity Index', which is the total number of bat passes divided by the number of hours per night (Hundt, 2012). This was calculated from sunset to sunrise, using publicly-available data from www.timeanddate.com.

At present there is not a standard system to categorise bat activity as low, moderate or high, because the results vary depending on the species involved and the location of the site. For the purposes of this report we use a bespoke system to discuss and compare levels of bat activity at the site, as outlined in the Table below. This approach uses standardised terms (e.g. occasional, frequent) to categorise bat activity indices within certain ranges; the average time interval between passes is also provided to give a more-intuitive interpretation of the terms.

Characterisation of Bat Activity Indices

| Bat Activity Index | Average interval between calls | Terms of characterisation |
|--------------------|--------------------------------|---------------------------|
| <2 | > 30 minutes | Negligible |
| 2 - 12 | 5 – 30 minutes | Occasional |
| 12 – 60 | 1 – 5 minutes | Frequent |
| >60 | < 1 minute | Near-constant |

8.1.8.6.7 Valuation of ecological features and assessment of impacts

Impacts were assessed using the Guidelines for Ecological Impact Assessment in the UK and Ireland (CIEEM 2016) and Draft Guidelines on the information to be contained in Environmental Impact Assessment Reports (EPA, 2017). Reference was also made to Wray *et al.*, (2010) with regards to the evaluation of roosts and commuting routes / foraging areas.

8.1.8.7 Fieldwork Methodology - Non-Volant Mammals

8.1.8.7.1 Otters

Otter surveys followed the NRA *Guidelines for Treatment of Otters During Construction of National Road Schemes* (NRA, 2006), which state that, although there are no seasonal constraints for otter surveys, any dense vegetation (especially in summer) can reduce success in the identification of otter holts or couches.

Guidance on the extent of the study area for otters was taken from the *British Highways Agency's Nature Conservation Advice in Relation to Otters HA8199* (Highways Agency, 1999) which dictates a linear search of 300m upstream and downstream of each watercourse crossing is undertaken.

8.1.8.7.2 Badgers

According to the NRA *Guidelines for the Treatment of Badgers Prior to Construction of National Road Schemes* (NRA, 2005), survey of setts within 50m of the proposed works location is required. In accordance with NRA guidance, all areas were systematically searched for setts and all hedgerows and boundaries were checked comprehensively by Inis ecologists.

8.1.8.7.3 Other Mammals

The following field signs of all mammals were recorded during non-volant mammal surveys within the study area:

- Well-used pathways;
- Prints/tracks;
- Scat/spraints/droppings;
- Signs of feeding (foraged pine cones, badger snuffle holes)
- Places of shelter and features or areas likely to be of particular value as foraging resources (NRA 2004).

Photographs and detailed notes were also recorded for each feature and mapped using ArcGIS 10.4.

8.1.8.8 EPA EIAR Guidance Definitions of Effects

Table 8-8 to 8.13 outline the EPA evaluation criteria utilised in this appraisal of the Environmental Factor, Biodiversity. This criteria is included in the Guidelines on the Information to be contained in Environmental Impact Assessment Reports (EPA, August 2017)

Table 8-8: Probability of Effects (EPA, August 2017)

| <u>Likely Effects</u> | <u>Unlikely Effects</u> |
|--|--|
| The effects that can reasonably be expected to occur because of the planned project if all mitigation measures are properly implemented. | The effects that can reasonably be expected not to occur because of the planned project if all mitigation measures are properly implemented. |

Table 8-9: Quality of Effects (EPA, August 2017)

| <u>Quality of Effect</u> | <u>Description</u> |
|--------------------------|---|
| Positive Effect | A change which improves the quality of the environment (for example, by increasing species diversity; or the improving reproductive capacity of an ecosystem, or removing nuisances or improving amenities) |
| Neutral Effect | No effects or effects that are imperceptible, within the normal bounds of variation or within the margin of forecasting error. |
| Negative/Adverse Effect | A change which reduces the quality of the environment (for example, lessening species diversity or diminishing the reproductive capacity of an ecosystem; or damaging health or property or by causing nuisance). |

Table 8-10: Significance of Effects (EPA, August 2017)

| <u>Significance of Effect</u> | <u>Description</u> |
|-------------------------------|---|
| Imperceptible | An effect capable of measurement but without significant consequences |
| Not Significant | An effect which causes noticeable changes in the character of the environment but without significant consequences |
| Slight | An effect which causes noticeable changes in the character of the environment without affecting its sensitivities |
| Moderate | An effect that alters the character of the environment in a manner that is consistent with existing and emerging trends |
| Significant | An effect which, by its character, magnitude, duration or intensity alters a sensitive aspect of the environment |

| | |
|------------------|--|
| Very Significant | An effect which, by its character, magnitude, duration or intensity significantly alters most of a sensitive aspect of the environment |
| Profound | An effect which obliterates sensitive characteristics |

Table 8-11: Duration of Effects (EPA, August 2017)

| <u>Duration of Effect</u> | <u>Description</u> |
|---------------------------|---|
| Momentary Effects | Effects lasting from seconds to minutes |
| Brief Effects | Effects lasting less than a day |
| Temporary Effects | Effects lasting less than a year |
| Short-term Effects | Effects lasting one to seven years |
| Medium-term Effects | Effects lasting seven to fifteen years |
| Long-term Effects | Effects lasting fifteen to sixty years |
| Permanent Effects | Effects lasting over sixty years |

Table 8-12: Types of Effects (EPA, August 2017)

| <u>Type of Effect</u> | <u>Description</u> |
|--|---|
| Effect/Impact | A change resulting from the implementation of a project |
| Likely Effects | The effects that are specifically predicted to take place – based on an understanding of the interaction of the proposed project and the receiving environment. |
| Indirect Effects (a.k.a. secondary effects) | Impacts on the environment, which are not a direct result of the project, often produced away from the project site or because of a complex pathway |
| Cumulative Effects | The addition of many minor or significant effects, including effects of other projects, to create larger, more significant effects. |
| ‘Do Nothing’ Effects | The environment as it would be in the future should the subject project not be carried out. |
| ‘Worst Case’ Effects | The effects arising from a project in the case where mitigation measures substantially fail |
| Indeterminable Effects | When the full consequences of a change in the environment cannot be described. |
| Irreversible Effects | When the character, distinctiveness, diversity or reproductive capacity of an environment is permanently lost. |
| Reversible Effects | Effects that can be undone, for example through remediation or restoration |
| Residual Effects | The degree of environmental change that will occur after the proposed mitigation measures have taken effect |
| Synergistic Effects | Where the resultant effect is of greater significance than the sum of its constituents (e.g. combination of SO _x and NO _x to produce smog). |

Table 8-13: Definition of Terms – Source, Pathway, Receptor (EPA, August 2017)

| <u>Term</u> | <u>Description</u> |
|---------------|---|
| Source | The activity or place from which an effect originates |
| Pathway | The route by which an effect is conveyed between a source and a receptor. |
| Receptor | Any element in the environment which is subject to impacts |
| Effect/Impact | A change resulting from the implementation of a project |

Introduction, Authors, Sources, Methodology

| | |
|-------|--------------|
| Topic | Biodiversity |
|-------|--------------|

8.2 Sensitive Aspect No.1: European Sites

This Section provides a description and evaluation of the Sensitive Aspect - European Sites.

We note that findings in respect of Likely Significant effects on European Sites are fully considered and evaluated in the **Revised Appropriate Assessment Report for UWF Related Works** (herein referred to as the AA Report and included in **Volume E** which accompanies the appeal to An Bord Pleanála. In line with EIA Directive Guidance, findings are summarised herein; however, and for the avoidance of doubt, we refer the AA Report for detailed examination and analysis of likely significant effects in respect of European Sites.

8.2.1 BASELINE CHARACTERISTICS of European Sites

8.2.1.1 STUDY AREA for European Sites

The study area for European Sites in relation to the UWF Related Works is described in Table 8.14 and illustrated on **Figure RW 8.2: European Sites within the UWF Related Works Study Area** (Volume C3 EIAR Figures).

Table 8-14: UWF Related Works Study Area for European Sites

| Study Area for European Sites | Justification for the Study Area Extents |
|---|---|
| 15km from the construction works area boundary, extended to 15km from the boundary of all of the Other Elements of the Whole UWF Project. | An evaluation distance of 15km is currently recommended in the case of projects (DoEHLG, 2009). The extension of the area is based on professional judgement and the precautionary principle. |

8.2.1.2 Baseline Context and Character of European Sites in the UWF Related Works Study Area

European sites such as candidate Special Areas of Conservation (cSACs) and Special Protection Areas (SPAs) designated within the Natura 2000 network are herein considered. A total of 23 European or Natura Sites were identified within the UWF Related Works Study Area. These European Sites and their respective distance to the Whole UWF Project are also outlined in Table 8.15, and identified on Figure RW 8.2.

For the UWF Related Works, a precautionary zone of impact of 15km distance has been applied around UWF Related Works which is extended to include a 15km area around all of the other elements of the Whole UWF Project in order to establish whether or not the UWF Related Works either alone or in-combination with the other elements of the Whole UWF Project is likely, or has potential, to have a significant effect on a European Site on the integrity of the site.

There are 23 European Sites within the extended Study Area - nineteen Special Areas of Conservation (SAC) and four Special Protection Area (SPA for birds). These European Sites are identified in **Table 8.15**.

Table 8-15: Proximity of European Sites to UWF Related Works

| | European Site | Distance from UWF Related Works |
|----|--|---------------------------------|
| 1 | Slievefelim to Silvermines Mountain SPA (004165) | 0m (see *Note below) |
| 2 | Lower River Shannon SAC (002165) | 1.5 km |
| 3 | Lower River Suir SAC (002137) | 3.0 km |
| 4 | Anglesey Road SAC (002125) | 2.9 km |
| 5 | Bolingbrook Hill SAC (002124) | 7.2 km |
| 6 | Keeper Hill SAC (001197) | 10.9 km |
| 7 | Silvermine Mountain SAC (000939) | 11.5 km |
| 8 | Silvermine Mountain West SAC (002258) | 12.5 km |
| 9 | Philipston Marsh SAC (001847) | 13.0 km |
| 10 | Kilduff, Devilsbit Mountain SAC (000934) | 13.7 km |
| 11 | Clare Glen SAC (000930) | 17.0 km |
| 12 | Glenstal Wood SAC (001432) | 17.1 km |
| 13 | Slieve Bernagh Bog SAC (002312) | 28.4 km |
| 14 | Lough Derg, North-East Shore SAC (002241) | 28.5 km |
| 15 | Glenomra Wood SAC (001013) | 31.4 km |
| 16 | Tory Hill SAC (000439) | 40.4 km |
| 17 | Ratty River Cave SAC (002316) | 44.5 km |
| 18 | Askeaton Fen Complex SAC (002279) | 48.2 km |
| 19 | Barrigone SAC (000432) | 62.0 km |
| 20 | Curraghchase Woods SAC (000174) | 50.6 km |
| 21 | Lough Derg (Shannon) SPA (004058) | 24.5 km |
| 22 | River Shannon and River Fergus Estuaries SPA (004077) | 34.5 km |
| 23 | Stack's to Mullaghareirk Mountains, West Limerick Hills & Mount Eagle SPA (004161) | 67.3 km |

*** Note on the Proximity of UWF Related Works to the Slievefelim to Silvermines Mountain SPA:** the site boundary of UWF Related Works overlaps the Slievefelim to Silvermines SPA at HW7 where a small section (0.05ha) of SPA is included in the 'tail-swing' space for Upperchurch Windfarm turbine blade deliveries. The Construction Works Boundary does not overlap SPA Boundary. No works or removal of habitat will occur within the SPA, as the turbine blades will simply sweep over the area as the transporting trailer is being turned around in the existing yard.

European Sites

Sensitive Aspect

Biodiversity

Topic

A Screening evaluation is included in **Volume E: Revised Appropriate Assessment Report for UWF Related Works**, the Screening examined the potential for UWF Related Works to cause any effects via source pathway linkages on the designated SACs and SPAs within the extended study area. The results of the Screening are that **is there is no potential for UWF Related Works to cause any effects to the following 20 no. European Sites (17 SACs, 3 SPAs):**

- Anglesey Road SAC (002125),
- Bolingbrook Hill SAC (002124),
- Keeper Hill SAC (001197),
- Silvermine Mountain SAC (000939),
- Silvermine Mountain West SAC (002258),
- Philipston Marsh SAC (001847),
- Kilduff, Devilsbit Mountain SAC (000934),
- Clare Glen SAC (000930),
- Glenstal Wood SAC (001432),
- Slieve Bernagh Bog SAC (002312),
- Lough Derg, North-East Shore SAC (002241),
- Glenomra Wood SAC (001013),
- Tory Hill SAC (000439),
- Ratty River Cave SAC (002316),
- Askeaton Fen Complex SAC (002279),
- Barrigone SAC (000432),
- Curraghchase Woods SAC (000174),
- Lough Derg (Shannon) SPA (004058),
- River Shannon and River Fergus Estuaries SPA (004077), and
- Stack's to Mullaghareirk Mountains, West Limerick Hills & Mount Eagle SPA (004161).

The results of the screening are also that UWF Related Works has potential, via impact pathways, to cause effects to the following 3 European Sites (2 SACs, 1 SPA);

- **Lower River Shannon SAC**
- **Lower River Suir SAC, and**
- **Slieve Felim to Silvermines Mountain SPA**

Therefore, the Lower River Shannon SAC, Lower River Suir SAC and Slieve Felim to Silvermines Mountain SPA were 'Screened In' for further evaluation at Stage Two of the Appropriate Assessment process.

8.2.1.3 Importance of European Sites

The EU Habitats Directive (92/43/EEC) on the Conservation of Natural Habitats and of Wild Fauna and Flora formed a basis for the designation of Special Areas of Conservation (SACs). Similarly, Special Protection Areas are legislated for under the Birds Directive (Council Directive 79/409/EEC on the Conservation of Wild Birds). Collectively SACs and SPAs are referred to as Natura 2000 sites, or 'European' sites. In general terms, they are considered to be of exceptional importance in terms of rare, endangered or vulnerable habitats and species within the European Community.

| | |
|------------------|---|
| European Sites | 8.2.1.4 Sensitivity of European Sites |
| | SAC designated sites are sensitive to hydrological changes to groundwater and surface water quality which may affect water dependant ecosystems. Within individual Designated Sites (both SAC's and SPA's), specific species may be sensitive to disturbance, displacement, habitat loss or accidental mortality, which could reduce their favourable conservation status. Designated sites are also sensitive to encroachment by invasive species. |
| Sensitive Aspect | 8.2.1.5 Trends in the Baseline Environment (the 'Do-Nothing' scenario) |
| | 8.2.1.5.1 Special Protection Areas (SPAs) <p>Trends in respect of taxa designated under the EU Birds Directive (SPA's) are reported to the EU under Article 12² of said directive. The most recently available trend information covers the period 2008-2012. Longer term trends in regard to wintering and breeding taxa across the SPA network are largely unknown³.</p> <p>The 2014 Report covers 196 bird species, including species which live in Ireland all year round and others which migrate here for summer or winter. It provides a picture of both short-term and long-term trends for some species, and similarly a view of the breeding range trends in some species. However, there is an absence of long-term data for some species. The report was required to provide information on trends rather than a conclusive assessment of status, as is the case in the Article 17 report. In summary, 58% of species populations were stable or increasing in the short term, while 27% were decreasing. However, looking at long term data (where available) 36% were stable or increasing, while 28% were decreasing⁴.</p> |
| Biodiversity | 8.2.1.5.2 Special Areas of Conservation (SACs) |
| | <p>Reporting on trends with regard to protected habitats and species under the EU Habitats Directive is provided to the EU under Article 17 of said directive. The most recently available trend information in respect of individual habitats and species was published in 2013⁵.</p> <p><u>Habitats</u></p> <p>In the cited 2013 report on the Habitats Directive, 9% of the 58 listed habitats are assessed as "favourable", 50% as "inadequate" and 41% as "bad". Since 2007 nine (16%) habitats demonstrate a genuine improving trend, 18 (31%) habitats are considered to be declining, no change is reported for 28 (48%) habitats and an unknown trend reported for 3 (5%) habitats. Many of the coastal habitats and lakes are assessed as "inadequate", with ongoing declines. "Inadequate" but improving trends are noted for some marine habitats. Several of the peatland and grassland habitats remain in "bad" status with ongoing declines; however, improvements are noted in some woodland habitats. Fens are assigned a "bad" but unknown trend due to the lack of national data to support the assessments.</p> <p>There is no evidence that there will be any major decline in pressures over the next 12 years. Some potential improvements however have been noted for the following:</p> |
| Topic | <p>² https://circabc.europa.eu/sd/a/a211d525-ff4d-44f5-a360-e82c6b4d3367/IE_A12NatSum_20141031.pdf</p> <p>³ http://cdr.eionet.europa.eu/Converters/run_conversion?file=/ie/eu/art12/envuvesya/IE_birds_reports-14328-144944.xml&conv=343&source=remote#A082_B</p> <p>⁴ Summarised from "Evaluation study to support the Fitness Check of the Birds and Habitats Directives" available online at https://www.npws.ie/sites/default/files/publications/pdf/Fitness%20Check%2015%204%2015.pdf.</p> <p>⁵ https://www.npws.ie/article-17-reports-0/article-17-reports-2013</p> |

1. A decline in invasive infestation of woodlands due to improved forestry management.
2. Management of aquaculture related pressures impacting Estuaries and Mudflats
3. A reduction in pollution from household waste, sewage systems and pollution arising from agricultural or forestry related activities. These improvements are likely to be observed in certain lake habitats.

There is some evidence that climate change is negatively impacting coastal habitats. Predictions indicate that degraded upland habitats, in particular, will become less resilient to the impacts of climate change in the immediate future. These predictions relate mainly to drier summers and higher levels of more intense rainfall which are likely to result in bog bursts and landslides which may indirectly impact other habitats e.g. lakes. Ecologically unsuitable grazing regimes were one of the highest impacting pressures reported. The grazing pressures noted were both intensive and non-intensive grazing. Non-intensive grazing is assigned as a pressure where a habitat has not recovered from the impacts of overgrazing and even a small amount of grazing is still considered to negatively impact the habitat. Abandonment and succession were also considered to negatively impact habitat quality.

The most prevalent pollution sources are from agricultural or forestry related activities and household sewage systems. Mechanical peat extraction is considered a High intensity pressure for Blanket bog and also indirectly impacts lake and river habitats. Peatlands were also significantly impacted by drainage.

Species

For the 61 resident species (including 3 species groups) 52% are assessed as “favourable”, 20% as “inadequate”, 12% as “bad” and 16% as “unknown” There are less unknowns than reported in 2007 (the previous reporting period), due to improved knowledge of cetaceans; in those cases, the “unknown” ratings were elevated to a “favourable” status in 2013. Therefore, with further improved knowledge of cetaceans it is likely that the proportion of species in “favourable” status will increase.

Since 2007 4 (6%) species demonstrate a genuine improving trend, 6 (10%) species are considered to be declining, with no genuine change reported for 50 species (82%).

Many species remain in “favourable” status. Population increases and Range expansion have been observed for Otter and Pine Marten respectively. Improvements in habitat extent for Natterjack toad have been achieved by conservation action. However, on-going declines are reported for all Vertigo and Pearl mussel species and Marsh fritillary.

Pollution is considered the biggest pressure and threat impacting the conservation status of species. Human intrusion and disturbances was reported frequently but never at a high intensity. Agricultural practices have a high impact on species that occur within agricultural systems, e.g. Vertigo species and Marsh Fritillary.

There is no evidence that there will be any major decline in the incidence of pressures over the next 12 years, however the impact of aquaculture related pressures on Maërl species should reduce. Invasive species are considered likely to increase as a threat to a number of species.

The do-nothing scenario is that in the absence of the subject development these trends would continue as documented above in respect of the species and habitats which form the basis for designation under the respective EU directives of the EU Sites under consideration.

8.2.1.6 Receiving Environment (the Baseline + Trends)

It is assumed in this report that the baseline environment in relation to designated sites, as identified above, will be the receiving environment at the time of construction due to the short separation period. Further trends in species and habitats as identified in reporting to Europe are likely overlap the operational phase, dependant on the occurrence of causal mechanisms such as identified pressures.

8.2.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics

8.2.2.1 Cumulative Evaluation Study Areas

8.2.2.1.1 UWF Related Works Cumulative Evaluation Study Area

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for European Sites | Justification for the Study Area Extents |
|---|---|
| Slieve Felim to Silvermines Mountains SPA boundary plus 2km | Zone of cumulative impacts for the SPA is the entire SPA boundary, plus 2km around the boundary to identify other projects. |
| Mulkear River catchment in the Lower River Shannon SAC, Clodiagh River and Multeen River catchment in the Lower River Suir SAC | Zone of cumulative impacts for SAC relates to the regional subcatchment, as any effects at a wider catchment level will be negligible due to dilution and dispersion. |

The study is illustrated on **Figure CE 8.2 European Sites within the UWF Related Works Cumulative Evaluation Study Area**.

8.2.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project.

A description of these Other Elements is included in this EIA Report at **Appendices 5.3, 5.4, 5.5 and 5.6**, in **Volume C4 EIAR Appendices**. Scoping of these Other Elements is presented in **Section 8.2.2.2.1** below. We also refer to the Natura Impact Statement which accompanies the planning application as Volume E.

8.2.2.2 Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts

The evaluation of cumulative impacts to European Sites also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to European Sites with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter.

The results of this scoping exercise are that: Bunkimalta Windfarm, Castlewaller Windfarm, Milestone Windfarm, and the Activities of Forestry, Agriculture, Turf-Cutting have been scoped in for evaluation of cumulative effects to European Sites.

8.2.2.2.1 Potential for Impacts to European Sites

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project and for the Other Projects or Activities to cause cumulative effects to the Sensitive Aspect European Sites. The results of this evaluation are included in Table 8.16.

The location of, and study area boundary associated with, the Other Elements and Other Projects or Activities which are included for cumulative evaluation is illustrated on **Figure WP 8.2**. The baseline character of the areas around these Elements is described in Section 8.2.2.3.

Table 8-16: Results of the Evaluation of the Other Elements and Other Projects or Activities

| <u>Other Elements of the Whole UWF Project</u> | |
|---|---|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects |
| Element 3: UWF Replacement Forestry | <u>Included</u> for the evaluation of cumulative effects |
| Element 4: Upperchurch Windfarm (UWF) | <u>Included</u> for the evaluation of cumulative effects |
| Element 5: UWF Other Activities | <u>Included</u> for the evaluation of cumulative effects |
| <u>Other Projects or Activities</u> | |
| Bunkimalta Windfarm Castlewaller Windfarm Milestone Windfarm Forestry Agriculture Turf-Cutting | <u>Yes, included</u> for the evaluation of cumulative effects |

8.2.2.3 Cumulative Information: Baseline Characteristics – Context & Character

The location of the Other Elements in relation to the Lower River Shannon SAC, Lower River Suir SAC and the Slieve Felim to Silvermines Mountain SPA is provided below.

8.2.2.3.1 Element 1: UWF Grid Connection – *including preliminary preferred route of 110kV UGC (Jan'19)*

The UWF Grid Connection passes through the boundary of the Lower River Shannon cSAC at six locations, all of which are along the public road route of the 110kV UGC. The vast majority of the footprint of UWF Grid Connection drains into the catchment area of the Lower River Shannon SAC. The remainder of UWF Grid Connection drains into the catchment of the Lower River Suir. The UWF Grid Connection traverses the Slievefelim to Silvermines Mountains SPA where it is routed along the Regional Road R503.

The location of UWF Grid Connection Study Area in the context of these three Sites is illustrated on **Figure CE 8.2: European Sites within the UWF Related Works Cumulative Evaluation Study Area**, watercourse crossing locations are identified on **Figure WP 8.4: Aquatic Habitats & Species within the Whole Project Cumulative Evaluation Study Area**.

UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area in the Bilboa (Inch) local surface water catchment which is part of the River Shannon catchment, and in the Clodiagh local surface water catchment which is part of the River Suir catchment. There is no overlap of UWF Grid Connection works areas with UWF Related Works areas within the boundary of the Slieve Felim to Silvermines Mountain SPA.

| | | |
|----------------|------------------|--|
| European Sites | Sensitive Aspect | 8.2.2.3.2 Element 3: UWF Replacement Forestry |
| | | <u>UWF Replacement Forestry</u> is located entirely in the Clodiagh (Tipperary) River sub-catchment which drains downstream to the Lower River Suir cSAC. The <u>UWF Replacement Forestry</u> is located in its entirety outside the Slieve Felim to Silvermine Mountains SPA. |
| | | 8.2.2.3.3 Element 4: Upperchurch Windfarm |
| | | The already consented Upperchurch Windfarm is located mainly in the Clodiagh (Tipperary) River sub-catchment which drains downstream to the Lower River Suir cSAC. Some of the footprint of the Upperchurch Windfarm drains downstream to the Lower River Shannon cSAC. The Upperchurch Windfarm is located in its entirety <u>outside</u> the Slieve Felim to Silvermine Mountains SPA. |
| | | <u>Consideration of the Passage of Time</u> : A comparison of EPA monitoring data for 2012 and 2017 demonstrates that water quality in the catchments into which the windfarm site drains, has remained stable. Hen harrier habitat has remained sub-optimal and surveys during 2015 to 2017 recorded low usage of the windfarm site by hen harriers. Therefore it is considered that the descriptions in the 2013 and 2014 documents for Upperchurch Windfarm remain relevant to the cumulative evaluations in this Revised EIAR. |
| Biodiversity | Topic | 8.2.2.3.4 Element 5: UWF Other Activities |
| | | The <u>UWF Other Activities</u> are partially located in the Clodiagh (Tipperary) River sub-catchment which drains downstream to the Lower River Suir cSAC, where Haul Route Activities HA21-23 and Upperchurch Hen Harrier Scheme exist in proximity to the Upperchurch Windfarm. Further Haul Route Activity locations such as tree trimming, overlaying of matting on verges and temporary street furniture removal extend northwards and then west before termination at Foynes. This brings a number of HA locations into closer proximity the Lower River Shannon SAC. No <u>works</u> however are proposed in respect of these activities in proximity to European Sites. |
| | | 8.2.2.3.5 Other Projects or Activities |
| | | <u>Milestone Windfarm</u> : an operational 4-turbine windfarm, with an associated hen harrier management plan. The windfarm is located on lands adjoining the UWF Related Works site. This windfarm is located entirely outside of the Slieve Felim to Silvermines Mountain SPA. |
| | | <u>Bunkimalta Windfarm</u> : a consented windfarm located within the Slievefelim to Silvermines SPA, c.2.5km to the north of the UWF Grid Connection. The windfarm is also located upstream of the Lower River Shannon SAC. |
| | | <u>Castlewaller Windfarm</u> : a consented windfarm located within the Slievefelim to Silvermines SPA, immediately adjacent to the UWF Grid Connection. |
| | | <u>Forestry/Agriculture/Turf-Cutting</u> occur within the Slievefelim to Silvermines SPA, and adjacent to, or in the case of Turf cutting, upstream of the Lower River Shannon cSAC/Lower River Suir cSAC. |

8.2.3 PROJECT DESIGN MEASURES for European Sites

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

These are the Project Design Environmental Protection Measures, which are shortened to 'Project Design Measures' in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

The Project Design Measures outlined in Table 8.17 are relevant to the Environmental Factor, Biodiversity, and in particular to the sensitive aspect **European Sites**.

Table 8-17: UWF Related Works Project Design Measures relevant to European Sites

| PD ID | Project Design Environmental Protection Measure (PD) |
|-------|---|
| PD01 | All construction works will be carried out during daylight hours. |
| PD05 | Land reinstatement will not be carried out during very wet weather or when the soil is waterlogged. |
| PD06 | If any compaction has occurred along the construction works area, these areas will be ploughed with a sub-soiler to loosen the subsoil layer. |
| PD07 | Construction traffic will be restricted to the construction works area and tracking across adjacent ground will not be permitted |
| PD09 | New permanent access roads will have a permanent surface water drainage network in place which will include check dams. These check dams will settle suspended solids in water runoff while also slowing down the rate of water run-off from these areas. |
| PD10 | Only precast concrete culverts or structures will be used at watercourse crossing locations. No batching of wet cement will take place on-site. |
| PD11 | Instream construction works will be followed by site-specific reinstatement measures to ensure the restoration of flow character and morphology within the affected reach. Measures will include: bank stabilisation using boulder armour or willow/brush bank protection; reinstatement of bank slope and character, creation of compound channels where necessary; reinstatement of instream flow features such as boulder substrates, pool / riffle sequences, or spawning cobbles; and planting along the riparian margin to stabilise banks, add flood protection and provide riparian buffer. |
| PD12 | A phased approach will be undertaken in relation to watercourse crossing works, earthworks, forestry felling and excavation dewatering, where these works occur within 50m of a Class 1 or Class 2 watercourse. The phased approach will only permit one of main potential sediment producing activities, listed above, to be carried out within 50m of a Class 1 or Class 2 watercourse, at any one time. |
| PD13 | All excavated material will be removed for temporary or permanent storage at a suitable location more than 50m away from all other Class 1 and Class 2 watercourses. |
| PD14 | Temporary silt control methods such as silt fencing or containment berms will be placed around all overburden storage areas. |
| PD15 | Permanent overburden storage berms will be graded and seeded immediately after emplacement. |
| PD16 | For works within 50m of a Class 1 or Class 2 watercourse, additional mitigation measures include double silt fencing, temporary drain blocking, placement of straw bale arrangements along preferential surface water flowpaths and, where necessary, the use of matting to prevent ground erosion and rutting. |
| PD17 | Where dewatering of trenches or excavations is required, there will be no direct discharge of treated water into any watercourse or drain. Rather all pumped water will be treated prior to discharge using an infiltration trench or settlement pond or suitable water treatment train such as a Silbuster, as appropriate. |

| | | |
|----------------|------|---|
| European Sites | PD18 | There will be no refuelling of vehicles or plant permitted within 100m of a watercourse |
| | PD19 | The main fuel stocks for, and chemical wastes arising from, construction activities will be stored in a designated location, away from main traffic activity, within the temporary compound. All fuel will be stored in bunded, locked storage containers. |
| | PD20 | Overnight parking of plant and machinery will only be permitted at locations which are greater than 50m from watercourses and where there is an existing hard-core surface in place. |
| | PD21 | No refuelling of plant or equipment will be permitted within 100m of identified wells |
| | PD22 | In-stream works at Class 1 and Class 2 watercourses will only be undertaken during the IFI specified period (July, August and September) and will be carried out to best practice (IFI, 2016). |
| | PD23 | In-stream works will not be undertaken without isolation of flow within the watercourse, any fish within the isolated section will be removed using electrofishing and, following collection of biometrics, transferred immediately downstream of the crossing point and placed back in the water. The water will then be isolated from the works by over pumping, flume (pipe) or channel diversion methods. |
| | PD24 | All new permanent watercourse culverts will be sized to cope with a minimum 100-year flood event. All pipe culverts will be a minimum of 900mm in diameter regardless of the anticipated flood flow. |
| | PD25 | All new permanent culverts in Class 1 and Class 2 type watercourses will be bottomless or clear spanning. |
| | PD26 | If works are programmed to begin in the Hen Harrier breeding season (March to August) confirmatory hen harrier breeding surveys will be completed, before such works initiate, such that all pre breeding nuptial activity, nesting activity and active nests are recorded within 2km of the construction works area boundary. These surveys will be completed prior to the start-up of all construction activities, until construction is complete and for 3 years thereafter. No construction works will take place during the hen harrier breeding season (March to August). |
| | PD27 | During the hen harrier roosting season (October to February inclusive), construction works within 1000m of a roost will be limited to the period between one hour after sunrise to one hour before sunset. |
| | PD28 | Hedgerow removal and clearance of any other breeding bird vegetation will take place outside of the bird breeding season <i>i.e.</i> not during the period of March to August inclusive where possible. This includes hedgerow and scrub removal in addition to hedgerow trimming. |
| | PD29 | Confirmatory surveys for active Otter holts and activity (particularly holts at which breeding females or cubs are present) will be carried out 150m upstream and downstream of watercourse crossing locations. |
| | PD30 | All construction works within 150m of an active otter holt, will be carried out during daylight hours and outside of 2 hours after sunrise or before sunset during summer/outside of 1 hours after sunrise or before sunset during winter. |
| | PD31 | If an active holt (particularly holts at which breeding females or cubs are present) is located within 150 meters of the watercourse crossing points, no works will be undertaken <u>while cubs are present in the holt</u> and NPWS will be notified immediately |
| Biodiversity | PD32 | No wheeled or tracked vehicles (of any kind) will be used within 20m of active, but non-breeding otter Holts, and light work, such as digging by hand or scrub clearance will not take place within 15m of such holts, except under license. |
| | PD33 | The prohibited working area associated with otter holts will, where appropriate, be fenced with temporary fencing prior to any possibly invasive works and declared as 'out of bounds'. Fencing will be in accordance with Clause 303 of the NRA's Specification for Roadworks (National Roads Authority). Appropriate awareness of the purpose of the enclosure will be conveyed through toolbox talks with site staff and sufficient signage will be placed on each exclusion fence. All contractors or operators on site will be made fully aware of the procedures pertaining to each affected holt (NRA, 2006) and subject to audits and non-conformance records in the event of non-compliance, to be included in reports submitted to Local Authorities and relevant Statutory Consultees. |

8.2.4 EVALUATION OF IMPACTS to European Sites

As previously referenced, the likely effects of the UWF Related Works and then the cumulative effects of the UWF Related Works together with the other elements of the Whole UWF Project and together with Other Projects or Activities on European Sites are identified and evaluated in the **Natura Impact Statement for Whole UWF Project Elements 1 to 5** (herein referred to as the NIS).

Conceptual Site Models were used to facilitate the identification of source-pathway-receptor links, between the project and the sensitive Biodiversity receptor - European Sites and is presented in Section 2.7 of the revised Appropriate Assessment report for UWF Related Works.

As a result of the Conceptual Site Model exercise, a number of effects were screened in for evaluation at Stage Two of the Appropriate Assessment reporting process, and these impacts, are listed below:

8.2.4.1 Evaluation of Effects to the Lower River Shannon SAC & Lower River Suir SAC

The following **indirect habitat degradation effects** to the Lower River Shannon and Lower River Suir were examined:

1. Riparian Habitat Degradation (Section 3.5.1 and 3.6.1 of the Revised Appropriate Assessment Report)
2. Changes in Flow Regime (Section 3.5.2 and 3.6.2 of the Revised Appropriate Assessment Report)
3. **Decrease in habitat quality via: surface water runoff, sediment entrainment or release; release of fuels oils/ chemicals**, surface/ ground water quality impacts (Section 3.5.3 and 3.6.3 of the Revised Appropriate Assessment Report).

The following **indirect or ex-situ disturbance or displacement effects** to the Lower River Shannon and Lower River Suir were examined:

1. Disturbance to Fisheries (Section 3.5.4 and 3.6.4 of the Revised Appropriate Assessment Report)
2. Spread of Aquatic Invasive Species (Section 3.5.5 and 3.6.5 of the Revised Appropriate Assessment Report)
3. Disturbance to Otter (Section 3.5.6 and 3.6.6 of the Revised Appropriate Assessment Report)

8.2.4.2 Evaluation of Effects to the Slieve Felim to Silvermines Mountain SPA

The following **indirect habitat reduction or loss effects** was examined:

1. Permanent or Temporary Reduction or Loss of Suitable Foraging Habitat (Section 3.7.1 of the Revised Appropriate Assessment Report)

The following **Indirect or ex-situ disturbance or displacement effects** was examined:

1. Disturbance/Displacement of foraging Hen Harrier (ex-situ during the breeding season) (Section 3.7.2 of the Revised Appropriate Assessment Report)

8.2.4.3 Conclusion of the Assessment of Significance of Impacts to European Sites

In summary it can be concluded that in light of the conservation objectives and rationale for designation of the European Sites under consideration; there is no potential for significant effects as a result of UWF Related Works, either alone or in-combination. UWF Related Works will result in any effects that will adversely affect the integrity of the European Sites under consideration, having regard to their respective conservation objectives, in circumstances where “no reasonable scientific doubt” remains as to the absence of such adverse effects.

| |
|------------------|
| European Sites |
| Sensitive Aspect |

8.2.5 Mitigation Measures for Impacts to European Sites

Environmental protection measures were incorporated into the project design (Project Design Measures), and that design was subject to examination and analysis in the NIS (see **Volume E: Appropriate Assessment Reporting**), following Stage 1 Screening (wherein Project Design was not considered).

The examination and analysis conducted at Stage Two of the Appropriate Assessment process has concluded that, following the consideration of Project Design Measures at Stage 2, significant effects are avoided, and therefore additional mitigation measures were not required.

8.2.6 Evaluation of Residual Impacts to European Sites

Potentially significant effects have been evaluated, and it is concluded that UWF Related Works, alone or in combination, will result in any effects that will adversely affect the integrity of the European Sites under consideration, having regard to their respective conservation objectives, in circumstances where “no reasonable scientific doubt” remains as to the absence of such adverse effects.

| |
|--------------|
| Biodiversity |
| Topic |

8.2.7 Application of Best Practice and the EMP for European Sites

Best Practice Measures (BPM), although not part of the Project Design for the UWF Related Works, will be employed to afford further protection to the Environment.

The following Best Practice Measures have been developed, for the protection of European Sites, by the authors of this topic chapter, using industry best practice:

| | |
|-----------|--|
| RW-BPM-12 | Monitoring of nesting and roosting Hen Harrier (<i>Circus cyaneus</i>) |
| RW-BPM-16 | Monitoring of non-native invasive plant species |
| RW-BPM-17 | Best practice measures for the removal of vegetation during construction |
| RW-BPM-22 | Management of general non-native invasive species |

These Best Practice Measures are included in full at the end of this topic chapter, and also form part of the **Environmental Management Plan for UWF Related Works**, which is included as **Volume D** with the planning application.

8.2.7.1 Surface Water Management Plan

Water quality and the existing drainage regime will be managed under a Surface Water Management Plan (SWMP) which will be implemented by the appointed Contractor during the construction stage of the UWF Related Works.

The Surface Water Management Plan will provide the water management framework for construction works and will ensure that work is carried out with minimal impact on the surface water environment and in accordance with the Project Design and Best Practice Measures and environmental commitments made in this EIA Report.

The Surface Water Management Plan is part of the **Environmental Management Plan for UWF Related Works**, and accompanies this planning application as **Volume D**.

8.2.7.2 Invasive Species Management Plan

In addition to the Best Practice Measures relating to Invasive Species, an Invasive Species Management Plan has been developed to prevent the introduction and/or spread of invasive species.

The Invasive Species Management Plan includes monitoring and biosecurity measures which will inform the actions required to effectively respond to any incursions and to control existing invasive species populations. The Invasive Species Management Plan also forms part of the **Environmental Management Plan for UWF Related Works**, which is included as Volume D with the planning application.

8.2.8 Summary of Impacts to European Sites

In summary it can be concluded that in light of the conservation objectives and rationale for designation of the European Sites under consideration; that UWF Related Works, alone or in combination, will not result in any effects that will adversely affect the integrity of the Lower River Shannon SAC or Lower River Suir SAC or Slieve Felim to Silvermines Mountain SPA, having regard to their respective conservation objectives, in circumstances where “no reasonable scientific doubt” remains as to the absence of such adverse effects.

No adverse impacts to European Sites are concluded in the Appropriate Assessment Report for UWF Related Works.

Table 8-18: Summary of the impacts to European Sites

| Impact to European Sites: | Lower River Shannon SAC | Lower River Suir SAC | Slieve Felim to Silvermines Mountains SPA |
|--|--|--|--|
| <i>Evaluation Impact Table (for Other Elements only)</i> | <i>Appropriate Assessment Report Section 3.5</i> | <i>Appropriate Assessment Report Section 3.5</i> | <i>Appropriate Assessment Report Section 3.5</i> |
| Project Life-Cycle Stage (for Other Elements only) | Construction Stage | Construction Stage | Construction Stage |
| <u>UWF Related Works</u> | No Adverse Impacts to the SAC | No Adverse Impacts to the SAC | No Adverse Impacts to the SAC |
| Element 1: UWF Grid Connection | No Adverse Impacts to the SAC | No Adverse Impacts to the SAC | No Adverse Impacts to the SAC |
| Element 3: UWF Replacement Forestry | No Adverse Impacts to the SAC | No Adverse Impacts to the SAC | No Adverse Impacts to the SAC |
| Element 4: Upperchurch Windfarm | No Adverse Impacts to the SAC | No Adverse Impacts to the SAC | No Adverse Impacts to the SAC |
| Element 5: UWF Other Activities | No Adverse Impacts to the SAC | No Adverse Impacts to the SAC | No Adverse Impacts to the SAC |
| <u>CUMULATIVE IMPACTS:</u> | | | |
| UWF Related Works in-combination with Upperchurch Windfarm, UWF Grid Connection, UWF Replacement Forestry, Bunkimalta Windfarm, Castlewaller Windfarm, Milestone Windfarm, and Forestry, Agriculture and Turf-Cutting Activities | No Adverse In-combination Impacts to the SAC | No Adverse In-combination Impacts to the SAC | No Adverse In-combination Impacts to the SPA |

8.3 Sensitive Aspect No.2: National Sites

This Section provides a description and evaluation of the Sensitive Aspect - National Sites, which relates to Irish designated sites of ecological importance and comprises both Natural Heritage Areas (NHAs) and proposed NHAs (pNHA's).

8.3.1 UWF RELATED WORKS – EVALUATED AS EXCLUDED

8.3.1.1 Baseline Characteristics of National Sites in relation to UWF Related Works Study Area

There are 4 No. NHAs and 17 No. pNHAs within 15km of the UWF Related Works. The location and spatial extent of these NHA's and pNHA's is illustrated on **Figure RW 8.3: National Sites within the UWF Related Works Study Area** (Volume C3 EIAR Figures).

The location of the NHA's in the UWF Related Works Study Area is described in Table 8.19, the distinguishing aspects of these sites are summarized in Table 8-20.

Table 8-19: List of NHAs within 15km of UWF Related Works

| <u>Site name and code</u> | <u>Distance from nearest point of UWF Related Works</u> |
|---|---|
| Bleanbeg Bog NHA (Site Code: 002450) | 12.1km West |
| Grageen Fen and Bog NHA (Site Code: 002186) | 12.4km southwest |
| Mauherslieve Bog NHA (Site Code: 002385) | 4.3km west |
| Gortacullin Bog NHA (Site Code: 002401) | 6.5km north |

Table 8-20: Features of Interest of NHAs within the UWF Related Works Study Area

| <u>Site name and code</u> | <u>Feature of Interest</u> |
|---|--|
| Bleanbeg Bog NHA (Site Code: 002450) | Bleanbeg Bog NHA consists primarily of upland blanket bog and is located approximately 7 km east of Newport in south Tipperary. The site is situated in the townlands of Bleanbeg, Glencroe, Fiddane and Castlewaller. It incorporates a broad plateau of upland blanket bog habitat that grades into heath, upland grassland on peaty soil, and cutover bog. The western boundary of the site is defined by the transition from intact blanket bog to cutover bog, while the northern, eastern and southern sides of the site are bounded by conifer plantation. Peatlands are the feature of interest for this site. The red data book species Red Grouse and Irish Hare have been recorded on site. A pair of Hen Harriers, also a Red Data Book species, nest within 1 km of the site and are known to forage over the site. |
| Grageen Fen and Bog NHA (Site Code: 002186) | Peatlands are the feature of interest for this site. The site is an example of an upland blanket bog and fen habitat. |
| Mauherslieve Bog NHA (Site Code: 002385) | Peatlands are the feature of interest for this site. Irish Hare have been recorded on site. Mauherslieve Bog NHA is a site of considerable conservation value featuring intact upland blanket bog. Blanket bog habitat is a globally scarce resource. It is largely confined to coastal regions at temperate latitudes with cool, wet, oceanic climates. North-west Europe contains some of the best-developed areas of blanket bog in the world. |
| Gortacullin Bog NHA (Site Code: 002401) | Peatlands are the feature of interest for the site. The site contains a mosaic of upland bog and wet heath. Red Grouse has been recorded on the site. |

| | |
|----------------|--|
| National Sites | <p>8.3.1.2 Evaluation of UWF Related Works</p> <p>It is evaluated that the UWF Related Works has <u>no potential to cause impacts to National Sites</u>, for the following reasons:</p> <ul style="list-style-type: none"> • The UWF Related Works will not overlap any NHA or pNHA boundary, the nearest site is over 4km away, as outlined in Table 8.19. • There is no potential for impacts to the Features of Interest of the National Sites due to distance and absence of any ecological connectivity, or source pathway links for hydrological effects (as evaluated in Chapter 11: Water, Section 11.7). |
| | <p>8.3.1.3 Cumulative Evaluation for the Other Elements of the Whole UWF Project (grey background)</p> <p><u>UWF Related Works are part of a whole project</u> which comprises the following other elements – Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF) and Element 5: UWF Other Activities. The Subject Development, UWF Related Works, is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.</p> <p><u>UWF Related Works has no potential to cause impacts to National Sites</u> by itself, and therefore cannot have a cumulative effect. However, the Other Elements must be considered because the UWF Related Works are part of a whole project. Therefore, the <u>cumulative information and evaluations for the Other Elements of the Whole UWF Project</u> are included in Section 8.3.2 to Section 8.3.4 and included in the summary table in Section 8.3.8 in order to <u>show the totality of the project</u>.</p> |
| Biodiversity | |

8.3.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics

8.3.2.1 Cumulative Evaluation Study Areas

8.3.2.1.1 UWF Related Works Cumulative Evaluation Study Area

The UWF Related Works as been excluded as a source of impacts to National Sites, primarily due to separation distances between UWF Related Works and National Sites.

8.3.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works are part of a whole project which comprises the following other elements – Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF) and Element 5: UWF Other Activities. The Subject Development, UWF Related Works, is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

UWF Related Works has no potential to cause impacts to National Sites by itself, and therefore cannot have a cumulative effect. However, the Other Elements must be considered because the UWF Related Works are part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in Section 8.3.2 to Section 8.3.4 and included in the summary table in Section 8.3.8 in order to show the totality of the project.

A description of these Other Elements is included in this EIA Report at [Appendices 5.3, 5.4, 5.5 and 5.6](#), in [Volume C4 EIAR Appendices](#). Scoping of these Other Elements is presented in [Section 8.3.2.2.1](#) below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements which are described in Table 8-21 and illustrated on [Figure WP 8.3: National Sites within the Whole Project Cumulative Evaluation Study Area \(Volume C3 EIAR Figures\)](#).

Table 8-21: Whole Project Cumulative Evaluation Study Area for National Sites

| <u>Cumulative Project</u> | <u>Cumulative Study Area Boundary</u> | <u>Justification for Study Area Extent</u> |
|--|--|--|
| Element 1: UWF Grid Connection | 15km from the boundary of construction works, afforestation lands, activity locations. | Professional Judgement |
| Element 2: UWF Related Works | | |
| Element 3: UWF Replacement Forestry | | |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

8.3.2.2 Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts

The evaluation of cumulative impacts to National Sites also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to National Sites with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in [Appendix 2.3: Scoping of Other Projects or Activities \(Section A2.3.1 and Section A2.3.2.8\)](#).

The results of this scoping exercise are that: it is evaluated that no Other Projects or Activities are likely to cause cumulative effects with either the UWF Related Works or the Other Elements of the Whole UWF Project, and therefore no Other Projects or Activities are scoped in for evaluation of cumulative effects to National Sites.

8.3.2.2.1 Potential for Impacts to National Sites

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project to cause cumulative effects to the Sensitive Aspect National Sites. The results of this evaluation are included in Table 8-22.

The location of the Other Elements in relation to National Sites is illustrated on [Figure WP 8.3](#). The Features of Interest for these sites are described in Section 8.3.2.4.

Table 8-22: Results of the Evaluation of the Other Elements of the Whole UWF Project

| Other Element of the Whole UWF Project | |
|--|---|
| Element 1: UWF Grid Connection | <p><u>Evaluated as excluded:</u> No potential for effects</p> <p>3 NHA's and 21 No. pNHAs are found within 15km of the UWF Grid Connection. The NHA sites include Bleanbeg Bog NHA, Grageen Fen and Bog NHA and Mauherslieve Bog NHA. Grageen Fen and Bog NHA and Bleanbeg Bog NHA are the closest NHA sites at just over 2km from the route of the 110kV UGC.</p> <p>It is evaluated that there is no potential for effects to these NHAs, or to the pNHAs within 15km or their Features of Interest due to:</p> <ul style="list-style-type: none"> • The UWF Grid Connection will not overlap any NHA or pNHA boundary. And it is therefore considered that there is no potential for impacts to the Features of Interest of the National Sites due to separation distance and absence of any ecological connectivity, or source pathway links for hydrological effects (as evaluated in Chapter 11: Water, Section 11.7). • While UWF Grid Connection is located close to the boundary of Grageen Fen and Bog NHA it is downslope of the NHA and located with the carriageway of the public road (regional road R503), therefore it is considered that there is no likelihood of indirect habitat effects to this NHA. |
| Element 3: UWF Replacement Forestry | <p><u>Evaluated as excluded:</u> No potential for effects</p> <p>2 No. NHA sites and 9 No. pNHA sites are located within 15km of the UWF Replacement Forestry. The NHA sites include: Bleanbeg Bog NHA and Mauherslieve Bog NHA. Mauherslieve Bog NHA is the closest NHA site, located 6.1km to the west of the UWF Replacement Forestry.</p> <p>It is evaluated that there is no potential for effects to these NHAs, or to the pNHAs within 15km or their Features of Interest due to:</p> <ul style="list-style-type: none"> • The UWF Replacement Forestry will not overlap any NHA or pNHA boundary, Mauherslieve Bog NHA is the closest NHA site, located 6.1km to the west. • There is no potential for impacts to the Features of Interest of the National Sites due to distance and absence of any ecological connectivity, or source pathway links for hydrological effects (as evaluated in Chapter 11: Water, Section 11.7). |
| Element 4: Upperchurch Windfarm (UWF) | <p><u>Evaluated as excluded:</u> No potential for effects</p> <p>The Upperchurch Windfarm is within 15km of the Bleanbeg Bog NHA, Mauherslieve Bog NHA, Grageen Fen and Bog NHA and Gortacullin Bog NHA.</p> <p>It is evaluated that there is no potential for effects to these NHAs, or to the pNHAs within 15km or their Features of Interest due to:</p> <ul style="list-style-type: none"> • The Upperchurch Windfarm will not overlap any NHA or pNHA boundary, Mauherslieve Bog NHA is the closest NHA site, located over 4km to the west, |

| | |
|------------------------------------|---|
| | <ul style="list-style-type: none"> There is no potential for impacts to the Features of Interest of the National Sites due to distance and absence of any ecological connectivity, or source pathway links for hydrological effects (as evaluated in Chapter 11: Water, Section 11.7). |
| Element 5: UWF Other Activities | <p><u>Evaluated as excluded: No potential for effects/Neutral effects:</u></p> <p>8 No. NHA sites are and 60 No. pNHA sites are located within 15km of the UWF Other Activities. The NHA sites include: Bleanbeg Bog NHA, Grageen Fen and Bog NHA, Mauherslieve Bog NHA, Woodcock Hill Bog NHA, Moyreen Bog NHA, Carrigkerry Bogs NHA, Scohaboy Bog NHA and Gortacullin Bog NHA. Mauherslieve Bog NHA is the closest NHA site, located 4.8km to the northwest of the closest location of UWF Other Activities.</p> <p><u>UWF Other Activities</u> overlap a single pNHA (Inner Shannon Estuary – South Shore) where Haul Route Activities will involve street furniture removal and replacement on existing roadway roundabouts along the N69 (Dock Road, Limerick). Neutral effects are likely to this pNHA due the location of the activity within the public road corridor and the absence of drainage or excavation works.</p> <p>No potential for effects to any NHA or pNHA caused by other activities due the absence of construction excavations or drainage works and the separation distances to sites.</p> |

| | | |
|----------------|------------------|---|
| National Sites | Sensitive Aspect | <h3>8.3.3 Mitigation Measures for Impacts to National Sites</h3> |
| | | <p>Mitigation measures are not relevant as, due to its location, there is no potential for UWF Related Works to cause impacts to National Sites.</p> |
| | | <h3>8.3.4 Evaluation of Residual Impacts to National Sites</h3> |
| | | <p>Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. Mitigation measures are not relevant and thus the Residual Impact is the same as the Impact set out in the Evaluation of UWF Related Works (Section 8.3.1), i.e. no potential for impacts.</p> |
| | | <h3>8.3.5 Application of Best Practice and the EMP for National Sites</h3> |
| | | <p>No UWF Related Works Best Practice Measures have been developed specifically for National Sites.</p> |

| |
|--------------|
| Biodiversity |
| Topic |

8.3.6 Summary of Impacts to National Sites

No impacts to National Sites are concluded by the topic authors as likely to occur.

The greyed out boxes in the summary table below relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to show the totality of the project.

Table 8-23: Summary of the impacts to National Sites

| Impact to National Sites: | No Impact |
|--|---|
| <i>Evaluation Impact Table (for Other Elements only)</i> | <i>Section 8.3.4.1</i> |
| Project Life-Cycle Stage (for Other Elements only) | Construction Stage |
| <u>UWF Related Works</u> | No Potential for Impacts - See Section 8.3.1 |
| Element 1: UWF Grid Connection | No Potential for Impacts |
| Element 3: UWF Replacement Forestry | No Potential for Impacts |
| Element 4: Upperchurch Windfarm | No Potential for Impacts |
| Element 5: UWF Other Activities | No Potential for Impacts |
| <u>CUMULATIVE IMPACTS:</u> | |
| All Elements of the Whole UWF Project | No Potential for Cumulative Impacts |

Note: No cumulative information for Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to National Sites with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.3.2.1).

| |
|------------------|
| National Sites |
| Sensitive Aspect |

This Page is Intentionally Blank

| |
|--------------|
| Biodiversity |
| Topic |

8.4 Sensitive Aspect No.3: Aquatic Habitats & Species

This Section provides a description and evaluation of the Sensitive Aspect - Aquatic Habitats & Species.

8.4.1 BASELINE CHARACTERISTICS of Aquatic Habitats & Species

8.4.1.1 STUDY AREA for Aquatic Habitats & Species

The study area for Aquatic Habitats & Species in relation to the UWF Related Works is described in Table 8-24 and illustrated on **Figure RW 8.4: Aquatic Habitats & Species within the UWF Related Works Study Area** (Volume C3 EIAR Figures).

Table 8-24: UWF Related Works Study Area for Aquatic Habitats & Species

| Study Area for Aquatic Habitats & Species | Justification for the Study Area Extents |
|---|---|
| Watercourse Crossing Locations | As per Ecological Surveying Techniques for Protected Flora and Fauna during the Planning of National Road Scheme, NRA, (2008) |

8.4.1.2 Baseline Context and Character of Aquatic Habitats & Species in the UWF Related Works Study Area

In respect of aquatic habitats and aquatic species, the existing environment comprises surface water bodies and their affected sub-catchment areas within the upper reaches of tributaries draining to the River Shannon and River Suir regional catchments.

The majority of the footprint of the UWF Related Works is located within the River Suir regional catchment – mainly in the Clodiagh (Tipperary) River sub-catchment, with the remainder within the Turraheen River (Multeen East) and Owenbeg River sub-catchments. A small proportion of the footprint of the UWF Related Works is located in the Bilboa River sub-catchment of the River Shannon. UWF Related Works will involve 32 no. watercourse crossings.

Watercourse crossing locations, watercourse classifications and the boundary of various sub-catchments are identified on **Figure RW 8.4: Aquatic Habitats & Species within the UWF Related Works Study Area**.

Table 8-25: Summary of Watercourses within the UWF Related Works Study Area

| Class | Watercourse Description | Watercourse Crossing ID | Total No. | Total With In-Stream Works |
|----------|---|--|-----------|----------------------------|
| Class 1 | EPA mapped blue line, major river or stream (fisheries value) | WW19 | 1 | 1 |
| Class 2 | Headwater Stream Equivalent to EPA blue line but not mapped (fisheries value) | WW2, WW4, WW7, WW22, WW28, | 5 | 4 |
| Class 3 | Sub-optimal, heavily vegetated with low or no flow during dry periods (low fisheries value) | WW14, WW18, | 2 | 2 |
| Class 4 | Drain (no fisheries value) | WW1, WW3, WW5, WW6, WW8, WW9, WW10, WW11, WW12, WW13, WW15, WW16, WW17, WW20, WW21, WW23, WW24, WW25, WW26, WW27, WW29, WW30, WW31, WW32 | 24 | 18 |
| 7 | Total | | 32 | 25 |

8.4.1.3 Importance of Aquatic Habitats & Species

Both the Clodiagh (Tipperary) and Multeen sub-catchments are identified as Freshwater Pearl Mussel sensitive catchments⁶, containing other **extant** populations of this Annex II and Annex IV listed species; the Clodiagh River population is designated as a qualifying interest within the Lower River Suir SAC. In both the Clodiagh and Multeen rivers, Freshwater pearl mussel populations are located downstream and at a distance from the subject development (approximately 17 km and 16 km, respectively). The upper reaches of the Clodiagh and Multeen catchments within the study area provide important juvenile habitat for Atlantic salmon, contiguous with the populations within the Lower River Suir SAC downstream; resident Brown trout populations are also supported. Within the study area the tributaries of these sub-catchments are high gradient watercourses, generally of 'Good' status with 'Good' biological water quality. The upper reaches of these watercourses are therefore evaluated as being of National Importance. Additional minor watercourse crossings directly affected by the works are evaluated as being of local importance (higher value) where fisheries potential is identified, and in the absence of fisheries habitat, as local importance (lower value).

8.4.1.4 Sensitivity of Aquatic Habitats & Species

Aquatic ecological receptors, including fisheries, are dependent on prevailing good to high water quality conditions; this includes the chemical water quality character, as well as sediment and nutrient loadings within the affected streams. Both aquatic macroinvertebrates (Freshwater pearl mussel, White-clawed crayfish and pollution sensitive lotic communities generally) and fish communities are sensitive to suspended solids loading (turbidity), as well as the associated effects of siltation within the river channel. Siltation and turbidity have negative implications for fish and invertebrates due to physical damage and reduced feeding/foraging, as well as negative impacts due to compaction of spawning gravels and mortality impacts for salmonid eggs (affecting recruitment) and invertebrate life stages within gravel substrates (interstitial spaces). Suspended solids may be mobilised downstream and affect reaches remote from the source of the suspended solids. Furthermore, fish populations and macroinvertebrate communities may be sensitive to vibration affecting the aquatic environment, arising during construction activities such as drilling.

8.4.1.5 Trends in the Baseline Environment (the 'Do-Nothing' scenario)

The UWF Related Works is located in the Clodiagh (Tipperary) catchment and to a lesser degree the Multeen catchment of the River Suir with a small portion of the site within the Mulkear River (Bilboa River) catchment of the River Shannon. Both the Mulkear and Clodiagh river catchments were classified as 'catch and release' by IFI in 2019 (Salmon Angling Regulations: Management of the Wild Salmon Fishery 2019) for the conservation of Atlantic Salmon stocks, indicating the ongoing pressures on the salmon populations in these catchments. There is an ongoing and persistent decline in Atlantic Salmon stocks in Irish freshwaters overall, pertaining specifically to the European Sites which list this species as a qualifying interest (NPWS, 2013). Pressures and threats affecting the freshwater habitat of salmon correlate directly to those pressures affecting other aquatic ecological interests including lamprey species, aquatic invertebrates and other salmonids (siltation; channelization; drainage maintenance; invasive species and disease vectors; and direct/diffuse pollution from agriculture, forestry and direct discharges). Please refer to Chapter 11 – Water for details of trends relating to water quality and as such, also aquatic habitats and species, in summary the WFD status assigned in the previous River Basin Management Plan (2009-2014) for watercourses within the Mulkear, Bilboa and Multeen catchments are evaluated as 'Not at Risk', while the WFD status of the Clodiagh is 'At Risk' due to morphological pressures arising from channelization. It is noted that the status and risk

⁶ Sourced from online NPWS dataset, available at: <https://www.npws.ie/research-projects/animal-species/invertebrates/freshwater-pearl-mussel/freshwater-pearl-mussel-data>

characterisations have not been updated in the current RBMP (2018-2012), thus characterisation and water quality status are cited as indicative.

8.4.1.6 Receiving Environment (the Baseline + Trends)

It is assumed in this report that the baseline environment in relation to Aquatic Habitats & Species, as identified above, will be the receiving environment at the time of construction, on the basis of the relative stability of the pertinent aquatic ecological receptors (identified in long-term trends) in the catchments under consideration herein. Identified trends will overlap the operational phase of the elements under consideration.

Aquatic Habitats & Species

Sensitive Aspect

Biodiversity

Topic

8.4.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics**8.4.2.1 Cumulative Evaluation Study Areas****UWF Related Works Cumulative Evaluation Study Area**

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for Aquatic Habitats & Species | Justification for the Study Area Extents |
|---|---|
| Watercourse Crossing Locations and Waterbody Sub-catchments | As per Ecological Surveying Techniques for Protected Flora and Fauna during the Planning of National Road Scheme, NRA, (2008) |

The study is illustrated on **Figure CE 8.4 Aquatic Habitats & Species within the UWF Related Works Cumulative Evaluation Study Area**.

8.4.2.1.1 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project.

A description of these Other Elements is included in this EIA Report at **Appendices 5.3, 5.4, 5.5 and 5.6**, in **Volume C4 EIAR Appendices**. Scoping of these Other Elements is presented in **Section 8.4.2.2.1** below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements and Other Projects or Activities.

The Cumulative Evaluation Study Area comprises two different areas - one extent for cumulative evaluation of all of the Elements of the Whole UWF Project and a second extent for the cumulative evaluation of Other Projects or Activities, see Table 8-26 and illustrated on **Figure WP 8.4: Aquatic Habitats & Species within the Cumulative Evaluation Study Area** (Volume C3 EIAR Figures).

Table 8-26: Whole Project Cumulative Evaluation Study Area for Aquatic Habitats & Species

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|--|--------------------------------|---|
| Element 1: UWF Grid Connection | Watercourse Crossing Locations | As per Ecological Surveying Techniques for Protected Flora and Fauna during the Planning of National Road Scheme, NRA, (2008) |
| Element 3: UWF Replacement Forestry | | |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

8.4.2.2 Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts

The evaluation of cumulative impacts to Aquatic Habitats & Species also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Aquatic Habitats & Species with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in [Appendix 2.3: Scoping of Other Projects or Activities \(Section A2.3.1 and Section A2.3.2.8\)](#).

The results of this scoping exercise are that: no other projects or activities will cause cumulative effects to Aquatic Habitats & Species with UWF Related Works, however in order to present the totality of the project- Bunkimalta Windfarm (consented) have been scoped in for evaluation of cumulative effects relating to the Other Elements.

8.4.2.2.1 Potential for Impacts to Aquatic Habitats & Species

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project and for the Other Projects or Activities to cause cumulative effects to the Sensitive Aspect Aquatic Habitats & Species. The results of this evaluation are included in Table 8-27.

The location of, and study area boundary associated with, the Other Elements and Other Projects or Activities which are included for cumulative evaluation is illustrated on [Figure WP 8.4](#). The baseline character of the areas around these Elements is described in Section 8.4.2.3

Table 8-27: Results of the Evaluation of the Other Elements and Other Projects or Activities

| <u>Other Element of the Whole UWF Project</u> | |
|---|---|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects |
| Element 3: UWF Replacement Forestry | <p><u>Evaluated as excluded:</u> No potential for effects: The UWF Replacement Forestry is located within the Clodiagh (Tipperary) River sub-catchment of the River Suir regional catchment. One Class 1 stream flows through the UWF Replacement Forestry lands. Environmental protection measures which form part of the design of the UWF Replacement Forestry include planting by hand, no use of pesticide or fertilizer, no refuelling or storage of fuels onsite, a 10m water setback are, and the planting and management of the site in accordance with best practice.</p> <ul style="list-style-type: none"> • Neutral habitat deterioration impacts arising from the UWF Replacement Forestry, as there is no requirement for instream works and no sources of significant sediment creation as planting will be carried out by hand. • Neutral disturbance or displacement effects, as there is no requirement for instream works, and due to the scale of the works with planting being carried out by hand without the use of machines, and low levels of maintenance associated with the growth stage. • There is no potential for habitat quality impacts, as the riparian strips/grassland adjacent to the existing watercourse will be maintained as part of the forestry layout as a water quality protection measure. • There is no potential for the planting works to spread invasive species, as there are no instream works required. • There is no potential for aquatic habitat degradation due to nitrogen deposition, as the new forestry will be a permanent native woodland, therefore no tree-felling/harvesting will be carried out. |

| | | |
|-------------------------------------|--|---|
| Aquatic Habitats & Species | | <ul style="list-style-type: none"> • There is no potential for acidification effects during the growth stage, as the UWF Replacement Forestry will be deciduous in nature. • There is no risk of pollution events as herbicide or fertilizers will not be used and the use of machinery will be minimal. • There is no risk of aquatic habitat degradation (as a result of nitrogen deposition) as commercial tree felling will not be required – UWF Replacement Forestry will be a permanent native woodland. |
| | Element 4: Upperchurch Windfarm (UWF) | <u>Included</u> for the evaluation of cumulative effects |
| Sensitive Aspect | Element 5: UWF Other Activities | <p><u>Evaluated as excluded:</u> no potential for adverse effects: The UWF Other Activities are located in both the River Suir regional catchment and the River Shannon regional catchment. There are no watercourse crossing works required for the UWF Other Activities.</p> <ul style="list-style-type: none"> • There is no potential for habitat effects as there are no instream works or sediment creating activities adjacent to watercourses required as a result of UWF Other Activities (including Overhead Line Activities, Haul Route Activities, and the Upperchurch Hen harrier Scheme). • No potential for disturbance effects due to the small scale of activities and no activities within the riparian corridor of Class 1 or Class 2 watercourses. The Upperchurch Hen harrier Scheme will include <u>planting of 1.4km of woody scrub species</u> along riparian corridors and fencing of watercourse corridors to prevent access to the watercourses by livestock, which will enhance the quality of riparian habitats. • No potential for impacts to aquatic habitat quality arising from the spread of invasive species, as there are no instream works or activities adjacent to watercourses required as a result of UWF Other Activities. • No potential for impacts to aquatic habitats due to tree felling, as no tree felling of conifer plantations is required. |
| Other Projects or Activities | | |
| | Bunkimalta Windfarm | <p><u>Yes, included</u> for the evaluation of cumulative effects relating to decreases in instream habitat quality.</p> <p><u>Excluded from evaluation</u> of cumulative effects in relation to the following impacts- changes in flow regime, disturbance/displacement and riparian habitat degradation, as any cumulative effects will be Neutral.</p> <p>Note: Other Projects or Activities only relate to the cumulative evaluation of Other Elements of the Whole UWF Project. <u>There is no potential for cumulative effects with the UWF Related Works.</u></p> |

8.4.2.3 Cumulative Information: Baseline Characteristics – Context & Character

In respect of aquatic habitats and aquatic species, the existing environment comprises surface water bodies and their affected sub-catchment areas within the upper reaches of tributaries draining to the River Shannon and River Suir regional catchments.

8.4.2.3.1 Element 1: UWF Grid Connection

63 no. watercourse crossings occur within the construction works area boundary associated with the UWF Grid Connection. The majority (58 no.) of the watercourses which occur within the UWF Grid Connection Study Area are located in the River Shannon regional catchment (W1 to W58), with just 5 No. watercourses located in the River Suir regional catchment (W59 to W63). Where the 110kV UGC leaves the Mountphilips Substation site, it is entirely located on the public road along its route to the Consented UWF Substation.

There are three main watercourses along the route of the 110kV UGC, all of which are within the Mulkear sub-catchment; the Newport (Mulkear) River (W4 on the Newport Bridge), the Clare River (W31 on the Tooreenbrien Bridge) and the Bilboa River (W48 on the Anglesey Bridge). At these crossing locations all three watercourses are evaluated as containing good salmonid habitat, with good/high biological water quality and good ecological status. All crossing works required for the UWF Grid Connection will be in the bridge structures.

The Newport (Mulkear) River (W4), Clare River (W31) and Bilboa River (W48), which flow through the study area, were generally 4 to 6 metres wide. The smaller Tooreenbrien Lower (25T54) (W28) and Foildarragh (25F33) (W44) are c.1-2m wide, and the remaining Class 1 or Class 2 watercourses were generally shallow fast flowing streams which ranged between 0.5m and 1m wide.

All watercourse crossing locations were subject to a site visit by an aquatic ecologist and surveyed to evaluate fisheries habitat suitability, riparian and instream habitat and potential for protected aquatic species. In summary the majority of watercourse crossings for all project elements are minor streams and land drains, which have been subject to previous anthropogenic modification (arterial drainage, drainage maintenance, channel modification, abstractions, diversions, etc.). This has resulted in the reduction of ecological status and fisheries potential in the majority of cases throughout the Mulkear sub-catchment. A number of watercourse crossing points are heavily poached by cattle and in poor condition due to effluent run-off. A summary of the results of the field surveys for the UWF Grid Connection is included in Table 8-28.

Table 8-28: Summary of Watercourses within the UWF Grid Connection Study Area

| <u>Class</u> | <u>Watercourse Description</u> | <u>Watercourse Crossing ID</u> | <u>Total No. of Water-courses</u> | <u>Total With In-Stream Works</u> |
|--------------|--|---|-----------------------------------|-----------------------------------|
| Class 1 | Fisheries Value: EPA mapped blue line, major river or stream | W4, W9, W13, W28, W31, W33, W34, W40, W44, W48 | 10 | 2 |
| Class 2 | Fisheries Value: Headwater Stream Equivalent to EPA blue line but not mapped | W1, W3, W60 | 3 | 3 |
| Class 3 | Low Fisheries Value: Sub-optimal, heavily vegetated, low or no flow during dry periods | W2, W5, W6, W10, W12, W16, W17, W18, W19, W20, W21, W22, W23, W24, W26, W27, W32, W36, W37, W38, W39, W45, W46, W47, W51 | 25 | 8 |
| Class 4 | No Fisheries Value: Drain, no flow | W7, W8, W11, W14, W15, W25, W29, W30, W35, W41, W42, W43, W49, W50, W52, W53, W54, W55, W56, W57, W58, W59, W61, W62, W63 | 25 | 18 |
| | Total | | 63 | 31 |

Watercourse crossing locations, watercourse classifications and the boundary of various sub-catchments are identified on [Figure WP 8.4: Aquatic Habitats & Species within the Whole Project Cumulative Evaluation Study Area](#).

Further details on the site visits and the fisheries appraisals for each watercourse are included in [Appendix 8.1: Detailed Biodiversity Information and Supplementary Data \(Section A8.1.3.1\)](#) in [Volume C4 EIAR Appendices](#).

Geographical Overlap with UWF Related Works:

UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area due to surface water crossings in the Bilboa (Inch) local surface water catchment which is part of the River Shannon catchment, and in the Clodiagh local surface water catchment which is part of the River Suir catchment. The potential for cumulative effects extends to the zone of influence of the works at the UWF Related Works watercourse crossing locations and also includes the intervening reach within the same waterbody in instances where potential culvert replacement works are also required for the UWF Grid Connection.

8.4.2.3.2 Element 3: UWF Replacement Forestry

Not applicable – This Element has been evaluated as excluded, see Section 8.4.2.2.1.

8.4.2.3.3 Element 4: Upperchurch Windfarm

The area of the Upperchurch Windfarm is predominantly situated in the River Suir regional catchment (Clodiagh (Tipperary) River and Multeen River sub-catchments).

The remaining proportion of the footprint of the Upperchurch Windfarm is located in the Bilboa River sub-catchment of the River Shannon.

As per the EIS 2013, the Upperchurch Windfarm involves 1 no. watercourse crossings, this watercourse is included in Table 8-25 as WW2 (Class 2).

Consideration of the Passage of Time: A comparison of EPA monitoring data for 2012 and 2017 demonstrates that water quality in the catchment into which the windfarm site drains, has remained stable. Therefore, it is considered that the descriptions in the 2013 and 2014 documents for Upperchurch Windfarm remain relevant to the cumulative evaluations in this Revised EIAR.

8.4.2.3.4 Element 5: UWF Other Activities

Not applicable – This Element has been evaluated as excluded, see Section 8.4.2.2.1.

8.4.2.3.5 Other Projects or Activities

Bunkimalta Windfarm is located in the River Shannon regional catchment area, with 5 turbines located in the Clare River catchment and the remaining 11 turbines located in the Newport River (Mulkear) catchment. The construction of the consented windfarm will involve both instream works and works in close proximity to watercourses.

Please Note: Other Projects or Activities only relate to the cumulative evaluation of Other Elements of the Whole UWF Project. There is no potential for cumulative effects with the UWF Related Works.

8.4.3 PROJECT DESIGN MEASURES for Aquatic Habitats & Species

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

The Project Design Measures outlined in Table 8-29 are relevant to the Environmental Factor, Biodiversity, and in particular to the sensitive aspect **Aquatic Habitats & Species**.

Table 8-29: UWF Related Works Project Design Measures relevant to Aquatic Habitats & Species

| PD ID | Project Design Environmental Protection Measure (PD) |
|-------|---|
| PD01 | All construction works will be carried out during daylight hours. |
| PD07 | Construction traffic will be restricted to the construction works area and tracking across adjacent ground will not be permitted |
| PD09 | New permanent access roads (<u>Realigned Windfarm Roads</u>) will have a permanent surface water drainage network in place which will include check dams. These check dams will settle suspended solids in water runoff while also slowing down the rate of water run-off from these areas. |
| PD10 | Only precast concrete culverts or structures will be used at watercourse crossing locations. No batching of wet cement will take place on-site. |
| PD11 | Instream construction works will be followed by site-specific reinstatement measures to ensure the restoration of flow character and morphology within the affected reach. Measures will include: bank stabilisation using boulder armour or willow/brush bank protection; reinstatement of bank slope and character, creation of compound channels where necessary; reinstatement of instream flow features such as boulder substrates, pool / riffle sequences, or spawning cobbles; and planting along the riparian margin to stabilise banks, add flood protection and provide riparian buffer. |
| PD12 | A phased approach will be undertaken in relation to watercourse crossing works, earthworks, forestry felling and excavation dewatering, where these works occur within 50m of a Class 1 or Class 2 watercourse. The phased approach will only permit one of main potential sediment producing activities, listed above, to be carried out within 50m of a Class 1 or Class 2 watercourse, at any one time. |
| PD13 | All excavated material will be removed for temporary or permanent storage at a suitable location more than 50m away from all other Class 1 and Class 2 watercourses. |
| PD14 | Temporary silt control methods such as silt fencing or containment berms will be placed around all overburden storage areas. |
| PD15 | Permanent overburden storage berms will be graded and seeded immediately after emplacement. |
| PD16 | For works within 50m of a Class 1 or Class 2 watercourse, additional mitigation measures include double silt fencing, temporary drain blocking, placement of straw bale arrangements along preferential surface water flowpaths and, where necessary, the use of matting to prevent ground erosion and rutting. |
| PD17 | Where dewatering of trenches or excavations is required, there will be no direct discharge of treated water into any watercourse or drain. Rather all pumped water will be treated prior to discharge using an infiltration trench or settlement pond or suitable water treatment train such as a Siltbuster, as appropriate. |
| PD18 | There will be no refuelling of vehicles or plant permitted within 100m of a watercourse |
| PD19 | The main fuel stocks for, and chemical wastes arising from, construction activities will be stored in a designated location, away from main traffic activity, within the temporary compound (<u>Consented</u> |

| | | |
|----------------------------|------|---|
| Aquatic Habitats & Species | | Upperchurch Windfarm Site Compound No.1). All fuel will be stored in bunded, locked storage containers. |
| | PD20 | Overnight parking of plant and machinery will only be permitted at locations which are greater than 50m from watercourses and where there is an existing hard-core surface in place. |
| | PD21 | No refuelling of plant or equipment will be permitted within 100m of identified wells |
| | PD22 | In-stream works at Class 1 and Class 2 watercourses will only be undertaken during the IFI specified period (July, August and September) and will be carried out to best practice (IFI, 2016). |
| Sensitive Aspect | PD23 | In-stream works will not be undertaken without isolation of flow within the watercourse, any fish within the isolated section will be removed using electrofishing and, following collection of biometrics, transferred immediately downstream of the crossing point and placed back in the water. The water will then be isolated from the works by over pumping, flume (pipe) or channel diversion methods. |
| | PD24 | All new permanent watercourse culverts will be sized to cope with a minimum 100-year flood event. All pipe culverts will be a minimum of 900mm in diameter regardless of the anticipated flood flow. |
| | PD25 | All new permanent culverts in Class 1 and Class 2 type watercourses will be bottomless or clear spanning. |
| | PD29 | Confirmatory surveys for active Otter holts and activity (particularly holts at which breeding females or cubs are present) will be carried out 150m upstream and downstream of watercourse crossing locations. |
| | PD30 | All construction works within 150m of an active otter holt, will be carried out during daylight hours and outside of 2 hours after sunrise or before sunset during summer/outside of 1 hours after sunrise or before sunset during winter. |
| | PD31 | If an active holt (particularly holts at which breeding females or cubs are present) is located within 150 meters of the watercourse crossing points, no works will be undertaken <u>while cubs are present in the holt</u> and NPWS will be notified immediately |
| | PD32 | No wheeled or tracked vehicles (of any kind) will be used within 20m of active, but non-breeding otter Holts, and light work, such as digging by hand or scrub clearance will not take place within 15m of such holts, except under license. |
| | PD33 | The prohibited working area associated with otter holts will, where appropriate, be fenced with temporary fencing prior to any possibly invasive works and declared as 'out of bounds'. Fencing will be in accordance with Clause 303 of the NRA's Specification for Roadworks (National Roads Authority). Appropriate awareness of the purpose of the enclosure will be conveyed through toolbox talks with site staff and sufficient signage will be placed on each exclusion fence. All contractors or operators on site will be made fully aware of the procedures pertaining to each affected holt (NRA, 2006) and subject to audits and non-conformance records in the event of non-compliance, to be included in reports submitted to Local Authorities and relevant Statutory Consultees. |

Cumulative Information: Potential or likely significant impacts caused by the Other Elements of the Whole UWF Project were avoided, prevented or reduced by incorporating Project Design Measures into the fundamental design of the UWF Grid Connection, UWF Replacement Forestry and into the consented design of the Upperchurch Windfarm. These Project Design Measures are included in the description of these Elements, and can be found in this EIA Report in [Appendices 5.3, 5.4 and 5.5](#), in [Volume C4: EIAR Appendices](#).

8.4.4 EVALUATION OF IMPACTS to Aquatic Habitats & Species

In this Section, the likely direct and indirect effects of the UWF Related Works are identified and evaluated. Then the likely cumulative effects of the UWF Related Works together with the Other Elements of the Whole UWF Project and Other Projects or Activities are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Aquatic Habitats & Species.

As a result of the exercise, some impacts were included and some were excluded.

Table 8-30: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts <u>Included</u> (Evaluated in the Impact Evaluation Table sections) | Impacts <u>Excluded</u> (Justification at the end of the Impact Evaluation Table sections) |
|---|---|
| Decrease in instream aquatic habitat quality, (construction stage) | <i>Aquatic Habitat Degradation (as a result of increased nitrogen deposition) such as temporary oxygen shortages (construction stage)</i> |
| Changes to flow regime, (construction stage) | <i>Decommissioning Stage Effects</i> |
| Disturbance/displacement to fish and aquatic species, (construction stage) | |
| Riparian habitat degradation, (construction stage) | |
| Spread of aquatic invasive species, (construction stage) | |

The source-pathway-receptor links for included impacts are described in the Impact Evaluation Tables in the next sections. **The Impact Evaluation Tables are presented in the following sections 8.4.4.1 to 8.4.4.5.**

The source-pathway-receptor links and the rationale for excluded impacts are described in the section directly after the Impact Evaluation Table sections, in Section 8.4.4.6.

8.4.4.1 Impact Evaluation Table: Decrease in instream aquatic habitat quality**Impact Description:**

Project Life Cycle Stage: Construction stage

Impact Source: Instream works; Movement of soils and machinery; Excavation works; Forestry felling; Hydrocarbons; ReinstatementCumulative Impact Source: Instream works; culvert replacement works; Movement of soils and machinery; Excavation works; Forestry felling; Hydrocarbons; Reinstatement; Earthworks and GroundworkImpact Pathway: Soils; Surface water, Runoff and surface water, FlowpathsImpact Description: Aquatic habitat relates to the instream features supporting aquatic biodiversity (bed substrate, morphology, water quality, etc.). Watercourses are highly sensitive to change, containing sensitive aquatic ecological receptors including salmonids, lamprey species, and a diverse macroinvertebrate community.

Instream works at some watercourses will require direct excavation of the banks and bed of the watercourse, which can change the physical character of the watercourse and has the potential to degrade the quality of the baseline habitat which supports the structure, function and diversity of aquatic species. Although erosion and deposition are natural process in watercourses⁷, varying naturally throughout the year, additional sediment contributions entering the watercourse, such as from construction works adjacent to or upstream of individual watercourses, can have negative implications for fish and invertebrates due to physical damage and reduced feeding/foraging, as well as negative impacts due to compaction of spawning gravels and mortality impacts for salmonid eggs (affecting recruitment) and invertebrate life stages within gravel substrates (interstitial spaces). These impacts may be mobilised downstream and affect river reaches at a distance from the physical works. In addition, water quality effects due to contamination by fuels, oils or cementitious material has the potential to lead to direct toxicity events, or sub-lethal degradation of aquatic habitat quality.

Impact Quality: Negative**Evaluation of the Subject Development Impact – Decrease in instream aquatic habitat quality****Element 2: UWF Related Works – direct/indirect impact**Impact Magnitude: There are 32 no. watercourse crossings required by the Internal Windfarm Cabling, Realigned Windfarm Roads and Haul Route Works and in-stream works will be required at 25 no. of these locations. 26 no. of the total 32 no. crossings are located within the Clodiagh River catchment, 5 no. in the Owenbeg catchment and 1 no. in the Bilboa catchment. Of these 32 no. crossings, 5 No. watercourse crossings (all in the Clodiagh River catchment) were evaluated as having fisheries value.

The spatial extent of such effects will occur within the footprint of the instream works, and also downstream within the zone of sediment transport.

The effect on the physical instream habitat i.e. watercourse channel morphology, substrate, and flow character due to instream works has been evaluated as a Slight to Moderate adverse impact on availability, diversity and quality of habitat supporting aquatic species. This in line with the impact magnitude evaluation presented for instream works in Chapter 11 Water (taking account of instream works).

Significance of the Impact: Imperceptible to Moderate in the local context⁷ EPA Ireland; Managing the Impact of Fine Sediment on River Ecosystems,

Rationale for Impact Evaluation:

- In-stream works will only be undertaken during the IFI specified period (July – September) for the Class 1 and Class 2 watercourses (Project Design Measure);
- The Class 1 and Class 2 watercourses where in-stream works are required (5 No.) are largely small headwater streams and therefore are likely to have relatively low flows during July to September;
- The in-stream works will not be undertaken without isolation of flow within the watercourse prior to the in-stream works commencing (we refer to outline OCM's as provided in Appendix 5.1 of the EIA Report for UWF Related Works). This will be completed by over pumping, flume (pipe) or channel diversion methods;
- There will be no direct discharge of pumped water into the watercourse during the works (we refer to outline OCM's as provided in Appendix 5.1 of the EIA Report for UWF Related Works);
- The spatial extent of effects to the watercourse channel is limited to the footprint of the instream works, and;
- The duration of the impact is limited to the specific works period within or adjacent to the aquatic habitat, and
- Impacts to the watercourse channel are temporary and reversible with reinstatement.
- The duration of any reductions in the quality of downstream habitats due to siltation are considered with regard to fish species, protected Annex II aquatic invertebrates, and macroinvertebrate communities which support fish populations; such effects are evaluated to be temporary to short-term and not reversible.

Element 2: UWF Related Works – cumulative impact**Cumulative Impact Magnitude:**

The potential for cumulative effects relates to watercourses with fisheries value (i.e. Class 1 or Class 2) within the Clodiagh River catchments, and where UWF Related Works will include 5 No. watercourse crossings evaluated as having fisheries value and UWF Grid Connection may potentially require culvert replacement works on 1 no. Class 1 watercourses. Neither Upperchurch Windfarm nor UWF Replacement Forestry will require any instream works, it is therefore evaluated that any cumulative impacts to instream aquatic habitat quality will be negligible.

The spatial extent of such effects will occur within the footprint of the instream works or culvert replacement works, and also downstream within the zone of sediment transport. Where minor watercourse tributaries are crossed by the proposed works their contribution to downstream waterbodies is assessed collectively. Therefore, the zone of cumulative effects extends from the watercourse crossing points to the lower end of any waterbody

Significance of the Impact: Imperceptible to Moderate in the local context**Rationale for Impact Evaluation:**

- In-stream works or culvert replacement works will only be undertaken during the IFI specified period (July – September) for the Class 1 and Class 2 watercourses (Project Design Measure);
- The Class 1 and Class 2 watercourses where in-stream works are required (5 No. for UWF Related Works in the Clodiagh River) and culvert replacement works (1 no. for UWF Grid Connection in the Clodiagh River catchment and None in the Bilboa River catchment) are largely small headwater streams and therefore are likely to have relatively low flows during July to September;
- The in-stream works will not be undertaken without isolation of flow within the watercourse prior to the in-stream works commencing (we refer to outline OCM's as provided in Appendix 5.1 of the EIA Report for UWF Related Works). This will be completed by over pumping, flume (pipe) or channel diversion methods;
- There will be no direct discharge of pumped water into the watercourse during the works (we refer to outline OCM's as provided in Appendix 5.1 of the EIA Report for UWF Related Works);
- The spatial extent of effects to the watercourse channel is limited to the footprint of the instream works, and;
- The duration of the impact is limited to the specific works period within or adjacent to the aquatic habitat, and
- Impacts to the watercourse channel are temporary and reversible with reinstatement.
- The duration of any reductions in the quality of downstream habitats due to siltation are considered with regard to fish species, protected Annex II aquatic invertebrates, and macroinvertebrate communities which support fish populations; such effects are evaluated to be temporary to short-term and not reversible.

Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project**Element 1: UWF Grid Connection**

| | |
|----------------------------|--|
| Aquatic Habitats & Species | <p><u>General Impact Magnitude:</u> Of the 63 No. watercourse crossings along the Grid Connection, 13 No. have been evaluated to have fisheries value. Of these 13 No. watercourses, 5 No. will be subject to <i>potential</i> culvert replacement works instream. The remaining crossings, including all required crossings of major rivers (Newport, Clare (Annagh) and Bilboa), are over existing crossing structures which do not require any instream works and cables will be installed either under or over the structure. The effect on the physical instream habitat i.e. watercourse channel morphology, substrate, and flow character due to instream works at potential culvert replacement locations has been evaluated as a Slight to Moderate adverse impact on availability, diversity and quality of habitat supporting aquatic species. This in line with the impact magnitude evaluation presented for instream works in Chapter 11 Water (Moderate impact taking account of instream works).</p> <p><u>Specifically, in relation to the Newport River</u> (see cumulative impacts with other Projects below): Approximately 4.3km of the 110kV UGC exists within the Newport River catchment (and Small River catchment) including the Mountphilips Substation site. Effects on surface water are likely to arise mainly from trench excavation at the terminal end of the route, as well as at watercourse crossings within the existing road corridor. There are 4 No. watercourse crossings (including haulage routes) within the Newport (and Small River) River catchment (W1-W4).</p> <p><u>Specifically, in relation to the Clare River</u> (see cumulative impacts with other Projects below): Approximately 11km of the 110kV UGC exists within the Clare River catchment. Effects on surface water are likely to arise mainly from trench excavation works within the road and at watercourse crossings at existing road bridge and culvert locations. There are 30 no. watercourse crossings (including haulage routes) within the Clare River catchment (W5-W34).</p> <p><u>Specifically, in relation to the Bilboa River</u> (see cumulative impacts with other Projects below): Approximately 11.7km of the 110kV UGC exists within the Bilboa River catchment. Effects on surface water are likely to arise mainly from trench excavation works within the road and at watercourse crossings at existing road bridge and culvert locations. There are 24 No. watercourse crossings within the Bilboa River catchment (W35-W58).</p> <p><u>Specifically, in relation to the Clodiagh River</u> (see cumulative impacts with other Projects below): Approximately 1.5km of the 110kV UGC exists within an upper headwater tributary of the Clodiagh River catchment. Effects on surface water are likely to arise mainly from trench excavation works within the road and at watercourse crossings of one minor watercourse and small drains at existing road bridge and culvert locations. There are 5 No. watercourse crossings within the Clodiagh River catchment (W59-63).</p> |
| Sensitive Aspect | <p><u>Significance of the Impact:</u> Slight to moderate in the local context, Slight in the Newport River, Clare River, Bilboa River and Clodiagh River catchments.</p> |
| Biodiversity | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • In-stream works will only be undertaken during the IFI specified period (July – September) for the Class 1 and Class 2 watercourses (Project Design Measure); • The Class 1 and Class 2 watercourses where in-stream works are required are largely small headwater streams and therefore are likely to have relatively low flows during July to September; • The in-stream works <u>will not</u> be undertaken without isolation of flow within the watercourse prior to the in-stream works commencing (we refer to outline OCM's as provided in Appendix 5.3 : Compiled UWF Grid Connection). This will be completed by over pumping, flume (pipe); • There will be no direct discharge of pumped water into the watercourse during the works (we refer to outline OCM's as provided in Appendix 5.3 : Compiled UWF Grid Connection); • The spatial extent of effects to the watercourse channel will occur within the footprint of any works at potential culvert replacement locations; • The frequency of such an event is once of for any culvert replacement works, and; • The duration of the impact is limited to the specific works period within or adjacent to the aquatic habitat. • Impacts to the watercourse channel are temporary and reversible. The duration of any reductions in the quality of downstream habitats due to siltation are considered with regard to fish species, protected Annex II aquatic invertebrates, and macroinvertebrate communities which support fish populations; such effects are evaluated to be temporary to short-term and not reversible. <p><u>Newport River catchment</u></p> <ul style="list-style-type: none"> • The watercourse crossings within the Newport River catchment requiring culvert replacement works (3 No.) are streams and therefore works will only be completed between the IFI permitted season of May and September (Project Design Measure), no instream works are required for the crossing of the Newport River (W4); |
| Topic | |

- It's likely only between 100 – 200m of the trench will be excavated in any day with only 1– 2 watercourse crossings being completed in any one day (assumed 1 - 2 work crews);
- All effects will be brief to temporary in nature and reversible.

Clare River catchment:

- The majority of the watercourse crossings (24 of 30 No.) within the catchment have low / no fisheries value (Class 3 and Class 4 watercourses) and therefore the potential for downstream water quality effects is limited due to small size and low or absent flows;
- Watercourse crossings at potential culvert replacement locations which may require instream works at Class 1 watercourses (W9 and W33) will only be completed between the IFI permitted season of July to September (Project Design Measure), no instream works are required at the crossing of the Clare (Annagh) River (W31), as works will be within the existing bridge structure;
- It's likely only between 100 – 200m of the trench will be excavated in any day with only 1 – 2 watercourse crossings being completed in any one day (assumed 1 -2 work crews); and,
- The short-term, temporary nature of the works within the catchment;
- All effects will be brief to temporary in nature and reversible.

Bilboa River catchment:

- The majority of the watercourse crossings (21 of 24 No.) within the catchment have low / no fisheries value (Class 3 and Class 4 watercourses) and therefore the potential for downstream water quality effects is limited due to small size and low or absent flows;
- There are no instream works or culvert replacement works required at watercourse crossings at Class 1 watercourses (W40, W44 and W48), all works will be within the existing bridge structures;
- It's likely only between 100 – 200m of the trench will be excavated in any day with only 1 – 2 watercourse crossings (no crossing works) being completed in any one day (assumed 1 -2 work crews); and,
- The short-term, temporary nature of the works within the catchment;
- All effects will be brief to temporary in nature and reversible.

Clodiagh River catchment:

- All watercourse crossings (5 No.) are within a single headwater tributary of the upper Clodiagh sub-catchment. The majority of these crossings (4 of 5 No.) have no fisheries value (Class 4 watercourses). Only 1 No. crossing of a Class 2 first order stream is required; therefore, the potential for downstream water quality effects is limited due to small size and low or absent flows;
- Watercourse crossings comprising potential culvert replacement works instream at the Class 2 watercourse (W60) will only be completed between the IFI permitted season of July to September (Project Design Measure);
- It's likely only between 100 – 200m of the trench will be excavated in any day with only 1 – 2 watercourse crossings (4 out of 5 with no culvert replacement works) being completed in any one day (assumed 1 -2 work crews); and,
- The short-term, temporary nature of the works within the catchment;
- All effects will be brief to temporary in nature and reversible.

Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 8.4.2.2.1.

Element 4: Upperchurch Windfarm

Impact Magnitude: There is 1 no. watercourse crossing within the Upperchurch Windfarm Site, evaluated as having fisheries value (Class 1, WW2). This watercourse will be crossed using a clear span bridge, which will avoid the requirement for instream works. Baseline conditions indicated that the aquatic species were present year-round, and impacts were evaluated as being of high magnitude for aquatic species. However, it was identified that significant impacts were not probable/likely post-mitigation. The 2013 EIS concludes that water quality effects will not be significant

Significance of the Impact: imperceptible

Rationale for Impact Evaluation:

- A clear-span bridge will be used where a natural stream (Class 1 watercourse) will be crossed and therefore no in-stream works are required;
- All effects were evaluated as reversible and temporary in the short-term and impacts were associated with construction phase works.

Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 8.4.2.2.1.

| | | |
|----------------------------|--|--|
| Aquatic Habitats & Species | Cumulative Information: Individual Evaluations of Other Projects or Activities | |
| | (Note: Other Projects or Activities only relate to the cumulative evaluation of Other Elements of the Whole UWF Project. There is <u>no potential for cumulative effects with the UWF Related Works</u>) | |
| | Other Project: Consented Bunkimalta Windfarm | |
| | <p><u>Impact Magnitude:</u> Clare River catchment: 5 no. of the 16 no. consented Bunkimalta Windfarm turbines are located within the Clare River catchment.</p> <p>Newport River catchment: 11 no. of the 16 no. consented Bunkimalta Windfarm turbines are located within the Newport River catchment</p> | |
| | <u>Significance of the Impact:</u> Not Significant residual effect | |
| Sensitive Aspect | <p><u>Rationale for Impact Evaluation:</u> As per Bunkimalta WF EIS (2013)</p> <ul style="list-style-type: none"> • Construction activities will be at least a minimum of 50m where possible; • A Sediment Control Plan will be put in place during the construction phase to control runoff. | |
| | Evaluation of Other Cumulative Impacts – Decrease in instream aquatic habitat quality | |
| | Whole UWF Project Effect | |
| | <p><u>Cumulative Impact Magnitude:</u> For the Whole UWF Project, a potential decrease in aquatic habitat quality is identified at a total of 10 No. watercourse crossings where instream works are required within watercourses evaluated as having fisheries value – 5 no. for UWF Grid Connection, and 5 no. for UWF Related Works. The spatial extent of such effects will occur within the footprint of the instream works, dispersed between two regional catchments and within several local sub-catchments. Impact range is located downstream of the lowest point in the waterbody where Whole UWF Project works are required, with reference to the zone of sediment transport.</p> | |
| | Significance of the Cumulative Impact: Imperceptible to moderate in the local context | |
| Biodiversity | <p><u>Rationale for Cumulative Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The watercourse crossing works required for the UWF Grid Connection (110kV UGC) (63 No. total) are largely located within the River Shannon catchment (58 No.) while the watercourse crossings required for the Upperchurch Windfarm and UWF Related Works are largely located in the River Suir surface water catchment; • The presence of sensitive salmonid fish habitat within the works area and protected Annex II (and Annex IV listed) species within the affected catchments downstream. • The spatial extent of effects to watercourse channels will occur within the footprint of the instream works, • The frequency and duration is limited to the specific works period within or adjacent to the aquatic habitat. • Impacts at the works site are temporary; however, downstream siltation effects are short-term and not reversible. | |
| | All Elements of the Whole UWF Project with Other Projects or Activities | |
| | <p><u>Cumulative Impact Magnitude:</u></p> <p>In relation to cumulative effects within the Clare River catchment; Approximately 11km of the 110kV UGC exists within the Clare River catchment and 5 No. of the 16 No. consented Bunkimalta Windfarm turbines are located within the Clare River catchment.</p> <p>In relation to cumulative effects within the Newport River catchment; Approximately 4.3km of the 110kV UGC exists within the Newport River catchment including the Mountphilips Substation site, along with 11 No. of the 16 No. consented Bunkimalta Windfarm turbines.</p> | |
| | Significance of the Cumulative Impact: Slight for the Clare River catchment, and Slight to Moderate for the Newport River catchment. | |
| | <p><u>Rationale for Cumulative Impact Evaluation:</u></p> <p><u>Clare River:</u></p> <ul style="list-style-type: none"> • The relatively small number of the Bunkimalta Windfarm turbines within the Clare River catchment; • The relatively large surface water catchment area of the Clare River – 71km²; | |
| Topic | | |

- The short-term temporary nature of the 110kV UGC works within the Clare River catchment, limited to 2 No. crossings of watercourses with fisheries value (Class 1 / Class 2).

Newport River

- The relatively small scale of the 110kV UGC works within the Newport River catchment (4.3km of temporary access roads);
- The large surface water catchment area of the Newport River catchment – 126km²;
- The relatively large upstream distance of the Bunkimalta Windfarm site (~10km) from the 110kV works;
- The temporary and short-term nature of the proposed 110kV UGC works within the Newport River catchment, limited to 2 No. crossings of watercourses with fisheries value (Class 1 / Class 2);
- Sediment Control Plans will be in place at the Bunkimalta Windfarm

8.4.4.2 Impact Evaluation Table: Changes to Flow Regime

Impact Description

Project Life Cycle Stage: Construction stage

Impact Source: Sediment; Instream works; Machinery movement; new crossing structures

Cumulative Impact Source: Sediment; Instream works; culvert replacement works; Machinery movement, new crossing structures

Impact Pathway: Surface water; Land cover

Impact Description: Watercourse morphology relates to the shape of a watercourse channel, its bed and banks and how erosion, transportation of water, sedimentation and the composition of riparian vegetation changes this shape over time. As per Section 11.2.4.1 of Chapter 11: Water, direct impacts are identified to channel morphology and geomorphology (bed and banks of watercourses) due to instream works and sediment deposition.

Aquatic species, which are likely to be present in fishery value watercourses at instream construction works locations, are reliant on instream habitat heterogeneity (riffle/glide/pool structure); along with the availability of peak flow flushes (flood/spate); the provision of flows for upstream/downstream migration (impassable barriers); and avoidance of channel constriction during low flow. Any change in watercourse morphology which affects channel flow regimes can result in cross factor effects on aquatic ecological communities, which are likely to be present in fishery value watercourses at instream construction works locations. These communities are reliant on instream habitat heterogeneity (riffle/glide/pool structure); along with the availability of peak flow flushes (flood/spate); the provision of flows for upstream/downstream migration (impassable barriers); and avoidance of channel constriction during low flow.

Instream works are limited to the individual crossing points and include trenching works for underground cables, installation of temporary or permanent crossing structures and reinstatement works.

The reinstatement works will maintain the channel morphology, in line with IFI (2016) and will include site-specific bank stabilisation measures using boulder armour or willow/brush bank protection; reinstatement of bank slope and character; creation of compound channels where necessary; and reinstatement of instream flow features such as boulder substrates, pool / riffle sequences, or spawning cobbles.

The creation of adverse flow conditions or habitat limitations due to changes to flow or morphology will be limited to the specific works period within or adjacent to the aquatic habitat.

Project Design Measures include the use of culverts at all new permanent watercourse crossings which will be a minimum of 900mm in diameter and will be bottomless or clear spanning on all Class 1 and Class 2 type watercourse and the use of reinstatement of the banks and beds at crossing locations. In addition, in-stream works will only be undertaken during the IFI specified period (July – September) for the Class 1 and Class 2 watercourses (Project Design Measure).

Impact Quality: Negative

Evaluation of the Subject Development Impact – Changes to Flow Regime

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude:

There are 32 no. watercourse crossings required by the Internal Windfarm Cabling, Realigned Windfarm Roads and Haul Route Works and in-stream works will be required at 25 no. of these locations. 26 no. of the total 32 no. crossings are located within the Clodiagh River catchment, 5 no. in the Owenbeg catchment and 1 no. in the Bilboa catchment. Of these 32 no. crossings, 5 no. were evaluated as having fisheries potential (all in the Clodiagh River catchment, none in the Bilboa catchment).

Instream works in watercourses with fisheries value (5 No.) relate to 3 temporary crossings for Internal Windfarm Cabling trenching works and/or the installation of a temporary crossing structure, while the remaining 2 No. relate to the installation of permanent crossing structures.

Significance of the Impact: SlightRationale for Impact Evaluation:

- In-stream works will only be undertaken during the IFI specified period (July – September) for the Class 1 and Class 2 watercourses (Project Design Measure);
- The Class 1 and Class 2 watercourses where in-stream works are required are mostly small headwater streams;
- The majority of the watercourses have been in some way altered by the existing landuse (i.e. forestry or agriculture);
- The limited extent of direct instream works potentially affecting flow, and the sensitive crossing designs to be implemented in consultation with IFI.
- The brief to temporary duration and reversibility of any effects.

Element 2: UWF Related Works – cumulative impact

The potential for cumulative effects relates to watercourses with fisheries value (i.e. Class 1 or Class 2) within the Clodiagh River catchments, and where UWF Related Works will include 5 No. watercourse crossings evaluated as having fisheries value and UWF Grid Connection may potentially require culvert replacement works on 1 no. Class 1 watercourses. Neither Upperchurch Windfarm nor UWF Replacement Forestry will require any instream works, it is therefore evaluated that any cumulative impacts to instream aquatic habitat quality will be negligible.

Neither Upperchurch Windfarm nor UWF Replacement Forestry will require any instream works, it is therefore evaluated that any cumulative impacts to flow regime will be negligible.

The spatial extent of such effects will occur within the footprint of the instream works or culvert replacement works, and also downstream within the zone of sediment transport. Where minor watercourse tributaries are crossed by the proposed works their contribution to downstream waterbodies is assessed collectively. Therefore, the zone of cumulative effects extends from watercourse crossing points lower end of any waterbody

Significance of the Impact: Imperceptible to Slight in the local contextRationale for Impact Evaluation:

- In-stream works will only be undertaken during the IFI specified period (July – September) for the Class 1 and Class 2 watercourses (Project Design Measure);
- The Class 1 and Class 2 watercourses where in-stream works are required (5 No.) are mostly small headwater streams;
- The majority of the watercourses have been in some way altered by the existing landuse (i.e. forestry or agriculture);
- The limited extent of direct instream works potentially affecting flow, and the sensitive crossing designs to be implemented in consultation with IFI.
- The brief to temporary duration and reversibility of any effects.

Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project**Element 1: UWF Grid Connection**Impact Magnitude:

At Mountphilips Substation, instream works will be required at 1 no. watercourses with fisheries value (associated with the installation of permanent crossing structures). Changes to the flow regime will be long-term and permanent; alteration to flow morphology will be subject to Project Design Measures including the reinstatement of watercourses at crossing locations.

Of the 63 No. watercourse crossings along the UWF Grid Connection 110kV UGC, 13 No. have been evaluated to have fisheries value. Of these 13 No. watercourses, 5 No. will be subject to *potential* culvert replacement works. The remaining crossings, including all required crossings of major rivers (Newport, Clare (Annagh) and Bilboa), are over existing crossing structures which do not require any instream works and cables will be installed either under or over the structure.

At the 5 no. potential culvert replacement works locations, changes to the flow regime will be brief to temporary and for the duration of the immediate works, restricted to the location of the works area within the footprint of, or directly adjacent to the existing crossing point in the public road. Following the completion of construction works, changes to the flow regime will be long-term and permanent; alteration to flow morphology will be subject to Project Design Measures including the reinstatement of watercourses at crossing locations.

Significance of the Impact: Slight

Rationale for Impact Evaluation:

- In-stream works or culvert replacement works will only be undertaken during the IFI specified period (July – September) for the Class 1 and Class 2 watercourses (Project Design Measure);
- The Class 1 and Class 2 watercourses where in-stream works are required are mostly small headwater streams;
- The majority of the watercourses have been in some way altered by the existing landuse (i.e. forestry or agriculture);
- The limited extent of direct instream works potentially affecting flow, and the sensitive crossing designs to be implemented following consultation with IFI.
- The brief to temporary duration and reversibility of any effects.

Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 8.4.2.2.1.

Element 4: Upperchurch Windfarm

Impact Magnitude:

Construction works will take place in close proximity to 1 No. watercourses with fisheries value. No instream works are required at this location and this watercourse will be crossed using a clear span bridge, which will avoid the requirement for instream works.

Significance of the Impact: Slight

Rationale for Impact Evaluation:

- No instream works are required on the watercourse crossing within the Upperchurch Windfarm site
- Implementation of the Sediment & Erosion Control Plan

Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 8.4.2.2.1.

Evaluation of Other Cumulative Impacts – Changes to Flow Regime

Whole UWF Project Effect

Cumulative Impact Magnitude:

A potential decrease in aquatic habitat (via changes to flow regime) is identified at **10 No.** watercourse crossings where instream works or culvert replacement works are required within watercourses evaluated as having fisheries value – 5 no. for UWF Grid Connection and 5 no. for UWF Related Works. The spatial extent of such effects will occur within the footprint of the instream works, dispersed between two regional catchments and within several local sub-catchments.

Significance of the Cumulative Impact Slight

Rationale for Cumulative Impact Evaluation:

- Instream works potentially affecting the flow regime are required at a limited number of locations; the majority of which require temporary works and a smaller sub-set require permanent instream structures.
- Implementation of Project Design Measures at all watercourse crossing and instream works locations to minimize effects
- Implementation of the sensitive crossing designs to be implemented in consultation with IFI. Provision of reinstatement works including: site-specific bank stabilization measures using boulder armour or willow/brush bank protection; reinstatement of bank slope and character; creation of compound channels where necessary; and reinstatement of instream flow features such as boulder substrates, pool / riffle sequences, or spawning cobbles.

Aquatic Habitats & Species

Sensitive Aspect

Note: There is no cumulative evaluation of Other Projects or Activities included in the table above, because all of the Other Projects or Activities were evaluated as excluded from this particular impact table (see Section 8.4.2.2.1).

Biodiversity

Topic

8.4.4.3 Impact Evaluation Table: Disturbance or Displacement

| Impact Description | |
|---|--------------------|
| Project Life Cycle Stage: | Construction stage |
| <u>Impact Source:</u> Instream works; Operating machinery; Excavation works; Noise and human disturbance; Drilling; Reinstatement | |
| <u>Cumulative Impact Source:</u> Operating machinery; Excavation works; Noise and human disturbance; Reinstatement | |
| <u>Impact Pathway:</u> Surface water; Direct contact; Ground and air vibrations | |
| <p><u>Impact Description:</u> Instream works and machinery operation within or in close proximity to any watercourse has the potential to directly disturb or displace salmonid fish and aquatic species within fish-bearing streams, or sensitive aquatic receptors such as white-clawed crayfish. Fish are likely to mobilise outside of their territories due to human disturbance, but will return once the disturbance effect diminishes. Aquatic invertebrates are less sensitive to disturbance and displacement arising from human activity and are scoped out from evaluation of disturbance/displacement effects. The extent of disturbance or displacement of aquatic ecological receptors, including fish, will be limited to the direct footprint of any instream works within watercourses which support anadromous Atlantic salmon and resident Brown trout populations – i.e. Class 1 or Class 2 watercourses. Disturbance or displacement effects will be brief to temporary in nature, lasting for the duration of works at or in close proximity to Class 1 or Class 2 watercourses.</p> <p><u>Impact Quality:</u> Negative</p> | |
| Evaluation of the Subject Development Impact – Disturbance or Displacement | |
| Element 2: UWF Related Works – direct/indirect impact | |
| <p><u>Impact Magnitude:</u> Of the 32 No. watercourse crossings within the UWF Related Works construction works area boundary, 6 No. have been evaluated to have fisheries value. Of these 6 No. watercourses, 5 No. will be subject to instream works (the remaining 1 no. crossing WW2 will use a clear span structure with no requirement for instream works). Any fish present are likely to be affected for between 1 – 2 days during instream works. The frequency of these disturbance effects is once for half of the locations (cables trenches with or without new permanent culverts) and twice for the remaining locations (temporary culverts (once for installation and once for removal)).</p> | |
| Significance of the Impact: Slight | |
| <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • In-stream works will only be undertaken during the IFI specified period (July – September) for the Class 1 and Class 2 watercourses to avoid sensitive salmonid instream migration and spawning periods (Project Design Measure); • The Class 1 and Class 2 watercourses where in-stream works are required are largely small headwater streams and therefore are likely to have relatively low flows during July to September (Project Design Measure); • The in-stream works will not be undertaken without isolation of flow within the watercourse prior to the in-stream works commencing (Project Design Measure); • There will be no direct discharge of pumped water into the watercourse during the works (Project Design Measure); • The singular frequency of any disturbance events at half of the locations, and; • The duration of any disturbance impacts are considered with regard to fish species, protected Annex II aquatic invertebrates, and macroinvertebrate communities which support fish populations; such effects are evaluated to be temporary and reversible. | |

Element 2: UWF Related Works – cumulative impactCumulative Impact Magnitude:

The potential for cumulative effects relates to watercourses with fisheries value (i.e. Class 1 or Class 2) within the Clodiagh River and to a lesser extent, Bilboa River catchments. UWF Related Works will require works in close proximity to 6 no. watercourses with fisheries value, and instream works at 5 no. of these watercourses (all in the Clodiagh). Upperchurch Windfarm will require works in close proximity to 1 no. watercourse in the Clodiagh River catchment (construction of a clear span bridge (no instream works) at this location). UWF Grid Connection (110kV UGC) will require works in close proximity to 4 no. watercourses within the Bilboa River catchment and in close proximity to 1 no. watercourse crossing (with potential for culvert replacement works at this crossing) in the Clodiagh River catchment.

UWF Replacement Forestry will involve works in proximity to a Class 1 watercourse in the Clodiagh River catchment, with planting carried out by hand at the site, it is therefore evaluated that any cumulative impacts will be negligible.

The spatial extent of cumulative disturbance or displacement effects is localised at each crossing location–

Significance of the Impact: Imperceptible to SlightRationale for Impact Evaluation:

- In-stream works will only be undertaken during the IFI specified period (July – September) for the Class 1 and Class 2 watercourses to avoid sensitive salmonid instream migration and spawning periods (Project Design Measure);
- The Class 1 and Class 2 watercourses where in-stream works are required are largely small headwater streams and therefore are likely to have relatively low flows during July to September (Project Design Measure);
- The in-stream works will not be undertaken without isolation of flow within the watercourse prior to the in-stream works commencing (Project Design Measure);
- There will be no direct discharge of pumped water into the watercourse during the works (Project Design Measure);
- The singular frequency of any disturbance events at half of the locations, and;
- The duration of any disturbance impacts are considered with regard to fish species, protected Annex II aquatic invertebrates, and macroinvertebrate communities which support fish populations; such effects are evaluated to be temporary and reversible.
-

Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project**Element 1: UWF Grid Connection**Impact Magnitude:

At Mountphilips Substation, works will take place in close proximity to 1 no. watercourses with fisheries value (Blue Line Equivalent). This watercourse crossing will be subject to instream works

Along the 110kV UGC, there are 63. No. watercourse crossings, of which 13 No. have been evaluated to have fisheries value. Of these 13 No. watercourses, 5 No. may be subject to culvert replacement works. The remaining crossings identified as having fisheries value (8 No.), including all required crossings of major rivers (Newport, Clare (Annagh) and Bilboa), are over existing crossing structures which do not require any instream works and cables will be installed either under or over the structure. Proposed works including trench excavation, bridge works, culvert replacement, and resurfacing may give rise to disturbance to fish and aquatic biodiversity receptors present within Class 1 and Class 2 watercourses over a period of 1 – 2 days at each crossing location. The frequency of these disturbance effects is once for cables trenches with or without new permanent culverts. The remaining crossings are over existing crossing structures which do not require any works and cables will be installed either under or over the structure, disturbance effects at these locations are therefore evaluated as Imperceptible.

Significance of the Impact: Slight

| | | |
|----------------------------|------------------|---|
| Aquatic Habitats & Species | Sensitive Aspect | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • In-stream works will only be undertaken during the IFI specified period (July – September) for the Class 1 and Class 2 watercourses to avoid sensitive salmonid instream migration and spawning periods (Project Design Measure); • The Class 1 and Class 2 watercourses where in-stream works are required are largely small headwater streams and therefore are likely to have relatively low flows during July to September; • The in-stream works will not be undertaken without isolation of flow within the watercourse prior to the in-stream works commencing (Project Design Measure); • There will be no direct discharge of pumped water into the watercourse during the works (we refer to outline OCM's as provided Appendix 5.3 : Compiled UWF Grid Connection); • The extent of disturbance or displacement of aquatic ecological receptors, including fish, will be limited to the direct footprint of any potential culvert replacement works within watercourses which support anadromous Atlantic salmon and resident Brown trout populations. • The frequency of disturbance effects will be once for all cables trenches where instream works are required, installed at crossing locations with or without new permanent culverts • The duration of any disturbance impacts are considered with regard to fish species, protected Annex II aquatic invertebrates, and macroinvertebrate communities which support fish populations; such effects are evaluated to be temporary and reversible. |
| | | <p>Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 8.4.2.2.1</p> |
| Biodiversity | Topic | <p>Element 4: Upperchurch Windfarm</p> |
| | | <p><u>Impact Magnitude:</u> None:</p> <p>1 No. watercourse with fisheries value occurs within the footprint of the Upperchurch Windfarm site. This watercourse will be crossed using a clear span bridge, which will avoid the requirement for instream works. Disturbance effects are limited to the construction works for the new bridge along with the subsequent use of the new bridge throughout the construction period.</p> |
| | | <p><u>Significance of the Impact:</u> Imperceptible</p> |
| | | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The Upperchurch Windfarm impacts were evaluated as being of high magnitude for aquatic species; however, it was identified that significant impacts were not probable/likely post-mitigation. A clear-span bridge will be used where a natural stream (Class 1 watercourse) will be crossed and therefore no in-stream works are required; disturbance will be limited to the immediate works area. |
| | | <p>Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 8.4.2.2.1</p> |
| | | <p>Evaluation of Other Cumulative Impacts – Disturbance or Displacement</p> |
| | | <p>Whole UWF Project Effect</p> |
| | | <p><u>Cumulative Impact Magnitude:</u></p> <p>Direct disturbance or displacement of aquatic ecological receptors, including fish, will be limited to the footprint of any instream works or culvert replacement works and directly upstream and downstream of all crossings, temporary and permanent instream works structures and bank-side works. The watercourse crossings are dispersed between two regional catchments and within several local sub-catchments. In total there are 10 No. instream works locations where crossings of fish-bearing streams are required, all of which will be sensitive to disturbance. However, at the local level in the context of individual receptors, temporary displacement will be limited to the affected stretch of watercourse, without cumulative population-level impacts at a watercourse or catchment level. Additional disturbance effects within the watercourse channel will be limited to the spatial extent of trenching and ducting activities.</p> |
| | | <p>Significance of the Cumulative Impact: Slight</p> |
| | | |

Rationale for Impact Evaluation:

- In-stream works will only be undertaken during the IFI specified period (July – September) for the Class 1 and Class 2 watercourses to avoid sensitive salmonid instream migration and spawning periods (Project Design Measure);
- The Class 1 and Class 2 watercourses where in-stream works are required are largely small headwater streams and therefore are likely to have relatively low flows during July to September (Project Design Measure);
- The in-stream works will not be undertaken without isolation of flow within the watercourse prior to the in-stream works commencing (Project Design Measure);
- There will be no direct discharge of pumped water into the watercourse during the works (Project Design Measure);
- The frequency of disturbance effects will be once for all cables trenches at crossing locations with or without potential culvert replacement; and
- The duration of any disturbance impacts are considered with regard to fish species, protected Annex II aquatic invertebrates, and macroinvertebrate communities which support fish populations; such effects are evaluated to be temporary and reversible.

Note: There is no cumulative evaluation of Other Projects or Activities included in the table above, because all of the Other Projects or Activities were evaluated as excluded from this particular impact table (see Section 8.4.2.2.1)

8.4.4.4 Impact Evaluation Table: Riparian habitat degradation

| Impact Description | |
|--|--------------------|
| Project Life Cycle Stage: | Construction stage |
| <p><u>Impact Source:</u> Movement of soils and machinery; Excavation works; Forestry felling; Reinstatement</p> <p><u>Cumulative Impact Source:</u> Instream works; culvert replacement works, Movement of soils and machinery; Excavation works; Forestry felling; Reinstatement</p> <p><u>Impact Pathway:</u> Soils; Direct contact</p> | |
| <p><u>Impact Description:</u> The riparian corridor along a watercourse relates to the interface between the aquatic habitat, the bankside vegetation and terrestrial environment. An intact, semi-natural riparian zone has significant beneficial services in the protection of instream aquatic habitat quality, food/nutrient contributions, and temperature regulation. Existing riparian habitat quality within the study area is subject to afforestation and agricultural management, including clearance works, drainage maintenance and channelization works. The removal of, or damage to, riparian vegetation during instream works or excavation/ground clearance works in close proximity to any watercourse has the potential to impact on the quality of riparian habitats which in turn can affect watercourse morphology, shading, bank stability, and nutrient and sediment loading and result in indirect effects on aquatic species.</p> <p>Project design: following works at or in close proximity to watercourses (Class 1 or Class 2), reinstatement works will be carried out which will include site-specific bank stabilisation measures using boulder armour or willow/brush bank protection; reinstatement of bank slope and character; creation of compound channels where necessary; and replanting of riparian buffer zones with suitable native species to manage flood flows and buffer run-off.</p> <p><u>Impact Quality:</u> Negative</p> | |
| Evaluation of the Subject Development Impact – Riparian habitat degradation | |
| Element 2: UWF Related Works – direct/indirect impact | |
| <p><u>Impact Magnitude:</u> Riparian habitat will be affected at 6 No. watercourse crossings identified as having fisheries value, out of a total of 32 watercourse crossings within the construction works area boundary associated with the UWF Related Works.</p> <p>The duration of any loss of well-structured riparian habitat impacts is evaluated with regard to the direct aquatic habitat services provided by the riparian zone (bank stabilization and erosion control, shading and temperature regulation), as well as the indirect inputs such as habitat for invertebrate food for fish and aquatic biota, reduction in light for aquatic flora, flood control and buffering effects in relation to run-off.</p> <p>Riparian habitat impacts will be reversible with reinstatement and will be temporary to short-term, limited to the construction phase and early operational stage until vegetation has re-established.</p> | |
| Significance of the Impact: Slight to Moderate | |
| <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • Riparian habitat impacts that may affect aquatic ecology and fisheries receptors are limited to discrete locations at watercourse crossing locations within minor watercourses; • The general context of the watercourses affected comprises managed agricultural lands and open uplands with poorly-developed riparian habitat, where well-developed riparian habitat occurs it comprises willow species which regenerate quickly; • Riparian habitat impacts are to be managed with project reinstatement measures (Project Design Measures) and is therefore reversible; | |

- Riparian habitat impacts will be limited to the construction phase, reversible, temporary and short-term and in line with baseline conditions. Bank works are required at watercourse crossing locations; alternatives to riparian clearance are not available.
- Impacts to the riparian habitat are temporary to short-term and reversible with reinstatement.

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude: UWF Related Works will include 6 No. watercourse crossings evaluated as having fisheries value. Upperchurch Windfarm will also involve some access road construction work at 1 no. watercourse with fisheries value, this watercourse is one of the watercourses associated with UWF Related Works – and the trenching and ducting for UWF Related Works will take place during Upperchurch Windfarm access road construction and clear span bridge construction works at this location, thereby minimising cumulative impacts.

In relation to cumulative impacts with UWF Grid Connection, 1 no. watercourse of fisheries value may require culvert replacement works which would involve works in the riparian zone.

The spatial extent of such effects will occur within the footprint of the works within the riparian margins. Therefore, the zone of cumulative effects is limited to the footprint of the works areas identified at each crossing location, in-combination with other Project Elements affecting riparian habitat within the same waterbody.

Significance of the Impact: Slight to Moderate

Rationale for Impact Evaluation:

- Riparian habitat impacts that may affect aquatic ecology and fisheries receptors are limited to discrete locations at watercourse crossing locations within minor watercourses;
- The general context of the watercourses affected comprises managed agricultural lands and open uplands with poorly-developed riparian habitat, where well-developed riparian habitat occurs it comprises willow species which regenerate quickly;
- Riparian habitat impacts are to be managed with project reinstatement measures (Project Design Measures) and is therefore reversible;
- Riparian habitat impacts will be limited to the construction phase, reversible, temporary and short-term and in line with baseline conditions. Bank works are required at watercourse crossing locations; alternatives to riparian clearance are not available.
- Impacts to the riparian habitat are temporary to short-term and reversible with reinstatement.

Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project

Element 1: UWF Grid Connection

Impact Magnitude:

At Mountphilips Substation, construction works will take place within the riparian habitat zone of 2 no. watercourses, evaluated as having fisheries value. These works relate to 1 No. new permanent crossing and 1 No. temporary crossings

Of the 63 No. watercourse crossings along the 110kV UGC, 13 No. have been evaluated to have fisheries value. Of these 13 No. watercourses, 5 No. will be subject to instream works at potential culvert location works sites. The effect on the riparian and bankside habitat will be greatest at these culvert replacement locations (31 No.), while the significance of such effects is greatest at watercourses supporting fisheries value (5 No.). The remaining crossings, including all required crossings of major rivers (Newport, Clare (Annagh) and Bilboa), are over existing crossing structures which do not require any instream works and cables will be installed either under or over the structure.

The duration of any loss of well-structured riparian habitat impacts is evaluated with regard to the direct aquatic habitat services provided by the riparian zone (bank stabilization and erosion control, shading and temperature

| | | |
|----------------------------|------------------|--|
| Aquatic Habitats & Species | Sensitive Aspect | regulation), as well as the indirect inputs such as habitat for invertebrate food for fish and aquatic biota, reduction in light for aquatic flora, flood control and buffering effects in relation to run-off. Riparian habitat impacts will be reversible with reinstatement and will be temporary to short-term, limited to the construction phase and early operational stage until vegetation has re-established. |
| | | <u>Significance of the Impact:</u> Slight to Moderate |
| Biodiversity | Topic | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • Riparian habitat impacts that may affect aquatic ecology and fisheries receptors are limited to discrete locations at watercourse crossing locations within minor watercourses; • The general context of the watercourses affected comprises managed agricultural lands and open uplands with poorly-developed riparian habitat, where well-developed riparian habitat occurs it comprises willow species which regenerate quickly; • Riparian habitat impacts will be limited to the construction phase, reversible, temporary and short-term and in line with baseline conditions. Bank works are required at watercourse crossing locations; alternatives to riparian clearance are not available. • Riparian habitat impacts are to be managed with project reinstatement measures (Project Design Measures) and is therefore reversible; • Impacts to the riparian habitat are temporary to short-term and reversible with reinstatement. |
| | | Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 8.4.2.2.1 |
| | | Element 4: Upperchurch Windfarm |
| | | <u>Impact Magnitude:</u> As per the 2013 EIS, 1 No. watercourse with fisheries value will be crossed. The crossing method will use using a clear span bridge design, which will avoid the requirement for instream works; however, works within the riparian zone will be required. |
| | | <u>Significance of the Impact:</u> imperceptible |
| | | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • No requirement for instream works on fisheries value watercourses • Limited scale of works within the riparian corridor at the 1 no. stream crossing • All effects were evaluated as reversible and temporary in the short-term; • Riparian habitats within the Upperchurch Windfarm which are directly affected by construction works were not identified as being of significant conservation value. |
| | | Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 8.4.2.2.1 |
| | | Evaluation of Other Cumulative Impacts – Riparian habitat degradation |
| | | Whole UWF Project Effect |
| | | <u>Cumulative Impact Magnitude:</u> Riparian habitat will be affected at 11 No. watercourse crossings (1 no. watercourse is crossed by UWF Related Works and Upperchurch Windfarm at the same crossing point) identified as having fisheries value (one watercourse, WW2 associated with both the UWF Related Works and the Upperchurch Windfarm). The effect on the riparian and bankside habitat with implications for the structure and function of the habitat services with regard to aquatic ecological receptors has been evaluated as a Slight to Moderate adverse. This in line with the impact magnitude evaluation presented for instream works in Chapter 11 Water. The spatial extent of such effects will occur within the footprint of the instream works, with the potential for direct impacts at the approach to watercourse crossing works areas. |
| | | Significance of the Cumulative Impact: Slight to Moderate |
| | | <u>Rationale for Cumulative Impact Evaluation:</u> |

- The watercourse crossing works required for the 110kV UGC are largely located within the River Shannon catchment while the watercourse crossings required for the Upperchurch Windfarm and UWF Related Works are largely located in the River Suir surface water catchment;
- The limited extent of instream works, within defined works areas will reduce the potential spatial area.
- The Class 1 and Class 2 watercourses where in-stream works are required are largely small headwater streams and therefore are likely to have relatively low flows during July to September;
- Existing riparian habitat quality within the works areas is subject to afforestation and agricultural management, including clearance works, drainage maintenance and channelization works.
- Riparian habitat impacts will be limited to the construction phase, reversible, temporary and short-term and in line with baseline conditions. Bank works are required at watercourse crossing locations; alternatives to riparian clearance are not available
- The duration of the impact is evaluated with regard to the aquatic habitat services and buffering effects provided by riparian habitats at each discrete works location. Such impacts are limited to the specific works location and do not interact with riparian habitat communities within the watercourse as a whole, or at a catchment level, in view of cumulative or synergistic project effects. Riparian habitat impacts are once-off, restricted to the period of works within or adjacent to the aquatic habitat and are thus not subject to sequential project effects.
- Riparian habitat impacts are to be managed with project reinstatement measures (Project Design Measures) and is therefore reversible;
- Impacts to the riparian habitat are temporary to short-term and reversible with reinstatement.

Note: There is no cumulative evaluation of Other Projects or Activities included in the table above, because all of the Other Projects or Activities were evaluated as excluded from this particular impact table (see Section 8.4.2.2.1).

8.4.4.5 Impact Evaluation Table: Spread of Aquatic Invasive Species

| Impact Description | |
|--|--------------------|
| Project Life Cycle Stage: | Construction stage |
| Impact Source: Instream works; Excavation works | |
| Cumulative Impact Source: Instream works; culvert replacement works, Excavation works | |
| Impact Pathway: Surface water; Movement of soils and machinery | |
| <p><u>Impact Description:</u> Invasive aquatic species include non-native, invasive flora and also fish and invertebrate fauna. Aquatic invasive species may be introduced to unaffected catchments or spread within infected watercourses during the course of instream works or transported via excavation material by site machinery. Aquatic invasive species have the potential for significant ecosystem disturbance, disrupting the predator/prey balance or affecting significant habitat disruption within aquatic systems. The spread of aquatic invasive species is not restricted in extent to the footprint of construction/instream works, but can be transported both upstream and downstream within a watercourse, potentially extending throughout the catchment.</p> | |
| Impact Quality: Negative | |
| Evaluation of the Subject Development Impact – Spread of Aquatic Invasive Species | |
| Element 2: UWF Related Works – direct/indirect impact | |
| <p><u>Impact Magnitude:</u> There is the potential for introduction of non-native, invasive aquatic species at all 32 No. watercourse crossings associated with the UWF Related Works.</p> | |
| Significance of the Impact: Slight to Moderate | |
| <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The spread of aquatic invasive species is not restricted in extent to the footprint of the works, but can be transported both upstream and downstream within a watercourse. There is the potential for catchment-wide impacts once an introduction has occurred. The incidence of a single, once-off introduction can have lasting, long-term ecosystem effects which can persist beyond any control measures for eradication. • In this respect, the spread of aquatic invasive species is evaluated as non-reversible. | |
| Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project | |
| Element 2: UWF Related Works – cumulative impact | |
| <p><u>Cumulative Impact Magnitude:</u> There is the potential for introduction of non-native, invasive aquatic species at all 32 No. watercourse crossings in the Clodiagh and Bilboa river catchments associated with the UWF Related Works, the affected watercourses may be further exposed to cumulative risk of spread or introduction from Upperchurch Windfarm construction traffic and works in proximity to some of the watercourse crossings, and works in proximity to an additional 29 no. watercourse crossing locations associated with UWF Grid Connection with the Clodiagh and Bilboa river catchments.</p> | |
| Significance of the Impact: Slight to Moderate | |
| <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The spread of aquatic invasive species is not restricted in extent to the footprint of the works, but can be transported both upstream and downstream within a watercourse. There is the potential for catchment-wide impacts once an introduction has occurred. The incidence of a single, once-off introduction can have lasting, long-term ecosystem effects which can persist beyond any control measures for eradication. • In this respect, the spread of aquatic invasive species is evaluated as non-reversible. | |

| | |
|----------------------------|---|
| Aquatic Habitats & Species | Element 1: UWF Grid Connection |
| | <p><u>Impact Magnitude:</u> There is the potential for introduction of non-native, invasive aquatic species at all 63 No. watercourse crossings associated with the Mountphilips Substation and 110kV UGC works.</p> <p><u>Significance of the Impact:</u> Slight to Moderate</p> <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The incidence of a single, once-off introduction can have lasting, long-term ecosystem effects which can persist beyond any control measures for eradication. • In this respect, spread of aquatic invasive species is evaluated as non-reversible. |
| | Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 8.4.2.2.1 |
| | Element 4: Upperchurch Windfarm |
| | <p><u>Impact Magnitude:</u> There is the potential for introduction of non-native, invasive aquatic species at the 1 No. watercourse crossing associated with the Upperchurch Windfarm works.</p> <p><u>Significance of the Impact:</u> Slight to Moderate</p> <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The Upperchurch Windfarm impacts were evaluated as being of high magnitude for aquatic species, in the absence of mitigation. However, it was identified that significant impacts were not probable/likely. • Baseline conditions indicated that the aquatic species were present year-round and impacts were associated with construction phase works. • All effects were evaluated as reversible and temporary in the short-term; however, in the case of potential spread of aquatic invasive species, there is the potential for long-term, irreversible impacts |
| Sensitive Aspect | Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 8.4.2.2.1 |
| | Evaluation of Other Cumulative Impacts – Spread of Aquatic Invasive Species |
| | Whole UWF Project Effect |
| | <p><u>Cumulative Impact Magnitude:</u> There is the potential for introduction of non-native, invasive aquatic species at the 96 No. watercourse crossing associated with the Whole UWF Project (1 no. occur on both the UWF Related Works and the Upperchurch Windfarm and 1 no. occurs on both the UWF Related Works and the UWF Grid Connection).</p> <p>Significance of the Cumulative Impact: Slight to moderate</p> <p><u>Rationale for Cumulative Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The spread of aquatic invasive species is not restricted in extent to the footprint of the works, but can be transported both upstream and downstream within a watercourse. There is the potential for catchment-wide impacts once an introduction has occurred. The incidence of a single, once-off introduction can have lasting, long-term ecosystem effects which can persist beyond any control measures for eradication. • In this respect, the spread of aquatic invasive species are evaluated as non-reversible |
| | |
| Biodiversity | |
| | |
| Topic | |

Note: There is no cumulative evaluation of Other Projects or Activities included in the table above, because all of the Other Projects or Activities were evaluated as excluded from this particular impact table (see Section 8.4.2.2.1).

8.4.4.6 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in Table 8-31 below.

Table 8-31: Description and Rationale for Excluded Impacts to Aquatic Habitats & Species

Key: 1: UWF Grid Connection; 2: UWF Related Works; 3: UWF Replacement Forestry; 4: Upperchurch Windfarm; 5: UWF Other Activities

| Source(s) of Impacts | Project Element | Pathway(s) | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|---|-----------------|---------------------|--|---|
| Construction Stage | | | | |
| Storage of Brash | 2,4,5 | Nitrogen Deposition | Aquatic Habitat Degradation (as a result of increased nitrogen deposition) such as temporary oxygen shortages. | Rationale for Excluding: The scale of tree-felling is insufficient to result in additive nitrogen deposition effects – any effects will be Neutral. No felling for UWF Grid Connection, or UWF Replacement Forestry |
| Operational Stage | | | | |
| Rationale for Excluding: Access routes and permanent watercourse crossing structures will be in place. Operational Works will be minimal, with no works to watercourse crossing structures expected. | | | | |
| Decommissioning Stage | | | | |
| Rationale for Excluding: UWF Related Works, Upperchurch Windfarm: Access routes and permanent watercourse crossing structures will be in place. Works will be subject to best practice management measures. UWF Grid Connection will not be decommissioned. | | | | |

8.4.5 Mitigation Measures for Impacts to Aquatic Habitats & Species

Mitigation measures were incorporated into the UWF Related Works project design including the Project Design Measures. No additional mitigation measures are required as **no significant adverse impacts** are concluded by the topic authors as likely to occur to Aquatic Habitats & Species as a consequence of the UWF Related Works.

8.4.6 Evaluation of Residual Impacts to Aquatic Habitats & Species

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures are required and thus the Residual Impact is the same as the Impact set out in Impact Evaluation Table sections for Aquatic Habitats & Species above (Section 8.4.4) – i.e. **no significant adverse impacts**.

8.4.7 Application of Best Practice and the EMP for Aquatic Habitats & Species

Best Practice Measures (BPM), although not part of the Project Design for the UWF Related Works, will be employed to afford further protection to the Environment.

The following Best Practice Measures have been developed, for the protection of **Aquatic Habitats & Species**, by the authors of this topic chapter, using industry best practice:

| | |
|-----------|---|
| RW-BPM-01 | Measures for Protection of Surface Water Quality during Watercourse Crossing Open Trench Works where the Dam and Over Pump Method is used |
| RW-BPM-02 | Measures for Protection of Surface Water Quality during Watercourse Crossing Open Trench Works where dam and Pipe/ Flume method is used |
| RW-BPM-04 | Measures for Protection of Surface Water Quality during Widening or Replacing an Existing Culvert |
| RW-BPM-05 | Surface Water Quality Protection Measures During Excavation Works Within 50m of a Watercourse |
| RW-BPM-06 | Surface Water Quality Protection Measures During Tree Felling Works |
| RW-BPM-07 | Protection of Surface Water and Groundwater Quality during use of Cement Based Compounds |
| RW-BPM-08 | Protection of Surface Water and Groundwater Quality During Storage and Handling of Fuels, Oils and Chemicals |
| RW-BPM-09 | Design of New Permanent Watercourse Crossing Structures to Prevent Flood Risk |
| RW-BPM-10 | Surface Water Quality Protection Measures During Temporary Storage of Overburden |
| RW-BPM-11 | Surface Water Quality Protection Measures during Permanent Storage of Overburden |
| RW-BPM-16 | Monitoring of non-native invasive plant species |
| RW-BPM-17 | Best practice measures for the removal of vegetation during construction |
| RW-BPM-19 | Disturbance to and/or displacement of nesting Common Kingfisher (<i>Alcedo atthis</i>). |
| RW-BPM-22 | Management of general non-native invasive species |

These Best Practice Measures are included in full at the end of this topic chapter, and also form part of the **Environmental Management Plan for UWF Related Works**, which is included as **Volume D** with the planning application.

8.4.7.1 Surface Water Management Plan

Water quality and the existing drainage regime will be managed under a Surface Water Management Plan (SWMP) which will be implemented by the appointed Contractor during the construction stage of the UWF Related Works.

The Surface Water Management Plan will provide the water management framework for construction works and will ensure that work is carried out with minimal impact on the surface water environment and in accordance with the Project Design and Best Practice Measures and environmental commitments made in this EIA Report. The Surface Water Management Plan is part of the **Environmental Management Plan for UWF Related Works**, and accompanies this planning application as **Volume D**.

8.4.7.2 Invasive Species Management Plan

In addition to the Best Practice Measures relating to Invasive Species, an Invasive Species Management Plan has been developed to prevent the introduction and/or spread of invasive species.

The Invasive Species Management Plan includes monitoring and biosecurity measures which will inform the actions required to effectively respond to any incursions and to control existing invasive species populations. The Invasive Species Management Plan also forms part of the **Environmental Management Plan for UWF Related Works**, which is included as **Volume D** with the planning application.

8.4.8 Summary of Impacts to Aquatic Habitats & Species

A summary of the Impact to Aquatic Habitats & Species is presented in Table 8-32.

Table 8-32: Summary of the impacts to Aquatic Habitats & Species

| Impact to Aquatic Habitats & Species | Decrease in instream aquatic habitat quality | Changes to flow regime | Disturbance or displacement | Riparian habitat degradation | Spread of aquatic invasive species |
|---|--|--|-----------------------------|------------------------------|------------------------------------|
| Evaluation Impact Table | Section 8.4.4.1 | Section 8.4.4.2 | Section 8.4.4.3 | Section 8.4.4.4 | Section 8.4.4.5 |
| Project Life-Cycle Stage | Construction | Construction | Construction | Construction | Construction |
| <u>UWF Related Works</u> | Imperceptible to Moderate | Slight | Slight | Slight to Moderate | Slight to Moderate |
| <u>UWF Related Works Cumulative Impact</u> | Imperceptible to Moderate | Imperceptible to Slight | Imperceptible to Slight | Slight to Moderate | Slight to Moderate |
| Element 1: UWF Grid Connection | Slight to Slight-Moderate | Slight | Slight | Slight to Moderate | Slight to Moderate |
| Element 3: UWF Replacement Forestry | No Potential for Impacts - Evaluated as Excluded, see Section 8.4.2.2.1 | | | | |
| Element 4: Upperchurch Windfarm | Imperceptible | Slight | Imperceptible | Imperceptible | Slight to Moderate |
| Element 5: UWF Other Activities | No Potential for Impacts - Evaluated as Excluded, see Section 8.4.2.2.1 | | | | |
| <u>Cumulative Impacts:</u> | | | | | |
| All Elements of the Whole UWF Project | Imperceptible to Moderate | Slight | Slight | Slight to Moderate | Slight to Moderate |
| All Elements of the Whole UWF Project <i>cumulatively with</i> Other Projects or Activities Bunkimalta Windfarm | Slight to Slight-Moderate | N/A - Evaluated as excluded from these impacts, see Section 8.4.2.2.1 | | | |

The greyed out boxes in the above summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to show the totality of the project.

Please Note: Other Projects or Activities only relate to the cumulative evaluation of Other Elements of the Whole UWF Project. There is no potential for cumulative effects with the UWF Related Works.

| |
|----------------------------|
| Aquatic Habitats & Species |
| Sensitive Aspect |

| |
|--------------|
| Biodiversity |
| Topic |

8.5 Sensitive Aspect No.4: Terrestrial Habitats

This Section provides a description and evaluation of the Sensitive Aspect - Terrestrial Habitats.

8.5.1 BASELINE CHARACTERISTICS of Terrestrial Habitats

8.5.1.1 STUDY AREA for Terrestrial Habitats

The study area for Terrestrial Habitats in relation to the UWF Related Works is described in Table 8-33 and illustrated on **Figure RW 8.5: Terrestrial Habitats within the UWF Related Works Study Area** (Volume C3 EIAR Figures).

Table 8-33: UWF Related Works Study Area for Terrestrial Habitats

| Study Area for Terrestrial Habitats | Justification for the Study Area Extents |
|---|---|
| Construction works area boundary plus 50m in all directions | Professional judgement and as per Best Practice (CIEEM, 2016) |

8.5.1.2 Baseline Context and Character of Terrestrial Habitats in the UWF Related Works Study Area

Terrestrial Habitats within the UWF Related Works Study Area comprise a mosaic of agricultural grassland, commercial forestry plantations, hedgerows, wet grassland, private roads and public roads.

Twenty-two habitat types (including six types of habitat mosaic) comprising 190.5Ha were recorded. The dominant habitats present is GA1: Improved agricultural grassland (113.38ha or 59.5%), followed by WD4: Conifer plantation (45.45ha or 22%). The remaining habitats are mainly made up of: Wet Grassland (GS4), Scrub (WS1), built land and artificial surfaces (BL3), Wet Heath (HH3) and Upland Blanket Bog (PB2). Linear habitats are primarily composed of Buildings and Artificial Surfaces (BL3), earth banks (BL2), and Eroding/Upland Rivers (FW1).

Habitats (evaluated as of Local Importance (Higher Value) or above) which occur within the UWF Related Works Study Area comprise:

- 693 meters of Upland/Eroding Rivers (FW1),
- 2.03ha of Upland Blanket Bog (PB2),
- 11.95ha of Wet Grassland (GS4),
- 1.77ha of Scrub and Immature Woodland (WS1/2),
- 2.32ha of Wet Heath (HH3),
- 1.58ha of Dry-humid Acid Grassland (GS3),
- 0.11ha of Dry Siliceous Heath (HH1),
- 0.1ha of Cutover Bog (PB4),
- 1611 meters of Linear hedgerow (WL1) / treelines (WL2).

Respective areas of each habitat type (evaluated as of Local Importance (Higher Value) or above) are illustrated in **Figure RW 8.5: Terrestrial Habitats within the UWF Related Works Study Area** and presented in full in **Appendix 8.1: Detailed Biodiversity Information and Supplementary Data (Section A8.1.3.4)** in **Volume C4 EIAR Appendices**

No Flora Protection Order (FPO) species are present within the construction area boundary.

| | |
|----------------------|--|
| Terrestrial Habitats | <p><i>Non-native invasive plant species</i> listed on the Third Schedule subject to restrictions under Regulations 49 and 50 of the European Communities (Birds and Natural Habitats) Regulations 2011 (S.I. No. 477/2011) are herein described.</p> <p>A Japanese knotweed or Himalayan knotweed infestation was recorded at 1 location during habitat assessments on the UWF Related Works. The infestation is located at a distance greater than 7 metres of the haul route realignment construction works area boundary.</p> |
| | <p>8.5.1.3 Importance of Terrestrial Habitats</p> <p>National Importance: Upland/Eroding Streams habitats present are evaluated as of National Importance based on connectivity to the Clodiagh (Tipperary) and Multeen River sub-catchments, in total 7 No. of the watercourses are classified as Upland/Eroding Streams within UWF Related Works study area.</p> <p>County Importance: 2.03ha of Upland Blanket Bog (PB2), which is of County Importance, is present within the study area.</p> |
| Sensitive Aspect | <p>188.47ha of habitats of Local Importance (Higher Value) are within the UWF Related Works Study Area. These habitats are evaluated as being of Local Importance (Higher value) based on their semi-natural status, and thus their potential to support a range of native species of plants and animals of high value in a local context. These habitats are comprised of:</p> <ul style="list-style-type: none"> • BL3: Buildings and artificial surfaces (based on importance to bats), • GS4: Wet Grassland • HH3: Wet Heath • WS1/WS2 Scrub and Immature Woodland • GS3: Dry-humid Acid Grassland), • HH1 Dry Siliceous Heath (HH1), • PB4: Cutover Bog (PB4), • WL1: hedgerows (based on level of maturity and value to birds and mammals), • WL2: tree lines (local importance to birds and mammals), |
| | <p>8.5.1.4 Sensitivity of Terrestrial Habitats</p> <p>Terrestrial Habitats are sensitive to direct land take, pollution, and environmental changes resulting from modification such as increased drainage. Groundwater dependant habitats such as bog and peatland habitats may be sensitive to changes in groundwater regimes or changes in ground water quality. The diversity of habitats is particularly sensitive to encroachment from invasive species which may out-compete local native species. Habitats are also sensitive to Human activities such as burning and recreational use.</p> |
| Biodiversity | <p>8.5.1.5 Trends in the Baseline Environment (the 'Do-Nothing' scenario)</p> |
| | <p>The present survey forms a baseline classification of habitats on or near the subject development. No previous habitat information at a suitable scale is available from which trends can be identified or changes evaluated.</p> <p>Reporting on trends with regard to protected habitats and species under the EU Habitats Directive is provided to the EU under Article 17 of said directive. Overall trends for some Annex quality habitats present within the receiving environment such as Wet Heath are included therein and evaluated nationally (stable in the case of Wet Heath for example). Availability of trends in respect of locally important habitats is limited (Browne, 2007). We would note that the onsite Wet Heath was subject to cattle grazing at the time of the windfarm EIS (2013), and this is still the case. Likewise, in respect of Upland Blanket Bog, the windfarm EIS has</p> |

previously identified degradation from peat extraction, land reclamation, conifer planting, grazing and drainage. The latter 2 pressures are still present and therefore represent an ongoing trend.

As such, a scenario in which the Subject Development does not take place would result in a continuation of current trends relating to habitats within the study area.

8.5.1.6 Receiving Environment (the Baseline + Trends)

It is assumed in this report that the baseline environment in relation to Terrestrial Habitats, as identified above, will be the receiving environment at the time of construction and during the operational phase.

| |
|----------------------|
| Terrestrial Habitats |
| Sensitive Aspect |

| |
|--------------|
| Biodiversity |
| Topic |

8.5.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics

8.5.2.1 Cumulative Evaluation Study Areas

8.5.2.1.1 UWF Related Works Cumulative Evaluation Study Area

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for Terrestrial Habitats | Justification for the Study Area Extents |
|---|--|
| UWF Related Works Construction works area boundary plus 50m in all directions | The study area is sufficient to identify those Other Elements (or Other Projects or Activities) which may cause cumulative effects to Terrestrial Habitats with UWF Related Works. |

The study is illustrated on [Figure CE 8.5 Terrestrial Habitats within the UWF Related Works Cumulative Evaluation Study Area](#).

8.5.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project.

A description of these Other Elements is included in this EIA Report at [Appendices 5.3, 5.4, 5.5 and 5.6](#), in [Volume C4 EIAR Appendices](#). Scoping of these Other Elements is presented in [Section 8.5.2.2.1](#) below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements which are described in Table 8-34 and illustrated on [Figure WP 8.5: Terrestrial Habitat within the Whole Project Cumulative Evaluation Study Area](#) (Volume C3 EIAR Figures).

Table 8-34: Whole Project Cumulative Evaluation Study Area for Terrestrial Habitats

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|--|---|---|
| Element 1: UWF Grid Connection | construction works area boundary/afforestation plus 50m in all directions | Professional judgement and as per Best Practice (CIEEM, 2016) |
| Element 2: UWF Related Works | | |
| Element 3: UWF Replacement Forestry | | |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

8.5.2.2 Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts

The evaluation of cumulative impacts to Terrestrial Habitats also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Terrestrial Habitats with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in [Appendix 2.3: Scoping of Other Projects or Activities \(Section A2.3.1 and Section A2.3.2.8\)](#).

The results of this scoping exercise are that: it is evaluated that no Other Projects or Activities are likely to cause cumulative effects with either the UWF Related Works or the Other Elements of the Whole UWF Project, and therefore no Other Projects or Activities are scoped in for evaluation of cumulative effects to Terrestrial Habitats.

8.5.2.2.1 Potential for Impacts to Terrestrial Habitats

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project to cause cumulative effects to the Sensitive Aspect Terrestrial Habitats. The results of this evaluation are included in Table 8-35.

The location of, and study area boundary associated with, the Other Elements which are included for cumulative evaluation is illustrated on [Figure WP 8.5](#). The baseline character of the areas around these Elements is described in Section 8.5.2.3.

Table 8-35: Results of the Evaluation of the Other Elements of the Whole UWF Project

| Other Element of the Whole UWF Project | |
|---|--|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects |
| Element 3: UWF Replacement Forestry | <p><u>Evaluated as excluded:</u> Neutral effect/No potential for effects: Seven habitat types comprising 11.6Ha were recorded. The dominant habitats present are improved agricultural grassland (GA1), Wet Grassland (GS4) and conifer plantation (WD4) which together make up 10.4Ha or 89% of all habitats present. Scrub (WS1) and built land and artificial surfaces (BL3) make up the majority of the remaining habitats (9%). Linear habitats are primarily composed of spoil and bare ground (ED2), tree lines (WL2), hedgerows (WL1) and earth banks (BL2). The total area of linear hedgerow and treelines (or mosaics of both), comprises 134m. No non-native invasive plant species were recorded. Terrestrial Habitats of Local Importance, Higher Value are broadleaf woodland (WD1) and Scrub (WS1). Linear hedgerow and tree lines (or mosaics of both) are evaluated as of Local Importance, Higher Value.</p> <ul style="list-style-type: none"> • Neutral habitat loss as no permanent land take will be required of Terrestrial Habitats evaluated as of Local Importance (Higher Value) or greater, • No potential for hedgerow severance impacts as zero hedgerow is to be removed, • No potential for loss of High Nature Value trees, as no mature trees will be removed, • No potential for cross factor habitat degradation effects, as effects to Local Surface Water Bodies will not be greater than imperceptible, and no likely effects to Local Groundwater Bodies is expected. • No direct loss of Flora Protection Order species, as none were recorded at the site, |

| | |
|--|--|
| | <ul style="list-style-type: none"> • No fragmentation is expected from UWF Replacement Forestry with positive effects likely to accrue, • No likely spread of invasive species as none recorded within the afforestation site. Notwithstanding this point a comprehensive Invasive Species Management Plan has been developed and will be implemented by all personnel at the UWF Replacement Forestry site during its planting and growth stages. |
| Element 4: Upperchurch Windfarm (UWF) | <u>Included</u> for the evaluation of cumulative effects |
| Element 5: UWF Other Activities | <u>Included</u> for the evaluation of cumulative effects |

8.5.2.3 Cumulative Information: Baseline Characteristics – Context & Character

8.5.2.3.1 Element 1: UWF Grid Connection

Terrestrial Habitats within the UWF Grid Connection Study Area comprise a mosaic of agricultural grassland, commercial forestry plantations, broadleaved woodland, peatlands, hedgerows, wet grassland, private roads and public roads. Due to the location of UWF Grid Connection mainly along existing public roads within a agricultural setting, for the most part the landscape is dominated by agricultural grassland and other habitats reflective of this e.g roadside hedgerows, treelines and earth banks, with numerous dwellings, farm buildings and associated gardens, amenity grassland, hedges and lawns.

Forty-two habitat types (including twenty types of habitat mosaic) comprising 295.5Ha were recorded along the survey corridor (i.e. within 50m). The dominant habitats present are improved agricultural grassland (GA1), built land (BL3), wet grassland (GS4), and a mosaic of built land and amenity grassland (BL3/GA2), which together make up 75% of all habitats present. Conifer plantation (WD4) and Scrub (WS1) make up the majority of the remaining habitats by area.

Five Linear habitat feature types including Drainage ditches (FW4), Hedgerows (FW2), Earthen Banks (BL2), and Tree lines (WL2) were also recorded.

The total length of linear hedgerow and treelines (or mosaics of both) present within the study area comprises 40.6km.

No Flora Protection Order (FPO) species are present within the construction area boundary.

Terrestrial Habitats within 50m of UWF Grid Connection are illustrated on [Figure WP 8.5.](#)

Non-native invasive plant species listed on the Third Schedule subject to restrictions under Regulations 49 and 50 of the European Communities (Birds and Natural Habitats) Regulations 2011 (S.I. No. 477/2011) are herein described. Rhododendron (*Rhododendron ponticum*) is present at 39 locations. Japanese knotweed or Himalayan knotweed infestations were recorded at 15 locations during habitat assessments on the UWF Grid Connection.

Cherry laurel (*Prunus laurocerasus*) was recorded at 12 locations, this species, while not listed on the Third Schedule subject to restrictions under Regulations 49 and 50 of the European Communities (Birds and Natural Habitats) Regulations 2011 (S.I. No. 477/2011) is listed as a 'High impact' invasive species by O' Flynn et al. (2014). 'Medium impact' non-native invasive plant species (Kelly et al., 2013, O' Flynn et al., 2014) recorded included Sycamore (*Acer pseudoplanatus*), Pheasant berry (*Leycesteria Formosa*), and Cotoneaster (*Cotoneaster spp.*). Other non-native plant species of lesser significance were also recorded, these included Box honeysuckle (*Lonicera nitida*), Snowberry (*Symphoricarpos albus*), and Motbretia (*Crocsmia x crocsmiflora*). Respective locations of non-native invasive plant species are illustrated in [Figure WP 8.5.](#)

Geographical Overlap with UWF Related Works:

UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area on the eastern end of the 110kV UGC in Knocknabansha, Knockmaroe, Knockcurraghbola Crownlands and Knockcurraghbola Commons townlands where 110kV UGC trenching works on the regional and local road networks are located within 100m of UWF Related Works Haul Route Works, and to a lesser extent Internal Windfarm Cabling works.

8.5.2.3.2 Element 3: UWF Replacement Forestry

Not applicable – Element evaluated as excluded. See Section 8.5.2.2.1.

8.5.2.3.3 Element 4: Upperchurch Windfarm

The terrestrial habitats present in the Upperchurch Windfarm have been previously described in the 2013 EIS and 2013 RFI and include 13 distinct classifications and 3 types of habitat mosaic. Habitats are broadly similar to that described elsewhere with the addition of upland blanket bog (PB2), acid grassland (GS3) and neutral grassland (GS1) in addition to the aforementioned mosaics.

Total length of linear hedgerow/treeline/field boundary within the Upperchurch Windfarm study area is 25km, with grass dominated banks described as the dominant type of field boundary.

Within the 2013 EIS, a single (public roadside) record of Japanese Knotweed was recorded within the study area for the Upperchurch Windfarm.

Consideration of the Passage of Time: the 2013 planning documents were reviewed and habitats on the Consented Upperchurch Windfarm site were observed during surveys for UWF Related Works. With the exception of some maturation of trees, there have been no material changes in the makeup of terrestrial habitats on the windfarm site, and it is considered that the descriptions in the 2013 and 2014 documents for Upperchurch Windfarm remain relevant to the cumulative evaluations in this Revised EIAR. Furthermore, the maturity of trees on the windfarm site has been taken into account in the relevant cumulative evaluations in this EIAR.

8.5.2.3.4 Element 5: UWF Other Activities

Haul Route Activity Locations

Fourteen habitat types comprising 36.4Ha were recorded. The dominant habitats present are improved agricultural grassland (GA1), Built Land and Artificial Surfaces (BL3), Mixed Broadleaf Woodland (WD1) and Dry Meadows and Grassy Verges (GS2) which together make up 30.2Ha or 83.2% of all habitats present. Scrub (WS1), Wet Grassland (GS4) and Amenity Grassland (GA2) make up the majority of the remaining habitats (11.3%). Linear habitats are primarily composed of spoil and bare ground (ED2), Dry Meadows and Grassy Verges (GS2), Hedgerows (WL1), Tree lines (WL2), Tree lines (WL2), Hedgerows (WL1) and Earth Banks (BL2).

The total area of linear hedgerow and treelines (or mosaics of both) present comprises 2,031m.

Japanese knotweed was recorded c.15m from the haul route location HA15 on the R503 east of Ballycahill. This was the only record of non-native invasive plant species associated with the UWF Other Activities survey corridor. The infestation is located at a distance greater than 7 metres (c.15m) to the activity location.

Upperchurch Hen Harrier Scheme Area

A total of 128 Hectares of land has been put forward as alternative habitat for the Upperchurch Hen Harrier Scheme. The habitat types are a mixture of wet grassland (GS4) and improved grassland (GA1), with some

| | |
|-----------------------|--|
| Terrestrial Habitats | <p>smaller areas of willow scrub. We refer to the (consented) Upperchurch Windfarm Ecological Management Plan (2013) for further information in this regard (contained in Volume F: Reference Documents).</p> <p><u>Overhead Line Activities</u></p> <p>A total of 18 habitats were recorded within a 50-metre buffer of the Overhead Line Activities. The majority of the study area was composed of improved agricultural grassland. See Appendix A8.1.2.4.6 Table 56 for further detail.</p> |
| | <p>8.5.2.3.5 Other Projects or Activities:</p> <p>Not applicable – <u>No</u> Other Projects or Activities were scoped in for evaluation of cumulative effects, see Section 8.5.2.1.</p> |
| Sensitive Aspect | <p>8.5.2.4 Cumulative Information Baseline Characteristics - Importance of Terrestrial Habitats</p> |
| Biodiversity Topic | <p><u>UWF Grid Connection:</u></p> <p>International importance: Habitats of international conservation importance are located at four locations where the UWF Grid Connection passes through the boundary of the Lower River Shannon SAC. These rivers and riparian habitats support habitats and species listed on Annex I and II, respectively, of the EU Habitats Directive 92/43/EEC which are listed as qualifying interests for the Lower River Shannon SAC.</p> <p>Habitats of National Importance include: Clare River, Newport River, Bilboa River, and Upland/Eroding Streams habitats which are hydrologically connected to the Lower River Shannon SAC.</p> <p>Habitats of Local Importance (Higher Value) include mixed broadleaf woodland (WD1), mixed broadleaf/conifer woodland (WD2), hedgerows (WL1), tree lines (WL2), and scrub (WS1). A small area of Oak-birch-holly woodland at Scraggeen was found to correspond to the EU Habitats Directive 92/43/EEC habitat, 'Old sessile oak woods with <i>Ilex</i> and <i>Blechnum</i>, in the British Isles (91A0)'. A small area of Wet heath/Wet grassland habitat mosaic was found at Loughbrack Townland; wet heath corresponds to EU Habitats Directive 92/43/EEC Annex I habitat 'Northern Atlantic wet heaths with <i>Erica tetralix</i> (4010)', however the area of habitat in question was very limited in extent and degraded through grazing and drainage. An area of Lowland blanket bog (PB3) was found at Reardnogy Beg, this habitat corresponds to EU Habitats Directive 92/43/EEC Annex I habitat to 'Blanket bogs (priority if active)'; however, this area of bog was found to be in poor condition due to evidence of peat harvesting and substantial colonization by invasive Rhododendron.</p> <p>Due to the location of sections of the UWF Grid Connection 110kV UGC within an SPA designated for Hen Harrier, a number of habitats along the route of the 110kV UGC support the structure and function of the SPA. This primarily includes foraging habitats in the open landscape (grassland, heath and bog) habitats. See Sensitive Aspect Hen Harrier Section 8.6 for further information.</p> |
| | <p><u>Upperchurch Windfarm</u></p> <p>Upland Blanket Bog (PB3) of County Importance is described in the Upperchurch Windfarm EIS. Sixteen habitat types are present which are of Local Importance, Higher Value. All remaining habitats are of lesser importance.</p> |

| |
|--|
| <p><u>UWF Other Activities</u></p> <p><i>Haul Route Activity Locations</i></p> <p>Habitats of Local Importance, Higher Value present within the previously identified study area (including areas within 50m of the public road network) are Eroding/Upland Rivers (FW1), Mixed Broadleaf woodland (WD1), Hedgerows (WL2) and Scrub (WS1). Linear hedgerow and treelines (or mosaics of both) present are of Local Importance, Higher Value.</p> <p><i>Overhead Line Activities</i></p> <p>Habitats of Local Importance (Higher Value) present at or within 50m of pole/structure locations includes Wet Grassland (GS4), Oak-ash-hazel Woodland (WN2), Riparian woodland (WN5), Wet willow-alder-ash woodland (WN6), Mixed Broadleaf/Conifer Woodland (WD2), Broadleaved Woodland WD1/Wet Grassland (GS4) mosaic, Cutover Bog (PB4), Hedgerows (WL1), and Treelines (WL2). The Newport (Mulkear) River, present as Depositing/Lowland Rivers (FW2) between structures is evaluated as of International Importance, based on its status as a cSAC.</p> |
|--|

8.5.2.5 Cumulative Information Baseline Characteristics – Receiving Environment

| |
|---|
| <p>UWF Other Activities: We would note that the enhancement proposed as part of the Upperchurch Hen Harrier Scheme would have a beneficial effect on habitats present over the operational phase of the project and represents a positive trend in respect of habitat conservation. The implementation of the Upperchurch Hen Harrier scheme will produce an upward trend in respect of habitat diversity and preservation.</p> |
|---|

8.5.3 PROJECT DESIGN MEASURES for Terrestrial Habitats

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

The Project Design Measures outlined in Table 8-36 are relevant to the Environmental Factor, Biodiversity, and in particular to the sensitive aspect **Terrestrial Habitats**.

Table 8-36: UWF Related Works Project Design Measures relevant to Terrestrial Habitats

| PD ID | Project Design Environmental Protection Measure (PD) |
|-------|---|
| PD02 | Flag-men will be used at temporary site entrances rather than creating sightlines by the removal of roadside boundaries. These flagmen will control the movement of traffic on the public road, so that road users can continue to use the local road network in a safe and efficient manner. |
| PD05 | Land reinstatement will not be carried out during very wet weather or when the soil is waterlogged. |
| PD06 | If any compaction has occurred along the construction works area, these areas will be ploughed with a sub-soiler to loosen the subsoil layer |
| PD07 | Construction traffic will be restricted to the construction works area and tracking across adjacent ground will not be permitted |
| PD11 | Instream construction works will be followed by site-specific reinstatement measures to ensure the restoration of flow character and morphology within the affected reach. Measures will include: bank stabilisation using boulder armour or willow/brush bank protection; reinstatement of bank slope and character, creation of compound channels where necessary; reinstatement of instream flow features such as boulder substrates, pool / riffle sequences, or spawning cobbles; and planting along the riparian margin to stabilise banks, add flood protection and provide riparian buffer. |
| PD19 | The main fuel stocks for, and chemical wastes arising from, construction activities will be stored in a designated location, away from main traffic activity, within the temporary compound. All fuel will be stored in bundled, locked storage containers. |

Cumulative Information: Potential or likely significant impacts caused by the Other Elements of the Whole UWF Project were avoided, prevented or reduced by incorporating Project Design Measures into the fundamental design of the UWF Grid Connection and into the consented design of the Upperchurch Windfarm. These Project Design Measures are included in the description of these Elements, and can be found in this EIA Report in **Appendices 5.3 and 5.5**, in **Volume C4: EIAR Appendices**.

8.5.4 EVALUATION OF IMPACTS to Terrestrial Habitats

In this Section, the likely direct and indirect effects of the UWF Related Works are identified and evaluated. Then the likely cumulative effects of the UWF Related Works together with the Other Elements of the Whole UWF Project are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Terrestrial Habitats.

As a result of the exercise, some impacts were included and some were excluded.

Table 8-37: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts <u>Included</u> (Evaluated in the Impact Evaluation Table sections) | Impacts <u>Excluded</u> (Justification at the end of the Impact Evaluation Table sections) |
|---|--|
| Reduction in Terrestrial Habitats (construction stage) | <i>Habitat degradation (construction stage)</i> |
| Hedgerow Severance (construction stage) | <i>Direct loss of Flora Protection Order species (construction stage)</i> |
| Loss of High Nature Value Trees (construction stage) | <i>Landscape level Habitat fragmentation (construction stage)</i> |
| | <i>Introduction or spread of invasive species (construction stage)</i> |
| | <i>Introduction or spread of invasive species (operational stage)</i> |
| | <i>Introduction or spread of invasive species (decommissioning stage)</i> |

The source-pathway-receptor links for included impacts are described in the Impact Evaluation Tables in the next sections. **The Impact Evaluation Tables are presented in the following sections 8.5.4.1 to 8.5.4.3.**

The source-pathway-receptor links and the rationale for excluded impacts are described in the section directly after the Impact Evaluation Table sections, in Section 8.5.4.4.

8.5.4.1 Impact Evaluation Table: Reduction in Terrestrial Habitats

Impact Description

Project Life Cycle Stage: Construction stage

Impact Source: Excavation Works

Cumulative Impact Source: Excavation works

Impact Pathway: Land Cover

Impact Description: Land take during the construction stage may cause a direct reduction in habitats present. Whilst the majority of land use change is temporary in nature with immediate re-instatement for works such as cable trenching and temporary berms, land use change for project infrastructure such as permanent roads, permanent berms and other features may reduce the respective area of some higher value habitats or habitats which are important from a Biodiversity perspective.

Project Design Measures such as the use of flagmen at entrances reduces land cover change. Permanent storage berms, located along realigned windfarm roads, will be re-instated immediately with native grasses. All re-instatement will be overseen by the Project Ecologist. As per Best Practice all habitats described and evaluated herein are those evaluated as of Local Importance (Higher Value) and above - we note that no habitats evaluated as of County, National, or International Importance are affected by permanent land use change.

Impact Quality: Negative

Evaluation of the Subject Development Impact – Reduction in Terrestrial Habitats

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude:

No habitats evaluated as of County, National or International Importance will be lost.

Permanent habitat loss relates to 1 no. habitat types evaluated as of Local Importance (higher value): (Wet Grassland (0.07Ha) The magnitude of change represents 0.04% of the total habitat within the study area and 0.6% of the Wet Grassland habitat.

Significance of the Impact: Not Significant

Rationale for Impact Evaluation:

- The local importance (higher value) of the habitats lost;
- The low sensitivity of the habitats for which change will occur (context), and;
- The extent of Habitat Loss, with none of the individual habitat changes representing more than 1% of the respective habitat present, which is;
- Only a minor shift away from baseline conditions, notwithstanding;
- The long term duration, and;
- Low reversibility with permanent land use change likely.

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude: The potential for the 1 no. habitats (Wet Grassland) identified above to be cumulatively affected by another Element of the Whole UWF Project, is limited to Upperchurch Windfarm, as UWF Grid Connection (which also occurs within 100m of UWF Related Works) is entirely located along bitumen surfaced public road and forestry road within the UWF Related Works Cumulative Evaluation Study Area. The area of Wet Grassland to be removed is at RWR2. There is no potential for additional habitat loss in combination with the Upperchurch Windfarm as the RWR2 road way will be replacing the Consented UWF Road at this location.

Significance of the Impact: Not Significant

Terrestrial Habitats

Sensitive Aspect

Biodiversity

Topic

Rationale for Impact Evaluation:

- The local importance (higher value) of the habitats lost;
- The low sensitivity of the habitats for which change will occur (context), and;
- The extent of Habitat Loss, with none of the individual habitat changes representing more than 2.7% of the respective habitat present, which is;
- Only a minor shift away from baseline conditions, notwithstanding;
- The permanent duration, and;
- Low reversibility with permanent land use change likely

Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project**Element 1: UWF Grid Connection****Impact Magnitude:**

Permanent habitat loss will comprise 1.39 ha, limited to 3 no. habitat types, (Improved agricultural grassland (1.35 ha), Wet grassland (0.05 ha) and Mixed broadleaved woodland (<0.01 ha)), all of which will occur at Mountphilips/Coole. These habitats are evaluated as having Local Importance (Higher value), in the case of Wet grassland and Mixed broadleaved woodland, and Local Importance (Lower Value) for Improved agricultural grassland. The wet grassland present is not considered optimal for Hen Harrier foraging. Seeing as the remaining section of the 110kV UGC will be confined to the road corridor there will be no other loss of habitat associated with the UWF Grid Connection; all other hedgerows and treelines will be retained along the grid route road corridor.

The magnitude of change represents 0.47% of the total habitat within the study area, and 1.29%, 0.12%, and <0.01% respectively of the habitats described.

Significance of the Impact: Not Significant

Rationale for Impact Evaluation:

- The local importance (higher value) of habitats lost;
- The low sensitivity of the habitats for which change will occur
- In the context of the extent of habitat in the wider surrounding area (context), and;
- The extremely limited extent of semi-natural habitat lost, with the majority of lost habitat consisting of lower value Improved agricultural grassland.
- Only a minor shift away from baseline conditions, notwithstanding;
- The permanent duration, and;
- Low reversibility with permanent land use change likely

Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 8.5.2.2.1

Element 4: Upperchurch Windfarm**Impact Magnitude:**

“In terms of the habitat loss arising from the construction of roads, foundations and hardstandings, this was determined as 9.65Ha, primarily in the improved agricultural grass land and conifer plantations.”

Significance of the Impact: Not Significant

Rationale for Impact Evaluation:

- “In relation to the details submitted, I consider that the potential impact on habitats on the site is not therefore significant. The impacts largely occur on areas with a long history of human intervention through farming and forestry cultivation. I also consider that subject to the mitigation measures as outlined that the Whole UWF Project is not likely to result in significant impacts and effects on any designated sites.”

Element 5: UWF Other Activities

| | |
|----------------------|--|
| Terrestrial Habitats | Impact Magnitude: None |
| | Significance of the Impact: Neutral Effect |
| | Rationale for Impact Evaluation: <ul style="list-style-type: none"> • No permanent land use change is proposed of Terrestrial Habitats evaluated as of Local Importance (Higher Value) or greater. |
| | Evaluation of Other Cumulative Impacts – Reduction in Terrestrial Habitats |
| Sensitive Aspect | Whole UWF Project Effect |
| | Cumulative Impact Magnitude: Habitat loss in respect of the UWF Grid Connection, the UWF Related Works, UWF Replacement Forestry Upperchurch Windfarm and UWF Other Activities will be limited to small distinct areas of 3 no. habitat types totalling 0.12ha in area, with an importance evaluation of Local Importance (Higher Value). Three will be no loss of habitat of Local Importance (Higher Value) resulting from the UWF Replacement Forestry; this area will undergo landuse change from agricultural grassland to deciduous forestry. |
| | Significance of the Cumulative Impact: Not Significant |
| | Rationale for Cumulative Impact Evaluation: <ul style="list-style-type: none"> • The overall extent of Habitat Loss, and; • Changes from baseline conditions are very slight-minor, notwithstanding; • The long term to permanent duration, and; • Low reversibility with permanent land use change likely. |

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Terrestrial Habitats with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.5.2.1).

8.5.4.2 Impact Evaluation Table: Hedgerow Severance

Impact Description

Project Life Cycle Stage: Construction stage

Impact Source: Excavation Works

Cumulative Impact Source: Excavation Works

Impact Pathway: Land cover

Impact Description: Construction stage works will cause both temporary and permanent severance of existing field boundaries. This is primarily to facilitate the linear nature of project elements such as the UWF Grid Connection and cabling as part of UWF Related Works. Any temporary hedgerow loss, such as at field boundary crossings and at entrances, will be immediately re-instated once works are complete with like for like vegetation and therefore Neutral effects are considered likely. Project Design Measures such as the use of flagmen at entrances has reduced the extent of field boundaries to be removed, even if only temporarily. Permanent severance if of sufficient magnitude may affect habitat connectivity. As per Best Practice all habitats described and evaluated herein are those evaluated as of Local Importance (Higher Value) and above - we note that no hedgerows or field boundaries were evaluated as of County, National, or International Importance. This is reflective of the landscape present with many field boundaries comprising earthen banks, or lower value hedgerows.

The Upperchurch Hen Harrier Scheme is to incorporate significant planting of hedgerows (2.8km), and additional Hedgerows will be planted as part of the UWF Grid Connection (700m of new hedgerow), UWF Related Works (370m of new hedgerow) and Upperchurch Windfarm (360m as mitigation). Additionally bat mitigation measures as part of Project Design will involve enhancement of hedgerow severance locations by the further planting of like for like trees on either side of crossings.

Impact Quality: Negative and positive

Evaluation of the Subject Development Impact – Hedgerow Severance

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude:

Hedgerows and earthen banks occur at most field boundaries within the Internal Windfarm Cabling, Realigned Windfarm Roads and Haul Route Works locations. In total, 170m of hedgerow will be permanently removed to facilitate Haul Route Works (HR6 and HR13) and Realigned Windfarm Roads (RWR2). These hedgerows comprise primarily earthen banks (only 1 mature tree and 3 immature trees are to be removed). These hedgerows and trees will be replaced with an equivalent length of new native hedgerow along with an equivalent number of native trees immediately adjacent to the area. In addition new hedgerow will be planted on the berms surrounding the Telecom Relay Pole (c.17m).

In total, 145m of hedgerow and 4 No. trees will be temporarily removed at Internal Windfarm Cabling and some Haul Route Works locations, these hedgerows and trees will be immediately reinstated after completion of construction works.

Significance of the Impact: Not Significant

Rationale for Impact Evaluation:

- The extent of severance, with;
- No individual severed sections evaluated as sufficient in magnitude to result in fragmentation effects, and;
- A significant contrast with baseline conditions is not expected, notwithstanding;
- The long term duration, and;
- Low reversibility with land use change likely

| | | |
|----------------------|------------------|--|
| Terrestrial Habitats | Sensitive Aspect | Element 2: UWF Related Works – cumulative impact |
| | | <u>Cumulative Impact Magnitude:</u> The potential for cumulative hedgerow severance is limited to Upperchurch Windfarm which will require a total of 980m of hedgerow to be removed on the windfarm site. 70m of this hedgerow removal will be located within the UWF Related Works Study Area boundary, where permanent hedgerow removal will occur at 14 locations. |
| | | <u>Significance of the Impact:</u> Not significant |
| | | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • The extent of cumulative severance, with most field boundaries comprising earthen banks; • No individual severed sections evaluated as sufficient in magnitude to result in fragmentation effects, and; • A significant contrast with baseline conditions is not expected, notwithstanding; • The long term duration, and; • Low reversibility with land use change likely • Provision of replacement hedgerow in close proximity to original alignment for UWF Related Works and Provision of replacement hedgerow on the Consented Upperchurch Windfarm site. |
| Biodiversity | Topic | <u>Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project</u> |
| | | Element 1: UWF Grid Connection |
| | | <u>Impact Magnitude:</u> Permanent Habitat loss is limited to Coole and Mountphilips where 45m of permanent hedgerow removal from 9 no. locations each of 5m in length. In addition, 700m of new hedgerow will be planted along the new access road to Mountphilips Substation |
| | | <u>Significance of the Impact:</u> Not Significant |
| | | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • The extent of severance, with; • No individual severed sections are sufficient in magnitude to result in fragmentation effects, and; • A noticeable adverse contrast with baseline conditions is not expected, when considered with proposed new planting; • The permanent duration, and; • Low reversibility with land use change likely |
| | | Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 8.5.2.2.1. |
| | | Element 4: Upperchurch Windfarm |
| | | <u>Impact Magnitude:</u> As per the windfarm EIS, 980m of hedgerow will be removed. 980m of hedgerow will be replanted to mitigate this loss. |
| | | <u>Significance of the Impact:</u> Not Significant |
| | | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • “However the extent is relatively low particularly as there is an abundance of this habitat and many of the hedgerows dividing fields have very little cover within the region. Therefore, it is near certain that the impact on this habitat will not be significant.” |
| | | Element 5: UWF Other Activities |
| | | <u>Impact Magnitude:</u> |

The Upperchurch Hen Harrier scheme activities will include improvement planting with suitable trees and shrub species along existing field boundary hedgerows, and planting of 2.8km of new hedgerows with native trees and shrubs. Ongoing farming practices will also be restricted to preclude further hedgerow removal. No hedgerow loss is associated with Overhead Line Activities under consideration.

Significance of the Impact: **Significant (positive)**

Rationale for Impact Evaluation:

- The extent of new hedgerow to be planted, and;
- The long-term duration equivalent to the lifetime of the project

Evaluation of Other Cumulative Impacts – Hedgerow Severance

Whole UWF Project Effect

Cumulative Impact Magnitude:

Permanent hedgerow loss will occur both at the western side of the Slievefelim to Silvermines Mountain uplands area at the Mountphilips Substation site (UWF Grid Connection), and on the eastern side of the upland area at the UWF Related Works and Upperchurch Windfarm sites.

Total permanent hedgerow loss will be 1195m across the Whole UWF Project, the majority of which relates to Upperchurch Windfarm (980m). Temporary hedgerow/field boundary removal only relates to 145m within the UWF Related Works Study Area, much of which comprises earthen banks. The total length of hedgerow removal within the UWF Grid Connection route will be 45m.

In total 4.4km of new hedgerow will be planted within the Whole UWF Project study area, including 700m along new access road to Mountphilips Substation (UWF Grid Connection), c.560m for UWF Related Works, 360m for Upperchurch Windfarm, and 2800m for UWF Other Activities).

Significance of the Cumulative Impact: Not Significant

Rationale for Cumulative Impact Evaluation:

- The extent of Habitat Loss overall, with limited removal of trees and;
- Individual severance locations will not result in any corridor fragmentation, and;
- A significant contrast with baseline conditions is not predicted, additionally;
- Significant positive effects from Hedgerow enhancement and planting of 2.8km of new hedgerows in the Upperchurch area will occur as a result of the Upperchurch Hen Harrier Scheme, over the lifetime of the project, notwithstanding;
- The long-term duration, and;
- Low reversibility with land use change likely

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Terrestrial Habitats with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.5.2.1).

8.5.4.3 Impact Evaluation Table: Loss of High Nature Value Trees

Impact Description

Project Life Cycle Stage: Construction stage

Impact Source: Excavation Works

Cumulative Impact Source: Excavation Works

Impact Pathway: Land cover

Impact Description: Habitats including mature trees such as hedgerows, deciduous woodland and scrub are herein evaluated for loss of mature trees of biodiversity value. Construction stage works will cause both temporary and permanent loss of existing field boundaries, and other habitats which may contain or include mature trees of biodiversity Value. Permanent loss of mature trees may affect connectivity / result in fragmentation and have secondary effects on other Biodiversity receptors which utilise mature trees for breeding or resting. Project Design Measures such as the use of flagmen at entrances has reduced the extent of trees to be removed. Trees evaluated herein are of Local Importance (Higher Value) in accordance with their respective habitat classification.

We note that the Upperchurch Hen Harrier Scheme is to incorporate significant planting of trees, in addition the UWF Replacement Forestry will comprise deciduous trees in its entirety.

Impact Quality: Negative and positive

Evaluation of the Subject Development Impact – Loss of High Nature Value Trees

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude:

Tree loss is limited to 1 no. mature tree and 3 no. immature trees- primarily from hedgerow crossing locations.

Significance of the Impact: Not Significant

Rationale for Impact Evaluation:

- The extent of Loss is low overall, and;
- Will not result in any corridor fragmentation, and;
- A significant contrast with baseline conditions is not predicted, notwithstanding;
- The long term duration, and;
- Low reversibility with permanent loss likely

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude: The potential for cumulative impacts is limited to additional trees which will be removed for Upperchurch Windfarm works, as UWF Grid Connection is located within public road pavements/forestry road pavement and will not require the removal of any trees within the cumulative evaluation area.

The cumulative tree loss within the UWF Related Works Cumulative Evaluation Study Area is 24 no. mature trees removed for the consented Upperchurch Windfarm and the UWF Related Works tree loss detailed above (1 no. mature tree and 3 no. immature trees).

Significance of the Impact: Not significant

Rationale for Impact Evaluation:

- The extent of replanting of trees, in the context of numerous high nature value trees in the surrounding wider area and;
- The duration which is long term and over the lifetime of the project, and;
- A minor change to baseline conditions is predicted, with;
- Limited reversibility

Terrestrial Habitats

Sensitive Aspect

Biodiversity

Topic

| Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project | |
|---|--|
| Element 1: UWF Grid Connection | |
| <u>Impact Magnitude:</u> Tree loss is limited to 1 no. mature trees and 4 immature trees along the access road to Mountphilips Substation location. | |
| <u>Significance of the Impact:</u> Not Significant | |
| <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • The low magnitude of Loss and; • Will not result in any corridor fragmentation, and; • A significant contrast with baseline conditions is not predicted, notwithstanding; • The permanent duration, and; • Low reversibility with permanent loss likely. | |
| Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 8.5.2.2.1 | |
| Element 4: Upperchurch Windfarm | |
| <u>Impact Magnitude:</u> Tree loss is Medium and will be limited to 24 no. mature trees - primarily from hedgerow crossing locations and site entrances. | |
| <u>Significance of the Impact:</u> Not Significant | |
| <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • The low magnitude of loss, which; • Will not result in any corridor fragmentation, and; • A significant contrast with baseline conditions is not predicted, notwithstanding; • The long-term duration, and; • Low reversibility with permanent loss likely | |
| Element 5: UWF Other Activities | |
| <u>Impact Magnitude:</u> Neutral Effect for Haul Route Activity locations or Monitoring Activity locations as no permanent removal of trees is proposed in respect of these works. The Upperchurch Hen Harrier scheme does include the planting of 2.2 Ha of tree and shrub species in scrub areas, improvement planting with suitable trees and shrub species along existing field boundary hedgerows, and planting of 2.8km of new hedgerows with native trees and shrubs. In addition, 1.4km of woody scrub species will be planted along riparian corridors. No trees will be removed to facilitate Overhead Line Activities as described. | |
| <u>Significance of the Impact:</u> Moderate (positive) | |
| <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • The extent of replanting of trees, and; • A significant contrast with baseline conditions is predicted. • The long-term duration, and; • Low reversibility. | |
| Evaluation of Other Cumulative Impacts – Loss of High Nature Value Trees | |
| Whole UWF Project Effect | |
| <u>Cumulative Impact Magnitude:</u> | |

Terrestrial Habitats

Sensitive Aspect

Biodiversity

Topic

| | |
|----------------------|--|
| Terrestrial Habitats | <p>Tree loss is limited to 26 no. mature and 7 no. immature trees. The majority of tree loss relates to Upperchurch Windfarm, where 24 mature trees will be lost. The remaining tree loss will be 1 no. mature tree and 4 no. immature trees on UWF Grid Connection, and 1 no. mature tree and 3 no. immature trees within the UWF Related Works.</p> <p>The Upperchurch Hen Harrier scheme does include the planting of 2.2 Ha of tree and shrub species in scrub areas, improvement planting with suitable trees and shrub species along existing field boundary hedgerows, and planting of 2.8km of new hedgerows with native trees and shrubs. In addition, 1.4km of woody scrub species will be planted along riparian corridors.</p> |
| Sensitive Aspect | <p>Cumulative Whole Project Impact Evaluation: Moderate (positive)</p> <p><u>Rationale for Cumulative Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The extent of replanting of trees, and; • The duration which is long term and over the lifetime of the project, and; • A significant contrast with baseline conditions is predicted, with; • Limited reversibility |

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Terrestrial Habitats with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.5.2.1).

8.5.4.4 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in Table 8-38 below.

Table 8-38: Description and Rationale for Excluded Impacts to Terrestrial Habitats

Key: 1: UWF Grid Connection; 2: UWF Related Works; 3: UWF Replacement Forestry; 4: Upperchurch Windfarm; 5: UWF Other Activities

| Source(s) of Impacts | Project Element | Pathway(s) | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|---------------------------------|-----------------|---------------|--|---|
| Construction Stage | | | | |
| Movement of soils and machinery | 1,2,4,5 | Ground-water | Habitat degradation | Rationale for Excluding; No significant adverse impacts to Local Groundwater Bodies are likely to occur as a consequence of the development of the individual Elements or the implementation of all of the Individual Project Elements as the Whole UWF Project (refer Chapter 11 Water). Cross-factor effects by virtue of same are accordingly excluded from further evaluation. |
| Movement of soils and machinery | 1,2,4,5 | Surface Water | Habitat degradation | Rationale for Excluding; No significant adverse impacts to Local Surface Water Bodies are likely to occur as a consequence of the development of the individual Elements or the implementation of all of the Individual Project Elements as the Whole UWF Project (refer Chapter 11 Water). Cross-factor effects by virtue of same are accordingly excluded from further evaluation. |
| Excavation works | 1,2,4,5 | Soils | Direct loss of Flora Protection species | Rationale for Excluding; None were recorded within the Construction Works Boundaries. |
| Excavation works | 1,2, 4,5 | Landcover | Landscape level Habitat fragmentation | Rationale for Excluding: Neutral Landscape level effect is predicted. Permanent entrance to Mountphilips Substation will be re-instated; hedgerow crossings for UWF Related Works are narrowed to 5m to avoid/reduce fragmentation effects, Minimal trees are to be removed for UWF Related Works which generally correlates with Consented UWF Roads. Upperchurch Hen Harrier Scheme will increase connectedness through planting of hedgerows/trees. No habitat removal is required for Overhead Line Activities. |
| Movement of soils and machinery | 1,2,4,5 | Soils | Introduction or spread of invasive species | Rationale for Excluding: A number of infestations of Japanese knotweed and Rhododendron were recorded along the road corridor within which the UWF Grid Connection is located. The impact can be excluded however, as a comprehensive Invasive Species Management Plan for UWF Grid Connection which will include detailed biosecurity measures will be developed which will fully meet the requirements of Best Practice, and in accorded with BAT currently utilised for roadworks by TCC/TII. In addition a suitably qualified Environmental Clerk of Works will be |

Terrestrial Habitats

Sensitive Aspect

Biodiversity

Topic

| Terrestrial Habitats | Source(s) of Impacts | Project Element | Pathway(s) | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|----------------------|---------------------------------|-----------------|------------|--|---|
| | | | | | present at all for works adjacent to infestations, within the correct zone of effect, and for the total duration of works, to ensure the Invasive Species Management Plan (ISMP) is fully adhered with. The implementation of the final ISMP will be a contractual obligation on any appointed contractors. In relation to UWF Related Works, an Invasive Species Management Plan has been developed and can be found in Volume D: Environmental Management Plan. |
| Sensitive Aspect | Operational Stage | | | | |
| | Movement of soils and machinery | 1,2,4,5 | Soils | Introduction or spread of invasive species | Rationale for Excluding: Operational maintenance is minimal and unlikely to result in the spread of invasive species. Notwithstanding this a comprehensive Invasive Species Management Plan has been developed, and will be implemented during operational maintenance to ensure that none of the identified Invasive Species infestations poses a risk to the environment. |
| | Decommissioning Stage | | | | |
| | Movement of soils and machinery | 1,2,4,5 | Soils | Introduction or spread of invasive species | Rationale for Excluding: UWF Grid Connection will not be decommissioned so no pathways exist for effect where the source magnitude is potentially highest. All pertinent locations of Invasive Species with respect to elements 2,4,5 are currently >7metres from any decommissioning works areas. Notwithstanding this point a comprehensive Invasive Species Management Plan has been developed, and will be implemented by the decommissioning Contractor to ensure that none of the identified Invasive Species infestations poses a risk to the environment. The Invasive Species Management Plan can be found in Volume D: Environmental Management Plan. |

| |
|--------------|
| Biodiversity |
| Topic |

8.5.5 Mitigation Measures for Impacts to Terrestrial Habitats

Mitigation measures were incorporated into the UWF Related Works project design including the Project Design Measures. No additional mitigation measures are required as **no significant adverse impacts** are concluded by the topic authors as likely to occur to Terrestrial Habitats as a consequence of the UWF Related Works.

8.5.6 Evaluation of Residual Impacts to Terrestrial Habitats

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures are required and thus the Residual Impact is the same as the Impact set out in Impact Evaluation Table sections for Terrestrial Habitats above (Section 8.5.4) - **no significant adverse impacts**.

8.5.7 Application of Best Practice and the EMP for Terrestrial Habitats

Best Practice Measures (BPM), although not part of the Project Design for the UWF Related Works, will be employed to afford further protection to the Environment.

The following Best Practice Measures have been developed, for the protection of **Terrestrial Habitats**, by the authors of this topic chapter, using industry best practice:

| | |
|-----------|---|
| RW-BPM-16 | Monitoring of non-native invasive plant species |
| RW-BPM-17 | Best practice measures for the removal of vegetation during construction |
| RW-BPM-18 | Best practice for the protection and preservation of tree roots during the construction phase |

These Best Practice Measures are included in full at the end of this topic chapter, and also form part of the **Environmental Management Plan for UWF Related Works**, which is included as **Volume D** with the planning application.

8.5.7.1 Invasive Species Management Plan

In addition to the Best Practice Measures relating to Invasive Species, an Invasive Species Management Plan has been developed to prevent the introduction and/or spread of invasive species.

The Invasive Species Management Plan includes monitoring and biosecurity measures which will inform the actions required to effectively respond to any incursions and to control existing invasive species populations. The Invasive Species Management Plan also forms part of the **Environmental Management Plan for UWF Related Works**, which is included as **Volume D** with the planning application.

8.5.8 Summary of Impacts to Terrestrial Habitats

A summary of the Impact to Terrestrial Habitats is presented in Table 8-39.

Table 8-39: Summary of the impacts to Terrestrial Habitats

| Impact to Terrestrial Habitats: | Reduction in Terrestrial Habitats | Hedgerow Severance | Loss of High Nature Value Trees |
|--|-----------------------------------|--------------------------------------|---------------------------------|
| <i>Evaluation Impact Table</i> | <i>Section 8.5.4.1</i> | <i>Section 8.5.4.2</i> | <i>Section 8.5.4.3</i> |
| Project Life-Cycle Stage | Construction | Construction | Construction |
| <u>UWF Related Works</u> <i>Direct, indirect effects</i> | Not Significant | Not Significant | Not Significant |
| <u>UWF Related Works</u> <i>Cumulative effects</i> | Not Significant | Not Significant | Not Significant |
| Element 1: UWF Grid Connection | Not Significant | Not Significant | Not Significant |
| Element 3: UWF Replacement Forestry | Neutral | No Impact | No Impact |
| Element 4: Upperchurch Windfarm | Not Significant | Not Significant | Not Significant |
| Element 5: UWF Other Activities | Neutral | <u>Significant (positive)</u> | Moderate (positive) |
| <u>Other Cumulative Impact:</u> | | | |
| Whole UWF Project effect | Not Significant | Not Significant | Moderate (positive) |

The greyed out boxes in the above summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to show the totality of the project.

Note: No cumulative information for Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Terrestrial Habitats with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.5.2.1).

8.6 Sensitive Aspect No.5: Hen Harrier

This Section provides a description and evaluation of the Sensitive Aspect - Hen Harrier.

8.6.1 BASELINE CHARACTERISTICS of Hen Harrier

8.6.1.1 STUDY AREA for Hen Harrier

The study area for Hen Harrier in relation to the UWF Related Works is described in Table 8-40 and illustrated on **Figure RW 8.6: Hen Harrier within the UWF Related Works Study Area** (Volume C3 EIA Figures).

Table 8-40: UWF Related Works Study Area for Hen Harrier

| Study Area for Hen Harrier | Justification for the Study Area Extents |
|--|---|
| <ol style="list-style-type: none"> 1. Within 2km from the UWF Related Works construction works area boundary in all directions, for breeding sites and for communal roost sites –in relation to disturbance/displacement effects to nesting or roosting hen harrier, or secondary foraging habitat loss (permanent or temporary) affecting nest success. 2. Suitable habitat within 50m from the UWF Related Works construction works area boundary in all directions in relation to habitat/landcover change related effects such as decreases in prey item abundance and direct loss of foraging habitats. | <ol style="list-style-type: none"> 1. The extent of the study area are defined in accordance with SNH Guidelines (2017⁸) guidance. Foraging habitat loss within 2km of a Hen harrier nest may potentially have negative effects on breeding success (Arroyo <i>et al.</i>, 2014). 2. Professional Judgement, based on the proposed width of the construction works boundary (10m). |

8.6.1.2 Baseline Context and Character of Hen Harrier in the UWF Related Works Study Area

8.6.1.2.1 Character

The harriers (genus *Circus*) are all fairly large hawks with long, broad wings, long tails and legs and slim bodies (Watson 1977). In Ireland the Hen Harrier *Circus cyaneus* is confined largely to heather moorland and young forestry plantations, where they nest on the ground. They are found mainly in Counties Laois, Tipperary, Cork, Clare, Limerick, Galway, Monaghan, Cavan, Leitrim, Donegal and Kerry. The current national breeding population is estimated at 108.157 breeding pairs (Ruddock *et al.*, 2016). The most recent estimate of the national wintering population, from Irelands Article 12 submission to the EU, is 269-349 individuals. Foraging habitat preferences are generally biased towards moorland, grassland mosaics and pre-thicket forest habitats which support larger numbers of prey species. Hen Harrier wintering grounds are typically lowland sites below 100m. During winter, Hen Harriers gather at communal or solitary roost sites. In Ireland the majority of these roost sites are located in reed beds, heather/bog and rank/rough grassland but also fen, bracken, gorse or saltmarsh. Approximately 20% of known roosting sites in Ireland occur within close proximity to core nesting areas. In 2014, approximately 96 confirmed solitary and communal roosts were known in Ireland.

⁸ Scottish Natural Heritage (2017). *Recommended bird survey methods to inform impact assessment of onshore wind Farms. Version 2*. SNH, Battleby.

| | |
|--|--|
| <div>Hen Harrier</div> | <p>8.6.1.2.2 Nesting (breeding) Habitat in the UWF Related Works Study Area</p> |
| | <p>Nesting Hen harriers in the Slieve Felim to Silvermines Mountain SPA have shown a preference to nest in the early stages of new and second-rotation conifer plantations, though some pairs may still nest in tall heather of unplanted bogs and heath⁹.</p> <p>Within the overlap area of the UWF Related Works Study Area with the SPA, habitats such as upland blanket bog, conifer plantations of varying age classes, improved agricultural grassland, but also various mosaics of grassland and rough grazing are present. Habitat in general within 2km of the UWF Related Works are of limited use for breeding Hen Harrier as agriculture predominates land use. The results of the last 2 National Surveys of Hen Harriers are evidence of this.</p> |
| <div>Sensitive Aspect</div> | <p>8.6.1.2.3 Roosting Habitat in the UWF Related Works Study area</p> |
| | <p>In the winter months harriers often roost communally, typically in habitats such as reedbeds and heather less than 100m above sea level (ASL), however, small numbers of communal roosts exist at higher altitudes. Windfarms and associated infrastructure have not been explicitly defined as a threat or pressure on roosts within the Irish context.</p> <p>In relation to roost sites, suitable roosting habitats (reed beds, heather/bog and rank/rough grassland but also fen, bracken, gorse) are not widely available, with very small fragmented patches of habitat located within 2km of UWF Related Works.</p> |
| <div>Biodiversity</div> <div>Topic</div> | <p>8.6.1.2.4 Nearest Nesting and Roost Sites</p> |
| | <p>For the current appraisal a further review of desktop information and consultation with local experts, and NPWS has been undertaken. No Hen Harrier nest locations/breeding sites are recorded within 1km of the proposed UWF Related Works, or the consented Upperchurch Windfarm boundary. None are present within a further radius of 2km.</p> <p>The nearest known <i>historical</i> nest location to the UWF Related Works is that within the townland of Knockalough, located ca. 2.5 km to the south– no confirmed nest has occurred here in recent years (i.e. 2015-2018) and the last confirmed nesting attempt was in 2014.</p> <p>Previously a nest has been located at Curreeny, to the northwest of UWF Related Works, and at Glenough Windfarm, to the south of UWF Related Works. The Curreeny nesting territory has not been confirmed active since 2014 (G.Penn, <i>pers. Comm.</i>), the Glenough nesting territory (adjacent to the operating Glenough Windfarm) has been active in recent years up to and including 2018 and is known to Inis surveyors.</p> <p>For the avoidance of doubt Table 8-41 below outlines the distance in kilometers from the nearest identified nests to UWF Related Works (construction works boundary). For completeness distances are also provided to the Upperchurch Windfarm (UWF) 2013 Study area and the nearest Consented UWF Turbine.</p> |

⁹ <https://www.npws.ie/sites/default/files/protected-sites/synopsis/SY004165.pdf>

Table 8-41. Historical and Recently Active Hen Harrier Nests within 8km of the proposed Related Works*

| Nest | Townland | Last Confirmed as active | Distance to UWF Related Works (CWB) (km) | Distance to UWF 2013 Study Area (km) | Distance to nearest Consented UWF Turbine Location (km) | Within SPA |
|------|---------------|--------------------------|--|--------------------------------------|---|------------|
| A | Coumnagillagh | 2016 | 4.8 | 5.3 | 5.6 | Yes |
| B | Baurnadomeeny | 2016 | 6.2 | 7.1 | 7.4 | Yes |
| C | Baurnadomeeny | 2017 | 6.6 | 7.5 | 7.7 | Yes |
| D | Knockalough | 2014 | 2.6 | 2.4 | 2.6 | No |
| E | Glenough | 2018 | 4.5 | 4 | 4.6 | No |
| F | Curreeny | 2014 | 2.8 | 2.7 | 2.8 | Yes |

*Distances to the UWF 2013 study area and nearest Consented UWF Turbine location are provided for completeness.

No Hen Harrier nests are present within 2km of the UWF Related Works boundary, either inside the SPA or outside the SPA.

For the period covered by the current evaluation (2016-2018 inclusive) the closest nest within the SPA to UWF Related Works is 4.8km to the west of the nearest point of the construction works boundary. The closest nest outside the SPA is 4.5km to the south of the nearest point of the construction works boundary.

8.6.1.2.5 Winter Roosts in the UWF Related Works Study Area

No communal roosts within 2km of UWF Related Works were identified during 2012 – 2017, or 2017/2018 surveys, or are known to exist in the area based on desktop review, and the results of scoping and consultation with local NPWS/Hen Harrier surveyors.

8.6.1.2.6 Availability of foraging habitat within 2km

Habitat in general within 2km of the UWF Related Works Study area are of limited use for foraging Hen Harrier as agriculture predominates land use. The results of the last 2 National Surveys of Hen Harriers are evidence of this.

8.6.1.2.7 Connectivity to Designated Sites – Separation distance of UWF Related Works to the SPA

The location of the 5 No. different parts of UWF Related Works are outside of the SPA, except for one overlap to the south of Haul Route Works HW7 (however HW7 does not require works or vegetation clearance within the SPA boundary). Otherwise, the nearest boundary of the SPA is:

- 580m to the west of Internal Windfarm Cabling;
- 173m to the west of Realigned Windfarm roads;
- 157m west of Haul Route Works;
- and 805m west of Telecom Relay Pole.

8.6.1.2.8 Connectivity to Designated Sites – Scottish Natural Heritage Guidance

Guidance is available from Scottish Natural Heritage (SNH) to assist in establishing levels of connectivity to designated SPA's. Connectivity distances per species included are set out from a literature review that examined ranging behaviour. SNH specifically recommends that "in most cases the core range should be used when determining whether there is connectivity between the proposal and the qualifying interests". A core foraging range of 2km from nests sites during breeding is presented for Hen Harrier, with a maximum range of 10km.

Hen Harrier

Sensitive Aspect

Biodiversity

Topic

| | |
|------------------|--|
| Hen Harrier | <p>Further investigation of the recommended core foraging range of 2km, shows that this is based on publications/studies specifically on habitat use and range management on priority areas (notably SPA's) for Hen Harriers (Arroyo et al., 2005). In this source study the authors investigated the ranging behaviour and habitat use of breeding Hen Harriers on SPA's (3 study areas) with the objective of developing a model to predict range use in breeding Hen Harriers. The methods involved capturing and fixing radio transmitters to adult Hen Harriers (male and female) and following the movement of birds to establish range size and usage. The size of home ranges was estimated statistically using kernel analysis.</p> <p>The study found no marked difference in home range sizes between study areas. Following analyses of the various methods to establish a home range estimate, the authors found that across all methods considered, the home range of male Hen Harriers were double the size of females. The average home range of females was 3.6km² and those of males 7.3km². The study supports an assertion that female ranges are centred on nest locations and the immediate environs whereas males will not use the areas around the nest equally. Whilst males may spend some time outside 2km from the nest the core range across the sexes is more accurately represented within a 2km radius of same.</p> |
| Sensitive Aspect | <p>In the Irish context the study undertaken by UCC in respect of the PlanforBIO Hen Harrier project , which utilized GPS tracking to investigate hunting behaviour (n=3 birds) found the following (based on 293 identified hunting tracks):</p> <p><i>“Despite the large distances travelled by hunting Hen Harriers, the majority of foraging was concentrated relatively close to the nest, as one would expect with central-place foragers like breeding Hen Harriers. Over 50% of all GPS registrations consistent with hunting behaviour were within 2 km of the focal nest. Moreover, because the area within a certain radius of the nest increases as the square of this distance, the concentration of hunting behaviour was more than 10 times higher within 1 km of the nest than it was between 2 and 5 km from the nest.”</i></p> <p>Considering the SNH recommendation that it is the core range (2km) which should be used when determining connectivity, and the reasoned analysis presented above, it is considered that “one or more” nesting pairs within the SPA do <u>not</u> currently rely on hunting habitat “for which mitigation is required”, within the consented windfarm or the within the construction works area boundaries of the proposed UWF Related Works¹⁰.</p> |
| | <p>8.6.1.2.9 Availability of Suitable Foraging Habitat within the UWF Related Works</p> <p>Foraging Hen harriers generally prefer open habitats in particular heath & bog, low intensity farmed grassland and semi-natural open habitats with well-established hedgerows, pre-thicket forest and areas of scrub. Ruddock et al. 2016, reported that Hen Harrier were more frequently recorded foraging over heather moorland (30%), second rotation forest (18.7%), rough grassland (12.4%) and thicket stage forest (12.4%).</p> <p>The lands within 2km of UWF Related Works for the most part comprised actively farmed agricultural lands, with cattle rearing, dairy farming and sheep rearing on managed grassland. This is reflected in the most dominant habitat in the area being Improved Agricultural Grassland. There are also some areas of wet grassland and conifer plantation.</p> <p>The 2km study area partially overlaps the Slievefelim to Silvermines Mountains SPA (hereafter referred to as SPA) which is designated for breeding Hen Harrier. Within the overlap area of the UWF Related Works Study Area with the SPA, habitats such as upland blanket bog, conifer plantations of varying age classes, improved agricultural grassland, but also various mosaics of grassland and rough grazing are present.</p> |
| Biodiversity | |
| Topic | |

¹⁰ See also the NPWS submission to Tipperary County Council on Related Works.

The lands within 2km of UWF Related Works, also includes the previous study area for the consented Upperchurch Windfarm (overlapping the UWF Related Works to a large degree). The Upperchurch Windfarm area has already been evaluated as unsuitable for breeding Hen Harrier (2013 EIS).

It is considered that foraging habitat that is present within the footprint of UWF Related Works or within 50m of the construction works boundary **is sub-optimal** because:

1. The majority of the surrounding farmed area is permanent grassland, with livestock farming, dairying and beef cattle rearing ongoing. It is noted in this EIAR that there has been notable production up-scaling, enlargement of field layouts and technological improvement in farming present over time (See Chapter 9: Land).
2. The fragmentation of suitable habitat, with suitable foraging habitats within the study area mainly comprising small patches of heterogeneous habitat in a wider landscape. The habitat in the SPA offers greater suitability for foraging Hen Harrier (this was the basis for the designation of these habitats).
3. Bird density or availability of food resources has also been used as a proxy for habitat suitability. The identified prey for nesting Hen Harriers in Ireland is considered to be largely based on small mammals, birds, amphibians and reptiles (Wilson et al., 2015). For central-place foragers such as Hen harriers (Arroyo et al., 2009), the use of a resource patch within a heterogeneous environment will be a function of both quality and availability of food resource, and distance to the central place (Matthiopoulos, 2003). Perhaps most critically, the load-size effect of carrying prey substantial distances from foraging grounds to a nesting site must also be considered (Sonerud, 1992); predators will only use foraging habitats substantially distant from the nest site if the prey has sufficiently increased energetic return for the extra foraging distance. Distance to nest is therefore a limiting factor.
4. In the context of Hen Harriers being central place foragers, with much of foraging occurring within 2km of the nest and only 2% of foraging occurring outside 4km from the nest (Arroyo et al. 2012). Surveys, consultation and desktop review of nest records has found that no nests (historical or known) have been located where the UWF Related Works occur.

8.6.1.2.10 Hen harrier usage of lands on the western side of UWF Related Works

In relation to the reference in the NPWS submission to Tipperary County Council in respect of UWF Related Works, as to whether Hen Harrier forage on the western side of the Consented Upperchurch Windfarm areas, we note that in accordance with SNH Guidelines, the evaluation of effects on foraging hen harriers is based on the distance from the nest rather than the presence of suitable foraging habitat in a given spot. As already described Hen Harriers are central place foragers, with much of foraging occurring within 2km of the nest and only 2% of foraging occurring outside 4km from the nest (Arroyo et al. 2012).

The degree of foraging by Hen Harrier within the western portion of the Consented Upperchurch Windfarm/UWF Related Works sites, and by inference closer to the SPA is not the recommended determinant in establishing connectivity to the SPA. Any birds recorded outside the SPA, may not even be individuals connected to the SPA, but simply failed breeders, birds on passage, or sub-adults which is typical of Hen Harrier ecology in the uplands of Ireland. It is the distance of any proposed development to nests, such as recommended by SNH that is key.

The distance of UWF Related Works to the nearest confirmed nest within the SPA is 4.8km (Counmagillagh, within the SPA), the next nearest nest is 4.5km at Glenough Windfarm (outside the SPA). Due to this separation distance, it is considered that there is limited dependence/connectivity if any with foraging habitats on the western part of UWF Related Works, or indeed on the Consented Upperchurch Windfarm.

Hen Harrier

Sensitive Aspect

Biodiversity

Topic

Also, because of the availability of large areas of suitable habitat inside the SPA boundary, including at nesting locations, it is evaluated that hunting or foraging Hen Harrier from the SPA population do not to rely on habitats outside of the SPA at the UWF Related Works/Upperchurch Windfarm sites.

8.6.1.2.11 Records from Upperchurch Windfarm and Milestone Windfarm

The UWF Related Works is generally located in the same area as Upperchurch Windfarm (with c.62% of Internal Windfarm Cabling within Consented UWF Roads), therefore Hen harrier surveys undertaken in 2012 for Upperchurch Windfarm EIS are a useful source of baseline information.

Further, additionally commissioned Hen Harrier surveys carried out from March 2015 to April 2017 (same vantage points as originally utilised in the Upperchurch Windfarm 2013 EIS) also inform the current appraisal and are herein referenced (Ecopower Developments 2015, 2016 and 2017). The purpose of the review of this representative subset of data is to confirm the assumption that by reason of distance from likely centres of activity for Hen Harrier (nearest confirmed nests), usage of the site has continued to remain low, in line with the original evaluation in 2013, and address whether the site does not present an unexpectedly higher attraction for bird activity (by holding especially rich or increased food supplies for instance), making it more attractive than would be expected from distance to nest alone, as a result of the passage of time since the original evaluation in 2013.

The results of the Upperchurch Windfarm surveys (Ecopower Developments, 2015, 2016) is that Hen Harrier observations have continued to remain low during the breeding season (April-July as cited in SNH Guidance) with only 5 observations, in total comprising 580 seconds, recorded during this period. Of this, only one bird was within the Consented Upperchurch Windfarm boundary – in March 2015 where a bird was recorded for 15 seconds. No observed flight paths intersected the locations of UWF Related Works.

Pre-construction surveys aimed at establishing any breeding activity at the nearby Milestone Windfarm (BES, 2015 and 2017) provide further insight into hen harrier usage of the area. Within 2015, these surveys took place in April, May and June of 2015; and in 2017, within the months of April and May. The methods followed were based on the methodology used in the Irish Hen Harrier Survey 2015 (Ruddock *et al.*, 2016) to detect breeding territories (see 'Survey and recording guidelines for contributors' within the cited document).

Results of pre-construction surveys at Milestone Windfarm are 3 no. observations of birds across two yearly periods of the breeding season when expected activity would be high were Hen Harriers breeding onsite (at Milestone) or locally.

The results of these Upperchurch and Milestone surveys support the assumption that by reason of distance from likely centres of activity for Hen Harrier (nearest confirmed nests), usage of the UWF Related Works / Upperchurch Windfarm site has continued to remain low and does not demonstrated any dependency by birds breeding within the SPA upon lands where the UWF Related Works (or consented Upperchurch Windfarm) are to be located.

In our professional opinion, the passage of time has not resulted in any significant new dependence by Hen Harrier, particularly for nesting but also foraging, on the baseline environment for UWF Related Works or the Consented Upperchurch Windfarm in the passage of time between 2013 and the current date.

To conclude, on the basis of the information presented herein, it is evaluated that **dependent connectivity from the proposed UWF Related Works to the SPA does not exist**. We refer also in this regard the NIS which accompanies this EIAR.

Hen Harrier

Sensitive Aspect

Biodiversity

Topic

8.6.1.3 Importance of Hen Harrier

Hen Harrier is listed on Annex I of the EU Birds Directive 2009/147/EC. In 2007, six Special Protection Areas (including the Slieve Felim to Silvermines Mountains SPA) were designated across the country with breeding populations of Hen Harrier as the sole Special Conservation Interest to ensure the conservation of the species. The breeding population of Hen Harrier is Amber listed on the most recent Birds of Conservation Concern in Ireland 2014 – 2019 (Colhoun and Cummins, 2013). No areas are designated solely in respect of wintering populations. Both breeding and wintering Hen Harrier present are evaluated as Internationally Important and assigned a sensitivity rating of Very High (equivalent to NRA International Importance) for the purpose of evaluation, as per Table 8-3.

8.6.1.4 Sensitivity of Hen Harrier

Hen Harriers are known to be sensitive to disturbance (Masden 2010, Pearce-Higgins *et al.*, 2012). The effects of significant disturbance to Hen Harrier may be nest desertion, reduced incubation periods (resulting in embryo mortality), or additional stress on adult bird's due to their propensity to alarm at intruders. Some or all of these effects may result in longer term abandonment of (traditionally held) nesting areas, with resultant local and/or population level effects. Whilst raptors in general may accept short infrequent disturbance events proximal to nests, and may even be highly tolerant of certain sources of disturbance, sudden changes during critical periods such as the start of the breeding season may provoke a higher level of response (Petty, 1998) with consequent effects on breeding success and local reproductive rates.

Research on the spatial ecology of Hen Harriers has shown that foraging females spend most of their time within 1km of the nest, while males hunt mostly within 2km of the nest (Arroyo *et al.*, 2009, Irwin *et al.*, 2012, Arroyo *et al.*, 2014). Therefore, landscape and habitat changes within 1km of the nest may impact on both male and female foraging; while changes up to 2km from the nest are more likely to affect males only (Arroyo *et al.*, 2014). Foraging habitat loss therefore, especially within 2km of nesting attempts may have negative effects on breeding success. Research in the Irish context (Wilson *et al.* 2015) has found a pattern of reduced nest success and productivity in instances where a turbine was located within 1km of a Hen Harrier nest, however this was not statistically significant and other influencing variables may be important determinants in establishing the likelihood of significant effects due to wind turbine proximity. Importantly it is distance to turbine to nest which is the casual mechanism to any observed effect, not distance to protected site or suitable foraging habitat.

Hen Harriers are positively sensitive to the creation of or sympathetic management of foraging and nesting habitat within their traditional range (Forrest *et al.*, 2011). Multiple studies exist where Hen Harriers have continued to nest and forage in close proximity to operational wind energy developments where inclusive habitat 'enhancement' was provided (see SPR, 2009; Robson, 2011 as cited in NPWS, (draft) 2017¹¹).

8.6.1.5 Trends in the Baseline Environment (the 'Do-Nothing' scenario)

Four national surveys have been undertaken to assess the conservation status of Hen Harrier in Ireland (Norriss *et al.*, 2002; Barton *et al.*, 2006; Ruddock *et al.*, 2012; Ruddock *et al.*, 2016). The most recent survey recorded 108 to 157 breeding pairs (Ruddock *et al.*, 2016). This was lower than the breeding population estimate for 2010 of 128 to 172 breeding pairs (Ruddock *et al.*, 2012), similar to the estimate of breeding

¹¹ NPWS. 2017. *Hen Harrier Conservation and the Renewable Energy Sector in Ireland (Draft)*.

pairs in 2005 of 132 to 153 (Barton *et al.*, 2006) and slightly higher than the results of the first national survey which estimated 102 to 129 breeding pairs (Norris *et al.*, 2002).

The Slievefelim to Silvermines Mountains SPA was one of only two SPAs to record an increase in breeding territories between 2005 and 2015. The remaining four SPAs designated for the conservation of Hen Harrier all showed reductions in the number of breeding territories recorded from 2005 to 2015 (Ruddock *et al.*, 2016).

8.6.1.6 Receiving Environment (the Baseline + Trends)

At a national level, 5-year interval trends show that the Hen Harrier population appears to be in decline, however the population in Slievefelim to Silvermines Mountains SPA is at least stable or on the increase. Changes in the supporting habitat, such as the maturation of 2nd rotation forestry (selected for nesting) or land management changes to further nesting and foraging habitat, are unlikely to produce a declining trend by the time the subject development is under construction. It is assumed in this report that the baseline environment in relation to Hen Harrier, as identified above, will be the receiving environment at the time of construction. Longer term trends have been identified with respect to Forestry, such as a declining trend in the amount of foraging habitat available, and are likely to overlap the operation phase. The following is cited directly from the document titled “*Hen Harrier Conservation and the Forestry Sector in Ireland*”, published by NPWS in 2015:

“Forests less than 15 years old constitute to varying degrees a potential foraging resource for Hen Harriers. In line with the forecasted reduction in the extent of the forest nesting resource, indicative future estimates of the extent of the potential forest foraging resource within the SPA network shows an acute declining trend over the next 10 years¹²”(emphasis added). This negative trend is also applicable to the Slieve Felim to Silvermines Mountains SPA.

In relation to forest nesting habitat, it is projected for the period 2012 – 2025 that all SPAs will undergo an acute reduction in the extent of forest that is of use to the Hen Harrier as a nesting resource. The overall decline is estimated to be 42% for this period when only 11% of the entire forest estate in the SPA network will constitute a potential nesting resource for forest nesting Hen Harrier. The projected decline of this resource varies between the SPAs from approximately 24% (Stack’s to Mullaghareirk Mountains, West Limerick Hills and Mount Eagle SPA) to 82% in Slieve Beagh SPA. Accordingly, it will likely be after 2035 before the net estimated usable forest nesting habitat will exceed present levels. Within the Slieve Felim to Silvermines SPA the estimated extent of forest within the SPA that is potentially usable as Hen Harrier nesting habitat is expected to decline from 23% (in 2012) to 11% within the period 2012-2025 and thereafter increase up to 44% by the year 2045.

¹² NPWS.2015. *Hen Harrier Conservation and the Forestry Sector in Ireland*.

8.6.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics

8.6.2.1 Cumulative Evaluation Study Areas

8.6.2.1.1 UWF Related Works Cumulative Evaluation Study Area

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for Hen Harrier | Justification for the Study Area Extents |
|---|--|
| 2km from the UWF Related Works construction works area boundary in all directions | <p>Cumulative impacts should be assessed at the relevant biogeographical scale, so that the assessment of the impact of the development can be made alone and in combination with other developments- SNH 2018¹³</p> <p>Little information is available on the effects of wind farm construction activities on breeding Hen Harriers, although disruption at distances of up to 1km has been reported (Ruddock & Whitfield, 2007). An area of twice this has been selected in line with Best Practice, (SNH, 2017).</p> |

The study is illustrated on **Figure CE 8.6 Hen Harrier within the UWF Related Works Cumulative Evaluation Study Area**.

8.6.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project.

A description of these Other Elements is included in this EIA Report at **Appendices 5.3, 5.4, 5.5 and 5.6**, in **Volume C4 EIAR Appendices**. Scoping of these Other Elements is presented in **Section 8.6.2.2.1** below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements and Other Projects or Activities which are described in Table 8-42 and illustrated on **Figure WP 8.6: Hen Harrier within the Whole Project Cumulative Evaluation Study Area** (Volume C3 EIAR Figures).

Hen Harrier

Sensitive Aspect

Biodiversity

Topic

¹³ Scottish Natural Heritage. (2018). *Assessing Significance of Impacts from Onshore Wind Farms Outwith Designated Areas*. SNH, Battleby.

Table 8-42: Whole Project Cumulative Evaluation Study Area for Hen Harrier

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|--|---|---|
| Element 1: UWF Grid Connection | 2km from the construction works/afforestation area boundaries in all directions for whole project effect; 4km from construction works areas to identify other projects which could contribute to cumulative effects. | As per SNH (2017) guidance Research on the spatial ecology of Hen Harriers has shown that foraging females spend most of their time within 1km of the nest, while males hunt mostly within 2km of the nest (Arroyo <i>et al.</i> , 2009, Irwin <i>et al.</i> , 2012, Arroyo <i>et al.</i> , 2014). |
| Element 2: UWF Related Works | | |
| Element 3: UWF Replacement Forestry | | |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

8.6.2.2 Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts

The evaluation of cumulative impacts to Hen Harrier also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Hen Harrier with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in [Appendix 2.3: Scoping of Other Projects or Activities \(Section A2.3.1 and Section A2.3.2.8\)](#).

The results of this scoping exercise are that: Milestone Windfarm (now operational), Castlewaller Windfarm (consented), Bunkimalta Windfarm (consented, outside 4km study area, but included on a precautionary basis) and the activities: Forestry, Agriculture and Turf-Cutting have been scoped in for evaluation of cumulative effects to Hen Harrier

8.6.2.2.1 Potential for Impacts to Hen Harrier

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project and for the Other Projects or Activities to cause cumulative effects to the Sensitive Aspect Hen Harrier. The results of this evaluation are included in Table 8-43.

The location of, and study area boundary associated with, the Other Elements and Other Projects or Activities which are included for cumulative evaluation is illustrated on [Figure WP 8.6](#). The baseline character of the areas around these Elements is described in Section 8.6.2.3

Table 8-43: Results of the Evaluation of the Other Elements and Other Projects or Activities

| <u>Other Element of the Whole UWF Project</u> | |
|---|---|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects as it occurs in proximity to established natural zones of usage by Hen Harrier |
| Element 3: UWF Replacement Forestry | <u>Included</u> for the evaluation of cumulative effects |
| Element 4: Upperchurch Windfarm (UWF) | <u>Included</u> for the evaluation of cumulative effects |
| Element 5: UWF Other Activities | <u>Included</u> for the evaluation of cumulative effects (with the exception of Haul Route Activities HA 1 to HA20, which are evaluated as excluded as these activities do not occur in proximity to established Hen Harrier usage areas, nor do they have potential to act as a source for impacts on |

| | |
|---|---|
| | Hen Harriers due again to their location on public roads and have been scoped out accordingly). |
| Other Projects or Activities | |
| Milestone Windfarm Castlewaller Windfarm Bunkimalta Windfarm Forestry Agriculture Turf-Cutting | <u>Yes, included</u> for the evaluation of cumulative effects |

8.6.2.3 Cumulative Information: Baseline Characteristics – Context & Character

8.6.2.3.1 Element 1: UWF Grid Connection – *including the preliminary preferred route of the 110kV UGC*

Mountphilips Substation is located 1.7km to the west of the Slieve Felim to Silvermine Mountains SPA boundary, a new route for the 110kV UGC is being investigated from Mountphilips Substation to the Consented UWF Substation mainly along local and regional (R503) roads. The 110kV UGC route traverses the SPA. In general, the SPA habitats include forestry at differing age classes, open moorland and bog, in addition to rough grazing, which is suitable for foraging and breeding.

Breeding and Foraging Context

Where the 110kV UGC route traverses the SPA, it is located within the public road and generally adjacent to improved farmland along with substantial numbers of dwellings, and associated amenity lands (gardens), especially in proximity to Newport town, Rear Cross village and Kilcommon village. The result of this is that approximately 60% of the habitats within 50m of either side of the corridor comprise habitats such as Built Surfaces, Improved Agricultural Grassland and Amenity Grassland all of which are generally unsuitable for foraging or nesting Hen Harrier. This is reflective of the nature of the route selection design with the majority of the UWF Grid Connection 110kV UGC route located within the public road, and adjacent to substantial numbers of dwellings, improved farmland and associated amenity lands, especially in proximity to smaller towns and villages. The immediate vicinity of the 110kV route therefore is largely of little use to Hen Harriers.

The route does traverse the Slieve Felim to Silvermine Mountains SPA and where it occurs in close proximity, habitats within the SPA are generally suitable for Hen Harrier foraging or breeding (but these may be mutually exclusive). SPA habitats present include forestry at differing age classes, open moorland and bog, in addition to rough grazing and improved agricultural lands. Additional lands not in the SPA, but within 2km of the route corridor may also be suitable for Hen Harrier, this primarily includes grassland habitats and mosaics (rough grassland), not within the SPA boundary but which may offer some foraging potential to harriers. Similarly, lands are present within 2km of the route which are outside the SPA in isolated patches and which are considered unsuitable. Due to its presence within the roadway for most of the route, and due to fact that lands at Mountphilips are unsuitable for breeding, no breeding habitats for hen harrier are within the footprint of works. Where the 110kV UGC goes off-road into the Mountphilips Substation, no foraging habitat is present as fields are largely improved.

Breeding territories or nests within 2km of the route of the 110kV UGC are now described, as informed from baseline studies conducted in 2016 and 2017 but also desktop review, and consultation with local Hen Harrier experts. A number of historical and recently confirmed nests occur within 2km of the 110kV UGC route. Many of these territories are traditional and continue to be occupied from year to year, however others are more marginal and breeding is only confirmed at irregular intervals. Within the study period (2016-2017) three no. breeding attempts were confirmed within 2km of the 110kV UGC route; the closest confirmed nest was 600m

Hen Harrier

Sensitive Aspect

Biodiversity

Topic

from the R503 at Kilnacappagh, the other 2 nests were located in consecutive years at Bournadomeeny at ca. 1.8km and 1.9km respectively from the R503.

Other, historically used nesting territories occur in the townlands of Forkeala (1.2km south of the 110kV UGC); Gleno (1.5km south of the 110kV UGC) and Glenstall (1.9km south of the 110kV UGC), however these have not been confirmed as successfully breeding within 2016/2017.

Confirmed breeding attempts on the margin of 2km from the 110kV UGC route included at Culley Rocks in 2016 (2.4km from the 110kV UGC), Bleanbeg in 2017 (2.6km from the 110kV UGC) and Coomnagillagh (3.1km from the 110kV UGC). A historical territory within 3km of the R503 occurs at Cullaun, however this has been unproved in recent years (2016-2018). Further historical territories or recent nesting attempts totalling 8 no. have been documented at distances out to 7.5km from the route of the UWF Grid Connection 110kV UGC.

Suitable habitats for communal winter roosting were also studied and a total of 3 no. are present within the broader hinterland of the UWF Grid Connection. No winter roosts are within 2km of the UWF Grid Connection. Distances from the UWF Grid Connection to communal winter roosts are 2.07km (Goulmore), 3.3km (Fiddane) and 3.6km (Mauherslieve). All the identified roosts are at notably higher altitude and in habitats comprising heath and bog. Based on studies conducted during 2016 and 2017 the wintering roost population of the UWF Grid Connection study area is estimated as 0-5 birds (based on a maximum of 5 birds recorded concurrently across all roosts on any given day, from 2 winter seasons of effort). This has the potential to increase or decrease dependent on inter-annual variation, weather or other factors. The maximum count of 5 birds at any individual roost (comprising 4 adult males and one female) was only recorded on a single occasion, in January 2018.

Further information on surveys and results are included in [Appendix 8.1: Detailed Biodiversity Information and Supplementary Data \(Section A8.1.4 & Section A8.1.5\)](#) and maps illustrating UWF Grid Connection sections with high sensitivity in respect of breeding Hen Harrier are provided in [Figure WP 8.6: Hen Harrier within the Whole Project Cumulative Evaluation Study Area](#) (the exact locations of Hen Harrier nesting attempts or communal roosting locations are not publically provided due to the sensitivity of this species to persecution/disturbance, as agreed in consultation with NPWS).

Geographical Overlap with UWF Related Works:

UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area in the Knocknabansha, Knocknamaroe, Knockcurraghbola Crownlands and Knockcurraghbola Commons where the 110kV UGC is located along regional and local public roads and a short section of paved forestry road (0.6km) on its approach to the Consented UWF Substation (Knockcurraghbola Commons).

8.6.2.3.2 Element 3: UWF Replacement Forestry

The UWF Replacement Forestry location comprises primarily improved agricultural grassland, which is of low attractiveness for foraging Hen Harrier. No breeding or winter roost habitat is present.

8.6.2.3.3 Element 4: Upperchurch Windfarm

The consented Upperchurch Windfarm is the subject of a Hen Harrier Management Plan as part of the 2014 Grant of Permission, this Hen Harrier Management Plan is described in the 2013 RFI and sets out to enhance and promote habitat on lands close to the windfarm site to benefit foraging Hen Harrier. The Hen Harrier Management Plan is evaluated in this application as part of the UWF Other Activities and referred to as the 'Upperchurch Hen Harrier Scheme'.

With regard to the Upperchurch Windfarm Hen Harrier were not recorded as breeding within the study area for the 2013 EIS and the habitat was evaluated as sub-optimal for nesting. The Upperchurch Windfarm is outside the Slievefelim to Silvermines Mountains SPA. Foraging at low frequency during the summer months has been described in the 2013 EIS. Similarly, habitats may be utilised for foraging during the winter months, however no suitable winter roost habitat is present.

The nearest known historical nest location to the consented windfarm is that within the townland of Knockalough, located ca. 2.4 km to the south– no confirmed nest has occurred here in recent years (i.e. 2015-2018) however and the last confirmed nesting attempt was in 2014.

Previously a nest has been located at Curreeny, ca. 2.7km to the northwest of the consented Windfarm, and at Glenough Windfarm, ca.4km to the south of the windfarm. The Curreeny nesting territory has not been confirmed active since 2014 (G.Penn, pers. Comm.), the Glenough nesting territory (adjacent to the operating Glenough Windfarm) has been active in recent years up to and including 2018 and is known to Inis surveyors.

For the avoidance of doubt a table is presented below, outlining the distance in km from the nearest identified nests to UWF Study Area Boundary (2013) and the nearest consented wind turbine.

Table 8-44: Historical & Recently Active Hen Harrier Nests within 8km of Upperchurch Windfarm

| Nest | Townland | Last Confirmed as active | Distance to UWF 2013 Study Area (km) | Distance to nearest Consented UWF Turbine Location (km) | Within SPA |
|------|---------------|--------------------------|--------------------------------------|---|------------|
| A | Coumnagillagh | 2016 | 5.3 | 5.6 | Yes |
| B | Baurnadomeeny | 2016 | 7.1 | 7.4 | Yes |
| C | Baurnadomeeny | 2017 | 7.5 | 7.7 | Yes |
| D | Knockalough | 2014 | 2.4 | 2.6 | No |
| E | Glenough | 2018 | 4 | 4.6 | No |
| F | Curreeny | 2014 | 2.7 | 2.8 | Yes |

Consideration of the Passage of Time: The makeup of suitable habitat for hen harrier species on the Upperchurch Windfarm site has not materially changed since 2012/2013, and the frequency of use by hen harrier, recorded during the 2012/2013 surveys, is supported by the results of the Upperchurch and Milestone surveys described in respect of recent years. By reason of distance from likely centres of activity for Hen Harrier (nearest confirmed nests), usage of the Upperchurch Windfarm site has continued to remain low and does not demonstrate any dependency by birds breeding within the SPA upon lands where the consented Upperchurch Windfarm is to be located. Therefore, it is considered that the descriptions in the 2013 and 2014 documents for Upperchurch Windfarm remain relevant to the cumulative evaluations in this Revised EIAR.

8.6.2.3.4 Element 5: UWF Other Activities

The Upperchurch Hen Harrier Scheme is located in Knockcurraghbola Commons, Coumnageeha, Foilnaman, Knockmaroe and Grousehall townlands on agricultural lands between the Slievefelim to Silvermines SPA and the Upperchurch Windfarm.

Haul Route Activities are also located outside the SPA. By their nature these are located on existing public roadways and roadside verges and do not comprise or include foraging or breeding habitat for Hen Harrier. Similarly, habitats are not suitable for foraging during the winter months, and no suitable winter roost habitat is present. These Haul Route Activities locations in closest proximity to the already consented Upperchurch Windfarm (HA21-23) whilst in unsuitable locations themselves, do occur adjacent to lands where foraging at

| | |
|------------------|---|
| Hen Harrier | <p>low frequency has been recorded (lands on the consented windfarm). Similarly <u>Monitoring Activities</u> during the construction of the Windfarm will take place on lands which may be utilized for foraging albeit at low frequency.</p> <p>Suitable foraging habitat for Hen Harrier is present at locations of wet grassland along the route of the overhead line relating to <u>Overhead Line Activities</u>; in addition, suitable foraging habitat is present at Shower Bog adjacent to the overhead line.</p> |
| Sensitive Aspect | <p>8.6.2.3.5 Other Projects or Activities</p> <p><u>Milestone Windfarm</u> is located almost immediately south west of Related Works construction works and comprises 4 no. built and operational turbines and associated infrastructure.</p> <p>The <u>consented Castlewaller Windfarm</u> is located within the Slievefelim to Silvermines SPA, c.1.2km to the north of the UWF Grid Connection where the 110kV UGC is routed along the R503. This windfarm is located within areas containing suitable foraging and nesting Hen Harrier habitat and in close proximity to known historical and more recent nesting attempts. Castlewaller Windfarm will be subject to significant management plans in respect of Hen Harrier.</p> <p>The <u>consented Bunkimalta Windfarm</u> is also located within the Slievefelim to Silvermines SPA, c.4.6km to the north of the UWF Grid Connection 110kV UGC route. This windfarm is located within areas containing suitable foraging and nesting Hen Harrier habitat and in close proximity to known historical and more recent nesting attempts. The Bunkimalta Windfarm will be subject to significant management plans in respect of Hen Harrier.</p> <p><u>Forestry</u> is widespread within the SPA (approximately half of the site is afforested, including both first and second rotation plantations and clear fell areas) and is consequently listed as one of the most important activities with high effect on the SPA (High negative rank). Forestry occurs within the CE Study area both outside the SPA and within.</p> <p><u>Agriculture</u> (hill farming) constitutes roughly one half of the land use within the SPA, and is mainly based on the usage of rough grassland. Grazing is a medium ranked activity both in terms of negative and positive impacts on the SPA. Within the SPA where it overlaps the CE Study area, certain land use activities are notifiable actions. In addition, a European Innovation Partnership (EIP) AGRI scheme supporting the maintenance of habitats for Hen Harrier with subsidies is in place.</p> <p>An SPA level payment rewards participating farmers whose SPA continues to support a stable or increasing Hen Harrier population. The SPA level goal for the SPA in 2018 was set at 4 confirmed nesting pairs of Hen Harrier.</p> <p><u>Turf-Cutting</u> or Peat Extraction, both mechanically and by hand is also a medium ranked negative pressure on the SPA. Cutover bog does exist within the 2km CE study area, but this may not be actively cut at the moment.</p> |
| Biodiversity | |

8.6.3 PROJECT DESIGN MEASURES for Hen Harrier

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

The Project Design Measures outlined in Table 8-45 are relevant to the Environmental Factor, Biodiversity, and in particular to the sensitive aspect **Hen Harrier**.

Table 8-45: UWF Related Works Project Design Measures relevant to Hen Harrier

| PD ID | Project Design Environmental Protection Measure (PD) |
|-------|---|
| PD26 | Construction works for the UWF Related Works will be not be carried out during the hen harrier breeding season March to August inclusive. |
| PD27 | During the hen harrier roosting season (October to February inclusive), construction works within 1000m of a roost will be limited to the period between one hour after sunrise to one hour before sunset. |
| PD28 | Hedgerow removal and clearance of any other breeding bird vegetation will take place outside of the bird breeding season <i>i.e.</i> not during the period of March to August inclusive. This includes hedgerow and scrub removal in addition to hedgerow trimming. |

Cumulative Information: Potential or likely significant impacts caused by the Other Elements of the Whole UWF Project were avoided, prevented or reduced by incorporating Project Design Measures into the fundamental design of the UWF Grid Connection and UWF Replacement Forestry and into the consented design of the Upperchurch Windfarm. These Project Design Measures are included in the description of these Elements, and can be found in this EIA Report in **Appendices 5.3, 5.4 and 5.5** in **Volume C4: EIAR Appendices**.

Hen Harrier

Sensitive Aspect

Biodiversity

Topic

8.6.4 EVALUATION OF IMPACTS to Hen Harrier

In this Section, the likely direct and indirect effects of the UWF Related Works are identified and evaluated. Then the likely cumulative effects of the UWF Related Works together with the Other Elements of the Whole UWF Project and Other Projects or Activities are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Hen Harrier.

As a result of the exercise, some impacts were included and some were excluded.

Table 8-46: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts <u>Included</u> (Evaluated in the Impact Evaluation Table sections) | Impacts <u>Excluded</u> (Justification at the end of the Impact Evaluation Table sections) |
|---|--|
| Permanent or Temporary Reduction or Loss of Suitable Foraging Habitat (construction/operational stages) | <i>Disturbance/Displacement of nesting Hen Harrier, (construction stage)</i> |
| Disturbance/Displacement of foraging Hen Harrier, (construction stage) (ex-situ during the breeding season) | <i>Reduction in or Loss of Suitable Nesting Habitat, (construction stage)</i> |
| | <i>Mortality of Hen Harrier in or at Nest Sites, (construction stage)</i> |
| | <i>Reduction in or Loss of Winter Roosts, (construction stage)</i> |
| | <i>Mortality of Winter Roosting Hen Harrier, (construction stage)</i> |
| | <i>Reduction in Prey Item Species (construction/operational stage)</i> |
| | <i>Disturbance/Displacement of foraging Hen Harrier, (construction stage) (ex-situ during the winter season)</i> |
| | <i>Disturbance/Displacement of foraging Hen Harrier, (operational stage)(ex-situ)</i> |
| | <i>Additive mortality/disturbance, (operational stage)</i> |
| | <i>Disturbance/displacement, (operational stage)</i> |
| | <i>Disturbance/displacement, (decommissioning stage)</i> |

The source-pathway-receptor links for the impact included are described in the Impact Evaluation Table in the **following Section 8.6.4.1.**

The source-pathway-receptor links and the rationale for impacts excluded are described in the section directly after the Impact Evaluation Table in Section 8.6.4.2.

8.6.4.1 Impact Evaluation Table: Permanent or Temporary Reduction or Loss of Suitable Foraging Habitat

| Impact Description | |
|--|--------------------------------|
| Project Life Cycle Stage: | Construction/Operational stage |
| <p><u>Impact Source:</u> Permanent structures such as the telecom relay pole, forestry felling to facilitate access roads (permanent or temporary), the re-alignment of previously consented roads in addition to temporary sources such as short-term trenching for underground cabling, the temporary removal of hedgerows, temporary widening of entrances, and temporary access roads for the transport of materials.</p> <p><u>Cumulative Impact Source:</u> provision of windfarm access roads, turbine hardstanding areas and substation compounds for consented windfarm; Land cover change from Agricultural Practices such as drainage, Direct habitat loss through peat extraction of intact bog, and habitat loss through forest maturation.</p> <p><u>Impact Pathway:</u> Land cover</p> <p><u>Impact Description:</u> Hen Harrier is a very high sensitivity receptor of International Importance. Permanent Land take or land use/cover change of optimal foraging habitats (i.e. suitable and within the established core range for connectivity to a nest) during the construction stage may cause secondary effects for this Annex I species and SPA special conservation interest, however the magnitude of effects is distance (to nearest nest) dependant. Land cover change may result in foraging habitat (if available) being temporarily unavailable to any birds which may be dependant on this during key periods of the breeding cycle such as provisioning young. Effects may affect breeding success/productivity for one whole cycle, or until vegetation is re-instated. Loss of high dependency foraging habitat in close proximity to nesting locations at key periods of the breeding cycle may result in reduced productivity and/or nest success, in particular where it occurs within 2km of a nest location, and limited alternative habitat is available.</p> <p>No nests occur within 2km of UWF Related Works and foraging usage in the vicinity is evaluated as low and in line with the trends established in the 2013 EIS for the consented Upperchurch Windfarm (see section on passage of time – Section 8.6.1.2.11). Available foraging habitat within 50m of UWF Related Works, is sub optimal because of the distance to nearest active nest, the managed nature (intensive agricultural/grazing) of much of the surrounding landscape, and the fragmented nature of available foraging patches.</p> <p>The spatial extent of permanent habitat loss associated with UWF Related Works will be limited to the footprint of forestry felling, and the re-alignment of windfarm road RWR1. No permanent loss of suitable habitat is associated with Haul Route Works or the proposed Telecom Relay Pole or other ancillary activities. Temporary land use change will occur during various stages of UWF Related Works such as short-term trenching for underground cabling, and temporary access roads for the transport of materials where these locations overlap suitable foraging habitat.</p> <p>In relation to cumulative effects, no permanent loss of suitable foraging habitat is associated with the UWF Grid Connection 110kV UGC; nor UWF Replacement Forestry, while the Upperchurch Hen Harrier Scheme (UWF Other Activities) and UWF Replacement Forestry will result in increased availability of foraging habitat once operational.</p> <p>Construction works for the UWF Related Works will be not be carried out during the hen harrier breeding season March to August inclusive.</p> <p><u>Impact Quality:</u> Negative, positive and neutral (varies per project)</p> | |
| Evaluation of the Subject Development Impact– Reduction in or Loss of Suitable Foraging Habitat | |
| Element 2: UWF Related Works – direct/indirect impact | |
| <p><u>Impact Magnitude:</u> Total permanent land take of suitable foraging habitat is confined to improved agricultural grassland (0.12Ha); Wet Grassland (0.07Ha), upland blanket bog/Conifer mosaic (0.01Ha), Mature or closed canopy conifer plantation (0.28Ha) and scrub (0.004Ha) and totals 0.48Ha.</p> | |

| | |
|-----------------------|--|
| Hen Harrier | <p>In addition, during construction, suitable foraging habitat will be temporarily unavailable, this habitat includes up to 4.6km of internal cabling located in agricultural lands and 2.1km located in forestry lands, in addition to c.1500m of temporary access roads at 4 no. differing locations. All these lands will be available for foraging within one growing season once vegetation has re-established.</p> <p>Permanent habitat loss represents 0.28% of the suitable foraging habitat within 50m of the UWF Related Works and is considered negligible.</p> <p>Note: Within the UWF Related Works site, HW7 is the only location where the <u>site</u> boundary overlaps the Hen Harrier SPA. No construction works and no land use change will take place within the SPA boundary, in line with the precautionary principle, to avoid effects on habitats possibly suitable for Hen Harrier. All other UWF Related Works locations and lands are located outside the SPA.</p> |
| Sensitive Aspect | <p>Significance of the Impact: Slight (negative)</p> <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The very high sensitivity rating of the species (context), and; • The extent of permanent habitat loss, evaluated as a very slight change from baseline condition, and; • The long-term duration of permanent habitat loss, however; • The reversibility of temporary habitat loss is expected within the temporary-short term period, also; • The nearest active hen harrier nest is >4km to the west or south, and it is considered that hen harrier nesting at this distance will not rely on the foraging habitat at UWF Related Works thus significantly reducing likelihood of effect; • Construction works for the UWF Related Works will be not be carried out during the hen harrier breeding season March to August inclusive; • The reversibility of the impact with the reinstatement of lands at temporary works locations. |
| Biodiversity Topic | |
| | <p>Element 2: UWF Related Works – cumulative impact</p> <p><u>Cumulative Impact Magnitude:</u> The potential for cumulative impacts on foraging habitat relates to Upperchurch Windfarm, UWF Replacement Forestry and UWF Other Activities. There is no potential for cumulative impacts with UWF Grid Connection because the route of 110kV UGC is entirely on paved roads (with no foraging habitat) within the UWF Related Works Cumulative Evaluation Study Area.</p> <p>The magnitude of cumulative impacts relates to a total of 0.48ha of suitable foraging habitat permanently lost within 50m of UWF Related Works, additional ca. 98.11ha permanent loss at Upperchurch Windfarm, and ca. 4ha short term loss at UWF Replacement Forestry.</p> <p>Once growth at UWF Replacement Forestry (4ha) and Upperchurch Hen Harrier Scheme (UWF Other Activities) establishes (128ha), the gain of permanent suitable foraging habitat will be ca. 132ha. The UWF Replacement Forestry (1.5km east) and Upperchurch Hen Harrier Scheme habitats (adjacent to and within 2km of the SPA) - will have a positive effect to foraging hen harriers of High magnitude.</p> |
| | <p><u>Significance of the Impact:</u> Neutral</p> <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The very high sensitivity rating of the species (context), and; • The extent of permanent habitat loss, evaluated as a very slight change from baseline condition, and; • The long-term duration of permanent habitat loss, however; • This is limited to loss only associated with the UWF Related Works; • The reversibility of temporary habitat loss is expected within the temporary-short term period, also; • The nearest active hen harrier nest is >4km, and it is considered that hen harrier nesting at this distance will not rely on the foraging habitat at UWF Related Works thus significantly reducing likelihood of effect; • Construction works for the UWF Related Works will be not be carried out during the hen harrier breeding season March to August inclusive; • The reversibility of the impact with the reinstatement of works areas, and; |

| | |
|--|---|
| <div>Hen Harrier</div> <div>Sensitive Aspect</div> | <ul style="list-style-type: none"> the planting and management of lands for the use of Hen Harrier (UWF Other Activities and UWF Replacement Forestry) considered positive in quality and of High magnitude; |
| | Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project |
| | Element 1: UWF Grid Connection |
| | <u>Impact Magnitude:</u> No foraging habitat for Hen harrier will be lost on a temporary or permanent basis. Magnitude is negligible. |
| | <u>Significance of the Impact:</u> Slight (negative) |
| | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> The very high sensitivity rating of the species (context), and; The magnitude of effect, on the sensitive aspect Hen Harrier, following Percival <i>et al.</i> is evaluated as 'Negligible' (0-1% of habitat lost), equivalent to a non-distinguishable change away from baseline conditions; |
| | Element 3: UWF Replacement Forestry |
| | <u>Impact Magnitude:</u> Available foraging habitat for Hen Harrier currently within the land folio boundary comprises improved agricultural grassland (3.54Ha); Wet Grassland (0.44Ha) and Scrub (0.01Ha); in total 3.99Ha. This entire area will undergo landuse change to UWF Replacement Forestry (deciduous forestry) to be managed specifically for the use of Hen Harrier, including the incorporation of 'tried and tested' management measures which facilitate Hen Harrier foraging and usage. |
| | <u>Significance of the Impact:</u> very significant (positive) |
| | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> The demonstrated sensitivity of Hen Harriers to positive management (context), and; The extent of lands to be managed for Hen Harrier, and; The permanent duration, and; The Non-reversibility with lands to remain post decommissioning. |
| <div>Biodiversity</div> <div>Topic</div> | Element 4: Upperchurch Windfarm |
| | <u>Impact Magnitude:</u> As per the 2013 RFI the magnitude of foraging habitat loss was calculated as 95Ha (actual loss plus effective loss through displacement effects). For completeness, given that the estimate of total displacement was based on 2017 as the construction year, an upwardly revised total estimate of 98.11Ha has been extrapolated from data provided in the RFI (Table 7 of the UWF Ecological Management Plan). This figure corresponds with 2019 as the construction year – however it is still less than the 128Ha of lands to be provided as additional favourable foraging areas under the conditioned Upperchurch Hen Harrier Scheme (evaluated other 'UWF Other Activities'). |
| | <u>Significance of the Impact:</u> Neutral Residual Impact |
| | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> The effective loss of 98.11Ha of habitat constitutes an effect of medium magnitude (5-20% of available habitat lost); The implementation of the Upperchurch Hen Harrier Scheme, as conditioned; Very High sensitivity of the species, and; Long term duration. |
| | Element 5: UWF Other Activities |

| | |
|--|---|
| <div>Hen Harrier</div> <div>Sensitive Aspect</div> | <p>Impact Magnitude: Haul Route Activities will not result in loss of foraging habitat. Monitoring Activities will not result in a loss of Hen Harrier foraging habitat. Overhead Line Activities will not result in loss of foraging habitat.</p> <p>The consented Upperchurch Hen Harrier Scheme will result in 2.2Ha of trees, 1.4km of riparian habitat and 2.8km of new hedgerow being enhanced or created during initial activities. In total 128ha of habitat will be managed to increase the area of hen harrier foraging habitat, measures set down to achieve this include:</p> <ul style="list-style-type: none"> • Rush management to control coverage and increase suitability for foraging habitat, promoting prey item species; • 2,085m increase in hedgerow, resulting in increased edge habitat for foraging and prey items; • 3ha enclosures of native scrub and trees, increased cover for prey item species; • Lines of electric fence with plastic fliers so that they are more visible to the hen harrier, to avoid mortality; • Enhancement of the riparian corridor (to maintain corridor value for foraging Hen Harrier): <ol style="list-style-type: none"> 1. 1220m of woody scrub species 2. Erect fencing to make stockproof and exclude access to river by livestock. <p>The following restrictions will apply to landowners within the Upperchurch hen harrier habitat scheme (to maintain habitat suitability):</p> <ul style="list-style-type: none"> • Limited spreading of fertiliser (every 4-5 years). • Limited spreading of lime (every 4-5 years). • No burning. • No excavation of drains or reclaiming heath or bog. <p>In addition to the management described, workshops are proposed with landowners to advise landowners on the importance and implementation of the above measures.</p> <p>In total 128Ha of agricultural lands will be managed for the benefit of Hen Harrier, outside the turbine 250m buffer and the footprint of the development; as per the Upperchurch Windfarm EMP. The net gain to Hen Harrier is 128Ha-98.11Ha which is 30Ha. The magnitude of this gain (an increase of 30% on the effective lands loss plus management of 128Ha to maintain suitability for Hen Harrier foraging) is evaluated as High as it constitutes a major alteration to the baseline features present.</p> |
| | <p>Significance of the Impact: Very significant (positive)</p> |
| <div>Biodiversity</div> <div>Topic</div> | <p>Rationale for Impact Evaluation:</p> <ul style="list-style-type: none"> • The demonstrated sensitivity of Hen Harriers to positive management (context), and; • The extent of lands to be managed for Hen Harrier, and; • The long term duration, and; • Low reversibility. |
| | <p>Cumulative Information: Individual Evaluations of Other Projects or Activities</p> |
| | <p>Other Project: Consented Milestone Windfarm</p> |
| | <p>Impact Magnitude: Effective Habitat Loss of Hen Harrier habitat within 250m of each turbine location, where harriers use suitable forestry and or/other habitats. However, an area of lands at Knockcurraghbola Commons will be managed as part of a Hen Harrier Management Area for the lifetime of the windfarm for the benefit of Hen Harrier- comprising 10.8ha. This includes rush management, nutrient management, weed control, and the maintenance of edge habitat.</p> |
| | <p>Significance of the Impact: Neutral residual effect</p> |
| | <p>Rationale for Impact Evaluation:</p> <p>The impact is evaluated as neutral given the effective habitat loss is mitigated by lands proposed to be managed for the benefit of Hen Harrier, over the lifetime of the wind farm.</p> |

| | |
|------------------|---|
| Hen Harrier | Other Project: Consented Castlewaller Windfarm Impact Magnitude: Effective Habitat Loss of Hen Harrier habitat within 250m of each turbine location, where harriers use second rotation aged 3-9 years-estimated at 47.9Ha. ¹⁴ However, it was also proposed to manage 47.9Ha of clear felled woodland for the lifetime of the windfarm for the benefit of Hen Harrier. Significance of the Impact: Neutral residual effect Rationale for Impact Evaluation: The impact is evaluated as neutral given the effective habitat loss is exactly equivalent to the area of clear felled woodland to be managed for the benefit of Hen Harrier, over the lifetime of the wind farm. |
| | Other Project: Consented Bunkimalta Windfarm Impact Magnitude: The Bunkimalta Windfarm SHMP acknowledges that Hen Harriers may show avoidance around 250m of each turbine. A total area of 162.76 hectares must be replaced by mitigation measures. DAHG cites this figure also. As the residual effects presented in the Bunkimalta Windfarm EIS were subject to substantive discussion subsequent to decision, we do not cite these; rather we cite the relevant text from the inspectors Report. The comments below refer to the loss of foraging habitat within the context of Conservation Objectives for the (Hen Harrier) SPA, as cited in the Inspectors Report for Bunkimalta Wind Farm: Pg. 34 <i>"In summary therefore, I conclude that the relevant matter is that there is a total mitigatory habitat of 164.3 hectares which compares favourably with the 162.76 hectares lost. Subject to the Board being satisfied that the management of the 137.3 hectares of perpetual open canopy forest under the SHMP will provide suitable Hen Harrier habitat then the Board can be satisfied that the development would be in accordance with the conservation objective for the SPA."</i> and; Pg.41 <i>"Based on the available information, which includes best scientific evidence and which is adequate for the purposes of Appropriate Assessment; I consider that the development would not result in net loss of Hen Harrier habitat. Therefore, I conclude that the Board can be satisfied that the development would not significantly affect the integrity of the SPA having regard to its Conservation Objective"</i> Significance of the Impact: Neutral residual effect Rationale for Impact Evaluation: Based on an evaluation of "no net loss" |
| Sensitive Aspect | Activity: Forestry/Agriculture Impact Magnitude: Hen Harrier in Ireland makes extensive use of both first and second rotation pre-thicket forest habitat during the breeding period. However, by its successional nature forests inevitably matures and become less suitable (Avery & Leslie, 1990; Madders, 2000; 2003; O'Donoghue, 2004). The following is cited directly from the document titled "Hen Harrier Conservation and the Forestry Sector in Ireland", published by NPWS in 2015: <i>"Forests less than 15 years old constitute to varying degrees a potential foraging resource for Hen Harriers. In line with the forecasted reduction in the extent of the forest nesting resource, indicative future estimates of the extent of the potential national forest foraging resource within the SPA network shows an acute declining trend over the next 10 years¹⁵"</i> (emphasis added). This negative trend is also applicable to the Slieve Felim to Silvermines Mountains SPA. It is likely that some sites within the 'wider countryside' areas supporting breeding Hen Harrier that have been afforested will also experience forestry related changes both due to the maturation of existing forest habitat and the conversion of currently useful habitat (e.g. scrub, low intensity managed farmland) to a less stable state. In relation to Agriculture, in the absence of available information on trends it is evaluated as Neutral. |
| | |
| Biodiversity | |
| | |
| Topic | |

¹⁴ Castlewaller Woodland Partnership (2007). Response to RFI from North Tipperary County Council prepared by Fehily Timoney and Company

¹⁵ NPWS.2015. Hen Harrier Conservation and the Forestry Sector in Ireland.

| | |
|---|--|
| Hen Harrier | <p><u>Significance of the Impact:</u> Significant (negative)</p> |
| | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> precautionary basis |
| Sensitive Aspect | <p>Other Project: Turf-cutting</p> |
| | <p><u>Impact Magnitude:</u> Habitats possibly subject to Peat Extraction such as Upland Blanket Bog (335Ha or 1.61% of the SPA) and Cutover Bog (507Ha or 2.42% of the SPA) occur within the SPA and ergo where the SPA overlaps the CE 2km study area for Related Works. Peat extraction by hand or through mechanical means is ranked as a medium level pressure in respect of Hen Harrier within the SPA¹⁶.</p> <p>Some of these habitats where they overlap the SPA are further protected through the provision of NHA's wherein further turf cutting of intact areas is unlawful, or SAC's wherein Conservation Objectives to protect Qualifying Interest bog are set out. Within the Whole Project Cumulative Evaluation Study Area, turf extraction appears to form part of the current baseline environment at various locations such as Bleanbeg Bog, Cummermore, Gortmahonoge and at Cummer (Mulloghney). Some of these habitats where they overlap the SPA are further protected through the provision of NHA's such as at Bleanbeg Bog, wherein further turf cutting of intact areas is unlawful, or SAC's wherein Conservation Objectives to protect Qualifying Interest bog are set out. Outside the SPA but within 2km of the UWF Related Works, some turf cutting may take place at Dooree Commons.</p> |
| | <p><u>Significance of the Impact:</u> Neutral</p> |
| | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> Restrictions on further turf cutting in intact areas/protected areas, and; The limited extent of lands subject to turbary (rights to cut turf) within the Hen Harrier SPA overall (4%), with little of this occurring within the CE Study Area; The reversibility of any effect, (in the context of Hen Harrier) with birds expected to continue to utilize re-vegetating cutover bog <i>for foraging</i>. |
| Evaluation of Other Cumulative Impacts – Reduction in or Loss of Suitable Foraging Habitat | |
| | <p>Whole UWF Project Effect</p> |
| | <p><u>Cumulative Impact Magnitude:</u></p> <p>Both positive and negative quality effects occur with regard to Hen Harrier foraging Habitat loss across the Whole UWF Project. The negative effects of Upperchurch Windfarm, which is evaluated herein within the context of effective displacement based on a revised construction date of 2019 (as per the Upperchurch Windfarm RFI 2013); is effectively mitigated by the activities consented under the Upperchurch Hen Harrier Scheme (UWF Other Activities), which as intended results in a net gain through design to Hen Harrier both in area and quality of habitat. No negative effects stem from the UWF Grid Connection; and effects overall are limited to permanent negative quality effects from the Related Works themselves of negligible magnitude (0.48ha).</p> <p>The provision and management of UWF Replacement Forestry specifically for Hen Harrier, outside but adjacent to the SPA also contributes to a net gain overall to Hen Harrier of an additional 30Ha of actively managed foraging habitat.</p> |
| Biodiversity | <p>Significance of the Cumulative Impact: Significant (positive)</p> |
| | <p><u>Rationale for Cumulative Impact Evaluation:</u></p> <ul style="list-style-type: none"> The demonstrated sensitivity of Hen Harriers to positive management (context), and; The extent of lands to be managed for Hen Harrier overall, and; The long term to permanent duration, given that UWF Replacement Forestry will not be decommissioned, and; The absence of any likely significant effects from the UWF Grid Connection 110kV route, also; The construction works for the UWF Related Works will be not be carried out during the hen harrier breeding season March to August inclusive; |
| Topic | |

¹⁶ <https://www.npws.ie/sites/default/files/protected-sites/natura2000/NF004165.pdf>

- The reversibility of negative effects with reinstatement of lands, and the application of the Upper-church Hen Harrier Scheme and other measures as described.

All Elements of the Whole UWF Project with Other Projects or Activities

Cumulative Impact Magnitude:

The magnitude of foraging habitat loss resulting from the Whole UWF Project, Castlewaller Wind Farm, Bunkimalta Windfarm, Milestone Windfarm, Agriculture/ Forestry and Turbary. Effects from other activities or projects in the vicinity are evaluated as largely neutral however forestry is generally a negative trend in the background environment currently and evaluated as significant in that regard. Effects from Hen Harrier management plans in respect of Castlewaller, Bunkimalta and Milestone Windfarms are neutral. The magnitude of effect is in the order of any net gain from the Whole UWF Project which is at minimum 30Ha, this is offset by any negative trend in the environment with respect to forestry declines in the short-medium term (next 10 years & expected to increase subsequently).

Significance of the Cumulative Impact: Neutral

Rationale for Cumulative Impact Evaluation:

- The net gain in terms of lands managed specifically for the use of Hen Harrier, and;
- Extent of lands to be managed in total, notwithstanding,
- The medium-term duration of a negative trend in respect of reductions in forestry based foraging habitat

8.6.4.2 Impact Evaluation Table: Disturbance/Displacement of foraging Hen Harrier (ex-Situ during the breeding season)

Impact Description

Project Life Cycle Stage: Construction/Operational stage

Impact Source: Noise and Visual Intrusion from anthropogenic activities during construction and/or operation

Cumulative Impact Source: Multiple source of noise and visual intrusion occurring within the same spatial or temporal timeframe

Impact Pathway: Air

Impact Description: Hen Harriers are known to be sensitive to disturbance at nests (Masden 2010, Pearce-Higgins et al., 2012). Disturbance to foraging birds ex-situ from the immediate vicinity of nests and/or designated sites may impair foraging success during critical periods of the breeding season such as when provisioning young, or result in increased energy expenditure and subsequent reductions in fitness. This may be dependent on whether or not sequential effects occur, levels of habituation to background disturbance or whether sufficient displacement habitat is available once a bird experiences a disturbance event. The degree or frequency of baseline foraging is an influencing factor, as is distance to nests as this is a likely determinant of dependency. A minimum approach distance (MAD) as a function of flight initiation distance is used to determine the likelihood of any effect on an individual.

There have been no specific studies examining the flight initiation distance (FID) of non-breeding Hen Harriers to human disturbance. However, a study on FIDs on Northern Harrier *Circus cyaneus* from aircraft suggested a mean FID of 70m (Booms et al., 2010) implying that birds may react to disturbance of similar magnitude (90db) at a distance of 105m. In a wider review of FIDs, Livesey et al. (2016) indicated a mean FIDs for Falconiformes of 89.7m (MAD 134.5m) (for pedestrian-based disturbance) and 79.7m (MAD 119.5m) (for motorised vehicles). Collectively, these data would suggest that foraging Hen Harriers are unlikely to be impacted by disturbance events over 150m away and within this distance only events of similar magnitude to the sources described (e.g. at 90dB) may have any effect. However birds will be habituated to certain background activities and react less to artificial noise versus the presence of humans.

Construction works for the UWF Related Works will be not be carried out during the hen harrier breeding season March to August inclusive;

During the hen harrier roosting season (October to February inclusive), construction works within 1000m of a roost will be limited to the period between one hour after sunrise to one hour before sunset.

Hedgerow removal and clearance of any other breeding bird vegetation will take place outside of the bird breeding season i.e. not during the period of March to August inclusive. This includes hedgerow and scrub removal in addition to hedgerow trimming.

In relation to cumulative effects, the Upperchurch Hen Harrier Scheme (UWF Other Activities) activities are similar to background farming. If UWF Grid Connection works are programmed to begin in the Hen Harrier breeding season (March to August) confirmatory hen harrier breeding surveys will be completed, before such works initiate, such that all pre-breeding nuptial activity, nesting activity and active nests are recorded within 2km of the construction works area boundary. These surveys will be completed prior to the start-up of all construction activities, until construction is complete and for 3 years thereafter. No UWF Grid Connection works will be carried out within 2km of an active hen harrier nest.

Impact Quality: Negative

Evaluation of the Subject Development Impact– Reduction in or Loss of Suitable Foraging Habitat

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude: Disturbance and visual intrusion during the excavation and subsequent cabling and reinstatement of 17.9km of trenching, disturbance and visual intrusion during the realignment of windfarm

Hen Harrier

Sensitive Aspect

Biodiversity

Topic

roads, and during haul route works, the use of flag men and any other activities associated with the construction stage – primarily where the activity occurs adjacent to suitable habitat but it is assumed that birds may transit through non-optimal habitat on a precautionary basis.

The use of machinery and equipment will include 1 no. 12ton excavator, 1 no. 6 ton excavator, 2 no. dump trucks, 1 no. vibrating roller, 1 no. cable pulling winch, a pole planter and auger drill, 1 no. diesel generator and various other small tools and equipment. Works will include the importation of construction materials such as aggregate via local and regional road networks. A traffic management plan will be in place.

Main construction activities will last for 6-8 months and will take place at the same time as the construction of the consented Upperchurch Windfarm and UWF Grid Connection. Works will be phased to varying degrees such as for water quality protection requirements.

During the construction stage, heavy machinery and vehicles which will be used at works areas during the construction stage will emit noise during their operation, noise will also be emitted from certain construction activities such as excavation or rock breaking or by mobile generators which may be used at work areas. Noise emissions will not be at levels to cause significant adverse effects on humans. Construction works, including excavations and the use of heavy machinery will cause low levels of ground vibration. No blasting or piling will occur at the UWF Related Works construction works areas. Vibration emissions will not be at levels to cause significant adverse effects (on humans).

Magnitude of effect is evaluated as negligible based on likely noise levels.

Significance of the Impact: Slight Negative

Rationale for Impact Evaluation:

- Construction works for the UWF Related Works will be not be carried out during the hen harrier breeding season March to August inclusive;
- The distance to the nearest confirmed nest locations (4.8km, 4.5km respectively), and;
- Fact that most foraging takes place within 2km of the nest site, with only 2% occurring at distances >4km- no nests are within 4km;
- Absence of dependency on the habitats within 50m of the UWF Related Works for foraging, with;
- Noise/Vibration/Intrusion unlikely to affect any individual >150m from source;
- Birds likely to be habituated to various background activities such as farming practices, road maintenance, forestry practices and;
- The duration of effects, (momentary-brief) and;
- High reversibility once the bird moves beyond 150m.

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude:

The potential for cumulative impacts via disturbance relates to Upperchurch Windfarm, UWF Related Works and works on Upperchurch Grid Connection within the UWF Related works Cumulative Evaluation Study Area. There is no potential for cumulative impacts with UWF Replacement forestry (planted by hand) and the UWF Other Activities Upperchurch Hen Harrier Scheme (similar to farming activities and outside temporal overlap).

The magnitude of cumulative impacts relates to the potential for concurrent activity encountered sequentially by foraging birds as they move through the area, which is reduced by the carrying out of construction works for UWF Related Works outside of the breeding season. Magnitude of effect is evaluated as negligible based on predicted noise levels.

Significance of the Impact: Slight Negative

Rationale for Impact Evaluation:

- Construction works for the UWF Related Works will be not be carried out during the hen harrier breeding season March to August inclusive;

| | | |
|--------------|------------------|---|
| Hen Harrier | Sensitive Aspect | <ul style="list-style-type: none"> The distance to the nearest confirmed nest locations (4.8km ,4.5km respectively for UWF Related Works and 3.15km for the closest point of the UWF Grid Connection within the UWF Related Works Cumulative Evaluation Study area of 2km), and; Fact that most foraging takes place within 2km of the nest site, with only 2% occurring at distances >4km no nests are within 4km; Absence of dependency on the habitats within the UWF Related Works Cumulative Evaluation Study Area for foraging, with; Noise/Vibration/Intrusion unlikely to affect any individual >150m from source; Birds likely to be habituated to various background activities such as farming practices, road maintenance, forestry practices and; The duration of effects, (momentary-brief) and; High reversibility once the bird moves beyond 150m. |
| | | |
| Biodiversity | Topic | Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project |
| | | Element 1: UWF Grid Connection |
| | | <u>Impact Magnitude:</u> UWF Grid Connection works will take place primarily within the public roads where habitats within 50m are generally unsuitable. Off-road works at Mountphilips are not proximal to any nesting and therefore regularly foraging birds during the breeding season. Within the study period (2016-2017) three no. breeding attempts were confirmed within 2km of the 110kV UGC route; the closest confirmed nest was 600m from the R503 at Kilnacappagh, the other 2 nests were located in consecutive years at Bournadomeeny at ca. 1.8km and 1.9km respectively from the R503 therefore foraging birds from these 3 no. nests may encounter sources of disturbance within or ex-situ to the SPA. Likely noise levels from construction are evaluated as negligible in the context of existing background trends. |
| | | <u>Significance of the Impact:</u> Slight (negative) |
| | | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> Birds will already be habituated to road-based noise and visual intrusion; Works will take place outside the breeding season (March-August) for works locations within 2km of an identified nest. Effects will be momentary-Brief in duration, and; unlikely to affect any individual >150m from source, and; Highly reversible once any individual moves beyond 150m. |
| | | Element 3: UWF Replacement Forestry |
| | | <u>Impact Magnitude:</u> All planting will be done by hand. Magnitude is negligible. |
| | | <u>Significance of the Impact:</u> Neutral to Slight (negative) |
| | | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> No contrast in activities from background levels, and; Momentary – brief duration, with; High reversibility once any individual moves beyond 150m. |
| | | Element 4: Upperchurch Windfarm |
| | | <u>Impact Magnitude:</u> The nearest known historical nest location to the consented windfarm is that within the townland of Knockalough, located ca. 2.4 km to the south– no confirmed nest has occurred here in recent years (i.e. 2015-2018) however and the last confirmed nesting attempt was in 2014. Previously a nest has been located at Curreeny, ca. 2.7km to the northwest of the consented Windfarm. A slight percentage of foraging activity from 2 no. nests may overlap sources of noise. Temporary Disturbance has already been evaluated as not significant (2013 NIS) |
| | | <u>Significance of the Impact:</u> Not Significant |

| | |
|------------------|---|
| Hen Harrier | <p>Rationale for Impact Evaluation:</p> <ul style="list-style-type: none"> The randomness and low number of hen harrier observations during the 2010 and 2011 vantage point surveys for the 2013 EIS suggests that the consented Upperchurch Windfarm is used infrequently by hen harriers. |
| | <p>Element 5: UWF Other Activities</p> |
| Sensitive Aspect | <p>Impact Magnitude: Negligible. The Upperchurch Hen Harrier Scheme will involve activities with similar sources of noise/intrusion as farming practices; Haul Route Activities trimming will be similar to existing noise/intrusion from regular maintenance of roadside hedgerows, and works on the Killonan Line will compare with existing maintenance in terms of the scale and magnitude of any noise/intrusion.</p> |
| | <p>Significance of the Impact: Slight (negative)</p> |
| | <p>Rationale for Impact Evaluation:</p> <ul style="list-style-type: none"> No contrast from background levels of noise of intrusion is expected, and; Birds will already be habituated to road-based noise and visual intrusion; Effect duration will be brief to momentary for most activities, and; Highly reversible once any individual moves beyond 150m |
| | |
| | <p>Cumulative Information: Individual Evaluations of Other Projects or Activities</p> |
| | <p>Other Project: Milestone Windfarm</p> |
| | <p>Impact Magnitude: Milestone windfarm has already been constructed. Magnitude of effects is limited to operational disturbance only. It is assumed that Hen Harrier management measures to mitigate for disturbance will be in place at the time of construction of the Whole UWF Project.</p> |
| | <p>Significance of the Impact: Neutral (Negative)</p> |
| | <p>Rationale for Impact Evaluation:</p> <p>The development of a HHMP to mitigate for any disturbance effects such as displacement from foraging areas;</p> |
| | <p>Other Project: Consented Castlewaller Windfarm</p> |
| | <p>Impact Magnitude: Noise and visual intrusion during the construction period may interact with foraging individuals from 2-3 no. nests within 2km. Magnitude of Effects on Hen Harrier have already been evaluated as Negligible.</p> |
| | <p>Significance of the Impact: Low (Slight)</p> |
| | <p>Rationale for Impact Evaluation:</p> <ul style="list-style-type: none"> Primarily on the design of the windfarm allowing for the maintenance of foraging corridors and separation distance to nearest nests, and; The extent of displacement habitat available for any disturbed birds. |
| | <p>Other Project: Bunkimalta Windfarm</p> |
| | <p>Impact Magnitude: Noise and visual intrusion during the construction period may interact with foraging individuals from 1 no. nests within 2km.</p> |
| | <p>Significance of the Impact: Not Significant</p> |
| | <p>Rationale for Impact Evaluation:</p> <p><i>"During construction, the various activities may discourage birds from foraging in the immediate vicinity of the works. Whilst this is an adverse impact, it is temporary in duration. Further, the issue can be mitigated by avoiding works (partially or totally) during the main hen harrier nesting season."</i></p> |
| | <p>Activity: Forestry/Agriculture</p> |
| Biodiversity | |
| Topic | |

| | | |
|--------------|------------------|--|
| Hen Harrier | Sensitive Aspect | <p>Impact Magnitude: Evaluated as negligible, effectively same as background. Disturbance from forestry operations is part of background trends, limited information is available on magnitude of this however forestry extraction is subject to Forest Service procedure for felling within the Hen Harrier breeding season, this includes full Appropriate Assessment to protect Hen Harriers within SPA's. It is assumed this process will be undertaken for all commercial forestry resulting in no likelihood of significant effects or adverse effects on site integrity.</p> |
| | | <p>Significance of the Impact: Slight (neutral)</p> |
| | | <p>Rationale for Impact Evaluation:</p> <ul style="list-style-type: none"> • No contrast in activities from background levels, and; • Brief-Temporary duration, with; • High reversibility once any individual moves beyond 150m. • Forestry activities are subject to Appropriate Assessment of their effects on Hen Harrier. |
| | | <p>Other Project: Turf-cutting</p> |
| | | <p>Impact Magnitude: Evaluated as negligible, effectively same as background.</p> |
| | | <p>Significance of the Impact: Slight (neutral)</p> |
| | | <p>Rationale for Impact Evaluation:</p> <ul style="list-style-type: none"> • No contrast in activities from background levels, and; • Momentary – brief duration, with; • High reversibility once any individual moves beyond 150m. |
| | | <p>Evaluation of Other Cumulative Impacts – Reduction in or Loss of Suitable Foraging Habitat</p> |
| | | <p>Whole UWF Project Effect</p> |
| | | <p>Cumulative Impact Magnitude: Magnitude of the cumulative effects will be in the order of the Related Works, consented wind farm and Grid Connection where they overlap, i.e. the same as Related Works. This is evaluated as negligible.</p> |
| | | <p>Significance of the Cumulative Impact: Neutral to Slight (negative)</p> |
| | | <p>Rationale for Cumulative Impact Evaluation:</p> <ul style="list-style-type: none"> • Construction works for the UWF Related Works will be not be carried out during the hen harrier breeding season March to August inclusive, avoiding any potential for sequential effects; • The distance to the nearest confirmed nest locations (4.8km ,4.5km respectively for UWF Related Works and 3.15km for the closest point of the UWF Grid Connection within the UWF Related Works Cumulative Evaluation Study area of 2km), and; • Fact that most foraging takes place within 2km of the nest site, with only 2% occurring at distances >4km • No nests are within 4km of UWF Related Works; • Noise/Vibration/Intrusion unlikely to affect any individual >150m from source; • Birds likely to be habituated to various background activities such as farming practices, road maintenance, forestry practices and; • The duration of effects, (momentary-brief) and; • High reversibility once the bird moves beyond 150m. |
| Biodiversity | Topic | <p>All Elements of the Whole UWF Project with Other Projects or Activities</p> |
| | | <p>Cumulative Impact Magnitude: The magnitude of foraging disturbance ex-situ from nests/designated sites resulting from the Whole UWF Project, Castlewaller Wind Farm, Bunkimalta Windfarm, Milestone Windfarm, Agriculture/ Forestry and Turbary. Effects from other activities or projects in the vicinity are evaluated as neutral – apart from Castlewaller Windfarm which is evaluated as Negligible and Bunkimalta (evaluated as Not Significant). Magnitude</p> |

of effects from the Whole UWF Project is negligible and solely in the order of the UWF Related Works, UWF Grid Connection and Consented Upperchurch Windfarm where they overlap.

Significance of the Cumulative Impact: Slight (negative)

Rationale for Cumulative Impact Evaluation:

- Construction works for the UWF Related Works will be not be carried out during the hen harrier breeding season March to August inclusive, avoiding any potential for sequential effects;
- Construction works for the Grid Connection will not take place during the period March-August at any locations within 2km of a confirmed Hen Harrier nest, and;
- The distance to the nearest confirmed nest locations in respect of the UWF Related Works, UWF Grid Connection and consented Upperchurch Windfarm, where they overlap;
- Fact that most foraging takes place within 2km of the nest site, with only 2% occurring at distances >4km Noise/Vibration/Intrusion unlikely to affect any individual >150m from source;
- Birds likely to be habituated to various background activities such as farming practices, road maintenance, forestry practices and;
- The duration of effects, (momentary-brief) and;
- High reversibility once the individual bird moves beyond 150m.
- The separation distance from the zone of overlap between UWF Related Works, UWF Grid Connection, and Consented Upperchurch Windfarm from Castlewaller Windfarm (>10km) or Bunkimalta Windfarm (>8km) precludes foraging overlap and ergo sequential effects.

8.6.4.3 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in Table 8-47 below.

Table 8-47: Description and Rationale for Excluded Impacts to Hen Harrier

Key: 1: UWF Grid Connection; 2: UWF Related Works; 3: UWF Replacement Forestry; 4: Upperchurch Windfarm; 5: UWF Other Activities

| Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|--|-----------------|------------|---|--|
| Construction Stage / Planting Stage | | | | |
| Land Take | 1,2,3,4,5 | Land cover | Reduction in Prey Item Species | <p>Evaluated as Excluded: Neutral effects</p> <p>Neutral population level effects on prey item bird species are predicted, either from additive mortality or habitat loss.</p> <p>Neutral effect on the availability of small mammals as a result of habitat loss or additive mortality is expected.</p> <p>Therefore, Neutral secondary effects via a reduction in the availability of prey items as a result of project elements are likely.</p> |
| Land Take | 1,2,3,4,5 | Land cover | Reduction in or Loss of Suitable Nesting Habitat | <p>Evaluated as Excluded: No nesting habitat (i.e. <u>suitable</u> bog, pre-thicket forestry) overlaps the construction works area.</p> |
| Forestry Felling | 2,4 | Contact | Mortality of Hen Harrier in or at Nest Sites | <p>Evaluated as Excluded:</p> <p>No potential for effects from 2, No construction works (which includes forestry felling) for UWF Related Works during the breeding season.</p> <p>In relation to Upperchurch Windfarm, no likely impact as no works will take place within 500m of a nest March - August as part of Planning Conditions.</p> <p>No forestry felling for UWF Grid Connection.</p> |
| Land Take | 1,2,3,4,5 | Land cover | Reduction in or Loss of Winter Roosts | <p>Evaluated as Excluded: No winter roosts overlap works areas.</p> |
| Land Take | 1,2,3,4,5 | Contact | Mortality of Winter Roosting Hen Harrier | <p>Evaluated as Excluded as winter roosts are located outside the construction works areas. Measures to avoid disturbance to winter roosting harriers as part of Project Design will also prevent mortality.</p> |
| Noise and human activity | 1,2,3,4,5 | Visibility | Disturbance/Displacement of Nesting or Roosting Hen Harrier | <p>Construction works within 1000m of a winter roost will be limited to the period between one hour after sunrise to one hour before sunset during the months of October to February inclusive, as part of Project Design.</p> <p>Construction works for the UWF Related Works will be not be carried out during the hen harrier breeding season March to August inclusive. Works for the UGC will take place outside the breeding season (March-August) for works locations within 2km of an identified nest.</p> |

Hen Harrier

Sensitive Aspect

Biodiversity

Topic

| Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|--|-----------------|-----------------------|---|---|
| Noise and human activity | 1,2,3,4,5 | Visibility | Disturbance/Displacement of foraging Hen Harrier (ex-situ during the winter season) | Distance to established winter roosts and low frequency of occurrence during the winter months reduces likelihood of effect. Brief-momentary duration and high reversibility once any foraging bird moves beyond 150m from source of disturbance avoids significant effects. |
| Operational Stage / Growth Stage | | | | |
| Landuse Change, Telecom Relay Pole, new permanent access roads | 1,2,3,4,5 | Land cover, collision | Additive mortality/disturbance | <p>Evaluated as Excluded: No potential for impacts. There will be no increase in accessibility. All new roads will have gates which will be locked on landholder boundaries.</p> <p>No potential for cumulative impacts with Upperchurch Windfarm.</p> <p>Upperchurch Windfarm: As per the 2014 ABP Inspectors Report no significant residual impact to Hen Harrier is expected to occur. There would be no potential for cumulative impacts with other project elements, as follows:</p> <p>UWF Grid Connection: no likely impact with the Mountphilips Substation, all other parts are either underground or at ground level (i.e. new roads).</p> <p>UWF Related Works: no likely impact with the Telecom Relay Pole, due to the immobility of this structure and no precedent in the literature for this structure as a collision risk (akin to telegraph pole).</p> <p>UWF Replacement Forestry: no potential for effects due to the absence of moving structures.</p> |
| Noise and human activity | 1,2,3,4,5 | Air and Visibility | Disturbance/displacement to foraging Hen Harrier (ex-situ) or nesting /roosting Hen Harrier | <p>Evaluated as Excluded: No potential for impacts/Neutral effect;</p> <p>UWF Grid Connection: - Avoidance of annual inspections and Planned Maintenance works or activities within the SPA during the breeding season is built into design. Any unscheduled repair work, which may need to take place during the breeding season, will occur very infrequently, if at all. Due to the infrequent, reversible, and temporary duration, and location of any works within primarily permanent existing public roads, it is considered that disturbance/displacement effects to hen harriers will be Neutral during unplanned repairs, should they occur at all.</p> <p>UWF Related Works – no potential for impacts due to no works at HW7 within SPA, all other works which may occur during operation, relate to Haul Route Works, which are located along the public road network and outside of the SPA. No dependency of hen harrier on the land within the site, based on low usage of UWF Related Works area by hen harrier, and separation (greater than 2km) to nearest known and historical nest sites.</p> |

Hen Harrier

Sensitive Aspect

Biodiversity

Topic

| Hen Harrier | | Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|-----------------------|--|--------------------------|-----------------|------------|---------------------------|---|
| Sensitive Aspect | | | | | | <p>UWF Replacement Forestry: Evaluated as Excluded: All works will be done by hand and equivalent to typical farming activities, therefore the magnitude of any noise or visual intrusion will be Negligible and any disturbance or displacement effects are likely to be Neutral.</p> <p>UWF Other Activities: Evaluated as Excluded: Element 4: HA1-HA20. These are excluded from further evaluation as works involve street furniture removal or activities on public roads with no significant source of noise or intrusion.</p> <p>Upperchurch Windfarm: As per the 2014 ABP Inspectors Report no significant residual impact to Hen Harrier is expected to occur.</p> <p>Distance to established winter roosts and low frequency of occurrence during the winter months reduces likelihood of effect to winter foraging birds. Brief -momentary duration, combined with low frequency of operational maintenance and high reversibility once any foraging bird moves beyond 150m from source of disturbance avoids significant effects.</p> |
| Decommissioning Stage | | | | | | |
| | | Noise and human activity | 5 (HA1-HA20) | Visibility | Disturbance /displacement | <p>Evaluated as Excluded: UWF Grid Connection – will not be decommissioned. Neutral effect.</p> <p>UWF Replacement Forestry – permanent, will not be felled. Neutral effect.</p> <p>Upperchurch Windfarm and UWF Related Works-decommissioning works will take place from hardcore areas, small number of machines required and brief duration of use (2 to 3 days) at each turbine location.</p> <p>UWF Other Activities: Haul Route Activities: Neutral effect as works involve street furniture removal or activities on public roads with no significant source of noise or intrusion. No requirement for activities associated with the remaining UWF Other Activities.</p> |

8.6.5 Mitigation Measures for Impacts to Hen Harrier

Mitigation measures were incorporated into the UWF Related Works project design including the Project Design Measures.

No additional mitigation measures are required as **slight negative impacts** are concluded by the topic authors as likely to occur to Hen Harrier with respect to permanent or temporary foraging habitat loss as a consequence of the UWF Related Works on its own; when considered cumulatively with the Other Elements of the Whole UWF Project – **significant positive cumulative impacts** are expected, and when Other Projects or Activities are considered the overall cumulative effect is Neutral.

No additional mitigation measures are required as **slight negative impacts** are concluded by the topic authors as likely to occur to Hen Harrier with respect to Disturbance/Displacement as a consequence of the UWF Related Works on its own; when considered cumulatively with the Other Elements of the Whole UWF Project – **Slight (neutral - negative)** effects are expected, and when Other Projects or Activities are considered the overall cumulative effect is **Slight (negative)**.

Hen Harrier

Sensitive Aspect

8.6.6 Evaluation of Residual Impacts to Hen Harrier

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures are required, and thus the Residual Impact is the same as the Impact set out in Impact Evaluation Tables for Hen Harrier above (Section 8.6.4.1) –i.e. **no significant adverse impacts**.

8.6.7 Application of Best Practice and the EMP for Hen Harrier

Best Practice Measures (BPM), although not part of the Project Design for the UWF Related Works, will be employed to afford further protection to the Environment.

The following Best Practice Measures have been developed, for the protection of **Hen Harrier**, by the authors of this topic chapter, using industry best practice:

| | |
|-----------|--|
| RW-BPM-12 | Monitoring of nesting and roosting Hen Harrier (<i>Circus cyaneus</i>) |
| RW-BPM-17 | Best practice measures for the removal of vegetation during construction |

These Best Practice Measures are included in full at the end of this topic chapter, and also form part of the **Environmental Management Plan for UWF Related Works**, which is included as Volume D with the planning application.

Biodiversity

Topic

8.6.8 Summary of Impacts to Hen Harrier

A summary of the Impact to Hen Harrier is presented in Table 8-48.

Table 8-48: Summary of the impacts to Hen Harrier

| Impact to Hen Harrier: | Permanent or Temporary Reduction in or Loss of Suitable Foraging Habitat | Disturbance/ displacement of foraging Hen Harrier (ex-situ) |
|---|--|---|
| <i>Evaluation Impact Table</i> | <i>Section 8.6.4.1</i> | <i>Section 8.6.4.2</i> |
| Project Life-Cycle Stage | Construction/Operation | Construction/Operation |
| <u>UWF Related Works</u> <i>Direct and indirect effects</i> | Slight (negative) | Slight (negative) |
| <u>UWF Related Works</u> <i>Cumulative effects</i> | Neutral | Slight (negative) |
| Element 1: UWF Grid Connection | Slight (negative) | Slight (negative) |
| Element 3: UWF Replacement Forestry | Very Significant (positive) | Neutral to Slight (negative) |
| Element 4: Upperchurch Windfarm | Neutral residual effect | Not Significant |
| Element 5: UWF Other Activities | Very Significant (positive) | Slight (Negative) |
| <u>Cumulative Impact:</u> | | |
| All Elements of the Whole UWF Project | Significant (positive) | Neutral to Slight (Negative) |
| All Elements of the Whole UWF Project <i>cumulatively with</i> Other Projects or Activities: Bunkimalta Windfarm Castlewaller Windfarm Milestone Windfarm Forestry, Agriculture, Turf-Cutting | Neutral | Slight (negative) |

The greyed out boxes in the summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to present the totality of the project.

8.7 Sensitive Aspect No.6: General Bird Species

This Section provides a description and evaluation of the Sensitive Aspect - General Bird Species.

8.7.1 BASELINE CHARACTERISTICS of General Bird Species

8.7.1.1 STUDY AREA for General Bird Species

The study area for General Bird Species in relation to the UWF Related Works is described in Table 8-49 and illustrated on **Figure RW 8.7: General Bird Species within the UWF Related Works Study Area** (Volume C3 EIAR Figures).

Table 8-49: UWF Related Works Study Area for General Bird Species

| Study Area for General Bird Species | Justification for the Study Area Extents |
|--|--|
| 50m area around and incorporating the construction works areas | Professional judgement and as per Best Practice (CIEEM, 2016, NRA, 2008, Lusby et al.,2010,SNH 2014) |

8.7.1.2 Baseline Context and Character of General Bird Species in the UWF Related Works Study Area

All the species recorded during the UWF Related Works EIA Report 2017 surveys are typical of the habitats present. The requirement for further evaluation is based on a sensitivity rating as defined in Table 8-3, derived from survey results and the process of scoping. It infers a known sensitivity to effects from sources, but is also reflective of the conservation status (locally/nationally/internationally) of the species within the study area overall.

General Breeding Birds

Given the overlap between Upperchurch Windfarm and UWF Related Works locations we refer to the species described within the EIS for Upperchurch Windfarm. As per the EIS 2013, surveys of breeding birds to inform the baseline evaluation of Upperchurch Windfarm recorded 37 species in total across 'summer transects' and vantage point surveys. All the species recorded are typical of the habitats present. Species recorded include Skylark, Kestrel, Peregrine Falcon (Annex I), Stonechat and Crossbill. Additional species recorded on Upperchurch Windfarm included Raven, Sand Martin, Crossbill and Reed Bunting. Of these it is considered that Peregrine and Sand Martin do not nest within the study area as there is no suitable nesting habitat present. Many of the remaining species are typically representative of the land use present and have strong associations with the type of activities in the area (e.g. hill farming) in respect of the quality of habitat present. Studies as part of the current evaluation of Related Works, such as habitat surveys for Forestry replant lands (conducted in April 2017), also recorded species such as Blackbird, Goldcrest, Great Tit, Wren and Robin, in addition to Meadow Pipit, Reed Bunting and Skylark. In general, the distribution of general bird species is considered unchanged with respect to the passage of time since the 2013 EIS.

All of the above breed and forage in the receiving environment within suitable habitat. In general, the receiving environment would be quiet with many species unlikely to undergo significant disturbance other than from day to day farming activities, and occasionally forestry operations.

General Wintering Birds

Studies for the 2013 EIS on Upperchurch Windfarm (which overlaps the locations of UWF Related Works) recorded a typical assemblage of wintering species (n=24). Of these one Red-listed (Meadow Pipit), seven Amber-listed (Skylark, Robin, Hen Harrier, Kestrel, Starling, Mistle Thrush, Goldcrest and Linnet) and 15 Green-listed species were present. In the interest of clarity, we note that the BOCCI status presented herein

is the more current Cummins and Colhoun (2013) evaluation, published subsequent to the Upperchurch Windfarm EIS.

Meadow Pipit

This is a very widespread species in Ireland, found in bogs, uplands and areas of scrub and pasture, with an estimated population of 500,000 to 1,000,000 pairs. Birds are ground nesting and typically feed on invertebrates such as crane flies, mayflies and spiders. This species nests on the ground in open countryside in heaths, moors, bogs and coastal marshes. This species is generally site-faithful, although there is some post-breeding dispersal in winter months, particularly from upland areas to lowland habitats. There is c.123Ha of suitable habitat, comprising grassland, grassland mosaics, dry heath, upland blanket bog and cutaway bog, for Meadow Pipit within the UWF Related Works Study Area. It is considered that the habitat at UWF Related Works is sub-optimal/optimal, and it is noted that suitable habitat occurs throughout the wider area. Meadow Pipit were recorded on the UWF Related Works sites during bird surveys for Upperchurch Windfarm and during site surveys for UWF Related Works.

Golden Plover

Golden Plover breed in heather moors, blanket bogs & acidic grasslands. Golden Plover form flocks in winter, foraging and roosting in large open pasture and tilled fields. Golden Plover were not recorded from the locations of the UWF Related Works during any site visits and none were observed during studies to inform Upperchurch Windfarm 2013 EIS. There is c.120ha of available suitable Golden Plover habitat within the study area which mainly comprises improved agricultural grassland and grassland mosaics, and small areas of upland blanket bog and cutaway bog. The habitat is only suitable for wintering birds.

Red Grouse

The Red Grouse is a sub-species of Willow Grouse. It is resident in the west and north of Britain and in Ireland. In Ireland, it is a widespread but sparsely-occurring breeding bird. It is found on mountains, moorland and lowland blanket bogs and raised bogs, where it is associated with heather which it requires for food, shelter and nesting. Optimal habitat for Red Grouse is not found within the locations of the UWF Related Works. No Red Grouse were recorded in studies to inform Upperchurch Windfarm. Although Upland Blanket Bog is present within the 50m habitat survey buffer it is sub-optimal for the species, and no evidence was recorded during e.g. habitat walkovers.

Merlin, Peregrine Falcon

Merlin was not observed during studies to inform Upperchurch Windfarm 2013 EIS. None were recorded during site visits to inform the current evaluation..

Peregrine Falcon was recorded on a single occasion (June 2011) during studies to inform Upperchurch Windfarm 2013 EIS.

Hen Harrier is specifically evaluated in Section 8.6 of this report.

Curlew

Curlew was not recorded from the locations of the UWF Related Works during any site visits and none were observed during studies to inform the (overlapping) Upperchurch Windfarm EIS. Areas of wet grassland and open moorland are present in the wider area, but may be sub-optimal for Curlew due to land use management, and fragmentation.

Kingfisher

Kingfishers breed in tunnels dug in vertical banks along watercourses. They are a largely sedentary species and rarely move from established territories. However, some may move to lakes and coasts during extended

spells of cold weather outside of the breeding season. They are widespread in Ireland and found on streams, rivers and canals. Kingfisher was not recorded during studies to inform Upperchurch Windfarm EIS. None were recorded in surveys to inform the current appraisal, including watercourse evaluations. The watercourses (habitats) which are present on the UWF Related Works site predominately comprise drains which are not suitable for breeding Kingfisher.

8.7.1.3 Importance of General Bird Species

All wild bird species are protected by legislation under the Wildlife Act, 1976 and the Wildlife (Amendment) Act, 2000.

Merlin, Peregrine Falcon and Golden Plover are listed on Annex I of the EU Birds Directive 2009/147/EC whilst Red Grouse is listed on Annex II. Curlew is now classified on the IUCN Red List as 'near threatened'

Notwithstanding the protection afforded to some bird species at EU level, the importance of each species in relation to the UWF Related Works area takes account of international classifications and the occurrence of the species at the site within the context of resident or regularly occurring local populations, county populations or those at a national or international level – see Table 8-4 for criteria.

Although not listed on either Annex I or II of the EU Birds Directive, due to its importance as a prey item for Hen Harrier in the context of the nearby Slievefelim to Silvermines Mountain SPA, Meadow Pipit have been evaluated as of County Importance and assigned a sensitivity rating of Medium for evaluation.

Although listed on Annex I of the EU Birds Directive, due to an unfavourable conservation status in the EU, Golden Plover is provisionally listed as secure at pan-European level. Nevertheless, wintering Golden Plover in Ireland are evaluated as Nationally Important and assigned a sensitivity rating of High.

Although listed on Annex II of the EU Birds Directive, due to a decline in population across Europe including Ireland. Red Grouse are evaluated as of County Importance and assigned a sensitivity rating of medium.

Although listed on Annex I of the EU Birds Directive, due to population declines across Europe (including Ireland) Merlin in the density recorded are evaluated as of Local Importance (low value) and assigned a sensitivity rating of Negligible.

Although listed on Annex I of the EU Birds Directive, due to historical population declines Peregrine Falcon populations are on the increase in Ireland. Given the density recorded here they are evaluated as of Local Importance (low value) and assigned a sensitivity rating of Negligible.

Listed on the red list of conservation concern Curlew is evaluated as of National Importance and assigned a sensitivity rating of High.

Kingfishers are Amber listed in Ireland, due to having an unfavourable conservation status in Europe from historical declines. However, Kingfisher populations are not of global concern, thus a sensitivity rating of low is applied.

8.7.1.4 Sensitivity of General Bird Species

General breeding birds are sensitive to habitat loss and disturbance/displacement from noise and/or visual intrusion. Wintering birds are similarly sensitive.

Golden Plover are sensitive to changes in land cover or land use of suitable foraging or roosting habitats such as improved agricultural grassland, wet grassland or grassland mosaics, and upland blanket bog, where land cover/use change may cause reductions in foraging success, increased exposure to predation through displacement to less viable feeding areas, and also reduction in survival rates of wintering birds. Wintering Golden Plover are also sensitive to disturbance or displacement effects due to noise, visual intrusion, and anthropogenic sources.

Meadow Pipit are also sensitive to changes in land cover or landuse which results in a decrease of suitable nesting habitat (improved agricultural grassland, wet grassland or grassland mosaics, and upland blanket bog), these changes can effect breeding numbers, foraging success, and increased exposure to predation through displacement to less viable feeding areas, and local population level declines.

Breeding waders such as Curlew are sensitive to habitat loss or fragmentation through afforestation, habitat loss from peat extraction, ground based predation, destruction from agricultural machinery and abiotic variables such as flooding.

Bird species are sensitive to suitable landscaping/reinstatement from which positive effects may accrue.

8.7.1.5 Trends in the Baseline Environment (the 'Do-Nothing' scenario)

In trend analyses on General Breeding Birds undertaken on 53 species within the most recent Countryside Bird Survey report (Crowe *et al.*, 2014) some 20 species showed increasing trends over the 16-year period since 1998, while 17 species remained relatively stable.

The most recently published Atlas (Balmer *et al.*, 2013) has shown that the species with the largest winter range are still the Hooded Crow, Wren, Robin and Blackbird. In Ireland the Atlas found that 74% of species had increased their winter range.

The abundance and diversity of the bird species within the baseline environment is evaluated as following the general trend of species populations throughout Ireland as described in published literature such as cited above. Given this, a scenario in which the subject development does not take place would result in a continuation of current trends relating to general bird species within the study area.

8.7.1.6 Receiving Environment (the Baseline + Trends)

It is assumed in this report that the baseline environment in relation to general bird species, as identified above, will be the receiving environment at the time of construction as no noticeable change is expected to occur within the relatively short time period prior to commencement of construction. Identified longer terms trends, such as declines in breeding Curlew is likely to overlap the operational phase, as are trends in respect of general breeding birds and wintering birds, identified in publications such as the 2013 Atlas.

8.7.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics**8.7.2.1 Cumulative Evaluation Study Areas****8.7.2.1.1 UWF Related Works Cumulative Evaluation Study Area**

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for General Bird Species | Justification for the Study Area Extents |
|---|--|
| 1km from UWF Related Works construction works areas | General birds, due to their naturally smaller home ranges are unlikely to be cumulatively affected by Other Elements or Other Projects or Activities outside this distance |

The study is illustrated on **Figure CE 8.7 General Bird Species within the UWF Related Works Cumulative Evaluation Study Area**.

8.7.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project.

A description of these Other Elements is included in this EIA Report at **Appendices 5.3, 5.4, 5.5 and 5.6**, in **Volume C4 EIAR Appendices**. Scoping of these Other Elements is presented in **Section 8.7.2.2.1** below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements and Other Projects or Activities. The Cumulative Evaluation Study Area, comprises two different areas-one extent for cumulative evaluation of all of the Elements of the Whole UWF Project and a second extent for the cumulative evaluation of Other Projects or Activities, see Table 8-50 and illustrated on **Figure WP 8.7: General Birds Species within the Whole Project Cumulative Evaluation Study Area** (Volume C3 EIAR Figures).

Table 8-50: Whole Project Cumulative Evaluation Study Area for General Bird Species

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|--|---|--|
| Element 2: UWF Related Works | 50m area around and incorporating the construction works areas, afforestation lands, activity locations 1km from construction works areas and activity locations in relation to cumulative effects with Other Projects or Activities | Professional judgement and as per Best Practice (CIEEM, 2016, NRA, 2008, Lusby et al., 2010, SNH 2014). |
| Element 1: UWF Grid Connection | | |
| Element 3: UWF Replacement Forestry | | General birds, due to their naturally smaller home ranges are unlikely to be cumulatively affected outside this distance |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

General Bird Species

Sensitive Aspect

Biodiversity

Topic

8.7.2.2 Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts

The evaluation of cumulative impacts to General Bird Species also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to General Bird Species with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in [Appendix 2.3: Scoping of Other Projects or Activities \(Section A2.3.1 and Section A2.3.2.8\)](#).

8.7.2.2.1 Potential for Impacts to General Bird Species

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project and for the Other Project to cause cumulative effects to the Sensitive Aspect General Bird Species. The results of this evaluation are included in Table 8-51.

The location of, and study area boundary associated with, the Other Elements and Other Projects or Activities which are included for cumulative evaluation is illustrated on [Figure WP 8.7](#). The baseline character of the areas around these Elements is described in Section 8.7.2.3.

Table 8-51: Results of the Evaluation of the Other Elements and Other Projects or Activities

| <u>Other Element of the Whole UWF Project</u> | |
|---|--|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects |
| Element 3: UWF Replacement Forestry | <u>Included</u> for the evaluation of cumulative effects |
| Element 4: Upperchurch Windfarm (UWF) | <u>Included</u> for the evaluation of cumulative effects |
| Element 5: UWF Other Activities | <u>Included</u> for the evaluation of cumulative effects |

8.7.2.3 Cumulative Information: Baseline Characteristics – Context & Character

8.7.2.3.1 Element 1: UWF Grid Connection

The receiving environment in the UWF Grid Connection Study Area supports a wide variety of general bird species of open countryside and farmland, in addition to more specialist upland species. Some species are only present during the winter months within which they disperse widely over suitable habitat, whilst other sedentary species are present throughout the year and retain smaller more localised territories for foraging and breeding.

General Breeding Birds

Based on the range of terrestrial habitats mapped, and on observations made during ecological surveys of the 110kV UGC route in January 2019, general breeding birds are assumed to include bird species which commonly nest in hedgerows and tree lines such as passerines and bird species associated with farmland such as Meadow Pipit and Skylark.

There are suitable habitats for breeding Dipper and Grey Wagtail at water crossing locations. During ecological surveys undertaken of the 110kV UGC route in January 2019, observations of evidence of Dipper and Grey Wagtail at water crossings were recorded. During these surveys a pair of Dippers were observed at

the Mulkear River (W4), although no nests were recorded at this water crossing. Additionally, Dipper nests were recorded at three water crossing locations; one nest at water crossing W13, two nests at water crossing W23 and one nest at water crossing W36. A number of water crossings were identified as suitable for Dipper however no evidence of Dipper was recorded at these locations. A probable Grey Wagtail nest was recorded at water crossing W36. Evidence of bird presence (white wash on a rock) was recorded at water crossing W38, the source species is unknown.

Additionally, four Swallow nests were recorded within a derelict shed adjacent to water crossing W48.

General Wintering Birds

Based on the range of terrestrial habitats mapped, and based on observations made during habitat surveys of the 110kV UGC route in January 2019, general wintering birds are assumed to include passerines and farmland birds.

A total of 17 species were recorded comprising one Red-listed (Grey Wagtail), six Amber-listed and ten Green-listed birds of conservation concern. The Red-listed Grey Wagtail was observed at water crossing W4, on the Mulkear River.

Meadow Pipit

It is assumed that populations of the Red-listed Meadow Pipit are present in suitable habitat (pasture, scrub and bog) in the survey area. Meadow Pipit have been evaluated as of County Importance and assigned a sensitivity rating of Medium for evaluation.

Terrestrial habitat surveys indicate that Meadow Pipit habitat is widespread along the 110kV UGC route. This species is generally site-faithful, although there is some post-breeding dispersal in winter months, particularly from upland areas to lowland habitats.

Golden Plover, Red Grouse, Curlew, Merlin

Based on the range of terrestrial habitats mapped during ecological surveys of the 110kV UGC route in January 2019 there is suitable habitat for the following species; wintering Golden Plover and Merlin.

Golden Plover breed in heather moors, blanket bogs and acidic grasslands and disperse widely over the winter months. Wintering Golden Plover use wide open expanses of pasture and tilled land. During the survey undertaken in January 2019, suitable winter habitat for Golden Plover, consisting of pasture in large open fields was recorded. No suitable breeding habitat for Golden Plover was recorded within the survey area. This species was not observed during ecological surveys in January 2019.

No suitable breeding habitat for Red Grouse was recorded during the ecological surveys of the 110kV UGC route in January 2019. In the winter if snow is on the ground the species has a widespread distribution occupying wind swept ridges and lower ground, however no suitable habitat with sufficient habitat cover was recorded within the survey areas of the 110kV UGC route.

Curlew nest on the ground in a range of habitats in Ireland, from rough pasture, meadows and heather. Huge changes in the upland areas, such as the destruction of peat bogs, afforestation, intensive management of farmland and the abandonment of some lands, leading to encroachment by scrub, gorse and dense rushes, have all affected Curlew breeding habitats. In Ireland, the Curlew is not a common breeder, however it is found in most parts of the country.

No suitable habitat for wintering Curlew were recorded during the ecological survey of the 110kV UGC route in January 2019. These habitats consist of wet grassland. No Curlew were observed during the ecological surveys. No suitable breeding habitat for Curlew was recorded within the study area during these surveys. In

general, grazing regimes and other land management practices within 50m of the road corridor preclude breeding by this species.

No suitable breeding habitat for Merlin were recorded within the study area during the ecological surveys undertaken in January 2019 (the proximity to the road qualifies the habitats as unsuitable for breeding). During the winter Merlin have a widespread distribution, and may occasionally perch in roadside trees during the winter months. However, the locations of activities do not comprise foraging habitat for this species.

Kingfisher

With regard to the UWF Grid Connection suitable watercourses were surveyed 150m upstream and downstream were possible of watercourse crossing locations. These surveyed watercourses include the Mulkear, Clare and Bilboa River. Habitats at watercourse crossings are generally unsuitable for this species, which requires sandy or earth banks alongside the watercourse to establish their tunnel/burrow nests.

Barn Owl

All buildings within the survey area were evaluated for suitability for Barn Owl during the ecological surveys of the 110kV UGC route undertaken in January 2019. The assessment followed criteria according to Lusby et al. (2012). Only the exterior of buildings was assessed for Barn Owl, thus presence or absence of Barn Owl within the buildings could not be confirmed.

Four buildings were assessed as having high suitability for Barn Owl.

Geographical Overlap with UWF Related Works:

UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area in the Knocknabansha, Knockmaroe, Knockcurraghbola Crownlands and Knockcurraghbola Commons where 110kV UGC works will occur within 1km of Haul Route Works, Internal Windfarm Cabling and the works for the Telecom Relay Pole.

8.7.2.3.2 Element 3: UWF Replacement Forestry

General Birds

Species recorded on site (during habitat surveys) included Wren, Robin, Meadow Pipit, House Martin, Blackbird, Stonechat, Hooded Crow, Chaffinch, Rook, Magpie and Woodpigeon.

General Wintering Birds

Resident species recorded during current studies will also be present during the winter months.

Meadow Pipit

Meadow Pipits are present and were recorded at the UWF Replacement Forestry site.

Golden Plover

Golden Plover were not recorded from the locations of the UWF Replacement Forestry during any site visits and none were observed during studies to inform the adjacent Upperchurch Windfarm 2013 EIS.

Red Grouse

Habitat for Red Grouse is not found within the locations of UWF Replacement Forestry.

Merlin

Merlin was not recorded from the locations of the UWF Replacement Forestry during any site visits and none were observed during studies to inform the adjacent Upperchurch Windfarm 2013 EIS. No breeding habitat is present.

Curlew

Curlew was not recorded from the locations of the UWF Replacement Forestry during any site visits and none were observed during studies to inform the adjacent Upperchurch Windfarm EIS. No breeding habitat is present for this species.

Kingfisher

Kingfisher was not recorded during any site visits to inform the current evaluation. Kingfisher was not recorded during studies to inform the adjacent Upperchurch Windfarm EIS. The watercourse which is present within the landholding is not suitable for nesting Kingfisher.

8.7.2.3.3 Element 4: Upperchurch Windfarm

All the species recorded during 2012 surveys for the Upperchurch Windfarm EIS are typical of the habitats present.

General Breeding Birds

As per the EIS 2013, surveys of breeding birds to inform the baseline evaluation of Upperchurch Windfarm recorded 37 species in total across 'summer transects' and vantage point surveys. All the species recorded are typical of the habitats present. Species recorded include Skylark, Kestrel, Peregrine Falcon, Stonechat and Crossbill. Additional species recorded on Upperchurch Windfarm, to that recorded at UWF Grid Connection locations, were Raven, Sand Martin, Crossbill and Reed Bunting. Of these it is considered that Peregrine and Sand Martin do not nest on site as there is no suitable nesting habitat present at Upperchurch Windfarm.

General Wintering Birds

Studies on Upperchurch Windfarm (2013) recorded a typical assemblage of wintering species (n=24). Of these one Red-listed (Meadow Pipit), seven Amber-listed (Skylark, Robin, Hen Harrier, Kestrel, Starling, Mistle Thrush, Goldcrest and Linnet) and 15 Green-listed species were present. In the interest of clarity we note that the BOCCI status presented herein is the more current Cummins and Colhoun (2013) evaluation, published subsequent to the Upperchurch Windfarm EIS.

Meadow Pipit

Meadow Pipit is present in suitable habitat.

Golden Plover

Golden Plover were not observed during studies on Upperchurch Windfarm or during any surveys carried out at UWF Replacement Forestry.

Red Grouse

No Red Grouse were recorded in studies on Upperchurch Windfarm.

Merlin

Merlin was not observed during studies on Upperchurch Windfarm.

Curlew

No Curlew was observed during studies to inform the Upperchurch Windfarm EIS.

Kingfisher

| | |
|----------------------|---|
| General Bird Species | <p>Kingfisher was not recorded during studies to inform the Upperchurch Windfarm EIS.</p> <p><u>Consideration of the Passage of Time</u>: The makeup of suitable habitat for general bird species on the Upperchurch Windfarm site has not materially changed since 2012/2013, and the species recorded during the 2012/2013 surveys were generally also recorded during site surveys for UWF Related Works. Therefore, it is considered that the descriptions in the 2013 and 2014 documents for Upperchurch Windfarm remain relevant to the cumulative evaluations in this Revised EIAR.</p> |
| | <p>8.7.2.3.4 Element 5: UWF Other Activities</p> |
| Sensitive Aspect | <p><u>Haul Route Activity Locations</u></p> <p>General bird species of Hedgerows are present. Resident Bird species described in respect of breeding are likely to be present during the winter months also. <u>Meadow Pipit</u> may be present in suitable fields adjacent to activity locations however habitats such as roadside verges do not comprise breeding habitat. <u>Golden Plover</u> were not recorded from the locations of the Activity locations during any site visits. The locations do not comprise suitable habitat for this species. Habitat for <u>Red Grouse</u> is not found at the locations of UWF Other Activities. <u>Merlin</u> may occasionally perch in roadside trees during the winter months, however the locations of activities do not comprise breeding or foraging habitat for this species.</p> <p><u>Overhead Line Activity Locations</u></p> <p>Bird species present during a site walkover (January 2018) to inform the current evaluation are described in Appendix 8.1 Section A8.1.3.6. Twenty three species were recorded, including six Amber-listed species (Goldcrest, Stonechat, Starling, Common Snipe, Robin and House Sparrow).</p> |
| | <p>8.7.2.3.5 Other Projects or Activities</p> |
| | <p>Not applicable –No Other Projects or Activities were scoped in for evaluation of cumulative effects, see Section 8.7.2.1</p> |
| Biodiversity | |
| | |

8.7.3 PROJECT DESIGN MEASURES for General Bird Species

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

The Project Design Measures outlined in Table 8-52 are relevant to the Environmental Factor, Biodiversity, and in particular to the sensitive aspect **General Bird Species**.

Table 8-52: UWF Related Works Project Design Measures relevant to General Bird Species

| PD ID | Project Design Environmental Protection Measure (PD) |
|-------|--|
| PD02 | Flag-men will be used at temporary site entrances rather than creating sightlines by the removal of roadside boundaries. These flagmen will control the movement of traffic on the public road, so that road users can continue to use the local road network in a safe and efficient manner. |
| PD07 | Construction traffic will be restricted to the construction works area and tracking across adjacent ground will not be permitted |
| PD28 | Hedgerow removal and clearance of any other breeding bird vegetation will take place outside of the bird breeding season <i>i.e.</i> not during the period of March to August inclusive where possible . This includes hedgerow and scrub removal in addition to hedgerow trimming. |

Cumulative Information: Potential or likely significant impacts caused by the Other Elements of the Whole UWF Project were avoided, prevented or reduced by incorporating Project Design Measures into the fundamental design of the UWF Grid Connection, UWF Other Activities and into the consented design of the Upperchurch Windfarm. These Project Design Measures are included in the description of these Elements, and can be found in this EIA Report in [Appendices 5.3, 5.5 and 5.6](#), in [Volume C4: EIAR Appendices](#).

8.7.4 EVALUATION OF IMPACTS to General Bird Species

In this Section, the likely direct and indirect effects of the UWF Related Works are identified and evaluated. Then the likely cumulative effects of the UWF Related Works together with the Other Elements of the Whole UWF Project and Other Projects or Activities are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - General Bird Species.

As a result of the exercise, some impacts were included and some were excluded.

Table 8-53: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts <u>Included</u> (Evaluated in the Impact Evaluation Table sections) | Impacts <u>Excluded</u> (Justification at the end of the Impact Evaluation Table sections) |
|---|--|
| Golden Plover: Habitat Loss (construction stage) | <i>Habitat Loss – Merlin, Red Grouse, Eurasian Curlew, Peregrine Falcon (construction stage)</i> |
| Golden Plover: Disturbance/Displacement (construction stage) | <i>Disturbance / Displacement: General Birds, Kingfisher, Red Grouse, Merlin, Meadow Pipit, Eurasian Curlew, Peregrine Falcon (construction stage)</i> |
| Meadow Pipit: Habitat Loss (construction stage) | <i>Physical injury or destruction of nests/chicks, (construction stage)</i> |
| General Birds: Habitat Enhancement (construction stage) | <i>Disturbance / Displacement, (operational stage)</i> |
| | <i>Disturbance / Displacement, (decommissioning stage)</i> |

The source-pathway-receptor links for included impacts are described in the Impact Evaluation Tables in the next sections. **The Impact Evaluation Tables are presented in the following sections 8.7.4.1 to 8.7.4.4.**

The source-pathway-receptor links and the rationale for excluded impacts are described in the section directly after the Impact Evaluation Table sections, in Section 8.7.4.5.

8.7.4.1 Impact Evaluation Table: Golden Plover - Habitat Loss**Impact Description**

Project Life Cycle Stage: Construction stage

Impact Source: Construction Works; Excavation; Movement of Soils and MachineryCumulative Impact Source: Construction Works; Excavation; Movement of Soils and Machinery, afforestationImpact Pathway: Land Take

Impact Description: As an Annex I species Golden Plover is a High Sensitivity receptor. Land use change of suitable foraging or roosting habitat such as improved agricultural grassland, wet grassland or grassland mosaics, and upland blanket bog, where construction works areas overlap may cause reductions in foraging success, increased exposure to predation through displacement to less viable feeding areas, and also reduction in survival rates of wintering birds. No breeding Golden Plover will be affected as all works for the Elements of the Whole UWF Project are outside the Irish breeding range. In addition numbers of birds recorded, and therefore potentially affected, are low within the context of the Irish wintering population. Temporary land use change for works such as cable trenching will be reinstated immediately following construction and therefore effects will be Neutral.

Impact Quality: Negative**Evaluation of the Subject Development Impact – Golden Plover: Habitat Loss****Element 2: UWF Related Works – direct/indirect impact**Impact Magnitude:

Permanent land use change will comprise 0.2Ha of suitable foraging or roosting habitat for wintering Golden Plover as improved agricultural grassland (0.12ha) and wet grassland (0.07ha). The scale of habitat loss represents 0.16% of available suitable Golden Plover habitat (120Ha – comprising improved agricultural grassland, grassland mosaics, upland blanket bog and cutaway bog) within the study area boundary. Golden Plover were not recorded from the locations of the UWF Related Works, during any site visits and none were observed during studies to inform Upperchurch Windfarm 2013 EIS.

Significance of the Impact: Not SignificantRationale for Impact Evaluation:

- The extent of habitat loss (0.2Ha), is negligible (i.e. <1% of available habitat) and represents a very slight change from baseline conditions;
- The availability of suitable foraging and roosting habitat (at minimum 120Ha) in the greater area, notwithstanding;
- The long term duration, and;
- Low reversibility with permanent land use change likely.

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude: The potential for cumulative impacts relates to additional habitat loss as a result of Upperchurch Windfarm (7.81ha) and UWF Replacement Forestry (3.98ha), both of which occur within 1km of UWF Related Works and will involve landcover change in suitable Golden Plover habitat. However, the cumulative impact is not expected to be greater than UWF Related Works due to the absence of Golden Plover recorded on any of the three project study areas, and the extent of available habitat in the wider surrounding area.

Significance of the Impact: **Not Significant**Rationale for Impact Evaluation:

- The extent of suitable habitat to be affected;
- The availability of habitat in the wider surrounding area, notwithstanding;

| | |
|----------------------|--|
| General Bird Species | <ul style="list-style-type: none"> • The permanent duration, and; • Low reversibility with land use change likely. |
| | |
| Sensitive Aspect | Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project |
| | Element 1: UWF Grid Connection |
| Biodiversity | <u>Impact Magnitude:</u> Permanent land use change will occur at the location of the Mountphilips Substation (including access road), however the habitats present at this location are not suitable for Golden Plover due to the enclosed nature of the improved grassland fields. No habitat loss will occur along the 110kV UGC route where it occurs outside of the Mountphilips Substation site. |
| | <u>Significance of the Impact:</u> Slight |
| | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • The high sensitivity rating of the species, based on conservation status, and; • No suitable habitat loss, notwithstanding; • The permanent duration, and; • Low reversibility |
| | Element 3: UWF Replacement Forestry |
| | <u>Impact Magnitude:</u> Permanent land use change of 3.98Ha of suitable foraging or roosting grassland habitat to deciduous woodland will occur. This represents 37% of the available habitats within the UWF Replacement Forestry study area (10.7Ha). Golden Plover were not recorded from the locations of the UWF Related Works, during any site visits and none were observed during studies to inform Upperchurch Windfarm 2013 EIS. |
| | <u>Significance of the Impact:</u> Slight |
| | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • The extent of suitable habitat to be affected (3.98Ha or 37% of that available within the study area); • The permanent duration, and; • Low reversibility with land use change likely |
| | Element 4: Upperchurch Windfarm |
| | <u>Impact Magnitude:</u> Construction Works will include land use change of 7.81Ha of suitable breeding habitat for Golden Plover in the form of grassland, grassland mosaic, and bog habitat. The scale of land use change is 1.4% of available habitat within the Study area boundary (536Ha). |
| | <u>Significance of the Impact:</u> Neutral impact |
| Topic | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • No Golden Plover were recorded during winter bird studies of the Upperchurch Windfarm |
| | Element 5: UWF Other Activities |
| | <u>Impact Magnitude:</u> Negligible |
| | <u>Significance of the Impact:</u> Neutral impact |
| | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • No suitable habitat is present for roosting or foraging Golden Plover, and • Golden Plover are not known to utilize roadside verges/roundabouts for foraging or roosting, and; • Golden Plover were not recorded within the locations for the Upperchurch Hen Harrier Scheme; |

| | |
|--|----------------------|
| <ul style="list-style-type: none"> Monitoring does not include land take or land use changes | General Bird Species |
| Evaluation of Other Cumulative Impacts – Golden Plover: Habitat Loss | |
| Whole UWF Project Effect | |
| <u>Cumulative Impact Magnitude:</u> Instances of land use change in respect of suitable foraging or roosting habitat will occur from works on either side of the Slievefelim to Silvermines Mountain upland area, with habitat loss associated with UWF Related Works (0.2Ha), Upperchurch Windfarm (7.81Ha) and UWF Replacement Forestry (3.99Ha). | |
| Significance of the Cumulative Impact: Slight | |
| <u>Rationale for Cumulative Impact Evaluation:</u> <ul style="list-style-type: none"> The high sensitivity rating of the species, counterbalanced with; No birds recorded The extent of habitat loss overall in the context of the availability of habitat within the study area (Overall habitat loss is 12ha, consisting of 0.2Ha from related works, 7.81Ha from Upperchurch Windfarm and 3.99Ha from replacement forestry), The availability of habitat in the surrounding area, and notwithstanding; The permanent duration, and; Low reversibility | Sensitive Aspect |
| | |

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Bats with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.7.2.1).

8.7.4.2 Impact Evaluation Table: Golden Plover - Disturbance/Displacement

Impact Description

Project Life Cycle Stage: Construction stage

Impact Source: During Construction Noise and Visual and Intrusion

Cumulative Impact Source: During Construction Noise and Visual and Intrusion

Impact Pathway: Air

Impact Description: As an Annex I species Golden Plover is a High Sensitivity receptor. Disturbance to/displacement of wintering Golden Plover due to noise, visual intrusion or anthropogenic sources may occur during the period October to March when the highest proportion of birds (wintering) could be potentially present within the receiving environment.

As works will only be conducted during daylight hours as part of Project Design, disturbance to birds foraging at night (when most foraging takes place) is avoided. Displacement during daylight hours, if of sufficient duration and from high value foraging areas may result in effective habitat loss with consequent effects on feeding success, winter survival and breeding capacity; dependant on numbers of birds affected and availability of alternative habitat. No breeding Golden Plover will be directly affected as all works are outside the Irish breeding range.

Sources of disturbance are likely; however the degree of avoidance/response may also vary from individual to individual and as flock size varies may be limited in spatial extent. The duration of disturbance events are assumed to be brief given the linear nature of most of the works – however as birds may range over wide areas there is the potential for sequential effects i.e. from multiple concurrent sources. In this instance birds displaced from one location may experience a second disturbance stimulus from e.g. another work crew.

Impact Quality: Negative

Evaluation of the Subject Development Impact – Golden Plover: Disturbance/Displacement

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude:

120ha of suitable habitat for wintering Golden Plover occurs within the study area for UWF Related Works. However no birds have been recorded utilising these locations in studies described herein. The magnitude of any disturbance is therefore negligible.

Significance of the Impact: Not Significant

Rationale for Impact Evaluation:

- No birds were recorded in baseline studies for the Upperchurch Windfarm, which overlaps the works locations for UWF Related Works, or observed during site surveys for UWF Related Works therefore;
- The probability of disturbance is significantly reduced (to an evaluation as low), notwithstanding suitable habitat is present.
- Activities such as cable trenching will not contrast significantly from baseline activities such as road works or farming related works, and;
- The duration of any individual disturbance events (if any) will be brief, and;
- Reversible once works finish, with birds expected to return, and;
- Any response is not expected to be permanent, based on studies of the species with regard to the construction of wind farms (Pearce-Higgins et al 2012) and therefore unlikely to alter long term wintering trends;

Element 2: UWF Related Works – cumulative impact

General Bird Species

Sensitive Aspect

Biodiversity

Topic

Cumulative Impact Magnitude: The potential for cumulative impacts relates to the potential for combined or increased disturbance as a result of multiple crews of people and machinery carrying out various works and activities for Upperchurch Windfarm and UWF Replacement Forestry, both of which occur within 1km of UWF Related Works and both of which also contain suitable Golden Plover habitat. However, the cumulative magnitude of impact is considered to be low due to the absence of Golden Plover recorded on any of the three project study areas, and the extent of available habitat in the wider surrounding area and the carrying out of works during daylight hours.

Significance of the Impact: **Not Significant**

Rationale for Impact Evaluation:

- No birds were recorded in baseline studies for the Upperchurch Windfarm, which overlaps the works locations for UWF Related Works, or observed during site surveys for UWF Related Works therefore;
- The probability of disturbance is significantly reduced (to an evaluation as low), notwithstanding suitable habitat is present.

Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project

Element 1: UWF Grid Connection

Impact Magnitude:

Golden Plover are not considered to be significantly disturbed by any works on the public road network, due to the level of noise and visual disturbance already associated with traffic on the public road network. Furthermore the duration of works along the public road are assumed to be brief given the linear nature of the works. Due to the lack of suitable habitat for Golden Plover at the Mountphilips Substation works, disturbance will not occur here.

Significance of the Impact: Not Significant

Rationale for Impact Evaluation:

- No Golden Plover were recorded at the Mountphilips Substation site in 2016 or 2017.
- No Golden Plover recorded during the habitat surveys on the 110kV UGC route in January 2019.
- Some suitable habitat exists in close proximity to the public road 110kV UGC route, however traffic is already causing disturbance on roads and use of suitable adjacent lands is unlikely.
- Activities such as cable trenching will not contrast significantly from baseline activities such as road works or farming related works, and;
- The duration of any individual disturbance events will be brief, and;
- Reversible once works finish, with birds expected to return, and;
- Any response is not expected to be permanent, based on studies of the species with regard to the construction of wind farms (Pearce-Higgins et al., 2012) and therefore unlikely to alter long term wintering trends;

Element 3: UWF Replacement Forestry

Impact Magnitude: None

Significance of the Impact: Neutral effect

Rationale for Impact Evaluation:

- All planting will be done by hand and will not contrast to baseline agricultural activities.

Element 4: Upperchurch Windfarm

Impact Magnitude: None

Significance of the Impact: Neutral effect

| | |
|----------------------|--|
| General Bird Species | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • No Golden Plover were recorded in studies to inform the EIS for the <u>Upperchurch Windfarm</u> |
| | <p>Element 5: UWF Other Activities</p> |
| Sensitive Aspect | <p><u>Impact Magnitude:</u> None</p> |
| | <p><u>Impact Evaluation:</u> Neutral effect</p> |
| | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The Haul Route Activity locations do not include suitable habitat to attract Golden Plover, and; • Activities will not contrast from baseline activities already present, such as farming related works and road maintenance. • Overhead Line Activities will be similar to existing maintenance which is undertaken; will occur during daylight hours and will not result in any contrast from the existing environment. |
| | <p>Evaluation of Other Cumulative Impacts – Disturbance/Displacement</p> |
| | <p>Whole UWF Project Effect</p> |
| | <p><u>Cumulative Impact Magnitude:</u> Instances of disturbance has potential to occur on suitable foraging/roosting winter habitat from construction works and the presence of work crews on either side of the Slievefelim to Silvermines Mountain upland area. There is no potential for likely cumulative whole project effects, as no Golden Plover were recorded within study areas for any Element.</p> |
| | <p>Significance of the Cumulative Impact: Not Significant</p> |
| | <p><u>Rationale for Cumulative Impact Evaluation:</u></p> <ul style="list-style-type: none"> • No birds recorded, and; • Activities such as cable trenching, road works, will not contrast significantly from baseline activities such as farming related works, even if multiple instances occur simultaneously, and; • The duration of individual disturbance events (including sequential) will be brief, limited to daylight hours and; • Reversible once works finish, with birds expected to return, and; • Any response is not expected to be permanent, based on studies of the species with regard to the construction of wind farms (Pearce-Higgins et al., 2012) and therefore unlikely to alter long term wintering trends; |

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Bats with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.7.2.1).

8.7.4.3 Impact Evaluation Table: Meadow Pipit – Habitat Loss

Impact Description

Project Life Cycle Stage: Construction stage

Impact Source: Construction Works; Excavation; Movement of Soils and Machinery

Cumulative Impact Source: Construction Works; Excavation; Movement of Soils and Machinery, Afforestation

Impact Pathway: Land Cover

Impact Description: The Meadow Pipit is a Red-listed species due to sharp breeding declines thought to be a result of the unusually severe winters of 2009/10 and 2010/11. Based on this it is assigned a medium sensitivity rating. However, numbers of Meadow Pipit have been increasing since 2012 (CBS, 2013)¹⁷. Land use change of suitable nesting habitat (improved agricultural grassland, wet grassland or grassland mosaics, and upland blanket bog), where construction works areas overlap may cause reductions in breeding numbers, foraging success, increased exposure to predation through displacement to less viable feeding areas, and local population level declines. Temporary land use change for works such as cable trenching will be reinstated immediately following construction and therefore effects will be Neutral.

Meadow Pipit will benefit from enhancement measures for Hen Harrier as part of the Upperchurch Hen Harrier Scheme (UWF Other Activities), wherein the management prescription has been specifically designed to benefit species such as Meadow Pipit, which are an important prey item for Hen Harrier.

Impact Quality: Negative and positive

Evaluation of the Subject Development Impact – Meadow Pipit: Habitat Loss

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude:

Construction Works will include land take of 0.2Ha of suitable breeding habitat for Meadow Pipit in the form of grassland and grassland mosaic. The scale of habitat loss is 0.15% of available habitat within the Study area boundary (123Ha – where suitable habitats for Meadow Pipit include grassland, grassland mosaics, dry heath, upland blanket bog and cutaway bog).

Significance of the Impact: Not Significant

Rationale for Impact Evaluation:

- The medium sensitivity of the species, based on conservation status, and;
- The extent of suitable habitat to be affected (0.2Ha), evaluated as negligible (<1% of available habitat lost),
- Comprises a minor shift away from baseline conditions, notwithstanding;
- The long-term duration (15-60 years), and;
- Low reversibility with permanent land use change likely

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude: The potential for cumulative impacts relates to additional habitat loss as a result of Upperchurch Windfarm (7.81ha) and UWF Replacement Forestry (3.98ha), both of which occur within 1km of UWF Related Works and will involve land cover change in suitable Meadow Pipit habitat. The cumulative impact magnitude is expected to be low, due to small area of land cover change, in the context of the extent of available habitat in the wider surrounding area.

Significance of the Impact: **Not Significant**

¹⁷ Citation: Crowe, O., R. H. Coombes, O. O'Sullivan, T. D. Tierney, A. J. Walsh & J. O'Halloran. 2014. Countryside Bird Survey Report 1998-2013. BirdWatch Ireland, Wicklow

| | |
|----------------------|--|
| General Bird Species | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The extent of suitable habitat to be affected; • The availability of habitat in the wider surrounding area; • The permanent duration, and; • Low reversibility with land use change likely. |
| | <p>Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project</p> |
| Sensitive Aspect | <p>Element 1: UWF Grid Connection</p> |
| | <p><u>Impact Magnitude:</u></p> <p>A total of 1.39Ha of suitable foraging habitat will be lost due to land use change at Mountphilips substation and access roads. No suitable habitat loss will occur along the 110kV UGC route.</p> <p><u>Significance of the Impact:</u> Slight</p> <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The medium sensitivity of the species, based on conservation status, and; • No loss of suitable breeding habitat • The extent of suitable foraging habitat to be affected (1.39Ha), evaluated as low. |
| | <p>Element 3: UWF Replacement Forestry</p> |
| | <p><u>Impact Magnitude:</u></p> <p>Construction Works will include permanent land use change of 3.98Ha of suitable breeding habitat (improved agricultural grassland (3.54ha) and wet grassland (0.44ha) for Meadow Pipit. The scale of habitat loss represents 37% of available habitats (10.68Ha) within the UWF Replacement Forestry study area but is offset by the retention of suitable Meadow Pipit habitat within woodland rides to be established for foraging Hen Harrier.</p> <p><u>Significance of the Impact:</u> Slight</p> <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The medium sensitivity of the species, based on conservation status, and; • The majority of land use change is from improved agricultural grassland, which is sub-optimal for Meadow Pipit, and; • Offset by the retention of rides (i.e. Meadow Pipit habitat) within the deciduous woodland to be planted, notwithstanding; • The extent of habitat subject to change, evaluated as high (20-80% of habitat lost), which; • Comprises a major alteration to the baseline conditions; • The permanent duration, and; • Low reversibility with land use change likely |
| Biodiversity | <p>Element 4: Upperchurch Windfarm</p> |
| | <p><u>Impact Magnitude:</u></p> <p>Construction Works will include land use change of 7.81Ha of suitable breeding habitat for Meadow Pipit in the form of grassland, grassland mosaic, and bog habitat. The scale of land use change is 2.39% of available habitat within the Study area boundary (128Ha).</p> <p><u>Significance of the Impact:</u> Slight</p> <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The medium sensitivity of the species, based on conservation status, and; • The extent of habitat to be lost, is low (i.e. 1-5% of available habitat), which; |
| Topic | |

- Comprises a minor shift away from baseline conditions, notwithstanding;
- The long-term duration (15-60 years), and;
- Low reversibility with permanent land use change likely

Element 5: UWF Other Activities

Impact Magnitude:

The sensitive management of 128Ha of lands for Hen Harrier as part of the Upperchurch Hen Harrier Scheme will also increase the suitable habitat present for Meadow Pipit. No habitat loss of suitable breeding habitat is associated with other locations such as Haul route activities and Overhead Line Activities.

Significance of the Impact: Moderate (positive)

Rationale for Impact Evaluation:

- The medium sensitivity of the species, based on conservation status, and;
- The extent of lands to be sympathetically managed, evaluated as high (i.e. 20-80% of the 128Ha included in the Upperchurch Hen Harrier Scheme of habitats present), which;
- Comprises a major alteration to baseline features, and
- The long term duration, over the lifetime of the project, and;
- Low reversibility.

Evaluation of Other Cumulative Impacts – Meadow Pipit: Habitat Loss

Whole UWF Project Effect

Cumulative Impact Magnitude:

Instances of land use change in respect of suitable breeding habitat will occur from works associated with the UWF Related Works (0.2Ha), UWF Replacement Forestry (3.99Ha) and the Upperchurch Windfarm (7.81Ha). No cumulative habitat loss effects will occur to meadow pipit as a result of UWF Related Works in combination with UWF Grid Connection works, as any land use change associated within the UWF Grid Connection are outside the zone of effect for the UWF related works. No land Use change will occur within the SPA (where either UWF Grid Connection or UWF Related Works overlaps the SPA) and outside the SPA - the Upperchurch Hen Harrier Scheme (UWF Other Activities) measures will also enhance Meadow Pipit habitat.

Significance of the Cumulative Impact: Slight

Rationale for Cumulative Impact Evaluation:

- The medium sensitivity of the species, based on conservation status, and;
- The extent of habitat loss overall in the context of the availability of habitat within the study area (12ha), (Overall habitat loss is 12ha, consisting of 0.2Ha from related works, 7.81Ha from Upperchurch Windfarm and 3.99Ha from replacement forestry),
- The extent of land use change overall (12Ha), comprises of a small extent of available habitat within 1km.
- A minor shift away from baseline conditions, which;
- Is ameliorated by the management of lands (128ha) as part of the Upperchurch Hen Harrier Scheme, over;
- A long-term to permanent duration, and with;
- Low reversibility

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Bats with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.7.2.1).

8.7.4.4 Impact Evaluation Table: General Birds - Habitat Enhancement

Impact Description

Project Life Cycle Stage: Construction Stage

Impact Source: Reinstatement and Replanting of construction works areas

Cumulative Impact Source: Reinstatement, Replanting, enhancement planting, maintenance of rush swards, Planting of Deciduous Trees

Impact Pathway: Land use Change

Impact Description: The planting of equivalent deciduous forestry for lower ecological value conifer plantation, as UWF Replacement Forestry, in addition the use of locally sourced native hedgerow and tree species in all landscaping and reinstatement will constitute a land use change to higher value habitat for general birds.

In addition the management measures as part of the Upperchurch Hen Harrier Scheme (Whole UWF Project Element: UWF Other Activities) such as the maintenance of rush swards, enhancement and planting of hedgerows and riparian habitat, and promotion of semi-natural habitat will increase habitat quality for ground nesting birds such as Meadow Pipit and Skylark, and general birds of open countryside – this will have secondary positive effects not only on Hen Harrier but additionally other raptor species which may be present such as Kestrel.

It is likely that the above will result in a net gain to overall bird diversity - with the duration being permanent in the case of the UWF Grid Connection and UWF Replacement Forestry, and long term in the case of the UWF Related Works, Upperchurch Hen Harrier Scheme and Upperchurch Windfarm.

Impact Quality: Positive

Evaluation of the Subject Development Impact – General Birds: Habitat Enhancement

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude:

Equivalent lengths of native hedgerow and native trees will be replanted in lieu of hedgerow removal. In addition, c.370m of new hedgerow will be planted alongside the Realigned Windfarm Road RWR2.

Significance of the Impact: Imperceptible (positive)

Rationale for Impact Evaluation:

- The benefit to bird diversity, and;
- Long term duration, and;
- The low reversibility with proposed enhancement already incorporated into project design.

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude:

Instances of enhancement, and management of habitat specifically for the benefit of birds will occur within 1km of UWF Related Works as part of the UWF Related Works, UWF Replacement Forestry (by design), Upperchurch Windfarm and UWF Other Activities (Upperchurch Hen Harrier Scheme).

Significance of the Cumulative Impact: **Slight (positive)**

Rationale for Cumulative Impact Evaluation:

- The benefit to bird diversity, and;
- The contrast with emerging trends in respect of land management and land cover, and;
- The duration which is long term to permanent, and;
- The low reversibility.

General Bird Species

Sensitive Aspect

Biodiversity

Topic

| Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project | |
|---|----------------------|
| Element 1: UWF Grid Connection | General Bird Species |
| <u>Impact Magnitude:</u> At Mountphilips, 700m of new native species hedgerow will be planted alongside the new access road between Site Entrance No. 1 and the new Mountphilips Substation. | |
| <u>Significance of the Impact:</u> Imperceptible (positive) | |
| <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • The benefit to bird diversity, and; • The positive contrast with emerging trends in respect of land management and existing land cover, and; • The permanent duration, and; • The low reversibility with proposed enhancement already incorporated into project design | |
| Element 3: UWF Replacement Forestry | Sensitive Aspect |
| <u>Impact Magnitude:</u> In total, 6Ha of mixed species, native woodland will be created, which will comprise tall trees and understorey shrubs, along with wide ride lines, and a mix of tall grasses and scrub land cover maintained during the growth stage. The existing riparian habitat will be enhanced through the planting of Hazel, Alder and Willow species, and protected through the placement of fencing. | |
| <u>Significance of the Impact:</u> Slight (positive) | |
| <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • The benefit to bird diversity, and; • The contrast with emerging trends in respect of land management, and; • The permanent duration, and; • The low reversibility with proposed enhancement already incorporated into project design. | |
| Element 4: Upperchurch Windfarm | |
| <u>Impact Magnitude:</u> The planting of 360m of new hedgerow using native species, and the enhancement of existing hedgerows with native species will constitute a land use change to a higher value habitat for general birds. | |
| <u>Significance of the Impact:</u> Imperceptible (positive) | |
| <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • The benefit to bird diversity, and; • The low reversibility with proposed enhancement already incorporated into project design. | |
| Element 5: UWF Other Activities | Biodiversity |
| <u>Impact Magnitude:</u> The Upperchurch Hen Harrier scheme will result in 2.2Ha of trees, 1.4km of riparian habitat and 2.8km of new hedgerow being enhanced or created during initial activities. In total 128Ha of agricultural lands will be managed. The measures to be incorporated such as planting of scrub along riparian corridors, management of rush coverage, reductions in stocking levels, limiting of drainage, fertilizing, burning or hedgerow removal will constitute a land use change to a higher value habitat for general birds. | |
| <u>Significance of the Impact:</u> Significant (positive) | |
| <u>Rationale for Impact Evaluation:</u> | |
| | Topic |

| | |
|----------------------|---|
| General Bird Species | <ul style="list-style-type: none"> • The benefit to bird diversity, and; • The contrast with emerging trends in respect of land management, and; • The duration proposed for management, and; • The low reversibility with proposed enhancement already consented |
| | Evaluation of Other Cumulative Impacts – General Birds: Habitat Enhancement |
| Sensitive Aspect | Whole UWF Project Effect |
| | <u>Cumulative Impact Magnitude:</u> Instances of enhancement, and management of habitat specifically for the benefit of birds will occur as part of the UWF Grid Connection, UWF Related Works, UWF Replacement Forestry (by design), and Upperchurch Windfarm. Cumulative positive effects may accrue due to the proximity of the UWF Replacement Forestry to the Upperchurch Hen Harrier Scheme. |
| | Significance of the Cumulative Impact: Slight (positive) |
| | <u>Rationale for Cumulative Impact Evaluation:</u> <ul style="list-style-type: none"> • The benefit to bird diversity, and; • The contrast with emerging trends in respect of land management and land cover, and; • The duration which is long term to permanent, and; • The low reversibility. |

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Bats with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.7.2.1).

8.7.4.5 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in Table 8-54 below.

Table 8-54: Description and Rationale for Excluded Impacts to General Bird Species

Key: 1: UWF Grid Connection; 2: UWF Related Works; 3: UWF Replacement Forestry; 4: Upperchurch Windfarm; 5: UWF Other Activities

| Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|-----------------------------------|-----------------|--------------------|--|--|
| Construction Stage/Planting Stage | | | | |
| Land take | 1,2,3,4,5 | Land cover | Habitat Loss (Merlin, Red Grouse) | Merlin: Evaluated as Excluded - Neutral habitat loss within the context of wintering Merlin. |
| | 1,2,3,4,5 | | | Red Grouse: Evaluated as Excluded - No Habitat Loss from Elements (1, 2, 3, 4, 5) including Overhead Line Activities as part of ‘UWF Other Activities’. |
| | 1,2,3,4,5 | | Habitat Loss (Eurasian Curlew) | Eurasian Curlew: Evaluated as Excluded - No evidence of Curlew within the study areas for Elements 1, 2, 3, 4, 5 was noted therefore it is considered that no currently used breeding habitat will be subject to land use change as a result of the Whole UWF Project. Furthermore, there will be no loss of suitable habitat in relation to element 1. No habitat loss from Other Elements including Overhead Line Activities as part of ‘UWF Other Activities’. |
| Noise and human activity | 1,2,3,4,5 | Visibility | Disturbance/ Displacement (General Birds, Kingfisher, Red Grouse, Merlin, Meadow Pipit, Eurasian Curlew, Peregrine Falcon Dipper (in combination), Grey Wagtail (in combination), Barn Owl (in combination)) | General Birds and Peregrine Falcon: Evaluated as Excluded for remaining species with sensitivity rating of medium and lower. |
| | 1,2,3,4,5 | Air and Visibility | | Kingfisher: Evaluated as Excluded - Neutral effects as no nest locations were identified within the zone of effect, i.e. proximal to River Crossings on the Newport (Mulkear), Clare and Bilboa Rivers (Element 1). No nests were identified within the zone of effect at watercourse crossing locations associated with UWF Related Works/Upperchurch Windfarm. Best Practice measures are provided to ensure Neutral effects. No watercourse crossing works associated with either UWF Replacement Forestry or UWF Other Activities. Dipper, Grey Wagtail and Barn Owl; Evaluated as Excluded as these species were not identified during related works surveys, only recorded in relation to element 1. |
| | 1,2,3,4,5 | Visibility | | Red Grouse: Evaluated as Excluded - No habitat loss from Whole UWF Project Elements 1, 2, 3, 4, 5 including Overhead Line Activities as part of ‘UWF Other Activities’. |
| | 1,2,3,4,5 | | | Merlin: Evaluated as Excluded - Low numbers of wintering birds will not be measurably affected by the scale of visual intrusion or disturbance. This includes Overhead Line Activities as part of ‘UWF Other Activities’. |

| General Bird Species | | Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|---|--|----------------------|--------------------|--|---|---|
| Sensitive Aspect | | | 1,2,3,4,5 | | | Meadow Pipit: Evaluated as Excluded - Most passerine (perching) species and general lowland farmland birds are not considered to be particularly susceptible to impacts from wind farms (SNH, 2014) – including construction stage disturbance. Studies on the impacts of wind farms during both construction (Pearce-Higgins <i>et al.</i> 2012 ¹⁸) and operation (Pearce-Higgins <i>et al.</i> 2009 ¹⁹) have found little evidence of significant disturbance effects on passerine species. |
| | | | 1,2,3,4,5 | | | Eurasian Curlew: No Eurasian Curlew recorded within the study areas for Elements 1, 2,3,4,5. |
| | Movement of soils and machinery | 1,2,3,4,5 | Direct Contact | Physical injury/destruction of nests or chicks – General Birds (in combination), Grey Wagtail (in combination), Barn Owl (in combination)) | Evaluated as Excluded - Hedgerow trimming and felling will occur outside the bird nesting season. Effects on ground nesting birds including Meadow Pipit from works such as cable trenching will be overseen by Project Ecologist and therefore effects will be Neutral. Dipper, Grey Wagtail and Barn Owl; Evaluated as Excluded as these species were not identified during related works surveys, only recorded in relation to element 1. | |
| | Hedgerow trimming Forestry Felling | 1,2,3,4,5 | Direct Contact | Physical injury/destruction of nests or chicks – General Birds | Evaluated as Excluded; all trimming /felling will occur outside the bird nesting season. | |
| Operational Stage/Growth Stage | | | | | | |
| Biodiversity | Maintenance Noise/ Visual intrusion | 1,2,3,4,5 | Air and Visibility | Disturbance/ displacement – (Golden Plover, Eurasian Curlew, Red Grouse, Merlin, Meadow Pipit, Dipper (in combination), Grey Wagtail (in combination), Barn Owl (in combination)) | Golden Plover: Evaluated as Excluded - Neutral disturbance/displacement effects are expected due to maintenance activities because all maintenance works will be carried out from hardcore surfaces (Elements 1, 2, 3, 4), from public road (Elements 1,5), or on foot (Elements 2,3,5). Dipper, Grey Wagtail and Barn Owl; Evaluated as Excluded as these species were not identified during related works surveys, only recorded in relation to element 1. | |
| | | | | | Eurasian Curlew: Evaluated as Excluded; Neutral effects predicted | |
| | | | | | Red Grouse: Evaluated as Excluded; Neutral effects predicted | |
| | | | | | Merlin: Evaluated as Excluded; Neutral effects predicted | |
| | | | | | Meadow Pipit: Evaluated as Excluded; Neutral effects predicted. | |
| ¹⁸ Greater Impacts of wind farms on bird populations during construction than subsequent operation: results of a multi site and multi-species analysis. Pearce-Higgins, J.W., Stephen, L., Douse, A., Langston, R.H.W. s.l. : Journal of Applied Ecology. 2012. Vol. 49. pp. 386-394 | | | | | | |

| Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|------------------------------|-----------------|------------|--|---|
| Decommissioning Stage | | | | |
| Noise and human activity | 1,2,3,4,5 | Visibility | Disturbance/ Displacement (Golden Plover, Eurasian Curlew, Red Grouse, Merlin) | Golden Plover: Evaluated as Excluded - as there are no decommissioning activities associated with either the UWF Grid Connection or UWF Replacement Forestry, and no significant decommissioning activities associated with the UWF Related Works or UWF Other Activities. No Golden Plover were recorded in studies for Upperchurch Windfarm (Element 4). |
| | | | | Eurasian Curlew: Evaluated as Excluded; Neutral effects predicted |
| | | | | Red Grouse: Evaluated as Excluded; Neutral effects predicted |
| | | | | Merlin: Evaluated as Excluded - as there are no decommissioning activities associated with either the UWF Grid Connection or UWF Replacement Forestry, and no significant decommissioning activities associated with the UWF Related Works or UWF Other Activities. Decommissioning (4) is not likely to affect low numbers of wintering Merlin measurably. |
| | 1,2,3,4,5 | | Disturbance/Displacement Mortality of ground nesting birds – Meadow Pipit | Meadow Pipit: Evaluated as Excluded as there are no decommissioning activities associated with either the UWF Grid Connection or UWF Replacement Forestry, and no significant decommissioning activities associated with the UWF Related Works or UWF Other Activities. In relation to Upperchurch Windfarm (Element 4), Activities will only take place at existing hard stand locations within Upperchurch Windfarm, will be temporary in duration, reversible, and occur primarily in habitats of low value for Meadow Pipit. Studies on the impacts of wind farms during both construction (Pearce-Higgins <i>et al.</i> 2012) and operation (Pearce-Higgins <i>et al.</i> 2009) have found little evidence of significant disturbance effects on passerine species. This is also applicable to decommissioning. |

General Bird Species

Sensitive Aspect

Biodiversity

Topic

8.7.5 Mitigation Measures for Impacts to General Bird Species

Mitigation measures were incorporated into the UWF Related Works project design including the Project Design Measures. No additional mitigation measures are required as **no significant adverse impacts** are concluded by the topic authors as likely to occur to General Bird Species as a consequence of the UWF Related Works.

8.7.6 Evaluation of Residual Impacts to General Bird Species

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures are required and thus the Residual Impact is the same as the Impact set out in Impact Evaluation Table sections for General Bird Species above (Section 8.7.4) - **no significant adverse impacts**.

8.7.7 Application of Best Practice and the EMP for General Bird Species

Best Practice Measures (BPM), although not part of the Project Design for the UWF Related Works, will be employed to afford further protection to the Environment.

The following Best Practice Measures have been developed, for the protection of **General Bird Species**, by the authors of this topic chapter, using industry best practice:

| | |
|-----------|---|
| RW-BPM-17 | Best practice measures for the removal of vegetation during construction |
| RW-BPM-19 | Disturbance to and/or displacement of nesting Common Kingfisher (<i>Alcedo atthis</i>). |
| RW-BPM-22 | Management of general non-native invasive species |

These Best Practice Measures are included in full at the end of this topic chapter, and also form part of the **Environmental Management Plan for UWF Related Works**, which is included as **Volume D** with the planning application.

8.7.7.1 Invasive Species Management Plan

In addition to the Best Practice Measures relating to Invasive Species, an Invasive Species Management Plan has been developed to prevent the introduction and/or spread of invasive species.

The Invasive Species Management Plan includes monitoring and biosecurity measures which will inform the actions required to effectively respond to any incursions and to control existing invasive species populations. The Invasive Species Management Plan also forms part of the **Environmental Management Plan for UWF Related Works**, which is included as **Volume D** with the planning application.

8.7.8 Summary of Impacts to General Bird Species

A summary of the Impact to General Bird Species is presented in Table 8-55.

Table 8-55: Summary of the impacts to General Bird Species

| Impact to General Bird Species: | Golden Plover: Habitat Loss | Golden Plover: Disturbance /Displacement | Meadow Pipit: Habitat Loss | General Birds: Habitat Enhancement |
|---|-----------------------------|--|----------------------------|------------------------------------|
| <i>Evaluation Impact Table</i> | <i>Section 8.7.4.1</i> | <i>Section 8.7.4.2</i> | <i>Section 8.7.4.3</i> | <i>Section 8.7.4.4</i> |
| Project Life-Cycle Stage | Construction | Construction | Construction | Construction |
| <u>UWF Related Works</u> <i>Direct & indirect effects</i> | Not Significant | Not Significant | Not Significant | Imperceptible (positive) |
| <u>UWF Related Works</u> <i>Cumulative effects</i> | Not Significant | Not Significant | Not Significant | Slight (positive) |
| Element 1: UWF Grid Connection | Slight | Not Significant | Slight | Slight (positive) |
| Element 3: UWF Replacement Forestry | Slight | Neutral | Slight | Slight (positive) |
| Element 4: Upperchurch Windfarm | Neutral | Neutral | Slight | Imperceptible (positive) |
| Element 5: UWF Other Activities | Neutral | Neutral | Moderate (positive) | <u>Significant positive</u> |
| <u>Cumulative Impact:</u> | | | | |
| All Elements of the Whole UWF Project | Slight | Not Significant | Slight | Slight (positive) |

The greyed out boxes in the above summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to present the totality of the project.

General Bird Species

Sensitive Aspect

Biodiversity

Topic

| |
|----------------------|
| General Bird Species |
| Sensitive Aspect |

| |
|--------------|
| Biodiversity |
| Topic |

8.8 Sensitive Aspect No.7: Bats

This Section provides a description and evaluation of the Sensitive Aspect - Bats.

8.8.1 BASELINE CHARACTERISTICS of Bats

8.8.1.1 STUDY AREA for Bats

The study area for Bats in relation to the UWF Related Works is described in Table 8-56 and illustrated on **Figure RW 8.8: Bats within the UWF Related Works Study Area** (Volume C3 EIAR Figures).

Table 8-56: UWF Related Works Study Area for Bats

| Study Area for Bats | Justification for the Study Area Extents |
|---|--|
| <ul style="list-style-type: none"> • Buildings within 150m of the construction works area boundary • Mature trees within 50m of the construction works area boundary; • Linear vegetation features (e.g. hedgerows) of high suitability for foraging bats within the construction works area boundary • Bridges within the construction works area boundary and along material haulage routes on the local road network between the concrete suppliers and the works locations. | <p>Professional Judgement and as per Best Practice: Bat Surveys for Professional Ecologists: Good Practice Guidelines, Collins, (2016), and The Conservation of Bats in Bridges Project – A Report on the survey and conservation of bat roosts in bridges in Cumbria, Billington and Norman (1997).</p> |

8.8.1.2 Baseline Context and Character of Bats in the UWF Related Works Study Area

The UWF Related Works will be located in the eastern foothills of the Slievefelim to Silvermine Mountains upland area in County Tipperary. The landscape present is predominantly improved agricultural landscape, interspersed with hedgerows and low-density houses and farm buildings. Mature trees are also present within hedgerows and along public roads.

Bats are common and widespread throughout Ireland, and occupy a wide variety of habitats. In a regional context, the following is noted in the (Draft) North Tipperary Biodiversity Plan 2007: *“Many bat species forage in woodland and over water, and the combination of both habitats within North Tipperary makes the area valuable for bat species. Built structures, such as bridges, that occur close to water are of particular value as roosts. Six of Ireland’s bat species are known to occur in North Tipperary: common pipistrelle Pipistrellus pipistrellus, soprano pipistrelle Pipistrellus pygmaeus, Leisler’s bat Nyctalus leisleri, Natterer’s bat Myotis nattereri (records from www.batconservationireland.org), Brown long-eared bat Plecotus auritus and Daubenton’s bat Myotis daubentonii (pers comm. S. Jones, S. Geraghty²⁰)”*. In addition, the author has recorded Nathusius’ pipistrelle *Pipistrellus nathusii* and whiskered bat *Myotis mystacinus* in north Tipperary. Ireland’s only other regularly-occurring bat species – the lesser horseshoe bat *Rhinolophus hipposideros* – can occasionally be found on the Limerick – Tipperary border, but in general the county is outside the range of this species. A desktop review of known bat roosts identified no roosts in the UWF Related Works Study Area.

Online national landscape suitability maps for Irish bat species (Lundy *et al.*, 2010) were reviewed and indicate that the suitability index for the ‘all bats combined’ layer is moderate within the environs of UWF Related Works. When considered at the level of individual bat species, the UWF Related Works Study Area has high suitability for common pipistrelles; moderate suitability for soprano pipistrelles, Leisler’s bat,

²⁰ As cited in the ‘draft North Tipperary Biodiversity Plan 2007’

Whiskered Bat and Natterer's bat, low suitability for Daubenton's and brown long-eared bats, and negligible suitability for Nathusius' pipistrelles and lesser horseshoe bats.

Field Survey Results – UWF Related Works Study Area:

In addition to desktop studies, field surveys were used to gather further information on bats in the UWF Related Works area, and comprised surveys of buildings, bridges, trees, and hedgerows and other linear features. Preliminary ecological appraisals were carried out for buildings, bridges and trees in order to determine their suitability for Bats. The methodology for determining the suitability of a building/bridge/tree for Bats is described in Section 8.1.8.3 of the Introductory section of Chapter 8.

Roosts in Buildings

Preliminary ecological appraisals were carried out in 2016 and 2017 of all buildings (35 no.) within the study area. All buildings were assigned a suitability category of negligible, low, moderate or high suitability, based on the age and condition of structural features used by roosting bats (e.g. roof tiles, attic spaces, soffit / fascia boards, walls). The aim of the assessments was to identify any buildings of high or moderate roost suitability that were at risk of direct or indirect effects, in order to identify priorities for further survey.

28 no. buildings were considered to have negligible or low suitability for bat roosts. 7 no. buildings were considered to have moderate or high suitability, and presence / absence surveys and/or roost characterisation surveys were carried out at these buildings in July/August 2017 to cover the maternity period.

Four bat roosts were identified, all of which were located in dwelling houses and farm buildings. None of the roosts were located within the construction area boundaries. Two roosts are of County Importance, with the closest located 5m from the UWF Related Works construction works area. One roost is of Local importance, located 130m from the construction works area, and another is of Negligible importance.

Table 8-57: Identified Bat Roosts in the UWF Related Works study area

| <u>Code</u> | <u>Type</u> | <u>Evidence of bats</u> | <u>Valuation</u> | <u>Proximity to UWF Related Works construction works area boundary</u> |
|-------------|---|---|------------------|--|
| BR14 | Dwelling house | Day roost / satellite roost: 1 common pipistrelle | Negligible | 15m |
| BR15 | Dwelling house and traditional farm buildings | Maternity roost: 50 - 60 common pipistrelles Maternity roost: 5 soprano pipistrelles. | Local | 130m |
| BR16 | Dwelling house and traditional farm buildings | Maternity roost: 4 - 5 natterers bats. Transitional / mating roosts: 5 - 10 natterers bats, 20 common pipistrelles, 3 brown long-eared bats. Summer non-breeding / day roost: 2 common pipistrelles, 1 Leisler's bat. Hibernation roost: natterer's bats, common pipistrelles, Leisler's bat. | County | 10m |
| BR17 | Dwelling house | Maternity roost: 2 – 3 natterers bats | County | 5m |

Roosts in Bridges

7 no. bridges / culverts were identified within the construction works area boundary, with none along the material haulage routes on the local road network between the Upperchurch Windfarm main site entrance off the regional road in Shevry and the UWF Related Works locations.

All bridges / watercourse crossing structures were evaluated as having negligible suitability for bats, so no additional bat surveys (e.g. preliminary roost appraisal or presence / absence surveys) were required.

Bridges along material haulage routes from the source quarries (for stone/concrete) and the main entrance for Upperchurch Windfarm were surveyed, and were scoped out, because no bridge strengthening / modifications are required at these bridges. It was evaluated that there was no risk to bats at these bridge locations, due to the absence of any bridge works and in the context of the use of the bridge on a daily basis by HGV traffic.

Roosts in Mature Trees

Crevices and cavities in mature trees can provide roosting opportunities for bats, with some species (e.g. Leisler's bat) thought to favour roosting sites in trees. Recent research has demonstrated that the use of roosts in trees can be highly transitory, with frequent roost switching between nights and across the season, although some large cavities can be used as maternity or hibernation roosts for longer periods of time. Almost all records to date have been from broadleaf trees (particularly oaks), with only a very small number from specimen conifers, and none from conifer plantations²¹.

All trees within 50m of the construction works area were evaluated as having negligible suitability for bats, so no additional bat surveys (e.g. preliminary roost appraisal or presence / absence surveys) were required.

Activity

Bat activity surveys were carried out using automated bat detectors at two sampling locations within the study area, covering both the summer and autumn periods. This method was selected in preference to transect surveys, because automated detectors sample activity throughout the night (transect surveys typically only cover the post-emergence period), and because they allow comparative analyses between multiple sites that are sampled concurrently.

Activity levels were relatively high, with an average of one bat pass every three minutes throughout the survey period (a Bat Activity Index of 20.8). The only species recorded in significant numbers was the common pipistrelle; all other species had negligible activity. Lesser-horseshoe bats were not recorded. One habitat feature was considered to be of County Importance as a commuting route / feeding area.

Table 8-58: Bat Activity Sampling Results in the UWF Related Works study area

| <u>Site</u> | <u>Habitat</u> | <u>Month</u> | <u>Characterisation of activity</u> | <u>Ecological value</u> |
|-------------|----------------------------|--------------|-------------------------------------|-------------------------|
| SD26 | Farmyard | Jun | Near-constant CP | County |
| | | Sept | Occasional CP | |
| SD27 | Edge of conifer plantation | Jun | Occasional CP | Negligible |
| | | Sept | Negligible | |

²¹ Andrews H & Gardener M 2016. Bat Tree Habitat Key – Database Report 2016. AEcol, Bridgwater

Further detailed data on activity and roost surveys and results are included in [Appendix 8.1: Detailed Biodiversity Information and Data \(Section A8.1.3.3\)](#) and maps showing the preliminary ecological appraisals of buildings, trees and bridges are provided in [Figure RW 8.8: Bats within the UWF Related Works Study Area](#).

Note: The locations of bat roosts are not shown in Figure RW 8.8, but detailed descriptions and coordinates of each roost are provided in a confidential annexe to Appendix 8.1 (Section A8.1.7), which will be provided to the planning authority and key statutory consultees but will not be made publicly available.

Bats

Sensitive Aspect

8.8.1.3 Importance of Bats

All bat species, and their breeding / resting places, are legally protected in Ireland under the Wildlife Act 1976 (as amended in 2000). The Wildlife Act, 1976, is the principal national legislation providing for the protection of wildlife and the control of activities which may adversely affect wildlife. For the purpose of the current evaluation, importance levels are as described under Context (above) in respect of both roosts and locations of activity.

All bats are listed on Annex IV of the EU Habitats Directive 92/43/EEC, which was transposed into national law through the European Communities (Natural Habitats) Regulations 1997 (S.I. 94/97) as amended in 1998 (S.I. No. 233/1998), 2005 (S.I. No. 378/2005) and 2011 (SI No. 477/2011). This legislation protects bats both inside and outside of the Natura 2000 site network. Furthermore, lesser horseshoe bat is listed on Annex II of the EU Habitats Directive 92/43/EEC which requires Special Areas of Conservation (SACs) to be designated within the Natura 2000 site network to ensure the maintenance of their conservation status.

The Convention on the Conservation of European Wildlife and Natural Habitats (Bern Convention, 1982) ensures that governments take into account the conservation needs of species during the formulation of planning and development policies. It also seeks the protection of endangered species and in relation to bats, it stipulates that all bat species and their habitats are conserved.

8.8.1.4 Sensitivity of Bats

The key sensitivities of bats are the destruction or disturbance of their roosting places, and the modification of their commuting routes and foraging habitats (NPWS 2013, Collins *et al.*, 2016).

During the day, bats roost in man-made structures (typically houses, farm buildings and bridges), mature trees, and caves. They can suffer direct effects due to the destruction or modification of their roosts (e.g. the demolition of a house or felling of a tree), or indirect effects due to disturbance of the area surrounding a roost (e.g. illumination of exit / entry points, or removal of surrounding vegetation). They are most sensitive to effects during their maternity and hibernation periods, which are from May to August and November to March, respectively.

After sunset, bats 'commute' from their roosts to a suitable feeding area, and spend most of the night foraging for insect prey. They typically favour linear habitat features (e.g. hedgerows and forest edges) for commuting and foraging, and usually avoid brightly-lit areas (Lundy *et al.*, 2011). They may travel several kilometres from their roost, and may use different feeding areas on different nights.

Biodiversity

Topic

8.8.1.5 Trends in the Baseline Environment (the 'Do-Nothing' scenario)

Under Article 17 of the EC Habitats Directive (European Commission Directive 92/43/EEC), the Irish government is obliged to assess and report on the conservation status of all habitats and species listed in Annexes I, II, IV and V of the directive, including bats. In the latest submission (NPWS 2013), all Irish bat

species are considered to be of favourable conservation status, although the status of Nathusius' pipistrelle is listed as unknown, because there is some uncertainty about their range and breeding status. Most bat species are listed as 'least concern' on the all-Ireland red list of mammals (Marnell *et al.*, 2009), including the Nathusius' pipistrelle. Leisler's bat is listed as 'near-threatened' because Ireland supports an internationally-important population, but the overall population status of this species is known to stable or increasing.

The abundance of Irish bats is monitored by Bat Conservation Ireland (Roche *et al.*, 2012) using annual public surveys such as the 'Car-Based Monitoring Scheme', the 'All-Ireland Daubenton's Bat Waterways Survey', and roost monitoring assessments for brown long-eared bats and lesser horseshoe bats. In combination, these projects monitor all Irish species except Natterer's bat and whiskered bat. **To date the populations of all monitored species appear to be stable or increasing.**

If the development does not proceed, the site is expected to remain in the baseline condition and to be used by bat species on an occasional to regular basis. Based on the national trends of these species, the abundance of bats in the surrounding landscape is expected to remain stable, or to increase at a slow rate.

8.8.1.6 Receiving Environment (the Baseline + Trends)

As the conservation status of all Irish bat species is considered to be stable, it is expected that the baseline levels of bat activity recorded in 2016 / 2017 will not change significantly by the time of construction or operation and decommissioning.

8.8.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics

8.8.2.1 Cumulative Evaluation Study Areas

8.8.2.1.1 UWF Related Works Cumulative Evaluation Study Area

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for Bats | Justification for the Study Area Extents |
|--|--|
| <ul style="list-style-type: none"> • 300m of the UWF Related Works construction works area boundary | <p>The increased distance facilitates the identification of other Elements or Other Projects or Activities which will be carried out within 150m of an identified bat roost in a building or potential feeding area (in any directions) / commuting route affected by UWF Related Works, or within 50m of an identified bat roost in any trees.</p> <p>Beyond 150m from roosts, it is considered that cumulative effects to bats will be negligible.</p> |

The study is illustrated on **Figure CE 8.8 Bats within the UWF Related Works Cumulative Evaluation Study Area**.

8.8.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project.

A description of these Other Elements is included in this EIA Report at **Appendices 5.3, 5.4, 5.5 and 5.6**, in **Volume C4 EIAR Appendices**. Scoping of these Other Elements is presented in **Section 8.8.2.2.1** below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements which are described in Table 8-59 and illustrated on **Figure WP 8.8: Bat within the Cumulative Evaluation Study Area** (Volume C3 EIAR Figures).

Table 8-59: Whole Project Cumulative Evaluation Study Area for Bats

| <u>Cumulative Project</u> | <u>Cumulative Study Area Boundary</u> | <u>Justification for Study Area Extent</u> |
|--|--|--|
| Element 1: UWF Grid Connection | <ul style="list-style-type: none"> • Buildings within 150m of Element construction works areas or activity locations • Mature trees within 50m of Element construction works areas or activity locations; • Hedgerow severance locations • Bridges within construction works locations or along concrete/aggregate haulage routes for Elements of the Whole UWF Project. | Professional Judgement and as per Best Practice: |
| Element 2: UWF Related Works | | |
| Element 3: UWF Replacement Forestry | | Bat Surveys for Professional Ecologists: Good Practice Guidelines, Collins, (2016), and |
| Element 4: Upperchurch Windfarm (UWF) | | The Conservation of Bats in Bridges Project – A Report on the survey and conservation of bat roosts in bridges in Cumbria, Billington and Norman (1997). |
| Element 5: UWF Other Activities | | |

Bats

Sensitive Aspect

8.8.2.2 Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts

The evaluation of cumulative impacts to Bats also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Bats with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in [Appendix 2.3: Scoping of Other Projects or Activities \(Section A2.3.1 and Section A2.3.2.8\)](#).

The results of this scoping exercise are that: it is evaluated that no Other Projects or Activities are likely to cause cumulative effects with either the UWF Related Works or the Other Elements of the Whole UWF Project, and therefore no Other Projects or Activities are scoped in for evaluation of cumulative effect to Bats.

8.8.2.2.1 Potential for Impacts to Bats

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project to cause cumulative effects to the Sensitive Aspect Bats. The results of this evaluation are included in Table 8-60.

The location of, and study area boundary associated with, the Other Elements which are included for cumulative evaluation is illustrated on [Figure WP 8.8](#) The baseline character of the areas around these Elements is described in Section 8.8.2.3.

Table 8-60: Results of the Evaluation of the Other Elements of the Whole UWF Project

| <u>Other Element of the Whole UWF Project</u> | |
|---|---|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects |
| Element 3: UWF Replacement Forestry | <u>Evaluated as excluded</u> : No potential for effects due to no sources of impacts – During surveys, no bat roosts were recorded at the UWF Replacement Forestry lands, one low suitability feature was recorded within 150m of the existing entrance to the afforestation lands, |

Biodiversity

Topic

| | | |
|------------------|--|---|
| Bats | | <ul style="list-style-type: none"> • There is no potential for destruction or disturbance of bat roosts in trees, as there is no requirement to fell or prune trees for the UWF Replacement Forestry, no requirement to upgrade bridge structures, and no requirement for renovations, alterations or use of buildings during either the planting or growth stages, therefore there is no source of impact; • No potential for severance of commuting routes or feeding area, as there is no requirement to remove any hedgerows or other linear features for the UWF Replacement Forestry. Woodland edge habitat will be created for foraging bats, as the UWF Replacement Forestry matures; • No potential for disturbance effects due to lighting, as lighting will not be required for the UWF Replacement Forestry, • No potential for disturbance or displacement effects due to noise or vibration as no significant sources of noise and no sources of vibration will be present onsite during planting or management activities • No potential for mortality of bats due to collision due to the absence of moving structures, • No potential for effects due to harvesting, as the UWF Replacement Forestry will be a permanent woodland and will not be harvested. |
| Sensitive Aspect | | |
| | Element 4: Upperchurch Windfarm (UWF) | <u>Included</u> for the evaluation of cumulative effects |
| | Element 5: UWF Other Activities | <u>Included</u> for the evaluation of cumulative effects |

8.8.2.3 Cumulative Information: Baseline Characteristics – Context & Character

8.8.2.3.1 Element 1: UWF Grid Connection

The UWF Grid Connection will provide a new substation and connection to the existing overhead lines at Mountphilips and new underground cabling between this new Mountphilips Substation and the consented Upperchurch Windfarm substation at Knockcurraghbola Commons. Most development will be within public roads (primarily the R503), with a short section crossing agricultural land at the western end of the route. The landscape surrounding the 110kV UGC route is predominantly improved agricultural landscapes and forestry, with hedgerows / treelines along roadsides, in addition to low-density houses and farm buildings.

Online national landscape suitability maps for Irish bat species (Lundy *et al.*, 2010) were reviewed and indicate that the suitability index for the ‘all bats combined’ layer varies across the length of the UWF Grid Connection. Areas of high suitability are found in the environs of Mountphilips at the western end of the UWF Grid Connection, moderate suitability and low suitability in the centre, and moderate suitability at the western end. Overall, the landscape suitability follows a consistent west to east pattern of decreasing suitability for all species, which roughly corresponds with the changes in altitude.

When considered at the level of individual bat species, the UWF Grid Connection Study Area has high suitability for common pipistrelles and natterer’s bat; moderate suitability for soprano pipistrelles, Leisler’s bat, whiskered bat, Daubenton’s bat, and brown long-eared bats, and negligible suitability for Nathusius’ pipistrelles and lesser horseshoe bats.

A desktop review of known bat roosts identified no bat roosts in the UWF Grid Connection Study Area.

Buildings, Bridges and Trees with Suitability for Bats

Preliminary ecological appraisals were carried out for 83 buildings within 150m of the 110kV UGC route (there are no buildings within 150m of Mountphilips Substation). 45. no of these buildings were of high or moderate roost suitability, and were considered for potential indirect effects (there is no potential for direct effects to roosts due to the location of 110kV UGC entirely within road pavements – i.e. no works or damage to buildings will occur). To facilitate the cumulative evaluation, it is presumed as worst-case scenario that bats are present at these locations.

Mature trees within 50m of the UWF Grid Connection construction works area were inspected from ground level. At the Mountphilips Substation site 3 no. trees were considered to have low suitability for bats (e.g. small crevices that could be used by individual roosting bats), while 1 no. was considered to have moderate suitability (e.g. multiple or larger crevices that could support multiple roosting bats). Along the 110kV UGC on the public road network 10 no. trees (or closely-spaced groups of trees) were considered to have low suitability for bats, and 1 no. was considered to have moderate suitability. These trees are classified as having ‘potential’ for bats as no presence/absence surveys have been undertaken, however, to facilitate the cumulative evaluation, it is presumed as worst-case scenario that bats are present at these locations. All other mature trees within 50m of the construction area boundaries were inspected and evaluated as having negligible roost suitability.

As the 110kV UGC will be installed over/under c.63 watercourse crossing structures (i.e. bridges and culverts), all structures along the route were inspected. Within the study area, 10 no. bridges had moderate suitability for roosting bats, 5 no. bridges had low suitability, and 48 had negligible suitability. However, it should be noted that these numbers only refer to the potential suitability of these structures for bats. Bridges with moderate suitability were surveyed by endoscope (with regard to Section 5.3 of the Bat Conservation Trust guidelines 2016) to determine whether or not bats were using suitable structures. No live bats, or evidence of bats, was recorded at any bridge.

Bats

Sensitive Aspect

Biodiversity

Topic

Activity surveys

Bat activity surveys using automated detectors were carried out in the area around the Mountphilips Substation site in the summer of 2016. Activity levels (from four sampling locations) were relatively high, with an average of one bat pass every two minutes throughout the survey period (a Bat Activity Index of 24.6). The most frequently-recorded species were common pipistrelles, followed by soprano pipistrelles, *Myotis* spp. Leisler's bat, Nathusius' pipistrelle and brown long-eared bat, in order of abundance. Lesser-horseshoe bats were not recorded. All were considered to be of Local Importance as feeding areas / commuting routes.

Table 8-61: Bat Activity Sampling Results

| <u>Sampling Location</u> | <u>Habitat</u> | <u>Month</u> | <u>Characterisation of activity</u> | <u>Importance Evaluation</u> |
|--------------------------|----------------------------|--------------|-------------------------------------|------------------------------|
| SD1 | Mature treeline | Jun | Frequent CP, occasional SP | Local |
| | | Sept | Frequent CP, occasional SP & MY | |
| SD2 | Hedgerow | Aug | Frequent CP | Local |
| | | Sept | Occasional CP | |
| SD3 | Hedgerow | Jun | Negligible | Local |
| | | Sept | Frequent SP, occasional CP | |
| SD4 | Hedgerow | Jun | Frequent CP, occasional SP | Local |
| | | Sept | Occasional CP | |
| SD26** | Farmyard | Jun | Near-constant CP | County |
| | | Sept | Occasional CP | |
| SD27** | Edge of conifer plantation | Jun | Occasional CP | Negligible |
| | | Sept | Negligible | |

** It should be noted that sampling locations SD26 and SD27 are also within the zone of influence of the UWF Related Works, and are discussed in relation to same within the relevant section of this report.

Further bat survey details and data are included in [Appendix 8.1: Detailed Biodiversity Information and Data \(Section A8.1.3.3\)](#). Maps showing the preliminary ecological appraisals of in respect of bats buildings, trees and bridges are provided in [Figure WP 8.8](#).

Geographical Overlap with UWF Related Works:

UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area in Knocknabansha, Knockmaroe, Knockcurraghbola Crownlands and Knockcurraghbola Commons where 110kV UGC works (entirely along paved roads) will occur within the boundary of the UWF Related Works Cumulative Evaluation Study Area. Works from both projects could occur in the vicinity of both 110kV UGC works for the UWF Grid Connection and Haul Route Works and Internal Windfarm Cabling works for UWF Related Works, however it should be noted that the developer is committed to carrying out works in these areas where they occur within 350m of houses at different times, so any cumulative effects will be sequential (longer duration) rather than in-combination (larger effect). This protection for local residents will also protect bat species.

8.8.2.3.2 Element 3: UWF Replacement Forestry

Not applicable – Element evaluated as excluded. See Section 8.8.2.2.1

8.8.2.3.3 Element 4: Upperchurch Windfarm

Preliminary ecological appraisals were carried out for 7 buildings within the study area, and presence / absence surveys and/or roost characterisation surveys were carried out in 2016 and 2017 for features of high or moderate roost suitability that were considered to be at risk of direct or indirect effects.

One bat roost of County Importance is located within farm buildings at Site Compound No.2, which is associated with the Upperchurch Windfarm, and therefore overlaps the construction works area directly. A further day roost/satellite roost of negligible importance is also present 15m from the construction works area within another part of the Upperchurch Windfarm.

Table 8-62: Identified Bat Roosts in the Upperchurch Windfarm study area

| Code | Type | Evidence of bats | Valuation | Proximity to Upperchurch Windfarm |
|------|---|--|------------|-----------------------------------|
| BR14 | Dwelling house | Day roost / satellite roost: 1 common pipistrelle | Negligible | 15m |
| BR16 | Dwelling house and traditional farm buildings | Maternity roost: 4 - 5 natterers' bats. Transitional / mating roosts: 5 - 10 natterers bats, 20 common pipistrelles, 3 brown long-eared bats. Summer non-breeding / day roost: 2 common pipistrelles, 1 Leisler's bat. Hibernation roost: natterer's bats, common pipistrelles, Leisler's bat. | County | 0m |

Activity

Activity surveys for the Upperchurch Windfarm were carried out by Malachy Walsh & Partners in 2012 and 2013, and the results were presented in the wind farm EIS. Some excerpts from the bat report are provided below:

"The results of bats surveys indicate that up to seven species of bat are utilising habitats within the study area or are commuting through the site to more suitable habitat in the greater area.

Throughout the site common pipistrelles and soprano pipistrelles were recorded on the edge of woodland, along access tracks, hedgerows, treelines, over areas of scrub, semi-natural grassland and improved agricultural grassland. Common pipistrelle was the most common species recorded during surveys in 2012 and 2013."

Consideration of the Passage of Time: the composition of suitable roosting and foraging habitat for bat species on the Upperchurch Windfarm site, has not materially changed since 2012/2013, and surveys for UWF Related Works confirmed continued usage of suitable buildings and habitats by bat species, of which pipistrelles remained the most abundant species. Therefore it is considered that the descriptions in the 2013 and 2014 documents for Upperchurch Windfarm remain relevant to the cumulative evaluations in this Revised EIAR.

8.8.2.3.4 Element 5: UWF Other Activities

Due to the absence of possible sources of hedgerow severance in respect of UWF Other Activities (only minimal trimming of outer branches is planned) activity surveys to inform an appraisal of likely effects were not required

Roosts: No bat roosts were present. Trees at hedgerow trimming locations as part of Haul Route Activities are not suitable for roosting bats. No trimming is required for Overhead Line Activities.

8.8.2.3.5 Other Projects or Activities

Not applicable – No Other Projects or Activities were scoped in for evaluation of cumulative effects, see Section 8.8.2.1.

8.8.3 PROJECT DESIGN MEASURES for Bats

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

The Project Design Measures outlined in Table 8-63 are relevant to the Environmental Factor, Biodiversity, and in particular to the sensitive aspect **Bats**.

Table 8-63: UWF Related Works Project Design Measures relevant to Bats

| PD ID | Project Design Environmental Protection Measure (PD) |
|-------|---|
| PD02 | Flag-men will be used at temporary site entrances rather than creating sightlines by the removal of roadside boundaries. These flagmen will control the movement of traffic on the public road, so that road users can continue to use the local road network in a safe and efficient manner. |
| PD37 | All construction works will be carried out during daylight hours. Security lighting will be used at <u>the Consented Upperchurch Windfarm Site Compound No.1 compounds</u> . All lighting will be cowled in order to prevent light spill and no lighting will be left turned on overnight. Lighting will be controlled by motion and time sensors to minimise the amount of time the lights are operational. |
| PD38 | Confirmatory surveys will be carried out at all trees with bat suitability that will require felling or other major modifications (e.g. removal of rotten branches). These trees will be subject to a ground-level visual inspection by the Project Ecologist (or a bat specialist acting on their behalf) prior to site clearance works in order to confirm the findings of the 2016 / 2017 surveys. |
| PD39 | Where a tree with moderate or high bat suitability is to be felled, a presence/absence bat surveys will be carried out. (Note. It is not expected that any trees with moderate or high suitability will be felled). |
| PD40 | Felling of trees with bat roost suitability will be undertaken in the period late-August to late-October/early-November. Trees with low suitability for bats will be felled carefully and slowly in order to avoid impact-related injuries to any bats that may be roosting inside them. Sections of the tree with potential roost features for bats (e.g. crevices, damaged branches) will be cut in sections, lowered carefully to the ground and left undisturbed for 48 hours before removal. <u>(Note. It is not expected that any trees with moderate or high suitability will be felled).</u> |
| PD41 | Where the felling of trees with bat suitability is carried out, robust, weather-proof bat-boxes, for example Schwegler type 1FF and 2F models, will be placed in each of the affected sections to compensate for the loss of potential tree roosts. The number of bat boxes will match the number of trees with bat suitability to be felled. <u>Bat boxes will be placed on an exposed section of tree trunk at a minimum height of 4-5m, providing a clear space in front of the box for bats to enter and exit. Boxes will be placed in locations that will receive at least 6-7 hours of sunlight during summer months, and will typically be placed on the southern side of the tree. The Project Ecologist will supervise the installation of bat boxes in order to ensure that they are sited appropriately.</u> |
| PD42 | Installation of bat crossing structures at severed hedgerows, proximate to areas of high bat activity or roost locations. Following the completion of construction works, the replanting of these severed hedgerows with <u>at least the same number of</u> semi-mature shrubs/trees (like for like) <u>Irish-sourced, native trees</u> and limits on <u>no temporary construction works area</u> lighting near hedgerows. |

Bats

Sensitive Aspect

Biodiversity

Topic

8.8.4 EVALUATION OF IMPACTS to Bats

In this Section, the likely direct and indirect effects of the UWF Related Works are identified and evaluated. Then the likely cumulative effects of the UWF Related Works together with the Other Elements of the Whole UWF Project are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Bats.

As a result of the exercise, some impacts were included and some were excluded.

Table 8-64: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts <u>Included</u> (Evaluated in the Impact Evaluation Table sections) | Impacts <u>Excluded</u> (Justification at the end of the Impact Evaluation Table sections) |
|---|---|
| Destruction or disturbance of bat roosts in trees, (construction stage) | Mortality through roost destruction of roosts in forestry, in bridges or in hedgerows, (construction stage) |
| Severance of commuting routes or feeding areas, (construction stage) | Destruction/Disturbance of Bat Roosts in Buildings, (construction stage) |
| Disturbance or Displacement due to lighting, (construction stage) | Disturbance or Displacement of Bat Roosts due to Noise and Vibration, (construction stage) |
| | Inadvertent mortality through roost destruction due to hedgerow trimming activities (operational stage) |
| | Avoidance due to increased EMF (operational stage) |
| | Disturbance or Displacement due to lighting (operational stage) |
| | Disturbance or Displacement due to Noise and Vibration (operational stage) |
| | Mortality of bats due to collision or barotrauma (operational stage) |
| | Inadvertent mortality through roost destruction, (decommissioning stage) |
| | Disturbance or Displacement due to lighting, (decommissioning stage) |
| | Indirect Disturbance from Noise and Vibration, (decommissioning stage) |

The source-pathway-receptor links for included impacts are described in the Impact Evaluation Tables in the next sections. **The Impact Evaluation Tables are presented in the following sections 8.8.4.1 to 8.8.4.3.**

The source-pathway-receptor links and the rationale for excluded impacts are described in the section directly after the Impact Evaluation Table sections, Section 8.8.4.4.

Bats

Sensitive Aspect

Biodiversity

Topic

8.8.4.1 Impact Evaluation Table: Destruction or disturbance of bat roosts in trees

| Impact Description | |
|--|--------------------|
| Project Life Cycle Stage: | Construction stage |
| <u>Impact Source:</u> Tree felling, Trimming and pruning of mature trees and hedgerows <u>Cumulative Impact Source:</u> Tree felling, Removal of mature trees, trimming and pruning of mature trees and hedgerows <u>Impact Pathway:</u> Landcover | |
| <u>Impact Description:</u> Crevices and cavities in mature trees can provide roosting opportunities for bats, with some species (e.g. Leisler's bat) thought to favour roosting sites in trees. Recent research has demonstrated that the use of roosts in trees can be highly transitory, with frequent roost switching between nights and across the season, although some large cavities can be used as maternity or hibernation roosts for longer periods of time. Almost all records to date have been from broadleaf trees (particularly oaks), with only a very small number from specimen conifers, and none from conifer plantations ²² . Any damage or disturbance to trees with crevices or cavities can have direct or indirect impacts on any bats that may be roosting within them. Felling can cause death or injury to bats, or the associated disturbance can cause them to emerge during daylight, thus exposing them to diurnal predators. Similarly, construction work within the root zone of trees can cause the death of trees, causing them to fall at a later date. The spatial extent of impacts is limited to the tree in question (including its root zone and overhanging branches). <u>Impact Quality:</u> Negative | |
| Evaluation of the Subject Development Impact – Destruction or disturbance of bat roosts in trees | |
| Element 2: UWF Related Works – direct/indirect impact | |
| <u>Impact Magnitude:</u> Surveys at UWF Related Works Study Area did not identify any trees with bat roosting suitability. Therefore UWF Related Works will not cause disturbance/destruction of roosts. | |
| Significance of the Impact: Neutral effect | |
| <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • no trees with bat roost suitability within 50m of UWF Related Works construction works areas; • no change in baseline conditions | |
| Element 2: UWF Related Works – cumulative impact | |
| <u>Cumulative Impact Magnitude:</u> No cumulative impact | |
| <u>Significance of the Impact:</u> There are no trees which have suitability for roosting bats within 50m of UWF Related Works, and therefore bat roosts within 50m of the works are not expected to exist. Therefore there is no potential for cumulative impacts. | |
| Significance of the Impact: Neutral effect | |
| <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • no trees with bat roost suitability within 50m of UWF Related Works construction works areas; • no change in baseline conditions. | |

²² Andrews H & Gardener M 2016. Bat Tree Habitat Key – Database Report 2016. AEcol, Bridgwater

Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project**Element 1: UWF Grid Connection**Impact Magnitude:

At Mountphilips, there is 1 No. tree with bat suitability located within 50m of the Mountphilips Substation construction works area boundary. There are a further 3 trees (2 low, 1 moderate) within 150m of the construction works area in the Mountphilips area. There are an additional 11 trees (or small groups of trees) along the UGC route. No trees of moderate or high suitability were recorded within the construction works area. None of the trees mentioned above will require felling for UWF Related Works.

The trees were surveyed in 2017, and no evidence of roosting bats was observed, so it is considered that there is a low likelihood (e.g. <5%) that bats would be roosting within them at the time of construction.

There is no potential for sequential effects to bats, as the extent of any instance of roost disturbance/destruction is limited to those Bats which may be present in individual trees.

Significance of the Impact: Imperceptible

Rationale for Impact Evaluation:

- Only 1 trees located (low suitability) within the zone of effect at Mountphilips
- A further 11 no. are within 50m of 110kV UGC works on the public road, but these trees will not need to be felled;
- Considering their low suitability for roosting bats, the likelihood that bats would occupy any of these trees at the time of felling is considered to be low (<5%).

Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 8.8.2.2.1**Element 4: Upperchurch Windfarm**Impact Magnitude:

No potential tree roosts were identified in the EIS for the Upperchurch Windfarm and it was noted that the conifer plantations within the site offer “very poor roosting habitat”.

In the RFI reporting it was noted that “large mature treelines in the greater area offer potential roosting sites for bats particularly along the roads in Shevry and Gleninchaveigh”. However, only a small number of trees will be felled along these roads, and none were considered to have suitability for bats. Therefore, this element of the project will not have any direct impact on potential tree roosts.

Significance of the Impact: Neutral effect

Rationale for Impact Evaluation:

- None of the trees within the footprint of the development are suitable for roosting bats, so there will be no change to the baseline conditions

Element 5: UWF Other Activities

Impact Magnitude: There is no requirement to fell trees. Trimming of hedgerows and low-hanging branches of trees will be required along some roads as part of UWF Other Activities. Haul Route Activity locations are on public roads and already subject to the standard maintenance regime for public roads, and it is expected that all such hedgerows / trees would have been trimmed in the past. Therefore, there is a negligible risk that bats could roost in any of these branches.

No tree or hedgerow trimming is required for Overhead Line Activities.

Significant planting of new trees will occur as part of the Upperchurch Hen Harrier Scheme (totalling 2.8km).

Significance of the Impact: Neutral effect.

Rationale for Impact Evaluation:

| | | |
|------------------|------|--|
| Sensitive Aspect | Bats | <ul style="list-style-type: none">• None of the trees within the footprint of the development are suitable for roosting bats, so there will be no change to the baseline conditions• Trimming associated with Haul Route Activity locations will not contrast with any baseline activities, and;• Tree planting in respect of the Upperchurch Hen Harrier Scheme will increase availability of trees for Bats. |
| | | Evaluation of Other Cumulative Impacts – Destruction or disturbance of bat roosts in trees |
| | | Whole UWF Project Effect |
| | | <u>Cumulative Impact Magnitude:</u> There is no potential for the UWF Related Works to cumulatively effect bats, as Neutral effects are likely to occur to Bats as a result of the development of the UWF Related Works. The UWF Grid Connection is the only Element which will cause effects, and it is expected that it will only affect one tree that has low suitability for bats. The remaining elements do not include trees suitable for roosting bats, and trimming activities on public roads as part of UWF Other Activities will have Neutral effect on bat roosts. There is no potential for cumulative sequential effects; as the extent of any instance of roost disturbance/destruction is limited to those Bats which may be present in individual trees. |
| | | Significance of the Cumulative Impact: No Cumulative Impact |
| | | <u>Rationale for Cumulative Impact Evaluation:</u> <ul style="list-style-type: none">• Effects are limited to the UWF Grid Connection. |

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Bats with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.8.2.1).

8.8.4.2 Impact Evaluation Table: Severance of commuting routes or feeding areas

| Impact Description | |
|--|--|
| Project Life Cycle Stage: | Construction stage/early operational stage |
| Impact Source: Site clearance | |
| Cumulative Impact Source: Site clearance | |
| Impact Pathway: Land cover | |
| <p>Impact Description: Bats forage and commute along hedgerows, treelines and other linear habitat features. Both temporary and permanent clearance of short sections of habitats such as Hedgerows will be required to facilitate some construction works, particularly along the routes of new access road or underground trenching locations. The removal of this habitat would not kill or injure any bats, but it may disrupt their behaviour, reducing the value of regular feeding areas and forcing bats to use alternate commuting routes. In many cases bats will be able to adapt to an altered route, as many bat species (e.g. pipistrelles) readily cross gaps of 5 - 10m. However, the disruption of key feeding areas or commuting routes may have a significant effect. For example, alteration of the key commuting routes to and from bat roosts can potentially cause bats to permanently abandon the roost.</p> <p>Bat protection measures have been incorporated into the project design in order to minimise the effects of habitat severance on bats. This includes the installation of bat crossing structures at severed hedgerows proximal to areas of high Bat activity or roost locations, the replanting of severed hedgerows with semi-mature (i.e. at least ten years growth) shrubs/trees on a like-for-like basis, and limits on lighting. This will substantially reduce the risk of impacts on bats in these areas. The bat crossings will be inspected annually during the operational stage, maintained if necessary and removed once vegetation has re-established to the level of the adjacent hedgerow/field boundary. Further to this, at each crossing location, enhancement via the planting of locally sourced native species of trees at either side of the crossing location will be undertaken. This will ensure that a like for like scenario develops where for every shrub/tree removed another is planted, ensuring no net loss of vegetation, and a rapid re-establishment to original height.</p> <p>Re-instated hedgerows will be planted with semi-mature (locally sourced, native) trees, thus reducing the time required for re-establishment to original vegetation height. Therefore, the effects of vegetation removal would only persist in the short term (approx. 1 – 7 years), and after this period, the hedgerows would return to the baseline condition. It is also noted that other elements of the Whole UWF Project will include substantial Hedgerow planting, resulting in a net increase in the coverage of this habitat within the study area.</p> <p>Impact Quality: Negative and Positive</p> | |
| Evaluation of the Subject Development Impact–Severance of commuting routes or feeding areas | |
| Element 2: UWF Related Works – direct/indirect impact | |
| <p>Impact Magnitude: 10m sections of field boundary will be permanently removed at two locations along Realigned Windfarm Road RWR2. However, these areas are un-vegetated, so they are not considered to be of importance for commuting or foraging bats.</p> <p>145m of linear vegetation features (primarily hedgerows) will be removed temporarily (c.1 week to 1 month) at 15 locations along works locations for the Internal Windfarm Cabling and for Haul Route Works (HW7 and HW10). Temporary bat crossing structures will be installed at severed hedgerows or field boundary proximal to areas of either high Bat activity or roost locations, in order to avoid severance effects during works. When complete, all temporarily removed hedgerows or field boundaries will be reinstated with semi-mature vegetation.</p> | |

| | | |
|--------------|------------------|--|
| Bats | Sensitive Aspect | <p>Significance of the Impact: Imperceptible</p> <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • Only a small extent of hedgerow will be permanently lost. • The field boundary removed at RWR2, will be reinstated as hedgerow alongside the new road, this 370m of additional hedgerow planting will more than compensate for its loss; and • All temporarily-removed field boundaries will be reinstated to at least their former (or better) condition in the medium term, as outlined in Chapter 5 Description of the Development; • The severance of most commuting routes / feeding areas will be medium term in duration, reversible and offset by the planting of new hedgerows; • There will be a lag time in the re-establishment of the vegetation, but the continuity of linear features near bat roosts will be maintained using specially-designed bat crossing structures; • This will ensure that bats can continue to use these features during the re-establishment period |
| | | <p>Element 2: UWF Related Works – cumulative impact</p> <p><u>Cumulative Impact Magnitude:</u> No cumulative impact:</p> <p>The potential for cumulative effects relates to Upperchurch Windfarm only, as the UWF Grid Connection 110kV UGC is entirely located along roads and will not require any hedgerow removal.</p> <p>Due to the separation distances between hedgerow removal for Upperchurch Windfarm and hedgerow removal for UWF Related Works, the hedgerow removal for Upperchurch Windfarm will not result in any increase in the length of field boundary being removed at RWR2, or to the length of the 15 short sections of hedgerow which will be temporarily removed for Haul Route Works and Internal Windfarm Cabling. Where Internal Windfarm Cabling is located within the Upperchurch Windfarm site, the cabling is located within Consented UWF Roads, thereby avoiding the requirement for any additional hedgerow removal in these locations.</p> <p>Significance of the Impact: Neutral effect</p> <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • Separation distance between hedgerows subject to temporary or permanent removal. |
| Biodiversity | Topic | <p>Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project</p> <p>Element 1: UWF Grid Connection</p> <p><u>Impact Magnitude:</u></p> <p>5m sections of hedgerow will be permanently removed at 2 locations along the new permanent access road to Mountphilips Substation. Both of these hedgerows are evaluated as of local importance to bats. 700m of hedgerow will be planted along each side of the new access road.</p> <p>In addition, approximately 160m of roadside boundary (comprising some immature trees and earthen banks) will be permanently removed at the main site entrance to Mountphilips Substation (E1) to facilitate lines of sight, although the roadside boundary will be replanted with hedgerows behind the sightlines.</p> <p>No hedgerow removal is required for the 110kV UGC which is routed entirely along paved roads (predominately public roads with one short length of paved forestry road).</p> <p><u>Significance of the Impact:</u> Imperceptible</p> <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • Only a very small extent of hedgerow will be permanently lost, and; • 700m of additional hedgerow planting will more than compensate for its loss |
| | | <p>Element 3: UWF Replacement Forestry– N/A, evaluated as excluded, see Section 8.8.2.2.1</p> |
| | | |
| | | |
| | | |

Element 4: Upperchurch WindfarmImpact Magnitude:

Approximately 360m of hedgerow will be removed as part of the construction of the Upperchurch Windfarm. There shall be a loss of potential foraging habitat within the site. However, this loss of habitat is not considered to be significant given the availability of extensive foraging habitat outside the site. In the Ecological Management Plan for the development it is noted that “approximately 360m of new hedgerow will be planted to mitigate this loss of habitat.”

Significance of the Impact: Not significant

Rationale for Impact Evaluation:

- The extent of permanent loss is mitigated by the planting of the same extent of replacement habitat; and
- Relatively little bat activity was recorded along hedgerow habitats.

Element 5: UWF Other ActivitiesImpact Magnitude:

This element of the project will not involve the severance of any hedgerows or similar features. As part of Upperchurch Hen Harrier Scheme management up to 2.8km of hedgerow is to be planted, constituting a significant offset of Upperchurch Windfarm hedgerow removal in terms of the effects of severance

Significance of the Impact: Imperceptible

Rationale for Impact Evaluation:

- No hedgerows or other similar features will be severed, so there will be no change to the baseline conditions,
- 2.8 km of new hedgerow planting will improve bat foraging habitat in the short to medium term.

Evaluation of Other Cumulative Impacts – Severance of commuting routes or feeding areas**Whole UWF Project Effect**Cumulative Impact Magnitude:

Only some short sections (5 to 10m in width) of hedgerow at Mountphilips Substation (UWF Grid Connection) and hedgerow or field boundary at Realigned Windfarm Road RWR2, Internal Windfarm Cabling and Haul Route Works HW7(UWF Related Works) will be affected. Bat crossing structures will be installed at UWF Related Works locations proximal to identified bat roosts or areas of high foraging activity, which will ensure that linear connectivity is maintained during this period. When construction is completed, all of these hedgerows or field boundaries will be reinstated to at least their former (or better) condition using semi-mature plants. The provision of these structures will avoid sequential effects on foraging bats in instances where hedgerow severance locations occur within the zone of effect of multiple project elements. At the Upperchurch Windfarm site an additional 360m of hedgerow will be removed in Shevry.

In addition, several elements of the Project will involve hedgerow planting, as follows: the Upperchurch Hen Harrier Scheme will incorporate 2.8 km of new hedgerows, and additional hedgerows will be planted as part of the UWF Grid Connection (700m of new hedgerow), UWF Related Works (370m of new hedgerow) and Upperchurch Windfarm (360m as mitigation for loss of suitable hedgerows).

Significance of the Cumulative Impact: Not Significant

| | |
|--------------|---|
| Bats | <p><u>Rationale for Cumulative Impact Evaluation:</u></p> <ul style="list-style-type: none">• Only a small extent of hedgerow will be permanently lost. Additional hedgerow planting will more than mitigate for its loss;• All temporarily-removed field boundaries will be reinstated to at least their former (or better) condition in the medium term, as outlined in Chapter 5 Description of the Development;• The severance of most commuting routes / feeding areas will be short term in duration, reversible and offset by the planting of semi-mature trees and shrubs on a like-for-like basis; and• The continuity of important bat commuting routes will be maintained using specially-designed bat crossing structures; |
| | <p>Note: No cumulative evaluation of <u>Other Projects or Activities</u> is included in the table above, because <u>no</u> Other Projects or Activities are likely to cause cumulative effects to Bats with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.8.2.1).</p> |
| Biodiversity | |
| Topic | |

8.8.4.3 Impact Evaluation Table: Disturbance or Displacement due to Lighting

| Impact Description | |
|---|--------------------|
| Project Life Cycle Stage: | Construction stage |
| <u>Impact Source:</u> Artificial lighting | |
| <u>Cumulative Impact Source:</u> Artificial lighting | |
| <u>Impact Pathway:</u> Visibility | |
| <p><u>Impact Description:</u> Bats are nocturnal animals, and typically avoid any source of natural or artificial light. Lighting in the vicinity of bat roosts can cause roost abandonment, reduction in numbers of individuals, and reductions in juvenile growth rates. In addition, lighting near hedgerows and other semi-natural habitats can form barriers to the movement of commuting bats, and displace bats from feeding areas.</p> <p>All construction work will take place during daylight hours as part of Project Design, so it will not be necessary to use artificial lighting at construction works areas. However, lighting will be required for security reasons at temporary construction compounds (<i>Mountphilips Compound for UWF Grid Connection, and the consented Upperchurch Windfarm Site Compound No.1 for Upperchurch Windfarm and UWF Related Works</i>). A series of bat protection measures have been incorporated into the Project Design in order to minimise the effects of lighting on bats. This will include the fitting of cowls (specifications in line with Best Practice) to all lights in order to minimise light spill, and the use of motion and time sensors to minimise the amount of time the lights are operational. Lights will not be left on overnight.</p> <p><u>Impact Quality:</u> Negative</p> | |
| Evaluation of the Subject Development Impact – Disturbance or Displacement due to Lighting | |
| Element 2: UWF Related Works – direct/indirect impact | |
| <p><u>Impact Magnitude:</u></p> <p>No additional compounds required for the UWF Related Works. UWF Related Works will be constructed as part of the Upperchurch Windfarm project and the already consented Site Compound No.1 in Shevry will be used by construction personnel working on the UWF Related Works. Upperchurch Windfarm Site Compound No.2 (known bat roost) will not be used by UWF Related Works personnel or to store any material, equipment or tools associated with UWF Related Works.</p> | |
| Significance of the Impact: Imperceptible | |
| <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • No additional lighting requirements for UWF Related Works • Construction works will be carried out during daylight hours (Project Design Measure); • The use of cowl on Upperchurch Windfarm Site Compound No.1 to prevent light spill onto bat roosts or key commuting routes / feeding areas, so there will be no change to their baseline condition. • No requirement for additional lighting on construction works areas. | |
| Element 2: UWF Related Works – cumulative impact | |
| <p><u>Cumulative Impact Magnitude:</u> The potential for cumulative impacts relates to Upperchurch Windfarm only, as no lighting is required for UWF Grid Connection at the eastern end of the 110kV UGC route. No lighting is required for UWF Replacement Forestry or for UWF Other Activities.</p> <p>UWF Related Works will be carried out by Upperchurch Windfarm construction crews, materials and equipment for UWF Related Works will be stored at Upperchurch Windfarm Site Compound No.1. However, UWF Related Works will not make this compound bigger nor cause additional lighting to be erected.</p> | |

| | | |
|--|------------------|---|
| Bats | Sensitive Aspect | In addition the second compound permitted for Upperchurch Windfarm use (site office in Knockcurraghbola Commons), will <u>not be used by personnel involved with UWF Related Works</u> . Therefore it is considered that any additive cumulative impacts associated with UWF Related Works will be negligible. There will be no indirect impacts on the existing bat roost, and a derogation licence will not be required. |
| | | Significance of the Impact: Imperceptible |
| | | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none">• Construction works will be carried out during daylight hours (Project Design Measure);• No requirement for additional lighting in construction works areas• No additional lighting requirements for UWF Related Works• The use of cowling on Upperchurch Windfarm Site Compound No.1 to prevent light spill onto bat roosts or key commuting routes / feeding areas, so there will be no change to their baseline condition. |
| | | |
| | | Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project |
| | | Element 1: UWF Grid Connection |
| | | <u>Impact Magnitude:</u> <p>1 No. Temporary compound at the Mountphilips substation will be used for up to one year, and will be fitted with lights. The spatial extent of any disturbance or displacement effects will be small, due to the use of cowls: it would be directed towards the key areas required for security, and may illuminate an area of 10 - 20m from the light source. Lights will not be directed towards any bat roosts or key commuting routes / feeding areas. As lighting will be fitted with motion and time sensors, all lighting will be of momentary duration, typically only for approx. one minute for each time that the sensor is triggered.</p> |
| | | <u>Significance of the Impact:</u> Imperceptible |
| | | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none">• The use of cowling will prevent light spill onto bat roosts or key commuting routes / feeding areas, so there will be no change to their baseline condition.• Any lighting that is required would only be temporarily active, and would not be operational throughout the night, so any localized effects on feeding or roosting bats would be of momentary duration. |
| | | Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 8.8.2.2.1. |
| Element 4: Upperchurch Windfarm | | |
| <u>Impact Magnitude:</u> <p>All lighting within compounds will be cowed towards the centre of the compound.</p> | | |
| <u>Significance of the Impact:</u> Imperceptible | | |
| <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none">• The use of cowling will prevent light spillage so there will be no change to their baseline condition.• Any lighting that is required would only be temporarily active, and would not be operational throughout the night, so any localized effects on feeding or roosting bats would be of momentary duration. | | |
| Element 5: UWF Other Activities | | |
| <u>Impact Magnitude:</u> <p>No artificial lighting is proposed for this element of the project.</p> | | |
| <u>Significance of the Impact:</u> Neutral impact | | |
| <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none">• No artificial lighting will be required, so there will be no change to the baseline conditions | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Evaluation of Other Cumulative Impacts – Disturbance or Displacement due to Lighting**Whole UWF Project Effect**Cumulative Impact Magnitude:

Lighting will be used at Mountphilips Substation compound, and at the Upperchurch Windfarm Site Compound No.1 (in Shevry) during construction of the Whole UWF Project. As noted above, some restrictions on lighting have been incorporated into the Project design in order to minimise the effects on bats. This will include the fitting of cowls to all lights in order to minimise light spill, and the use of motion and time sensors to minimise the amount of time the lights are operational. Lights will not be left on overnight. In addition, lighting may only be required for a maximum of one year in any location, and the spatial extent is expected to be of no more than 20m from the light source. These measures, along with the separation distance between compounds (c.30km) will also prevent any sequential effects on roosting or foraging bats from multiple aspects of the Whole UWF Project.

Although there are some bat roosts and commuting routes / feeding areas in the vicinity of the UWF Related Works, consented Upperchurch Windfarm and the UWF Grid Connection, the proposed project design measures ensure construction activities are carried out during daylight hours which will prevent the illumination of these areas.

Significance of the Cumulative Impact: ImperceptibleRationale for Cumulative Impact Evaluation:

- The use of cowlings will prevent light spill onto bat roosts or key commuting routes / feeding areas, so there will be no change to their baseline condition.
- Separation distance between compounds;
- Any lighting that is required would only be temporarily active, and would not be operational throughout the night, so any localized effects on feeding or roosting bats would be of momentary duration.
- Construction works will be carried out during daylight hours.

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Bats with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.8.2.1).

8.8.4.4 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in Table 8-65 below.

Table 8-65: Description and Rationale for Excluded Impacts to Bats

Key: 1: UWF Grid Connection; 2: UWF Related Works; 3: UWF Replacement Forestry; 4: Upperchurch Windfarm; 5: UWF Other Activities

| Source(s) of Impacts | Project Element | Pathway(s) | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|---------------------------|-----------------|---|--|--|
| Construction Stage | | | | |
| Forestry Felling | 2, 4, 5 | Landcover | Mortality through roost destruction | In relation to UWF Related Works and Upperchurch Windfarm: No likely effect, as homogenous conifer plantations have extremely limited potential or suitability for roosting bats. In relation to UWF Other Activities: No likely effect due to the absence of possible sources of hedgerow severance in respect of UWF Other Activities, no bat roosts were present and the trees at hedgerow trimming locations as part of Haul Route Activities are not suitable for roosting bats. No trimming is required for Overhead Line Activities. No forestry felling is required for UWF Grid Connection. |
| Construction Works | 1,2, 4,5 | Culvert replacement works, Bridge Upgrade Works | Mortality through roost destruction | UWF Related Works: The 2 no. culverts which require extension for Haul Route Works have negligible suitability for roosting bats. Elements 1, 2, 4, 5: No works are required to upgrade the integrity of structures along haulage routes. These bridges are already used by large vehicles on a regular basis, so the passage of construction vehicles would not represent a change from the baseline condition Elements 1, 2, 4, 5: No potential for cumulative effects, as none of the bridges of moderate suitability for bats on the UWF Grid Connection 110kV UGC route are within the study area for cumulative impacts. |
| Hedgerow Trimming | 1,2, 4,5 | Landcover | Inadvertent mortality through roost destruction | No potential for effects, as trimming involves only the removal of outer edges of branches which are unsuitable for Bats |
| Land use Change | 1,2, 4,5 | Renovation/alteration of Buildings | Destruction/Disturbance of Bat Roosts in Buildings | Upperchurch Windfarm: an unoccupied dwelling house and associated outbuildings (Roost #16) will be used as a site office for the Upperchurch Windfarm. The use of the site office for welfare facilities will be very similar to its original use as a dwelling house. There will be no renovations of the exterior or interior of the building. No permanent or fixed lighting will be installed around the exterior of the property, and shutters or blinds will be used to prevent light spill from windows on the northern side which faces towards identified roosts. The outbuildings will not be used for storage. Given the above, there is a low probability that the |

Bats

Sensitive Aspect

Biodiversity

Topic

| Source(s) of Impacts | Project Element | Pathway(s) | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|--------------------------|-----------------|------------------|--|---|
| | | | | <p>change of use would have direct or indirect impacts on any bat roosts, and the magnitude and spatial extent of impacts is considered to be negligible, because: (i) there will be no destruction or disturbance of any of the bat roosts in these structures; and (ii) there will be no new artificial lighting near any roost exit / entry points; therefore, there will be Neutral effects on the bat roost. A derogation licence will not be required.</p> <p>UWF Related Works will not use this unoccupied house, and therefore has no potential to cause effects to roosting bats.</p> <p>There will be no renovations or alterations of any other buildings.</p> |
| Noise and Vibration | 1,2,4,5 | Air | Disturbance or Displacement of Bat Roosts due to Noise and Vibration | <p>Neutral Effect: Bats are not known to be particularly sensitive to noise and / or vibration; this pathway for impacts is not discussed in any British or Irish guidelines. As there will be no construction works at night, there is no risk of noise or vibration impacts on foraging or commuting bats. Although there are some bat roosts within 10m, construction works will be in close proximity to these roosts for no more than a half a day at any location. It is predicted that construction-related vibration will be approx. 0.5 to 1 mm/s within a zone of influence of approx. 5m. This would be barely perceptible to any human residents of properties, and therefore is also considered barely perceptible to any bats occupying a roost. Therefore, the magnitude of impacts reaching any bat roosts will be imperceptible.</p> |
| Operational Stage | | | | |
| Hedgerow Trimming | 2, 5 | Landcover | Inadvertent mortality through roost destruction | No potential for effects, as trimming of hedgerows involves only the removal of outer edges of branches which are unsuitable for Bats |
| EMF | 1,2, 4 | Air | Avoidance due to increased EMF | No likely effects, as literature supports no precedent for this as a viable impact. |
| Artificial Lighting | 1, 4 | Visibility | Disturbance or Displacement due to lighting | Neutral impact, as the only locations with operational lighting (substations, wind turbines) will incorporate bat-sensitive lighting (cowled, motion sensor and timer controlled) as part of the project design. |
| Noise and Vibration | 1,2, 4,5 | Air | Disturbance or Displacement due to noise/ vibration | Neutral impact, as there will be no significant noise or vibration during the operational phase. |
| Above ground structures | 1,2,4 | Physical contact | Mortality of bats due to collision or barotrauma | <p>No likely effect and no potential for cumulative impacts with Upperchurch Windfarm.</p> <p>Upperchurch Windfarm: As per the 2014 ABP Inspectors Report no significant impact to bats is expected to occur. There would be no</p> |

Bats

Sensitive Aspect

Biodiversity

Topic

| Bats | Source(s) of Impacts | Project Element | Pathway(s) | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|------------------|-----------------------|-----------------|------------|---|---|
| | | | | | <p>potential for cumulative impacts with other project elements, as follows:</p> <p>UWF Grid Connection: no likely impact with the Mountphilips Substation, all other parts are either underground or at ground level (i.e. new roads),</p> <p>UWF Related Works: no likely impact with the Telecom Relay Pole, due to the immobility of this structure.</p> |
| Sensitive Aspect | Decommissioning Stage | | | | |
| | Hedgerow Trimming | 1,2, 4,5 | Landcover | Inadvertent mortality through roost destruction | <p>No potential for effects as the UWF Grid Connection will not be decommissioned.</p> <p>In relation to the UWF Related Works or Upperchurch Windfarm trimming activities, if they occur, will only involve the removal of outer edges of branches which are unsuitable for bats.</p> <p>UWF Other Activities, if they occur, will only involve the removal of outer edges of branches which are unsuitable for bats</p> |
| | Artificial Lighting | 1,2, 4 | Air | Disturbance or Displacement due to lighting | <p>No potential for effects, the UWF Grid Connection will not be decommissioned.</p> <p>In relation to the UWF Related Works or Upperchurch Windfarm, no potential for effects as there will be no requirement for lighting during decommissioning works</p> |
| | Noise and Vibration | 1,2, 4 | Air | Indirect Disturbance from Noise and Vibration | <p>No potential for effects, the UWF Grid Connection will not be decommissioned.</p> <p>In relation to the UWF Related Works or Upperchurch Windfarm, no likely effects due to the small scale of decommissioning works or activities, with all work taking place from roads and turbine hardstands, so no potential to generate significant noise or vibration.</p> |

8.8.5 Mitigation Measures for Impacts to Bats

Mitigation measures were incorporated into the UWF Related Works project design including the Project Design Measures. No additional mitigation measures are required as **no significant adverse impacts** are concluded by the topic authors as likely to occur to Bats as a consequence of the UWF Related Works.

8.8.6 Evaluation of Residual Impacts to Bats

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures are required and thus the Residual Impact is the same as the Impact set out in Impact Evaluation Table sections for Bats above (Section 8.8.4) - **no significant adverse impacts**.

8.8.7 Application of Best Practice and the EMP for Bats

Best Practice Measures (BPM), although not part of the Project Design for the UWF Related Works, will be employed to afford further protection to the Environment.

The following Best Practice Measures have been developed, for the protection of **Bats**, by the authors of this topic chapter, using industry best practice:

| | |
|-----------|--|
| RW-BPM-13 | Minimising the effects of lighting on bats |
| RW-BPM-14 | Protection of potential tree and bridge bat roosts |
| RW-BPM-15 | Bats – Post Construction Monitoring |

These Best Practice Measures are included in full at the end of this topic chapter, and also form part of the **Environmental Management Plan for UWF Related Works**, which is included as **Volume D** with the planning application.

Bats

Sensitive Aspect

Biodiversity

Topic

8.8.8 Summary of Impacts to Bats

A summary of the Impact to Bats is presented in Table 8-66.

Table 8-66: Summary of the impacts to Bats

| Impact to Bats: | Destruction or disturbance of bat roosts in trees | Severance of commuting routes or feeding areas | Disturbance or Displacement due to Lighting |
|---|--|--|---|
| <i>Evaluation Impact Table</i> | <i>Section 8.8.4.1</i> | <i>Section 8.8.4.2</i> | <i>Section 8.8.4.3</i> |
| Project Life-Cycle Stage | Construction | Construction/early Operation | Construction |
| <u>UWF Related Works</u> <i>Direct and indirect impacts</i> | Neutral | Imperceptible | Imperceptible |
| <u>UWF Related Works</u> <i>Cumulative impacts</i> | Neutral | Neutral | Imperceptible |
| Element 1: UWF Grid Connection | Imperceptible | Imperceptible | Imperceptible |
| Element 3: UWF Replacement Forestry | No Potential for Impact Evaluated as Excluded – see Section 8.8.2.2.1 | | |
| Element 4: Upperchurch Windfarm | Neutral | Not Significant | Imperceptible |
| Element 5: UWF Other Activities | Neutral | Imperceptible | Neutral |
| <u>Cumulative Impact:</u> | | | |
| All Elements of the Whole UWF Project | No Cumulative Impact | Not Significant | Imperceptible |

The greyed out boxes in the summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to present the totality of the project.

Note: No cumulative information for Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Bats with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.8.2.1).

Bats

Sensitive Aspect

Biodiversity

Topic

8.9 Sensitive Aspect No.8: Non-Volant Mammals

This Section provides a description and evaluation of the Sensitive Aspect - Non-Volant Mammals.

8.9.1 BASELINE CHARACTERISTICS of Non-Volant Mammals

8.9.1.1 STUDY AREA for Non-Volant Mammals

The study area for Non-Volant Mammals in relation to the UWF Related Works is described in Table 8-67 and illustrated on **Figure RW 8.9: Non-Volant Mammals within the UWF Related Works Study Area** (Volume C3 EIAR Figures).

Table 8-67: UWF Related Works Study Area for Non-Volant Mammals

| Study Area for Non-Volant Mammals | Justification for the Study Area Extents |
|--|---|
| <p>Otter: Watercourse crossing locations plus 300m in either direction</p> <p>Badger and Other Mammals: construction works area plus 50m in all directions</p> | <p>Professional Judgement and as pertinent:</p> <p>Otters: Best Practice guidelines published by the Highways Agency (1999)</p> <p>Badgers: Best Practice guidelines published by the NRA (2005)</p> <p>Other mammal species professional judgement and as per Best Practice (CIEEM, 2016).</p> |

8.9.1.2 Baseline Context and Character of Non-Volant Mammals in the UWF Related Works Study Area

The principal habitats within the context of Non-Volant (non-flying) Mammals include open grassland, bogs, moors, heath and marsh which provides foraging habitat, and coniferous forestry, mixed woodland, hedgerows, and scrub, which provide shelter and provide locations for breeding and resting.

Badger: Badgers are found throughout Ireland in areas of suitable habitat: large swathes of the Irish countryside provide ideal conditions for badgers, with their mosaic of pasture grasslands, hedgerows, and areas of scrub and woodland. Badger densities are lower in upland and mountainous areas, areas of bog, and marginal pasturelands along the Atlantic fringe. Several setts will be present within a badger group's territory but the focus of the badger group is known as the 'main' sett. The main sett is situated roughly central within the group territory and is usually occupied throughout the year and used as the principal breeding sett. Annex setts or outlier setts are smaller and may only be used intermittently or seasonally. An active main sett is characterised by considerable signs of activity, such as copious bedding, nearby latrine (defecation) sites, and well-used paths. Studies in several Irish counties have shown that territory size can vary from as little as 15ha to almost 300ha, with a mean of about 80ha.

Habitats within 50m of UWF Related Works comprise a total of 171ha of land. Over 66% of this is improved agricultural grassland and 25% is closed canopy conifer plantation. Remaining habitats (9%) comprise various grassland or grassland and heath mosaics, in addition to scrub and remnant peatlands. The majority of the surrounding farmed area is permanent grassland, with livestock farming, dairying and beef cattle rearing ongoing. It is considered that foraging habitat that is present is broadly suitable for Badger however no evidence of Badger was found within the UWF Related Works Study Area.

Otter: The territories of otters can stretch for several kilometres; the total length of the home range depends on the availability of food. The smallest territories are thought to occur at coastal sites, where territories may be as small as 2km. The longest territories occur in upland streams where an individual may have to range more than 20km to find sufficient food. Territorial marking typically occurs by means of sprainting or anal secretions. These marks are left mostly at features such as bridge footings, boulders, grass tussocks and stream confluences. Within their territories an individual otter may utilise a number of resting sites within its

territory; these can be hidden refuges above ground (couches), or under-ground chambers (holts). Holts tend to be natural crevices, associated with the roots of trees growing along river and lake banks. These natural recesses provide the otter with a holt that has multiple entrances from which the otter can escape if disturbed. Couches occur frequently in dense vegetation and may be associated with frequently used runs and slides into the water. The rearing of cubs occurs within 'natal holts', which are not marked by spraint. Although capable of breeding at any time of the year, a peak in breeding occurs during the summer and early autumn. Otters that live in rivers and lakes tend to be completely nocturnal, described as being crepuscular – activity peaks at dusk and dawn. Otters are principally piscivorous (fish eating), relying predominantly on salmonids (salmon and trout), but also eel and small fish species such as stickleback. However, otters are not limited to fish and feed opportunistically on a range of prey when available: frogs are frequently eaten by otters, and the remains of invertebrates (crayfish), birds and small mammals have also been found in spraints.

Other Mammals: Fallow Deer are generally found mainly in mature deciduous or mixed woodlands close to open grassland. Red Squirrel is mainly found in coniferous or mixed woodland. Pine Marten generally occur in coniferous or mixed forestry and scrub. Red Fox is found in a wide range of habitats, while Irish Hare is generally found in bog, moor, heath and marsh in addition to mixed farmland, pastoral farmland and more marginal habitats.

Survey Results

Badger: No Badger setts were recorded within the UWF Related Works study area. Badger surveys of the UWF Related Works were carried out on the 13th July 2017; for the avoidance of doubt, these were carried out on the same date of UWF Related Works habitat survey.

Otter: No Otter evidence was recorded within the UWF Related Works study area. Otter surveys of the UWF Related Works were also carried out on the 13th July 2017.

Other species: Fallow Deer are present throughout the upland area and are expected to occur in habitats adjacent to UWF Related Works. Although no evidence of Pine Martin or Red Squirrel was found during site surveys, both species were recorded in the upland forestry areas to the west of UWF Related Works and are assumed to occur in suitable habitat (coniferous or mixed forestry and scrub) where it occurs. Red Fox and Irish Hare were recorded during site surveys.

8.9.1.3 Importance of Non-Volant Mammals

All native mammals are protected by legislation under the Wildlife Act, 1976 and the Wildlife (Amendment) Act, 2000.

Otter is listed on Annex II and Annex IV of the EU Habitats Directive. This Annex II listing requires Member States to designate Special Areas of Conservation (SACs) for the protection of the species. Otter is therefore listed as a qualifying interest of the Lower River Shannon SAC and, hence, is evaluated as of International Importance.

The Eurasian Badger has been given legal protection under the Wildlife Act and is listed in Appendix III of the Bern convention as a species in need of protection. Badger is evaluated as of National Importance.

Pine Marten is listed on Annex V of the EU Habitats Directive and is afforded legal protection under the Wildlife Act, 1976 and the Wildlife (Amendment) Act, 2000. Annex V species are those whose taking from the wild is restricted by European law. Pine Marten are evaluated as of County Importance.

Irish Hare is evaluated as of National Importance. Red Squirrel is evaluated as of County Importance. Fallow Deer are evaluated as of Local Importance (Higher Value). Populations present of Red Fox, Rabbit and Wood Mouse are evaluated as of Local Importance (Lower Value).

The Greater White-toothed Shrew is an Amber-listed invasive species rated as 'medium risk' however their impact on conservation goals remains uncertain due to lack of data (Kelly *et al.*, 2017). As an invasive species no importance evaluation is assigned to this species. As a high impact invasive species American Mink is similarly not assigned an importance evaluation.

8.9.1.4 Sensitivity of Non-Volant Mammals

All mammals are sensitive to the direct effects from disturbance/displacement from breeding and foraging ranges as a result of noise and visual intrusion. Some species show variable or flexible responses such as Otter where research from English Nature (Chanin, 2013) suggests indicate that Otters will rest under roads, in industrial buildings, close to quarries, and at other sites close to high levels of human activity. Mammals are also sensitive to habitat loss and additive mortality from inadvertent contact with operating machinery or vehicles. The National Parks & Wildlife Service's Threat Response Plan for the Otter (NPWS, 2009²³), a review of and response to the pressures and threats to otters in Ireland, categorized three principal risks implicated in Otter declines across Europe: i) habitat destruction and degradation; ii) water pollution; and, iii) accidental death and/or persecution.

8.9.1.5 Trends in the Baseline Environment (the 'Do-Nothing' scenario)

Available trends on general Irish mammals are limited however the most recent 'red list' (Marnell *et al.*, 2009) has judged most of Ireland's terrestrial mammal species to be of 'least concern'. Otter and Red Squirrel are considered near threatened.

Article 17 reporting suggests there appears to have been a genuine improvement in the status of Otter in Ireland with future prospects evaluated as 'favourable' (NPWS, 2013). The Badger population is currently stable in Ireland, estimated in Northern Ireland as 33,500 (Reid *et al.*, 2008) and in the Republic of Ireland as 84,000 (Sleeman *et al.*, 2009). The Pine Marten population is thought to be increasing, and is estimated at 3-10,000 mature individuals (O'Mahony *et al.*, 2007). Future prospects are evaluated as 'favourable' (NPWS, 2013).

Trends in respect of Greater White Toothed Shrew suggest the species is expanding its range by an average of 5.5 km/year (McDevitt *et al.*, 2014). American Mink distribution in Ireland is also expected to continue to increase (Roy *et al.*, 2009).

A scenario in which this proposed project does not take place would result in a continuation of current trends relating to Non-Volant Mammal species within the study area. Populations of mammals would be expected to remain as described above, i.e. favourable in the case of Otter, in line with prospects nationally, stable in the case of Badger etc.

8.9.1.6 Receiving Environment (the Baseline + Trends)

It is assumed in this report that the baseline environment in relation to Non-Volant Mammal species, as described herein, will be the receiving environment at the time of construction with ongoing trends as identified expected to be reflected during the operational phase.

²³ https://www.npws.ie/sites/default/files/publications/pdf/2009_Otter_TRP.pdf

8.9.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics

8.9.2.1 Cumulative Evaluation Study Area

8.9.2.1.1 UWF Related Works Cumulative Evaluation Study Area

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for Non Volant Mammals | Justification for the Study Area Extents |
|---|--|
| <p>Otter: Watercourse crossing locations plus 600m in either direction</p> <p>Badger and Others: 100m around and incorporating UWF Related Works construction works area.</p> | <p>The study area is doubled to identify those Other Elements (or Other Projects or Activities) which may cause cumulative effects to Non-Volant Mammals with UWF Related Works.</p> |

The study is illustrated on **Figure CE 8.9 Non Volant Mammals within the UWF Related Works Cumulative Evaluation Study Area**.

8.9.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project.

A description of these Other Elements is included in this EIA Report at **Appendices 5.3, 5.4, 5.5 and 5.6**, in **Volume C4 EIAR Appendices**. Scoping of these Other Elements is presented in **Section 8.9.2.2.1** below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements which are described in Table 8-68 and illustrated on **Figure WP 8.9: Non-Volant Mammals within the Whole Project Cumulative Evaluation Study Area** (Volume C3 EIAR Figures).

Table 8-68: Whole Project Cumulative Evaluation Study Area for Non-Volant Mammals

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|--|--|---|
| Element 1: UWF Grid Connection | <p>Otter: Watercourse crossing locations plus 300m in either direction</p> <p>Badger and Other : construction works area, afforestation lands, activity locations plus 50m in all directions</p> | <p>Professional Judgement and as pertinent:</p> <p>Otters: Best Practice guidelines published by the Highways Agency (1999)</p> <p>Badgers: Best Practice guidelines published by the NRA (2005)</p> <p>Other mammal species professional judgement and as per Best Practice (CIEEM, 2016).</p> |
| Element 2: UWF Related Works | | |
| Element 3: UWF Replacement Forestry | | |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

8.9.2.2 Overview of Other Elements, Other Projects or Activities

The evaluation of cumulative impacts to Non-Volant Mammals also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Non-Volant Mammals with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in [Appendix 2.3: Scoping of Other Projects or Activities \(Section A2.3.1 and Section A2.3.2.8\)](#).

The results of this scoping exercise are that: it is evaluated that no Other Projects or Activities are likely to cause cumulative effects with either the UWF Related Works or the Other Elements of the Whole UWF Project, and therefore no Other Projects or Activities are scoped in for evaluation of cumulative effects to Non-Volant Mammals.

8.9.2.2.1 Potential for Impacts to Non-Volant Mammals

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project to cause cumulative effects to the Sensitive Aspect Non-Volant Mammals. The results of this evaluation are included in Table 8-69.

The location of, and study area boundary associated with, the Other Elements which are included for cumulative evaluation is illustrated on [Figure WP 8.9](#). The baseline character of the areas around these Elements is described in Section 8.9.2.2.3.

Table 8-69: Results of the Evaluation of the Other Elements of the Whole UWF Project

| <u>Other Element of the Whole UWF Project</u> | |
|---|--|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects |
| Element 3: UWF Replacement Forestry | <u>Included</u> for the evaluation of cumulative effects |
| Element 4: Upperchurch Windfarm (UWF) | <u>Included</u> for the evaluation of cumulative effects |
| Element 5: UWF Other Activities | <u>Included</u> for the evaluation of cumulative effects |

8.9.2.3 Cumulative Information: Baseline Characteristics – Context & Character

8.9.2.3.1 Element 1: UWF Grid Connection

Baseline surveys of the UWF Grid Connection recorded evidence of Badger (*Meles meles*), Otter (*Lutra lutra*), Fox (*Vulpes vulpes*) and Rat (*Rattus Norvegicus*) within the study area, however limited evidence of breeding or resting sites is present, primarily due to the placement of the majority of work locations within the public road. No active breeding or resting sites for Badger (setts) or Otter (Couches and/or holts) are present.

Away from off-road sections such as at the Mountphilips substation location, evidence of mammals is limited to 10 mammal pathways/mammal runs, which is typical evidence of roadside usage. The small number of records is attributed to the generally busy nature of the roads on which the grid route is located. There was an absence of other confirmatory evidence i.e scat, hairs, or prints.

No protected sites in respect of Badger and other general mammals exist within the study area. The Lower River Shannon SAC (site code 002165), which intersects the development at certain watercourse crossing locations, is designated for Otter.

Survey Results

Badger: Records of four Badger latrines and one print were recorded within the 50m buffer of the Mountphilips Substation works boundary during surveys undertaken in April 2017. Surveys undertaken in January 2019 in respect of the preliminary preferred route of the 110kV UGC found no Badger setts within 50m of the route, where it occurs outside of the Mountphilips Substation site. No other evidence in the form of scat, prints and latrines were noted during the survey. No animals were observed however this is typical in respect of a nocturnal species.

Otter: There were four records of Otter within the UWF Grid Connection study area, consisting of paths, slides, tracks and spraints. Two of the four records, which were from the Tooreenbrien Lower River, and consisted of a spraint found approximately 50m downstream of a watercourse crossing location, and a print found on a ledge underneath the bridge arch. The remaining records are from the Bilboa River and the Annagh River, consisting of a single slide at each location. No active breeding or resting sites (Holts or Couches) were identified. Otter evidence has previously been recorded on the Munnia stream, east of the sub-station location at Mountphilips, this location is >300m from the current Grid Connection route, however it is referenced as it occurs upstream. No Otters were observed during current surveys, although this is typical in respect of a species where most activity takes place at night. The location of Otter records within the study area are presented on [Figure WP 8.9](#).

Other species:

Evidence of scavenging Red Fox (*Vulpes Vulpes*) was noted at one location, as indicated by deposited food wrappers. A number of small mammal burrows were recorded adjacent to a small watercourse; these were identified as likely to be Rat burrows. While no evidence of Fallow Deer, Irish Hare, Pine Marten and Red Squirrel was recorded during the survey, they are likely to be present throughout the receiving environment due to the presence of suitable habitat within the study area, including grassland, heath and bog, and coniferous and broadleaved woodland.

Further survey result details on Badger, Otter and other mammals is included on [Figure WP 8.9](#).

Geographical Overlap with UWF Related Works:

UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area in the Knockmaroe/Knockcurraghbola Crownlands area where the 110kV UGC (routed along the local road) is crossed by the Internal Windfarm Cabling and close to Haul Route Works, and in Knockcurraghbola Commons where the 110kV UGC (routed along a tarred forestry road) runs parallel to Internal Windfarm Cabling for a short distance.

8.9.2.3.2 Element 3: UWF Replacement Forestry

Survey Results

Badger: No Badger setts were recorded within the UWF Replacement Forestry study area. A single print was recorded at ITM 594687 661526 within the study area, along a muddy farm track.

Otter: No Otter evidence was recorded within the UWF Replacement Forestry study area.

Other Species: Fallow Deer (found mainly in mature deciduous or mixed woodlands close to open grassland) are present throughout the receiving environment for the Whole UWF Project including UWF Replacement Forestry. Pine Marten was not recorded from the study area. Red Fox (found in a wide range of habitats) is present and was recorded within the study area. Irish Hare (found in bog, moor, heath and marsh in addition to mixed farmland, pastoral farmland and more marginal habitats) was not recorded.

8.9.2.3.3 Element 4: Upperchurch Windfarm

Survey Results

Badger: As per the 2013 RFI, within the Upperchurch Windfarm a disused single entrance sett has been described approximately 250m southwest of T7 and a single disused entrance badger sett was recorded along a field boundary 150m west of T4. Evidence of Badger foraging was recorded in prior surveys for the 2013 RFI.

Otter: As per the 2013 EIS, no Otter was recorded during surveys at the Upperchurch Windfarm site.

Other Species: Fallow Deer (found mainly in mature deciduous or mixed woodlands close to open grassland) evidence was recorded previously within the Upperchurch Windfarm (as per the 2013 RFI). There were no records of pine marten (*Martes martes*), hedgehog (*Erinaceus europaeus*) and Irish stoat (*Mustela erminea subsp. Hibernica*) during surveying. The habitats within the study area offer potential habitat for the species. Irish Hare does occur and was observed during RFI studies. Red Fox and Pygmy shrew were recorded as present

Consideration of the Passage of Time: The makeup of suitable habitat for badger, otter and other mammals on the Upperchurch Windfarm site has not materially changed since 2012/2013, and surveys for UWF Related Works confirmed a low usage of the windfarm area by these species. Therefore it is considered that the descriptions in the 2013 and 2014 documents for Upperchurch Windfarm remain relevant to the cumulative evaluations in this Revised EIAR.

8.9.2.3.4 Element 5: UWF Other Activities

Haul Route Activity Locations:

No mammal evidence was recorded. This is as expected given the locations of activities generally occur in immediate proximity to or overlap public roads.

Overhead Line Activity Locations:

Incidental records of mammal signs and individuals were made during surveys (January 2018) within the Overhead Line Activities study area, findings of note are summarised below.

An old Otter Holt was recorded within the bank of a drainage ditch in the townland of Killonan. An otter pathway located 80 metres west of AM 3 was recorded between the Groody River and an adjoining stream, also in the townland of Killonan.

No active Badger setts were recorded within close proximity to the poles. An old badger sett was recorded within the hedgerow 180 metres north east AM 78, in the Mountphilips townland.

Additional mammals noted included Fox, Fallow Deer, and Rabbit. Mammal pathways were recorded frequently within hedgerows and through treelines. These could be used by a number of mammal species.

8.9.2.3.5 Other Projects or Activities:

Not applicable – No Other Projects or Activities were scoped in for evaluation of cumulative effects, see Section 8.9.2.1.

8.9.3 PROJECT DESIGN MEASURES for Non-Volant Mammals

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

The Project Design Measures outlined in Table 8-70 are relevant to the Environmental Factor, Biodiversity, and in particular to the sensitive aspect **Non-Volant Mammals**.

Table 8-70: UWF Related Works Project Design Measures relevant to Non-Volant Mammals

| PD ID | Project Design Environmental Protection Measure (PD) |
|-------|--|
| PD01 | All construction works will be carried out during daylight hours. |
| PD29 | Confirmatory surveys for active Otter holts and activity (particularly holts at which breeding females or cubs are present) will be carried out 150m upstream and downstream of watercourse crossing locations. |
| PD30 | All construction works within 150m of an active otter holt, will be carried out during daylight hours and outside of 2 hours after sunrise or before sunset during summer/outside of 1 hours after sunrise or before sunset during winter. |
| PD31 | If an active holt (particularly holts at which breeding females or cubs are present) is located within 150 meters of the watercourse crossing points, no works will be undertaken <u>while cubs are present in the holt</u> and NPWS will be notified immediately |
| PD32 | No wheeled or tracked vehicles (of any kind) will be used within 20m of active, but non-breeding otter Holts, and light work, such as digging by hand or scrub clearance will not take place within 15m of such holts, except under license. |
| PD33 | The prohibited working area associated with otter holts will, where appropriate, be fenced with temporary fencing prior to any possibly invasive works and declared as ‘out of bounds’. Fencing will be in accordance with Clause 303 of the NRA’s Specification for Roadworks (National Roads Authority). Appropriate awareness of the purpose of the enclosure will be conveyed through toolbox talks with site staff and sufficient signage will be placed on each exclusion fence. All contractors or operators on site will be made fully aware of the procedures pertaining to each affected holt (NRA, 2006) and subject to audits and non-conformance records in the event of non-compliance, to be included in reports submitted to Local Authorities and relevant Statutory Consultees. |
| PD34 | Confirmatory surveys will be carried out within 50 m of either side of the construction works area boundary to confirm the current status with respect to badger setts (i.e. active or inactive) and to determine if any new setts have been established in the intervening period following initial pre-planning surveys and the commencement of construction activity. These confirmatory badger surveys will be undertaken no more than 12 months in advance of proposed construction activities, during the period November and April when vegetation cover is reduced. NWPS will be notified immediately if the sett previously identified is confirmed as active or if a further active sett is located within 50 meters of the footprint of the development. If sett exclusion is required, this will be undertaken by an experienced ecologist under the necessary license and following best practice guidance (NRA, 2005). |
| PD35 | No construction works will be carried within 50m of an active sett during the main breeding season (December 1 st to June 30 th). |
| PD36 | Construction activity in the environs of a known active badger sett outside of the breeding period will follow NRA (2005) guidelines, i.e. no heavy machinery will be used within 30m of badger setts (unless carried out under license); lighter machinery (generally wheeled vehicles) will not be used within 20m of a sett entrance; light work, such as digging by hand or scrub clearance will not take place within 10m of sett entrances. |

Cumulative Information: Potential or likely significant impacts caused by the Other Elements of the Whole UWF Project were avoided, prevented or reduced by incorporating Project Design Measures into the fundamental design of the UWF Grid Connection, UWF Replacement Forestry and UWF Other Activities and into the consented design of the Upperchurch Windfarm. These Project Design Measures are included in the description of these Elements, and can be found in this EIA Report in [Appendices 5.3, 5.4, 5.5 and 5.6](#), in [Volume C4: EIAR Appendices](#).

| |
|--------------------|
| Non-Volant Mammals |
| Sensitive Aspect |

| |
|--------------|
| Biodiversity |
| Topic |

8.9.4 EVALUATION OF IMPACTS to Non-Volant Mammals

In this Section, the likely direct and indirect effects of the UWF Related Works are identified and evaluated. Then the likely cumulative effects of the UWF Related Works together with the Other Elements of the Whole UWF Project are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Non-Volant Mammals.

As a result of the exercise, some impacts were included and some were excluded.

Table 8-71: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts <u>Included</u> (Evaluated in the Impact Evaluation Table sections) | Impacts <u>Excluded</u> (Justification at the end of the Impact Evaluation Table sections) |
|--|--|
| Badger: Habitat Loss (construction stage) | Otter – Loss of Habitat, (construction stage) |
| Badger: Disturbance/Displacement (construction stage) | Secondary Mortality of Otter, (construction stage) |
| Otter: Disturbance/Displacement (construction stage) | Badger - Temporary Loss of Habitat |
| Irish Hare, Pine Marten, Red Squirrel and -Fallow Deer: Habitat Loss (construction stage) | Secondary Mortality of Badger, (construction stage) |
| Irish Hare, Pine Marten, Red Squirrel and Fallow Deer: Disturbance/Displacement (construction stage) | Secondary Mortality of Pine Marten, Red Squirrel, Fallow Deer, Irish Hare, (construction stage) |
| | Introduction or spread of invasive species- White Toothed Shrew, (construction stage) |
| | Secondary Mortality of General Non-Volant Mammals due to spread of disease such as TB |
| | Introduction or spread of invasive species- White Toothed Shrew, (operational stage) |
| | Disturbance/Displacement of General Non-Volant Mammals, (operational stage) |
| | Secondary Mortality of General Non-Volant Mammals, (operational stage) |
| | Introduction or spread of invasive species- White Toothed Shrew, (operational stage) |
| | Disturbance/Displacement of General Non-Volant Mammals, (operational stage) |
| | Secondary Mortality of General Non-Volant Mammals, (operational stage) |

The source-pathway-receptor links for included impacts are described in the Impact Evaluation Tables in the next sections. **The Impact Evaluation Tables are presented in the following sections 8.9.4.1 to 8.9.4.5.**

The source-pathway-receptor links and the rationale for excluded impacts are described in the section directly after the Impact Evaluation Table sections, in Section 8.9.4.6.

8.9.4.1 Impact Evaluation Table: Badger - Habitat Loss

Impact Description

Project Life Cycle Stage: Construction stage

Impact Source: construction of new access roads and hardstanding areas

Cumulative Impact Source: Excavations, construction of new access roads, compounds and hardstanding areas, afforestation

Impact Pathway: Land cover

Impact Description: Badger is evaluated as a High Sensitivity receptor. Construction works will cause a permanent and temporary loss of some suitable foraging or breeding habitat in the form of grassland, woodland and/or hedgerows under the footprint of permanent structures such as access roads, compounds, and hardstanding areas, in addition temporary loss could occur as a result of groundworks and temporary access roads.

Loss of suitable foraging habitat, may affect body condition, survival rate and/or breeding capacity dependant on the percentage of loss within a groups territory (>25% is considered as significant²⁴) and the availability of other food resources. Badgers will benefit positively from varying degrees of hedgerow enhancement, the creation of new hedgerows and also the management of lands as part of the Upperchurch Hen Harrier Scheme (UWF Other Activities).

Impact Quality: Negative, Neutral

Evaluation of the Subject Development Impact – Badger: Habitat Loss

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude: The extent of suitable foraging habitat permanent loss relates to 0.5Ha of Spoil and Bare Ground, recolonising bare ground, improved agricultural grassland, wet grassland, Conifer plantation and Scrub, which will be permanently lost. In addition, 170m of hedgerow will also be lost, comprising primarily earthen banks.

Temporary loss of foraging habitat from works such as internal windfarm cabling (4.6km in agricultural lands and 2.1km in forestry), Haul Route Works (widening of roadside verges for 1710m in total; temporary removal and reinstatement of 1035m of hedgerow and earthen banks which form roadside boundaries; permanent removal of 25m of roadside boundary and the construction of 290m temporary access roads on private lands), temporary Site Entrances (n=14), Temporary Access roads (up to 5.3km) and the storage of temporarily excavated material is also likely to occur during the construction stage and until vegetation has been re-established on reinstated lands. Following the completion of construction works in an area, with the exception of new permanent infrastructure such as Realigned Windfarm Roads or Telecom Relay Pole hardstand, the lands under the construction works areas will be reinstated to their former condition and returned to the landowner for use as before.

No active Badger setts nor signs of foraging activity were recorded at the UWF Related Works study area in 2017. Habitats within 50m of UWF Related Works comprise a total of 171ha of land. Over 66% of this is improved agricultural grassland and 25% is closed canopy conifer plantation. Remaining habitats comprise various grassland or grassland and heath mosaics, in addition to scrub and remnant peatlands. The majority of the surrounding farmed area is permanent grassland, with livestock farming, dairying and beef cattle rearing ongoing.

It is considered that due to the small extent of permanent habitat loss, and full reinstatement of temporary land use change, in the context of the low usage of the site by Badgers, that the magnitude of impact will be negligible.

²⁴ NRA. *Guidelines for the treatment of Badgers prior to the construction of National Road Schemes*. <http://www.tii.ie/tii-library/environment/construction-guidelines/Guidelines-for-the-Treatment-of-Badgers-prior-to-the-Construction-of-a-National-Road-Scheme.pdf>

| | | |
|--------------------|--|--|
| Non-Volant Mammals | Significance of the Impact: Neutral effect | |
| | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The extent of land use change, within the context (less than 1%) of an average territory size of 80Ha, and; • No active Badger setts were recorded in baseline studies of the UWF Related Works locations, and; • No contrast with baseline conditions is expected. • Temporary loss of habitats is reversible with the reinstatement of lands | |
| Sensitive Aspect | Element 2: UWF Related Works – cumulative impact | |
| | <p><u>Cumulative Impact Magnitude:</u> The potential for cumulative effects to Badger mainly relates to those habitats where badger could be affected by both UWF Related Works and Upperchurch Windfarm works. As a large proportion of UWF Related Works are located within Consented UWF Roads (62% of Internal Windfarm Cabling located within Consented UWF Roads), the magnitude of cumulative effects is reduced.</p> <p>No cumulative habitat loss effects will occur to badger as a result of UWF Related Works in combination with UWF Grid Connection works, as the UWF Grid Connection works will be located entirely within paved roads within the zone of overlap, and as badgers are not likely to forage extensively or rely on roadside habitats, it is considered that no loss of habitat is associated with UWF Grid Connection within the UWF Related Works Cumulative Evaluation Study Area.</p> <p>There is no potential for UWF Related Works to have cumulative effects with UWF Other Activities as the habitat enhancement effects of the Upperchurch Hen Harrier Scheme will not have come into effect at the time of construction works.</p> <p>There is also no potential for UWF Related Works to have cumulative effects with UWF Replacement Forestry, as this Element does not occur within the UWF Related Works Cumulative Evaluation Study Area (100m from construction works areas).</p> <p>The extent of suitable foraging/breeding habitat within the UWF Related Works Cumulative Evaluation Study Area is assumed to be the full extent i.e. 398 Ha. However, 2012 and 2017 Surveys found 2 disused sets and signs of foraging activities were recorded on the Consented Upperchurch Windfarm site in 2012, no active Badger setts nor signs of foraging activity were recorded at the UWF Related Works study area in 2017. Based on the available extent of suitable habitat and the low usage of the area by badger, the magnitude of any cumulative habitat loss to badger is negligible.</p> | |
| Biodiversity | <u>Significance of the Impact:</u> Not Significant | |
| | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • Small extent of permanent habitat loss (0.5ha) • No active Badger setts were recorded in baseline studies of the UWF Related Works locations (2017) or Upperchurch Windfarm locations (2012); • No material contrast with baseline conditions is expected; • In relation to Haul Route Works and UWF Grid Connection works, badgers are not likely to forage extensively or rely on roadside habitats; • Temporary loss of habitats is reversible with the reinstatement of lands. | |
| Topic | Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project | |
| | Element 1: UWF Grid Connection | |
| | <p><u>Impact Magnitude:</u> No active badger setts or other signs of Badger activity were recorded during the baseline survey of the 110kV UWF Underground Grid Connection in 2019. While no evidence of Badger activity was recorded, suitable foraging habitats, consisting of grassland, woodland and hedgerows were recorded within 50m of the UWF Grid Connection route. Considering the widespread distribution of Badger in Ireland, and the</p> | |

presence of suitable foraging habitat, as recorded along the UWF Grid Connection route, Badger are likely to forage in the area surveyed.

Seeing as the installation of the UWF Grid Connection will be confined to paved public roads, the impact magnitude on Badger resulting from the loss of habitat is expected to be limited only to permanent roads, roadside berms and the Mountphilips substation location, comprising 1.39Ha in total, considered to be negligible.

Significance of the Impact: Not Significant

Rationale for Impact Evaluation:

- Negligible magnitude of foraging habitat landcover change;
- No setts or other signs of badger activity were recorded within the study area for UWF Grid Connection.
- While badgers' cross roads to access feeding areas, they generally do not forage along roads – are particularly unlikely to forage along a road as busy as the R503.
- the brief duration of the works and the absence of significant habitat loss associated with the UWF Grid Connection
- The extent of land use change, within the context (less than 2%) of an average territory size of 80Ha, and;
- No significant contrast with baseline conditions is expected, notwithstanding
- The duration of permanent land use change, and;
- Low reversibility

Element 3: UWF Replacement Forestry

Impact Magnitude:

4Ha of suitable foraging habitat for Badger in the form of improved agricultural grassland will undergo a permanent land use change to a mixed species, native woodland, which will comprise tall trees and understory shrubs, along with wide ride lines, and a mix of tall grasses and scrub land cover maintained during the growth stage. The existing riparian habitat will be enhanced through the planting of Hazel, alder and willow species, and protected through the placement of fencing. The area to be created represents 5% of an average territory size (80Ha).

Significance of the Impact: Slight (Positive)

Rationale for Impact Evaluation:

- No setts were identified within the study area for UWF Replacement Forestry, but prints indicating a foraging range were noted, and;
- The extent of habitat change which is;
- A positive contrast with baseline conditions;
- With permanent duration, and;
- Low reversibility.

Element 4: Upperchurch Windfarm

Impact Magnitude:

As per the 2013 EIS: Some permanent, irreversible loss of foraging habitat within the improved agricultural grassland in the south-eastern section of the proposed site where a badger trail and droppings were observed.

Significance of the Impact: Not Significant

Rationale for Impact Evaluation: "Arising from my assessment above and based on the information available therefore I Conclude that the development will not give rise to Significant adverse effects on the environment and that ongoing impacts are limited in terms of scale and significance and can be remediated."

Element 5: UWF Other Activities

Non-Volant Mammals

Sensitive Aspect

Biodiversity

Topic

| | | |
|--|------------------|---|
| Non-Volant Mammals | Sensitive Aspect | <u>Impact Magnitude</u> : No permanent land take of Badger foraging or breeding habitat. |
| | | <u>Significance of the Impact</u> : Neutral effect |
| | | <u>Rationale for Impact Evaluation</u> : <ul style="list-style-type: none">• Badgers are not likely to forage extensively or rely on roadside habitats, and;• No permanent land use change will occur, and;• The brief duration of any temporary effects, with;• No significant contrast with baseline conditions expected, and;• The reversibility of temporary habitat loss with reinstatement of roadside verges following delivery and;• Positive effects will accrue from land management as part of the Upperchurch Hen Harrier Scheme, and;• Overhead Line Activities will not require land take of suitable Badger habitat nor contrast with the existing environment. |
| | | Evaluation of Other Cumulative Impacts – Badger: Habitat Loss |
| Biodiversity | Topic | Whole UWF Project Effect |
| | | <u>Cumulative Impact Magnitude</u> : <p>Instances of foraging and or breeding habitat loss will occur across the UWF Grid Connection, UWF Related Works UWF Replacement Forestry and Upperchurch Windfarm; total habitat loss across the Whole UWF Project areas will be c.6.4ha</p> <p>The UWF Replacement Forestry will result in a permanent land cover change, to habitat also suitable for Badger resulting in a slight positive change to higher quality breeding and foraging habitat. Management activities as part of the Upperchurch Hen Harrier scheme, whilst targeted at Hen Harrier will also benefit and possibly attract Badgers to the area.</p> |
| | | Significance of the Cumulative Impact: Not Significant |
| | | <u>Rationale for Cumulative Impact Evaluation</u> : <ul style="list-style-type: none">• The extent of total land use change, and;• Instances of foraging and breeding habitat loss will occur across the UWF Related Works, UWF Replacement Forestry and Upperchurch Windfarm. However, due to a negligible loss of habitat associated with the UWF Grid Connection, this element is expected to have an insignificant cumulative impact magnitude in respect of the other project elements.• The absence of badger setts, and therefore the absence of identified territories;• No significant contrast with baseline conditions is expected, and;• The long-term duration of permanent land use change, with;• Low reversibility, is;• Offset by management activities as described |
| Note: No cumulative evaluation of <u>Other Projects or Activities</u> is included in the table above, because <u>no</u> Other Projects or Activities are likely to cause cumulative effects to Non-Volant Mammals with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.9.2.1). | | |

8.9.4.2 Impact Evaluation Table: Badger - Disturbance/Displacement

Impact Description

Project Life Cycle Stage: Construction stage

Impact Source: Construction Noise and Visual Intrusion

Cumulative Impact Source: Noise and Visual Intrusion

Impact Pathway: Air and visibility

Impact Description: Badgers are high sensitivity receptors. Disturbance to or Displacement of Badgers may occur where construction works are in close proximity to occupied Badger Setts. Serious disturbance may cause an avoidance response and result in the mortality of cubs, which are typically underground during the months of January through to February prior to emergence in April.

Works will be undertaken during daylight hours only as part of Project Design, which significantly reduces effects. No construction works will take place within 50m of an active badger sett in the main breeding season (December to June inclusive), as part of Project Design.

Impact Quality: Negative

Evaluation of the Subject Development Impact – Badger: Disturbance/Displacement

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude: None

Significance of the Impact: No potential for impact

Rationale for Impact Evaluation:

- No active Badger setts were identified in baseline studies of UWF Related Works.

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude: None.

Significance of the Impact: No potential for impact

Rationale for Impact Evaluation:

No active Badger setts were identified in baseline studies of UWF Related Works or Upperchurch Windfarm.

Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project

Element 1: UWF Grid Connection

Impact Magnitude: No active badger setts or other signs of Badger activity were recorded during the baseline survey of the 110kV UWF Underground Grid Connection in 2019. The UWF Grid Connection is will be located mainly along existing paved roads, with the exception of a short section in the Mountphilips area. Therefore, effects are limited to the Mountphilips area, as roadside habitat along the 110kV UGC is not expected to be used extensively or relied upon as foraging habitat by badger.

The installation of the UWF Grid Connection will consist of brief effects confined mainly to the existing public road, the magnitude of impact to badgers are therefore expected to be not significant.

Significance of the Impact: Not Significant

Rationale for Impact Evaluation:

- The absence of badger setts within 50m of the UWF Grid Connection;
- Short term duration of the works;

| | |
|--------------------|---|
| Non-Volant Mammals | <ul style="list-style-type: none"> • Completion of works during daylight hours; • The works will be confined to the existing public road. |
| | Element 3: UWF Replacement Forestry |
| | <u>Impact Magnitude:</u> None |
| | <u>Significance of the Impact:</u> No potential for impacts |
| | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • No setts were identified within the study area, and • All planting will be done by hand, undertaken during daylight hours, and; • Of temporary duration; • No contrast to baseline conditions is expected. |
| Sensitive Aspect | Element 4: Upperchurch Windfarm |
| | <u>Impact Magnitude:</u> 'Some noise and anthropogenic disturbance during the construction phase of the development'. |
| | <u>Significance of the Impact:</u> Not significant |
| | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • Duration temporary. • Impact from disturbance is expected to be mostly reversible post construction. • As per the UWF EIS 2013- It is probable that a negative impact to badger will not be significant. |
| | Element 5: UWF Other Activities |
| Biodiversity | <u>Impact Magnitude:</u> Negligible |
| | <u>Significance of the Impact:</u> Neutral effect |
| | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • No Badger setts were identified at Haul Route Activity locations or within 50m of same. • Overhead Line Activities at any one location will be brief-momentary in duration, conducted during daylight hours only, with no excavations and the use only of light vehicles. • Activities pertaining to the Upperchurch Hen Harrier Scheme management prescriptions will be similar to existing agricultural activities. |
| | Evaluation of Other Cumulative Impacts – Badger: Disturbance/Displacement |
| | Whole UWF Project Effect |
| Topic | <u>Cumulative Impact Magnitude:</u> Construction works will occur across a c.30km wide area, which includes suitable foraging and breeding habitat for badger. However no active badger setts were identified within the UWF Related Works, UWF Replacement Forestry or Upperchurch Windfarm study areas. UWF Related Works and UWF Replacement Forestry are expected to have Neutral Effects, while the effects of the consented Upperchurch Windfarm are expected to be Not Significant. In relation to UWF Grid Connection, effects are limited to the Mountphilips area, as roadside habitat along the 110kV UGC is not expected to be used extensively or relied upon as foraging habitat by badger. |
| | Significance of the Cumulative Impact: Not Significant |

Rationale for Cumulative Impact Evaluation:

- The absence of active badger setts and badger records in the study areas;
- Project design measures to avoid/reduce effects on Badger, with
- Works completed during daylight hours only.

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Non-Volant Mammals with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.9.2.1).

8.9.4.3 Impact Evaluation Table: Otter - Disturbance/Displacement

Impact Description

Project Life Cycle Stage: Construction stage

Impact Source: Construction Noise and Visual Intrusion

Cumulative Impact Source: Noise and Visual Intrusion

Impact Pathway: Air and visibility

Impact Description: Otter are rated as a very high sensitivity receptor (based on International importance ratings) and do not tolerate disturbance at or near holts (breeding dens) that are in active use (breeding may occur at any time of the year, but most likely during the period). As no active holts were located within 150m (upstream or downstream) of works locations (i.e. watercourse crossings) then effects are reduced to disturbance/displacement of foraging or resting animals, primarily within aquatic habitats but also within adjacent riparian corridors. This could include the disturbance of animals at resting places (couches).

These effects are reduced by an adherence to completing works during daylight hours only as part of Project Design. However watercourses are present which form part of or are hydrologically connected to European Sites (cSAC's) which include Otter as a Qualifying Interest. Significant effects on Otter from displacement resulting from noise or visual intrusion may therefore affect in turn the integrity of these designated site(s).

Impact Quality: Negative

Evaluation of the Subject Development Impact – Otter: Disturbance/Displacement

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude: 32 No. watercourse crossings in total are required for UWF Related Works with instream works required at 25 No. of these crossings. Due to 75% of these watercourses being drains or marginal watercourses, and the absence of otter holts within 150m of the crossing points, impact magnitude is expected to be Negligible

Significance of the Impact: Neutral effect

Rationale for Impact Evaluation:

- No active holts were identified overlapping the construction area boundaries or within 150m, and;
- Works will take place during daylight hours only, and;
- Be of brief-temporary duration.
- Application of project design measures for the protection of Otter,

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude: The potential for cumulative effects relates to the in-combination effects of UWF Related Works and Upperchurch Windfarm and to a lesser extent of UWF Related Works with Upperchurch Windfarm and UWF Grid Connection. However, as the majority of watercourses crossings associated with these Projects within the Cumulative Evaluation Study Area are drains or of marginal ecological value, and the absence of otter holts within 150m of works areas, the cumulative impact magnitude is expected to be Negligible.

Cumulative effects with UWF Replacement Forestry will be negligible due to the separation distance between UWF Related Works and UWF Replacement Forestry, and the absence of otter on UWF Replacement Forestry site. There is no potential for Other Projects to cause cumulative effects to Otter with UWF Related Works.

Significance of the Impact: Neutral effect

Rationale for Impact Evaluation:

Non-Volant Mammals

Sensitive Aspect

Biodiversity

Topic

- No active holts within 150m of watercourse crossing locations;
- Works will take place during daylight hours only, and;
- Be of brief-temporary duration.
- Application of project design measures for the protection of Otter.

Non-Volant Mammals

Sensitive Aspect

Biodiversity

Topic

Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project

Element 1: UWF Grid Connection

Impact Magnitude: There were four records of Otter within the UWF Grid Connection study area, consisting of paths, slides, tracks and spraints. Two of the four records, which were from the Tooreenbrien Lower River, and consisted of a spraint found approximately 50m downstream of the watercourse crossing, and a print found on a ledge underneath the bridge arch. The remaining records are from the Bilboa River and the Annagh River, consisting of a single slide at each location. No active breeding or resting sites (Holts or Couches) were identified, however. No Otters were observed, although this is typical in respect of a species where most activity takes place at night.

Out of the 63 identified watercourse crossings along the UWF Grid Connection route, 15 watercourses were identified from photographs taken during a preliminary survey of all watercourse crossing locations, as having potential to support Otter and were therefore surveyed 150m upstream and downstream of the crossing for the presence of Otter. Out of these 15 watercourses surveyed, evidence of Otter was found at three watercourse crossings. No active breeding or resting sites (Holts or Couches) were identified, however.

Considering the brief duration of works at watercourse crossings and the small scale of the proposed works the magnitude of impact in relation to disturbance of Otter is expected to be slight.

Significance of the Impact: Slight

Rationale for Impact Evaluation:

- The implementation of Additional Mitigation Measure AMM-01:Disturbance to or displacement of Otter – see UWF Grid Connection EIA Report
- The very high sensitivity rating of the species, and;
- Recorded Otter evidence in close proximity to the identified crossings, notwithstanding;
- Works will take place during daylight hours, and;
- The brief-temporary duration of disturbance events, with
- Project design measures to avoid/reduce effects also in place , however;
- Effects may not be reversible.

Element 3: UWF Replacement Forestry

Impact Magnitude: Negligible

Significance of the Impact: Neutral effect

Rationale for Impact Evaluation:

- No active holts or resting places were recorded in baseline studies, and;
- All planting will be done by hand, and;
- Undertaken during daylight hours, and
- Of temporary duration;
- No significant contrast to baseline conditions is expected.
- Any effect will be reversible, given the low magnitude of source disturbance.

| | |
|--------------------|--|
| Non-Volant Mammals | Element 4: Upperchurch Windfarm |
| | <u>Impact Magnitude:</u> None |
| | <u>Significance of the Impact:</u> Neutral effects |
| | <u>Rationale for Impact Evaluation:</u> |
| | <ul style="list-style-type: none"> No Otter were recorded and hence disturbance effects were not scoped in for evaluation. |
| Sensitive Aspect | Element 5: UWF Other Activities |
| | <u>Impact Magnitude:</u> Negligible |
| | <u>Significance of the Impact:</u> Neutral effect |
| | <u>Rationale for Impact Evaluation:</u> |
| | <ul style="list-style-type: none"> No otter holts or resting places were recorded at Haul Route Activity locations, and; Locations of Overhead Line Activities and the nature of the activities themselves will not differ from the existing baseline maintenance regime, no upgrades to watercourse crossings will be required, and activities will all be of brief duration and only during daylight hours; The offsetting effects of long term management activities for the Upperchurch Hen Harrier Scheme which will promote and enhance existing Otter habitat – including the enhancement of riparian corridors. The low reversibility of the above described management. |
| Biodiversity | Evaluation of Other Cumulative Impacts – Otter: Disturbance/Displacement |
| | Whole UWF Project Effect |
| | <u>Cumulative Impact Magnitude:</u> Construction works involving the use of machinery and excavation work at watercourse crossing points (both existing and new crossing points) will occur across a c.30km wide area within the River Shannon and River Suir catchments. There is potential to cause disturbance or displacement of otter at larger watercourse crossing points. These larger watercourses occur along the UWF Grid Connection, whereas the watercourses on the UWF Related Works and Upperchurch Windfarm sites are mainly drains and larger drains/watercourses with marginal habitat value to otter. |
| | In relation to in-combination effects of the whole project, there is no potential for cumulative additive effects to Otters from both the UWF Related Works and the Upperchurch Windfarm due to the absence of Otter recorded at the watercourses within these sites. There is no potential for cumulative effects of the UWF Replacement Forestry with the Other Elements due to the Neutral effect of UWF Replacement Forestry. The in combination effect of the whole project, where considered in its entirety is in the order of Project Element 1 i.e. the Grid Connection. In total 3 no. watercrossing points along the public road had signs of Otter use within 300m, the nearest of these crossing points is separated from UWF Related Works and Upperchurch Windfarm by ca.6km, therefore there is no likelihood of additive cumulative effects to individual Otters from both the UWF Grid Connection works and UWF Related Works or Upperchurch Windfarm works. |
| | Significance of the Cumulative Impact: Slight |
| Topic | <u>Rationale for Cumulative Impact Evaluation:</u> <ul style="list-style-type: none"> Notwithstanding the separation distances between the 3 no. watercourse crossing locations along the UWF Grid Connection and the watercourse crossing locations associated with the UWF Related Works and Other Elements, and The absence of Otter records at the UWF Related Works, UWF Replacement Forestry and UWF study areas, and |

| |
|--|
| <ul style="list-style-type: none">• Works will take place during daylight hours, and;• Be brief-temporary in duration;• The high sensitivity of the species, and context of crossing locations as part of Project Element 1 utilizing drilling within a SAC with Otter as a Qualifying Interest, with;• Recorded evidence of Otter in close proximity, and• Potential (albeit unlikely) for sequential effects |
| |

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Non-Volant Mammals with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.9.2.1).

| |
|--------------------|
| Non-Volant Mammals |
| Sensitive Aspect |

| |
|--------------|
| Biodiversity |
| Topic |

8.9.4.4 Impact Evaluation Table: Irish Hare, Pine Marten, Red Squirrel and Fallow Deer - Habitat Loss

Impact Description

Project Life Cycle Stage: Construction stage

Impact Source: groundworks and vegetation clearance, and new access roads and compound areas

Cumulative Impact Source: groundworks and vegetation clearance, new access roads and hardstanding areas, afforestation

Impact Pathway: Land cover

Impact Description: Populations of Pine Marten and Red Squirrel are evaluated as of County Importance. Populations of Irish Hare are evaluated as of National Importance. Populations of Fallow Deer are evaluated as of Local Importance (Higher Value).

Construction Works will involve groundworks and vegetation clearance which will result in the temporary and/or permanent land use change of some suitable foraging or breeding habitat - deciduous and mixed forestry/woodland/Scrub in respect of Pine Marten, Red Squirrel and Fallow Deer and open fields, grassland and upland heath and bog in respect of Irish Hare. Temporary land use change will be reinstated immediately resulting in Neutral effects. Permanent effects will be avoided by the creation of new hedgerows as part of the UWF Related Works, the management of deciduous woodland as UWF Replacement Forestry (permanent), and management activities as part of the Upperchurch Hen Harrier Scheme which will have secondary positive effects for mammals species through the provision of enhanced shelter and foraging habitat.

Impact Quality: Negative and positive

Evaluation of the Subject Development Impact – Irish Hare, Pine Marten, Red Squirrel and Fallow Deer: Habitat Loss

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude:

Permanent land use change of 0.28Ha (<1%) of available suitable foraging or breeding Pine Marten, Red Squirrel and Fallow Deer habitat (48Ha).

Permanent land use change of 0.19ha (<1%) of available suitable foraging or breeding Irish Hare habitat (123Ha).

Significance of the Impact: Not Significant

Rationale for Impact Evaluation:

- The extent of permanent land use change, evaluated as Negligible (1-5%), within the context of available habitat, and;
- Comprises a very slight change from baseline conditions; notwithstanding;
- The long term duration, and
- Low reversibility;

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude: The potential for cumulative effects relates to the in-combination effects of UWF Related Works and Upperchurch Windfarm and to a lesser extent of UWF Related Works with Upperchurch Windfarm and UWF Grid Connection. Cumulative effects will be negligible due to the small extent of habitat loss in the context of the availability of habitat in the wider area.

Significance of the Impact: Not Significant

Non-Volant Mammals

Sensitive Aspect

Biodiversity

Topic

| | |
|--------------------|--|
| Non-Volant Mammals | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The extent of permanent land use change, (c.1%), within the context of available habitat, and; • Comprises a minor shift from baseline conditions, notwithstanding the long term duration, and low reversibility. |
| | <p>Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project</p> |
| Sensitive Aspect | <p>Element 1: UWF Grid Connection</p> |
| | <p><u>Impact Magnitude:</u> Considering the 110kV UGC will be located mainly along existing public roads, loss of potentially suitable habitat for these species will be limited to a loss of 1.39 ha of grassland hedgerows and treelines in the Mountphilips area.</p> <p><u>Significance of the Impact:</u> Not Significant for Pine Marten, Red Squirrel, Fallow Deer, and Irish Hare</p> |
| | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The extent of permanent land use change, evaluated as extremely low , within the context of available habitat within the study area, and; • Comprises a minor shift from baseline conditions; notwithstanding • Reinstatement measures will provide suitable habitat; • The permanent duration , and • Low reversibility. • The location of the UWF Grid Connection is confined mainly to the existing public road network. |
| | <p>Element 3: UWF Replacement Forestry</p> |
| | <p><u>Impact Magnitude:</u> Construction Works will include land take of some suitable foraging habitat for Irish Hare and Fallow Deer. The loss of foraging habitat is offset by the provision of further breeding and foraging habitat through replanting of deciduous woodland.</p> <p><u>Significance of the Impact:</u> Not significant</p> |
| | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The extent of land use change is primarily improved agricultural grassland, and; • A slight positive contrast with baseline conditions is expected from management, • Which is of Permanent Duration and ; • Not reversible. |
| | <p>Element 4: Upperchurch Windfarm</p> |
| | <p><u>Impact Magnitude:</u> Pine Marten: There shall be loss of potential suitable habitat, due to the loss of conifer plantation. This negative effect is irreversible. Irish Hare: Some loss of habitat within the footprint of the Upperchurch Windfarm. Red Squirrel: Not recorded, therefore Neutral effect. Fallow Deer: There is a high probability (>50% likelihood) that the Construction Works will include land take of some suitable habitat for Fallow Deer. The scale of habitat loss is evaluated as negligible in the context of available habitat.</p> <p><u>Significance of the Impact:</u> Not Significant</p> |
| Topic | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • No Pine Marten were recorded during studies to inform the baseline EIS, and; |

| | |
|--------------------|---|
| Non-Volant Mammals | <ul style="list-style-type: none"> • The scale of Pine Martin habitat loss (4.35Ha) is evaluated as negligible in the context of available forestry habitat. • Fallow Deer were recorded in low numbers (n=5) during studies to inform the EIS RFI, and; • The scale of habitat loss (4.35Ha) is evaluated as negligible in the context of available forestry habitat |
| | Element 5: UWF Other Activities |
| | <u>Impact Magnitude:</u> Negligible |
| | <u>Significance of the Impact:</u> Neutral effects |
| | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • The absence of habitat loss, and; • The brief duration of any effects, and; • No significant contrast with baseline conditions is expected, and; • The reversibility of temporary habitat loss with reinstatement of roadside verges following delivery and; • The offsetting effects of management activities for the Upperchurch Hen Harrier Scheme which will promote and enhance existing mammalian habitat, with; • Neutral effects likely from Overhead Line Activities as described due to the brief duration of same, and an adherence to working during daylight hours. |
| Sensitive Aspect | Evaluation of Other Cumulative Impacts – Irish Hare, Pine Marten, Red Squirrel and Fallow Deer: Habitat Loss |
| | Whole UWF Project Effect |
| | <u>Cumulative Impact Magnitude:</u> Instances of land use change of suitable habitat for Irish Hare, Pine Marten, Red Squirrel and Fallow Deer will occur in the context of the UWF Grid Connection, UWF Related Works, UWF Replacement Forestry and Upperchurch Windfarm. Sequential effects may occur from multiple sources of land take occurring simultaneously at different locations. Effects will be offset by the management of lands such as UWF Replacement Forestry and the Upperchurch Hen Harrier Scheme. |
| | <u>Significance of the Cumulative Impact:</u> Not Significant for Pine Marten, Red Squirrel and Fallow Deer, and Slight for Irish Hare |
| | <u>Rationale for Cumulative Impact Evaluation:</u> <ul style="list-style-type: none"> • The extent of habitat loss overall (1-5%); • Will limit effects as animals will have ample habitat to move into in respect of any permanent land use change, even in the instance of sequential land use change, and; • No significant contrast with baseline conditions is therefore expected, and; • The offsetting effects of management activities for the Upperchurch Hen Harrier scheme and UWF Replacement Forestry will promote and enhance existing mammalian habitat. |
| Biodiversity | Note: No cumulative evaluation of <u>Other Projects or Activities</u> is included in the table above, because <u>no</u> Other Projects or Activities are likely to cause cumulative effects to Non-Volant Mammals with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.9.2.1). |
| | |
| Topic | |

8.9.4.5 Impact Evaluation Table: Irish Hare, Pine Marten, Red Squirrel and Fallow Deer - Disturbance /Displacement

| Impact Description | |
|--|--------------------|
| Project Life Cycle Stage: | Construction stage |
| Impact Source: Construction Noise and Visual Intrusion | |
| Cumulative Impact Source: Noise and Visual Intrusion | |
| Impact Pathway: Air and visibility | |
| <p>Impact Description: Populations of Pine Marten and Red Squirrel are evaluated as of County Importance. Populations of Irish Hare are evaluated as of National Importance. Populations of Fallow Deer are evaluated as of Local Importance (Higher Value).</p> <p>Disturbance or displacement effects from visual intrusion and other anthropogenic sources may have secondary effects from stress, on breeding success, foraging capacity and in a worst-case result in effective habitat loss through displacement. Responses will vary dependant on species (some have increased sensitivity inherently or at varying times of the year such as during the reproductive cycle) and existing habituation (e.g. to farming activities). Effective habitat loss is offset by the high availability of suitable habitat for all species under consideration. An adherence to working during daylight hours only also greatly reduces the likelihood of effects, with most animals expected to undergo brief-temporary effects before returning to previously occupied habitats. The probability of disturbance from visual intrusion and anthropogenic sources is evaluated as medium (5-50% likelihood) given the distribution of fauna recorded, availability of suitable habitat and existence of source stimuli from e.g. farming activities across much of the project elements under consideration.</p> <p>The potential for sequential effects through multiple sources of stimulus operating concurrently does exist with multiple work crews in operation at the same time. In this instance initially displaced animals may subsequently encounter a second stimulus, leading to additive disturbance. This is considered unlikely in respect of smaller species within distinct foraging and breeding home ranges such as Red Squirrel, Irish Hare and Pine Marten. The nature of where the initial effect takes place is also a limiting factor - most receptors already being likely to exhibit avoidance of traffic, and sources of noise/disturbance associated with public carriageways, human activity such as farming, land use practices etc. Group size and seasonality is also a variable.</p> <p>Impact Quality: Negative</p> | |
| Evaluation of the Subject Development Impact – Irish Hare, Pine Marten, Red Squirrel and Fallow Deer: Disturbance /Displacement | |
| Element 2: UWF Related Works – direct/indirect impact | |
| <p>Impact Magnitude:</p> <p>Populations of the above species in the immediate vicinity of the UWF Related Works locations such as cable trenching, traffic movements, Haul Route Works, access road construction etc. will experience a temporary source of disturbance/displacement. The spatial extent of any disturbance/displacement will be limited to the immediate vicinity (i.e. within 50m) of the construction area boundaries. Sequential effects may occur should animals encounter multiple sources of source stimulus, however sequential effects are reduced by the availability of alternative habitat in the locality.</p> <p>Fallow deer, Red Fox and Irish Hare were recorded during site surveys, and Pine Martin and Red Squirrel are assumed to be present in suitable habitat. Overall populations are not expected to be affected, given the availability of suitable habitat in the wider area, and therefore the magnitude of impact is Negligible.</p> | |
| Significance of the Impact: Moderate | |
| <p>Rationale for Impact Evaluation:</p> <ul style="list-style-type: none"> • The temporary duration of works, and; | |

| | | |
|--------------------|------------------|--|
| Non-Volant Mammals | Sensitive Aspect | <ul style="list-style-type: none"> • Works will take place during daylight hours only, and; • The expected contrast with baseline conditions from the introduction of visual and other anthropogenic sources. |
| | | Element 2: UWF Related Works – cumulative impact |
| | | <p><u>Cumulative Impact Magnitude:</u> The potential for cumulative effects relates to the in-combination effects of UWF Related Works and Upperchurch Windfarm and to a lesser extent of UWF Related Works with Upperchurch Windfarm and UWF Grid Connection. Mammals such as Pine Martin, Red Squirrel, Irish Hare, Red fox or Fallow deer could be affected by either in-combination effects or sequential effects from multiple construction works areas. However, due to the low numbers of these mammals recorded during site surveys, and the availability of suitable habitat in the surrounding area, the cumulative impact magnitude is expected to be Negligible.</p> |
| | | <p><u>Significance of the Impact:</u> Moderate</p> <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The temporary duration of works, and; • Works will take place during daylight hours only, and; • The expected contrast with baseline conditions from the introduction of visual and other anthropogenic sources |
| Biodiversity | Topic | Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project |
| | | Element 1: UWF Grid Connection |
| | | <p><u>Impact Magnitude:</u></p> <p>Populations of the above species in the immediate vicinity of the work locations such as cable trenching, traffic movements, cable laying etc. will experience a temporary source of disturbance/displacement. All are expected to return with no permanent displacement considered likely. Sequential effects may occur should animals encounter multiple sources of source stimulus. Overall populations are not expected to be affected.</p> |
| | | <p><u>Significance of the Impact:</u> Not significant</p> |
| | | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • The temporary duration of the main stimulus associated with 110kV UGC works ; • Works will take place during daylight hours only, and; • No contrast with baseline conditions from the introduction of visual and other anthropogenic sources is expected. • The location of the 110kV UGC predominately on the public road network. |
| | | Element 3: UWF Replacement Forestry |
| Biodiversity | Topic | <p><u>Impact Magnitude:</u> Negligible</p> |
| | | <p><u>Significance of the Impact:</u> Neutral effect</p> |
| | | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • All planting will be done by hand, and; • All planting will be undertaken during daylight hours, therefore; • No significant contrast to baseline conditions is expected. |
| | | Element 4: Upperchurch Windfarm |
| Biodiversity | Topic | <p><u>Impact Magnitude:</u></p> |
| | | |

Some noise and anthropogenic disturbance during the construction phase of the development. Duration temporary. Impact from disturbance is expected to be mostly reversible post construction.

Significance of the Impact: Not Significant

Rationale for Impact Evaluation:

- The species of terrestrial mammal including badger within the study area are not consider likely to be impacted by Upperchurch Windfarm apart from the increase in noise and activity during construction phase which would be deemed a localized and temporary impact with species expected to return soon after construction.

Element 5: UWF Other Activities

Impact Magnitude:

Populations of the above species in the immediate vicinity of the activities such as Haul Route Activities (hedgerow trimming) or Overhead Line Activities will experience a temporary source of disturbance/displacement. All are expected to return with no permanent displacement considered likely. Sequential effects may occur should animals encounter multiple sources of source stimulus. Overall populations are not expected to be affected.

Significance of the Impact: Moderate

Rationale for Impact Evaluation:

- The temporary duration of works, and;
- Works will take place during daylight hours only, and;
- The expected contrast with baseline conditions from the introduction of visual and other anthropogenic sources.
- The offsetting effects of management activities for the Upperchurch Hen Harrier Scheme which will promote and enhance existing mammalian habitat.

Evaluation of Other Cumulative Impacts – Irish Hare, Pine Marten, Red Squirrel and Fallow Deer: Disturbance /Displacement

Whole UWF Project Effect

Cumulative Impact Magnitude:

Instances of disturbance may occur across all elements, cumulative impacts may occur where various Elements are located in close proximity to each other.

The scale/magnitude of any disturbance response is evaluated as not significant. The spatial extent of any disturbance/displacement will be limited to the immediate vicinity of the construction area boundaries. Sequential effects are unlikely given the alternative habitat available.

Significance of the Cumulative Impact: Moderate

Rationale for Cumulative Impact Evaluation:

- The temporary duration of works, and;
- Works will take place during daylight hours only, and;
- No significant contrast with baseline conditions from the introduction of visual and other anthropogenic sources is expected from the 110kV UGC (UWF Grid Connection);
- The offsetting effects of management activities for the Upperchurch Hen Harrier Scheme which will promote and enhance existing mammalian habitat.

Non-Volant Mammals

Sensitive Aspect

Biodiversity

Topic

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Non-Volant Mammals with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.9.2.1).

| |
|--------------------|
| Non-Volant Mammals |
| Sensitive Aspect |

| |
|--------------|
| Biodiversity |
| Topic |

8.9.4.6 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in Table 8-72 below.

Table 8-72: Description and Rationale for Excluded Impacts to Non-Volant Mammals

Key: 1: UWF Grid Connection; 2: UWF Related Works; 3: UWF Replacement Forestry; 4: Upperchurch Windfarm; 5: UWF Other Activities

| Source(s) of Impacts | Project Element | Pathway(s) | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|--|-----------------|----------------|--|--|
| Construction Stage / Planting Stage | | | | |
| Land take | 1,2,3,4,5 | Land cover | Otter: Loss of habitat | Evaluated as Excluded: There will be no permanent loss of aquatic habitat (Elements 1,2,4). Any loss of riparian habitat will be negligible (Elements 2, 4), resulting in no contrast to baseline conditions and Neutral effects on Otter. No loss of aquatic habitat in relation to Elements 3, 5. |
| Operating Machinery | 1,2,3,4 | Direct Contact | Otter: Secondary Mortality | Evaluated as Excluded: No holts of resting places are located within the works areas associated with Elements 1,2,3,4). Sources of mortality are therefore restricted to accidental collision with vehicles, which is avoided through works only occurring in daylight hours. Neutral effects. |
| Land take | 1,2,4 | Land cover | Badger: Temporary loss of habitat | Evaluated as Excluded: Some temporary loss will occur during construction works; and as reinstatement will occur immediately following the completion of construction works in an area – effects will be Neutral |
| Operating Machinery | 1,2,4 | Direct Contact | Badger: Secondary Mortality | Evaluated as Excluded: No setts are located within the construction works areas. Sources of mortality are therefore restricted to accidental collision with vehicles, with effects avoided through an adherence to only working during daylight hours. Neutral effects. |
| Operating Machinery | 1,2,4,5 | Direct Contact | Pine Marten, Red Squirrel, Fallow Deer, Irish Hare: Secondary Mortality | Evaluated as Excluded: Works will only be conducted during daylight hours. Potential Secondary mortality is limited to vehicular collision and as such effects are considered unlikely. |
| Delivery of Materials | 1,2,3,4,5 | Landscaping | General Non-Volant Mammals: Introduction or spread of invasive species- White Toothed Shrew | Evaluated as Excluded: The Irish population of this invasive species is considered as Established/ Widespread and expanding. Range estimated at 7,600km ² in 2013, with a rate of expansion of 0.5-14.1km/yr depending on landscape characteristics (McDevitt <i>et al.</i> , 2014 ²⁵). It is considered that the low number of deliveries of organic materials such as marker posts or hedging (a likely source of transportation or introduction) will have Neutral |

²⁵ McDevitt, A.D., Montgomery, W.I., Tosh, D.G., Lusby, J., Reid, N., White, T.A., McDevitt, C.D., O'Halloran, J., Searle, J.B. and Yearsley, J.M., (2014). Invading and expanding: range dynamics and ecological consequences of the greater white-toothed shrew (*Crocidura russula*) invasion in Ireland. PLoS One. 2014 Jun 23; 9(6):e100403. doi: 10.1371/journal.pone.0100403. eCollection 2014

| Topic | Sensitive Aspect | Source(s) of Impacts | Project Element | Pathway(s) | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|--------------|--------------------|---|-----------------|---------------------|--|---|
| | | | | | | |
| Biodiversity | Non-Volant Mammals | | | | | additive effects, within the context of background trends (a species already established and increasing rapidly). |
| | | Construction works | 1,2,3,4 | Excavated materials | <i>Secondary Mortality of General Non-Volant Mammals due to spread of disease such as TB</i> | Evaluated as Excluded: Local consultation with landowners was that Bovine TB outbreaks have not been a significant issue in recent years at the windfarm location. Additionally, the spread of TB through soils, is not identified as a spread risk in the Department of Agriculture, Food and the Marine's <i>Ireland's Bovine TB Eradication Programme</i> . Displacement effects due to construction works are not likely to be significant, primarily due to the carrying out of works during daylight hours, the short duration of works and, in relation to badger the distance of setts to construction works areas - no active Badger setts were identified within 50m of construction works areas during baseline studies. |
| | | Operational Stage / Growth Stage | | | | |
| | | Delivery of Materials | 1,2,3,4,5 | Landscaping | General Non-Volant Mammals: Introduction or spread of invasive species- White Toothed Shrew | Evaluated as Excluded: No significant deliveries of materials are required for any Element of the Whole UWF Project. |
| | | Noise and human activity | 1,2,3,4,5 | Air and Visibility | General Non-Volant Mammals: Disturbance/Displacement to all Non-Volant mammals | Evaluated as Excluded: Levels of operational maintenance will have Neutral disturbance effects to mammals. |
| | | Operating Machinery | 1,2,3,4,5 | Direct Contact | General Non-Volant Mammals: Secondary Mortality | Evaluated as Excluded: Frequency of vehicular usage too low for measurable effect – any effects will be Neutral. |
| | | Decommissioning Stage | | | | |
| | | Delivery of Materials | 1,2,3,4,5 | Landscaping | General Non-Volant Mammals: Introduction or spread of invasive species- White Toothed Shrew | Evaluated as Excluded: In relation to Element 1, 3, no potential for effects as no decommissioning will take place. In relation to Element 2,4,5 – no significant deliveries of materials are required. |
| | | Noise and Human Activity | 1,2,3,4,5 | Air and Visibility | General Non-Volant Mammals: Disturbance/Displacement to all Non-Volant mammals | Evaluated as Excluded: In relation to Element 1, 3, no potential for effects as no decommissioning will take place. In relation to Element 2,4,5 – Daylight hours of works, habituation, and limited frequency of disturbance reduces disturbance/displacement to 'Neutral' |

| Source(s) of Impacts | Project Element | Pathway(s) | Impacts (Consequences) | Rationale for Excluding (Scoping Out) | Non-Volant Mammals | Sensitive Aspect |
|----------------------|-----------------|----------------|--|---|--------------------|------------------|
| Operating Machinery | 1,2,3,4,5 | Direct Contact | General Non-Volant Mammals: Secondary Mortality | <p>Evaluated as Excluded:</p> <p>In relation to Element 1, 3, no potential for effects as no decommissioning will take place.</p> <p>In relation to Element 2,4,5 – Reduced vehicular movement, limited to established roads only reduces effect to 'Neutral effect'. Mammals will have become habituated to existing roads. Frequency of growth stage vehicular usage reduces effect for Element 3 to Neutral.</p> | | |

Non-Volant Mammals

Sensitive Aspect

8.9.5 Mitigation Measures for Impacts to Non-Volant Mammals

Mitigation measures were incorporated into the UWF Related Works project design including the Project Design Measures. No additional mitigation measures are required as **no significant adverse impacts** are concluded by the topic authors as likely to occur to Non-Volant Mammals as a consequence of the UWF Related Works.

8.9.6 Evaluation of Residual Impacts to Non-Volant Mammals

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures are required and thus the Residual Impacts are the same as the Impacts set out in Impact Evaluation Table sections for Non-Volant Mammals above (Section 8.9.4) – i.e. **no significant adverse impacts**.

Biodiversity

Topic

8.9.7 Application of Best Practice and the EMP for Non-Volant Mammals

Best Practice Measures (BPM), although not part of the Project Design for the UWF Related Works, will be employed to afford further protection to the Environment.

The following Best Practice Measures have been developed, for the protection of **Non-Volant Mammals**, by the authors of this topic chapter, using industry best practice:

| | |
|-----------|---|
| RW-BPM-20 | Monitoring of Identified Badger Setts |
| RW-BPM-21 | Disturbance and/or physical injury to Other Mammals |
| RW-BPM-22 | Management of general non-native invasive species |

These Best Practice Measures are included in full at the end of this topic chapter, and also form part of the **Environmental Management Plan for UWF Related Works**, which is included as **Volume D** with the planning application.

8.9.7.1 Surface Water Management Plan

Water quality and the existing drainage regime will be managed under a Surface Water Management Plan (SWMP) which will be implemented by the appointed Contractor during the construction stage of the UWF Related Works.

The Surface Water Management Plan will provide the water management framework for construction works and will ensure that work is carried out with minimal impact on the surface water environment and in accordance with the Project Design and Best Practice Measures and environmental commitments made in this EIA Report. The Surface Water Management Plan is part of the **Environmental Management Plan for UWF Related Works**, and accompanies this planning application as **Volume D**.

8.9.7.2 Invasive Species Management Plan

In addition to the Best Practice Measures relating to Invasive Species, an Invasive Species Management Plan has been developed to prevent the introduction and/or spread of invasive species.

The Invasive Species Management Plan includes monitoring and biosecurity measures which will inform the actions required to effectively respond to any incursions and to control existing invasive species populations. The Invasive Species Management Plan also forms part of the **Environmental Management Plan for UWF Related Works**, which is included as **Volume D** with the planning application.

8.9.8 Summary of Impacts to Non-Volant Mammals

A summary of the Impact to Non-Volant Mammals is presented in Table 8-73.

Table 8-73: Summary of the impacts to Non-Volant Mammals

| Impact to Non-Volant Mammals: | Badger: Habitat Loss | Badger: Disturbance /Displacement | Otter: Disturbance /Displacement | Irish Hare, Pine Marten, Red Squirrel and Fallow Deer: Habitat Loss | Irish Hare, Pine Marten, Red Squirrel and Fallow Deer: Disturbance /Displacement |
|--|-------------------------|---|--|---|---|
| <i>Evaluation Impact Table</i> | <i>Section 8.9.4.1</i> | <i>Section 8.9.4.2</i> | <i>Section 8.9.4.3</i> | <i>Section 8.9.4.4</i> | <i>Section 8.9.4.5</i> |
| Project Life-Cycle Stage | Construction | Construction | Construction | Construction | Construction |
| <u>UWF Related Works</u> <i>Direct, indirect effects</i> | Neutral | No potential for Impact | Neutral | Not Significant | Moderate |
| <u>UWF Related Works</u> <i>Cumulative effects</i> | Not Significant | No potential for Impact | Neutral | Not Significant | Moderate |
| Element 1: UWF Grid Connection | Not Significant | Not Significant | Slight | Not Significant | Not Significant |
| Element 3: UWF Replacement Forestry | Slight (positive) | No potential for Impact | Neutral | Not Significant | Neutral |
| Element 4: Upperchurch Windfarm | Not Significant | Not Significant | Neutral | Not Significant | Not Significant |
| Element 5: UWF Other Activities | Neutral | Neutral | Neutral | Neutral | Moderate |
| <u>Other Cumulative Impacts:</u> | | | | | |
| Whole UWF Project effect | Not Significant | Not Significant | Slight | Ranges from Not Significant to Slight | Moderate |

The greyed out boxes in the above summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to show the totality of the project.

Note: No cumulative information for Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Non-Volant Mammals with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.9.2.1).

| |
|--------------------|
| Non-Volant Mammals |
| Sensitive Aspect |

| |
|--------------|
| Biodiversity |
| Topic |

8.10 Sensitive Aspect No.9: Amphibians & Reptiles

This Section provides a description and evaluation of the Sensitive Aspect - Amphibians & Reptiles.

8.10.1 BASELINE CHARACTERISTICS of Amphibians & Reptiles

8.10.1.1 STUDY AREA for Amphibians & Reptiles

The study area for Amphibians & Reptiles in relation to the UWF Related Works is described in Table 8-74 and illustrated on **Figure RW 8.10: Amphibians & Reptiles within the UWF Related Works Study Area** (Volume C3 EIAR Figures).

Table 8-74: UWF Related Works Study Area for Amphibians & Reptiles

| Study Area for Amphibians & Reptiles | Justification for the Study Area Extents |
|--|---|
| Construction works area plus 50m in all directions | Professional Judgement and as per Best Practice (CIEEM, 2016) |

8.10.1.2 Baseline Context and Character of Amphibians & Reptiles in the UWF Related Works Study Area

Suitable habitat exists within the study area for Common Frog *Rana temporaria* and Common Lizard *Viviparous Lizard*.

Smooth Newt has been recorded from Co. Tipperary in suitable habitat (Meehan 2013). In general it is perceived that information gaps exist in terms of the distribution of these species in North Tipperary (Browne 2007). Extrapolated data primarily from the 2011 National Frog Survey (Reid *et al.*, 2013), used to inform Irelands Article 17 reporting to the EU does not indicate any distribution of this species within either 10km square overlapping the UWF Related Works (R95 and R96).

Common frog is one of only three amphibians found in Ireland. It is a widespread and abundant species occurring in a broad range of habitats throughout the country. Adults congregate to spawn in ponds and ditches in the spring. Eggs develop into tadpoles as water temperature rises and following metamorphosis; young froglets emerge onto land in early summer. These young animals are particularly vulnerable to predation. They spend 2-3 years on land, feeding on terrestrial invertebrates, before returning to freshwater to breed. Life expectancy of 3-4 years would be typical.

Viviparous Lizard (*Lacerta vivipera*) is likely to occur in suitable habitat as the species is found in a range of habitat such as woodland, marshes, moors, and bog.

Survey Results: Frogs were previously recorded in Knockmaroe, Grousehall and Foilnahan. No Smooth Newt was noted, but this species is considered as likely to occur in suitable habitat. As per the 2013 EIS, Common Frog is described from a number of locations within the overlapping Upperchurch Windfarm. Viviparous Lizard was recorded in suitable habitat (acid grassland) within the UWF Related Works study area boundary.

8.10.1.3 Importance of Amphibians & Reptiles

All amphibian and reptile species are protected under the Wildlife Act (1976, amended 2000).

The Common Frog is also listed on the Annex V of the Habitats Directive on the Conservation of Natural Habitats of Wild Fauna and Flora (92/43/EEC), meaning that the removal of this species from the wild is restricted by European law.

All amphibians and reptiles present are evaluated as of Local Importance (Higher Value).

8.10.1.4 Sensitivity of Amphibians & Reptiles

Amphibians and reptiles are sensitive to direct mortality, including at the larval stage (frogs), habitat loss, habitat fragmentation and disturbance through visual intrusion, noise and vibration. Amphibian declines have also been linked to the emergence of previously unrecorded diseases.

Populations of Amphibians and Reptiles are evaluated as Low Sensitivity receptors.

8.10.1.5 Trends in the Baseline Environment (the 'Do-Nothing' scenario)

The Common Frog was assessed as having a 'Favourable' conservation status within the National Frog survey of Ireland 2010/11 (Reid *et al.*, 2013). Its conservation status is classified as least concern in a European context (Kuzmin *et al.*, 2009). No estimate of population trend is available as the 2010/11 survey provided the first baseline for the country.

The Smooth Newt has a conservation status of least concern in a European context (Arntzen *et al.*, 2009). There is no population estimate available for Ireland and therefore, there is no evidence to illustrate the current population status.

There is no population estimate to-date for Viviparous Lizards in Ireland and hence, there is no evidence to illustrate the current population status. In a European context, the Viviparous Lizard has a conservation status of least concern (Agasyen *et al.*, 2010).

Given the above, a scenario in which this proposed project does not take place would result in a continuation of current trends relating to amphibians and reptiles within the study area.

8.10.1.6 Receiving Environment (the Baseline + Trends)

It is assumed in this report that the baseline environment in relation to amphibians and reptiles, as identified above, will be the receiving environment at the time of construction and on into the operational phase. Recorded species are expected to persist.

8.10.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics**8.10.2.1 Overview of Other Elements, Other Projects or Activities****8.10.2.1.1 UWF Related Works Cumulative Evaluation Study Area**

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for Amphibians & Reptiles | Justification for the Study Area Extents |
|--|--|
| 100m area around UWF Related Works construction works areas | The study area is doubled to identify those Other Elements (or Other Projects or Activities) which may cause cumulative effects to Amphibians and Reptiles with UWF Related Works. |

The study is illustrated on **Figure CE 8.10 Amphibians & Reptiles within the UWF Related Works Cumulative Evaluation Study Area**.

8.10.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project.

A description of these Other Elements is included in this EIA Report at **Appendices 5.3, 5.4, 5.5 and 5.6, in Volume C4 EIAR Appendices**. Scoping of these Other Elements is presented in **Section 8.10.2.2.1** below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements which are described in Table 8-75 and illustrated on **Figure WP 8.10: Amphibians & Reptiles within the Whole Project Cumulative Evaluation Study Area** (Volume C3 EIAR Figures).

Table 8-75: Whole Project Cumulative Evaluation Study Area for Amphibians & Reptiles

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|--|--|--|
| Element 1: UWF Grid Connection | 50m area around and incorporating the construction works areas, afforestation lands and activity locations | Professional Judgement and as per Best Practice (CIEEM, 2016). |
| Element 2: UWF Related Works | | |
| Element 3: UWF Replacement Forestry | | |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

8.10.2.2 Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts

The evaluation of cumulative impacts to Amphibians & Reptiles also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Amphibians & Reptiles with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in [Appendix 2.3: Scoping of Other Projects or Activities \(Section A2.3.1 and Section A2.3.2.8\)](#).

The results of this scoping exercise are that: it is evaluated that no Other Projects or Activities are likely to cause cumulative effects with either the UWF Related Works or the Other Elements of the Whole UWF Project, and therefore no Other Projects or Activities are scoped in for evaluation of cumulative effects to Amphibians & Reptiles.

8.10.2.2.1 Potential for Impacts to Amphibians & Reptiles

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project to cause cumulative effects to the Sensitive Aspect Amphibians & Reptiles. The results of this evaluation are included in Table 8-76.

The location of, and study area boundary associated with, the Other Elements which are included for cumulative evaluation is illustrated on [Figure WP 8.10](#). The baseline character of the areas around these Elements is described in Section 8.10.2.3.

Table 8-76: Results of the Evaluation of the Other Elements of the Whole UWF Project

| <u>Other Element of the Whole UWF Project</u> | |
|---|---|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects |
| Element 3: UWF Replacement Forestry | <u>Included</u> for the evaluation of cumulative effects |
| Element 4: Upperchurch Windfarm (UWF) | <u>Included</u> for the evaluation of cumulative effects |
| Element 5: UWF Other Activities | <u>Evaluated as excluded</u> : No likely effects due to: No evidence of Amphibian or Reptile species was recorded from habitat or other surveys of the UWF Other Activities locations. |

| | | |
|-----------------------|--|-------------------------------------|
| Amphibians & Reptiles | 8.10.2.3 Cumulative Information: Baseline Characteristics – Context & Character | |
| | 8.10.2.3.1 | Element 1: UWF Grid Connection |
| Sensitive Aspect | <p>Extrapolated data primarily from the 2011 National Frog Survey (Reid <i>et al.</i>, 2013), used to inform Ireland's Article 17 reporting to the EU does indicate distribution of this species within at least one 10km square overlapping the UWF Grid Connection (R86).</p> <p>Common frog: Due to their wide distribution across Ireland, there is the possibility that Common Frog (<i>Rana temporaria</i>) occurs within suitable habitat (typically garden ponds, natural pools, drainage ditches and quarry ponds). No Common frogs were recorded during surveys undertaken in January 2019, however this was outside the optimum survey period for this species thus suitable habitat for this species was noted. Suitable habitat occurs at a number of locations throughout the UWF Grid Connection route; roadside and field drains occur throughout the study area which could potentially support breeding frogs. Common frogs exploit a wide range of habitats and can breed in puddles, drains and slow flowing sections of watercourses. Frogs forage in a range of wet habitats including wet grassland and marsh; therefore, the locations where these habitats occur along the grid route are likely to support frogs.</p> <p>Smooth Newt: Due to their wide distribution across Ireland, there is the possibility that Smooth Newt (<i>Lissotriton vulgaris</i>) occurs within suitable habitat (typically garden ponds, natural pools, drainage ditches and quarry ponds). No Smooth Newt were recorded during surveys undertaken in January 2019, however this was outside the optimum survey period for this species thus suitable habitat for this species was noted.</p> <p>Foraging smooth newt can exploit a wide range of habitats but show a preference for wet grassland, woodland and scrub; thus, where these habitats occur along the grid route, there is suitable foraging habitat for this species. Breeding Smooth newt show preference for fish free ponds and ditches with abundant emergent vegetation. It is considered that suitable habitat may occur.</p> <p>Viviparous Lizard: Due to their wide distribution across Ireland, there is the possibility that Viviparous Lizard (<i>Lacerta vivipera</i>) occur within suitable habitat (woodland, marshes, heath, moors, bogs, acid grassland). No Viviparous Lizard were recorded during surveys undertaken in January 2019, however this was outside the optimum survey period for this species thus suitable habitat for this species was noted.</p> <p>Suitable habitat is present along the route where the above habitats occur within 50m – see terrestrial habitats, and lizards are expected to occur.</p> <p><u>Geographical Overlap with UWF Related Works:</u></p> <p><u>UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area</u> in the Knockmaroe/Knockcurraghbola Crownlands area where the 110kV UGC (routed along the local road) is crossed by the Internal Windfarm Cabling and close to Haul Route Works, and in Knockcurraghbola Commons where the 110kV UGC (routed along a tarred forestry road) runs parallel to Internal Windfarm Cabling for a short distance.</p> | |
| | 8.10.2.3.2 | Element 3: UWF Replacement Forestry |
| Biodiversity | <p>Extrapolated data primarily from the 2011 National Frog Survey (Reid <i>et al.</i>, 2013), used to inform Ireland's Article 17 reporting to the EU does not indicate any distribution of this species within the 10km square which overlaps the UWF Replacement Forestry (R96).</p> | |
| | <p>No amphibians or reptiles were recorded from site visits to the UWF Replacement Forestry lands, however as Viviparous Lizard (<i>Lacerta vivipera</i>) was recorded in suitable habitat (acid grassland) within the adjacent</p> | |
| Topic | | |

Upperchurch Windfarm study area, it is considered that this species is likely to occur on the UWF Replacement Forestry lands also.

8.10.2.3.3 Element 4: Upperchurch Windfarm

Upperchurch Windfarm: As per the 2013 EIS, Common Frog is described from a number of locations within the Upperchurch Windfarm. Viviparous Lizard (*Lacerta vivipera*) was also recorded in suitable habitat in acid grassland within the Upperchurch Windfarm. This species has not been previously recorded in the study area (NBDC, 2016). The location of this survey record is identified on **Figure CE 8.10: Amphibians & Reptiles within the Cumulative Evaluation Study Area.**

Consideration of the Passage of Time: The makeup of suitable habitat for amphibians or reptiles on the Upperchurch Windfarm site has not materially changed, and surveys for UWF Related Works confirmed a low usage of the windfarm area by these species. Therefore it is considered that the descriptions in the 2013 and 2014 documents for Upperchurch Windfarm remain relevant to the cumulative evaluations in this Revised EIAR.

8.10.2.3.4 Element 5: UWF Other Activities

Not applicable – Element evaluated as excluded. See Section 8.10.2.2.1.

8.10.2.3.5 Other Projects or Activities

Not applicable – No Other Projects or Activities were scoped in for evaluation of cumulative effects, see Section 8.10.2.1.

8.10.3 PROJECT DESIGN MEASURES for Amphibians & Reptiles

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

The Project Design Measures outlined in Table 8-77 are relevant to the Environmental Factor, Biodiversity, and in particular to the sensitive aspect **Amphibians & Reptiles**.

Table 8-77: UWF Related Works Project Design Measures relevant to Amphibians & Reptiles

| PD ID | Project Design Environmental Protection Measure (PD) |
|-------|--|
| PD01 | All construction works will be carried out during daylight hours. |
| PD07 | Construction traffic will be restricted to the construction works area and tracking across adjacent ground will not be permitted |

Cumulative Information: Potential or likely significant impacts caused by the Other Elements of the Whole UWF Project were avoided, prevented or reduced by incorporating Project Design Measures into the fundamental design of the UWF Grid Connection, UWF Replacement Forestry and into the consented design of the Upperchurch Windfarm. These Project Design Measures are included in the description of these Elements, and can be found in this EIA Report in [Appendices 5.3, 5.4 and 5.5](#), in [Volume C4: EIAR Appendices](#).

8.10.4 EVALUATION OF IMPACTS to Amphibians & Reptiles

In this Section, the likely direct and indirect effects of the UWF Related Works are identified and evaluated. Then the likely cumulative effects of the UWF Related Works together with the Other Elements of the Whole UWF Project are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Amphibians & Reptiles.

As a result of the exercise, **no impacts were included for evaluation**.

Table 8-78: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts <u>Included</u> (Evaluated in the Impact Evaluation Table sections) | Impacts <u>Excluded</u> (Justification in Section 8.10.4.1) |
|---|--|
| No impacts included for evaluation | <i>Habitat degradation (compaction, change in drainage), (construction stage)</i> |
| | <i>Reduction in foraging and breeding habitat, (construction stage)</i> |
| | <i>Disturbance/Displacement, (construction stage)</i> |
| | <i>Physical injury/destruction of individual amphibians and reptiles, (construction stage)</i> |

The source-pathway-receptor links and the rationale for excluded impacts are described in **Section 8.10.4.1**

8.10.4.1 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from evaluation in Impact Evaluation Tables sections are described in Table 8-79 below.

Table 8-79: Description and Rationale for Excluded Impacts to Amphibians & Reptiles

Key: 1: UWF Grid Connection; 2: UWF Related Works; 3: UWF Replacement Forestry; 4: Upperchurch Windfarm; 5: UWF Other Activities

| Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|--|-----------------|----------------------------|--|---|
| Construction Stage / Planting Stage | | | | |
| Landtake | 2, ,4 | Soils/ Surface Water | Habitat degradation (compaction, change in drainage) | Evaluated as Excluded: Construction Works associated with Element 2 and 4 may result in some secondary effects on habitat composition for Amphibians and reptiles, however the spatial extent of this will be Negligible and any habitat degradation effects to local populations are likely to be Neutral. No compaction or habitat degradation likely as a result of Element 1, 3 or 5. |
| Landtake | 1,2,3,4 | Landcover | Reduction in foraging and breeding habitat | Evaluated as Excluded: In relation to Element 1,2, 4 - There is a high probability that the Construction Works will include some land use change of suitable foraging or breeding habitat. In relation to Element 1, 2, 4 - any other habitat loss is temporary as reinstatement will occur within 2 weeks. No permanent land use change associated with Element 5. Any permanent land use change (Elements 1,2,3,4) is unlikely to be significant within the context of available habitat and low occurrence of species as described herein. The extent of land use change is evaluated as negligible in the context of available habitat. The spatial extent of any loss will be limited to works within the construction boundary comprising permanent features. Neutral effects on Amphibians or Reptiles. |
| Noise and human activity | 1,2,4,5 | Visibility | Disturbance/Displacement | Evaluated as Excluded: Construction works and activities may result in some cross-factor effects from disturbance stimuli (visual and vibration related), however the spatial extent, limited frequency, and brief duration will be Negligible and effects to local populations are likely to be Neutral. |
| Operating Machinery | 1,2 ,3,4,5 | Direct Contact | Physical injury/ mortality of individuals | Evaluated as Excluded: Identified locations do not overlap construction works areas or activity locations. Neutral effects. |
| Operational Stage / Growth Stage | | | | |
| Evaluated as Excluded: Operational Stage works or activities will cause Negligible source magnitude or duration of effects, and any effects on Amphibians and Reptiles are expected to be Neutral. | | | | |
| Decommissioning Stage | | | | |
| Evaluated as Excluded: Populations of Amphibians and Reptiles are evaluated as Low Sensitivity receptors. Decommissioning Works may result in some cross-factor effects from disturbance stimuli (visual and vibration related), however the spatial extent, limited frequency, and brief duration will be Negligible and any disturbance or displacement effects to local populations are likely to be Neutral. | | | | |

Amphibians & Reptiles

Sensitive Aspect

Biodiversity

Topic

8.10.5 Mitigation Measures for Impacts to Amphibians & Reptiles

Mitigation measures were incorporated into the UWF Related Works project design including the Project Design Measures. No additional mitigation measures are required as the topic authors conclude that **Neutral impacts** are likely to occur to Amphibians & Reptiles as a consequence of the UWF Related Works.

8.10.6 Evaluation of Residual Impacts to Amphibians & Reptiles

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures are required and thus the Residual Impact is the same as the Impact set out in the Description and Rationale for Excluded Impacts to Amphibians & Reptiles in Section 8.10.4.1, i.e. **Neutral impact**.

8.10.7 Application of Best Practice and the EMP for Amphibians & Reptiles

Best Practice Measures (BPM), although not part of the Project Design for the UWF Related Works, will be employed to afford further protection to the Environment.

The following Best Practice Measures have been developed, for the protection of **Amphibians & Reptiles**, by the authors of this topic chapter, using industry best practice:

| | |
|-----------|--|
| RW-BPM-16 | Monitoring of non-native invasive plant species |
| RW-BPM-22 | Management of general non-native invasive species |
| RW-BPM-23 | Best practice methods to ensure the protection of common frog (<i>Rana temporaria</i>) and smooth newt (<i>Triturus (Lissotriton) vulgaris</i>). |
| RW-BPM-24 | Best practice methods to ensure the protection of Viviparous lizard (<i>Lacerta (Zootoca) vivipara</i>) |

These Best Practice Measures are included in full at the end of this topic chapter, and also form part of the **Environmental Management Plan for UWF Related Works**, which is included as **Volume D** with the planning application.

8.10.7.1 Invasive Species Management Plan

In addition to the Best Practice Measures relating to Invasive Species, an Invasive Species Management Plan has been developed to prevent the introduction and/or spread of invasive species.

The Invasive Species Management Plan includes monitoring and biosecurity measures which will inform the actions required to effectively respond to any incursions and to control existing invasive species populations. The Invasive Species Management Plan also forms part of the **Environmental Management Plan for UWF Related Works**, which is included as **Volume D** with the planning application.

8.10.8 Summary of Impacts to Amphibians & Reptiles

No impacts to Amphibians & Reptiles are concluded by the topic authors as likely to occur.

Table 8-80: Summary of the impacts to Amphibians & Reptiles

| Impact to Amphibians & Reptiles | Impact |
|--|--|
| <i>Evaluation</i> | <i>Section 8.10.4.1</i> |
| Project Life-Cycle Stage | All |
| <u>UWF Related Works</u> | Neutral Impacts / No Likely Impacts |
| Element 1: UWF Grid Connection | Neutral impacts / No likely impacts |
| Element 3: UWF Replacement Forestry | Neutral impacts /No likely impacts |
| Element 4: Upperchurch Windfarm | Neutral impacts / No likely impacts |
| Element 5: UWF Other Activities | No Likely Impacts - Evaluated as excluded, See Section 8.10.2.2.1 |
| <u>Cumulative Impact:</u> | |
| All Elements of the Whole UWF Project | No Potential for Cumulative Impacts (as Neutral impacts from any individual Element) |

The greyed out boxes in the above summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to show the totality of the project.

Note: No cumulative information for Other Projects or Activities is included in the table above, because no Other Projects or Activities are likely to cause cumulative effects to Amphibians & Reptiles with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 8.10.2.1).

8.11 Sensitive Aspect No.10: Marsh Fritillary

This Section provides a description and evaluation of the Sensitive Aspect - Marsh Fritillary.

8.11.1 BASELINE CHARACTERISTICS of Marsh Fritillary

8.11.1.1 STUDY AREA for Marsh Fritillary

The study area for Marsh Fritillary in relation to the UWF Related Works is described in Table 8-81 and illustrated on [Figure RW 8.11: Marsh Fritillary within the UWF Related Works Study Area](#) (Volume C3 EIAR Figures).

Table 8-81: UWF Related Works Study Area for Marsh Fritillary

| Study Area for Marsh Fritillary | Justification for the Study Area Extents |
|--|--|
| 50m area around and incorporating the construction works areas | Professional Judgement and as per Best Practice (CIEEM, 2016). |

8.11.1.2 Baseline Context and Character of Marsh Fritillary in the UWF Related Works Study Area

Marsh Fritillary (*Euphras aurinia*) has a wide distribution across Ireland, but the distribution is patchy and it is still considered overlooked in some parts of its range. Colonies can be found in a variety of habitats including calcareous grassland, degraded bogs, wet heath, transition mires and fens up to 300m (Reagan *et al.*, 2010). It is the only protected butterfly species in Ireland. The population often fluctuates within its range dependant on weather, food supply and interaction with parasites. Larvae overwinter in a small web close to the ground and emerge in early spring. At a local level, populations can fluctuate highly and are subject to extremely low levels or periodic extinctions. The identification and protection of breeding sites is listed as a regional issue of concern in the Tipperary County Development Plan with inadvertent loss of previously unknown colonies an identified threat. Previous records exist from 2 locations proximal to the Whole UWF Project, Cummer Bog near Kilcommon (<2km) and Dromsallagh, near Cappawhite (~10km). The evidence all indicates that the Marsh Fritillary is relatively sedentary, rarely dispersing beyond 750m, although colonisation may rarely take place over longer distances of 5–20 km (Warren 1994). The distance of 2km has been previously considered as a standardised ‘functional landscape’ i.e. the area within which most dispersal, new colonisation and regular exchange of genetic material will occur (Fowles & Smith 2006).

Suitable habitat for Marsh Fritillary overlaps UWF Related Works construction works areas at Shevry, where cabling as part of UWF Related Works are to be placed under roads consented as part of the Upperchurch Windfarm.

Habitat for Marsh Fritillary to the extent of 0.54Ha is present at Shevry, of which 0.062Ha (11.5%) overlaps the construction works area. Evidence of breeding in the form of larval webbing was recorded at 4 locations within this habitat in September 2017 - all outside the works area boundary. A parasitic Braconid wasp of the genus *Cotesia* was also recorded. This species can be an influencing factor in local level population fluctuations and may be a limiting factor in records of the species from this location. This colony size is classified as (Small i.e. the predicted peak population is <100 adults) and is located 10.7km east of Baurnadomeeny and 12.1km east of Bealaclave.

Further detail on survey results are presented in [Appendix 8.1: Detailed Biodiversity Information and Data \(Section A8.1.3.9\)](#). The location and extent of Marsh Fritillary habitat and species is illustrated on [Figure RW 8.11: Marsh Fritillary within the UWF Related Works Study Area](#).

| | |
|------------------|---|
| Marsh Fritillary | 8.11.1.3 Importance of Marsh Fritillary |
| | Marsh Fritillary is the only butterfly species resident in Ireland that is listed in Annex II of the EU Habitats Directive 92/43/EEC. The population/habitat extent recorded from the current study is evaluated as of County Importance. |
| Sensitive Aspect | 8.11.1.4 Sensitivity of Marsh Fritillary |
| | Marsh Fritillary is sensitive to habitat loss, directly through land take or indirectly through compaction from vehicular movement. Individuals are considered as sensitive to vibrations on a precautionary basis. At the webbing stage larvae are sensitive to habitat disturbance and direct mortality from contact with machinery. Marsh fritillary habitat is sensitive to land use change from drainage regime modification, the application of nutrients, higher intensities of grazing, the introduction of invasive species and alteration of physical structure. At a landscape level habitat fragmentation may affect population function at a larger scale (Asher <i>et al.</i> , 2001). |
| | 8.11.1.5 Trends in the Baseline Environment (the ‘Do-Nothing’ scenario) |
| | The species was assessed as having an ‘Inadequate’ conservation status with an overall declining conservation trend in the most recent Article 17 report (NPWS, 2013) as required under the EU Habitats Directive 92/43/EEC. Within the Article 17 report, the range was assessed as ‘favourable’, the population was assessed as ‘inadequate’ with a qualifier of declining, habitat was assessed as ‘favourable’ and future prospects as ‘inadequate’ with a qualifier of declining. The species is classified as vulnerable due to a population decline of ≥ 30 percent (A2c) in the Irish Red List for Butterflies (Reagan <i>et al.</i> , 2010). Its conservation status is classified as least concern in a European context (Van Swaay <i>et al.</i> , 2010). |
| | Given the trends presented above, a scenario in which this project does not take place would result in a continuation of current trends relating to Marsh Fritillary, within the study area, in line with the decline cited above in respect of future prospects. |
| | 8.11.1.6 Receiving Environment (the Baseline + Trends) |
| | It is assumed in this report that the baseline environment in relation to invertebrates, particularly Marsh Fritillary, as identified above, will be the receiving environment at the time of construction given the short time period likely to elapse in the interim. With respect to the operational phase, the above described decline is likely to be observed over the lifetime of the UWF Related Works. |
| Biodiversity | |
| | Topic |

8.11.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics**8.11.2.1 Cumulative Evaluation Study Areas****8.11.2.1.1 UWF Related Works Cumulative Evaluation Study Area**

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for Marsh Fritillary | Justification for the Study Area Extents |
|--|--|
| 2km from Whole UWF Project for cumulative effects with Other Projects and Activities | The distance of 2km has been previously considered as a standardised 'functional landscape' i.e. the area within which most dispersal, new colonisation and regular exchange of genetic material will occur (Fowles & Smith 2006). |

The study is illustrated on **Figure CE 8.11 Marsh Fritillary within the UWF Related Works Cumulative Evaluation Study Area**.

8.11.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project.

A description of these Other Elements is included in this EIA Report at **Appendices 5.3, 5.4, 5.5 and 5.6**, in **Volume C4 EIAR Appendices**. Scoping of these Other Elements is presented in **Section 8.11.2.2.1** below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements and Other Projects or Activities which are described in Table 8-82 and illustrated on **Figure WP 8.11: Marsh Fritillary within the Whole Project Cumulative Evaluation Study Area** (Volume C3 EIAR Figures).

Table 8-82: Whole Project Cumulative Evaluation Study Area for Marsh Fritillary

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|--|---|--|
| Element 1: UWF Grid Connection | 50m area around and incorporating the construction works areas, afforestation lands, activity locations 2km from Whole UWF Project for cumulative effects with Other Projects and Activities | Professional Judgement and as per Best Practice (CIEEM, 2016). |
| Element 2: UWF Related Works | | The distance of 2km has been previously considered as a standardised 'functional landscape' i.e. the area within which most dispersal, new colonisation and regular exchange of genetic material will occur (Fowles & Smith 2006). |
| Element 3: UWF Replacement Forestry | | |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

8.11.2.2 Scoping of Other Elements, Other Projects or Activities & for Potential for Impacts

The evaluation of cumulative impacts to Marsh Fritillary also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Marsh Fritillary with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in **Appendix 2.3: Scoping of Other Projects or Activities (Section A2.3.1 and Section A2.3.2.8)**.

The results of this scoping exercise are that: Forestry, Agriculture and Turf-Cutting activities have been scoped in for evaluation of cumulative effects to Marsh Fritillary.

8.11.2.2.1 Potential for Impacts to Marsh Fritillary

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project and for the Other Projects or Activities to cause cumulative effects to the Sensitive Aspect Marsh Fritillary. The results of this evaluation are included in Table 8-83.

The location of, and study area boundary associated with, the Other Elements and Other Projects or Activities which are included for cumulative evaluation is illustrated on **Figure WP 8.11**. The baseline character of the areas around these Elements is described in Section 8.11.2.3.

Table 8-83: Results of the Evaluation of the Other Elements and Other Projects or Activities

| <u>Other Element of the Whole UWF Project</u> | |
|--|---|
| Element 1: UWF Grid Connection | <p><u>Evaluated as excluded:</u> No potential for effects due to:</p> <ul style="list-style-type: none"> • No suitable habitat for Marsh Fritillary was recorded on or adjacent (50m) to the UWF Grid Connection lands at Mountphilips Substation site. • No potential for habitat loss from 110kV UGC works as the location of the 110kV UGC outside of the Mountphilips site is predominately on public roads, with a short section (0.6km on bitumen-surfaced forestry road), therefore there is no suitable habitat for Marsh Fritillary within 110kV UGC Construction Works Areas, furthermore there was no suitable Marsh Fritillary habitat was identified within 50m of the 110kV UGC route, during habitat surveys in January 2019. • No potential for mortality of in-flight adults or in-situ larvae, as no suitable habitat or records of Marsh Fritillary populations within or adjacent (50m) to UWF Grid Connection, • No potential for disturbance or displacement effects during operational stage activities, as no suitable habitat or Marsh Fritillary populations were recorded within or adjacent (50m) to the afforestation lands and the minimal scale of operational activities. |
| Element 3: UWF Replacement Forestry | <p><u>Evaluated as excluded:</u> No potential for effects due to:</p> <p>No suitable habitat for Marsh Fritillary was recorded on or adjacent (50m) to the UWF Replacement Forestry lands.</p> <ul style="list-style-type: none"> • No potential for habitat loss or habitat degradation effects as there is no suitable habitat for Marsh Fritillary in or adjacent (50m) to the afforestation lands, • No potential for mortality of in-flight adults or in-situ larvae, as no suitable habitat or Marsh Fritillary populations were recorded within or adjacent (50m) to the afforestation lands, • No potential for disturbance or displacement effects during planting or management activities, as no suitable habitat or Marsh Fritillary populations were recorded within or adjacent (50m) to the afforestation lands and no heavy machinery is required. |
| Element 4: | <u>Included</u> for the evaluation of cumulative effects |

| | |
|-------------------------------------|---|
| Upperchurch Windfarm (UWF) | |
| Element 5: UWF Other Activities | <u>Evaluated as excluded</u> : No potential for effects due to: No suitable habitat for Marsh Fritillary overlaps Haul Route Activity locations or the Upperchurch Hen Harrier Scheme. Marsh Fritillary was recorded proximal to Overhead Line Activities on Shower Bog in 2001. The exact location is unknown however no suitable habitat exists at structure locations in close proximity along the overhead line route. |
| Other Projects or Activities | |
| Forestry/Agriculture/Turf-Cutting | <u>Yes, included</u> for the evaluation of cumulative effects (<i>Forestry is included as afforestation is a source of habitat loss</i>). |

8.11.2.3 Cumulative Information: Baseline Characteristics – Context & Character

The total area of suitable habitat identified from all 3 colonies within the UWF Related Works/Upperchurch Windfarm and UWF Grid Connection study areas comprises 1.2Ha in total with colonies being dispersed at intervals of 10.7km and 12km respectively.

8.11.2.3.1 Element 1: UWF Grid Connection

Not applicable –evaluated as excluded. See Section 8.11.2.2.1.

8.11.2.3.2 Element 3: UWF Replacement Forestry

Not applicable –evaluated as excluded. See Section 8.11.2.2.1.

8.11.2.3.3 Element 4: Upperchurch Windfarm

Habitat for Marsh Fritillary at Upperchurch is the same habitat identified in relation to the UWF Related Works above within the UWF Related Works Study Area – i.e. 0.54Ha is present at Shevry, of which 0.062Ha (11.5%) overlaps the construction works area for both the Upperchurch Windfarm and the UWF Related Works (the Internal Windfarm Cabling will be constructed within the new windfarm road at this location).

Consideration of the Passage of Time: Marsh Fritillary was not recorded during site investigations for Upperchurch Windfarm, (this is not unusual as populations often fluctuates within their range depending on weather, food supply and interaction with parasites), in order to facilitate the cumulative evaluations within this Revised EIAR, the magnitude and significance of Upperchurch Windfarm related impacts to Marsh Fritillary is evaluated, and the results are included in the Impact Evaluation Tables in Section 8.11.4.

8.11.2.3.4 Element 5: UWF Other Activities

Not applicable – Element evaluated as excluded – see Section 8.11.2.2.1.

8.11.2.3.5 Other Projects or Activities

Turf-Cutting: Only one Marsh Fritillary colony is known within the geographical study area for Whole Project Cumulative effects (within 2km from UWF Grid Connection); this is located at Cummer Bog to the south of the R503. Cummer bog is subject to peat extraction (turf cutting).

Agriculture and Forestry: Colonies may occur in wet grassland (agriculture) but are unlikely to be present in Forestry.

8.11.3 PROJECT DESIGN MEASURES for Marsh Fritillary

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

The Project Design Measures outlined in Table 8-84 are relevant to the Environmental Factor, Biodiversity, and in particular to the sensitive aspect **Marsh Fritillary**.

Table 8-84: UWF Related Works Project Design Measures relevant to Marsh Fritillary

| PD ID | Project Design Environmental Protection Measure (PD) |
|-------|--|
| PD06 | If any compaction has occurred along the construction works area, these areas will be ploughed with a sub-soiler to loosen the subsoil layer |
| PD07 | Construction traffic will be restricted to the construction works area and tracking across adjacent ground will not be permitted |
| PD09 | New permanent access roads will have a permanent surface water drainage network in place which will include check dams. These check dams will settle suspended solids in water runoff while also slowing down the rate of water run-off from these areas. |
| PD43 | Pre-construction survey of the distribution of Devil's-bit Scabious (larval food plant of Marsh Fritillary) during the last available April prior to the commencement of construction works. This requires that any areas of Devil's-bit Scabious that are located within the construction works area boundary, will be trimmed/cut to ground level in the last available late April / early May period prior to the commencement of construction. |

Additionally, **Chapter 5: Description of the Development (UWF Related Works)**, describes drainage systems which will be installed and reinstatement that will be carried out on site:

Section 5.2.3.5.6 - An integrated drainage system will be installed along new permanent roads and will maintain the existing drainage regime through the regular piping and release of clean water from the upslope side the works area to the downslope side.

Section 5.2.3.5.11 - Following the completion of construction works in an area, with the exception of new permanent infrastructure such as New Permanent Access Roads or permanently felled forestry areas, the lands under the construction works areas will be reinstated to their former condition and returned to the landowner for use as before.

Cumulative Information: Potential or likely significant impacts caused by the Other Elements of the Whole UWF Project were avoided, prevented or reduced by incorporating Project Design Measures into the fundamental design of the UWF Grid Connection. These Project Design Measures are included in the description of UWF Grid Connection, which can be found in this EIA Report in **Appendices 5.3 in Volume C4: EIAR Appendices**.

8.11.4 EVALUATION OF IMPACTS to Marsh Fritillary

In this Section, the likely direct and indirect effects of the UWF Related Works are identified and evaluated. Then the likely cumulative effects of the UWF Related Works together with the Other Elements of the Whole UWF Project and Other Projects or Activities are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Marsh Fritillary.

As a result of the exercise, some impacts were included and some were excluded.

Table 8-85: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts <u>Included</u> (Evaluated in the Impact Evaluation Table sections) | Impacts <u>Excluded</u> (Justification at the end of the Impact Evaluation Table sections) |
|---|---|
| Habitat Loss (construction stage) | <i>Habitat Degradation (Introduction of invasive alien species which may out-compete food plants such as DBS), (construction stage)</i> |
| | <i>Habitat degradation (drainage alteration) - Marsh Fritillary, (construction stage)</i> |
| | <i>Habitat degradation (Compaction) - Marsh Fritillary, (construction stage)</i> |
| | <i>Mortality to in-flight MF Adults through contact with machinery, (construction stage)</i> |
| | <i>Potential disturbance/displacement from Vibration, (construction stage)</i> |
| | <i>Mortality of in situ Larvae, (construction stage)</i> |
| | <i>Potential disturbance/displacement of Marsh Fritillary individuals breeding in suitable habitat proximal to the Whole UWF Project during maintenance, (construction stage)</i> |

The source-pathway-receptor links for the impact included are described in the Impact Evaluation Table in the next section – **Section 8.11.4.1**.

The source-pathway-receptor links and the rationale for impacts excluded are described in **Section 8.11.4.2**, directly after the Impact Evaluation Table section.

8.11.4.1 Impact Evaluation Table: Habitat Loss**Impact Description**

Project Life Cycle Stage: Construction stage

Impact Source: Excavation Works

Cumulative Impact Source: Excavation Works

Impact Pathway: Land Cover

Impact Description: Marsh Fritillary is a medium sensitivity receptor of County Importance.

Permanent land use change or Habitat loss of Marsh Fritillary habitat such as Devils-Bit scabious rich swards may result in loss of habitat 'patches', a size reduction in individual colonies or reduce meta-population connectivity, and cause secondary, population level declines. Temporary land use change will not result in long term effects as all lands will be reinstated immediately.

Effects have been reduced by the selective placement of e.g. Internal Windfarm Cabling within Consented UWF Roads, and the tightening of construction works areas to avoid DBS rich swards or locations where larvae were recorded.

Management prescriptions to be implemented as part of the Upperchurch Hen Harrier scheme, such as a limitation on the excavation of drains, will allow improved grassland to revert back to wet grassland/semi-natural grassland habitats and possibly further Marsh Fritillary habitat, meta-population interconnectivity.

Impact Quality: Negative and positive

Evaluation of the Subject Development Impact – Habitat Loss**Element 2: UWF Related Works – cumulative impact**

Impact Magnitude:

Habitat for Marsh Fritillary to the extent of 0.54Ha is present at Shevry, of which 0.062Ha (11.5%) overlaps the construction works area. Evidence of breeding in the form of larval webbing was recorded at 4 locations within this habitat in September 2017 - all outside the works area boundary. Permanent land use change of 0.062Ha or 11.5% of suitable habitat present will occur during the construction stage along a section of Internal Windfarm Cabling in Shevry.

Significance of the Impact: Slight

Rationale for Impact Evaluation:

- The magnitude of the habitat loss: evaluated as medium (5-20% of habitat present), and;
- The absence of webs within the habitats to be removed and low overall number present, and;
- The contrast to the baseline environment represents a partial change to baseline attributes, and;
- The long-term nature of the loss, and;
- The low reversibility of the identified effect

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude: Cumulative impacts only relate to in-combination effect with Upperchurch Windfarm, where construction works for Consented UWF Roads will take place in the area of the Marsh Fritillary habitat. However, there will be no additional habitat loss effect because the construction works area boundaries for both UWF Related Works and the Upperchurch Windfarm overlap completely at this location.

Significance of the Impact: Slight

Rationale for Impact Evaluation:

- No additional habitat loss, due to overlap of construction works areas.

Marsh Fritillary

Sensitive Aspect

Biodiversity

Topic

| | |
|---|--|
| | |
| Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project | |
| Element 1: UWF Grid Connection – <i>N/A, evaluated as excluded, see Section 8.11.2.2.1.</i> | |
| Element 3: UWF Replacement Forestry – <i>N/A, evaluated as excluded, see Section 8.11.2.2.1.</i> | |
| Element 4: Upperchurch Windfarm | |
| <u>Impact Magnitude:</u> Permanent land use change of 0.062Ha (620m ²) or 11.5% of suitable habitat present at the location will occur during the construction stage. | |
| <u>Significance of the Impact:</u> Slight | |
| <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • The magnitude of the habitat loss: evaluated as medium (5-20% of habitat present), and; • The absence of webs within the habitats to be removed and low overall number present, and; • The contrast to the baseline environment represents a partial change to baseline attributes, and; • The long-term nature of the loss, and; • The low reversibility of the identified effect | |
| Element 5: UWF Other Activities – <i>N/A, evaluated as excluded, see Section 8.11.2.2.1.</i> | |
| | |
| Cumulative Information: Individual Evaluations of Other Projects or Activities | |
| Other Project: Forestry /Agriculture/Turf-cutting | |
| <u>Impact Magnitude:</u> Afforestation can result in direct habitat loss for Marsh Fritillary of suitable habitat. Agricultural activities such as reclamation (land use change) can also effect habitat loss whilst turf-cutting can directly remove suitable habitat. A corollary of this is that suitable habitat for Marsh Fritillary often exists on the margins of cutover bog due to the grassland structure brought about from peat extraction. Only one colony is known within the geographical study area for Cumulative effects (2km); this is located at Cumber Bog. Cumber bog is subject to peat extraction and therefore Marsh Fritillary habitat loss is considered. The probability of Habitat Loss is evaluated as High on a precautionary basis. In the absence of predictive estimates on extraction the magnitude of habitat loss is evaluated as High (20-80% pf population or habitat change). Afforestation within the geographical study zone is considered unlikely to result in significant habitat loss; as much of the area is within the Slieve Felim to Silvermines SPA and afforestation will be limited. Agricultural activities are considered unlikely to result in any contrast to baseline activities. | |
| <u>Significance of the Impact:</u> Moderate | |
| <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • The likely continuance of Peat Extraction in Cumber Bog | |
| Evaluation of Other Cumulative Impacts – Habitat Loss | |
| Whole UWF Project Effect | |
| <u>Cumulative Impact Magnitude:</u> Suitable habitat for this sensitive receptor of County Importance is present within the Whole Project Cumulative Evaluation Study Area at a location in Shevry where UWF Related Works and Upperchurch Windfarm are both located. 0.062ha will be lost within the UWF Related Works and Upperchurch Windfarm elements. As the works areas overlap at this location, there is no potential for cumulative effects between the UWF Related Works and the Upperchurch Windfarm (the effect will only occur once). No populations of Marsh Fritillary or suitable supporting habitat was identified within 50m of the 110kV UCG route (UWF Grid Connection). Therefore, there is no potential for likely cumulative effects to Marsh Fritillary associated with the UWF Related Works/Upperchurch Windfarm colonies and the UWF Grid Connection. | |

| | |
|------------------|--|
| Marsh Fritillary | Significance of the Cumulative Impact: Slight |
| | <u>Rationale for Cumulative Impact Evaluation:</u> <ul style="list-style-type: none">• The overall extent and degree of Habitat loss (5.1% of available habitat) in respect of a County Important receptor, and;• The long-term nature of the loss, which is offset by;• The absence of webs in the habitats to be lost. |
| | |
| | All Elements of the Whole UWF Project with Other Projects or Activities |
| Sensitive Aspect | <u>Cumulative Impact Magnitude:</u> <p>In total 0.062Ha of suitable habitat for this sensitive receptor of County Importance is present within the Whole UWF Project Study Area – specifically at UWF Related Works/Upperchurch Windfarm works area. Habitat loss from peat extraction within the geographical study zone is evaluated as high on a precautionary basis however, as the distance from the Cummer Bog colony is greater than 5km to the UWF Related Work/Upperchurch Windfarm colonies, no in-combination impact is expected.</p> |
| | Significance of the Cumulative Impact: Moderate |
| | <u>Rationale for Cumulative Impact Evaluation:</u> <ul style="list-style-type: none">• The overall extent and degree of Habitat loss from the Whole UWF Project and Turf Cutting activities;• County Important of Marsh Fritillary;• The long-term nature of the loss, and;• The likely continuance of peat extraction at the nearest known colony within the study zone. |
| | |

8.11.4.2 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in Table 8-86 below.

Table 8-86: Description and Rationale for Excluded Impacts to Marsh Fritillary

Key: 1: UWF Grid Connection; 2: UWF Related Works; 3: UWF Replacement Forestry; 4: Upperchurch Windfarm; 5: UWF Other Activities

| Source(s) Impacts | Project Element | Pathway(s) | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|---------------------------------|-----------------|---------------------------|---|--|
| Construction Stage | | | | |
| Movement of soils and machinery | 1,4 | Soils | Habitat Degradation (Introduction of invasive alien species which may out-compete food plants such as DBS.) | Evaluated as Excluded: Marsh Fritillary is a medium sensitivity receptor of County Importance. In total across the 5 elements no invasive species of Flora are present within construction works areas that overlap Marsh Fritillary habitat. There is extremely low probability of invasive flora being transferred to habitat patches present. Effects are unlikely. |
| Landuse Change | 1,2,4 | Surface Water | Habitat degradation (drainage alteration) | Neutral effects: In respect of the UWF Grid Connection 110kV UGC, no effects to Marsh Fritillary are expected due to the absence of populations and suitable supporting habitat within 50m of the UGC route. In respect of UWF Related Works/Upperchurch Windfarm habitat patches/colony: •Implemented surface water management at Shevry for Upperchurch Windfarm will maintain surface water flows to down-gradient areas of habitat. |
| Movement of Soils and Machinery | 2,4 | Soils | Habitat degradation (Compaction) | Evaluated as Excluded; In relation to Elements 2, 4 - Vehicular movement will be limited to temporary and permanent roads within the construction area boundaries, the effect of which is appraised under Habitat Loss. |
| Operating Machinery | 1,2,4 | Direct Contact | Mortality to in-flight MF Adults through contact with machinery | Evaluated as Excluded; It is considered as extremely unlikely that the short duration of the works period close to any Marsh Fritillary colony will result in this secondary effect. No contrast to baseline conditions (e.g. the presence of operating farm machinery) is expected. Neutral effects are considered likely. In respect of the UWF Grid Connection 110kV UGC, no effects to Marsh Fritillary are expected due to the absence of populations and suitable supporting habitat within 50m of the UGC route. |
| Excavation Works | 1,2,4 | Ground and Air Vibrations | Potential disturbance/displacement from Vibration | Low levels of ground and air vibrations are expected to be detectable within the immediate vicinity (1-5m) of tracking machines. A maximum estimate is (0.5 to 1mm/s). There is a low probability of this affecting in situ Marsh Fritillary. Zero webs were located within the 5m buffer zone of vehicular usage (at Shevry). |

Marsh Fritillary

Sensitive Aspect

Biodiversity

Topic

| Marsh Fritillary | Source(s) Impacts | Project Element | Pathway(s) | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|------------------|---|--------------------|---------------------------|--|--|
| | | | | | Neutral effects are considered likely. |
| Sensitive Aspect | Excavation Works | 1,2,4 | Excavations | Mortality of In-Situ larvae | Project Design Measures, which involve relocating any Marsh Fritillary larvae will avoid mortality of in-situ larvae at UWF Related Works/Upperchurch Windfarm construction works area in Shevry. In respect of the UWF Grid Connection 110kV UGC, no effects to Marsh Fritillary are expected due to the absence of populations and suitable supporting habitat within 50m of the UGC route. |
| | Operational Stage | | | | |
| | Machinery Movement | 1,2,4 | Ground and Air Vibrations | Potential disturbance/displacement of Marsh Fritillary individuals breeding in suitable habitat proximal to maintenance activities | Evaluated as Excluded: Annual maintenance, comprising 1-2 people, travelling in light vehicles along new/existing roads or walking over lands over cable routes will have Neutral effect. |
| | Decommissioning Stage | | | | |
| | Evaluated as Excluded: Neutral effects on General Invertebrates are considered likely due to the scale of works required. | | | | |

8.11.5 Mitigation Measures for Impacts to Marsh Fritillary

Mitigation measures were incorporated into the UWF Related Works project design including the Project Design Measures. No additional mitigation measures are required as **no significant adverse impacts** are concluded by the topic authors as likely to occur to Marsh Fritillary as a consequence of the UWF Related Works.

8.11.6 Evaluation of Residual Impacts to Marsh Fritillary

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures are required and thus the Residual Impact is the same as the Impact set out in Impact Evaluation Table for Marsh Fritillary above (Section 8.11.4.1) – i.e. **no significant adverse impact**.

8.11.7 Application of Best Practice and the EMP for Marsh Fritillary

Best Practice Measures (BPM), although not part of the Project Design for the UWF Related Works, will be employed to afford further protection to the Environment.

The following Best Practice Measures have been developed, for the protection of **Marsh Fritillary**, by the authors of this topic chapter, using industry best practice:

| | |
|-----------|---|
| RW-BPM-25 | Measures to ensure the protection of Marsh Fritillary (<i>Euphydryas aurinia</i>) |
|-----------|---|

These Best Practice Measures are included in full at the end of this topic chapter, and also form part of the **Environmental Management Plan for UWF Related Works**, which is included as **Volume D** with the planning application.

8.11.8 Summary of Impacts to Marsh Fritillary

A summary of the Impact to Marsh Fritillary is presented in Table 8-87.

Table 8-87: Summary of the impacts to Marsh Fritillary

| Impact to Marsh Fritillary: | Habitat Loss |
|---|---|
| <i>Evaluation Impact Table</i> | <i>Section 8.11.4.1</i> |
| Project Life-Cycle Stage | Construction |
| <u>UWF Related Works</u> <i>Direct, indirect effects</i> | Slight |
| <u>UWF Related Works</u> <i>Cumulative effects</i> | Slight |
| Element 1: UWF Grid Connection | No Potential for Impacts - Evaluated as Excluded, see Section 8.11.2.2.1 |
| Element 3: UWF Replacement Forestry | No Potential for Impacts - Evaluated as Excluded, see Section 8.11.2.2.1 |
| Element 4: Upperchurch Windfarm | Slight |
| Element 5: UWF Other Activities | No Potential for Impacts - Evaluated as Excluded, see Section 8.11.2.2.1 |
| <u>Other Cumulative Impacts:</u> | |
| Whole UWF Project effect | Slight |
| All Elements of the Whole UWF Project <i>cumulatively with</i> Other Projects or Activities Forestry, Agriculture, Turf- Cutting | Moderate |

The greyed out boxes in the above summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to show the totality of the project.

Marsh Fritillary

Sensitive Aspect

Biodiversity

Topic

| |
|------------------|
| Marsh Fritillary |
| Sensitive Aspect |

| |
|--------------|
| Biodiversity |
| Topic |

8.12 Policy Context

8.12.1 National Policy - National Biodiversity Action Plan

National Biodiversity Action Plan, for the period 2017-2021:

The Plan sets out actions through which a range of government, civil and private sectors will undertake to achieve Ireland's 'Vision for Biodiversity', and follows on from the work of the first and second National Biodiversity Action Plans. The Plan has been developed in line with the EU and International Biodiversity strategies and policies.

119 targeted actions are contained in the Plan, underpinned by seven strategic objectives. The objectives lay out a clear framework for Ireland's national approach to biodiversity, ensuring that efforts and achievements of the past are built upon, while looking ahead to what can be achieved over the next five years and beyond. They include:

- mainstreaming biodiversity across the decision making process in the State;
- strengthening the knowledge base underpinning work on biodiversity issues;
- increasing public awareness and participation;
- ensuring conservation of biodiversity in the wider countryside;
- ensuring conservation of biodiversity in the marine environment;
- expanding and improving on the management of protected areas and protected species;
- enhancing the contribution to international biodiversity issues

8.12.2 Regional Policy - Mid-West Regional Planning Guidelines 2010-2022

The administrative area of North Tipperary fell under the Mid-West Regional Authority until it was incorporated into the new Southern Regional Assembly in 2014. The Southern Regional Assembly is currently preparing a new Spatial Economic and Planning Strategy for the Region. The Mid-West Regional Planning Guidelines 2010-2022 still apply until this new strategy is published.

The principal issues regarding the conserving and enhancing of environmental qualities from a regional perspective include;

- The development of well-based collaborative processes or managing natural resources that cross county and regional boundaries;
- Developing common approaches to managing key environmental assets including groundwater, surface water, Natura 2000 sites and other habitats as well as air quality while acknowledging the primary role of individual Local Authorities in this work;
- The protection and enhancement of water quality in line with the Water Framework Directive and River Basin Management Plans;
- Improvement of the quality of drinking water at certain locations;
- Maintenance of the quality of drinking water where it is satisfactory at present;
- Managing flood risk is also a key planning and development challenge, particularly as there is a multiplicity of agencies managing the Shannon River System;

Maintaining the architectural heritage and improving the design quality of new developments

8.12.3 North Tipperary County Development Plan 2010 (as varied):

North and South Tipperary County Councils were amalgamated into Tipperary County Council in June 2014.

The relevant County Development Plan for the formally North Tipperary local authority area is now North Tipperary County Development Plan 2010-2016 (as varied), adopted in December 2015. This plan is the current policy documents for the location of all the Project Elements at present.

Relevant provisions include,

- HERT 29 is to maintain the quality and conservation values of European Sites and other sites.

HERT 29a is to restrict any development which would be harmful to or result in significant deterioration of habitats or species in European Sites and other sites.

8.12.4 Felling and Reforestation Policy

Forest Service Policy²⁶ in respect of supporting renewable energy and energy security is herein referred. We note the following as cited in respect of ‘Overriding environmental considerations’:

“As set out in Section 3.4.2, certain natural habitat and species of Community interests are protected under the Habitats and Birds Directives. In certain situations, trees and forests may be incompatible with the conservation of protected Annex habitats and species at a site and / or national level, and deforestation may be considered. For example, the continuation (via reforestation) of forest cover on a particular site within an SAC may be deemed incompatible with the maintenance and restoration of a particular habitat for which that SAC was designated. Similar situations may also exist under the Water Framework Directive, where provisions under the Reforestation Objectives CCF and BIO may not suffice. In such situations, permanent forest removal may be considered by the Forest Service, on application. This approach was applied within the context of EU LIFE Projects focused on bog restoration – see Case Study 1. Deforestation will be viewed as an option for such sites where the conversion of the site to an ‘open habitat’ is key to benefiting the habitat or species in question. For other habitats and species, deforestation may not be strictly required. An alternative may be to use low density native woodland planting to create an open mosaic of woodland and open habitats. Each application will be assessed by the Forest Service on a case-by-case basis.”

²⁶ Department of Agriculture, Food and the Marine (2017). Felling and Reforestation Policy.

8.13 Best Practice Measures

| RW-BPM-01 | Measures for Protection of Surface Water Quality during Watercourse Crossing Open Trench Works where the Dam and Over Pump Method is used. |
|--|---|
| Environmental Commitment | |
| <ul style="list-style-type: none"> Prevention of significant surface water quality impacts at watercourse crossings due to in-stream works. Prevention of significant morphological impacts at watercourse crossings due to open trench works. | |
| Relevant Watercourse Crossing Points | |
| The damming and over-pumping method will typically be carried out at watercourses where a permanent crossing structure is being installed or where an existing culvert is being replaced. | |
| <u>Relevant Watercourse Crossing Points:</u> WW1, WW2, WW4, WW12, WW13, WW14, WW21, WW22, WW24, WW25 AND WW31. | |
| The damming and over-pumping method will also be used at cable-only crossings where flows are very low at the time of the proposed crossing works. | |
| <u>Relevant Watercourse Crossing Points:</u> WW3, WW9, WW10, WW17, WW18, WW19, WW20, WW26 and WW28. | |
| Responsibility of | Role/Duty |
| Construction Manager | <ul style="list-style-type: none"> Monitor weather conditions. Supervise excavation works and drainage works as required. |
| Surface Water Quality Protection Measures | |
| <ul style="list-style-type: none"> In-stream works at Class 1 and Class 2 watercourses will only be done over a dry period during the months of July, August and September, as required by IFI for in-stream works, (Project Design Measure); Firstly, the crossing works area will be clearly marked out with fencing or flagging tape to avoid unnecessary disturbance of vegetation; A minimum 10 meter vegetative buffer zone will be maintained (if present) between disturbed areas and the watercourse bank. There will be no storage of material / equipment, excavated material (see below) or overnight parking of machinery inside the 10m buffer zone; Double silt fencing will be placed upslope of the buffer zone on each side of the watercourse. The silt fencing will have removable "gates" as required to allow access of excavator while maintaining ease of replacement for overnight or during periods of heavy rainfall. The silt fencing will be extended at least 10m upstream and downstream of the crossing location works; Bog mats will be used underneath the excavator, inside the 10 meter vegetative buffer zone, to prevent soil erosion/rutting and potential surface water quality impacts from localized surface water runoff; A temporary sump will be constructed in the watercourse bed upstream of the proposed dam location if a natural pool does not already exist. The sump will be lined with clean rockfill to prevent scouring and erosion during pumping at the intake; An energy dissipater (such as clean rock fill or splash plates) will be placed on the watercourse bed downstream of the dam at the pump outfall. This will prevent scouring and erosion of the watercourse bed at the outfall during pumping; Dams are to be made of sand (clean) bags, cobbles or clean well-graded coarse gravel fill. Poorly sorted material will not be used as it would be a potential source of fine sediment; | |

- Watercourse bed excavation works will only commence once the stream flow is isolated from the proposed trench excavation area;
- Temporary storage of excavated material will be undertaken outside of the 10m buffer on flat ground or within a local hollow area. A containment berm will be placed downslope of the excavated material which in turn will be surrounded by secondary silt fence protection to prevent saturated soil from flowing back into the watercourse;
- Any pumped water from trench dewatering will be discharged onto a well vegetated, flat, dry area at least 50m from a watercourse via a straw bale dewatering structure or geotextile filter bag (i.e. silt bag) (Project Design Measure). Silt fencing will also be placed downslope of the outfall;
- If there is no suitable area for discharge onto ground, temporary settlement ponds will be used where necessary and will be put in place prior to commencement of preparation works;
- Sediment laden water from trench dewatering will not be discharged directly to a watercourse (Project Design Measure);
- Clay bunds will be placed within the trench backfill on either side of the watercourse to prevent the trench acting as a drain towards the watercourse, thus preventing potential water quality impacts;
- If concrete is in place in the trench, a layer of fine sand (5 – 10cm) will be over the cement prior to backfilling. This will prevent release of cement into the watercourse when flow is restored;
- Upon completion of the in-stream work, the watercourse crossing will be restored to its original configuration and stabilized to prevent bank erosion by means of timber stakes, timber planks and geotextiles as required (Project Design Measure);
- Operation of machinery and use of equipment within the 10m buffer will be kept to a minimum to avoid any unnecessary disturbance;
- Disturbance of bankside soils and watercourse sediments will be kept to the minimum required for the cable laying process to avoid any unnecessary impact on the watercourse morphology;
- There will be no batching or storage of cement allowed at the watercourse crossing;
- There will be no refueling allowed within 100m of the watercourse crossing (Project Design Measure);
- All plant will be checked for purpose of use prior to mobilisation at the watercourse crossing; and,
- Works will not take place during periods of heavy rainfall and will be scaled back or suspended if heavy rain is forecasted.

References

- IFI (2016) Guidelines on Protection of Fisheries during Construction Works in and Adjacent to Waters.
- NRA (2008) Guidelines for the Crossing of Watercourses during the Construction of National Road Schemes.

| RW-BPM-02 Measures for Protection of Surface Water Quality during Watercourse Crossing Open Trench Works where dam and Pipe/ Flume method is used. | |
|--|---|
| Environmental Commitment | |
| <ul style="list-style-type: none"> Prevention of significant surface water quality impacts during watercourse crossing works in-stream works. Prevention of significant morphological impacts at watercourse crossings due to in-stream works. | |
| Relevant Watercourse Crossing Points | |
| <p>The flume/pipe watercourse crossing method will typically be used where a temporary watercourse crossing structure is proposed.</p> <p><u>Relevant Watercourse Crossing Points:</u> WW5, WW7, WW8, WW16 and WW27</p> <p>The flume/pipe watercourse crossing method will also be used at cable-only crossings where flows are too large to be managed by the dam and over pump method at the time of the proposed crossing works.</p> <p><u>Relevant Watercourse Crossing Points:</u> WW3, WW9, WW10, WW17, WW18, WW19, WW20, WW26 and WW28.</p> | |
| Responsibility of | Role/Duty |
| Construction Manager | <ul style="list-style-type: none"> Monitor weather conditions. Supervise excavation works and drainage works. |
| Surface Water Quality Protection Measures | |
| <ul style="list-style-type: none"> In-stream works at Class 1 and Class 2 watercourses will only be done over a dry period during the months of July, August and September, as required by IFI for in-stream works, (Project Design Measure); Firstly, the crossing works area will be clearly marked out with fencing or flagging tape to avoid unnecessary disturbance of vegetation; A minimum 10 metre vegetative buffer zone will be maintained between disturbed areas and the watercourse. There will be no storage of material / equipment, excavated material (see below) or overnight parking of machinery inside the 10m buffer zone; Double silt fencing will be placed upslope of the buffer zone on each side of the watercourse. The silt fencing will have removable "gates" as required to allow access of excavator while maintaining ease of replacement for overnight or during periods of heavy rainfall. The silt fencing will be extended at least 10m upstream and downstream of the crossing location works; Bog mats will be used underneath the excavator inside the 10 metre vegetative buffer zone to prevent soil erosion/rutting and potential water quality impacts from localised surface water runoff; A pipe/flume with sufficient capacity/size to accommodate flow in the stream will then be placed in the watercourse without disturbance of the watercourse bed; The pipe within the watercourse will have impervious dams placed on both the upstream and downstream ends to prevent flow within the channel along the proposed trench location (the upstream dam will be placed first); An energy dissipater (such as clean rock fill or splash plates) will be placed on the watercourse bed downstream of the pipe/flume outfall. This will prevent scouring and erosion of the watercourse bed at the outfall; Dams are to be made of sand (clean) bags, cobbles or clean well-graded coarse gravel fill. Poorly sorted material will not be used as it would be a potential source of fine sediment; Only once the watercourse flow is isolated from the excavation area, will the watercourse bed excavation works be allowed to commence (Project Design Measure); | |

- Temporary storage of excavated material will be undertaken outside of the 10m buffer on flat ground or within a local hollow. A containment berm will be placed downslope of the excavated material which in turn will be surrounded by secondary silt fence protection to prevent saturated soil from flowing back into the watercourse;
- Sediment laden water from trench dewatering will be discharged onto a well vegetated, flat, dry area at least 50m from a watercourse via a straw bale dewatering structure or geotextile filter bag. Silt fencing will be placed downslope of the outfall;
- If there is no suitable area for discharge onto ground, temporary settlement ponds will be used where necessary and will be put in place prior to commencement of preparation works;
- Sediment laden water from trench dewatering will not be discharged directly to a watercourse (Project Design Measure);
- Clay bunds will be placed within the trench backfill on either side of the watercourse to prevent the trench acting as a drain towards the stream, thus preventing potential water quality impacts;
- Once the lean mix concrete is in place in the trench, a layer of fine sand (5 – 10cm) will be over the cement prior to backfilling. This will prevent release of cement into the watercourse when flow is restored;
- Upon completion of the in-stream work, the stream crossing will be restored to its original configuration and stabilised to prevent bank erosion by means of timber stakes, timber planks and geotextiles as required;
- If the watercourse crossing is to be used as a temporary crossing for construction machinery, double silt fencing and berms will be placed at the crossing to prevent sediment/runoff from the access road surface entering the watercourse;
- Operation of machinery and use of equipment within the 10m buffer will be kept to a minimum to avoid any unnecessary disturbance;
- Disturbance of bankside soils and watercourse sediments will be kept to the minimum required for the cable laying process to avoid unnecessary impact on the watercourse morphology;
- There will be no batching or storage of cement allowed at the watercourse crossing;
- There will be no refuelling allowed within 100m of the watercourse crossing;
- All plant will be checked for purpose of use prior to mobilisation at the watercourse crossing; and,
- Works will not take place during periods of heavy rainfall and will be scaled back or suspended if heavy rain is forecasted.

References

- IFI (2016) Guidelines on Protection of Fisheries during Construction Works in and Adjacent to Waters.
- NRA (2008) Guidelines for the Crossing of Watercourses during the Construction of National Road Schemes.

| | | | |
|---|---|--|--|
| RW-BPM-03 | Measures for Protection of Surface Water Quality during Stream Crossing Open Trench Works where the Channel Diversion Method is Used. | | |
| Environmental Commitment | | | |
| Prevention of significant surface water quality impacts at stream crossings due to in-stream works. | | | |
| Work Sections/Locations | | | |
| No planned location, BPM included on a precautionary basis | | | |
| Responsibility of | | Role/Duty | |
| Construction Manager | | <ul style="list-style-type: none">• Monitor weather conditions.• Supervise excavation works and drainage works. | |
| Surface Water Quality Protection Measures | | | |
| <ul style="list-style-type: none">• As the watercourse is Class 1, the in-stream works will only be done over a dry period in the months of July, August or September, as required by IFI for in-stream works (Project Design Measure);• Firstly, the works area will be clearly marked out with fencing or flagging tape to avoid unnecessary disturbance of vegetation;• A minimum 10 meter vegetative buffer zone will be maintained between disturbed areas and the watercourse. There will be no storage of material / equipment, excavated material (see below) or overnight parking of machinery inside the 10m buffer zone;• Double silt fencing will be placed upslope of the buffer zone on each side of the watercourse. The silt fencing will have removable "gates" as required to allow access of excavator while maintaining ease of replacement for overnight or during periods of heavy rainfall. The silt fencing will be extended at least 10m upstream and downstream of the crossing location;• Bog mats will be used underneath the excavator inside the 10 meter vegetative buffer zone to prevent soil erosion and potential water quality impacts from localised surface water runoff;• Temporary storage of excavated overburden from the diversion channel will be undertaken outside of the 10m buffer on flat ground or within a local hollow. A containment berm will be placed downslope of the excavated material which in turn will be surrounded by secondary silt fence protection to prevent saturated soil from flowing back into the watercourse;• The watercourse dam (in the stream to be diverted) will be made of sand (clean) bags, cobbles or clean well-graded coarse gravel fill. Poorly sorted material will not be used as it would be a potential source of fine sediment (the dam will be installed once the diversion channel is in place);• The banks and bottom of the diversion channel will be lined with impermeable geotextile to prevent erosion and surface water quality impacts. A layer of clean coarse gravel will be placed over the geotextile on the bed of the channel to keep it in place;• An energy dissipater (such as clean rock fill or splash plates) will be placed on the watercourse bed and opposing bank of the receiving watercourse downstream of the diversion channel. This will prevent scouring and erosion of the watercourse bed and bank at the outfall during diversion;• Watercourse bed trench excavation works will commence once stream flow is fully diverted from the crossing excavation area;• Temporary storage of excavated material from the crossing trench will be undertaken separately to the material from the diversion channel. All storage areas will be outside the 10m buffer zone. A containment berm will be placed downslope of the excavated material which in turn will be surrounded by secondary silt fence protection to prevent saturated soil from flowing back into the watercourse; | | | |

- Sediment laden water from trench dewatering will be discharged onto a well vegetated, dry, flat area at least 50m from a watercourse via a straw bale dewatering structure or geotextile filter bag. The outfall will also be surrounded by silt fencing;
- If there is no suitable area for discharge onto ground, settlement ponds will be used where necessary and will be put in place prior to commencement of preparation works;
- Any water from trench dewatering will not be discharged directly to a watercourse (Project Design Measure);
- Clay bunds will be placed within the trench backfill on either side of the watercourse to prevent the trench acting as a drain towards the stream, thus preventing potential water quality impacts;
- Once the lean mix concrete is in place in the trench, a layer of fine sand (5 – 10cm) will be over the cement prior to backfilling. This will prevent release of cement into the watercourse when flow is re-stored;
- Upon completion of the in-stream works, the stream crossing will be restored to its original configuration and stabilised to prevent bank erosion by means of timber stakes, timber planks and geotextiles as required (Project Design Measure);
- The diversion channel will be backfilled and reinstated to its original level and rock armour will be placed at the stream banks where the inflow and outflow of the diversion channel previously existed;
- The ground surface along the reinstated diversion channel will be re-seeded at the soonest opportunity to prevent soil erosion;
- The silt fencing on either side of the stream buffer will be left in place and maintained until the disturbed ground has re-vegetated;
- Operation of machinery and use of equipment within the 10m buffer will be kept to a minimum to avoid any unnecessary disturbance;
- Disturbance of bankside soils and stream sediments will be restricted to the minimum required for the cable laying process to avoid unnecessary impact on the stream morphology;
- There will be no batching or storage of cement allowed at the stream crossing;
- There will be no refuelling allowed within 100m of the stream crossing;
- All plant will be checked for purpose of use prior to mobilisation at the stream crossing; and,
- Works will not take place during periods of heavy rainfall and will be scaled back or suspended if heavy rain is forecasted.

References

- IFI (2016) Guidelines on Protection of Fisheries During Construction Works in and Adjacent to Waters.
- NRA (2008) Guidelines for the Crossing of Watercourses During the Construction of National Road Schemes.

| | | | |
|---|--|--|--|
| RW-BPM-04 | Measures for Protection of Surface Water Quality during Widening or Replacing an Existing Culvert. | | |
| Environmental Commitment | | | |
| Prevention of significant surface water quality impacts from sediment input during widening or replacing an existing culvert crossing. Typically this work will be undertaken where there is a requirement to widen an existing road at a watercourse crossing or where the existing culvert is inadequate for crossing with construction traffic. | | | |
| Work Sections/Locations | | | |
| Existing culverts will be replaced at the following locations: | | | |
| Relevant Watercourse Crossing Points: WW12, WW21 and WW31 | | | |
| Responsibility of | Role/Duty | | |
| Construction Manager | <ul style="list-style-type: none">• Monitor weather conditions.• Supervise excavation works and drainage works. | | |
| Surface Water Quality Protection Measures | | | |
| <ul style="list-style-type: none">• Replacing / extending of culverts in watercourses of ecological importance (Class 1 and Class 2 type watercourses) will only be done over a dry period between July and September (as required by IFI);• When the watercourse is Class 1 or Class 2, and there is a requirement to disturb either the bed or bank, the watercourse will be dammed upstream and pumped prior to work commencing (refer to RW-BPM-01);• Where culverts in drains (Class 4) or low ecological importance (Class 3) are being replaced, temporary check dams / silt fencing arrangements will be placed within the drain downstream of the crossing location. No damming or over pumping will be necessary unless flows are significant;• If a cable is being placed beneath the culvert and dewatering of the excavation is required, please refer to RW-BPM-01 or RW-BPM-02 for water management / water quality protection measures;• Where culvert widening has been completed, only clean, well-sorted fill or hardcore will be used to widen the road at the crossing location. Poorly sorted material will not be used as it would be a potential source of fine sediment;• Before the road surface layer is put in place, a layer of geotextile will be placed over the fill to prevent wash down of fines into the fill and potentially into the watercourse;• A temporary berm (i.e. sandbags and/or rectangular straw bales) will placed along the edge of the access road to prevent loose material being dislodged or washed into the watercourse;• Use of weather forecasts will be made, and works will be planned when a dry spell of weather is forecasted;• If high levels of silt or other contamination is noted in any local watercourse, all construction works will be stopped. No works will recommence until the issue is resolved and the cause of the elevated source is remedied;• Work will not be undertaken during periods of high rainfall. This will minimise the risk of entrainment of suspended sediment in surface water runoff and transport via this pathway to surface watercourses;• All disturbed ground will be re-seeded at the soonest opportunity to prevent erosion;• There will be no batching or storage of cement allowed at the watercourse crossing; | | | |

- There will be no refuelling allowed within 100m of the watercourse crossing; and,
- All plant will be checked for purpose of use prior to mobilisation at the watercourse crossing.

References

- IFI (2016) Guidelines on Protection of Fisheries during Construction Works in and Adjacent to Waters.
- NRA (2008) Guidelines for the Crossing of Watercourses during the Construction of National Road Schemes.

| | |
|--|---|
| RW-BPM-05 | Surface Water Quality Protection Measures During Excavation Works Within 50m of a Watercourse. |
| Environmental Commitment | |
| Prevention of significant surface water quality impacts from sediment input when excavation works (cable trenching, temporary, permanent access construction, haul route works etc.) are being carried out within 50m of a Class 1 (EPA blueline mapped watercourse) or Class 2 (EPA blueline equivalent). | |
| Work Sections/Locations | |
| <ul style="list-style-type: none"> Trench excavations and access road construction (temporary or permanent) will be required within 50m of a watercourse at all Class 1 and Class 2 watercourse crossing locations along the 110kV UGC; Trench excavations and access road construction will run over / adjacent / parallel to Class 1 or Class 2 watercourses at UWF Related Works sections SW12, SW24, SW25, SW26, SW27, SW28, SW52, RW3, SW53, SW54, SW55, SW67, SW68 and HW11; | |
| Responsibility of | Role/Duty |
| Construction Manager | <ul style="list-style-type: none"> Monitor weather conditions. Supervise excavation works and drainage works. |
| Surface Water Quality Protection Measures | |
| <ul style="list-style-type: none"> Where works are proposed within the 50m watercourse buffer zone, additional mitigation will be employed to ensure the watercourse is protected; Weather forecasting resources will be used, and works will be planned when a dry spell of weather is forecasted; Where the cable trench / access road / works area is running adjacent and parallel to a watercourse (all watercourse types, Class 1 to Class 4), a minimum 5m buffer will be maintained between the works area and the watercourse edge; Silt fencing will be placed down-gradient of the works during construction at all locations within the 50m watercourse buffer; Silt fencing will be embedded into the local soils to ensure all site water is captured and filtered; In a case where only a 5 - 10m buffer is being maintained, double silt fencing will be put in place on the downslope side; Additional silt fencing or temporary straw bales (rectangular bales, pinned down firmly with stakes) will be placed across any natural surface depressions / channels that slope towards a local watercourse; Where the cable trench / access road route slopes down perpendicular towards a watercourse (<i>i.e.</i> base of stream valley), regularly spaced, temporary bunds or shallow swales will also be put in place perpendicular across the works corridor to dissipate surface water runoff from the works area and onto adjacent vegetated ground. Additional silt fencing will be put at the outfall location of the bunds / swales; Temporary check dams / silt fencing arrangements will be placed in any local artificial watercourses/drains (Class 4 and Class 5 watercourses) within 30m of the works corridor (this will also include existing road drains along the haul route works); The check dams / silt fencing arrangements will be placed every 10m; Bog mats will be used in wet / boggy areas zone to prevent ground rutting and soil erosion which could lead to potential water quality impacts. All ground rutted by vehicles / machinery will be levelled or backfilled to prevent their progression as preferential pathways for surface water runoff; | |

- If high levels of silt or other contaminants are noted in any local watercourse, all construction works will be stopped. No works will recommence until the issue is resolved and the cause of the elevated source is remedied;
- Excavation work will not be undertaken during periods of high rainfall. This will minimise the risk of entrainment of suspended sediment in surface water runoff and transport via this pathway to surface watercourses;
- All disturbed ground will be re-seeded at the soonest, practicable opportunity to prevent erosion;
- All temporary surface water control / protection measures such as silt fencing and check dams will be kept in place until disturbed ground has vegetated and stabilised. Regular daily checks will be undertaken;
- Where the cable trench route runs downslope for long distances (>50m) towards a watercourse, regular spaced impermeable bunds will be placed within the trench backfill to prevent the trench acting as a drain towards the stream thus preventing potential water quality impacts from surface water drainage within the trench;
- There will be no refuelling allowed within 100m of a watercourse; and,
- All plant will be checked for purpose of use prior to mobilisation.

References

- IFI (2016) Guidelines on Protection of Fisheries During Construction Works in and Adjacent to Waters.
- NRA (2008) Guidelines for the Crossing of Watercourses During the Construction of National Road Schemes.

| RW-BPM-06 Surface Water Quality Protection Measures During Tree Felling Works. | |
|--|---|
| Environmental Commitment | |
| Prevention of significant surface water quality impacts from sediment/nutrient input during coniferous tree felling. | |
| Work Sections/Locations | |
| <ul style="list-style-type: none"> Coniferous tree block felling will be required at the following locations: RWR1/SW16 and SW24 | |
| Responsibility of | Role/Duty |
| Construction Manager | <ul style="list-style-type: none"> Monitor weather conditions. Supervise tree felling works and drainage works. |
| Pre-felling surveys | |
| <ul style="list-style-type: none"> Inspection of main drainage ditches and outfalls will be completed during wet periods, and well in advance of the proposed felling works; Another full inspection of the proposed felling area will be completed by the Construction Manager one day in advance of the proposed felling works; Communication with tree felling operatives in advance to determine whether any areas have been reported where there is unusual water logging or bogging of machines; Inspection of all areas reported as having unusual ground conditions; and, Pre-felling surface water sampling will be undertaken at the main watercourse downstream of the works area (sampling will be completed during a wet period). | |
| Protection of watercourses during felling works | |
| <ul style="list-style-type: none"> Machine combinations will be chosen which are most suitable for ground conditions at the time of felling, and which will minimise soils disturbance; Checking and maintenance of roads and culverts will be undertaken by the Construction Manager throughout the felling operation; No tracking of vehicles through watercourses will occur, as vehicles will use road infrastructure and watercourse crossing points; Drains which flow from the areas to be felled will have temporary silt traps installed; Where felling is to be completed inside the 10 – 25m aquatic buffer zone along a watercourse, double silt fencing will be arranged downslope of the proposed works area; Brash mats or bog mats will be used to support vehicles on soft ground, reducing peat and mineral soils erosion and avoiding the formation of rutted areas, in which surface water ponding will occur; Timber will be stacked in dry areas away from surface water buffer zones. Temporary rectangular straw bales to be emplaced on the down-gradient side of timber processing areas; Works will be carried out during periods of no, or low rainfall, in order to minimise entrainment of exposed sediment in surface water runoff; Following tree felling all drains will be inspected to ensure that they are functioning and silt traps will remain in place until all disturbed ground has stabilised; Extraction tracks near drains will be broken up and diversion channels created to ensure that water in the tracks spreads out over the adjoining vegetated ground. Silt fencing will be installed downslope of any diversion channels where ground has been broken or disturbed; | |

- All accumulated silt will be removed from existing drains, culverts and silt traps. This removed material will be deposited away from watercourses to ensure that it will not be carried back into the trap or stream during subsequent rainfall.

Post-felling surveys

- Post-felling surface water sampling will be undertaken at the main watercourse downstream of the works area (sampling will be completed during a wet period).

References

- Forestry Commission (2004): Forests and Water Guidelines, Fourth Edition. Publ. Forestry Commission, Edinburgh;
- Coillte (2009): Forest Operations & Water Protection Guidelines;
- Forest Services (Draft) Forestry and Freshwater Pearl Mussel Requirements – Site Assessment and Mitigation Measures; and,
- Forest Service (2000): Forestry and Water Quality Guidelines. Forest Service, DAF, Johnstown Castle Estate, Co. Wexford.

| | |
|---|--|
| RW-BPM-07 | Protection of Surface Water and Groundwater Quality during use of Cement Based Compounds. |
| Environmental Commitment | |
| Prevention of significant surface water and groundwater quality impacts during use of Cement Based Compounds. | |
| Work Sections/Locations | |
| <ul style="list-style-type: none"> • Internal Windfarm Cabling – public road crossing locations and • Telecom Relay Pole - foundations | |
| Responsibility of | Role/Duty |
| Construction Manager | <ul style="list-style-type: none"> • Monitor weather conditions. • Ensure best practice e storage and use of Cement Based Compounds. |
| Measures along the 110kV UGC | |
| <ul style="list-style-type: none"> • No wet-cement products will be used along the grid connection route (Project Design Measure); • A semi-dry granular cement mix will be used in the cable trench, and, pre-cast structures / pipes will be used for new temporary or permanent crossings; • No washing out of any plant or equipment used in concrete transport or concreting operations will be allowed along the route; • Any spills no matter how small or material or overburden contaminated with cement mix will be moved off-site for disposal at a licensed premises; • Outfalls or natural pathways (<i>i.e.</i> preferential flow paths) from the trench towards any local drain or watercourse will be prevented. Outfalls or natural pathways will be temporarily blocked using sand bags and geotextile until the cement mix has set; and, • At watercourse crossing locations, a layer of fine sand (5 – 10cm) will be placed over the cement mix within the trench prior to backfilling. This will prevent release of cement into the watercourse when flow is restored. | |
| Measures at Mountphilips Substation and End Masts | |
| <ul style="list-style-type: none"> • No batching of wet-cement products will occur on site (Project Design Measure). • Ready-mixed supply of wet concrete products and pre-cast products will be used for watercrossing structures; • No washing out of any plant used in concrete transport or concreting operations will be allowed on-site; • Where concrete will be delivered on site, only the chute will need to be cleaned, using the smallest volume of water practicable. Cement wash water will be collected in a sealed, temporary lagoon which will be placed at least 50m from a watercourse; • No discharge of cement contaminated waters to the construction phase drainage system or directly to any artificial drain or watercourse will be allowed. Chute cleaning water will be tanked and removed from the site to a suitable, non-polluting, discharge location; • Weather forecasting will be used to plan dry days for pouring concrete; • The pour site will be kept free of standing water and plastic covers will be ready in case of sudden rainfall event. | |

| |
|--|
| Monitoring Measure |
| <ul style="list-style-type: none"> Regular pH monitoring of the construction drainage water will be completed. When there is an increase of pH above the natural baseline in the local stream, pH adjustment will be undertaken prior to the release of the surface water drainage. |
| References |
| <ul style="list-style-type: none"> IFI (2016) Guidelines on Protection of Fisheries during Construction Works in and Adjacent to Waters. NRA (2008) Guidelines for the Crossing of Watercourses during the Construction of National Road Schemes. CIRIA (Construction Industry Research and Information Association) 2006: Guidance on 'Control of Water Pollution from Linear Construction Projects' (CIRIA Report No. C648, 2006) CIRIA 2006: Control of Water Pollution from Construction Sites - Guidance for Consultants and Contractors. |

| | | | |
|--|---|--|--|
| RW-BPM-08 | Protection of Surface Water and Groundwater Quality During Storage and Handling of Fuels, Oils and Chemicals. | | |
| Environmental Commitment | | | |
| Prevention of significant water quality impacts during storage and handling of fuels, oils and chemicals. | | | |
| Work Sections/Locations | | | |
| <ul style="list-style-type: none">Construction works area boundary | | | |
| Responsibility of | | Role/Duty | |
| Construction Manager | | <ul style="list-style-type: none">Monitor weather conditions.Ensure best practice use and storage of fuels, oils and chemicals on-site. | |
| Manage of on-site refueling | | | |
| <ul style="list-style-type: none">On site re-fuelling of immobile machinery will be carried out using a mobile double skinned fuel bowser. The fuel bowser, a double-axel custom-built refuelling trailer will be re-filled off site, and will be towed around the site by a 4x4 jeep to where machinery is located;The 4x4 jeep will also carry fuel absorbent material and pads in the event of any accidental spillages;The fuel bowser will be parked on a level area in the construction compound when not in use and only designated, trained and competent operatives will be authorised to refuel plant on site;Mobile measures such as drip trays and fuel absorbent mats will be used during all refuelling operations;All generators and suction pumps used at watercourse crossing locations will have a double skinned fuel tank or be placed on a drip tray; and,There will be no storage of fuel or refuelling or mobile plant permitted within 100m of a watercourse. | | | |
| Storing fuel properly | | | |
| <ul style="list-style-type: none">Fuels stored on site will be minimised. Storage areas, which will be located at the temporary compounds, will be bunded appropriately for the fuel storage volume for the time period of the construction (Project Design Measure). | | | |
| Monitoring Measure | | | |
| <ul style="list-style-type: none">Regular pH monitoring of the construction drainage water will be completed. When there is an increase of pH above the natural baseline in the local stream, pH adjustment will be undertaken prior to the release of the surface water drainage. | | | |
| Avoid leakage from plant and tools | | | |
| <ul style="list-style-type: none">The plant, machinery and tools used during construction will be regularly inspected for leaks and fitness for purpose. | | | |
| Contingency for spillages | | | |
| <ul style="list-style-type: none">An emergency plan for the construction phase to deal with accidental spillages is contained within Environmental Management Plan (Section 6).Spill kits will be available to deal with any accidental spillage in and outside the refuelling area; and,Any spills no matter how small or material or overburden contaminated with fuel/oil will be moved off-site for disposal at a licensed premise. | | | |

References

- CIRIA (Construction Industry Research and Information Association) 2006: Guidance on 'Control of Water Pollution from Linear Construction Projects' (CIRIA Report No. C648, 2006).
- CIRIA 2006: Control of Water Pollution from Construction Sites - Guidance for Consultants and Contractors. CIRIA C532. London, 2006.
- EMP for UWF Related Works, Section 6: Environmental Emergency Procedure for Oil/Fuel Spillage

| | | | |
|---|---|---|--|
| RW-BPM-09 | Design of New Permanent Watercourse Crossing Structures to Prevent Flood Risk | | |
| Environmental Commitment | | | |
| Prevention of flooding at watercourse crossings due to undersized culverts / bridges. | | | |
| Work Sections/Locations | | | |
| Relevant Watercourse Crossing Points: WW1, WW12, WW13, WW15, WW21, WW24, WW25 and WW31 (Class 4 water crossings), also WW14 (Class 3 water crossings), also WW2, WW4 and WW22 (Class 2 water crossings). | | | |
| Responsibility of | | Role/Duty | |
| Construction Manager | | <ul style="list-style-type: none">• Ensure appropriate culvert/bridge design.• Supervise the construction works. | |
| Surface Water Quality Protection Measures | | | |
| <ul style="list-style-type: none">• All permanent culverts/bridges will be sized to cope with a minimum 100-year flood event (Project Design Measure);• A freeboard of 300mm, or as required by OPW, will be kept below the crossing structure during a 100-year flood event;• At a minimum, all new pipe culverts will be 900mm in diameter regardless of the anticipated flood flow (Project Design Measure) (<i>i.e.</i> minimum 900mm culvert will be used in Class 3/Class 4 watercourses regardless of flows);• New and replaced permanent crossing structures will be construction in accordance with the Office of Public Works (OPW) guidelines Construction, Replacement or Alteration of Bridges and Culverts (2013),• As agreed with OPW (telephone consultation, February 2018) will be subject to a Section 50 application to OPW following the grant of planning permission. | | | |
| References | | | |
| <ul style="list-style-type: none">• The Planning System and Flood Risk Management Guidelines (DoEHLG, 2009).• OPW (2013) Construction, Replacement or Alteration of Bridges and Culverts.• NRA (2008) Guidelines for the Crossing of Watercourses during the Construction of National Road Schemes. | | | |

| RW-BPM-10 | Surface Water Quality Protection Measures During Temporary Storage of Overburden | |
|--|---|--|
| Environmental Commitment | | |
| Prevention of significant surface water quality impacts during Temporary Storage of Overburden. | | |
| Work Sections/Locations | | |
| Temporary overburden storage will be located at the following locations: <u>Internal Windfarm Cabling</u> , construction works area boundary <u>Haul Route Works locations</u> | | |
| Responsibility of | Role/Duty | |
| Construction Manager | <ul style="list-style-type: none">• Monitor weather conditions.• Supervise excavation works and drainage works | |
| Surface Water Quality Protection Measures | | |
| <ul style="list-style-type: none">• No temporary overburden storage areas will be permitted within 50m of a Class 1 (EPA blueline mapped watercourse) or Class 2 (EPA unmapped blueline equivalent) watercourse (Project Design Measure);• Sloping ground and areas with wet ground conditions / ponding will be avoided;• Where possible, the temporary overburden storage area will be located on vegetated ground as the existing vegetation will act as an effective buffer against any sediment in runoff from the storage area;• The overburden mound will not be compacted, nor will the surface of the mound be smoothed or battered back as rough surfaces on overburden mounds increase infiltration and reduce surface water runoff and erosion;• A perimeter of double silt fencing will be placed around the temporary storage area. Silt fencing will be checked on a daily basis and replaced when necessary;• Temporary check dams and silt fencing arrangements will be placed in local Class 4 watercourses (Drains) and Class 3 watercourses (Marginal Watercourses) if they exists within 20m of the storage area;• Where the temporary overburden storages areas are located in forestry, temporary blocking of mound drains/rills will be undertaken downslope of the storage area. All existing roadside drains will have temporary check dams installed;• During periods of heavy rainfall a sheet of polyethene or a geotextile will be used to cover the overburden to prevent erosion; and,• All temporary overburden storages areas will be checked / monitored on a daily basis until stabilised to ensure no drainage issues of surface water quality impacts are occurring. | | |
| References | | |
| <ul style="list-style-type: none">• IFI (2016) Guidelines on Protection of Fisheries During Construction Works in and Adjacent to Waters;• NRA (2008) Guidelines for the Crossing of Watercourses During the Construction of National Road Schemes; and,• CIRIA C648 (2006) Control of Water Pollution from Linear Construction Sites. | | |

| RW-BPM-11 Surface Water Quality Protection Measures during Permanent Storage of Overburden | |
|---|---|
| Environmental Commitment | |
| Prevention of significant surface water quality impacts during Permanent Storage of Overburden. | |
| Work Sections/Locations | |
| Permanent overburden storage will be located at the following locations: | |
| <ul style="list-style-type: none"> - Telecom Relay Pole - Realigned Windfarm Roads | |
| Responsibility of | Role/Duty |
| Construction Manager | <ul style="list-style-type: none"> • Monitor weather conditions. • Supervise excavation works and drainage works. |
| Surface Water Quality Protection Measures | |
| <ul style="list-style-type: none"> • No permanent overburden storage areas will be permitted within 50m of a Class 1 (EPA blueline mapped watercourse) or Class 2 (EPA unmapped blueline equivalent) watercourse (Project Design Measure); • Sloping ground and areas with wet ground conditions will be avoided; • If possible, within grassland, the permanent overburden storage area will be located on vegetated ground as the existing vegetation will act as an effective buffer against any sediment in runoff from the storage area until it has stabilised by vegetation; • Within grassland, a perimeter of double silt fencing or a sand bag/geotextile berm will be placed around the permanent storage area until the mound has stabilised by vegetation; • Where the permanent overburden storages areas are located in forestry, temporary blocking of mound drains/rills will be undertaken downslope of the storage area until the mound has stabilised by vegetation; • At permanent storage areas along proposed permanent access roads or existing roads (<i>i.e.</i> forestry tracks and farm tracks) silt trap / silt fence arrangements will be placed within the proposed / existing road drainage and left in place until the mound has stabilised by vegetation; • The overburden mound will be seeded at the soonest opportunity to prevent erosion; and, • All permanent overburden storages areas will be checked / monitored on a weekly basis until stabilised to ensure no drainage issues of surface water quality impacts are occurring. | |
| References | |
| <ul style="list-style-type: none"> • IFI (2016) Guidelines on Protection of Fisheries During Construction Works in and Adjacent to Waters; • NRA (2008) Guidelines for the Crossing of Watercourses During the Construction of National Road Schemes; and, • CIRIA C648 (2006) Control of Water Pollution from Linear Construction Sites. | |

| | | |
|---|--|--|
| RW-BPM-12 | Monitoring of nesting and roosting Hen Harrier (<i>Circus cyaneus</i>) | |
| Environmental Commitment | | |
| To identify and monitor breeding Hen Harrier | | |
| Work Sections/Locations | | |
| 2km buffer of UWF Grid Connection construction works areas, UWF Related Works/UWF Replacement Forestry/Consented Upperchurch Windfarm/ Windfarm and UWF Other Activity Locations located within or adjacent to suitable Hen Harrier habitat- including the UHHS. | | |
| Responsibility of | Role/Duty | |
| Construction Manager | <ul style="list-style-type: none">Scheduling of construction activities | |
| Project Ecologist | <ul style="list-style-type: none">Carrying out of surveys to Best Practice guidance for nesting Hen Harrier.Must be aware of the best practice guidance listed in References below. | |
| Surveying of nesting and roosting Hen Harrier | | |
| <ul style="list-style-type: none">Monthly surveys following (SNH) guidance will be undertaken by a suitably qualified OrnithologistConfirmatory hen harrier breeding surveys will be completed, before construction works initiate, such that all pre breeding nuptial activity, nesting activity and active nests are recorded within 2km of the construction works area boundary (Project Design Measure). Breeding Surveys will take place monthly between February and August of the construction year and will be targeted at confirming breeding attempts and/or nest locations within the 2km buffer area utilized to establish baseline conditions.Confirmatory hen harrier roosting surveys will be completed, within 1000m of the construction works boundary. Roosting surveys will take place monthly between October and February of the construction year and will be targeted at confirming roosting locations within the 1km buffer area utilized to establish baseline conditions.These surveys (both breeding and roosting) will be completed prior to the start-up of all construction activities, until construction is complete and for 4 years thereafter (Years 1-3 and Year 5) (Project Design Measure).Surveys will also be undertaken in years coinciding with any National Surveys of Hen Harrier to fully inform future trends in respect of the Slievefelim to Silvermines Mountains SPA.A report including nesting activity, levels of usage and any disturbance events, will be provided to the Competent Authority and NPWS following the completion of each survey season.The Project Ecologist will keep NPWS informed of the real-time status of nesting Hen Harrier as a result of the monitoring associated with this project. | | |
| Construction Works Restrictions | | |
| <ul style="list-style-type: none">No construction works for UWF Related Works will take place during the breeding season March to August (Project Design Measure).A temporal construction exclusion zone of 1000m will be established around identified Hen Harrier roost locations during the winter roosting season (October to February inclusive). The temporal exclusion zone will be established by a suitably qualified Ornithologist and will be strictly adhered to by all personnel involved in the construction works. Construction works within 1000m of a roost will be limited to the period between one hour after sunrise to one hour before sunset (Project Design Measure). | | |

Compliance Monitoring

- The temporal exclusion zone will be monitored by a suitably qualified Ornithologist.
- The Ornithologist will have 'stop works' authority.
- Any non-compliance will be recorded in a register and included in a report to be provided to the competent authority following the completion of the construction stage.

Operational Works Measures

- During the Operational Phase a suitably qualified Ornithologist will be present during any required maintenance works along the 110kV UGC within the SPA to ensure no breeding Hen Harrier are disturbed.

Construction Stage Dust Effects

- If dust issues start to occur proximal to sensitive nest locations, the Project Ecologist/Ornithologist will report the issue to the Environmental Clerk of Works, who will require the Construction Contractor to minimize dust emissions, as per Best Practice Measure RW-BPM-29.

References

- **Scottish National Heritage (2014)** Survey Methods for Use in Assessing the Impacts of Onshore Wind-farms on Bird Communities <http://www.snh.gov.uk/docs/C278917.pdf>
- **Ruddock and Whitfield (2007)** A Review of Disturbance Distances in Selected Bird Species. A report from Natural Research (Projects) Ltd to Scottish Natural Heritage. <http://www.snh.org.uk/pdfs/strategy/renewables/BIRDSD.pdf>

| | | |
|---|---|--|
| RW-BPM-13 | Minimising the effects of lighting on bats | |
| Environmental Commitment | | |
| To avoid displacement or disturbance of bats arising from the use of artificial lighting. | | |
| Work Sections/Locations | | |
| 150m around all UWF Related Works construction works areas | | |
| Responsibility of | Role/Duty | |
| Construction Manager | <ul style="list-style-type: none">Scheduling of works | |
| Project Ecologist | <ul style="list-style-type: none">The Project Ecologist will liaise with NPWS throughout the construction stage and early operational stage.Monitor the construction activities to ensure that mitigation measures are strictly adhered to at all times.Must be aware of the best practice guidance listed in References below. | |
| Design principles for lighting | | |
| <ul style="list-style-type: none">All known bat roosts within 150m of the construction works areas will be subject to confirmatory survey prior to the onset of construction works in order to identify any changes in the interim period since baseline establishment. Surveys will be carried out at a time of year that is appropriate to the type of roost e.g. June to August for maternity roosts, or November to February for hibernation roosts. This will ensure that the Project Ecologist has accurate information regarding the location and status of roosts, and that the lighting proposals can be adapted accordingly, if required.The Project Ecologist will communicate all bat survey results and information to the Project Team. This information will also be issued to the Local Authority and relevant statutory consultees, as agreed at the consenting stage.In general, the use of lighting will be avoided throughout the scheme, as most of the surrounding landscape is of at least local importance for bats.All construction works will be carried out during daylight hours (Project Design Measure).Security lighting will be used at compounds. <u>All lighting</u> will be cowed in order to prevent light spill and no lighting will be left turned on overnight. Lighting will be controlled by motion and time sensors to minimise the amount of time the lights are operational (Project Design Measure).Lights would be operational for 30 seconds and would then switch off automatically.Additionally, lights will be directed only onto the required area, in conjunction with the ECoW, the Contractor will choose lighting in accordance with Guidance Notes for the Reduction of Obtrusive Light GN01-2011 when deciding on lighting;Low UV-lighting bulbs, such as low-UV LEDs or low / high pressure sodium lamps will be used. Mercury or metal halide bulbs will not be used. | | |
| References | | |
| <ul style="list-style-type: none">Stone, E.L. (2013) Bats and lighting: Overview of current evidence and mitigation guidance. University of BristolBat Conservation Trust (2008). Bats and the Built Environment Series: Bats and Lighting in the UKBat Conservation Ireland (2010). Bats & Lighting: Guidance Notes for Planners, engineers, architects and developers | | |

| RW-BPM-14 Protection of potential tree and bridge bat roosts | |
|--|---|
| Environmental Commitment | |
| Best Practice measures in respect of direct disturbance or destruction of potential tree and bridge roosts throughout the pre-construction, during construction and operational phases of the development. | |
| Work Sections/Locations | |
| Tree felling locations, bridges along haul routes and works areas | |
| Responsibility of | Role/Duty |
| Construction Manager | <ul style="list-style-type: none"> Scheduling of construction activities |
| Project Ecologist | <ul style="list-style-type: none"> Pre-construction confirmatory surveys will be carried out by the Project Ecologist (under license) on all bat roosts identified within the zone of effect of works boundary. The Project Ecologist will liaise with NPWS throughout. Monitoring felling and pruning works on trees with bat suitability. Must be aware of the best practice guidance listed in References below. |
| Survey Measures for Potential Tree Roosts | |
| <ul style="list-style-type: none"> All trees that require felling or other modifications (e.g. branch removal, trimming) will be subject to a confirmatory ground-level visual inspection by the Project Ecologist prior to the onset of works. All trees with moderate or high suitability for bats will have a presence / absence bat detector survey during the season of peak activity (usually May to September, inclusive). Trees of negligible or low suitability generally do not require a presence / absence bat detector survey, but this will be reviewed by the Project Ecologist. The Project Ecologist will communicate all bat survey results and information to the Project Team. This information will also be issued to the Local Authority and relevant statutory consultees, as agreed at the consenting stage. | |
| Tree Felling measures | |
| <ul style="list-style-type: none"> Trees with low suitability for bats will be cut in sections by a suitably qualified tree surgeon, and all sections with crevices or cavities will be lowered carefully to the ground and left undisturbed for 48 hours before removal. Any trees of moderate or high suitability will have a presence / absence bat detector survey prior to felling. If roosting bats are present, the consultant will develop a case-specific mitigation strategy (e.g. seasonal restrictions on felling works, fitting of exclusion tubes at roost entrances), and apply to the NPWS for a derogation licence. Any bats will be permanently excluded from the tree before felling, and replacement roosting opportunities (i.e. bat boxes) will be provided. If a tree of moderate or high suitability is surveyed and no bats are recorded, then it will be felled immediately. It will be cut in sections by a tree surgeon, and all sections with crevices or cavities will be lowered carefully to the ground and left undisturbed for 48 hours before removal. | |

Derogation Licenses

- Any requirement for derogation from the European Communities (Birds and Natural Habitats) Regulations 2011 will be reviewed by the Project Ecologist following consultation with local representatives of the National Parks and Wildlife Service.

Avoid effects on bats through disturbance or destruction of potential bridge roosts.

- Structures which were previously identified as having no potential for bats (no suitable crevices) (Grade 0; Billington and Norman, 1997) will require a visual inspection to confirm that the previous assessment remains valid and no suitable crevices have formed in the intervening period. If the structure remains unsuitable for bats, no additional surveys are required.
- All bridges which were previously identified as having evidence of bats or suitable crevices for bats (Grade 1 to 3; Billington and Norman, 1997) will have a visual inspection (using lights, fiberscope, etc.) and bat detector surveys (to be undertaken throughout the duration of the night and include dusk emergence and dawn swarming periods) will be undertaken prior to the commencement of bridge maintenance/upgrade works to determine if bats are using the structure at the time of any works.
- If no bats are found to be present during the surveys but suitable crevices are present, these will be temporarily blocked in advance of works to ensure bats do not occupy the structure in the intervening period.
- If bats are found in any bridges, the Project Ecologist will develop a case-specific mitigation strategy (e.g. seasonal restrictions on works, fitting of exclusion valves at roost entrances, blocking of unoccupied crevices) and apply to the NPWS for a derogation license for the proposed works.
- If undertaken, any maintenance/upgrade works will include the conservation of a number of the most suitable crevices in the bridge structure as part of the works programme. If the complete loss of all suitable crevices is unavoidable, mitigation measures in the form of bat boxes and/or bat tubes will be erected on the bridge to provide alternative roosting opportunities. The number and placement of the bat boxes and/or tubes will be determined by a bat specialist.

References

- National Roads Authority (2005). Guidelines for the Treatment of Bats during the Construction of National Road Schemes. National Roads Authority, Dublin.
- Billington, G.E. and Norman, G.M. (1997). A Report on the Survey and Conservation of Bat Roosts in Bridges in Cumbria. Kendal, English Nature
- Kelleher, C. and Marnell, F. (2006). *Bat Mitigation Guidelines for Ireland. Irish Wildlife Manuals, No. 25.* National Parks and Wildlife Service, Department of Environment, Heritage and Local Government, Dublin, Ireland.

| | |
|--|---|
| RW-BPM-15 | Bats – Post Construction Monitoring |
| Environmental Commitment | |
| Operational monitoring of bat roosts and sensitive severed hedgerow locations post construction to monitor effects (if any) from the construction of the UWF Related Works | |
| Work Sections/Locations | |
| Bat roost identified during baseline evaluations, Bat Crossing locations in field boundaries along the works area | |
| Responsibility of | Role/Duty |
| Project Ecologist | <ul style="list-style-type: none"> • Post-construction activity surveys. • Liaising with NPWS. • Must be aware of the best practice guidance listed in References below. |
| Operational Surveys | |
| <ul style="list-style-type: none"> • Post-construction activity surveys will be carried out annually by the Project Ecologist • Roost surveys on roosts identified as part of baseline evaluation will be carried out under Licence within the suitable survey season as per Best Practice, • All hedgerow locations subject to Bat Crossing Structures and reinstatement measures will also be surveyed by a suitably qualified Bat expert within the suitable survey season as per Best Practice. • Surveys will be carried out annually during the early operational years and will continue until all revegetation has reached maturity and bat habitat severance effects are closed out. i.e. 6 years • At the end of this period, if necessary, recommendations will be made on further survey requirements following consultation with NPWS. • Results will be made available to the Local Authority and relevant statutory consultees in the form of an annual report. | |
| References | |
| <ul style="list-style-type: none"> • National Roads Authority (2005). Guidelines for the Treatment of Bats during the Construction of National Road Schemes. National Roads Authority, Dublin. • Billington, G.E. and Norman, G.M. (1997). A Report on the Survey and Conservation of Bat Roosts in Bridges in Cumbria. Kendal, English Nature • Kelleher, C. and Marnell, F. (2006). <i>Bat Mitigation Guidelines for Ireland. Irish Wildlife Manuals, No. 25.</i> National Parks and Wildlife Service, Department of Environment, Heritage and Local Government, Dublin, Ireland. | |

| | | | |
|---|--|---|--|
| RW-BPM-16 | Monitoring of non-native invasive plant species. | | |
| Environmental Commitment | | | |
| Monitoring of non-native invasive plant species. | | | |
| Work Sections/Locations | | | |
| All construction works sections and operational stage wayleave areas | | | |
| Responsibility of | | Role/Duty | |
| Project Ecologist | | <ul style="list-style-type: none">• Implementation of surveying• Must be aware of the best practice guidance listed in References below. | |
| Avoid adverse effects of the introduction and spread of non-native invasive species | | | |
| <ul style="list-style-type: none">• Monitoring in the form of confirmatory surveys will be carried out by the Project Ecologist to accurately determine the current status of invasive species locations identified during baseline studies.• Surveying will be carried out each year of operation and this survey information will be used to inform any operational stage maintenance activities. Surveys will focus always on the works area plus 7m. Surveying of municipal areas – i.e. public road haulage routes, will not be included in surveys.• The results of this will be made available to Project Team, and any bodies as agreed at the consenting stage.• The measures included in the Invasive Species Management Plan will be implemented. | | | |
| References | | | |
| <ul style="list-style-type: none">• National Roads Authority (2010). Guidelines on the Management of Noxious Weeds and Non-Native Invasive Plant Species on National Roads. National Roads Authority, Dublin.• EMP for UWF Related Works - Invasive Species Management Plan. | | | |

| | | | |
|---|---|--|--|
| RW-BPM-17 | Best practice measures for the removal of vegetation during construction. | | |
| Environmental Commitment | | | |
| To ensure the protection of species using hedgerow and scrub habitat during the construction phase. | | | |
| Work Sections/Locations | | | |
| All sections | | | |
| Responsibility of | | Role/Duty | |
| Project Manager | | <ul style="list-style-type: none">Inform Project Ecologist of any requirement to clear scrub or remove hedgerows during the nesting and breeding season (1st March to 31st August inclusive). | |
| Construction Manager | | <ul style="list-style-type: none">Scheduling of construction activities | |
| Project Ecologist | | <ul style="list-style-type: none">The Project Ecologist will be aware of all areas of hedgerow and scrub habitat which require removal during the construction phase, giving particular regard to the statutory restrictions on vegetation clearance, (the relevant statutory provisions are listed in References) | |
| Measures to ensure protection of species using hedgerow and scrub habitat | | | |
| Section 40 of the Wildlife Act 1976, as amended by Section 46 of the Wildlife (Amendment) Act 2000, restricts the cutting, grubbing, burning or destruction by other means of vegetation growing on uncultivated land or in hedges or ditches during the nesting, and breeding season for birds and wildlife, from 1 st March to 31 st August, inclusive. | | | |
| Please note that all removed hedgerows or parts thereof, will be replaced to ensure that linear habitats remain unaffected in the long term. | | | |
| The following approach will be taken in order to comply with the Wildlife Acts: | | | |
| <ul style="list-style-type: none">Where practical, vegetation clearance will be carried out outside of the restricted period (1st March to 31st August).Where clearance is required within the closed season, a survey will be carried out by the Project Ecologist for the presence of active birds’ nests (i.e. nests with eggs or young birds). If such are found, where feasible the area will be avoided until the nesting attempt is complete. If avoidance is not feasible, such as where all works along one section of the route need to be completed to avoid incursions into the area at a later stage, the Project Ecologist will seek a derogation license from the NPWS. Such works cannot take place until this derogation license is received.Construction works practices will incorporate fire prevention measures at all works areas | | | |
| References | | | |
| <ul style="list-style-type: none">Statutory provisions in relation to breeding birds, namely Section 46(a) of the Wildlife (Amendment) Act 2000;Statutory provisions in relation to bats and bat roosts, namely, Wildlife Acts, 1976 and 2000, and the EU Habitats Directive (Under S.I. 94 of 1997). | | | |

| | | | |
|---|---|---|--|
| RW-BPM-18 | Best practice for the protection and preservation of tree roots during the construction phase | | |
| Environmental Commitment | | | |
| To ensure the protection and preservation of tree roots during the pre-construction and during construction phase. | | | |
| Work Sections/Locations | | | |
| All sections | | | |
| Responsibility of | | Role/Duty | |
| Construction Manager | | <ul style="list-style-type: none">Scheduling of construction activities | |
| Project Ecologist | | <ul style="list-style-type: none">The Project Ecologist will be aware of all trees which are to be retained and preserved during the construction and/or decommissioning phase, giving particular regard to the statutory restrictions on vegetation clearance. The relevant Statutory provisions are listed in References below.Must be aware of the best practice guidance listed in References below. | |
| To ensure the protection and preservation of tree roots during the pre-construction and during construction phase | | | |
| <ul style="list-style-type: none">All works within a Root Protection Area (RPA) (see NRA guidance (2006) for calculation of the RPA) will be supervised by the Project Ecologist.An important point to remember, prior to the design and installation of protective barriers, are that roots are often asymmetric so an arbitrarily chosen circular protection zone can often prove to be inadequate. Asymmetry of roots can be suspected if the ground is sloping to one side or if there are other variables restricting root development.The instalment of protective measures and the undertaking of all remedial works will be carried out prior to commencement of any construction activity at the RPA.Any remedial works required to trees identified for retention will be carried out prior to construction by qualified tree surgeons in accordance with BS 3998 (1989) Recommendations for tree work.Vertical barriers and/or ground protection will protect all trees that are being retained on site. These provisions will be put in place prior to any development work or soil excavations are carried out within the RPA.The purpose of protective barriers is to exclude any harmful construction activity that may damage the RPA. They also help protect the main stem of the tree.Tree protection barriers will be fit for the purposes of excluding construction activities and be durable to withstand an impact. The barrier will consist of a vertical and horizontal frame and will be at least 2.3m in height.Clear concise signage will be affixed to the barrier in an unrestricted easily viewed location. The signage must specify that no construction activity is to take place within the RPA. This will remain the place until completion of all works unless certain works are deemed acceptable following consultation with an arborist.The signage must also state that no materials of any description are to be stored or the “spilling out” of materials will not occur within the RPA. | | | |

- Consultations with a qualified arborist will be undertaken if required during the development, if certain construction activities within the RPA are unavoidable, e.g. excavation works.
- Any excavation works carried out within the RPA will be undertaken with extreme care and will be carried out with due diligence, avoiding damage to the protective bark covering larger roots. This may involve excavation by mini-digger and/or hand as deemed appropriate.
- Exposed roots will be wrapped in hessian sacking to avoid desiccation and roots less than 2.5cm in diameter can be pruned back to a side root.
- The advice of a qualified arborist will be sought if larger roots that influence anchorage of the tree need to be severed.
- Toolbox talks with site personnel will include the relevant best practice measures above and all site personnel will be made aware of the importance of the protective barrier.
- In general, a ground alteration in excess of 75mm will be avoided.
- Changes in ground levels in the vicinity of a tree may alter the existing soil hydrology and may necessitate the incorporation of adequate drainage around the tree.
-

References

- Section 46(a) of the Wildlife (Amendment) Act 2000
- Tree Preservation Orders (TPO), which are made under Section 205 of the Planning and Development Act, 2000
- Statutory provisions in relation to bats and bat roosts, namely, Wildlife Acts, 1976 and 2000, and the EU Habitats Directive (Under S.I. 94 of 1997).
- BS 3998 (1989) Recommendations for tree work
- NRA (2006). Guidelines for the protection and preservation of trees, hedgerows and scrub prior to, during and post construction of national road schemes. National Roads Authority, Dublin.

| | |
|--|--|
| RW-BPM-19 | Disturbance to and/or displacement of nesting Common Kingfisher (<i>Alcedo atthis</i>). |
| Environmental Commitment | |
| To avoid disturbance/displacement of nesting Kingfisher throughout the construction phase of the development. | |
| Work Sections/Locations | |
| All watercourse crossing locations | |
| Responsibility of | Role/Duty |
| Project Manager | <ul style="list-style-type: none"> • Scheduling of construction activities |
| Project Ecologist | <ul style="list-style-type: none"> • Carrying out surveying to Best Practice guidance. • Must be aware of the best practice guidance listed in References below. |
| Avoid disturbance and/or displacement of nesting Kingfisher during pre-construction and during construction phase of the development. | |
| <ul style="list-style-type: none"> • Confirmatory surveys will be carried out by a suitably qualified Ornithologist and will follow standard methodology (Cummins <i>et al</i>, 2010), • Surveys will be undertaken between March and April (early visit) and again between May and June (late visit) of the construction year and will be targeted at confirming breeding attempts and/or nest locations along rivers within 300m of works area boundary (No nests were located within 300m during baseline surveys). • All crossing locations will be also be surveyed to confirm Kingfisher suitability both in terms of nest banks and suitable bankside vegetation at the time of construction. • No construction activities will be permitted within the temporal construction exclusion zone (500m) around identified nest locations during the bird breeding season (March – August inclusive or until nesting is confirmed as complete following supervision by a suitably qualified Ornithologist). • Channel and bankside vegetation (trees, scrub etc.) where confirmed as suitable for Kingfisher, will be left untouched where possible to retain branches for foraging Kingfishers and to minimize disturbance to nesting birds. • At least some marginal vegetation will be retained on suitable Kingfisher nesting banks - if present. These are mostly vertical banks over one meter in height, composed of soft material into which they can dig their burrows. | |
| Other Riparian Bird Species | |
| <ul style="list-style-type: none"> • During Kingfisher surveys, all crossing locations will also be surveyed to confirm the presence or absence of other aquatic/riparian species such as Dipper, Grey Wagtail. • If present at watercourse crossing locations, Statutory provisions in relation to breeding birds, namely Section 46(a) of the Wildlife (Amendment) Act 2000 will be fully adhered with | |
| References | |
| <ul style="list-style-type: none"> • Cummins, S., Fisher, J., McKeever, R.G., McNaghten, L., and Crowe, O. (2010) Assessment of the distribution and abundance of Kingfisher (<i>Alcedo atthis</i>) and other riparian birds on six SAC river systems in Ireland. National Parks and Wildlife Service and BirdWatch Ireland. | |

- https://www.npws.ie/sites/default/files/publications/pdf/Cummins_et_al_2010_Kingfisher_survey.pdf
- Crowe, O. (2010) Ecological Impact Assessment (EclA) of the Effects of Statutory Arterial Drainage Maintenance Activities on Kingfisher (Alcedo atthis) and other riparian birds II. Office of Public Works and BirdWatch Ireland. <http://www.opw.ie/en/media/Issue%20No.%2012%20%20EclA%20Kingfisher%20Alcedo%20atthis%20and%20other%20Riparian%20Birds%20II.pdf>

| | | | |
|--|---------------------------------------|---|--|
| RW-BPM-20 | Monitoring of Identified Badger Setts | | |
| Environmental Commitment | | | |
| Monitoring of identified Badger setts during the operational phase of the development. | | | |
| Work Sections/Locations | | | |
| All setts identified in baseline surveys | | | |
| Responsibility of | | Role/Duty | |
| Project Ecologist | | • Must be aware of the best practice guidance listed in References below. | |
| Monitoring of identified Badger setts during the operational phase of the development. | | | |
| <ul style="list-style-type: none">• Survey of identified badger setts within 50 m of either side of the construction works area boundary to determine the current status of known badger setts (i.e. active or inactive) and to determine if any new setts have been established in the period following the completion of construction.• Surveys will be undertaken annually in Operational Years 1, 2, 3, 4 and 5.• These surveys can be undertaken at any time of the year, but are most effective between November and April when vegetation cover is reduced. However, until mid-January, badgers are less active during colder weather and setts can appear less well-used (NRA, 2008).• Results will be made available to the Local Authority and relevant statutory consultees in the form of an annual report. | | | |
| References | | | |
| <ul style="list-style-type: none">• National Roads Authority (2005). Guidelines for the Treatment of Badgers prior to the Construction of National Road Schemes. National Roads Authority, Dublin.• National Roads Authority (2008). Ecological Surveying Techniques for Protected Flora and Fauna during the Planning of National Road Schemes. National Roads Authority, Dublin. | | | |

| | |
|--|---|
| RW-BPM-21 | Disturbance and/or physical injury to Other Mammals |
| Environmental Commitment | |
| To avoid disturbance and/or physical injury to other mammals throughout the pre-construction, during construction and operational phases of the development. | |
| Work Sections/Locations | |
| All sections | |
| Responsibility of | Role/Duty |
| Construction Manager | <ul style="list-style-type: none"> Scheduling of construction activities. |
| Project Ecologist | <ul style="list-style-type: none"> Monitor the construction activities to ensure that mitigation measures are strictly adhered to at all times. Must be aware of the best practice guidance listed in References below. |
| Construction Stage Surveying | |
| <ul style="list-style-type: none"> Confirmatory surveys (of suitable habitat) for the presence/absence of these protected species or their breeding/resting places within 50m of the construction works area will be undertaken prior to the commencement of vegetation and/or hedgerow clearance and excavations. Confirmatory surveys to check for any new dens/dreys that may have arisen between the time of the original survey and start of works will be carried out by the Project Ecologist; The Project Ecologist will communicate all confirmatory survey results and information to the Project Team. This information will also be issued to the Local Authority and relevant statutory consultees, as agreed at the consenting stage. | |
| Measures to avoid/minimise disturbance effects to pine martin | |
| <p>In the event of the confirmation of pine martin breeding/resting places specific measures will include:</p> <ul style="list-style-type: none"> Marking exclusion zones around any confirmed pine marten dens; The boundary of the exclusion zone will be a minimum of 30m from a non-breeding den and at least 100m from dens which are known or suspected of being used for breeding, No construction works will be carried out within the exclusion zones in the breeding season (March-June inclusive); If construction works during the breeding season cannot be avoided, the den will be destroyed. The destruction of a den will require an NPWS Licence. | |
| Measures to avoid/minimise disturbance effects to pine martin and red squirrel | |
| <p>In the event of the confirmation of red squirrel breeding/resting places specific measures will include:</p> <ul style="list-style-type: none"> Marking 50m exclusion zones around any confirmed breeding red squirrel dreys; If monitoring confirms the drey is not used for breeding, smaller protection zones will be required (5m or to the nearest neighbouring tree); On-going survey of any dreys within 50m of works areas to monitor the breeding status of the drey, (red squirrels can move dreys during the breeding season, so a non-breeding drey could change status); | |

- Avoiding felling any trees containing red squirrel dreys, if unavoidable, the destruction of a red squirrel drey will require an NPWS licence.
- Where construction works will take place within 50m of a breeding drey, the works will be scheduled, if feasible, to take place between October–January inclusive (which is outside the breeding season), If this is unfeasible the potential for disturbance will be evaluated by the Project Ecologist and works will be monitored;
- Construction machinery will not exceed 20km/hour on access roads to ensure the protection of other non-volant mammals including but not limited to Irish hare, pine marten, hedgehog, red squirrel and Irish stoat.

Measures to avoid/minimise disturbance effects to Irish hare, hedgehog, Irish stoat, pine martin, red squirrel

- Construction machinery will not exceed 20km/hour on site access roads.

References

- Scottish Natural Heritage (2012). Protected Species Advice for Developers – Pine Marten. <http://www.snh.gov.uk/docs/A1959323.pdf>.
- Scottish Natural Heritage (2012). Protected Species Advice for Developers – Red Squirrel. <http://www.snh.gov.uk/docs/A1959329.pdf>.

| RW-BPM-22 Management of general non-native invasive species. | |
|---|--|
| Environmental Commitment | |
| To avoid the introduction, establishment and spread of non-native species to the proposed development site during the pre-construction, during construction and operational phase. | |
| Work Sections/Locations | |
| All sections | |
| Responsibility of | Role/Duty |
| Construction Manager | <ul style="list-style-type: none"> Requiring supply companies to clean delivery vehicles before entering the site to gain access to works area Obtaining and keeping a record of delivery companies cleaning of vehicles Training flagmen in the appropriate method of vehicle cleaning |
| Flagmen | <ul style="list-style-type: none"> Cleaning of delivery vehicles exiting the site with suitable disinfectant Maintaining a record of all vehicles cleaned and equipment, disinfectant used. |
| Project Ecologist | <ul style="list-style-type: none"> Carrying out spot checks on flagmen during cleaning of delivery vehicles. Must be aware of the best practice guidance listed in References below. |
| Inspection and Cleaning of Delivery Vehicles | |
| <ul style="list-style-type: none"> Prior to arrival on site, the contractor's vehicles and equipment will be thoroughly cleaned and then dried using high-pressure steam cleaning, with water > 65 degrees C, in addition to the removal of all vegetative material. Items difficult to soak/spray will be wiped down with a suitable disinfectant (e.g. Virkon Aquatic). Evidence that all machinery has been cleaned will be required to be on file for review by the statutory authorities. Given that Crayfish Plague has affected rivers in the area recently (2017) the level of evidence required of the Contractor will be actual registration plates of vehicles onsite and a register of when, how and where each of these were cleaned before they arrived on site. The flagmen which will be present at each active site access points will be responsible for inspecting and cleaning delivery vehicles both entering and exiting the site, and will receive training in the correct techniques. Each flagman will be equipped with a 'disinfection box'. This will contain Virkon Aquatic or another proprietary disinfectant, a spraying mechanism, cloths or sponges, a scrubbing brush and protective gloves. Protective gloves will be worn when using any disinfectant solution. Visual inspections will be carried out on all machinery and equipment (particularly for machinery and equipment exiting the site and which has come into contact with water or soils) for evidence of attached plant or animal material, or adherent mud or debris. Any attached or adherent material will be removed before entering or leaving the site of operation, securely stored away from traffic for removal to the waste storage area in the Temporary Compound at the end of the work day. No removed material or run-off will be allowed to enter a water body of any sort. Following cleaning, all equipment and vehicles will be visually inspected to ensure that all adherent material and debris has been removed manually. Records of supplies and cleaning of delivery vehicles will be kept by the flagmen, and will be regularly inspected by the Environmental Clerk of Works. | |

- Spot checks on the adequacy of cleaning will be carried out by the Project Ecologist.

Measures at or in watercourses

- Residual water in any containers/vessels used in works near watercourses will be flushed with disinfectant (Virkon Aquatic) onto grass. A drying period of at least 24 hours will be adhered to.
- All footwear used, or to be used, in streams or rivers will be dipped in or scrubbed with a disinfectant solution (e.g. 1% solution of Virkon Aquatic or another proprietary disinfection product) and thoroughly dried afterwards. This does not apply to footwear use in wetlands or peatland areas.
- Any observations of mass mortality of Crayfish will be reported to the relevant authorities within 1 hour of evidence being found.

Measures for white toothed shrew

- Consignments of organic materials, such as hedging material, will be inspected for presence of Greater White-toothed Shrew.

References

- <http://www.fisheriesireland.ie/Research/invasive-species.html>
- <http://www.nonnativespecies.org/checkcleandry/>

| | | | |
|--|--|---|--|
| RW-BPM-23 | Best practice methods to ensure the protection of common frog (<i>Rana temporaria</i>) and smooth newt (<i>Triturus (Lissotriton) vulgaris</i>). | | |
| Environmental Commitment | | | |
| To avoid effects on the breeding habitat of common frog (<i>Rana temporaria</i>) and smooth newt (<i>Triturus (Lissotriton) vulgaris</i>) if present along the UWF Related Works during the pre-construction and construction phase. | | | |
| Work Sections/Locations | | | |
| All construction works areas | | | |
| Responsibility of | | Role/Duty | |
| Construction Manager | | <ul style="list-style-type: none">Scheduling of construction activities | |
| Project Ecologist | | <ul style="list-style-type: none">Must be aware of the locations of all previously identified habitats suitable for breeding amphibian along the works area.Monitor the construction activities when working adjacent to amphibian breeding habitat to ensure that mitigation measures are strictly adhered to at all times.Must be aware of the best practice guidance listed in References below. | |
| To avoid effects on the breeding habitat of common frog and smooth newt | | | |
| <ul style="list-style-type: none">Should construction activities be scheduled for areas proximal to previously identified habitat suitable for breeding common frog or smooth newt during the species’ respective breeding seasons (frogs: January-March and newts: March-May), confirmatory surveys following standardised methodologies will be carried out at those locations to confirm the presence/absence of breeding adults and/or spawn.If evidence of breeding frog or newts is confirmed proximal to the work locations, the areas will be fenced off with appropriate signage in order to protect these species during construction activities;Protecting the hydrological regime of the habitat is particularly important. Thus, it is particularly important that the Project Ecologist is suitably qualified so as to have a clear understanding of the drainage characteristics of wet areas such as ponds, pools and drains which have the potential to support breeding amphibians along the route to ensure that these areas are maintained into the future;Note: The proposed development is beyond the geographical range of the Natterjack toad (<i>Bufo (Epi- dalea) calamita</i>), thus this species does not require mitigation within this Project. | | | |
| References | | | |
| <ul style="list-style-type: none">National Roads Authority (2009). Ecological Surveying Techniques for Protected Flora and Fauna during the Planning of National Road Schemes. National Roads Authority, Dublin. | | | |

| | | | |
|---|---|--|--|
| RW-BPM-24 | Best practice methods to ensure the protection of Viviparous lizard (<i>Lacerta (Zootoca) vivipara</i>) | | |
| Environmental Commitment | | | |
| To avoid effects on Viviparous lizard (<i>Lacerta (Zootoca) vivipara</i>) during the pre-construction and construction phase. | | | |
| Work Sections/Locations | | | |
| All sections | | | |
| Responsibility of | | Role/Duty | |
| Construction Manager | | <ul style="list-style-type: none">Scheduling of construction activities | |
| Project Ecologist | | <ul style="list-style-type: none">Monitor the construction activities to ensure that mitigation measures are strictly adhered to at all times.Must be aware of the best practice guidance listed in References below. | |
| To avoid effects on Viviparous lizard. | | | |
| <ul style="list-style-type: none">As Viviparous lizards are widespread in Ireland and can be found in a range of habitat types such as in bog, heath, the margins of coniferous woodlands, in addition to being common in a range of grassland habitats, particularly those not subject to heavy grazing pressure, a spot-check confirmatory survey by the Project Ecologist will be required within these habitats prior to the commencement of the construction stage to confirm the presence/absence of individuals.Capture and relocation operations for this species can be extremely labour-intensive and in most cases the most efficient approach is to cut down and rake-off vegetation during warm weather, with the intention of displacing the resident lizards prior to earthworks or other activities that could result in their incidental mortality (NRA, 2009). Whether or not reptile-proof fencing is then required to exclude the animals will need to be reviewed on a location-specific basis by the Project Ecologist.Note: The proposed development is beyond the geographical range of the non-native Slow-worm (<i>Anguis fragilis</i>), thus this species does not require mitigation within this Project. | | | |
| References | | | |
| <ul style="list-style-type: none">NRA (2009). Ecological Surveying Techniques for Protected Flora and Fauna during the Planning of National Road Schemes. National Roads Authority, Dublin. | | | |

| RW-BPM-25 Measures to ensure the protection of Marsh Fritillary (<i>Euphydryas aurinia</i>) | |
|--|---|
| Environmental Commitment | |
| To avoid effects on Marsh Fritillary / Marsh Fritillary habitat during the pre-construction and construction phase. | |
| Work Sections/Locations | |
| UWF Related Works: SW13 and other suitable habitat within 50m of construction works areas. | |
| Responsibility of | Role/Duty |
| Construction Manager | <ul style="list-style-type: none"> Scheduling of construction activities |
| Project Ecologist | <ul style="list-style-type: none"> Carrying out of Confirmatory Survey of suitable habitat Monitor the construction works when working adjacent to Marsh Fritillary habitat to ensure that mitigation measures are strictly adhered to at all times. Must be aware of the best practice guidance listed in References below. |
| Pre-Construction Surveying measures for Marsh Fritillary | |
| <ul style="list-style-type: none"> Confirmatory survey of the distribution of Devil's-bit Scabious (larval food plant of Marsh Fritillary) (project design measure) The survey will be carried out during the last available April prior to the commencement of construction in suitable habitat within 50m of the construction works area Surveys will be completed within 12 months prior to the commencement of the construction stage, within the correct seasonal period as per Best Practice. | |
| Measures for the protection of Marsh Fritillary at different times of their life-cycle | |
| <ul style="list-style-type: none"> Any areas of Devil's-bit Scabious that are located within the construction works area boundary, will be trimmed/cut to ground level in the last available late April / early May period prior to the commencement of construction (project design measure). | |
| Post-Construction Surveying measures for Marsh Fritillary | |
| <ul style="list-style-type: none"> Survey all areas with identified Marsh Fritillary colonies within the correct seasonal period annually, in years 1, 2, 3 of operation as per Best Practice, Surveying will monitor the status of Marsh Fritillary colonies and record any change to baseline trends as a result of the development of the UWF Related Works. Results will be made available to the Local Authority and relevant statutory consultees, in the form of an annual report. | |
| References | |
| <ul style="list-style-type: none"> National Roads Authority (2009). Ecological Surveying Techniques for Protected Flora and Fauna during the Planning of National Road Schemes. National Roads Authority, Dublin. | |

8.14 Summary of the Biodiversity Chapter

UWF Related Works is mainly located on agricultural lands in the eastern hills of the Slievefelim to Silvermine Mountain uplands area, with some works also in roadside verges and boundaries in the vicinity of Upperchurch Windfarm. The majority of the footprint of the UWF Related Works is located within the catchment area of the River Suir with the remainder located in the catchment area of the River Shannon. The UWF Related Works are not located within either the Lower River Suir SAC or the Lower River Shannon SAC. The Slievefelim to Silvermines SPA for hen harrier is located to the west and southwest of the UWF Related Works, and with the exception of a small area (no works required at this location) adjacent to an existing hardcore forestry yard, UWF Related Works is not located within the SPA. There are no NHAs or pNHAs in close proximity to the UWF Related Works.

Surveys of the site recorded typical upland habitats and bird species, while low numbers of non-volant mammals, amphibians and reptiles were recorded. A small population of Marsh Fritillary butterfly was recorded in Shevry.

The Sensitive Aspects of Biodiversity which were evaluated in this topic chapter are: European Sites; Aquatic Habitats & Species, Terrestrial Habitats, Hen Harrier, General Bird Species, Bats, Non-Volant Mammals, Amphibians & Reptiles and the Marsh Fritillary butterfly.

A suite of environmental protection measures (40 no.) has been integrated into the project design to ensure that significant effects to the Biodiversity environment are avoided.

In addition to the Project Design Measures, Best Practice Measures (25 no.) will be implemented during the construction and early operational stage of the UWF Related Works, these measures will provide further protection to receiving waters.

An Environmental Management Plan has been developed for the UWF Related Works to implement the environmental commitments during the construction and early operational stage. The Environmental Management Plan includes a Surface Water Management Plan and an Invasive Species Management Plan which will provide the framework for water quality, habitats and species protection at the UWF Related Works site. The UWF Related Works Environmental Management Plan is included as Volume D.

8.14.1 Summary of Effects on European Sites

In relation to European Sites, it was concluded in the Revised Appropriate Assessment Report for UWF Related Works (See Volume E), that UWF Related Works, either alone or in-combination, will not result in any effects that will adversely affect the integrity of the Slievefelim to Silvermines SPA or Lower River Shannon SAC or Lower River Suir SAC in light of their conservation objectives and rationale for designation.

8.14.2 Summary of UWF Related Works Impacts to the other Sensitive Aspects

The likely impacts to the individual Sensitive Aspects as a result of UWF Related Works are outlined below:

- Impacts to Aquatic Habitats & Species will range from Imperceptible to Moderate in relation to decreases in aquatic habitat quality, riparian habitat degradation or the spread of invasive species, and Slight adverse in relation to changes to flow regimes, and disturbance or displacement of aquatic habitats or species.
- Impacts to Terrestrial Habitats will be Not Significant in relation to reduction of habitats, hedgerow severance or loss of high nature value trees, as a consequence of the development of UWF Related Works.
- Adverse impacts to the Hen Harrier will be Slight adverse in relation to temporary or permanent reduction in or loss of suitable foraging habitat, and Slight adverse in relation to disturbance or displacement

of foraging hen harrier (ex-situ). Although the hen harrier is a very high sensitivity receptor, there are no nests within 2km of the UWF Related Works, and together with the low usage of the UWF Related Works/Upperchurch Windfarm area by hen harriers and measures, including no construction works during the hen harrier breeding season, impacts are evaluated as Slight Adverse.

- Adverse impacts to the General Bird Species will be Not Significant in relation to displacement/disturbance effects and habitat loss effects. Imperceptible positive habitat enhancement effects will occur due to the planting of 370m of new hedgerow along Realigned Windfarm Road RWR2.
- Adverse impacts to Bats will be no greater than Imperceptible.
- Impacts to Non-Volant Mammals will be Neutral in relation to Badger and Otter, and are expected to be Not Significant in relation to habitat loss effects to Other Mammals (Irish Hare, Pine Marten, Red Squirrel and Fallow Deer), disturbance/displacement effects to these Other Mammals is expected to be Moderate but temporary.
- Neutral effects to Amphibians & Reptiles are expected as a consequence of the development of UWF Related Works.
- Adverse impacts to Marsh Fritillary is expected to be of Slight significance as a consequence of the development of UWF Related Works.
- There is no potential for UWF Related Works to cause effects to National Sites, due to separation distances.

8.14.3 Summary of UWF Related Works Cumulative Impacts

Cumulative impacts of UWF Related Works generally relate to the in-combination effect of both UWF Related Works and Upperchurch Windfarm being constructed together. Cumulative impacts are no greater than for UWF Related Works on its own.

8.14.4 Summary of Cumulative Impacts with Other Elements of the Whole UWF Project

As UWF Related Works is one element of the larger Whole Upperchurch Windfarm Project (Whole UWF Project), the potential for cumulative effects was examined with these Other Elements, as the whole project effect.

- In-combination impacts to Aquatic Habitats & Species will range from Imperceptible to Moderate.
- In-combination adverse impacts to Terrestrial Habitats will not be of a greater significance than for the UWF Related Works on its own, - i.e. cumulatively Not Significant in relation to habitat reduction or hedgerow severance. However, due to the planting of trees associated with the Upperchurch Hen Harrier Scheme (UWF Other Activities) cumulative effects of all Elements of the Whole UWF Project will change from Not Significant adverse to Moderate and positive in relation to habitat enhancement effects to Terrestrial Habitats.
- In-combination impacts to Hen Harrier will change from Slight adverse for UWF Related Works on its own to **significant and positive for the in-combination effect of all Elements of the Whole UWF Project** - this is mainly due to the Very Significant positive effects of both UWF Replacement Forestry and the UWF Other Activities (Upperchurch Hen Harrier Scheme). Disturbance or displacement effects of the Whole UWF Project to foraging hen harrier will be no greater than for UWF Related Works (either alone or cumulatively with Upperchurch Windfarm), this is largely due to the separation distance (greater than 2km) to hen harrier nests, and the location of the UWF Grid Connection 110kV UGC along the public road corridor.

- In-combination adverse impacts to General Bird Species will cumulatively Slight in relation to habitat loss effects to Golden Plover and Meadow Pipit, and Not Significant in relation to displacement/disturbance effects to Golden Plover. The cumulative positive effects to General Bird Species as a result of habitat enhancement effects will increase to Slight positive, when all Elements are taken into consideration.
- Cumulative effects to Bats of the UWF Related Works in-combination with the Other Elements will be Imperceptible or not Significant.
- Adverse cumulative effects to Non-Volant Mammals will range from Not Significant to Moderate in relation to Badger and other mammals (Irish Hare, Pine Marten, Red Squirrel and Fallow Deer), and Not Significant to Slight adverse in relation to Otter.
- Cumulative impacts to Marsh Fritillary of the UWF Related Works in-combination with the Other Elements (in particular the consented Upperchurch Windfarm) will remain at Slight adverse significance.
- There is no potential for in-combination impacts to National Sites or Amphibians & Reptiles.

8.14.5 Summary of Cumulative Impacts with Other Projects or Activities

Other projects or activities are scoped in for Aquatic Habitats and Species, with the effect to aquatic habitat no greater than for either UWF Related Works (alone or cumulatively), or the Whole UWF Project.

Milestone Windfarm, Castlewaller Windfarm, Bunkimalta Windfarm, and Forestry, Agriculture and Turf-Cutting activities were examined for cumulative effects to Hen harriers. Because of their substantial hen harrier management plans, both Castlewaller Windfarm and Bunkimalta Windfarm are expected to have neutral effects to hen harrier. When considered cumulatively with forestry, agriculture and turfcutting, cumulative foraging habitat effects will be neutral, while disturbance/displacement effects Slight Adverse overall

8.15 Reference List

Agasyan, A., Avci, A., Tuniyev, B., Crnobrnja Isailovic, J., Lymberakis, P., Andrén, Dan Cogalniceanu, C., Wilkinson, J., Ananjeva, N., Üzümlü, N., Orlov, N., Podloucky, R., Tuniyev, S., Kaya, U., Böhme, W., Nettmann, H.K., Crnobrnja Isailovic, J., Joger, U., Cheylan, M., Pérez-Mellado, V., Borczyk, B., Sterijovski, B., Westerström, A. & Schmidt, B., (2010) *Zootoca vivipara*, IUCN, viewed 19th October 2017, <http://www.iucnredlist.org/details/61741/0>

An Bord Pleanála (2013) Inspectors Report for Bunkimalta Wind Energy Project PL.22.241924 Page 34 of 53.

Arntzen, J.W., Kuzmin, S., Beebe, T., Papenfuss, T., Sparreboom, M., Ugurtas, I.H., Anderson, S., Anthony, B., Andreone, F., Tarkhnishvili, D., Ishchenko, V., Ananjeva, N., Orlov, N. & Tuniyev, B. (2009) *Lissotriton vulgaris*. The IUCN Red List of Threatened Species 2009: Viewed on 19th October 2017 <http://dx.doi.org/10.2305/IUCN.UK.2009.RLTS.T59481A11932252.en>.

Arroyo, B., Amar, A., Leckie, F., Buchanan, G. M., Wilson, J. & Redpath, S. (2009) *Hunting habitat selection by hen harriers on moorland: Implications for conservation management*. Biological Conservation 142: 586-596.

Arroyo, B., Leckie, F., Amar, A., McCluskie, A. & Redpath, S. (2014) *Ranging behaviour of Hen Harriers breeding in Special Protection Areas in Scotland*. Bird Study 61: 48-55

Asher, J., Warren, M., Fox, R., Harding, P., Jeffcoate, G. & Jeffcoate, S., (2001) *The Millennium Atlas of Butterflies in Britain and Ireland*, Oxford University Press, Oxford.

Avery, M. I. & Leslie, R. (1990) *Birds and Forestry* London: Poyser.

Balmer, D.E., Gillings, S., Caffrey, B.J., Swann, R.L., Downie, I.S. & Fuller, R.J. (2013) *Bird Atlas 2007-11: the breeding and wintering birds of Britain and Ireland*, BTO Books, Thetford.

Barbour, M.T. and Stribling, J.B. (1991) Use of Habitat Assessment in Evaluating the Biological Integrity of Stream Communities. In: Methods in Stream Ecology (Eds. Hauer, F.R. and Lamberti, G.A. Academic Press.

Barton, C., Pollock, C., Norriss, D.W., Nagle, T., Oliver, G.A. & Newton, S. (2006) *The second national survey of breeding hen harriers Circus cyaneus in Ireland 2005*, Irish Birds 8: 1-20.

Bern Convention, (1982) *Convention on the Conservation of European Wildlife and Natural Habitats*, Council of Europe

Bibby CJ, Burgess ND, Hill DA and Mustoe SH (2000). Bird Census Techniques, 2nd Edition. Academic Press, London.

Billington, G.E. & Norman, G.M. (1997) *The Conservation of Bats in Bridges Project – A report on the survey and conservation of bat roosts in bridges in Cumbria*, Natural England.

BirdwatchIreland. An assessment of the effects of Arterial Drainage Maintenance on Kingfisher and other riparian birds. Wicklow : Birdwatch Ireland and OPW, 2010.

Browne, R.K., Odum, R.A., Herman, T., Zippel, K., (2007) *Facility Design and Associated Services for the Study of Amphibians*, ILAR Journal, Volume 48, Issue 3, 1 January 2007, Pages 188–202.

Castlewaller Woodland Partnership (2007) *Castlewaller Windfarm Environmental Impact Statement* prepared by Fehily Timoney and Company

Castlewaller Woodland Partnership (2007). *Response to RFI from North Tipperary County Council* prepared by Fehily Timoney and Company

Chanin, P., (2013) *Otters (The British Natural History Collection)*. Whittet Books Ltd.

- CIEEM, (2016) *Guidelines for Ecological Impact Assessment in the UK and Ireland: Terrestrial, Freshwater and Coastal, 2nd edition*. Chartered Institute of Ecology and Environmental Management, Winchester.
- CIRIA, (2006) *Guidance on 'Control of Water Pollution from Linear Construction Projects'*, CIRIA (Construction Industry Research and Information Association) Report No. C648. London.
- CIRIA, (2006) *Control of Water Pollution from Construction Sites - Guidance for Consultants and Contractors*, CIRIA (Construction Industry Research and Information Association) Report No. C532. London.
- Colhoun, K. and Cummins, S., (2013) *Birds of Conservation Concern in Ireland 2014-2019*. Irish Birds 9: 523—544.
- Collins, J. (ed.) (2016) *Bat surveys for professional ecologists: good practice guidelines (3rd edn)*, The Bat Conservation Trust, London.
- Cummins, S., Fisher, J., Gaj McKeever, R., McNaghten, L. and Crowe, O. (2010) *Assessment of the distribution and abundance of Kingfisher Alcedo atthis and other riparian birds on six SAC river systems in Ireland* Birdwatch Ireland, Kilcoole, Co. Wicklow
- Cummins, S., Bleasdale, A., Douglas, C., Newton, S., O'Halloran, J. & Wil-son, H.J. (2010) The status of Red Grouse in Ireland and the effects of land use, habitat and habitat quality on their distribution. Irish Wildlife Manuals, No. 50. National Parks and Wildlife Service, Department of the Environment, Heritage and Local Government, Dublin, Ireland.
- Crowe, O., Coombes, R. H., O'Sullivan, O., Tierney, T. D., Walsh A. J., & O'Halloran, J., (2014) *Countryside Bird Survey Report 1998-2013*, BirdWatch Ireland, Wicklow.
- Department of Environment, Heritage and Local Government (2009) *Appropriate Assessment of Plans and Projects in Ireland: Guidance for Planning Authorities*, DoEHLG, Dublin.
- Eastern Regional Fisheries Board, (not dated) *Requirements for the Protection of Fisheries Habitat during Construction and Development Works at River Sites*, Eastern Regional Fisheries Board
- Ecopower Developments Ltd. (2012) *Upperchurch Windfarm Environmental Impact Statement* prepared by Malachy Walsh and Partners (MWP)
- Ecopower Developments Ltd. (2013) *Upperchurch Windfarm Badger Sett Survey* prepared by Malachy Walsh and Partners (MWP)
- Ecopower Developments Ltd. (2013) *Upperchurch Windfarm Bat Survey* prepared by Malachy Walsh and Partners (MWP)
- Ecopower Developments Ltd. (2013) *Upperchurch Windfarm Ecological Management Plan* prepared by Malachy Walsh and Partners (MWP)
- Environment Agency, (2014) *UK Pollution Prevention Guidelines (PPG)*. Environment Agency, England.
- ESB Wind Development Ltd. and Coillte (2013) *Bunkimalta Wind Energy Project Environmental Impact Statement* prepared by ESBI
- EPA Monitoring Data, accessed January 2019: <https://gis.epa.ie/EPAMaps/>
- EU Birds Directive (2009) *Directive 2009/147/EC of the European Parliament and of the Council of 30 November 2009 on the conservation of wild birds (codified version)* Official Journal of the European Union 26.1.2010 L20/7 – L20/25
- EU Habitats Directive (1992) *Council Directive 92/43/EEC of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora* Official Journal of the European Communities 22/07/1992 L206/07 – L206/50

- Forrest, J., Robinson, C., Hommel, C. and Craib, J. (2011) *Flight activity and breeding success of hen harrier at Paul's Hill Wind Farm in Scotland*, Poster at the Conference on Wind Energy and Wildlife Impacts, Trondheim, Norway.
- Fossitt, J., (2000) *A Guide to the Habitats of Ireland*, The Heritage Council, Kilkenny.
- Fowles & Smith, (2006) *Mapping the habitat quality of patch networks for the marsh fritillary Euphydryas aurinia (Rottemburg, 1775) (Lepidoptera, Nymphalidae) in Wales*, Journal of Insect Conservation 10:161-177.
- Greenberg, L.A. and Dahl, J. 1998. Effect of habitat type on growth and diet of brown trout (*Salmo trutta* L.) in stream enclosures. Fisheries Management & Ecology 5: 331-348.
- Hardey, J., Crick, H., Wernham, C., Riley, H., Etheridge, B. & Thompson, D., (2014). *Raptors: a field guide to survey and monitoring (3rd Edition)*, The Stationery Office, Edinburgh.
- Hatfield, T. & Bruce, J. (2000) Predicting Salmonid Habitat–Flow Relationships for Streams from Western North America. North American Journal of Fisheries Management 20:1005–1015, 2000
- Highways Agency. (1999) *The Good Roads Guide: Nature Conservation Advice in Relation to Otters Design Manual for roads and Bridges*, DMRB Volume 10 Section 4 Part 4 (HA 81/99). Highways Agency, London.
- Hotker, H., Thompson, K.H., Jeromin, H. (2006) *Impacts on biodiversity of exploitation of renewable energy sources: the example of birds and bats- facts, gaps in knowledge, demands for further research, and ornithological guidelines for the development of renewable energy exploitation*. Bergenhusen : Michael-Otto-Institut im NABU
- Ireland's Bovine TB Eradication Programme, Department of Agriculture, Food and the Marine (DAFM 2018)
- Inland Fisheries Ireland, (2016) *Guidelines on Protection of Fisheries during Construction Works in and Adjacent to Waters*, Inland Fisheries Ireland.
- Irish Statute Book (1976) *Wildlife Act, 1976*, Dublin, Ireland
- Irish Statute Book (2000) *Wildlife (Amendment) Act, (2000)* Dublin, Ireland.
- Irish Statute Book (2005) Natural Heritage Area (Bleanbeg Bog NHA 002450) Order 2005 - S.I. No. 497/2005 <http://www.irishstatutebook.ie/eli/2005/si/497/made/en/print>. Dublin, Ireland
- Irish Statute Book (Various) *European Communities (Natural Habitats) Regulations 1997 (S.I. 94/97) as amended in 1998 (S.I. No. 233/1998), 2005 (S.I. No. 378/2005) and 2011 (SI No. 477/2011)*. Dublin, Ireland
- Irwin, S., Wilson, M. W., O'Donoghue, B., O'Mahony, B., Kelly, T. C. & O'Halloran, J. (2012) Optimum scenarios for Hen Harrier conservation in Ireland. Report to the Dept. of Agriculture, Food & the Marine. 47pp.
- Keeley, B., (2006) *Guidelines for the treatment of bats during the construction of National Road scheme*, National Roads Authority, Ireland.
- Kelly, J., Tosh, D., Dale, K. & Jackson, A., (2013a) *The economic cost of invasive and non-native species in Ireland and Northern Ireland*, A report prepared for the Northern Ireland Environment Agency and National Parks and Wildlife Service as part of Invasive Species Ireland.
- Kelly, J., O'Flynn, C. & Maguire, C. (2013b) *Risk analysis and prioritisation for invasive and non-native species in Ireland and Northern Ireland*, A report prepared for the Northern Ireland Environment Agency and National Parks and Wildlife Service as part of Invasive Species Ireland.
- Kelly & King (2001) A review of the ecology and distribution of three lamprey species, *Lampetra fluviatilis* (L.), *Lampetra planeri* (Bloch), and *Petromyzon marinus* (L.): A context for conservation and biodiversity considerations in Ireland. Biology and the Environment. 101B(3):165-185.

Kennedy, GJA & Strange, CD (1986) The effects of intra- and inter-specific competition on the distribution of stocked juvenile Atlantic salmon, *Salmo salar* L., in relation to depth and gradient in an upland trout, *Salmo trutta* L., stream. *J. Fish. Biol.*, 29(2):199-214.

Kuzmin, S., Ischenko, V., Tuniyev, B., Beebee, T.J.C., Andreone, F., Nyström, P., Anthony, B., Schmidt, B., Ogradowczyk, A., Ogielska, M., Bosch, J., Miaud, C., Loman, J., Cogalniceanu, D., Kovács, T. & Kiss, I., (2009) *Rana temporaria*. *The IUCN Red List of Threatened Species 2009* e.T58734A86470817. <http://dx.doi.org/10.2305/IUCN.UK.2009.RLTS.T58734A11834246.en>. Downloaded on 19th October 2017.

Krijgsveld, K.L., Akershoek, K., Schenk, F., Dijk, F., Dirksen, S. (2009) *Collision risk of birds with modern large wind turbines* Ardea, Vol. 97.

Lundy, M.G., Aughney, T., Montgomery, W.I., Roche, N. (2011) *Landscape conservation for Irish bats & species specific roosting characteristics*, Bat Conservation Ireland.

Assessing the effectiveness of monitoring methods for Merlin *Falco columbarius* in Ireland: the Pilot Merlin Survey 2010. Lusby, J., Fernandez-Bellon, D., Noriss, D., Lauder, A. Kilcoole, Co. Wicklow. : BirdWatch Ireland, 2011, Irish Birds, Vols. Volume 9, Number 2, pp. 143-154.

Lynas, P., Newton, S.F. & Robinson, J.A. (2007) *The status of birds in Ireland: an analysis of conservation concern*, Irish Birds 8: 149- 166.

Madders, M. (2000) *Habitat selection and foraging success of Hen Harriers Circus cyaneus in west Scotland*. Bird Study 47: 32-40.

Madders, M. (2003) *Hen Harrier Circus cyaneus foraging activity in relation to habitat and prey*. Bird Study 50: 55-60.

Marnell, F., Kingston, N. & Looney, D., (2009) *Ireland Red List No. 3: Terrestrial Mammals*, National Parks and Wildlife Service, Department of the Environment, Heritage and Local Government, Dublin, Ireland.

Masden, E. A., (2010) *Assessing the cumulative impacts of wind farms on birds*. PhD thesis. Vol. PhD, 141: University of Glasgow.

McDevitt, A.D., Montgomery, W.I., Tosh, D.G., Lusby J., Reid, N., White, T.A., McDevitt, C.D., O'Halloran, J., Searle, J.B & Yearsle, J.M., (2014) *Invading and Expanding: Range Dynamics and Ecological Consequences of the Greater White-Toothed Shrew (Crocodyrus russula) Invasion in Ireland*, PLoS ONE. DOI: 10.1371/journal.pone.0100403

Meehan, S.T., (2013) IWT National Smooth Newt Survey 2013 Report, Irish Wildlife Trust, Ireland.

NBDC (2016) Data for records of Common Frog held by the National Biodiversity Data Centre www.biodiversityireland.ie, [19th May 2016]

National Roads Authority, (2005) *Best Practice Guidelines for the Conservation of Bats in the Planning of National Road Schemes*, National Roads Authority.

National Roads Authority, (2005) *Guidelines for the Treatment of Badgers prior to the Construction of National Road Schemes*, National Roads Authority.

National Roads Authority, (2006) *Guidelines for the Treatment of Otters prior to the Construction of National Road Schemes*, National Roads Authority.

National Roads Authority, (2005) *Guidelines for the Crossing of Watercourses during the Construction of National Road Schemes*, National Roads Authority.

- National Roads Authority (2005) *Best Practice Guidelines for the Conservation of Bats in the Planning of National Road Schemes*, National Roads Authority.
- National Roads Authority, (2008) *Ecological Surveying Techniques for Protected Flora and Fauna during the Planning of National Road Schemes*. National Roads Authority.
- Norriss, D.W., Marsh, J., McMahon, D. & Oliver, G.A. (2002) *A national survey of breeding Hen Harriers Circus cyaneus in Ireland 1998-2000*. Irish Birds 7: 1–10
- NPWS, (2013) *The Status of Protected EU Habitats and Species in Ireland. Overview Volume 1*, Unpublished Report, National Parks & Wildlife Services. Department of Arts, Heritage and the Gaeltacht, Dublin, Ireland.
- NPWS (2015) *Hen Harrier Conservation and the Forestry Sector in Ireland Version 3.2* Department of Arts, Heritage and the Gaeltacht, Dublin.
- O'Donoghue, B. (2010) *Irish Hen Harrier Winter Roost Survey (IHHWRS)*
- O'Grady, M.F., Curtin, J (1993) The Enhancement of drained salmonid rivers in Ireland. A bioengineering perspective. *Hydroecol. Appl.*, 5(2):7-26.
- O'Flynn, C., Kelly, J. and Lysaght, L. (2014) *Ireland's invasive and non-native species – trends in introductions*, National Biodiversity Data Centre Series No. 2. Ireland
- O'Mahony, D., O'Reilly, C. & Turner, P., (2007) *National pine marten survey of Ireland: an assessment of the current distribution of pine marten in the Republic of Ireland*. Unpublished report to the Forest Service and National Parks & Wildlife Service.
- Pearce-Higgins, J.W., Stephen, L., Langston, R.H.W., Bainbridge, I.P. & Bullman, R. (2009) *The distribution of breeding birds around upland wind farms*. *J. Appl. Ecol.* 46: 1323–1331
- Pearce-Higgins, J. W., Stephen, L., Douse, A. & Langston, R. H. W., (2012) *Greater impacts of wind farms on bird populations during construction than subsequent operation: results of a multi-site and multi-species analysis*, *Journal of Applied Ecology* 49: 386-394.
- Percival, S.M. Predicting the effects of wind farms on birds in the UK: the development of an objective assessment method. [ed.] M., Janss, F.E., Ferrer, M. De Lucas. Madrid : Quercus, 7, pp. 137-152.
- Petty, S.J. (1998) *Ecology and conservation of raptors in forests*. Forestry Commission Bulletin 118. HMSO, London.
- Reagan, E.C., Nelson, B., Aldwell, B., Bertrand, C., Bond, K., Harding, J., Nash, D., Nixon, D., & Wilson, C.J., (2010) *Ireland Red List No. 4 – Butterflies*, National Parks and Wildlife Service, Department of the Environment, Heritage and Local Government, Ireland.
- Reid, N., Etherington, T. & Wilson, G. (2008) *Badger survey of Northern Ireland 2007/08*, Report prepared by Quercus and Central Science Laboratory for the Department of Agriculture and Rural Development (DARD), Northern Ireland, UK.
- Reid, N., Dingerkus, S.K., Stone, R.E., Pietravalle, S., Kelly, R., Buckley, J., Beebee, T.J.C. & Wilkinson, J.W., (2013) *National Frog Survey of Ireland 2010/11. Irish Wildlife Manuals, No. 58*, National Parks and Wildlife Service, Department of Arts, Heritage and the Gaeltacht, Dublin, Ireland.
- Roche, N., Langton, S. & Aughney T. (2012) *Car-based bat monitoring in Ireland 2003-2011. Irish Wildlife Manuals, No. 60*, National Parks and Wildlife Service, Department of the Arts, Heritage and the Gaeltacht, Ireland.

- Roy, S., Reid, N. & McDonald, R.A., (2009) *A review of mink predation and control in Ireland. Irish Wildlife Manuals, No. 40*, National Parks and Wildlife Service, Department of the Environment, Heritage and Local Government, Dublin, Ireland.
- Ruddock, M., Dunlop, B.J., O'Toole, L., Mee, A. & Nagle, T., (2012) *Republic of Ireland National Hen Harrier Survey 2010. Irish Wildlife Manual, No. 59*, National Parks and Wildlife Service, Department of Arts, Heritage and the Gaeltacht, Dublin, Ireland
- Ruddock, M., Mee, A., Lusby, J., Nagle, A., O'Neill, S. & O'Toole, L., (2016) *The 2015 National Survey of Breeding Hen Harrier in Ireland. Irish Wildlife Manuals, No. 93*, National Parks and Wildlife Service, Department of the Arts, Heritage and the Gaeltacht, Ireland. Scottish Natural Heritage.
- Scottish Natural Heritage (2014) Recommended bird survey methods to inform impact assessment of onshore wind farms <https://www.snh.scot/recommended-bird-survey-methods-inform-impact-assessment-onshore-windfarms> (viewed 24th October 2017)
- Sleeman, D.P., Davenport, J., More, S.J., Clegg, T.A., Collins, J.D., Martin, S.W., Williams, D.H., Griffin, J.M., & O'Boyle, I., (2009). *How many Eurasian badgers Meles meles L. are there in Ireland?*, European Journal of Wildlife Research 55: 333-344.
- Smith, G, O'Donoghue, P., O'Hara, K. & Delaney, E. (2011) *Best Practice Guidance for Habitat Survey and Mapping*, Heritage Council Ireland, Killkenny.
- Warren, M.S (1994). *The UK status and suspected metapopulation structure of a threatened European butterfly, the marsh fritillary Eurodryas aurinia*. Biological Conservation 67, 239-249.
- Water Framework Directive (2000) *Directive 2000/60/EC of the European Parliament and of the Council of 23 October 2000 establishing a framework for Community action in the field of water policy as amended by Decision 2455/2001/EC and Directives 2008/32/EC, 2008/105/EC and 2009/31/EC*. European Parliament and Council.
- Watson, D., (1977) *The Hen Harrier*. T. and A. D. Poyser, Berkhamsted.
- Whitfield, D.P, Green, M. & Fielding, A.H. (2010) *Are breeding Eurasian curlew Numenius arquata displaced by wind energy developments?* Natural Research Projects Ltd, Banchory, Scotland.
- Wilson, M., Fernández-Bellón, D., Irwin, S. and O'Halloran, J. (2015) *The interactions between Hen Harriers and wind turbines: Final Project Report*. BEES, University College Cork
- van Swaay, C.A.M., Cuttelod, A., Collins, S., Maes, D., López Munguira, M., Šašić, M., Settele, J., Verovnik, R., Verstrael, T., Warren, M., Wiemers, M., Wynhoff, I., (2010) *European Red List of butterflies*, IUCN Red List of Threatened Species, Regional Assessment Office for Official Publications of the European Communities, Luxembourg.

REFERENCE DOCUMENTS

UWF Related Works Revised EIA Report

Volume C2: Revised EIAR Main Report

Chapter 9: Land

Topic Chapter Author:

**Environmental Agricultural
Engineering Consultancy**

EIAR Coordinator:



January 2019

| |
|-------|
| Land |
| Topic |

Contents

| | | |
|------------|---|-----------|
| 9 | Environmental Factor: Land | 1 |
| 9.1 | Introduction to the Land Chapter | 1 |
| 9.1.1 | What is Land? | 1 |
| 9.1.2 | Overview of Land in the Local Environment | 1 |
| 9.1.3 | Sensitive Aspects of the Land Environment included for further evaluation | 1 |
| 9.1.4 | Sensitive Aspects excluded from further evaluation | 1 |
| 9.1.5 | Overview of the Subject Development | 2 |
| 9.1.6 | The Author of the Land Chapter | 2 |
| 9.1.7 | Sources of Baseline Information | 2 |
| 9.1.7.1 | Certainty and Sufficiency of Information Provided | 3 |
| 9.1.8 | Methodology for Evaluating Effects | 3 |
| 9.2 | Sensitive Aspect No.1: Agricultural Land | 5 |
| 9.2.1 | BASELINE CHARACTERISTICS of Agricultural Land | 5 |
| 9.2.1.1 | STUDY AREA for Agricultural Land | 5 |
| 9.2.1.2 | Baseline Context and Character of Agricultural Land in the UWF Related Works Study Area | 5 |
| 9.2.1.3 | Importance of Agricultural Land | 5 |
| 9.2.1.4 | Sensitivity of Agricultural Land | 5 |
| 9.2.1.5 | Trends in the Baseline Environment (the 'Do-Nothing' scenario) | 6 |
| 9.2.1.6 | Receiving Environment (the Baseline + Trends) | 6 |
| 9.2.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics | 7 |
| 9.2.2.1 | Cumulative Evaluation Study Areas | 7 |
| 9.2.2.1.1 | UWF Related Works Cumulative Evaluation Study Area | 7 |
| 9.2.2.2 | Scoping for Other Projects or Activity & Potential for Impacts | 7 |
| 9.2.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 9 |
| 9.2.3 | PROJECT DESIGN MEASURES for Agricultural Land | 10 |
| 9.2.4 | EVALUATION OF IMPACTS to Agricultural Land | 11 |
| 9.2.4.1 | Impact Evaluation Table: Loss of Use and Connectivity of Landholdings | 12 |
| 9.2.4.2 | Description and Rationale for Excluded (scoped out) Impacts | 15 |
| 9.2.5 | Mitigation Measures for Impacts to Agricultural Land | 17 |
| 9.2.6 | Evaluation of Residual Impacts to Agricultural Land | 17 |
| 9.2.7 | Application of Best Practice and the EMP for Agricultural Land | 17 |
| 9.2.8 | Summary of Impacts to Agricultural Land | 18 |
| 9.3 | Sensitive Aspect No.2: Forestry Land | 19 |
| 9.3.1 | BASELINE CHARACTERISTICS of Forestry Land | 19 |

| | | |
|------------|---|-----------|
| 9.3.1.1 | STUDY AREA for Forestry Land | 19 |
| 9.3.1.2 | Baseline Context and Character of Forestry Land in the UWF Related Works Study Area | 19 |
| 9.3.1.3 | Importance of Forestry Land | 19 |
| 9.3.1.4 | Sensitivity of Forestry Land | 19 |
| 9.3.1.5 | Trends in the Baseline Environment (the 'Do-Nothing' scenario)..... | 19 |
| 9.3.1.6 | Receiving Environment (the Baseline + Trends)..... | 19 |
| 9.3.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics | 20 |
| 9.3.2.1 | Cumulative Evaluation Study Areas..... | 20 |
| 9.3.2.1.1 | UWF Related Works Cumulative Evaluation Study Area | 20 |
| 9.3.2.2 | Scoping for Other Projects or Activity & Potential for Impacts..... | 20 |
| 9.3.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 22 |
| 9.3.3 | PROJECT DESIGN MEASURES for Forestry Land | 24 |
| 9.3.4 | EVALUATION OF IMPACTS to Forestry Land..... | 25 |
| 9.3.4.1 | Impact Evaluation Table: Loss of Use and Connectivity of Landholdings | 26 |
| 9.3.4.2 | Description and Rationale for Excluded (scoped out) Impacts | 28 |
| 9.3.5 | Mitigation Measures for Impacts to Forestry Land..... | 30 |
| 9.3.6 | Evaluation of Residual Impacts to Forestry Land | 30 |
| 9.3.7 | Application of Best Practice and the EMP for Forestry Land | 30 |
| 9.3.8 | Summary of Impacts to Forestry Land | 31 |
| 9.4 | Policy Context | 32 |
| 9.4.1 | National Policy | 32 |
| 9.4.2 | Regional Policy..... | 32 |
| 9.4.3 | North Tipperary County Development Plan 2010 (as varied): | 32 |
| 9.5 | Best Practice Measures | 33 |
| 9.6 | Summary of the Land Chapter | 35 |
| 9.6.1 | Summary of UWF Related Works Impacts | 35 |
| 9.6.2 | Summary of UWF Related Works Cumulative Impacts | 35 |
| 9.6.3 | Summary of Cumulative Impacts with Other Elements of the Whole UWF Project..... | 35 |
| 9.6.4 | Cumulative Impacts with Other Projects or Activities..... | 35 |
| 9.7 | Reference List | 36 |

List of Figures

| Figure No. | Figure Title |
|-------------------|--|
| Figure RW 9.1 | Location of the UWF Related Works Study Area |
| Figure RW 9.2 | Agricultural Lands within the UWF Related Works Study Area |
| Figure CE 9.2 | Agricultural Lands within the UWF Related Works Cumulative Evaluation Study Area |
| Figure WP 9.2 | Agricultural Lands within the Whole Project Cumulative Evaluation Study Area |
| Figure RW 9.3 | Forestry Lands within the UWF Related Works Study Area |
| Figure CE 9.3 | Forestry Lands within the UWF Related Works Cumulative Evaluation Study Area |
| Figure WP 9.3 | Forestry Lands within the Whole Project Cumulative Evaluation Study Area |

Figures and mapping referenced in this topic chapter can be found in **Volume C3 EIAR Figures**.

List of Appendices

| Appendix No. | Appendix Title |
|---|-----------------------|
| There are no appendices associated with this topic chapter. | |

Glossary of Terms

| Term | Definition |
|--------------------------------|---|
| Afforestation | The planting of land with woody plants with a view to forest establishment. |
| Agriculture | The growing of crops and the rearing of animals for food, fibre or sporting purposes |
| Commercial Forestry | Trees that are managed for the production of saleable timber products. |
| Coniferous Trees | Species of trees normally bearing cones and usually evergreen. |
| Deciduous Trees | Species of trees which normally shed their leaves annually. |
| Low Intensity Farming | Lands which are lightly used and lightly stocked and subject to low levels of farming management. |
| Felling | The process of cutting down and extracting timber from a forest. |
| Grassland | Land which has been sown with productive grass species. |
| Improved grassland | Land which has been sown with particularly productive grass species and whose continued productivity is dependent on regular supplemental inputs of fertiliser and lime |
| Intensive farming | Lands which are farmed at a high level of commerciality and subject to high levels of farming management and inputs. |
| Landuse | The use to which land is put by human activity |
| Landholding | The land area operated by a farming entity, usually a farmer. |
| Marginal land | Land which is notably sub-optimal for normal farming activity. |
| Native Woodland Species | Wood bearing plant species considered native to the island of Ireland. |
| Natura 2000 | Lands designated for wildlife on an EU wide basis and having legal standing. Includes SPA and SAC designated land. |
| Sensitive Aspect | Any sensitive receptor in the local environment which could be impacted by the |

| <u>Term</u> | <u>Definition</u> |
|--|---|
| | project. |
| Special Area of Conservation | Areas of land designated for the protection of certain species of wild animals, wild plants or habitat types under the EU Habitats Directive (Dir 92/43/EEC) and normally subject to certain landuse limitations. |
| Special Protection Area (SPA) | Areas of land designated for the protection of certain species of wild birds under the EU Birds Directive (Dir 79/409/EEC) and normally subject to certain landuse limitations. |
| Slievefelim to Silvermine Mountains Upland Area | The wider Slievefelim to Silvermines upland area south of Keeper Hill, Mother Mountain and Knockmaroe, between Newport and Upperchurch, County Tipperary. Much of the site is over 200 metres in altitude |
| Plantation Forestry | Forest sown by man, usually for commercial reasons and mostly of a small number of tree species. |
| Project Design Measure | Measures for environmental protection, incorporated into the design of the project. |

List of Abbreviations

| <u>Abbreviation</u> | <u>Full Term</u> |
|----------------------------|--|
| BPM | Ecopower Best Practice Measure developed by members of the EIAR Team |
| PD | Ecopower Project Design Environmental Protection Measure developed by members of the EIAR Team |
| UGC | Underground Cables |
| UWF | Upperchurch Windfarm |

9 Environmental Factor: Land

9.1 Introduction to the Land Chapter

9.1.1 What is Land?

Land is the portion of the earth's surface not covered by water. In this chapter land and landuse is addressed. Landuse relates to the various ways in which society uses land. Land take is the removal of productive land from agricultural or other beneficial uses. In the Irish context, land is used for agriculture, forestry, extractive uses, urbanisation, recreation, and infrastructure provision. Certain development undertakings can change current landuse to other landuse types.

9.1.2 Overview of Land in the Local Environment

From a land and landuse perspective the existing environment is rural countryside. The dominant usage is permanent agricultural grassland with a notable commercial plantation forestry component. Some small areas of low intensity farmed Natura 2000 designated land also occurs. Public roads, mostly single carriageway, county roads and private unsurfaced farm access roads serving domestic houses, farms and forest also feature in the existing land use pattern.

The location of the UWF Related Works is illustrated on OSI Mapping on **Figure RW 9.1: Location of the UWF Related Works Study Area**.

Figures and mapping referenced in this topic chapter can be found in **Volume C3 EIAR Figures**.

9.1.3 Sensitive Aspects of the Land Environment included for further evaluation

Any sensitive receptor in the local environment which could be impacted by the project is a Sensitive Aspect. The following Sensitive Aspects are included in this topic chapter as they could be potentially impacted:

| | | |
|------------------------|-------------------|-------------|
| Sensitive Aspect No. 1 | Agricultural Land | Section 9.2 |
| Sensitive Aspect No. 2 | Forestry Land | Section 9.3 |

Each of the above listed Sensitive Aspects are evaluated individually in Sections 9.2 to 9.3 of this Chapter.

To help readers navigate to individual sensitive aspect sections, the colour codes for each Sensitive Aspect used above are also used in the Sensitive Aspect sections Section 9.2 to 9.3. The colour-codes have been applied to section headings, tables and on side-tabs on the edge of the pages.

9.1.4 Sensitive Aspects excluded from further evaluation

No Sensitive Aspects were excluded from this topic chapter:

9.1.5 Overview of the Subject Development

The UWF Related Works are the subject development, being the subject of this appeal to An Bord Pleanála. The main parts of the UWF Related Works are identified in Table 9-1 below.

Table 9-1: Subject Development – UWF Related Works

| Project ID | The Subject Development | Composition of the Subject Development |
|------------|---|---|
| Element 2 | The Subject Development UWF Related Works (RW) | Internal Windfarm Cabling Realigned Windfarm Roads Haul Route Works Telecom Relay Pole RW Ancillary Works |

Note: The UWF Related Works are 'Element 2' of the Whole UWF Project.

A description of the location, size and design, life-cycle stages, use of natural resources, emissions and wastes, and the vulnerability to major accidents and natural disasters is provided in [Chapter 5: Description of the Development – UWF Related Works \(Volume C2 EIAR Main Report\)](#).

This EIA Report is also available on www.upperchurchwindfarm.ie.

9.1.6 The Author of the Land Chapter

This report has been written by Andy Dunne (B.Agr.Sc., M.Sc.(Agr.)) director of Environmental Agricultural Engineering Consultancy (EAEC), a firm of agricultural and engineering consultants. Andy has been involved in a great variety of land use and agricultural development activity for more than 20 years and he is familiar with national and EU regulation and policy in the area.

9.1.7 Sources of Baseline Information

The information sources outlined in Table 9-2 were reviewed during desktop studies and confirmed during fieldwork in order to gather information on the baseline environment. The recommendations in the guidelines listed in the table, have been considered during the preparation of this chapter.

Table 9-2: Sources of Baseline Information for Land

| Type | Source |
|--------------|---|
| Consultation | No feedback was received from consultees with regard to land or land use. See Chapter 3: The Scoping Consultations, Chapter 3 Appendices for further details . |
| Desktop | <ul style="list-style-type: none"> Department of Agriculture, Food and Forestry's Rural Development Programme 2014-2020 2016 State of the Environment Report North Tipperary County Development Plan (2010) Available online aerial imagery from National Parks and Wildlife Service, Bing and Google Chapter 10: Soil Chapter 11: Water Ecopower Developments Ltd. (2013) Upperchurch Windfarm Environmental Impact Statement 13510003 Ecopower Developments Ltd. (2013) Upperchurch Windfarm Response to Further Information 13510003 |

| <u>Type</u> | <u>Source</u> |
|-------------|--|
| Fieldwork | <ul style="list-style-type: none"> Site Visit and field walking |

NOTE: GREY Shading relates to additional information to facilitate the cumulative evaluations.

9.1.7.1 Certainty and Sufficiency of Information Provided

A documentary trail is provided throughout this chapter to verify the competency of data and methods used and the rationale for selection of same. The information used to compile this chapter is collated from reports and documents generated by local authorities and statutory agencies), with remit in the regulatory field, including the Department of Agriculture, Food and the Marine and North Tipperary County Development Plan 2010 (as varied). In all cases the most recent publications are relied on. All documentation used is referenced at the end of the chapter.

In respect of Land no significant limitations or difficulties were encountered.

9.1.8 Methodology for Evaluating Effects

There is no specific guidance on the production of a Landuse chapter of an EIA Report. However, extensive experience with EIA and agricultural and forestry management together with the EPA guidance on EIS preparation (2002 & 2017) will inform the production of the Landuse appraisal Reports.

Introduction, Author, Sources, Methodology

Land
Topic

9.2 Sensitive Aspect No.1: Agricultural Land

This Section provides a description and evaluation of the Sensitive Aspect - Agricultural Land.

9.2.1 BASELINE CHARACTERISTICS of Agricultural Land

9.2.1.1 STUDY AREA for Agricultural Land

The study area for Agricultural Land in relation to the UWF Related Works is described in Table 9-3 and illustrated on **Figure RW 9.2: Agricultural Land within the UWF Related Works Study Area** (Volume C3 EIAR Figures).

Table 9-3: UWF Related Works Study Area for Agricultural Land

| Study Area for Agricultural Land | Justification for the Study Area Extents |
|--|---|
| Boundary of construction works areas in general, and the individual landholdings where there is any potential to split parcels of land | Impacts limited to areas of physical disturbance and any restriction of access. |

Agricultural Land

Sensitive Aspect

9.2.1.2 Baseline Context and Character of Agricultural Land in the UWF Related Works Study Area

UWF Related Works will be developed in rural countryside in County Tipperary.

Just over a half of UWF Related Works construction works areas relate to sections of Internal Windfarm Cabling which will be located within Consented UWF Roads. In relation to the remaining UWF Related Works areas, one third of the construction works areas will be located on agricultural lands, with 7.2 hectares of land within construction works areas spread across 41 no. agricultural landholdings. These 41 No. landholdings together have a total area of c.1133 hectares.

Within the study area, all the farmed area is under permanent grassland. No tillage farming was observed. The quality of the grassland varies with some being well improved from a farming perspective to grassland which is noticeably less productive.

Livestock farming, dairying and beef cattle rearing, are the main activities carried out. Such farming practice is long established and although there has been notable production upscaling, restructuring of farm holdings, enlargement of field layouts and technological improvement over time, the use of the land for milk and livestock production in these districts stretches back to post-famine times.

9.2.1.3 Importance of Agricultural Land

Farming is an important use of land in the development area. This land use contributes at a notable level to the local economy in the commercial production of food and therefore to rural livelihoods. On a broader scale however, there is no particular strategic or significant aspect to the farming hereabouts at regional or national level.

9.2.1.4 Sensitivity of Agricultural Land

The farming use of land as it occurs in this area is a practice that modifies and maintains what would otherwise be natural systems into productive agricultural usage. Agricultural land is a dynamic entity and land maintenance and development works are routine and ongoing in the management of farmland.

No sensitivity is therefore anticipated around agricultural land use.

Land

Topic

| | |
|-------------------|--|
| Agricultural Land | 9.2.1.5 Trends in the Baseline Environment (the ‘Do-Nothing’ scenario) |
| | <p>In terms of landuse trends in the area, no particularly strong tendency is apparent in farming. Agricultural usage is the dominant landuse and will remain so for the foreseeable future, although over time, emphasis on a particular farm enterprise may alter arising from consumer demand or policy changes. Such change is well accommodated in farmed land. The SPA designation in the Slievefelim to Silvermines uplands area will also tend to hold existing farming patterns in the district.</p> <p>It is, however, likely that the size of individual farm holdings will increase with the passage of time and there may be some relatively small further movement from agriculture to forestry.</p> |
| Sensitive Aspect | 9.2.1.6 Receiving Environment (the Baseline + Trends) |
| | <p>Change in farming is very slow. Modification to the existing environment will be at a rate that is barely perceptible over time. Therefore, it is assumed in this report that the baseline environment identified above will be the receiving environment.</p> |

| |
|-------|
| Land |
| Topic |

9.2.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics

9.2.2.1 Cumulative Evaluation Study Areas

9.2.2.1.1 UWF Related Works Cumulative Evaluation Study Area

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for Agricultural Land | Justification for the Study Area Extents |
|---|---|
| Boundary of works areas in general, and the individual landholdings where there is any potential to split parcels of land | Impacts limited to areas of physical disturbance and any restriction of access. |

The study area is illustrated on **Figure CE 9.2: Agricultural Land within the UWF Related Works Cumulative Evaluation Study Area**.

9.2.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project. A description of these Other Elements is included in this EIA Report at **Appendices 5.3, 5.4, 5.5 and 5.6**, in **Volume C4 EIAR Appendices**. Scoping of these Other Elements is presented in **Section 9.2.2.2.1** below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements which are described in Table 9-4.

Table 9-4: Whole Project Cumulative Evaluation Study Area for Agricultural Land

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|--|---|---|
| Element 1: UWF Grid Connection | Boundary of works areas in general, and the individual landholdings where there is any potential to split parcels of land | Impacts limited to areas of physical disturbance and any restriction of access. |
| Element 3: UWF Replacement Forestry | | |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

9.2.2.2 Scoping for Other Projects or Activity & Potential for Impacts

The evaluation of cumulative impacts to Agricultural Land also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Agricultural Land with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief

overview of the Other Projects or Activities and the scoping exercise by the topic author is included in Appendix 2.3: Scoping of Other Projects or Activities (Section A2.3.1 and Section A2.3.2.9).

The results of this scoping exercise are that: it is evaluated that no Other Projects or Activities are likely to cause cumulative effects with either the UWF Related Works or the Other Elements of the Whole UWF Project, and therefore no Other Projects or Activities are scoped in for evaluation of cumulative effects to Agricultural Land.

9.2.2.2.1 Potential for Other Elements or Other Projects to cause Impacts to Agricultural Land

An evaluation was carried out by the topic author of the likelihood for the Other Elements of the Whole UWF Project to cause cumulative effects to the Sensitive Aspect Agricultural Land. The results of this evaluation are included in Table 9-5.

The location of, and study area boundary associated with, the Other Elements which are included for cumulative evaluation is illustrated on **Figure WP 9.2: Agricultural Land within the Whole Project Cumulative Evaluation Study Area** (Volume C3 EIAR Figures). The baseline character of the areas around these projects is described in 9.2.2.3

Table 9-5: Results of the Evaluation of the Other Elements of the Whole UWF Project

| Other Elements of the Whole UWF Project | |
|--|---|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects |
| Element 3: UWF Replacement Forestry | <u>Evaluated as excluded:</u> Neutral effect/No potential for effects due to: <ul style="list-style-type: none"> • There will be no temporary loss of use of lands or loss of connectivity due to planting activities, • Neutral impacts as a result of change of landuse - while 6ha of agricultural land (on a landholding area of 70ha) will change use to forestry at the UWF Replacement Forestry site, the use of land is changing from one productive and regulated use to another. In addition, both of these landuses are the predominant landuses in this upland area. • No potential for permanent loss of connectivity as the existing farm access road will continue to be used by the landowner to gain access to other lands. |
| Element 4: Upperchurch Windfarm (UWF) | <u>Included</u> for the evaluation of cumulative effects |
| Element 5: UWF Other Activities | <u>Evaluated as excluded:</u> Neutral effect/No potential for effects due to: <ul style="list-style-type: none"> • The Haul Route Activities are located entirely within the public road corridor and do not require any works to adjoining lands, therefore no impacts to agricultural land or landuse can occur. • Monitoring Activities do not require any works to land or result in land use change, therefore no impacts can occur. • Upperchurch Hen Harrier Scheme: Once-off activities will take place initially, and comprise planting and fencing at hedgerows, watercourse boundaries and areas of scrub. These activities will generally take place on the periphery of fields and will not cause any impacts to landuse or connectivity. During the Operational Stage of the UWF, farming practices under the Upperchurch Hen Harrier Scheme will, to a certain extent, cause lands to revert back to wet grassland. It is considered that due to the current low productivity level on the lands, combined with the |

| | | |
|---|--|-------------------|
| | <p>scheme payments that the landowners will receive, no impacts are expected to farm productivity levels.</p> <ul style="list-style-type: none">• The Overhead Line Activities will involve access over agricultural lands using established access routes mainly along existing tracks. No works are required to lands, and activities are limited to in situ pole sets and angle masts and the existing overhead line, therefore there is no potential for effects to agricultural lands or landuse. | Agricultural Land |
| 9.2.2.3 Cumulative Information: Baseline Characteristics – Context & Character | | |
| 9.2.2.3.1 Element 1: UWF Grid Connection | | |
| <p>About half of the construction works area attributed to the UWF Grid Connection is situated on agricultural lands, with 5.9 hectares of land within construction works areas spread across 3 No. agricultural landholdings. These 3 No. landholdings together have an area of c.29.7 hectares.</p> <p>The UWF Grid Connection is located within the Slievefelim to Silvermine uplands area, the highest points of which remain generally unenclosed and are only used for low intensity farming. Significant parts of these uplands are also designated a Special Protection Area (SPA 4165 – Slievefelim to Silvermines Mountain) under the Birds Directive principally because of the occurrence of the hen harrier (<i>Circus cyaneus</i>). The SPA designation effectively restricts farming usage to low impact grazing. Pasture improvement and land reclamation are not generally permitted within the SPA.</p> <p><u>UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area</u> in Knockcurraghbola Crownlands where the 110kV UGC is located within a forestry road in one landholding.</p> | | |
| 9.2.2.3.2 Element 3: UWF Replacement Forestry | | |
| <p>Not applicable – Element evaluated as excluded. See Section 9.2.2.2.1.</p> | | |
| 9.2.2.3.3 Element 4: Upperchurch Windfarm | | |
| <p>The footprint of the Upperchurch Windfarm will be 56.3ha of lands, 46.5ha of which are agricultural lands. In relation to landholdings, 23 No. agricultural landholdings, which together have a total area of c.1050 hectares, are associated with the Upperchurch Windfarm.</p> <p><u>Consideration of the Passage of Time:</u> There has been no material changes in landholdings in the Upperchurch Windfarm since 2014, as there has been no change to the proportion of agricultural land at the windfarm. It is therefore considered that the descriptions in the 2013 and 2014 documents remain relevant to the cumulative evaluations in this Revised EIAR.</p> | | |
| 9.2.2.3.4 Element 5: UWF Other Activities | | |
| <p>Not applicable – Element evaluated as excluded. See Section 9.2.2.2.1</p> | | |
| 9.2.2.3.5 Other Projects or Activities | | |
| <p>Not applicable – <u>No</u> Other Projects or Activities were scoped in for evaluation of cumulative effects, see Section 9.2.2.1.</p> | | |

| |
|------------------|
| Sensitive Aspect |
| |

| |
|------|
| Land |
| |

| |
|-------|
| Topic |
|-------|

9.2.3 PROJECT DESIGN MEASURES for Agricultural Land

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

The Project Design Measures outlined in Table 9-6 are relevant to the Environmental Factor, Land, and in particular to the sensitive aspect **Agricultural Land**.

Table 9-6: UWF Related Works Project Design Measures relevant to Agricultural Land

| PD ID | Project Design Environmental Protection Measure (PD) |
|-------|--|
| PD05 | Land reinstatement will not be carried out during very wet weather or when the soil is waterlogged. |
| PD06 | If any compaction has occurred along the construction works area, these areas will be ploughed with a sub-soiler to loosen the subsoil layer |
| PD07 | Construction traffic will be restricted to the construction works area and tracking across adjacent ground will not be permitted |

Cumulative Information: Potential or likely significant impacts caused by the Other Elements of the Whole UWF Project were avoided, prevented or reduced by incorporating Project Design Measures into the design of the UWF Grid Connection, and into the consented design of the Upperchurch Windfarm. These Project Design Measures are included in the description of these Elements, and can be found in this EIA Report in **Appendices 5.3 and 5.5, in Volume C4: EIAR Appendices.**

9.2.4 EVALUATION OF IMPACTS to Agricultural Land

In this Section, the likely direct and indirect effects of the UWF Related Works are identified and evaluated. Then the likely cumulative effects of the UWF Related Works together with the Other Elements of the Whole UWF Project are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Agricultural Land.

As a result of the exercise, some impacts were included and some were excluded.

Table 9-7: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts Included (Evaluated in the Impact Evaluation Table sections) | Impacts Excluded (Justification at the end of the Impact Evaluation Table sections) |
|--|---|
| Loss of Use and Connectivity of Landholdings (Construction stage/Early Operational Stage) | Reduction in grass growth rates due to a change in the drainage regime (construction stage) |
| | Change of land use (operational stage) |
| | Improvement in infrastructure (operational stage) |
| | Loss of use and connectivity of land through the splitting of parcels of land (operational stage) |

The source-pathway-receptor links for the impact included are described in the Impact Evaluation Table in the next section - **Section 9.2.4.1**.

The source-pathway-receptor links and the rationale for impacts excluded are described in the section directly after the Impact Evaluation Table in Section 9.2.4.2.

9.2.4.1 Impact Evaluation Table: Loss of Use and Connectivity of Landholdings

Impact Description

Project Life Cycle Stage: Construction stage and early operational stage

Impact Source: Construction works areas

Cumulative Impact Source: Construction works areas

Impact Pathway: Fences, presence of construction machinery

Impact Description: Agricultural Lands within the construction works areas will be fenced off and unavailable for farming use during construction and in the early operational stage until vegetation has re-established on reinstated land. Such fencing and access modification at times will prevent access to and the use of farmlands, which will result in plots of land becoming disconnected and potentially unavailable for farming use.

Impact Quality: Negative

Evaluation of the Subject Development Impact – Loss of Use and Connectivity of Landholdings

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude:

The construction works areas are located on 7.2 hectares of agricultural land spread over 41 No. landholdings, with a total landholding area of c.1133 hectares. Works will generally take place through landholdings rather than on the periphery of holdings.

Significance of the Impact: Neutral

Rationale for Impact Evaluation:

- the very small extent of lands subject to works (less than 1%), in the context of the size of agricultural landholdings, will have a Neutral impact to the productivity levels on the landholdings,
- the temporary duration (up to 1 year maximum), and
- the alternative access available on many landholdings.

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude: Cumulative impacts mainly relate to landholdings where both UWF Related Works and Upperchurch Windfarm works will take place. These cumulative impacts will occur on 23 No. agricultural landholdings. These landholdings have a total area of c.1,050 hectares, 1% of which will accommodate construction works areas.

There is no potential for UWF Grid Connection to contribute to cumulative effects to agricultural lands with UWF Related Works, as the UWF Grid Connection works in the UWF Related Works Cumulative Evaluation Study Area is located on public road and forestry road. There will be no loss of agricultural lands or change of agricultural landcover associated with UWF Grid Connection on in this area.

There is no potential for Other Projects or Activities to cause cumulative impacts with UWF Related Works.

Significance of the Cumulative Impact: Imperceptible

Rationale for Cumulative Impact Evaluation:

- the very small scale of land area subject to works approximating to 1% of farmed area on average for the landholding,
- the location of the majority of Internal Windfarm Cables within Consented UWF Roads
- the location of UWF Grid Connection within public roads and forestry road in the UWF Related Works

Agricultural Land

Sensitive Aspect

Land

Topic

| | |
|---|--|
| <p>Cumulative Evaluation Study Area,</p> <ul style="list-style-type: none"> the temporary to short-term duration (up to 1.5 years), the alternative access available on many landholdings. | <div>Agricultural Land</div> <div>Sensitive Aspect</div> |
| Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project | |
| Element 1: UWF Grid Connection | |
| <p><u>Impact Magnitude:</u></p> <p>Construction works areas are located on 4.9 hectares of agricultural land spread over 2 No. agricultural landholdings, with a total landholding area of c.28.6 hectares. Works will generally take place through landholdings rather than on the periphery of holdings.</p> | |
| <u>Significance of the Impact: Imperceptible</u> | |
| <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> the moderate scale (17%) of lands subject to works within the 2 agricultural landholdings in the context of the availability of agricultural lands in the surrounding area; the small extent of permanent effects which are limited to 2 no. landholdings, | |
| Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 9.2.2.2.1 | <div>Land</div> <div>Topic</div> |
| Element 4: Upperchurch Windfarm | |
| <p><u>Impact Magnitude:</u></p> <p>The footprint of the Upperchurch Windfarm comprises 56.3 hectares. Construction works will take place on 46.5 hectares of land over 23 No. landholdings, with a total landholding area of c.1,050 hectares.</p> | |
| <u>Significance of the Impact: Imperceptible</u> | |
| <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> the small scale (4%) of lands subject works, in the context of the size of agricultural landholdings the short-term duration (up to 1.5 years) the alternative access available on many landholdings, and the ease with which such alternative access can be provided. | |
| Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 9.2.2.2.1 | |
| Evaluation of Other Cumulative Impacts – Loss of Use and Connectivity of Landholdings | <div>Land</div> <div>Topic</div> |
| Whole UWF Project Effect | |
| <p><u>Cumulative Impact Magnitude:</u></p> <p>In total 58 hectares of agricultural lands are located within construction works areas associated with the UWF Grid Connection, UWF Related Works and Upperchurch Windfarm. These lands are spread over 43 No. landholdings, with a total landholding area of c.1150 hectares. Agricultural lands associated with UWF Grid Connection occur in Mountphilips and Coole townlands, and are at a considerable separation distance to those lands subject to construction works associated with UWF Related Works and Upperchurch Windfarm.</p> | |
| Significance of the Cumulative Impact: Imperceptible | |
| <p><u>Rationale for Cumulative Impact Evaluation:</u></p> <ul style="list-style-type: none"> the very small scale of land area subject to works, 5% of farmed area on average for all landholdings, the location of the majority of Internal Windfarm Cables within Consented UWF Roads, | |

| | |
|-------------------|---|
| Agricultural Land | <ul style="list-style-type: none">the temporary to short-term duration (up to 1.5 years) of impacts in the Upperchurch area,the reversibility of the impact with the restoration of lands, andthe alternative access available on many landholdings.the permanent nature of landuse change in the Mountphilips area, in the context of the very small number of landholdings involved (2) within a broader area of extensive agricultural use; and the separation of landholdings associated with UWF Grid Connection. |
| | <p>Note: No cumulative evaluation of <u>Other Projects or Activities</u> is included in the table above, because <u>no</u> Other Projects or Activities were evaluated as having potential to cause cumulative effects to Agricultural Land with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 9.2.2.1).</p> |
| Sensitive Aspect | |
| Land | |
| Topic | |

9.2.4.2 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in Table 9-8 below.

Table 9-8: Description and Rationale for Excluded Impacts to Agricultural Land

Key: 1: UWF Grid Connection; 2: UWF Related Works; 3: UWF Replacement Forestry; 4: Upperchurch Windfarm; 5: UWF Other Activities

| Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|--|-----------------|-------------------------|---|---|
| Construction Stage | | | | |
| Trench and Foundation excavations | 1,2,4 | Ground-water flow paths | Reduction in grass growth rates due to a change in the drainage regime | Rationale for Excluding: Neutral impact, As per Chapter 11: Water, due to the shallow nature of the trenches and excavations associated with the Individual Project Elements, the impact on groundwater will be of imperceptible significance within 30m and Neutral beyond this distance. Based on the evaluation contained in Chapter 11 Water, it is considered that any reduction in grass growth rates caused by a change in the drainage regime will have a Neutral effect on the productivity of land. |
| Operational Stage | | | | |
| Forestry felling, presence of above ground structures | 1,2,4 | Land cover | Change of land use | Rationale for Excluding: Neutral impact, In relation to the UWF Grid Connection, UWF Related Works and Upperchurch Windfarm, it is considered that due to the very small scale of land use change (less than 1% of the landholding area) that a Neutral effect to agricultural lands will occur. |
| Construction of new access roads & upgrading of existing private roads | 1,2,4 | Private Roads | Improvement in infrastructure | In relation to the UWF Grid Connection, UWF Related Works and Upperchurch Windfarm, although the upgrade of existing farm roads and the construction of some short lengths of new roads will be a positive effect on agricultural landholdings, the scale of road upgrading or construction will equate to less than 1% of the landholding areas. Therefore, it is considered that the upgrade/construction of roads will have a Neutral effect to the productivity or use of agricultural lands. |
| Operational activities | 1,2,4 | Work area boundaries | Loss of use and connectivity of land through the splitting of parcels of land | Maintenance activities will range from annual testing of the UWF Grid Connection, to monthly inspection of UWF Related Works, to weekly maintenance of the Upperchurch Windfarm. All of these activities will take place from hard-core road areas, with the vast majority of activity taking place on the turbine hardstands, and there will be no requirement for a works area boundary to be erected. Therefore, operational activities will have a Neutral effect on land use. |
| Decommissioning Stage | | | | |
| Rationale for Excluding: No potential for impacts/Neutral impacts, UWF Grid Connection will remain part of the National Grid, therefore no impacts can occur. UWF Related Works: The cables will be pulled from the Internal Windfarm Cabling ducts at the turbines or at the | | | | |

| | | | | | |
|-------------------|--|-----------------|---------|------------------------|---------------------------------------|
| Agricultural Land | | | | | |
| | Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
| Sensitive Aspect | substation; the ducting, Realigned Windfarm Roads and Haul Route Works will remain in-situ; therefore no decommissioning works to lands are required. The Telecom Relay Pole will be removed, and the compound area reinstated and returned to agricultural use. Due to the very small size of the compound in the context of the land holding (less than 0.005%), Neutral impacts to the landholding will occur. | | | | |
| | Upperchurch Windfarm: It is likely that the Consented UWF Substation will remain in-situ for use by ESNB and that the Consented UWF Roads will also remain in-situ for use by the landowner. Decommissioning works will be limited to the Consented UWF Turbines, hardstanding areas and associated drainage systems, along with the meteorological masts. All decommissioning works will take place from hard-core areas, with the vast majority of activity taking place on the turbine hardstands. Works area boundaries will not be required for decommissioning activities. Therefore, it is considered that decommissioning activities will have a Neutral effect on land use. | | | | |

| |
|-------|
| Land |
| Topic |

9.2.5 Mitigation Measures for Impacts to Agricultural Land

Mitigation measures were incorporated into the UWF Related Works project design, including the Project Design Measures. No additional mitigation measures are required as **no significant adverse impacts** are concluded by the topic author as likely to occur to Agricultural Land as a consequence of the UWF Related Works.

9.2.6 Evaluation of Residual Impacts to Agricultural Land

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures are required and thus the Residual Impact is the same as the Impact set out in Impact Evaluation Table sections for Agricultural Land above (Section 9.2.4) – i.e. **no significant adverse impacts**.

9.2.7 Application of Best Practice and the EMP for Agricultural Land

Best Practice Measures (BPM), although not part of the Project Design for the UWF Related Works, will be employed to afford further protection to the Environment.

The following Best Practice Measures have been developed, for the protection of **Agricultural Land**, by the author of this topic chapter, using industry best practice:

| | |
|-----------|---|
| RW-BPM-27 | Landowner and Land-user Liaison |
| RW-BPM-28 | Minimising Disturbance and Damage to Land |

These Best Practice Measures are included in full at the end of this topic chapter, and also form part of the **UWF Related Works Environmental Management Plan**, which is included as **Volume D** with the planning application.

Agricultural Land

Sensitive Aspect

Land

Topic

9.2.8 Summary of Impacts to Agricultural Land

A summary of the Impact to Agricultural Land is presented in Table 9-9.

Table 9-9: Summary of the impacts to Agricultural Land

| Impact to Agricultural Land: | Loss of Use and Connectivity of Landholdings |
|--|---|
| <i>Evaluation Impact Table</i> | <i>Section 9.2.4.1</i> |
| <i>Project Life-Cycle Stage</i> | <i>Construction/Early Operation</i> |
| <u>UWF Related Works Impact (direct and indirect impacts)</u> | Neutral Impact |
| <u>UWF Related Works Cumulative Impact</u> | Imperceptible |
| Element 1: UWF Grid Connection | Imperceptible |
| Element 3: UWF Replacement Forestry | No Potential for Impact - Evaluated as Excluded, see Section 9.2.2.2.1 |
| Element 4: Upperchurch Windfarm | Imperceptible |
| Element 5: UWF Other Activities | No Potential for Impact - Evaluated as Excluded, see Section 9.2.2.2.1 |
| <u>Other Cumulative Impacts:</u> | |
| Whole UWF Project Effect | Imperceptible |

The greyed-out boxes in the above summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to show the totality of the project.

Note: No cumulative information for Other Projects or Activities is included in the table above, because no Other Projects or Activities were evaluated as having potential to cause cumulative effects to Agricultural Land with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 9.2.2.1).

9.3 Sensitive Aspect No.2: Forestry Land

This Section provides a description and evaluation of the Sensitive Aspect - Forestry Land.

9.3.1 BASELINE CHARACTERISTICS of Forestry Land

9.3.1.1 STUDY AREA for Forestry Land

The study area for Forestry Land in relation to the UWF Related Works is described in Table 9-10 and illustrated on **Figure RW 9.3: Forestry Land within the UWF Related Works Study Area** (Volume C3 EIAR Figures).

Table 9-10: UWF Related Works Study Area for Forestry Land

| Study Area for Forestry Land | Justification for the Study Area Extents |
|--|---|
| Boundary of construction works areas in general, and the individual landholdings where there is any potential to split parcels of land | Impacts limited to areas of physical disturbance and any restriction of access. |

9.3.1.2 Baseline Context and Character of Forestry Land in the UWF Related Works Study Area

Forest cover as a landuse in Ireland was very low at the time of the foundation of the state but since the 1930's there has been a gradual increase in the national forest estate and land cover under forest is now approaching 12%. Afforestation was solely in the hands of the state until the late 1980's but has largely become the domain of private landowners since then.

Just over a half of UWF Related Works construction works areas relate to sections of Internal Windfarm Cabling which will be located within Consented UWF Roads. In relation to the remaining UWF Related Works areas, a small proportion (6%) will be located on forestry lands with 1.3 hectares of land within construction works areas spread across 6 no. forestry landholdings. These 6 No. landholdings together have a total area of c.112 hectares. Five of the six No. forestry landholdings will also contain Upperchurch Windfarm works areas.

9.3.1.3 Importance of Forestry Land

All of the forest within the study area is managed commercially and it is therefore important as a landuse in the local context with plantations being in both public and private ownership.

9.3.1.4 Sensitivity of Forestry Land

While forestry it is somewhat vulnerable to natural processes like fire, windblow and disease, forestry is resilient and, given time and positive management, it will recover from virtually all natural and human impacts. Like agricultural landuse, forestry is a robust use of land and is not considered to be sensitive.

9.3.1.5 Trends in the Baseline Environment (the 'Do-Nothing' scenario)

Nationally, forest area levels are stable and are rising slightly on foot of statutory regulation and various incentives emanating from the already noted government policy objectives. In this general area afforestation will most likely increase as a landuse as cattle farming gradually declines on the more marginal farming areas.

9.3.1.6 Receiving Environment (the Baseline + Trends)

Rates of afforestation are relatively low in general and it is assumed in this report that the baseline environment identified above will be the receiving environment.

9.3.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics

9.3.2.1 Cumulative Evaluation Study Areas

9.3.2.1.1 UWF Related Works Cumulative Evaluation Study Area

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for Forestry Land | Justification for the Study Area Extents |
|---|---|
| Boundary of works areas in general, and the individual landholdings where there is any potential to split parcels of land | Impacts limited to areas of physical disturbance and any restriction of access. |

The study is illustrated on **Figure CE 9.3: Forestry Land within the UWF Related Works Cumulative Evaluation Study Area**.

9.3.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project.

A description of these Other Elements is included in this EIA Report at **Appendices 5.3, 5.4, 5.5 and 5.6**, in **Volume C4 EIAR Appendices**. Scoping of these Other Elements is presented in **Section 9.3.2.2.1** below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements which are described in Table 9-11.

Table 9-11: Whole Project Cumulative Evaluation Study Area for Forestry Land

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|--|---|---|
| Element 1: UWF Grid Connection | Boundary of works areas in general, and the individual landholdings where there is any potential to split parcels of land | Impacts limited to areas of physical disturbance and any restriction of access. |
| Element 3: UWF Replacement Forestry | | |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

9.3.2.2 Scoping for Other Projects or Activity & Potential for Impacts

The evaluation of cumulative impacts to Forestry Land also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Forestry Land with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview

of the Other Projects or Activities and the scoping exercise by the topic author is included in [Appendix 2.3: Scoping of Other Projects or Activities \(Section A2.3.2.1 and Section A2.3.2.9\)](#).

The results of this scoping exercise are that: it is evaluated that no Other Projects or Activities are likely to cause cumulative effects with either the UWF Related Works or the Other Elements of the Whole UWF Project, and therefore no Other Projects or Activities are scoped in for evaluation of cumulative effects to Forestry Land.

9.3.2.2.1 Potential for Other Elements or Other Projects to cause Impacts to Forestry Land

An evaluation was carried out by the topic author of the likelihood for the Other Elements of the Whole UWF Project to cause cumulative effects to the Sensitive Aspect Forestry Land. The results of this evaluation are included in Table 9-12.

The location of, and study area boundary associated with, the Other Elements which are included for cumulative evaluation is illustrated on [Figure WP 9.3: Forestry Land within the Whole Project Cumulative Evaluation Study Area](#) (Volume C3 EIAR Figures). The baseline character of the areas around these projects is described in Section 9.3.2.3.

Table 9-12: Results of the Evaluation of the Other Elements of the Whole UWF Project

| Other Elements of the Whole UWF Project | |
|--|--|
| Element 1: UWF Grid Connection | <p><u>Evaluated as excluded:</u> Neutral effect/No potential for effects due to</p> <ul style="list-style-type: none"> No loss of use impact, as the UWF Grid Connection is not located on any forestry plots Neutral loss of connectivity impacts, as the extent of UWF Grid Connection on forestry land is limited to one forestry road on one landholding at the western extremity of the 110kV UGC route. No landuse change, as the forestry road on forestry lands will be reinstated following construction works. No potential for improvements to forestry infrastructure, as the UWF Grid Connection will not involve upgrading or new access roads in forestry lands. No potential for effects during the growth stage or harvesting stage, due to the location of the 110kV UGC under the access road. |
| Element 3: UWF Replacement Forestry | <p><u>Evaluated as excluded:</u> Neutral effect/No potential for effects due to</p> <ul style="list-style-type: none"> No potential for loss of use or loss of connectivity impacts, as the land is currently set to agricultural grassland. Neutral positive land use change impacts - While 6ha of agricultural land will change use to forestry at the UWF Replacement Forestry site, it is considered that a Neutral effect to Land will occur as the use of land is changing from one productive use to another, and in addition, these two landuses (agriculture and forestry) are the predominant landuses in this upland area. No potential for improvements to forestry infrastructure, as there will be no new or upgraded roads associated with the UWF Replacement Forestry. No potential for effects during the growth stage, due to the very small scale of activities associated with site management, and the absence of any requirement to restrict access along the existing farm access road. |

Forestry Land

Sensitive Aspect

Land

Topic

| | | |
|---------------|--|---|
| Forestry Land | | <ul style="list-style-type: none"> No potential for harvesting related impacts, as the UWF Replacement Forestry will be permanent woodland and will not be harvested. |
| | Element 4: Upperchurch Windfarm (UWF) | <u>Included</u> for the evaluation of cumulative effects |
| | Element 5: UWF Other Activities | <p><u>Evaluated as excluded</u>: Neutral effect/No potential for effects due to:</p> <ul style="list-style-type: none"> The Haul Route Activities are located entirely within the public road corridor and do not require any works to adjoining lands, therefore no impacts to forestry land or landuse can occur. Monitoring Activities do not require any works to land or result in land use change, therefore no impacts can occur. Upperchurch Hen Harrier Scheme: no potential for impacts, as all activities and management practices will take place on agricultural lands. The Overhead Line Activities will involve access over forestry lands using established access routes mainly along existing tracks and along forestry firebreaks. No works are required to lands, and activities are limited to in situ pole sets and angle masts and the existing overhead line, therefore there is no potential for effects to forestry lands or landuse. |

Sensitive Aspect

9.3.2.3 Cumulative Information: Baseline Characteristics – Context & Character

In the Whole UWF Project context, forestry lands occur within the landholdings the subject of the UWF Related Works and the Upperchurch Windfarm.

9.3.2.3.1 Element 1: UWF Grid Connection

The UWF Grid Connection is located within the Slievefelim to Silvermine uplands area, the highest points of which remain generally unenclosed and are only used for low intensity farming. Significant parts of these uplands are also designated a Special Protection Area (SPA 4165 – Slievefelim to Silvermines Mountain) under the Birds Directive principally because of the occurrence of the hen harrier (*Circus cyaneus*). The SPA designation effectively restricts forestry usage and afforestation is not generally permitted within the SPA.

A review of aerial imagery indicates a level of forest cover in the Slievefelim to Silvermines uplands area which is substantially greater than the national average, and is estimated to be 30 to 35% of the land cover.

Only 3% of the UWF Grid Connection area is located within forestry landholdings, where 650m of the 110kV UGC is located along a forestry road which provides access to forestry lands on 1 No. landholding in the area of the Consented UWF Substation in Knockcurraghbola Crownlands. This landholding has a total area of c.31.4 hectares.

UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area in the Knockmaroe, Knockcurraghbola Commons, and Knockcurraghbola Crownlands. However overlap in forestry lands is limited to the above mentioned forestry road, otherwise the location of the 110kV UGC in this area is within the public roads R503, L2264-50 and L-6188-0.

Land
Topic

9.3.2.3.2 Element 3: UWF Replacement Forestry

Not applicable – Element evaluated as excluded. See Section 9.3.2.2.1

9.3.2.3.3 Element 4: Upperchurch Windfarm

The footprint of the Upperchurch Windfarm will be 56.3 hectares of lands, 9.8 hectares of which are forestry lands. In relation to landholdings, 4 No. forestry landholdings, which together have a total area of c.104 hectares, are associated with the Upperchurch Windfarm.

Consideration of the Passage of Time: While 9.0 ha of mature forestry have been felled since 2013, overall the forestry in the Upperchurch Windfarm area is predominately in the growth stages and no new agricultural lands have been planted in the intervening period. It is considered that there are no material changes in forestry landholdings in the Upperchurch Windfarm since 2014, and the descriptions in the 2013 and 2014 documents remain relevant to the cumulative evaluations in this Revised EIAR.

9.3.2.3.4 Element 5: UWF Other Activities

Not applicable – Element evaluated as excluded. See Section 9.3.2.2.1

9.3.2.3.5 Other Projects or Activities

Not applicable – No Other Projects or Activities were scoped in for evaluation of cumulative effects, see Section 9.3.2.1.

Forestry Land

Sensitive Aspect

Land

Topic

9.3.3 PROJECT DESIGN MEASURES for Forestry Land

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

The Project Design Measures outlined in Table 9-13 are relevant to the Environmental Factor, Land, and in particular to the sensitive aspect **Forestry Land**.

Table 9-13: UWF Related Works Project Design Measures relevant to Forestry Land

| PD ID | Project Design Environmental Protection Measure (PD) |
|-------|--|
| PD05 | Land reinstatement will not be carried out during very wet weather or when the soil is waterlogged. |
| PD07 | Construction traffic will be restricted to the construction works area and tracking across adjacent ground will not be permitted |

Cumulative Information: Potential or likely significant impacts caused by the Other Elements of the Whole UWF Project were avoided, prevented or reduced by incorporating Project Design Measures into the design of the UWF Grid Connection and into the consented design of the Upperchurch Windfarm. These Project Design Measures are included in the description of these Elements, and can be found in this EIA Report in **Appendices 5.3 and 5.5, in Volume C4: EIAR Appendices.**

9.3.4 EVALUATION OF IMPACTS to Forestry Land

In this Section, the likely direct and indirect effects of the UWF Related Works are identified and evaluated. Then the likely cumulative effects of the UWF Related Works together with the Other Elements of the Whole UWF Project are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Forestry Land.

As a result of the exercise, some impacts were included and some were excluded.

Table 9-14: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts Included (Evaluated in the Impact Evaluation Table sections) | Impacts Excluded (Justification at the end of the Impact Evaluation Table sections) |
|--|---|
| Loss of Use and Connectivity of Landholdings (Construction stage) | Reduction in forest growth rates due to a change in the drainage regime (construction stage) |
| | Change of land use (operational stage) |
| | Improvement in infrastructure (operational stage) |
| | Loss of use and connectivity of land through the splitting of parcels of land (operational stage) |

The source-pathway-receptor links for the impact included are described in the Impact Evaluation Table in the next section - **Section 9.3.4.1**.

The source-pathway-receptor links and the rationale for impacts excluded are described in the section directly after the Impact Evaluation Table, in Section 9.3.4.2.

9.3.4.1 Impact Evaluation Table: Loss of Use and Connectivity of Landholdings

Impact Description

Project Life Cycle Stage: Construction & Early Operational Stage

Impact Source: Construction works areas, haul routes on forestry roads

Cumulative Impact Source: Construction works areas, haul routes on forestry roads

Impact Pathway: Forestry roads, presence of construction/delivery machinery

Impact Description: Forestry lands (not forestry roads) within the construction works areas will be fenced off and unavailable for forestry use during construction and in the early operational stage until vegetation has re-established on construction works areas. Construction machinery and construction works will also be present on some sections of forestry roads, although alternative access routes are available in forestry lands, which will avoid the disconnection of forestry lands in most instances.

Impact Quality: Negative

Evaluation of the Subject Development Impact – Loss of Use and Connectivity of Landholdings

Element 2: UWF Related Works – direct/indirect impact

Impact Magnitude:

The construction works areas are located on 1.3 hectares of forestry land spread over 6 No. landholdings, with a total forestry landholding area of c.112 hectares. Haul routes are located on 0.9 km of the existing forestry road network.

Significance of the Impact: Imperceptible

Rationale for Impact Evaluation:

- the small scale (1%) of lands subject to works, in the context of the size of forestry landholdings
- the temporary duration (up to 1 year),
- the reversibility of the impact with the completion of the works, and
- the alternative access available on forestry landholdings.

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude: Cumulative impacts relate to landholdings where both UWF Related Works and Upperchurch Windfarm works will take place. These cumulative impacts will occur on 45 No. forestry landholdings. These landholdings have a total area of c.104 hectares, 2% of which will accommodate construction works areas.

There is no potential for Other Projects or Activities to cause cumulative impacts with UWF Related Works.

Significance of the Cumulative Impact: Imperceptible

Rationale for Cumulative Impact Evaluation:

- the very small scale of land area subject to works, 2% of forested area on average for the landholding,
- the location of the majority of Internal Windfarm Cables within Consented UWF Roads
- the temporary to short-term duration (up to 1.5 years),
- the alternative access available on many landholdings

Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project

Element 1: UWF Grid Connection – N/A, evaluated as excluded, see Section 9.3.2.2.1

Forestry Land

Sensitive Aspect

Land

Topic

| | |
|--|--|
| Forestry Land | Element 3: UWF Replacement Forestry – <i>N/A, evaluated as excluded, see Section 9.3.2.2.1</i> |
| | Element 4: Upperchurch Windfarm |
| | <u>Impact Magnitude:</u> The footprint of the Upperchurch Windfarm comprises 56.3 hectares. Construction works will take place on 9.8 hectares of forestry land over 5 No. landholdings, with a total landholding area of c.104 hectares. |
| | <u>Significance of the Impact:</u> Slight |
| | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> the small scale (9%) of lands subject to works, in the context of the size of forestry landholdings, the temporary to short-term duration (up to 1.5 years), and, the alternative access available on forestry landholdings. |
| Sensitive Aspect | Element 5: UWF Other Activities – <i>N/A, evaluated as excluded, see Section 9.3.2.2.1</i> |
| | Evaluation of Other Cumulative Impacts – Loss of Use and Connectivity of Landholdings |
| | Whole UWF Project Effect |
| | <u>Cumulative Impact Magnitude:</u> In total, construction works are located on 11.1 hectares of forestry lands, spread over 6 landholdings with a total landholding area of c.112 hectares. |
| | Significance of the Cumulative Impact: Imperceptible |
| Land Topic | <u>Rationale for Cumulative Impact Evaluation:</u> <ul style="list-style-type: none"> the small scale (10%) lands subject to works on forestry landholdings, in the context of the abundance of forestry landholdings in this upland area; the temporary duration the reversibility of the impact with the completion of the works, and, the alternative access available on forestry landholdings, |
| | |
| <p>Note: No cumulative evaluation of <u>Other Projects or Activities</u> is included in the table above, because <u>no</u> Other Projects or Activities were evaluated as having potential to cause cumulative effects to Forestry Land with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 9.3.2.1).</p> | |

9.3.4.2 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in Table 9-15 below.

Table 9-15: Description and Rationale for Excluded Impacts to Forestry Land

Key: 1: UWF Grid Connection; 2: UWF Related Works; 3: UWF Replacement Forestry; 4: Upperchurch Windfarm; 5: UWF Other Activities

| Source(s) of Impacts | Project Element | Pathway | Impacts (Consequences) | Rationale for Excluding (Scoping Out) |
|---|-----------------|-------------------------|---|--|
| Construction Stage | | | | |
| Trench and Foundation excavations | 1,2,4 | Ground-water flow paths | Reduction in forestry growth rates due to a change in the drainage regime | Rationale for Excluding: Neutral impact, As per Chapter 11: Water, due to the shallow nature of the trenches and excavations associated with the Individual Project Elements, the impact on groundwater will be of imperceptible significance within 30m and Neutral beyond this distance. Based on the evaluation contained in Chapter 11 Water, it is considered that any reduction in forest growth rates caused by a change in the drainage regime will have a Neutral effect on the productivity of land. |
| Operational Stage | | | | |
| Forestry felling, afforestation, presence of above ground structures | 2,4 | Land cover | Change of land use | Rationale for Excluding: Neutral impact, in relation to the UWF Related Works and Upperchurch Windfarm, it is considered that due to the very small scale of land use change (less than 1% of the landholding area) that a Neutral effect to forestry lands will occur. |
| Construction of new access roads & upgrading of existing private roads | 2,4 | Private Roads | Improvement in infrastructure | Rationale for Excluding: Neutral impact, in relation to the UWF Related Works and Upperchurch Windfarm, although the upgrade of forestry roads and the construction of some short lengths of new roads will be a positive effect on forestry landholdings, the scale of road upgrading or construction will equate to 3.3% of the landholding areas. Therefore, it is considered that the upgrade/construction of roads will have a Neutral effect to the productivity or use of forestry lands. |
| Operational activities | 1,2,4 | Work area boundaries | Loss of use and connectivity of land through the splitting of parcels of land | Rationale for Excluding: Neutral impact, maintenance activities will range from annual testing of the UWF Grid Connection, to monthly inspection of UWF Related Works, to weekly maintenance of the Upperchurch Windfarm. All of these activities will take place from road/hard-core areas, with the vast majority of activity taking place on the turbine hardstands, and there will be no requirement for a works area boundary to be erected. Therefore operational activities will have a Neutral effect on land use. |
| Decommissioning Stage | | | | |
| Rationale for Excluding: No potential for impacts/Neutral impacts: | | | | |
| UWF Grid Connection will remain part of the National Grid, therefore no impacts can occur. | | | | |
| UWF Related Works: The cables will be pulled from the Internal Windfarm Cabling ducts at the turbines or at the substation; the ducting, Realigned Windfarm Roads and Haul Route Works will remain in-situ; therefore, no | | | | |

Forestry Land

Sensitive Aspect

Land

Topic

| Sensitive Aspect | Forestry Land |
|------------------|---------------|
|------------------|---------------|

9.3.5 Mitigation Measures for Impacts to Forestry Land

Mitigation measures were incorporated into the UWF Related Works project design, including the Project Design Measures. No additional mitigation measures are required as **no significant adverse impacts** are concluded by the topic author as likely to occur to Forestry Land as a consequence of the UWF Related Works.

9.3.6 Evaluation of Residual Impacts to Forestry Land

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures are required and thus the Residual Impact is the same as the Impact set out in Impact Evaluation Table sections for Forestry Land above (Section 9.3.4) – i.e. **no significant adverse impacts**.

9.3.7 Application of Best Practice and the EMP for Forestry Land

Best Practice Measures (BPM), although not part of the Project Design for the UWF Related Works, will be employed to afford further protection to the Environment.

The following Best Practice Measures have been developed, for the protection of **Forestry Land**, by the author of this topic chapter, using industry best practice:

| | |
|-----------|---|
| RW-BPM-27 | Landowner and Land-user Liaison |
| RW-BPM-28 | Minimising Disturbance and Damage to Land |

These Best Practice Measures are included in full at the end of this topic chapter, and also form part of the **UWF Related Works Environmental Management Plan**, which is included as **Volume D** with the planning application.

9.3.8 Summary of Impacts to Forestry Land

A summary of the Impact to Forestry Land is presented in Table 9-16.

Table 9-16: Summary of the impacts to Forestry Land

| Impact to Forestry Land: | Loss of Use and Connectivity of Landholdings |
|--|---|
| <i>Evaluation Impact Table</i> | <i>Section 9.3.4.1</i> |
| <i>Project Life-Cycle Stage</i> | <i>Construction/early operational</i> |
| <u>UWF Related Works Impact</u> (direct & indirect impacts) | Imperceptible |
| <u>UWF Related Works</u> Cumulative Impact | Imperceptible |
| Element 1: UWF Grid Connection | No Potential for Impact - Evaluated as Excluded, see Section 9.3.2.2.1 |
| Element 3: UWF Replacement Forestry | No Potential for Impact - Evaluated as Excluded, see Section 9.3.2.2.1 |
| Element 4: Upperchurch Windfarm | Slight |
| Element 5: UWF Other Activities | No Potential for Impact - Evaluated as Excluded, see Section 9.3.2.2.1 |
| <u>Other Cumulative Impacts:</u> | |
| Whole UWF Project Effect | Imperceptible |

The greyed-out boxes in the above summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to show the totality of the project.

Note: No cumulative information for Other Projects or Activities is included in the table above, because no Other Projects or Activities were evaluated as having potential to cause cumulative effects to Forestry Land with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 9.3.2.1).

9.4 Policy Context

9.4.1 National Policy

Agricultural Land: The further expansion and progression of agriculture as outlined in *Food Wise 2025 – Local Roots Global Reach* is adopted government policy and remains a key component of rural development.

Output growth in all the main agricultural commodities is envisaged along with similar increases in downstream food and beverage production. Agricultural growth is projected to occur sustainably and without compromising biodiversity.

In effect, production increases at farm level will come about mainly through technology and scale.

Forestry Land: The use of land for forestry is consistent with long standing government policy as presented in the Irish government's *Forestry Programme 2014 to 2020* to increase the area of the national forest estate for economic, social, biodiversity, energy sustainability and climate change reasons.

Annual afforestation in Ireland is projected to continue at an average rate of about 7,200 ha per annum in period mentioned and the further development and utilisation of the national forest resource is targeted for further growth and societal well-being.

9.4.2 Regional Policy

There are no specific land use zoning objectives in Mid-West Regional Planning Guidelines 2010-2022, for the agricultural or forestry lands that are part of the Whole UWF Project.

9.4.3 North Tipperary County Development Plan 2010 (as varied):

The developments are wholly within the former North Tipperary County Council administrative area. There are no specific land use zoning objectives in North Tipperary County Development Plan 2010 (as varied), for the agricultural or forestry lands that are part of the Whole UWF Project.

9.5 Best Practice Measures

| RW-BPM-27 Landowner and Land-user Liaison | |
|---|--|
| Environmental Commitment | |
| To keep landowners up-to-date with relevant construction works | |
| Work Sections/Locations | |
| All works locations on agricultural and forestry lands | |
| Responsibility of | Role/Duty |
| Construction Manager | <ul style="list-style-type: none"> To provide accurate information to the Community Liaison Officer regarding construction schedules To respond in a timely manner to any feedback, queries or advice received from the Community Liaison Officer |
| Community Liaison Officer | <ul style="list-style-type: none"> To manage the interests of the Owner at all times with regard to landowner issues To lead the day-to-day communication with landowners To be available and accessible to landowners To inform, advise, assist landowners and to communicate with the contractor on behalf of the landowner or user To oversee the resolution of any issues in relation to landowners Manage the coordination of land restoration works Assist the Project Manager in the completion of snag lists and the works area boundaries following reinstatement. |
| Environmental Clerk of Works | <ul style="list-style-type: none"> To respond in a timely manner to any feedback, queries or advice received from the Community Liaison Officer |
| Landowner and Land-User Liaison Measures | |
| <ul style="list-style-type: none"> Landowners will be engaged with early and ahead of works A telephone number for the Landowner Liaison Officer will be provided Good clear mapping and an explanation of the mapping will be provided Landowners will be contacted ahead of works taking place on their lands Landowners will be dealt with honestly and fairly Queries from landowners will be dealt with promptly and courteously Restrictions to lands during construction will be minimised and access points to interconnected lands, including walking routes, will be provided Local walking groups or other land users will be kept up-to-date with the construction works schedule Any works in close proximity or crossing a waymarked trail will not be scheduled during the same period as a walking festival or event | |
| References | |
| <ul style="list-style-type: none"> Code of Practice in relation to access to land and/or premises (ESB Networks - Document No: DOC-110602-ACP) | |

| | |
|---|---|
| RW-BPM-28 | Minimising Disturbance and Damage to Land |
| Environmental Commitment | |
| To minimise disturbance to and damage of agricultural and forestry lands | |
| Work Sections/Locations | |
| All works areas | |
| Responsibility of | Role/Duty |
| Construction Manager | <ul style="list-style-type: none"> To fence all active construction works areas |
| Community Liaison Officer | <ul style="list-style-type: none"> Manage the interests of the Project Promoter at all times with regard to landowner issues Lead the day-to-day communication with landowners Supervise the fencing of lands Manage the coordination of land restoration works in accordance with RW-OCM-14: Reinstatement of Land Assist the Project Manager in the completion of snag lists and the of works area boundaries following reinstatement. |
| Environmental Clerk of Works | <ul style="list-style-type: none"> To respond in a timely manner to any feedback, queries or advice received from the Community Liaison Officer |
| Minimising Disturbance and Damage to Land Measures | |
| <ul style="list-style-type: none"> Landowners will be contacted ahead of works taking place on their lands Construction works areas will be fenced ahead of works on a landholding All location of livestock supply underground water pipes will be confirmed prior to works, care will be taken in these are not to damage water pipes or wells and to ensure that supply is not interrupted Construction personnel will only enter on lands to carry out authorised works Construction personnel will take due care and attention to minimise damage to land or livestock All works, storage of overburden and materials will take place within the construction works area boundaries. Construction related vehicles will travel within the work areas (Project Design Measure) All ditches, open drains or watercourses interfered with by the works will be maintained in effective condition during construction and finally restored to as good (or better) condition as before the commencement of works Lands under construction works areas will be left in as good (or better) condition than before works began Restrictions to lands during construction will be minimised and access points to interconnected lands will be provided | |
| References | |
| <ul style="list-style-type: none"> Code of Practice in relation to access to land and/or premises (ESB Networks - Document No: DOC-110602-ACP) | |

9.6 Summary of the Land Chapter

The UWF Related Works is located in the rural countryside in County Tipperary, where the dominant landuse within the site boundary is agriculture. Within the wider Slievefelim to Silvermines upland area, both agriculture and forestry are the predominant landuses.

Sensitive Aspects of Land which were evaluated in this topic chapter include Agricultural Land and Forestry Land.

Environmental Protection Measures were incorporated into the project design to minimise damage to lands and to ensure best practice during land reinstatement. Best Practice Measures will also be implemented during construction works in relation to landowner liaison and to further minimise disturbance to or damage to lands.

The main effects to both Agricultural Lands and Forestry lands relates to a loss of connectivity between parcels of lands due to the presence of works and associated works area boundaries, and the temporary loss of use of the lands within construction works areas during construction works and for a short period afterwards until the works areas have re-vegetated.

9.6.1 Summary of UWF Related Works Impacts

- Impacts to Agricultural Land will be Neutral,
- Adverse impacts to Forestry Land will be Imperceptible.

9.6.2 Summary of UWF Related Works Cumulative Impacts

The UWF Related Works are generally in the vicinity of Upperchurch Windfarm, and therefore the cumulative impact relates to the combined effects on landholdings from these two projects. The UWF Grid Connection is generally located at a distance from UWF Related Works, except for the eastern extremity of the 110kV UGC where is routed along public roads and a forestry road that is located within the UWF Related Works and Upperchurch windfarm Sites.

- In summary, cumulative impacts to Agricultural Land and Forestry Land will not be greater than Imperceptible.

9.6.3 Summary of Cumulative Impacts with Other Elements of the Whole UWF Project

As UWF Related Works is one element of the larger Whole Upperchurch Windfarm Project (Whole UWF Project), the potential for cumulative effects was examined with these Other Elements (in particular UWF Grid Connection and Upperchurch Windfarm).

- Cumulative impacts to Agricultural Land and Forestry Land of UWF Grid Connection together with the Other Elements of the Whole UWF Project will not be greater than Imperceptible.

9.6.4 Cumulative Impacts with Other Projects or Activities

There is no potential for cumulative effects with Other Projects or Activities.

9.7 Reference List

Bing Maps, <https://www.bing.com/maps> accessed June to September 2017

Department of Agriculture, Food and the Marine, (2017) *Ireland – Rural Development Programme 2014 – 2020*, <https://www.agriculture.gov.ie/ruralenvironment/ruraldevelopmentprogrammerdp2014-2020/> accessed on 18th July 2017.

Department of Agriculture, Food and the Marine, (2017) *Food Wise 2025, A vision for growth*, <https://www.agriculture.gov.ie/foodwise2025/> accessed on 18th July 2017.

Environmental Protection Agency, (2016) *The State of Ireland's Environment*, <https://www.epa.ie/irelandsenvironment/stateoftheenvironmentreport/> accessed on 18th July 2017

Forest Service, Department of Agriculture, Food and the Marine, (2015) *Forestry Programme 2014 to 2020*, <https://www.agriculture.gov.ie/media/migration/forestry/forestryprogramme2014-2020> accessed on 18th July 2017.

Google Maps, <https://www.google.ie/maps/> accessed June to September 2017

National Parks and Wildlife Service, *Maps and Data*, <https://www.npws.ie/faq/maps-and-data> accessed June to September 2017

North Tipperary County Council, (2010) *North Tipperary County Development Plan 2010 (as varied)*, <https://www.tipperarycoco.ie/planning/tipperary-county-development-plans> accessed on 18th of July 2017

Ordnance Survey Ireland, *Historical Maps*, <https://www.osi.ie/products/professional-mapping/historical-mapping/> accessed June to September 2017

Ecopower Developments Ltd. (2013) Upperchurch Windfarm Environmental Impact Statement 13510003

Ecopower Developments Ltd. (2013) Upperchurch Windfarm Response to Further Information 13510003

An Bord Pleanála (2014) Inspectors Report for Upperchurch Windfarm PL22.243040

An Bord Pleanála (2014) Grant of Permission for Upperchurch Windfarm PL22.243040

UWF Related Works Revised EIA Report

Volume C2: Revised EIAR Main Report

Chapter 10: Soils

Topic Chapter Authors:



EIAR Coordinator:



| | |
|-------|-------|
| Topic | Soils |
|-------|-------|

Contents

| | | |
|-------------|---|----------|
| 10 | Environmental Factor: Soils..... | 1 |
| 10.1 | Introduction to the Soils Chapter | 1 |
| 10.1.1 | What are Soils? | 1 |
| 10.1.2 | Overview of Soils in the Local Environment | 1 |
| 10.1.3 | Sensitive Aspects of the Soils Environment included for further evaluation | 2 |
| 10.1.4 | Sensitive Aspects excluded from further evaluation | 2 |
| 10.1.5 | Overview of the Subject Development | 3 |
| 10.1.6 | The Authors of the Soils Chapter | 3 |
| 10.1.7 | Sources of Baseline Information | 4 |
| 10.1.7.1 | Certainty and Sufficiency of Information Provided | 4 |
| 10.1.8 | Methodology for Evaluating Soils Effects | 5 |
| 10.1.8.1 | NRA Soil Evaluation Criteria | 5 |
| 10.2 | Sensitive Aspect No.1: Local Soils, Subsoils & Bedrock..... | 7 |
| 10.2.1 | BASELINE CHARACTERISTICS of Local Soils, Subsoils & Bedrock | 7 |
| 10.2.1.1 | STUDY AREA for Local Soils, Subsoils & Bedrock | 7 |
| 10.2.1.1 | Baseline Characteristics of Local Soils, Subsoils & Bedrock in relation to UWF Related Works Study Area | 7 |
| 10.2.1.2 | Importance of Local Soils, Subsoils & Bedrock | 9 |
| 10.2.1.3 | Sensitivity of Local Soils, Subsoils & Bedrock..... | 9 |
| 10.2.1.4 | Trends in the Baseline Environment (the ‘Do-Nothing’ scenario) | 9 |
| 10.2.1.5 | Receiving Environment (the Baseline + Trends) | 9 |
| 10.2.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics..... | 10 |
| 10.2.2.1 | Cumulative Evaluation Study Areas | 10 |
| 10.2.2.2 | Scoping for Other Projects & for Potential for Impacts | 11 |
| 10.2.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 12 |
| 10.2.3 | PROJECT DESIGN MEASURES for Local Soils, Subsoils & Bedrock | 14 |
| 10.2.4 | EVALUATION OF IMPACTS to Local Soils, Subsoils & Bedrock..... | 15 |
| 10.2.4.1 | Impact Evaluation Table: Excavation & Relocation of soils, subsoil, bedrock | 16 |
| 10.2.4.2 | Impact Evaluation Table: Soil and Subsoil Compaction | 20 |
| 10.2.4.3 | Impact Evaluation Table: Soil & Subsoil Erosion..... | 24 |
| 10.2.4.4 | Impact Evaluation Table: Contamination by Oils, Fuels & Chemicals..... | 27 |
| 10.2.4.5 | Impact Evaluation Table: Contamination by Cement Based Compounds | 31 |
| 10.2.4.6 | Description and Rationale for Excluded (scoped out) Impacts..... | 34 |
| 10.2.5 | Mitigation Measures for Impacts to Local Soils, Subsoils & Bedrock | 35 |
| 10.2.6 | Evaluation of Residual Impacts to Local Soils, Subsoils & Bedrock..... | 35 |

| | | |
|-------------|--|-----------|
| 10.2.7 | Application of Best Practice and the EMP for Local Soils, Subsoils & Bedrock..... | 35 |
| 10.2.8 | Summary of Impacts to Local Soils, Subsoils & Bedrock..... | 36 |
| 10.3 | Sensitive Aspect No.2: Lower River Shannon SAC | 37 |
| 10.3.1 | UWF RELATED WORKS – EVALUATED AS EXCLUDED..... | 37 |
| 10.3.1.1 | Baseline Characteristics of Lower River Shannon SAC in relation to UWF Related Works | 37 |
| 10.3.1.2 | Evaluation of UWF Related Works..... | 37 |
| 10.3.1.3 | Cumulative Evaluation for the Other Elements (<i>grey background</i>)..... | 37 |
| 10.3.2 | CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics..... | 38 |
| 10.3.2.1 | Cumulative Evaluation Study Areas | 38 |
| 10.3.2.2 | Scoping for Other Projects or Activity & Potential for Impacts | 38 |
| 10.3.2.3 | Cumulative Information: Baseline Characteristics – Context & Character | 39 |
| 10.3.2.4 | Cumulative Information Baseline Characteristics - Importance of Lower River Shannon SAC .. | 40 |
| 10.3.2.5 | Cumulative Information Baseline Characteristics - Sensitivity of Lower River Shannon SAC..... | 40 |
| 10.3.2.6 | Cumulative Information Baseline Characteristics - Trends in the Baseline Environment (the 'Do-Nothing' scenario) | 40 |
| 10.3.2.7 | Cumulative Information Baseline Characteristics - Receiving Environment (the Baseline + Trends) | 40 |
| 10.3.3 | Cumulative Information: PROJECT DESIGN MEASURES for Lower River Shannon SAC..... | 41 |
| 10.3.4 | Cumulative Information: EVALUATION OF IMPACTS to Lower River Shannon SAC | 41 |
| 10.3.4.1 | Impact Evaluation Table: Excavation & Relocation of Soil, Subsoil and Bedrock | 42 |
| 10.3.4.2 | Impact Evaluation Table: Contamination from Oils, Fuels & Chemicals..... | 44 |
| 10.3.4.3 | Impact Evaluation Table: Contamination from Cement Based Compounds | 46 |
| 10.3.4.4 | Cumulative Information: Description and Rationale for Excluded (scoped out) Impacts | 48 |
| 10.3.5 | Mitigation Measures for Impacts to Local River Shannon SAC..... | 49 |
| 10.3.6 | Evaluation of Residual Impacts to Local River Shannon SAC | 49 |
| 10.3.7 | Application of Best Practice and the EMP for Local River Shannon SAC | 49 |
| 10.3.8 | Summary of Impacts to the Lower River Shannon SAC | 50 |
| 10.4 | Policy Context | 51 |
| 10.4.1 | International Policy | 51 |
| 10.4.2 | National Policy | 51 |
| 10.4.3 | Mid-West Regional Planning Guidelines 2010-2022 | 51 |
| 10.4.4 | North Tipperary County Development Plan 2010 (as varied):..... | 51 |
| 10.5 | Best Practice Measures..... | 52 |
| 10.6 | Summary of the Soils Chapter | 53 |
| 10.6.1 | Summary of UWF Related Works Impacts..... | 53 |
| 10.6.2 | Summary of UWF Related Works Cumulative Impacts | 53 |
| 10.6.3 | Summary of Cumulative Impacts with the Other Elements of the Whole UWF Project | 53 |

10.6.4 Summary of the Cumulative Impacts with Other Projects or Activities 53

10.7 Reference List 54

List of Figures

| Figure No. | Figure Title |
|-------------------|--|
| Figure RW 10.1 | Location of the UWF Related Works |
| Figure RW 10.2.1 | Local Soils & Subsoils within the UWF Related Works Study Area |
| Figure RW 10.2.2 | Local Bedrock within the UWF Related Works Study Area |
| Figure CE 10.2.1 | Local Soils & Subsoils within the UWF Related Works Cumulative Evaluation Study Area |
| Figure CE 10.2.2 | Local Bedrock within the UWF Related Works Cumulative Evaluation Study Area |
| Figure WP 10.2.1 | Local Soils & Subsoils within the Whole Project Cumulative Evaluation Study Area |
| Figure WP 10.2.2 | Local Bedrock within the Whole Project Cumulative Evaluation Study Area |
| Figure WP 10.3 | Lower River Shannon SAC within the Whole Project Cumulative Evaluation Study Area |

Figures and mapping referenced in this topic chapter can be found in **Volume C3 EIAR Figures**.

List of Appendices

| Appendix No. | Appendix Title |
|---------------------|--|
| Appendix 10.1 | Consented Upperchurch Windfarm Site Investigation Data |

Appendices referenced in this topic chapter can be found in **Volume C4 EIAR Appendices**.

Glossary of Terms

| Term | Definition |
|--------------------------------|---|
| Alluvium | Deposits of clays, silts, sands and gravels associated with river action. |
| Blanket Bog | Blanket bog is an area of peatland, forming where there is a climate of high rainfall and a low level of evapotranspiration, allowing decomposed organic material to accumulate over large expanses of undulating ground. |
| Boulder Clay | See glacial till. |
| Glacial Till | Glacial sediment that is deposited directly from glacial ice and therefore not sorted. Also can be called overburden or boulder clay. |
| Greywacke | A variety of argillaceous sandstone that is highly indurated and poorly sorted. |
| Fluvio-glacial Deposits | Sediments deposited by river or/and glacial action. |
| Limestone | A sedimentary rock composed primarily of calcium carbonate. Some 10% to 15% of all sedimentary rocks are limestones. Limestone is usually organic, but it may also be inorganic. |
| Mineral Subsoil | Subsoil derived from parent bedrock material such as sandstone and limestone |
| Metasediments | Material derived from pre-existing rock which has undergone metamorphism. |
| Mudstone | Argillaceous or clay-bearing sedimentary rock which is non-plastic and has a massive non-foliated appearance. |
| Overburden | See glacial till. |

| <u>Term</u> | <u>Definition</u> |
|-------------------------------|---|
| Project Design Measure | Measures for environmental protection, incorporated into the design of the project. |
| Sandstone | A clastic rock composed of particles that range in diameter from 1/16 millimetre to 2 millimetres in diameter. Sandstones make up about 25% of all sedimentary rocks. |
| Schist | A strongly foliated metamorphic rock that develops from mudstone or shale and splits easily into flat, parallel slabs. |
| Shale | A rock formed from fine-grained clay-size sediment. |
| Siltstone | A typically layered and flaggy rock composed of two thirds silt-sized particles. |
| Sensitive Aspect | Any sensitive receptor in the local environment which could be impacted by the project. |
| Topsoil | The uppermost mineral or organic layer of soil |
| Volcanic | An igneous rock formed from lava that has flowed out onto the Earth's surface, characterised by rapid solidification. |

List of Abbreviations

| <u>Abbreviation</u> | <u>Full Term</u> |
|----------------------------|--|
| BPM | Ecopower Best Practice Measure developed by members of the EIAR Team |
| NHA | National Heritage Area as defined by the National Parks and Wildlife Services |
| PD | Ecopower Project Design Environmental Protection Measure developed by members of the EIAR Team |
| SAC | Special Areas of Conservation as defined by the National Parks and Wildlife Services |
| UGC | Underground Cables |
| UWF | Upperchurch Windfarm |

| | |
|-------|-------|
| Topic | Soils |
|-------|-------|

10 Environmental Factor: Soils

10.1 Introduction to the Soils Chapter

10.1.1 What are Soils?

Soil is a biologically active, complex mixture of weathered minerals, organic matter, organisms, air and water. This mixture supports a range of critical functions such as supporting terrestrial ecosystems and biological diversity, agricultural food production, flood alleviation, water filtration and storage, and carbon capture.¹ This Soils chapter relates to the topsoil, peat, and mineral subsoil (collectively referred to as overburden) along with the underlying bedrock.

10.1.2 Overview of Soils in the Local Environment

The UWF Related Works will be located mainly on agricultural grassland, farm tracks and within the public road corridor, see **Figure RW 10.1: Location of the UWF Related Works**. Figures and mapping which are referenced in this topic chapter can be found in **Volume C3 EIAR Figures**.

Soils (*i.e.* superficial geology including subsoils) in the study area comprise mainly mineral or organic (peaty) topsoil over glacial tills with very minor sections of blanket bog.

The underlying bedrock in the study area comprises a mixture of sandstone, limestone and volcanic meta-sediments, with the latter being most predominant.

There is one designated site and one County Geological Heritage Site in the surrounding area; a County Geological Site – Owenbeg Moraines CHS, which relates to cross valley moraines in the Owenbeg Valley near Milestone, and the Lower River Suir SAC which extends up the Owenbeg River valley. Both of these sites are located to the south of the UWF Related Works, which does not exist within the SAC boundary or within the unaudited boundary of County Geology Heritage Site.

Overall, the soil, subsoil and bedrock at the majority of the study area can be considered to have a low to medium geological importance.

¹ www.epa.ie/irelandsenvironment/landandsoil/

10.1.3 Sensitive Aspects of the Soils Environment included for further evaluation

Any sensitive receptor in the local environment which could be impacted by the project is a Sensitive Aspect. The following Sensitive Aspects are included in this topic chapter as they could be potentially impacted:

| | | |
|------------------------|-----------------------------------|--------------|
| Sensitive Aspect No. 1 | Local Soils, Subsoils and Bedrock | Section 10.2 |
| Sensitive Aspect No. 2 | Lower River Shannon SAC | Section 10.3 |

Each of the above listed Sensitive Aspects are evaluated individually in Sections 10.2 to 10.4 of this Chapter.

To help readers navigate to individual sensitive aspect sections, the colour codes for each Sensitive Aspect used above are also used in the Sensitive Aspect sections Section 10.2 to 10.4. The colour-codes have been applied to section headings, tables and on side-tabs on the edge of the pages.

10.1.4 Sensitive Aspects excluded from further evaluation

The following Sensitive Aspects are excluded from this topic chapter:

| | |
|----------------------|---|
| Bleanbeg Bog NHA | <p>Evaluated as having no potential for impacts due to: Bleanbeg Bog NHA is an upland blanket bog which is located approximately 12.2km west of the <u>UWF Related Works</u>, 2.5km north of the UWF Grid Connection (110kV UGC) and Upperchurch Windfarm and 13.2km west of the UWF Replacement Forestry. As no element of the Whole UWF Project is located within this NHA, direct effects on soils and geology within the NHA are scoped out from further evaluation, as no impacts will take place.</p> <p>The potential for indirect hydrological effects are considered in Chapter 11 Water.</p> |
| Mauerslieve Bog NHA | <p>Evaluated as having no potential for impacts due to: Mauerslieve Bog NHA is an upland blanket bog which is located approximately 5km west of the <u>UWF Related Works</u>, 3km north of the UWF Grid Connection and Upperchurch Windfarm and 6.5km west of the UWF Replacement Forestry. As no element of the Whole UWF Project is located within this NHA, direct effects on soils and geology within the NHA are scoped out from further evaluation, as no impacts will take place.</p> <p>The potential for indirect hydrological effects are considered in Chapter 11 Water.</p> |
| Lower River Suir SAC | <p>Evaluated as having no potential for impacts due to: The Lower River Suir SAC is located to the south of the elements of the Whole UWF Project - 5.5km from <u>UWF Related Works</u>, 5.8km from UWF Grid Connection, 6km from Upperchurch Windfarm and 8.5km from UWF Replacement Forestry No element of the Whole UWF Project Interacts directly with the River Suir as there are no works located within the SAC boundary and therefore no direct impacts on soil and geology within the SAC will take place. The potential for indirect effects from sediment laden runoff into the SAC are considered in Chapter 11 Water.</p> |
| Rear Cross Moraine | <p>Evaluated as having no potential for impacts due to: Moraines are located greater than 5km from the <u>UWF Related Works</u>, UWF Replacement Forestry, Upperchurch Windfarm and UWF Other Activities and due to the intervening distance will not cause any effects to the Rear Cross Moraine. The route of the UWF Grid Connection (110kV UGC) is c.1.4km to the south and all works are contained within the carriageway of the public road, and therefore there is no potential for impacts</p> |
| Clare Gen Moraine | <p>Evaluated as having no potential for impacts due to: The construction works areas for UWF Related Works, Upperchurch Windfarm, and planting works associated with UWF Replacement Forestry are located at a substantial distance (>20km) from the Clare Glen Moraine. The construction works area for UWF Grid Connection</p> |

| | |
|-----------------|---|
| | is also located at a distance (2km) from the Moraine and all works are contained within the carriageway of the public road, and therefore there is no potential for impacts. |
| Owenbeg Moraine | Evaluated as having no potential for impacts due to: The construction works areas are located at a distance from and do not intercept the unaudited mapped boundary of the Owenbeg Moraine, which is mapped in the Owenbeg River valley to the south of the <u>UWF Related Works</u> , Upperchurch Windfarm, UWF Grid Connection and UWF Replacement Forestry. |

10.1.5 Overview of the Subject Development

The UWF Related Works are the subject development, being the subject of this appeal to An Bord Pleanála. The main parts of the UWF Related Works are identified in the table below.

Table 10-1: Subject Development – UWF Related Works

| <u>Project ID</u> | <u>The Subject Development</u> | <u>Composition of the Subject Development</u> |
|-------------------|--|---|
| Element 2 | <u>The Subject Development</u> UWF Related Works (RW) | Internal Windfarm Cabling Realigned Windfarm Roads Haul Route Works Telecom Relay Pole RW Ancillary Works |

Note: The UWF Related Works are ‘Element 2’ of the Whole UWF Project.

A description of the location, size and design, life-cycle stages, use of natural resources, emissions and wastes, and the vulnerability to major accidents and natural disasters is provided in **Chapter 5: Description of the Development – UWF Related Works (Volume C2 EIAR Main Report of this EIA Report)**.

This EIA Report is also available on www.upperchurchwindfarm.ie.

10.1.6 The Authors of the Soils Chapter

This report on the Environmental Factor Soils and Geology has been written by David Broderick (BSc, H. Dip Env Eng, MSc): Hydrogeologist; and Michael Gill (P. Geo., B.A., B.A.I., M.Sc., Dip. Geol, MIEI): Environmental Engineer and Hydrogeologist of Hydro-Environmental Services (HES). HES was established in 2005 as a hydrological, hydrogeological and environmental practice, specialising in soils and geology, and peatland and upland hydrology.

10.1.7 Sources of Baseline Information

The information sources outlined in Table 10-2 were reviewed during desktop studies and confirmed during fieldwork in order to gather information on the baseline environment. The recommendations in the guidelines listed in the table, have been considered during the preparation of this chapter.

Table 10-2: Sources of Baseline Information for Soils

| Type | Source |
|---------------------|--|
| Consultation | Feedback was received from <ul style="list-style-type: none"> Irish Peatland Conservation Council See Chapter 3: The Scoping Consultations, Chapter 3 Appendices for further details. |
| Industry Guidelines | <ul style="list-style-type: none"> National Roads Authority (2008): Guidelines on Procedures for Assessment and Treatment of Geology, Hydrology and Hydrogeology for National Road Schemes; and, Institute of Geologists Ireland (2013): Guidelines for Preparation of Soils, Geology & Hydrogeology Chapters in Environmental Impact Statements |
| Desktop | <ul style="list-style-type: none"> Environmental Protection Agency database (www.epa.ie); Geological Survey of Ireland Database (www.gsi.ie); National Parks & Wildlife Services Public Map Viewer (www.npws.ie); Review of Chapter 9: Land Review of the existing EIS and planning documents for the consented Upperchurch Windfarm,, Review of existing site investigation data for the Consented Upperchurch Windfarm (20 no. trial pits and 2 no. peat probes) in the context of the UWF Related Works, (Appendix 10.4) |
| Fieldwork | <ul style="list-style-type: none"> Walkover/driveover surveys and geological mapping |

NOTE: GREY Shading relates to additional information to facilitate the cumulative evaluations.

10.1.7.1 Certainty and Sufficiency of Information Provided

A clear documentary trail is provided throughout this chapter and chapter appendices to the competency of data and methods used and the rationale for selection of same. The information used to compile this chapter is collated from site specific investigations, data and documents generated by public bodies and statutory agencies. In respect of Soil, no trial holes were undertaken along the public road along the UWF Grid Connection, and it has been assumed that the profile of the road is asphalt/bitumen and hardcore over mineral subsoil.

10.1.8 Methodology for Evaluating Soils Effects

10.1.8.1 NRA Soil Evaluation Criteria

The criteria used for soils appraisals are derived from the above listed Guidelines. Whilst this is tailored to the soil appraisal, the significance judgements correspond very closely with the EPA significance criteria with the main point of note being that significance of impacts range from “Imperceptible to Profound”. The criteria and approach for evaluation of soil are set out below.

When assessing the potential impacts on soil and geology resulting from a proposed development, the following approach and criteria are considered: Quantify the Importance; Estimate the Magnitude of the impact; and Determine the Significance of the impact.

Using the National Roads Authority (2008) guidance, an estimation of the importance of the soil and geological environment within the study area is quantified, using the criteria set out in Table 10-3 below. An estimation of the magnitude of the impact is assessed using criteria in Table 10-4 (NRA, 2008) and the rating of environmental impacts is then assessed using criteria in Table 10-5 (NRA, 2008).

Table 10-3: NRA Criteria for Determining the Importance of Soil and Geology

| Importance | Criteria ¹ | Typical Example |
|------------------|--|--|
| Very High | <ul style="list-style-type: none"> Attribute has a high quality, significance or value on a regional or national scale. Degree or extent of soil contamination is significant on a national or regional scale. Volume of peat and/or soft organic soil underlying route is significant on a national or regional scale. | <ul style="list-style-type: none"> Geological feature rare on a regional or national scale (NHA/SAC). Large existing quarry or pit. Proven economically extractable mineral resource. |
| High | <ul style="list-style-type: none"> Attribute has a high quality, significance or value on a local scale. Degree or extent of soil contamination is significant on a local scale. Volume of peat and/or soft organic soil underlying site is significant on a local scale. | <ul style="list-style-type: none"> Contaminated soil on site with previous heavy industrial usage. Large recent landfill site for mixed wastes. Geological feature of high value on a local scale (County Geological Site). Well drained and/or high fertility soils. Moderately sized existing quarry or pit. Marginally economic extractable mineral resource. |
| Medium | <ul style="list-style-type: none"> Attribute has a medium quality, significance or value on a local scale. Degree or extent of soil contamination is moderate on a local scale. Volume of peat and/or soft organic soil underlying site is moderate on a local scale. | <ul style="list-style-type: none"> Contaminated soil on site with previous light industrial usage. Small recent landfill site for mixed Wastes. Moderately drained and/or moderate fertility soils. Small existing quarry or pit. Sub-economic extractable mineral resource. |
| Low | <ul style="list-style-type: none"> Attribute has a low quality, significance or value on a local scale. Degree or extent of soil contamination is minor on a local scale. Volume of peat and/or soft organic soil underlying site is small on a local scale. | <ul style="list-style-type: none"> Large historical and/or recent site for construction and demolition wastes. Small historical and/or recent landfill site for construction and demolition wastes. Poorly drained and/or low fertility soils. Uneconomically extractable mineral resource. |

¹ High quality and a high degree of site contamination are put side by side in this table, because either could be a potentially constraining factor when developing a site. High quality will likely be more relevant to a Greenfield site, while the extent of

contamination will likely be more relevant to a Brownfield site. The higher the quality or contamination means the higher the potential for constraints (i.e. the higher the importance).

Table 10-4: NRA Estimation of Magnitude of Impact (NRA, 2008)

| <u>Magnitude of Impact</u> | <u>Criteria</u> | <u>Typical Examples</u> |
|----------------------------|---|---|
| Large Adverse | Results in loss of attribute | <ul style="list-style-type: none"> • Loss of high proportion of future quarry or pit reserves • Irreversible loss of high proportion of local high fertility soils • Removal of entirety of geological heritage feature • Requirement to excavate / remediate entire waste site • Requirement to excavate and replace high proportion of peat, |
| Moderate Adverse | Results in impact on integrity of attribute or loss of part of attribute | <ul style="list-style-type: none"> • Loss of moderate proportion of future quarry or pit reserves • Removal of part of geological heritage feature • Irreversible loss of moderate proportion of local high fertility soils • Requirement to excavate / remediate significant proportion of waste site • Requirement to excavate and replace moderate proportion of peat, |
| Small Adverse | Results in minor impact on integrity of attribute or loss of small part of attribute | <ul style="list-style-type: none"> • Loss of small proportion of future quarry or pit reserves • Removal of small part of geological heritage feature • Irreversible loss of small proportion of local high fertility soils and/or • High proportion of local low fertility soils • Requirement to excavate / remediate small proportion of waste site • Requirement to excavate and replace small proportion of peat, • Organic soils and/or soft mineral soils beneath alignment |
| Negligible | Results in an impact on attribute but of insufficient magnitude to affect either use or integrity | <ul style="list-style-type: none"> • No measurable changes in attributes |

Table 10-5: NRA Rating of Environmental Impacts at EIAR Stage (NRA, 2008)

| | <u>Magnitude of Impact</u> | | | |
|------------------------------|----------------------------|----------------------|----------------------|----------------------|
| <u>Importance of Tribute</u> | Negligible | Small Adverse | Moderate Adverse | Large Adverse |
| Extremely High | Imperceptible | Significant | Profound | Profound |
| Very High | Imperceptible | Significant/Moderate | Profound/Significant | Profound |
| High | Imperceptible | Moderate/Slight | Significant/Moderate | Profound/Significant |
| Medium | Imperceptible | Slight | Moderate | Significant |
| Low | Imperceptible | Imperceptible | Slight | Slight/Moderate |

10.2 Sensitive Aspect No.1: Local Soils, Subsoils & Bedrock

This Section provides a description and evaluation of the Sensitive Aspect - Local Soils, Subsoils & Bedrock.

10.2.1 BASELINE CHARACTERISTICS of Local Soils, Subsoils & Bedrock

10.2.1.1 STUDY AREA for Local Soils, Subsoils & Bedrock

The study area for Local Soils, Subsoils & Bedrock in relation to the UWF Related Works is described in Table 10-6 and illustrated on **Figures RW 10.2 Local Soils & Subsoils within the UWF Related Works Study Area** and **Figures RW 10.3: Local Bedrock within the UWF Related Works Study Area** (Volume C3 EIAR Figures).

Table 10-6: UWF Related Works Study Area for Local Soils, Subsoils & Bedrock

| Study Area for Local Soils, Subsoils & Bedrock | Justification for the Study Area Extents |
|--|---|
| Within the construction works area boundary and immediate adjacent lands that adjoin the works area boundary | Only direct effects on soils and geology are anticipated. |

10.2.1.1 Baseline Characteristics of Local Soils, Subsoils & Bedrock in relation to UWF Related Works Study Area

To put the soil and geological environment into context, the current landuse in the study area is briefly described here.

The UWF Related Works which will be located in the area of the Consented Upperchurch Windfarm are located on land comprising mainly upland agricultural grassland and some forestry. Some of the related Haul Route Works are located along the verges of local existing public roads. An overview of the current landuse at the other elements of the Whole UWF Project is shown in Table 10-7 below. Please refer to the Land Chapter (Chapter 9) for full details relating to landuse within the UWF Related Works study area. For information relating to historical landuse at the construction works areas, please refer to the Cultural Heritage Chapter (Chapter 16).

Table 10-7: Overview of Landuse within the Cumulative Evaluation Study Area (Other Elements)

| Element | Total Landuse (Ha) | Forestry | Agricultural | Public Roads |
|----------------------|--------------------|----------|--------------|--------------|
| UWF Related Works | 20.9 | 34% | 59% | 7% |
| Upperchurch Windfarm | 56.3 | 17% | 83% | 0% |

A summary of the Geological Survey of Ireland (GSI) mapped subsoil and bedrock geology within the UWF Related Works study areas is shown in Table 10-8 below. The GSI mapping for subsoils and bedrock geology is illustrated on **Figure RW 10.2.1 to Figure RW 10.2.3** (Local Subsoil Maps 1 to 3), and **Figure RW 10.3.1 to Figure RW 10.3.2** (Local Bedrock Geology Maps 1 and 2).

Table 10-8: Summary of the GSI Mapped Geology within the UWF Related Works Study Area

| <u>UWF Related Works</u> | <u>Length (km) /Parts</u> | <u>General Bedrock Unit Name</u> | <u>GSI Local Bedrock Formation Description</u> | <u>Main Subsoil Type</u> | <u>Main Soil Type</u> |
|------------------------------------|---------------------------|---------------------------------------|--|--|--|
| All parts of the UWF Related Works | All | Silurian Meta-sediments and Volcanics | Greywacke, Siltstone and Grit | Sandstone and Shale Tills with some Blanket Peat | Well Draining and Poorly Draining Mineral soil |

Detailed site investigations, (included as [Appendix 10.4](#)), were undertaken in the UWF Related Works study area back in 2012 as part of the original windfarm site investigation works. Walkover surveys of the UWF Related Works area were completed between January 2016 and September 2017. The locations of site investigations are identified on [Figure RW 10.2](#). The findings of the walkover surveys and 2012 site investigations are summarised in Table 10-9.

Table 10-9: Summary of Local Geology and Ground Conditions in UWF Related Works Study Area

| <u>Location</u> | <u>Landuse</u> | <u>Site Investigations</u> | <u>Summary of Local Geology and Ground Conditions</u> |
|---------------------------------------|---|--------------------------------------|--|
| Internal Windfarm Cabling (S1 – S22) | Mainly grassland with some forestry | 7 no. Trial Pits 1 no. Peat Probe | <ul style="list-style-type: none"> • Peaty and shallow well draining soil over sandstone and shale till • Trial pits encountered organic topsoil (<0.3m) on CLAY mineral subsoil over SILTSTONE bedrock • Depth to bedrock ranged from 1.8m to 2.3m • Peat with a depth of <1m was encountered at permitted turbine location T05 |
| Internal Windfarm Cabling (S23 – S31) | Grassland along with some forestry firebreaks | 1 no. Trial Pits | <ul style="list-style-type: none"> • Peaty and poorly draining soil over sandstone and shale till • Trial pit encountered organic topsoil (<0.2m) on CLAY mineral subsoil SILTSTONE bedrock • Depth to bedrock recorded at 2m |
| Internal Windfarm Cabling (S32 – S57) | Grassland along with some forestry firebreaks | 7 no. Trial Pits 1 no. Peat Probe | <ul style="list-style-type: none"> • Peaty and shallow well draining soil over sandstone and shale till • Trial pits encountered organic topsoil (<0.2m) on CLAY mineral subsoil over SHALE or SILTSTONE bedrock • Depth to bedrock ranged from 1.6m to 3m • Peat with a depth of <1m was encountered at turbine location T14 |
| Internal Windfarm Cabling (S58 – S71) | Grassland along with some forestry firebreaks | 2 no. Trial Pits | <ul style="list-style-type: none"> • Peaty and poorly draining soil over sandstone and shale till • Trial pits encountered organic topsoil (<0.2m) on CLAY mineral subsoil SILTSTONE bedrock • Depth to bedrock was recorded at 1.2 and 2.2m |
| Internal Windfarm Cabling (S72 – S83) | Grassland with some forestry | 4 no. Trial Pits | <ul style="list-style-type: none"> • Peaty and shallow well draining soil over sandstone and shale till • Trial pits encountered organic topsoil (<0.2m) on CLAY mineral subsoil SILTSTONE bedrock • Depth to bedrock was recorded between 0.45 and 1.7m |
| Telecom Relay Pole | Grassland | Walkover Survey | <ul style="list-style-type: none"> • Well draining soil over Sandstone and Shale Tills • Trial pits undertaken at the turbine locations locally met bedrock at 1.7m |

Local Soils, Subsoil & Bedrock

Sensitive Aspect

Soils

Topic

| <u>Location</u> | <u>Landuse</u> | <u>Site Investigations</u> | <u>Summary of Local Geology and Ground Conditions</u> |
|--------------------------|---|----------------------------|--|
| Haul Route Works | Public Road, Public Road Verges and grassland | Walkover Survey | • Peaty to poorly draining soil over sandstone and shale tills |
| Realigned Windfarm Roads | Grassland and Forestry | Walkover Survey | • Peaty to poorly draining soil over sandstone and shale tills |

Local Soils, Subsoil & Bedrock

Sensitive Aspect

10.2.1.2 Importance of Local Soils, Subsoils & Bedrock

Soil, subsoil and bedrock at the works areas are not designated (*i.e.* NHA/SAC etc) and the soil types are locally and regionally abundant and are not unique in any way. These soils are heavily altered by the existing landuse as a result of agricultural land improvements and/or forestry drainage. Therefore, based on the criteria set out in Table 10-3, the importance of the soils at the entirety of the UWF Related Works study area is classed as having a low to medium importance.

10.2.1.3 Sensitivity of Local Soils, Subsoils & Bedrock

Soils and geology can be sensitive to processes such as erosion, compaction and drainage. The rate of these processes can be increased by certain landuse practices or landuse changes such as deforestation. Soil is also biologically active and it supports complex ecosystems which are sensitive to chemical and biological changes.

10.2.1.4 Trends in the Baseline Environment (the 'Do-Nothing' scenario)

The soils and subsoils in the study areas have all been altered to some extent by drainage or by other land improvement works related to the existing land use (*i.e.* forestry and agriculture). These landuse improvement practices are expected to continue, as agricultural land and forestry regularly needs continued ploughing, seeding, planting etc to improve soil and subsoil structure. This leaves land susceptible for periods to erosion and compaction. Forestry tracks and farm tracks are also regularly upgraded. The other main, on-going, land use improvement practice that will directly affect soil and subsoil is drainage works.

10.2.1.5 Receiving Environment (the Baseline + Trends)

Rates of natural processes (*i.e.* erosion and weathering) and changes made by landuse practices are typically relatively slow. Therefore it is assumed in this report that the baseline environment for soils as identified above will be the receiving environment at the time of construction.

Soils

Topic

10.2.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics

10.2.2.1 Cumulative Evaluation Study Areas

10.2.2.1.1 UWF Related Works Cumulative Evaluation Study Area

The UWF Related Works was evaluated for cumulative effects with other projects and the study area is set out in the table below.

| UWF Related Works Cumulative Evaluation Study Area for Local Soils, Subsoil & Bedrock | Justification for the Study Area Extents |
|---|--|
| Boundary of UWF Related Works construction works areas | Only direct effects on soils and geology are anticipated |

The study is illustrated on **Figure CE 10.2.1: Local Soils & Subsoil within the UWF Related Works Cumulative Evaluation Study Area** and on **Figure CE 10.2.2: Bedrock within the UWF Related Works Cumulative Evaluation Study Area**.

10.2.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

The Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in order to present the totality of the project.

A description of these Other Elements is included in this EIA Report at **Appendices 5.3, 5.4, 5.5 and 5.6**, in **Volume C4 EIAR Appendices**. Scoping of these Other Elements is presented in **Section 10.2.2.2.1** below.

The Whole Project Cumulative Evaluation Study Area comprises of the UWF Related Works Study Area along with the study areas for Other Elements and Other Projects or Activities which are described in Table 10-10 and illustrated on **Figure WP 10.2.1: Local Soils & Subsoils within the Whole Project Cumulative Evaluation Study Area** and **Figure WP 10.2.2: Bedrock within the Whole Project Cumulative Evaluation Study Area** (Volume C3 EIAR Figures).

Table 10-10: Whole Project Cumulative Evaluation Study Area for Local Soils, Subsoils & Bedrock

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|--|--|---|
| Element 1: UWF Grid Connection | Boundary of works areas and activity locations | Only direct effects on soils and geology are anticipated. |
| Element 3: UWF Replacement Forestry | | |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

Local Soils, Subsoil & Bedrock

Sensitive Aspect

Soils

Topic

10.2.2.2 Scoping for Other Projects & for Potential for Impacts

The evaluation of cumulative impacts to Local Soils, Subsoils & Bedrock also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Local Soils, Subsoils & Bedrock with either the UWF Related Works or the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in **Appendix 2.3: Scoping of Other Projects or Activities (Sections A2.3.1 and A2.3.2.10)**.

The results of this scoping exercise are that: no other projects or activities will cause cumulative effects to Local Soils, Subsoils & Bedrock with UWF Related Works or with the Other Elements.

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project and for the Other Projects or Activities to cause cumulative effects to the Sensitive Aspect Local Soils, Subsoils and Bedrock. The results of this evaluation is included in Table 10-11.

The location of, and study area boundary associated with, the Other Elements is illustrated on **Figure WP 10.2.1:** and **Figure WP 10.2.2**. The baseline character of the areas around these projects is described in Section 10.2.2.3.

Table 10-11: Results of the Evaluation of the Other Elements and Other Projects or Activities

| Other Element of the Whole UWF Project | |
|---|--|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects |
| Element 3: UWF Replacement Forestry | <p><u>Evaluated as excluded:</u> Neutral effect/No potential for effects due to:</p> <ul style="list-style-type: none"> • Neutral excavation/relocation effects or erosion effects to local soils or subsoils as there will be no requirement for mechanical excavations with the UWF Replacement Forestry being planted by hand using spades (Project Design Measure), any excavation of soil will be very localized and shallow. • No potential for compaction effects, as there will be no use of heavy machinery during the planting or maintenance activities, • No potential for impacts to bedrock, as there will be no requirement to excavate bedrock. • Neutral contamination effects, as there will be no refuelling of vehicles, no storage of fuels and no overnight parking permitted within the site (Project Design Measure), • No potential for contamination of soils by pesticides, fertilizers or cementitious materials, as pesticides or fertilizers will not be used (Project Design Measure) and there will be no requirement for cement based products for the UWF Replacement Forestry, • No effects on soils and geology are expected during the growing (operational) phase as there is no requirement for any excavations. • The UWF Replacement Forestry will be permanent woodland (project design) therefore no harvesting (changes to the project) will occur. |
| Element 4: Upperchurch Windfarm (UWF) | <u>Included</u> for the evaluation of cumulative effects |
| Element 5: UWF Other Activities | <p><u>Evaluated as excluded:</u> Neutral effect/No potential for effects due to:</p> <ul style="list-style-type: none"> • Haul Route Activities: no potential for impacts as matting will be laid over any reinstated verges as necessary; these activities will not require any works, excavations or relocation of soils. • Overhead Line Activities: Neutral impact, these activities will involve cable wrapping and re-sagging of the overhead existing lines and there and will not |

involve mechanical excavation or relocation of soils, therefore effects on soils will be Neutral.

- Upperchurch Hen Harrier Scheme: Neutral impact, this activity will comprise planting and fencing at hedgerows, watercourse boundaries and areas of scrub. These activities will generally take place on the periphery of fields and will not involve mechanical excavation or moving soils, therefore effects on soils will be Neutral. During the Operational Stage of UWF, farming practices under the Upperchurch Hen Harrier Scheme will, to a certain extent, cause lands to revert back to wet grassland which will have a neutral effect on soils over time, due to the extent of the Scheme area in the context of the extent of soils in the surrounding area.
- Monitoring Activities: No potential for impacts, these activities will not require any works, excavations or relocation of soils.

10.2.2.3 Cumulative Information: Baseline Characteristics – Context & Character

10.2.2.3.1 Element 1: UWF Grid Connection – *including preliminary preferred 110kV UGC route Jan'19*

The UWF Grid Connection will be located in the Slievefelim to Silvermine Mountain upland area, predominately on public roads, and with a small area at Mountphilips Substation on agricultural lands, and a small area at the Consented UWF Substation on forestry road, as outlined in Table 10-12.

The 110kV UGC will run in an easterly direction from the new Mountphilips Substation, which will be constructed on a grassland site near Newport, and crosses under the southern hills of the Silvermine Mountains / Slievefelim Mountains on the R503 towards the Consented UWF Substation. The straight line distance between the Mountphilips Substation and the Consented UWF Substation is ~23km while the actual length of the 110kV UGC route is ~28.9km.

An overview of the current landuse at the UWF Grid Connection areas is shown in Table 10-12 below. Please refer to the Land Chapter (Chapter 9) for full details relating to landuse within the UWF Grid Connection study area. For information relating to historical landuse at the construction works areas, please refer to the Cultural Heritage Chapter (Chapter 16).

Table 10-12: Overview of Landuse within the UWF Grid Connection Study Area

| <u>Element</u> | <u>Total Landuse (Ha)</u> | <u>Forestry</u> | <u>Agricultural</u> | <u>Public Roads</u> |
|---------------------|---------------------------|-----------------|---------------------|---------------------|
| UWF Grid Connection | 30.0 | 4% | 16.2% | 80.3% |

The GSI mapped subsoils along the route of the UWF Grid Connection comprise mainly of sandstone tills and shale and sandstone tills. The GSI mapped bedrock along the route comprises Silurian Meta-sediments and Volcanics on the eastern half of the route and a mixture of Dinantian Sandstones, Shales and Limestone and Old Red Sandstones on the western half of the route.

The GSI mapping for subsoils and bedrock geology along the UWF Grid Connection is illustrated on [Figure WP 10.2.1](#) and on [Figure WP 10.3.2](#).

UWF Grid Connection project overlaps with the UWF Related Works Cumulative Evaluation Study Area in the Knockmaroe, Knockcurraghbola Commons, and Knockcurraghbola Crownlands where the 110kV UGC is located the public roads R503, L2264-50 and L-6188-0 and along the private road to the Consented UWF Substation.

10.2.2.3.2 Element 3: UWF Replacement Forestry

Not applicable – Element evaluated as excluded. See Section 10.2.2.2.1.

10.2.2.3.3 Element 4: Already Consented Upperchurch Windfarm

The Consented Upperchurch Windfarm is located on land comprising mainly upland agricultural grassland and some forestry. An overview of the current landuse is shown in Table 10-13 below.

Table 10-13: Overview of Landuse within the Cumulative Evaluation Study Area (Other Elements)

| <u>Element</u> | <u>Total Landuse (Ha)</u> | <u>Forestry</u> | <u>Agricultural</u> | <u>Public Roads</u> |
|----------------------|---------------------------|-----------------|---------------------|---------------------|
| Upperchurch Windfarm | 56.3 | 17% | 83% | 0% |

A summary of the 2012 site investigations for the Upperchurch Windfarm is presented in Table 10-14.

Table 10-14: Summary of Local Geology and Ground Conditions on the Upperchurch Windfarm

| <u>Location</u> | <u>Landuse</u> | <u>Site Investigations</u> | <u>Summary of Local Geology and Ground Conditions</u> |
|--------------------------------|-----------------------|-------------------------------------|---|
| Consented Upperchurch Windfarm | Grassland Forestry | 20. Trial Pits 2 no. Peat Probes | <ul style="list-style-type: none"> • Poorly draining peaty soil and well draining soil over Sandstone and Shale Tills • Most peat has been removed due to past agriculture improvements • Thin peat remains in some forested areas (<1m) • Trial holes mainly encountered peaty topsoil on gravelly CLAY over weathered SILTSTONE bedrock • Depth to bedrock ranged from 1.2 to 2.9m with an average of 1.9m • Peat probes undertaken at consented turbine locations T05 and T14 recorded peats depth less than 1m • (These 20 no. windfarm trial pits are discussed above in the context of the UWF Related Works) |

Consideration of the Passage of Time: There has been no changes to the soils, subsoils and bedrock of the Upperchurch Windfarm area, and the descriptions in the 2013 and 2014 documents remain relevant to the cumulative evaluations in this Revised EIAR. Therefore it is considered that there has been no material changes in the baseline environment.

10.2.2.3.4 Element 5: UWF Other Activities

Not applicable – Element evaluated as excluded. See Section 10.2.2.2.1.

10.2.3 PROJECT DESIGN MEASURES for Local Soils, Subsoils & Bedrock

At the conception of the UWF Related Works, the design team evaluated the potential for significant impacts to the environment. Impacts will only take place where three components exist together; (1) the source of the impact (project), (2) the receptor of the impact (sensitive aspect) and (3) a pathway between the source and the sensitive aspect. The objective of mitigation measures is to avoid, prevent or reduce, one of the three components of an impact by choosing an alternative location, alternative design or an alternative process.

Potential or likely significant impacts were avoided, prevented or reduced by integrating mitigation measures into the fundamental design of the development – these are the Project Design Environmental Protection Measures, which are shortened to ‘Project Design Measures’ in this EIA Report.

The development as evaluated in the EIA Report incorporates the Project Design Measures.

The Project Design Measures outlined in Table 10-15 are relevant to the Environmental Factor, Soils, and in particular to the sensitive aspect **Local Soils, Subsoils & Bedrock**.

Table 10-15: UWF Related Works Project Design Measures relevant to Local Soils, Subsoils & Bedrock

| PD ID | Project Design Environmental Protection Measure (PD) |
|-------|--|
| PD05 | Land reinstatement will not be carried out during very wet weather or when the soil is waterlogged. |
| PD06 | If any compaction has occurred along the construction works area, these areas will be ploughed with a sub-soiler to loosen the subsoil layer |
| PD07 | Construction traffic will be restricted to the construction works area and tracking across adjacent ground will not be permitted |
| PD10 | Only precast concrete culverts or structures will be used at watercourse crossing locations. No batching of wet cement will take place on-site. |
| PD15 | Permanent overburden storage berms will be graded and seeded immediately after emplacement. |
| PD18 | There will be no refuelling of vehicles or plant permitted within 100m of a watercourse |
| PD19 | The main fuel stocks for, and chemical wastes arising from, construction activities will be stored in a designated location, away from main traffic activity, within the temporary compound (Consented Upperchurch Windfarm Site Compound No.1). All fuel will be stored in bunded, locked storage containers. |
| PD20 | Overnight parking of plant and machinery will only be permitted at locations which are greater than 50m from watercourses and where there is an existing hard-core surface in place. |

Cumulative Information: Potential or likely significant impacts caused by the Other Elements of the Whole UWF Project were avoided, prevented or reduced by incorporating Project Design Measures into the design of the UWF Grid Connection and into the consented design of the Upperchurch Windfarm. These Project Design Measures are included in the description of these Elements, and can be found in this EIA Report in [Appendices 5.3 and 5.5](#), in **Volume C4: EIAR Appendices**.

10.2.4 EVALUATION OF IMPACTS to Local Soils, Subsoils & Bedrock

In this Section, the likely direct and indirect effects of the UWF Related Works are identified and evaluated. Then the likely cumulative effects of the UWF Related Works together with the Other Elements of the Whole UWF Project and Other Projects or Activities are identified and evaluated.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Local Soils, Subsoils & Bedrock.

As a result of the exercise, some impacts were included and some were excluded.

Table 10-16: List of all Impacts included and excluded from the Impact Evaluation Table sections

| Impacts <u>Included</u> (Evaluated in the Impact Evaluation Table sections) | Impacts <u>Excluded</u> (Justification at the end of the Impact Evaluation Table sections) |
|---|--|
| Excavation and relocation of soil, subsoil and bedrock (Construction Stage) | <i>Operational stage effects</i> |
| Soil and subsoil compaction (Construction Stage) | <i>Decommissioning stage effects</i> |
| Soil and subsoil erosion (Construction Stage) | |
| Contamination from Oils, Fuels & Chemicals (Construction Stage) | |
| Contamination from Cement Based Compounds (Construction Stage) | |

The source-pathway-receptor links for included impacts are described in the **Impact Evaluation Tables**, which are presented in the following sections 10.2.4.1 to 10.2.4.5.

The source-pathway-receptor links and the rationale for excluded impacts are described in the section directly after the Impact Evaluation Table sections - Section 10.2.4.6.

| | | |
|--------------------------------|--|--------------------|
| Local Soils, Subsoil & Bedrock | 10.2.4.1 Impact Evaluation Table: Excavation & Relocation of soils, subsoil, bedrock | |
| | Impact Description | |
| Sensitive Aspect | Project Life Cycle Stage: | Construction stage |
| | Impact Source: Groundworks, earthworks | |
| | Cumulative Impact Source: Groundworks, earthworks, extraction from borrow pits | |
| | Impact Pathway: Excavation, movement and mounding of overburden | |
| | Impact Description: The physical excavation and relocation of soil, subsoil and to a lesser extent bedrock from its natural location to a different location. All excavated and relocated soil will be contained within the boundary of construction works areas. | |
| | Impact Quality: Negative | |
| | Evaluation of the Subject Development - Excavation & Relocation of soils, subsoil and bedrock | |
| | Element 2: UWF Related Works – direct/indirect impact | |
| | Impact Magnitude: | |
| | <ul style="list-style-type: none"> • In total, approximately 11,830m³ of natural material will be excavated and this will mainly arise from the internal cable trenching/joint bays, haul route works, Realigned Windfarm Roads and Telecom Relay Pole. This will include topsoil (4,750m³), subsoil (6,670m³) to a much lesser extent bedrock (360m³) and spoil (50m³); and, • ~930m³ of overburden will be permanently stored within the windfarm and the remainder (10,850 m³) will be reinstated within the works area. The 02 (refer to Table 10-4) as the excavation volumes which are relatively small, will be spread out over the area of the Upperchurch Windfarm | |
| | Significance of the Impact: Slight to Moderate | |
| | Rationale for Impact Evaluation: | |
| | <ul style="list-style-type: none"> • As per Table 10-4, Moderate Adverse magnitude combined with the Medium to Low Importance of soils and geology within the study area; • The relatively small excavation volumes required for the internal windfarm cable trench by it being virtue of a narrow, relatively shallow excavation; • Approximately 62% (11.1 of the total 17.9km) of the internal windfarm cabling will be within the Consented UWF Roads thereby reducing overall excavations volume requirements; • The small area of lands subject to works, in the context of the UWF Related Works site overall landholding (<1% for both agricultural and forestry); • The relatively shallow nature of the excavation works required for the other elements of the Windfarm Related works (i.e. haul route works, Realigned Windfarm Roads and Telecom Relay Pole); • All works will be temporary and transient in nature; • All excavations will be fully reinstated and landscaped immediately after the works by virtue of the design (i.e. backfilling and reinstatement of the internal cable trenching); • Following the completion of construction works in an area, lands will be reinstated to at least their former (or better) condition and returned to the landowner for use as before; • The soil and geology at the UWF Related Works area is abundant and not unique in any way; and, • The soil and geology is only of low to medium importance and is not designated (i.e. SAC, NHA or pNHA) | |
| | Element 2: UWF Related Works – cumulative impact | |
| | Cumulative Impact Magnitude: | |
| Soils | Cumulative impacts relate to the combined excavation and relocation of soils within 28 No. landholdings which contain both UWF Related Works and Upperchurch Windfarm Works. In total, UWF Related Works will cause the excavation and relocation (from its natural location) of 7,900m ³ of overburden and 400m ³ of bedrock in these landholdings. Upperchurch Windfarm will cause the additional excavation and relocation of 108,000m ³ of | |
| | | |
| Topic | | |

overburden and 43,000m³ of bedrock in these landholdings. It is considered that the overall impact magnitude will be Moderate Adverse (refer to Table 10-4).

UWF Grid Connection will not cause cumulative effects to soils, as all excavations for the 110kV UGC will be in public road and bitumen surfaced forestry road, and all excavations will consist of spoil.

There are no Other Projects or Activities with potential to cause cumulative effects with UWF Related Works.

Significance of the Cumulative Impact: Slight to Moderate

Rationale for Cumulative Impact Evaluation:

- As per Table 10-4, Moderate Adverse magnitude combined with the Medium to Low Importance of soils and geology within the study area;
- Approximately 62% of the internal windfarm cabling will be within the Consented UWF Roads thereby reducing overall excavations volumes;
- The very small scale (1% or less) of lands subject to works, on average for all landholdings; and,
- The transient and temporary nature of the construction works.

Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project

Element 1: UWF Grid Connection

Impact Magnitude:

- In total, approximately 26,280 m³ of geological material will be permanently excavated and this will mainly arise from the ground works and new access road for Mountphilips Substation and the trenching/joint bays for the 110kV UGC ; comprising topsoil (2,470m³), , subsoil, (1570m³), rock (30m³), and spoil from public road excavations (22,210m³);
- 3,770m³ of the excavated material will be permanently stored along the new access road to Mountphilips Substation as linear berms along both sides of the road, and the remainder (300m³) will be reinstated within the works area at Coole/Mountphilips.
- The 22,210m³ of spoil from the public road excavations will be removed to a licenced waste facility.
- It is considered that the impact magnitude will be Small Adverse (refer to Table 10-4) as the excavation volumes, which are relatively small, will be spread out over a large geographical area over the length of the UWF Grid Connection (i.e. 28.9km latitudinal distance).

Significance of the Impact: Slight

Rationale for Impact Evaluation:

- As per Table 10-4, Small Adverse magnitude combined with the Medium to Low Importance of soils and geology within the study area;
- The excavations required for the 110kV UGC works will be spread out over a large geographical area - 28.9km latitudinal distance, therefore are not concentrated in any one area, thereby distributing the overall effect on soils and geology over a wide geographical area);
- The relatively shallow nature of the excavation works required for the 110kV UGC, Mountphilips Substation, new access roads and site entrance;
- All excavations will be fully reinstated and landscaped immediately after the works by virtue of the design (i.e. backfilling and reinstatement of the 110kV UGC cable trench);
- All effects will be direct and relatively localised;
- The soil and geology at the Mountphilips Substation and along the 110kV UGC are abundant and are not unique in any way;
- With the exception of the short sections of the 110kV UGC route within the Lower River Shannon SAC (which is assessed separately below), the soil and geology is of low to medium importance; and,
- All works will be temporary and generally transient in nature

Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 10.2.2.2.1.

| | | |
|--------------------------------|------------------|---|
| Local Soils, Subsoil & Bedrock | Sensitive Aspect | Element 4: Consented Upperchurch Windfarm |
| | | <p>Impact Magnitude:</p> <ul style="list-style-type: none"> As per the 2013 EIS, construction of the Upperchurch Windfarm will result in the removal of 108,000m³ of overburden. This will comprise soil (25,500m³), subsoil (79,600m³) and peat (2,900m³); There will be a total of 6 no. borrow pits within the site extracting bedrock with the total rock volume estimated at 43,000m³ (EIAR, 2017); Up to 56,000m³ of overburden will be reinstated and used for landscaping; Up to 52,000m³ of overburden will be permanently stored in bunds along Consented UWF Roads and at Consented Upperchurch Turbine hardstanding areas and around the met mast areas; and, As per the ABP Inspectors Report (2014, Section 2), the footprint of the Upperchurch Windfarm comprises 11ha within a total landholding area of c.1,050 hectares. Therefore, the footprint of the development accounts for only 1% of the total Upperchurch Windfarm landholding. It was assessed in the 2013 EIS that the effects on soils and geology will not be significant in light of the consented mitigation measures. This is equivalent to 'Not Significant' in respect of terminology used herein. |
| | | Significance of the Impact: Not Significant |
| | | <p>Rationale for Impact Evaluation:</p> <ul style="list-style-type: none"> the small scale (~1%) of lands subject works, in the context of the size of total windfarm landholding. the volume of overburden / bedrock to be excavated is minimal in the context of the natural resources present within the windfarm landholding; and, Following the completion of construction works in an area, lands outside the hard-core footprint of the Upperchurch Windfarm will be reinstated to their former condition and returned to the landowner for use as before. |
| Soils | Topic | Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 10.2.2.2.1. |
| | | Evaluation of Other Cumulative Impacts – Excavation & Relocation of soils, subsoil and bedrock |
| | | Whole UWF Project Effect- Excavation & Relocation of soils, subsoil and bedrock |
| | | <p>Cumulative Impact Magnitude:</p> <p>The Whole UWF Project effects relates to the combined excavations and relocation of soils for all of the UWF Related Works, Upperchurch Windfarm and UWF Grid Connection elements. Combined excavation volumes will involve the excavation and relocation (from its natural location) of up to 146,110m³ of overburden and the excavation of 43,390m³ of bedrock within a combined landholding area of approximately 2,329 hectares across at latitudinal distance of ~30km.</p> <p>It is considered that the overall impact magnitude will be Moderate Adverse (refer to Table 10-4) as the excavation volumes, which are moderate proportions, will be spread out over a large geographical area along the UWF Grid Connection and within the UWF Related Works/Upperchurch Windfarm site.</p> |
| | | Significance of the Cumulative Impact: Slight to Moderate |
| Soils | Topic | <p>Rationale for Cumulative Impact Evaluation:</p> <ul style="list-style-type: none"> As per Table 10-4, Moderate Adverse magnitude combined with the Medium to Low Importance of soils and geology within the study area; Due to the direct nature effects of excavation works on soils and geology (i.e. impacts will be limited to the construction works area) and the fact that each of the project development elements will largely have their own construction works area (with the exception of a short overlap of the 110kV UGC and the UWF Related Works/Upperchurch Windfarm and described below), increased excavations at any one element of the development will not be greater as a result of the works at another element of the development; Only approximately 0.6km of the 110kV UGC route exists within the UWF Related Works/Upperchurch Windfarm landholding on its approach to the Consented UWF Substation and along the local roads L2264-50 and L6188-0 adjacent to haul route works H8-H12, and therefore the effect of increased excavation volumes on soils and geology within the UWF Related Works/Upperchurch Windfarm site is negligible; |

| |
|---|
| <ul style="list-style-type: none">• With respect to the UWF Related Works. Approximately 62% of the internal windfarm cabling will be within the Consented UWF Roads thereby reducing overall excavations volumes;• The very small scale (1% or less) of lands subject to works, on average for all landholdings; and,• The transient and temporary nature of the construction works. |
| |

| |
|--------------------------------|
| Local Soils, Subsoil & Bedrock |
| Sensitive Aspect |

| |
|-------|
| Soils |
| Topic |

| | | |
|--------------------------------|---|--------------------|
| Local Soils, Subsoil & Bedrock | 10.2.4.2 Impact Evaluation Table: Soil and Subsoil Compaction | |
| | Impact Description | |
| Sensitive Aspect | Project Life Cycle Stage: | Construction stage |
| | Impact Source: Construction traffic movement, temporary infrastructure and temporary storage of overburden | |
| | Cumulative Impact Source: Construction traffic movement, temporary infrastructure and temporary storage of overburden | |
| | Impact Pathway: Physical Compression | |
| | <p><u>Impact Description:</u> Soil and subsoil compaction due to the additional weight of construction machinery and traffic travelling on lands, the compaction of the soil and subsoil layers beneath permanent access roads, temporary construction compounds, temporary access roads and storage berms, due to the additional weight of this infrastructure along with any traffic, and the additional weight of soils in temporary and permanent overburden storage berms.</p> <p>Any compacted soils under temporary access roads, temporary compounds and temporary berms will be loosened using chisel ploughing and levelling of the affected lands (Project Design Measure).</p> <p><u>Impact Quality:</u> Negative</p> | |
| Soils | Evaluation of the Subject Development Impact - Soil and Subsoil Compaction | |
| | Element 2: UWF Related Works – direct/indirect impact | |
| | <p><u>Impact Magnitude:</u></p> <p>There is expected to be some soil and subsoil compaction due to construction traffic along the internal windfarm cabling working corridor. Soil and subsoil compaction can also be expected locally under the Telecom Relay Pole, the new Realigned Windfarm Roads and at Haul Route Works locations.</p> <p>Given the small size of construction works areas within the overall landholding (<1%), it is considered that the magnitude will be Negligible (refer to Table 10-4).</p> | |
| | Significance of the Impact: Imperceptible | |
| | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> As per Table 10-4, Negligible magnitude combined with the Medium to Low Importance of soils and geology within the study area; Approximately 62% of the internal windfarm cabling will be within the Consented UWF Roads thereby reducing the need to track off-road; Where permanent access roads are not being installed, temporary roads will be used along the working corridor and these roads will offer some protection from compaction to the underlying soil/subsoils by distribution of weight; The temporary access road footprint will account for <1% of the UWF Related Works landholding area; Construction work in the area of the Realigned Windfarm Roads (3 no. locations) and the Telecom Relay Pole will be localised to the permanent windfarm footprint area and construction traffic will use the Consented UWF Roads to access these works locations; The Haul Route Works will largely require construction vehicles working off public roads. The potential for compaction will largely be limited construction of access roads on private lands which only accounts for less <1% of the UWF Related Works landholding area; and, Any compaction that would be caused by the temporary footprint is reversible by reinstatement involving chisel ploughing and leveling (Project Design Measure). | |
| Topic | Element 2: UWF Related Works – cumulative impact | |
| | <p><u>Cumulative Impact Magnitude:</u></p> <p>The potential for cumulative soil and subsoil compaction will be limited to those areas where UWF Related Works and Upperchurch Windfarm works occur in the same landholding. Approximately 62% of the internal windfarm</p> | |

cabling will be within the Consented UWF Roads thereby reducing the overall potential for additional compaction of the soil and subsoil.

No cumulative impacts are likely with UWF Grid Connection as the works associated with this element are located within the public road and bitumen surfaced forestry road, and any compaction will be negligible. There is no potential for Other Projects or Activities to cause cumulative effects with UWF Related Works.

Given the small size of the construction works areas on 28 No. landholdings associated with both UWF Related Works and Upperchurch Windfarm, within the overall size of landholdings (<1%), it is considered that the magnitude will be Negligible (refer to Table 10-4).

Significance of the Cumulative Impact: Imperceptible

Rationale for Cumulative Impact Evaluation:

- As per Table 10-4, Negligible magnitude combined with the Medium to Low Importance of soils and geology within the study area;
- Permanent access roads within the Upperchurch Windfarm will remain in place permanently for the benefit of the landowner and therefore any loss of soil productivity due to compaction will likely have an overriding positive effect in terms of improved land accessibility during wet weather events; and,
- The small scale (<1%) of lands subject to works, on average for all landholdings.

Cumulative Information for Other Elements of the Whole UWF Project

Element 1: UWF Grid Connection

Impact Magnitude:

There is expected to be some very limited soil and subsoil compaction along the 110kV UGC working corridor due to construction traffic and the presence of new permanent access roads (480m). The majority of the route is along the corridor of existing public roads and therefore soil compaction is not likely to be an issue.

Soil and subsoil compaction can also be expected at the temporary construction compound (1090m²) and at the Mountphilips Substation compound area (6,350m²). Permanent storage of overburden may also result in some compaction of the stored material due to mounding.

Given the fact that the majority of the route is along existing public roads where no compaction is likely to occur, small extent of effects elsewhere, limited to two landholdings, it is considered that the magnitude will be Negligible (refer to Table 10-4).

Significance of the Impact: Imperceptible

Rationale for Impact Evaluation:

- As per Table 10-4, Negligible magnitude combined with the Medium to Low Importance of soils and geology within the study area;
- The majority of the UWF Grid Connection is along the carriageway of public roads where no further soil compaction is likely;
- Construction traffic will be restricted to the construction works area associated with the Mountphilips 110kV Substation, new access road, and 110kV UGC works area and tracking across adjacent ground will not be permitted;
- The new permanent access road will be required in grassland areas. The total size of the construction works areas associated with the new access road, permanent storage berms and the Mountphilips compound (beneath which some compaction is expected) account for 20% of the overall agricultural landholding area (~21.1ha);
- Within forestry landholdings (which account for ~4% of the 110kV UGC route landholding) works and access will be along an existing private road and therefore further compaction of the underlying subsoil will be limited, if any occurs;
- Only 1 no. temporary compound will be required and the total area of the compound relative to the overall size of the construction works area associated with the UWF Grid Connection is negligible (<1%);

| | | |
|--------------------------------|------------------|--|
| Local Soils, Subsoil & Bedrock | Sensitive Aspect | <ul style="list-style-type: none"> • Construction work in the area of the Mountphilips Substation/End Mast will be localised to the permanent footprint area and construction traffic to the site will use a new permanent access roads; • Overburden deposited at the permanent storage areas will be placed in shallow mounds/berms (<1.6m high) and therefore significant compaction is not expected; and, • |
| | | Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 10.2.2.2.1 |
| | | Element 4: Consented Upperchurch Windfarm |
| | | <p><u>Impact Magnitude:</u> Soil and subsoil compaction was assessed in the 2013 Upperchurch Windfarm EIS with respect to construction activity. As per the 2013 EIS: short to medium term effects are expected to occur within the development footprint. It was assessed in the 2013 EIS that the effects on soils and geology will not be significant in light of the consented mitigation measures. This is equivalent to 'Not Significant' in respect of terminology used herein.</p> |
| | | <u>Significance of the Impact:</u> Not Significant |
| | | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • Most of the traffic movement within the site during the construction phase will be over new or existing access roads; • Vehicular movement will be restricted to the footprint of the consented development, particularly with respect to the new constructed access roads; and, • The small scale of lands subject works, in the context of the size of total Upperchurch Windfarm landholding. |
| | | Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 10.2.2.2.1 |
| | | Evaluation of the Other Cumulative Impacts – Soil and Subsoil Compaction |
| | | Whole UWF Project Effect |
| | | <p><u>Cumulative Impact Magnitude:</u></p> <p>The potential for soil and subsoil compaction will be limited to the construction works area (69.1ha) associated with the combined UWF Grid Connection, UWF Related Works and Upperchurch Windfarm construction works area which accounts for <3% of the total landholding area of 1266ha (excluding UWF Grid Connection excavations in public roads).</p> <p>Due to the direct nature of compaction effects on soils and geology (i.e. impacts will be limited to the footprint of the construction works areas) and the overlap of approximately 62% of the internal windfarm cabling will be within the Consented UWF Roads thereby reducing the overall potential for additional compaction of the soil and subsoil;</p> <p>Only approximately 650mm of the 110kV UGC route exists within the landholdings which also contains UWF Related Works and Upperchurch Windfarm works and therefore the effect of increased compaction on soils and geology within the windfarm site is negligible;</p> <p>Given the small size of the construction works areas within the overall size of landholdings (5%), it is considered that the magnitude will be Negligible (refer to Table 10-4).</p> |
| | | Significance of the Cumulative Impact: Imperceptible |
| | | <p><u>Rationale for Cumulative Impact Evaluation:</u></p> <ul style="list-style-type: none"> • As per Table 10-4, Negligible magnitude combined with the Medium to Low Importance of soils and geology within the study area; • The majority of the UWF Grid Connection is along the carriageway of public roads where no further soil compaction is likely; |

- Permanent access roads within the Upperchurch Windfarm will remain in place permanently for the benefit of the landowner and therefore any loss of soil productivity due to compaction will likely have an overriding positive effect in terms of improved land accessibility during wet weather events; and,
- The small scale (5%) of lands subject to works, on average for all landholdings.

| |
|--------------------------------|
| Local Soils, Subsoil & Bedrock |
| Sensitive Aspect |

| |
|-------|
| Soils |
| Topic |

| | | |
|--------------------------------|--|--------------------|
| Local Soils, Subsoil & Bedrock | 10.2.4.3 Impact Evaluation Table: Soil & Subsoil Erosion | |
| | Impact Description | |
| Sensitive Aspect | Project Life Cycle Stage: | Construction stage |
| | Impact Source: Groundworks and storage of overburden | |
| | Cumulative Impact Source: Groundworks and storage of overburden | |
| | Impact Pathway: Excavations, tracking of construction traffic and wind and rain action | |
| | Impact Description: Erosion of soil and subsoil as a result of construction traffic and also as a result of natural process such as rain and wind action on exposed soil and subsoil. | |
| | Impact Quality: Negative | |
| | Evaluation of the Subject Development Impact - Soil and Subsoil Erosion | |
| | Element 2: UWF Related Works – direct/indirect impact | |
| | Impact Magnitude: | |
| | There is likely to be some erosion of exposed soils and subsoils at the UWF Related Works areas where excavations take place and also during the permanent storage of overburden. Tracking of construction traffic along off-road sections of the works areas has also the potential to cause erosion. | |
| | Given the small area of the construction works areas within the overall landholding (<2%), it is considered that the magnitude will be Negligible (refer to Table 10-4). | |
| | Significance of the Impact: Imperceptible | |
| | Rationale for Impact Evaluation: | |
| | <ul style="list-style-type: none"> As per Table 10-4, Negligible magnitude combined with the Medium to Low Importance of soils and geology within the study area; The exposed in-situ soil along the internal windfarm cabling will be largely contained within a trench and therefore the potential for erosion from water and wind is low; The internal cabling trench will be backfilled and reinstated very soon after excavation; The surface area of the permanent overburden storage berms is negligible compared to the total landholding area; The potential erosion of permanent overburden storages will be eventually limited by reseeding and vegetation growth; Approximately 62% of the internal windfarm cabling will be within the Consented UWF Roads thereby reducing the need to track off-road; Where no Consented UWF Roads are present, temporary access roads will be used to access the Internal Windfarm Cabling areas and these roads will offer protection to the underlying natural soil/subsoils from erosion; Construction work in the area of the Realigned Windfarm Roads (3 no. locations) and the Telecom Relay Pole will be localised to the construction works area and construction traffic will use consented roads to access these new locations; and, The Haul Route Works will largely require construction vehicles working off public roads. In addition, any natural soils and subsoils exposed under the footprint of the road widening will be surfaced with hardcore, thereby reducing the potential for erosion. | |
| | | |
| Soils | Element 2: UWF Related Works – cumulative impact | |
| | Cumulative Impact Magnitude: the potential for cumulative soil erosion effects is limited to the works area for UWF Related Works, and any other Elements which also occur in this area. The other Element with potential to cause cumulative effects in this area is Upperchurch Windfarm, where approximately 62% of the internal windfarm cabling will be within the Consented UWF Roads in 28 no. landholdings. However, the location of the Internal Windfarm Cabling within windfarm roads reduces the overall potential for erosion due to construction traffic. | |
| Topic | | |

It is considered that UWF Grid Connection will not contribute to erosion effects as the works in the UWF Related Works Cumulative Evaluation Study Area associated with the UWF Grid Connection are trenching works in public roads and forestry road. There is no potential for Other Projects or Activities to cause cumulative effects with UWF Related Works.

Given the small size of the construction works area within the overall landholding (3%), it is considered that the magnitude will be Negligible (refer to Table 10-4).

Significance of the Cumulative Impact: Imperceptible

Rationale for Cumulative Impact Evaluation:

- As per Table 10-4, Negligible magnitude combined with the Medium to Low Importance of soils and geology within the study area; and,
- The small scale (3%) of lands subject to works, on average for all landholdings.

Cumulative Information for Other Elements of the Whole UWF Project

Element 1: UWF Grid Connection

Impact Magnitude:

There is likely to be some limited erosion of exposed soils and subsoils along the 110kV UGC route where excavations take place and also during the permanent storage of overburden. Tracking of construction traffic along off-road sections of the works areas has also the potential to cause erosion.

Given the large geographical spread of the UWF Grid Connection over numerous landholdings, the fact that the majority of the route is along the carriageway of public roads and the relatively small storage volumes which are also spread out over the works area, it is considered that the magnitude will be Negligible (refer to Table 10-4).

Significance of the Impact: Imperceptible

Rationale for Impact Evaluation:

- As per Table 10-4, Negligible magnitude combined with the Medium to Low Importance of soils and geology within the study area;
- The majority of the proposed route is along the carriageway of public roads which provide a hard surface for construction traffic;
- The exposed in-situ subsoil along the 110kV UGC route will be largely contained within a trench and therefore the potential for erosion and transport by water and wind action is low;
- The 110kV UGC trench will be backfilled and reinstated very soon after excavation;
-
- The surface area of the permanent overburden storage berms is negligible compared to the total landholding area;
- The potential erosion of permanent overburden storages will be eventually limited by reseeding and vegetation growth;
- Within forested areas (which account for 4% of the 110kV UGC works area), access to the UGC will be along an existing forestry road and therefore the potential for additional erosion from construction traffic is low;
- On agricultural grassland, a new permanent access road will be used to access the Mountphilips Substation and this road will offer protection to the underlying soil/subsoils from erosion.

Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 10.2.2.2.1

Element 4: Consented Upperchurch Windfarm

Impact Magnitude:

There is likely to be some erosion of exposed soils and subsoils at the Upperchurch Windfarm construction works areas where excavations take place and also during the permanent storage of overburden.

| | |
|--------------------------------|---|
| Local Soils, Subsoil & Bedrock | It was assessed in the 2013 EIS that the effects on soils and geology will not be significant in light of the small area of lands subject to works and the consented mitigation measures. This is equivalent to 'Not Significant' in respect of terminology used herein. |
| | <u>Significance of the Impact:</u> Not Significant |
| Sensitive Aspect | <u>Rationale for Impact Evaluation:</u> <ul style="list-style-type: none"> • Most of the traffic movement within the site during the construction phase will be over new access roads; • Vehicular movement will be restricted to the boundary of the construction works areas, particularly with respect the new constructed access roads; and • The small scale (1%) of lands subject to works, in the context of the total size of the Upperchurch Windfarm landholding. |
| | Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 10.2.2.2.1 |
| | Evaluation of Other Cumulative Impacts - Soil and Subsoil Erosion |
| | Whole UWF Project Effect |
| | <u>Cumulative Impact Magnitude:</u> Soil and subsoil erosion will be limited to the construction works areas (69ha) associated with the combined UWF Grid Connection, UWF Related Works and Upperchurch Windfarm construction works area which accounts for 3% of the total landholding area of 1,266ha. |
| | Due to the direct nature effects of erosion on soils and geology (i.e. impacts will be limited to the footprint of the construction works area) and the fact that each of the project development elements will largely have their own construction works area (with the exception of the overlap of the UWF Related Works and the Upperchurch Windfarm, described below), increased erosion at any one element of the development will not be greater as a result of the works at another element of the development. |
| | Only approximately 650m of the 110kV UGC route exists within UWF Related Works/Upperchurch Windfarm landholding, and the 110kV UGC is within forestry road in this landholding, and therefore the effect of increased erosion on soils and geology within the windfarm site is negligible; The 110kV UGC also overlaps with the UWF Related Works along the local roads L2264-50 and L6188-0 at haul route works H8 – H12. However the 110kV UGC is in the public road along this section, and no additional compaction effects are expected. |
| | With respect of the UWF Related Works (within the Upperchurch Windfarm site). Approximately 62% of the internal windfarm cabling will be within the Consented UWF Roads thereby reducing the overall potential for erosion due to construction traffic; |
| | Given the small size of the construction works area within the overall landholding (3%), it is considered that the magnitude will be Negligible (refer to Table 10-4). |
| | Significance of the Cumulative Impact: Imperceptible |
| | <u>Rationale for Cumulative Impact Evaluation:</u> <ul style="list-style-type: none"> • As per Table 10-4, Negligible magnitude combined with the Medium to Low Importance of soils and geology within the study area; and, • The small scale (3%) of lands subject to works, on average for all landholdings. |
| | |
| Soils | |
| Topic | |

10.2.4.4 Impact Evaluation Table: Contamination by Oils, Fuels & Chemicals**Impact Description**

| | |
|---------------------------|--------------------|
| Project Life Cycle Stage: | Construction stage |
|---------------------------|--------------------|

Impact Source: Oils, Fuels and ChemicalsCumulative Impact Source: Oils, Fuels and ChemicalsImpact Pathway: Soil, subsoil and bedrock pore space

Impact Description: The plant and equipment that will be used during the construction phase will be run on fuels and oils. This creates the potential for spillage and leakage of hydrocarbons from plant during refuelling or storage of oils and fuels. The effect on soil, subsoil and bedrock will be a direct, local effect.

Impact Quality: Negative**Evaluation of the Subject Development Impact - Contamination by Oils, Fuels & Chemicals****Element 2: UWF Related Works – cumulative impact**Impact Magnitude:

Plant and equipment will be used at all the UWF Related Works areas and therefore contamination effects could in theory occur at any of the construction works areas, which are 20.9ha in total. However, any effects will be minor - only relatively small volumes of fuels or oils will be on-site at any one time and therefore there is no significant spills, and any spillages, should they occur, will be limited to small accidental spillage (i.e. small spillage volumes) during storage of oils, fuels and chemicals and during refueling of construction or excavation plant with petroleum hydrocarbons.

Given the small size of the construction works area within the overall landholding (<1%) and the small volume of fuels that will be present on-site at any one time, it is considered that the magnitude will be Negligible (refer to Table 10-4).

Significance of the Impact: ImperceptibleRationale for Impact Evaluation:

- As per Table 10-4, Negligible magnitude combined with the Medium to Low Importance of soils and geology within the study area;
- All fuels required for construction activities will be stored in a designated location within the windfarm site, away from main traffic activity, within the Temporary Compounds. All fuel will be stored in bunded, locked storage containers (Project Design Measure);
- Overnight parking of plant and machinery will only be permitted at designated sites where there is a hardcore surface in place and this reduces the risk posed by leaks (Project Design Measure);
- All chemical wastes will be stored in secure, bunded and covered storage containers, in a designated secure part of the Temporary Compounds, and will be removed from site and transported to either Enviro Ireland Limited approved licensed facilities (Project Design Measure);
- Any effects that do occur will be localised to the soils and possibly shallow subsoils at the source / works activity area.

Element 2: UWF Related Works – cumulative impact

Cumulative Impact Magnitude: the potential for cumulative soil erosion effects is limited to the works area for UWF Related Works, and any other Elements which also occur in this area. The other Element with potential to cause cumulative effects in this area is Upperchurch Windfarm, where approximately 62% of the internal windfarm cabling will be within the Consented UWF Roads in 28 no. landholdings, and plant and equipment will be used at these locations for both projects. However, the location of the Internal Windfarm Cabling within windfarm roads reduces the overall potential for contamination due to the use of fuels and oils.

| | |
|--|---|
| Local Soils, Subsoil & Bedrock Sensitive Aspect | <p>It is considered that UWF Grid Connection will not contribute to contamination effects as the works in the UWF Related Works Cumulative Evaluation Study Area associated with the UWF Grid Connection are trenching works in public roads and forestry road, where all material is considered spoil (and therefore considered to be already contaminated).</p> <p>There is no potential for Other Projects or Activities to cause cumulative effects with UWF Related Works.</p> <p>Due to the direct nature effects of spills and leaks on soils and geology (i.e. impacts will largely be limited to the footprint of the works area), any effects are only likely to be minor and localised within the construction works area. It is considered that the overall magnitude will be Negligible (refer to Table 10-4).</p> |
| | <p>Significance of the Cumulative Impact: Imperceptible</p> |
| Soils Topic | <p><u>Rationale for Cumulative Impact Evaluation:</u></p> <ul style="list-style-type: none"> • As per Table 10-4, Negligible magnitude combined with the Medium to Low Importance of soils and geology within the study area; • Minor accidental spillage (i.e. small spillage volumes) during storage and refuelling of construction / excavation plant with petroleum hydrocarbons is only likely to occur (worst case); • Only relatively small volumes of fuels / oils will be on-site at any one time and therefore no significant effects are expected; • The large geographical spread of UWF Related Works and Upperchurch Windfarm works means that large accumulation of spills / leaks at any one location is not possible; • Implementation of the Environmental Management Plan for the Upperchurch Windfarm • Implementation of the Environmental Management Plan for UWF Related Works. |
| | <p>Cumulative Information for Other Elements of the Whole UWF Project</p> |
| | <p>Element 1: UWF Grid Connection</p> |
| | <p><u>Impact Magnitude:</u></p> <p>Plant and equipment will be used at all the 110kV UGC works areas, however all material encountered in public road trenches will be mainly spoil (made up of asphalt/bitumen road surfacing material, hardcore and natural subsoil), and therefore the potential for contamination effects is limited to the construction works areas in agricultural lands, which are 30.0ha in total. However, any effects will be minor - only relatively small volumes of fuels or oils will be on-site at any one time and therefore there is no significant spills, and any spillages, should they occur, will be limited to small accidental spillage (i.e. small spillage volumes) during storage of oils, fuels and chemicals and during refuelling of construction or excavation plant with petroleum hydrocarbons.</p> <p>Given the large geographical spread of the works area, the fact that the majority of the route is along asphalt/bitumen covered public roads and the small volumes of fuel that will be present on-site and any one time. it is considered that the magnitude will be Negligible (refer to Table 10-4).</p> <p><u>Significance of the Impact: Imperceptible</u></p> |
| Soils Topic | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • As per Table 10-4, Negligible magnitude combined with the Medium to Low Importance of soils and geology within the study area; • All fuels required for construction activities will be stored in a designated location, away from main traffic activity, within the Temporary Compound. All fuel will be stored in bunded, locked storage containers (Project Design Measure); • Overnight parking of plant and machinery will only be permitted at the temporary compound at Mountphilips Substation, where there is a hardcore surface in place and this reduces the risk posed by leaks (Project Design Measure); |
| | |

| | |
|--|---|
| <ul style="list-style-type: none"> • All chemical wastes will be stored in secure, bunded and covered storage containers, in a designated secure part of the Temporary Compound, and will be removed from site and transported to an approved licensed facilities (Project Design Measure); and, • Any effects that do occur will be very localised to the soils and subsoils at the source / works activity area. | <div>Local Soils, Subsoil & Bedrock</div> <div>Sensitive Aspect</div> |
| Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 10.2.2.2.1 | |
| Element 4: Consented Upperchurch Windfarm | |
| <p>Impact Magnitude: The effects on soils and geology from hydrocarbon leaks are assessed in the Upperchurch Windfarm EIS. The EIS states that potential effects can occur to 'earth materials at and downhill from the development site'. Contamination effects could in theory occur at any of the construction works areas, which are 56.3ha in total. It was assessed in the 2013 EIS that the residual effects on soils and geology will not be significant in light of the small area of lands subject to works and the consented mitigation measures. This is equivalent to 'Not Significant' in respect of terminology used herein.</p> | |
| <p>Significance of the Impact: Not significant</p> | |
| <p>Rationale for Impact Evaluation:</p> <ul style="list-style-type: none"> • Condition No. 15 of the Grant of Permission requires the implementation of a Construction Environmental Management Plan, and Ecological Management Plan and an Environmental Management Plan. Furthermore, Condition No.15 specifies that: (a) all oils and fuels shall be stored in an area bunded to 110% of the total volume of stored oils and fuels; and (b) re-fuelling or machine servicing shall take place only within designated impermeable bunded areas, which shall be drained through an oil interceptor; and, • The Environmental Management Plan (EMP) includes a Fuel Management Plan, which provides for the regular checking of vehicles, equipment, plant and material storage areas; and best practice measures for storing and handling of fuels/oils and procedures to deal with emergency incidents and spills | <div>Soils</div> <div>Topic</div> |
| Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 10.2.2.2.1 | |
| Evaluation of Other Cumulative Impacts – Contamination by Oils, Fuels & Chemicals | |
| Whole UWF Project Effect | |
| <p>Cumulative Impact Magnitude:</p> <p>Plant and equipment will be used at all works areas and therefore soil, subsoil and bedrock along construction works areas associated with UWF Grid Connection, UWF Related Works, Upperchurch Windfarm could potentially be affected by contamination effects (with the exception of the 110kV UGC route along the public road section). However, any effects to soils are only likely to be minor and localised within the construction works area.</p> <p>Due to the direct nature effects of spills and leaks on soils and geology (i.e. impacts will largely be limited to the footprint of the works area) and the fact that each of the project development elements will largely have their own construction works area, increased soil or subsoil contamination at any one element of the development is not expected to be increased contamination as a result of the works at another element of the development; It is considered that the overall magnitude will be Negligible (refer to Table 10-4).</p> | |
| <p>Significance of the Cumulative Impact: Imperceptible</p> | |
| <p>Rationale for Cumulative Impact Evaluation:</p> <ul style="list-style-type: none"> • As per Table 10-4, Negligible magnitude combined with the Medium to Low Importance of soils and geology within the study area; • Location of the UWF Grid Connection 110kV UGC predominately along public road which are asphalt/bitumen surfaced; • Minor accidental spillage (i.e. small spillage volumes) during storage and refuelling of construction / excavation plant with petroleum hydrocarbons is only likely to occur (worst case); | |

| | | |
|--------------------------------|------------------|---|
| Local Soils, Subsoil & Bedrock | Sensitive Aspect | <ul style="list-style-type: none">• Only relatively small volumes of fuels / oils will be on-site at any one time and therefore no significant effects are expected;• The large geographical spread of the Whole UWF Project means that large accumulation of spills / leaks at any one location is not possible; and,• Implementation of the Environmental Management Plan for the Upperchurch Windfarm. |
| | | |
| Topic | Soils | |
| | | |

10.2.4.5 Impact Evaluation Table: Contamination by Cement Based Compounds

Impact Description

Project Life Cycle Stage: Construction stage

Impact Source: Cement Based compounds

Cumulative Impact Source: Cement Based compounds

Impact Pathway: Soil, subsoil and bedrock pore space

Impact Description: Contamination of Soil, Subsoil and Bedrock due to direct contact with cement based construction compounds used for construction. Concrete and other cement-based products are highly alkaline and corrosive and can have impacts specifically on the soil and subsoils in terms of toxicity to its flora and fauna. The effects will largely be localised to the soil in direct contact area with cementitious material.

Impact Quality: Negative

Evaluation of the Subject Development Impact - Contamination by Cement Based Compounds**Element 2: UWF Related Works**

Impact Magnitude:

Cement will only be used at the Telecom Relay Pole foundation. Due to the small scale of the works, the impact magnitude is expected to be Negligible.

Significance of the Impact: Imperceptible

Rationale for Impact Evaluation:

- Small scale of works (5m² compound)

Element 2: UWF Related Works – cumulative impact

Impact Magnitude: None.

Significance of the Impact: No potential for cumulative effects

Rationale for Impact Evaluation:

- No other Elements will use cement based compounds in close proximity to UWF Related Works at the Telecom Relay Pole location.

Cumulative Information for Other Elements of the Whole UWF Project**Element 1: UWF Grid Connection**

Impact Magnitude:

The main use of cement based compounds will be in the 110kV UGC cable trench and during the construction of foundations at the Mountphilips Substation and End Masts. The underlying subsoils at these locations may come in direct contact with the subsoils. It is likely the majority of the trench walls will comprise asphalt/bitumen/hardcore rather than natural subsoil.

Given the large geographical spread of the UWF Grid Connection works area and the relatively small volume of cement that will be placed within each landholding, the impact magnitude is expected to be Negligible.

Significance of the Impact: Imperceptible

Rationale for Impact Evaluation:

- As per Table 10-4, Negligible magnitude combined with the Medium to Low Importance of soils and geology within the study area;

| | |
|--------------------------------|--|
| Local Soils, Subsoil & Bedrock | <ul style="list-style-type: none"> • No batching of wet cement will take place on-site therefore large volumes of cement will not be present on-site at any one time; • Semi-dry granular cement will be used in the cable trench and wet cement will only be used for substation and end mast foundation construction. Semi-dry granular cement will limit the mobility of the compound through potentially porous soil thereby restricting the effects to the contact area; • Only precast concrete structures will be used at joint bays and at watercourse crossing locations as required; and, • Only a temporary (and reversible) increase in the pH of the soil, subsoil and bedrock in direct contact with the cement is likely to occur. The effects, which will be localised to the cable trench and Mountphilips substation / end mast foundations will only persist until the cement mix has hardened and the high alkalinity leachate flushed out / diluted by rainfall. Indirect effects on groundwater quality and surface water quality from cement based compounds are assessed in the Water Chapter (Chapter 11). |
| Sensitive Aspect | <p>Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 10.2.2.2.1</p> |
| | <p>Element 4: Consented Upperchurch Windfarm</p> |
| | <p><u>Impact Magnitude:</u> The primary use of cement at the windfarm will be construction of the Consented UWF Turbine foundations and in the foundations of the control building structure at the Consented UWF Substation.</p> <p>The volumes of cement that will be imported on-site will be considerable, but given that the consented windfarm is spread out over several landholding areas, the impact magnitude is considered to be Small Adverse (refer to Table 10-4).</p> |
| | <p><u>Significance of the Impact:</u> Slight</p> |
| | <p><u>Rationale for Impact Evaluation:</u></p> <ul style="list-style-type: none"> • As per Table 10-4, Small Adverse magnitude combined with the Medium to Low Importance of soils and geology within the study area; • No batching of wet cement will take place on-site and therefore large volumes will not be present on-site at any one time; • The pouring of turbine bases (22 no.) will be done over 3 - 4 months and therefore large volumes of wet cement will not be on-site at any one time; • A precast concrete structure, in the form of a clear span bridge, will be used at the watercourse crossing on the Upperchurch Windfarm site • Only a temporary (and reversible) increase in the pH of the soil, subsoil and bedrock in direct contact with the cement or indirectly via seepage water is likely to occur. • The effects, which will be localized, will only last until the cement mix has hardened and the high alkalinity leachate flushed out / diluted by rainfall; • A precast concrete structure, in the form of a clear span bridge, will be used at the watercourse crossing on the Upperchurch Windfarm site; and, • The implementation of Cement Control Procedures under the Environmental Management Plan for the Upperchurch Windfarm (See 2013 RFI). |
| | <p>Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 10.2.2.2.1</p> |
| | <p>Evaluation of Other Cumulative Impacts – Contamination by Cement Based Compounds</p> |
| | <p>Whole UWF Project Effect</p> |
| | <p><u>Cumulative Impact Magnitude:</u> Cement based compounds will be used for the UWF Grid Connection at Mountphilips Substation, End Masts and along the 110kV UGC. Cement based compounds will also be used at Upperchurch Windfarm turbine foundations and substation, and to a much lesser extent at UWF Related Works Telecoms Relay Pole. Any soil, subsoil and bedrock at these locations are a potential receptor. Due to the direct nature effects of cement based compounds on effects on soils and geology (i.e. impacts will largely be limited to the construction works area) and the fact that each of the project development elements will largely have their own construction works area, increased</p> |

cement exposure to soils and subsoils at any one element of the development is not excepted to be increased as a result of the works at another element of the development. The overall impact magnitude is considered to be **Small Adverse**.

Significance of the Cumulative Impact: Slight

Rationale for Cumulative Impact Evaluation:

- As per Table 10-4, Small Adverse magnitude combined with the Medium to Low Importance of soils and geology within the study area; and,
- Only a temporary (and reversible) increase in the pH of the soil, subsoil and bedrock in direct contact with the cement or indirectly via seepage water is likely to occur.

Local Soils, Subsoil & Bedrock

Sensitive Aspect

Soils

Topic

10.2.4.6 Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in the table below.

Table 10-17: Description and Rationale for Excluded Impacts to Local Soils, Subsoils & Bedrock

| Source(s) of Impacts | Project Element | Pathway(s) | Impacts (Consequences) | Rational for Excluding (Scoping out) the Impact |
|--|-----------------|------------|------------------------|---|
| Operational Stage Effects | | | | |
| Neutral effect: There will be no requirement for any major excavation work or groundworks during the operational phase. All ground that was previously exposed during excavation works, along with permanent overburden storage berms will have vegetated over and therefore there will be no potential for erosion. Any impacts on soils and geology that do occur during the operational phase will be Neutral. | | | | |
| Decommissioning Stage Effects | | | | |
| <u>UWF Grid Connection</u> : No potential for impacts - the UWF Grid Connection will remain part of the National Grid on a permanent basis and is not expected to be decommissioned. | | | | |
| <u>UWF Related Works</u> : No potential for impacts - The cables will be pulled from the Internal Windfarm Cabling ducts at the Consented UWF Turbines or at the Consented UWF Substation; the ducting, Realigned Windfarm Roads and Haul Route Works will remain in-situ; therefore no decommissioning works to soils or lands are required. The Telecom Relay Pole will be removed, and it's compound area reinstated and returned to agricultural. Neutral impacts to soils and geology will occur due to the very small footprint of the compound (25m ²). | | | | |
| <u>Upperchurch Windfarm</u> : Neutral impact –It is likely that the Consented UWF Substation will remain in-situ for use by ESNB and that the Consented UWF Roads will also remain in-situ for use by the landowner. Decommissioning works will be limited to the Consented UWF Turbines, Turbine Hardstanding areas, Meteorological Masts and associated drainage systems, where the turbines and will be removed and the remaining hardstanding areas and associated drainage will be reinstated using the soils in the adjacent storage permanent overburden storage berms, this soil will be reseeded and will re-vegetate quickly, Neutral effects to soils are expected due to the small extent of the hardstands in the context of the large extent of soils in the surrounding area. | | | | |

10.2.5 Mitigation Measures for Impacts to Local Soils, Subsoils & Bedrock

Mitigation measures were incorporated into the project design, including the Project Design Measures. No additional mitigation measures are required as **no significant adverse impacts** are concluded by the topic authors as likely to occur to Local Soils, Subsoils & Bedrock as a consequence of the UWF Related Works.

10.2.6 Evaluation of Residual Impacts to Local Soils, Subsoils & Bedrock

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. No additional mitigation measures are required and thus the Residual Impact is the same as the Impact set out in Impact Evaluation Table sections for Local Soils, Subsoils & Bedrock above (Section 10.2.4) – i.e. **no significant adverse impacts**.

10.2.7 Application of Best Practice and the EMP for Local Soils, Subsoils & Bedrock

Best Practice Measures (BPM), although not part of the Project Design for the UWF Related Works, will be employed to afford further protection to the Environment.

The following Best Practice Measures have been developed, for the protection of **Local Soils, Subsoils & Bedrock**, by the authors of this topic chapter, using industry best practice:

| | |
|-----------|---|
| RW-BPM-07 | Protection of Surface Water and Groundwater Quality during use of Cement Based Compounds |
| RW-BPM-08 | Protection of Surface Water and Groundwater Quality During Storage and Handling of Fuels, Oils and Chemicals |
| RW-BPM-10 | Surface Water Quality Protection Measures During Temporary Storage of Overburden along the Whole Windfarm Project areas |
| RW-BPM-11 | Surface Water Quality Protection Measures during Permanent Storage of Overburden along the Whole Windfarm Project areas |

As these Best Practice Measures primarily relate to Water protection, they are included at the end of the Water topic chapter (Chapter 11). These Best Practice Measures also form part of the **UWF Related Works Environmental Management Plan**, which is included as **Volume D** with the planning application

10.2.8 Summary of Impacts to Local Soils, Subsoils & Bedrock

A summary of the Impact Evaluation Tables is presented in Table 10-18.

Table 10-18: Summary of the impacts to Local Soils, Subsoils & Bedrock

| Impact to Local Soils, Subsoils & Bedrock: | Excavation & Relocation of soils, subsoil and bedrock | Soil & Subsoil Compaction | Soil & Subsoil Erosion | Contamination from Oil, Fuels & Chemicals | Contamination from Cement Based Compounds |
|--|--|---------------------------|------------------------|---|---|
| Evaluation Impact Table | Section 10.2.4.1 | Section 10.2.4.2 | Section 10.2.4.3 | Section 10.2.4.4 | Section 10.2.4.5 |
| Project Life-Cycle Stage | Construction Stage | Construction Stage | Construction Stage | Construction Stage | Construction Stage |
| <u>UWF Related Works</u> <i>Direct or Indirect Impacts</i> | Slight to Moderate | Imperceptible | Imperceptible | Imperceptible | Imperceptible |
| <u>UWF Related Works</u> <i>Cumulative Impact</i> | Slight to Moderate | Imperceptible | Imperceptible | Imperceptible | No Cumulative Impact |
| Element 1: UWF Grid Connection | Slight | Imperceptible | Imperceptible | Imperceptible | Imperceptible |
| Element 3: UWF Replacement Forestry | No Potential for Impact - Evaluated as Excluded, see Section 10.2.2.2.1 | | | | |
| Element 4: Upperchurch Windfarm | Not Significant | Not Significant | Not Significant | Not Significant | Slight |
| Element 5: UWF Other Activities | No Potential for Impact - Evaluated as Excluded, see Section 10.2.2.2.1 | | | | |
| <u>Other Cumulative Impact:</u> | | | | | |
| Whole UWF Project effect | Slight to Moderate | Imperceptible | Imperceptible | Imperceptible | Slight |

The greyed out boxes in the above summary table relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to show the totality of the project.

Local Soils, Subsoil & Bedrock

Sensitive Aspect

Soils

Topic

10.3 Sensitive Aspect No.2: Lower River Shannon SAC

This Section provides a description and evaluation of the Sensitive Aspect - Lower River Shannon SAC.

10.3.1 UWF RELATED WORKS – EVALUATED AS EXCLUDED

10.3.1.1 Baseline Characteristics of Lower River Shannon SAC in relation to UWF Related Works

The Lower River Shannon is a designated SAC and contains many Annexed I habitats, including the most extensive area of estuarine habitat in Ireland.

The majority of the UWF Related Works is located with the River Suir catchment area with only a small proportion of the site located within the Lower River Shannon SAC. The closest point of the SAC to the UWF Related Works is 1.5km to the southwest.

10.3.1.2 Evaluation of UWF Related Works

UWF Related Works were evaluated for its potential to cause impacts to the Lower River Shannon SAC. It was evaluated by the topic authors that the UWF Related Works have **no potential to cause impacts to the Lower River Shannon SAC**, for the following reasons:

- all UWF Related Works construction works areas occur at least 1.5km outside the boundary of the Lower River Shannon SAC.

10.3.1.3 Cumulative Evaluation for the Other Elements

(grey background)

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

UWF Related Works has no potential to cause impacts to the Lower River Shannon SAC itself, and therefore cannot have a cumulative effect. However, the Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in Section 10.3.2 to Section 10.3.4 and included in the summary table in Section 10.3.8 in order to show the totality of the project.

10.3.2 CUMULATIVE INFORMATION - Cumulative Projects & Baseline Characteristics

10.3.2.1 Cumulative Evaluation Study Areas

10.3.2.1.1 UWF Related Works Cumulative Evaluation Study Area

The UWF Related Works as been excluded as a source of impacts to soils in the Lower River Shannon SAC due to separation distance all UWF Related Works construction works areas occur at least 1.5km outside the boundary of the Lower River Shannon SAC.

10.3.2.1.2 Whole Project Cumulative Evaluation Study Area

UWF Related Works is part of a whole project which comprises the following Other Elements; Element 1: UWF Grid Connection, Element 3: UWF Replacement Forestry, Element 4: Upperchurch Windfarm (UWF), and Element 5: UWF Other Activities. The Subject Development, UWF Related Works is Element 2. All five elements are collectively referred to as the Whole UWF Project in this EIA Report.

UWF Related Works has no potential to cause impacts to the Lower River Shannon SAC itself, and therefore cannot have a cumulative effect. However, the Other Elements must be considered because UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluations for the Other Elements of the Whole UWF Project are included in Section 10.3.2 to Section 10.3.4 and included in the summary table in Section 10.3.8 in order to show the totality of the project.

A description of these Other Elements is included in this EIA Report at [Appendices 5.3, 5.4, 5.5 and 5.6](#), in [Volume C4 EIAR Appendices](#). Scoping of these Other Elements is presented in [Section 10.3.2.2.1](#) below.

The Whole Project Cumulative Study Area for the evaluation of cumulative effects is described in Table 10-19, and illustrated on [Figure WP 10.3: Lower River Shannon SAC within the Whole Project Cumulative Evaluation Study Area](#) (Volume C3 EIAR Figures).

Table 10-19: Whole Project Cumulative Evaluation Study Area for the Lower River Shannon SAC

| Cumulative Project | Cumulative Study Area Boundary | Justification for Study Area Extent |
|--|---|---|
| Element 1: UWF Grid Connection | Boundary of construction works areas, planting lands or activity locations where they interact/overlap with the boundary of the Lower River Shannon SAC | Only direct effects on soils and geology are anticipated. |
| Element 3: UWF Replacement Forestry | | |
| Element 4: Upperchurch Windfarm (UWF) | | |
| Element 5: UWF Other Activities | | |

10.3.2.2 Scoping for Other Projects or Activity & Potential for Impacts

The evaluation of cumulative impacts to Lower River Shannon SAC also considered Other Projects or Activities. A scoping exercise was carried out to determine which projects or activities, if any, have potential to cause cumulative effects to Lower River Shannon SAC with any of the Other Elements of the Whole UWF Project and therefore should be brought forward for evaluation in this topic chapter. A brief overview of the Other Projects or Activities and the scoping exercise by the topic authors is included in [Appendix 2.3: Scoping of Other Projects or Activities \(Section A2.3.1 and Section A2.3.2.10\)](#).

The results of this scoping exercise are that: it is evaluated that no Other Projects or Activities are likely to cause cumulative effects with either the UWF Related Works or the Other Elements of the Whole UWF

Project, and therefore no Other Projects or Activities are scoped in for evaluation of cumulative effects to Lower River Shannon SAC.

10.3.2.2.1 Potential for Impacts to Lower River Shannon SAC

An evaluation was carried out by the topic authors of the likelihood for the Other Elements of the Whole UWF Project to cause cumulative effects to the Sensitive Aspect Lower River Shannon SAC. The results of this evaluation are included in Table 10-20.

The location of, and study area boundary associated with, the Other Elements which are included for cumulative evaluation is illustrated on **Figure WP 10.3**. The baseline character of the areas around these projects is described in Section 10.2.2.3.

Table 10-20: Results of the Evaluation of the Other Elements of the Whole UWF Project

| Other Element of the Whole UWF Project | |
|---|--|
| Element 1: UWF Grid Connection | <u>Included</u> for the evaluation of cumulative effects |
| Element 3: UWF Replacement Forestry | <u>Evaluated as excluded:</u> No potential for effects due to <ul style="list-style-type: none"> the entirety of the UWF Replacement Forestry lands occur outside both the boundary of the Lower River Shannon SAC and the River Shannon regional catchment area. |
| Element 4: Upperchurch Windfarm (UWF) | <u>Evaluated as excluded:</u> No potential for effects due to: <ul style="list-style-type: none"> all Upperchurch Windfarm construction works areas occur at least 2.7km outside the boundary of the Lower River Shannon SAC. |
| Element 5: UWF Other Activities | <u>Evaluated as excluded:</u> No potential for effects due to: <ul style="list-style-type: none"> the UWF Other Activities will not occur within the boundary of the Lower River Shannon SAC. |

10.3.2.3 Cumulative Information: Baseline Characteristics – Context & Character

10.3.2.3.1 Element 1: UWF Grid Connection – *including preliminary preferred 110kV UGC route Jan'19*

The Lower River Shannon SAC is being included for further impact assessment because the construction of the UWF Grid Connection has potential to cause effects on soils and geology within the SAC. Soils and geology is not a qualifying feature of the SAC (which are described below). However, soils and geology are important from an overall habitat perspective. Its inclusion in the assessment also facilitates the evaluation of indirect effects on Water (Chapter 11) and Biodiversity (Chapter 8).

The Lower River Shannon SAC encompasses the Shannon, Feale, Mulkear and Fergus estuaries, the freshwater lower reaches of the River Shannon (between Killaloe and Limerick), the freshwater stretches of much of the Feale and Mulkear catchments and the marine area between Loop Head and Kerry Head.

The vast majority of the UWF Grid Connection construction works areas that occurs within the River Shannon catchment are at least 3-4km upstream of the SAC. The exception occurring at 6 no. locations where the 110kV UGC route crosses through the SAC boundary, two of these locations are at bridge crossings - Newport Bridge (Mulkear River) and Anglesey Bridge (Bilboa River), while the other 4 relate to short sections of public road, one north of Newport on the L2166-0, and three on the R503 road to the east side of Rearcross village, as shown on **Figure WP 10.3: Lower River Shannon SAC within the Whole Project Cumulative Evaluation Study Area**.

| | | |
|------------------|-------------------------|---|
| Sensitive Aspect | Lower River Shannon SAC | <p>The qualifying interests of River Shannon SAC are largely aquatic and estuarine related. The route of the 110kV UGC is along the R503 is underlain by asphalt/bitumen and hardcore which in turn is underlain by mineral subsoil (sandstone tills). The majority of the excavated material will be spoil. At the Mulkear River and Bilboa River crossing, the cable will cross the watercourse within the bridge structure.</p> <p>It is considered that the construction of the 110kV UGC will not directly affect the qualifying interests of the River Shannon SAC.</p> |
| | | <p>10.3.2.3.2 Element 3: UWF Replacement Forestry</p> <p>Not applicable – Element evaluated as excluded. See Section 10.3.2.2.1</p> |
| | | <p>10.3.2.3.3 Element 4: Already Consented Upperchurch Windfarm</p> <p>Not applicable – Element evaluated as excluded. See Section 10.3.2.2.1</p> |
| | | <p>10.3.2.3.4 Element 5: UWF Other Activities</p> <p>Not applicable – Element evaluated as excluded. See Section 10.3.2.2.1</p> |
| | | <p>10.3.2.3.5 Other Projects or Activities</p> <p>Not applicable – <u>No</u> Other Projects or Activities were scoped in for evaluation of cumulative effects, see Section 10.3.2.1.</p> |
| Topic | Soils | <p>10.3.2.4 Cumulative Information Baseline Characteristics - Importance of Lower River Shannon SAC</p> <p>The Lower River Shannon is a designated SAC and contains many Annexed I habitats, including the most extensive area of estuarine habitat in Ireland. Based on the NRA (2008) criteria as shown in Table 10-3 (Section 10.1.5.1), the SAC is of Very High Importance. However, as stated above, the 110kV UGC will not directly affect the qualifying interests of River Shannon SAC.</p> |
| | | <p>10.3.2.5 Cumulative Information Baseline Characteristics - Sensitivity of Lower River Shannon SAC</p> <p>The primary sensitivities in respect of the UWF Grid Connection will be surface water quality and its water dependant ecosystems and not soils and geology (indirect effects on surface water quality within the SAC from excavations are assessed in Chapter 11 Water). However, soils and geology are important from an overall habitat perspective and therefore effects need to be evaluated</p> |
| | | <p>10.3.2.6 Cumulative Information Baseline Characteristics - Trends in the Baseline Environment (the 'Do-Nothing' scenario)</p> <p>The route of the 110kV UGC within the River Shannon SAC has already been altered for road construction and transportation purposes. The current landuse (public road) is expected to continue.</p> |
| | | <p>10.3.2.7 Cumulative Information Baseline Characteristics - Receiving Environment (the Baseline + Trends)</p> <p>No landuse changes are expected to occur that would alter the character of the soils and geology within the River Shannon SAC. Therefore it is assumed in this report that the baseline environment identified above will be the receiving environment at the time of construction.</p> |

10.3.3 Cumulative Information: PROJECT DESIGN MEASURES for Lower River Shannon SAC

Potential or likely significant impacts caused by the Other Elements of the Whole UWF Project (in particular the UWF Grid Connection) were avoided, prevented or reduced by incorporating Project Design Measures into the fundamental design of the UWF Grid Connection. These Project Design Measures are included in the description of the UWF Grid Connection which can found in this EIA Report in **Appendices 5.3 in Volume C4: EIAR Appendices**.

10.3.4 Cumulative Information: EVALUATION OF IMPACTS to Lower River Shannon SAC

It is evaluated that UWF Related Works has no potential to cause impacts to Lower River Shannon SAC, see Section 10.3.1.

This Section evaluates the likely cumulative effects of the Other Elements of the Whole UWF Project and the evaluation is based on the residual effects of the Other Elements of the Whole UWF Project.

A conceptual site model exercise was carried out to facilitate the identification of source-pathway-receptor links between the project (source) and the sensitive aspect (receptor) - Lower River Shannon SAC.

As a result of the exercise, some impacts were included and some were excluded.

Table 10-21: List of all Impacts included and excluded from the Impact Evaluation Table sections

| <u>Impacts Included</u> (Evaluated in the Impact Evaluation Table sections) | <u>Impacts Excluded</u> (Justification at the end of the Impact Evaluation Table sections) |
|---|--|
| Excavation & Relocation of Soil, Subsoil and Bedrock (construction stage) | <i>Erosion and/or Compaction (construction stage)</i> |
| Contamination from Oils, Fuels & Chemicals (construction stage) | <i>Operational Stage Effects</i> |
| Contamination from Cement Based Compounds (construction stage) | <i>Decommissioning Stage Effects</i> |

The source-pathway-receptor links for included impacts are described in the **Impact Evaluation Tables** are presented in the following **sections 10.3.4.1 to 10.3.4.3**.

The source-pathway-receptor links and the rationale for excluded impacts are described in the section directly after the Impact Evaluation Table sections - Section 10.3.4.4.

| | | | |
|-------------------------|--|---|--|
| Lower River Shannon SAC | 10.3.4.1 | Impact Evaluation Table: Excavation & Relocation of Soil, Subsoil and Bedrock | |
| | <div>Evaluation of UWF Related Works Excluded: As the construction works boundaries for the UWF Related Works do not overlap the SAC boundary (closest point 1.5km away), there is <u>no potential for UWF Related Works to cause effects to the Lower River Shannon SAC</u> itself, and consequently this project cannot have a cumulative effect.</div> <div>However, the Other Elements must be considered because the <u>UWF Related Works is part of a whole project</u>. Therefore, the <u>cumulative information and evaluation for the Other Elements of the Whole UWF Project</u> are included in this Impact Evaluation Table, in order <u>to show the totality of the project</u>.</div> | | |
| Sensitive Aspect | Cumulative Impact Description for the Other Elements of the Whole UWF Project | | |
| | Project Life Cycle Stage: (for Other Elements only) | Construction stage | |
| | Impact Source: n/a Cumulative Impact Source: Groundworks, relocation and storage of overburden Impact Pathway: Excavation, movement and mounding of overburden | | |
| | Impact Description: The physical excavation and relocation of soil and subsoil and to a lesser extent bedrock from its natural location to a different location. The removal of soils from an SAC can have a direct effect on local habitats. Impact Quality: Negative | | |
| | Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project | | |
| | Element 1: UWF Grid Connection | | |
| | Impact Magnitude: The route of the 110kV UGC is located within the SAC boundary at six points, all of which are located on the L2166-0 local road and the R503 Regional Road – for a 60m stretch on the L2166-0 on Black Road in Newport - at the crossing of Newport Bridge, over the Newport River in Newport (110kV UGC in road over bridge); - 3 short stretches of the R503 (100m, 100m, 350m) in Baurnadomeeny townland, to the east of Rearcross; - at the crossing of Anglesey Bridge, over the Bilboa River, near Kilcommon (110kV UGC in road over bridge); As all excavations will be within the road pavement, there is no potential for effects to the soils within the SAC at these points. As there will be no effects on the qualifying features of the SAC, which are largely aquatic habitats and species, the impact magnitude is considered to be Negligible. | | |
| | Significance of the Impact: Imperceptible | | |
| Soils | Rationale for Impact Evaluation: | | |
| | <ul style="list-style-type: none">• As per Table 10-4, Negligible magnitude combined with Very High Importance of the SAC;• There will be no excavation of the river bed or banks associated with either the Newport (Mulkear) or Bilboa rivers;• There will be no direct effects on the qualifying feature of the SAC which are largely aquatic habitats / species;• The effects will be limited to excavations within public road pavements;• All works will be temporary and transient in nature; and, | | |
| Topic | | | |

| | |
|--|-------------------------|
| <ul style="list-style-type: none"> There will be no removal of mineral subsoil within the SAC. | Lower River Shannon SAC |
| Element 3: UWF Replacement Forestry – <i>N/A, evaluated as excluded, see Section 10.3.2.2.1</i> | |
| Element 4: Consented Upperchurch Windfarm – <i>N/A, evaluated as excluded, see Section 10.3.2.2.1</i> | |
| Element 5: UWF Other Activities – <i>N/A, evaluated as excluded, see Section 10.3.2.2.1</i> | |
| Evaluation of the Other Cumulative Impacts – Excavation & Relocation of Soil, Subsoil and Bedrock | |
| Whole UWF Project Effect | Sensitive Aspect |
| <u>Cumulative Impact Magnitude</u> : No potential for cumulative effects of the UWF Grid Connection with the Other Elements of the Whole UWF Project - only the UWF Grid Connection (110kV UGC route) is located within the Lower River Shannon SAC. | |
| <u>Significance of the Cumulative Impact</u>: No Cumulative Impact | |
| <u>Rationale for Cumulative Impact Evaluation</u> : | |
| <ul style="list-style-type: none"> The UWF Grid Connection (110kV UGC route) is the only element which will result in impacts to the Lower River Shannon SAC. | |

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities were evaluated as having potential to cause cumulative effects to Lower River Shannon SAC with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 10.3.2.1).

10.3.4.2 Impact Evaluation Table: Contamination from Oils, Fuels & Chemicals

Evaluation of UWF Related Works Excluded: As the construction works boundaries for the UWF Related Works do not overlap the SAC boundary (closest point 1.5km away), there is no potential for UWF Related Works to cause effects to the Lower River Shannon SAC itself, and consequently this project cannot have a cumulative effect.

However, the Other Elements must be considered because the UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluation for the Other Elements of the Whole UWF Project are included in this Impact Evaluation Table, in order to show the totality of the project.

Cumulative Impact Description for the Other Elements of the Whole UWF Project

Project Life Cycle Stage:
(for Other Elements only) Construction stage

Impact Source: n/a

Cumulative Impact Source: Oils, Fuels and Chemicals

Impact Pathway: Soil, subsoil and bedrock pore space

Impact Description: The plant and equipment that will be used during the construction phase will be run on fuels and oils. This creates the potential for spillage and leakage of hydrocarbons from machinery or plant during refuelling. There will be no storage of oils or fuels within the SAC.

Any spillages onto soil will contaminate the soil with toxic chemical and may cause secondary effects to water quality and biodiversity. Indirect effects on water quality and biodiversity are discussed in Chapter 11 and Chapter 8 respectively.

Impact Quality: Negative

Cumulative Information: Individual Evaluations of Other Elements of the Whole UWF Project**Element 1: UWF Grid Connection**

Impact Magnitude:

The route of the 110kV UGC is located within the SAC boundary at six points, all of which are located on the L2166-0 local road and R503 Regional Road

– for a 60m stretch on the L2166-0 on Black Road in Newport

- at the crossing of Newport Bridge, over the Newport River in Newport (110kV UGC in road over bridge);
- 3 short stretches of the R503 (100m, 100m, 350m) in Bauradomeeny townland, to the east of Rearcross;
- at the crossing of Anglesey Bridge, over the Bilboa River, near Kilcommon (110kV UGC in road over bridge);

As all excavations will be within the road pavement, there is low potential for contamination effects to the soils within the SAC at these points.

Given the small scale nature of the works within the SAC, the location of excavations within the road pavement, the small volume of fuels/oils that will be present and unlikelihood of large spills/leaks, the impact magnitude is considered to be Negligible

Significance of the Impact: Imperceptible

Rationale for Impact Evaluation:

- As per Table 10-4, Negligible magnitude combined with Very High Importance of the SAC; and,
- Soils and geology is not a qualifying feature of the SAC. The qualifying interests are largely aquatic habitats and species;
- The works area in the area of the SAC is overlain by asphalt/bitumen which will provide a protective cover to the underlying subsoils;

Lower River Shannon SAC

Sensitive Aspect

Soils

Topic

| |
|--|
| <ul style="list-style-type: none"> • Minor accidental spillage (i.e. small spillage volumes) from leaks or dripping from machinery engines/hydraulics is only likely to occur (worst case); • There will be no refueling of machinery or storage of fuels permitted within the SAC (Project Design Measure); and, • Any effects that do occur will be very localised to the soils and subsoils at the source / works activity area which will be mainly spoil from public road excavations. |
| Element 3: UWF Replacement Forestry – <i>N/A, evaluated as excluded, see Section 10.3.2.2.1</i> |
| Element 4: Consented Upperchurch Windfarm – <i>N/A, evaluated as excluded, see Section 10.3.2.2.1</i> |
| Element 5: UWF Other Activities – <i>N/A, evaluated as excluded, see Section 10.3.2.2.1</i> |
| Evaluation of the Other Cumulative Impacts – Contamination from Oils, Fuels & Chemicals |
| Whole UWF Project Effect |
| Cumulative Impact Magnitude: No potential for cumulative effects of the UWF Grid Connection with the Other Elements of the Whole UWF Project - only the UWF Grid Connection (110kV UGC route) is located within the Lower River Shannon SAC. |
| Significance of the Cumulative Impact: No Cumulative Impact |
| Rationale for Cumulative Impact Evaluation: |
| <ul style="list-style-type: none"> • The UWF Grid Connection is the only element which will result in impacts to the Lower River Shannon SAC. |

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities were evaluated as having potential to cause cumulative effects to Lower River Shannon SAC with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 10.3.2.1).

Lower River Shannon SAC

Sensitive Aspect

Soils

Topic

10.3.4.3 Impact Evaluation Table: Contamination from Cement Based Compounds

Evaluation of UWF Related Works Excluded: As the construction works boundaries for the UWF Related Works do not overlap the SAC boundary (closest point 1.5km away), there is no potential for UWF Related Works to cause effects to the Lower River Shannon SAC itself, and consequently this project cannot have a cumulative effect.

However, the Other Elements must be considered because the UWF Related Works is part of a whole project. Therefore, the cumulative information and evaluation for the Other Elements of the Whole UWF Project are included in this Impact Evaluation Table, in order to show the totality of the project.

Cumulative Impact Description for the Other Elements of the Whole UWF Project

Project Life Cycle Stage:
(for Other Elements only) Construction stage

Impact Source: n/a

Cumulative Impact Source: Cement based compounds such as concrete

Impact Pathway: Soil, subsoil and bedrock pore space

Impact Description: Contamination of soil, subsoil and bedrock due to direct contact with cement based construction compounds used for construction. Concrete and other cement-based products are highly alkaline and corrosive and can have impacts directly on the soil and subsoils in terms of toxicity to its flora and fauna. The effects will largely be localised to the soil or subsoil in direct contact with the cementations material.

Impact Quality: Negative

Cumulative Information for Other Elements of the Whole UWF Project

Element 1: UWF Grid Connection

Impact Magnitude:

The route of the 110kV UGC is located within the SAC boundary at six points, all of which are located on the L2166-0 local road and R503 Regional Road

– for a 60m stretch on the L2166-0 on Black Road in Newport

- at the crossing of Newport Bridge, over the Newport River in Newport (110kV UGC in road over bridge);
- 3 short stretches of the R503 (100m, 100m, 350m) in Baurnadomeeny townland, to the east of Rearcross;
- at the crossing of Anglesey Bridge, over the Bilboa River, near Kilcommon (110kV UGC in road over bridge);

The use of cement within the SAC will be limited to the placement of semi-dry lean mix concrete in the cable trenches in the public road which will comprise mainly asphalt/bitumen and hardcore. The cement will likely have some direct contact with the mineral subsoil beneath the existing public roadway. The cement will be covered and backfilled with aggregate and road surfacing materials.

Given the small scale nature of the works within the SAC, the location of trenches and the placement of cement in the public road pavement; and the small volume of cements involved at these 6 locations, the impact magnitude is considered to be Negligible.

Significance of the Impact: Imperceptible

Rationale for Impact Evaluation:

- As per Table 10-4, Negligible magnitude combined with Very High Importance of the SAC;
- The volume of cement to be used within the SAC will be minimal (<240m³) due to the relatively short length of works within or in close proximity to the boundary;
- Contact with the cement will be limited to mainly asphalt/hardcore underneath the existing public roadways; and,

Lower River Shannon SAC

Sensitive Aspect

Soils
Topic

| |
|---|
| <ul style="list-style-type: none"> Only a temporary (and reversible) increase in the pH of the soil, subsoil and bedrock in direct contact with the cement is likely to occur. The effects, which will be localised to the cable trench will only persist until after the cement mix has hardened and the residual high alkalinity leachate flushed out / diluted by rainfall. |
| Element 3: UWF Replacement Forestry – N/A, evaluated as excluded, see Section 10.3.2.2.1 |
| Element 4: Consented Upperchurch Windfarm – N/A, evaluated as excluded, see Section 10.3.2.2.1 |
| Element 5: UWF Other Activities – N/A, evaluated as excluded, see Section 10.3.2.2.1 |
| Evaluation of the Other Cumulative Impacts – Contamination from Cement Based Compounds |
| Whole UWF Project Effect |
| <u>Cumulative Impact Magnitude</u> : No potential for cumulative effects of the UWF Grid Connection with the Other Elements of the Whole UWF Project - only the UWF Grid Connection (110kV UGC route) is located within the Lower River Shannon SAC. |
| <u>Significance of the Cumulative Impact</u>: No Cumulative Impact |
| <u>Rationale for Cumulative Impact Evaluation</u> : <ul style="list-style-type: none"> The UWF Grid Connection (110kV UGC route) is the only element which will result in impacts to the Lower River Shannon SAC. |

Note: No cumulative evaluation of Other Projects or Activities is included in the table above, because no Other Projects or Activities were evaluated as having potential to cause cumulative effects to Lower River Shannon SAC with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 10.3.2.1).

Lower River Shannon SAC

Sensitive Aspect

Soils

Topic

10.3.4.4 Cumulative Information: Description and Rationale for Excluded (scoped out) Impacts

The source-pathway-receptor links and the rationale for impacts excluded from the Impact Evaluation Table sections are described in the table below.

Table 10-22: Description and Rationale for Excluded Impacts to Lower River Shannon SAC

Key: 1: UWF Grid Connection

| Source(s) of Impacts | Project Element | Pathway(s) | Impacts (Consequences) | Rational for Excluding (Scoping out) the Impact |
|---|-----------------|-----------------------|-----------------------------|---|
| Construction Stage | | | | |
| Excavations, construction machinery and traffic, storage of Overburden | 1 | Movement and mounding | Erosion and / or Compaction | <p>Rationale for Excluding: No potential for impacts/Neutral Impacts:</p> <p>Project design has ensured that sources of effects are not located within the SAC boundary – there will be no temporary or new permanent access roads within the SAC; there will be no temporary or permanent storage of overburden within the SAC; and construction traffic and construction works will be confined to the public roadway. Trenching works within the SAC boundary will be temporary in duration. There will be no potential for soil compact as the road is overlain by asphalt/bitumen surfaced public roadway,</p> <p>Soils within the SAC boundary at the 6 no. locations are limited to spoil under the public road pavements. The location of construction works within the existing road will avoid effects to subsoils by construction traffic – any effects will be Neutral.</p> <p>There are no soil based qualifying features of the SAC - the qualifying features are largely aquatic habitats / species, therefore there is no potential for direct effects to the qualifying features of the SAC– any effects will be Neutral..</p> |
| Operational Stage Effects | | | | |
| UWF Grid Connection: There will be no requirement for any excavation work or groundworks within the SAC boundary during the operational phase. | | | | |
| Decommissioning Stage Effects | | | | |
| UWF Grid Connection: No potential for impacts: The UWF Grid Connection will remain part of the National Grid on a permanent basis and is not expected to be decommissioned. | | | | |

10.3.5 Mitigation Measures for Impacts to Local River Shannon SAC

Mitigation measures are not relevant as there is **no potential for UWF Related Works to cause impacts** to Lower River Shannon SAC.

10.3.6 Evaluation of Residual Impacts to Local River Shannon SAC

Residual Impacts are the final or intended effects that will occur after mitigation measures have been put into place. Mitigation measures are not relevant and thus the Residual Impact is the same as the Impact set out in the Evaluation of UWF Related Works (Section 10.3.1.2), i.e. **no potential for impacts**.

10.3.7 Application of Best Practice and the EMP for Local River Shannon SAC

No UWF Related Works Best Practice Measures have been developed specially to protect the Lower River Shannon SAC.

Lower River Shannon SAC

Sensitive Aspect

Soils

Topic

10.3.8 Summary of Impacts to the Lower River Shannon SAC

The topic authors conclude that there is no potential for UWF Related Works to cause impacts to Lower River Shannon SAC.

The greyed out boxes in the summary table below relate to the cumulative information for the Other Elements of the Whole UWF Project, which are included to show the totality of the project.

Table 10-23: Summary of the impacts to the Lower River Shannon SAC

| Impact to Lower River Shannon SAC: | Excavation & Relocation of Soil, Subsoil and Bedrock | Contamination from Oils, Fuels & Chemicals | Contamination from Cement Based Compounds |
|--|--|--|---|
| Evaluation Impact Table (for Other Elements only) | Section 10.3.4.1 | Section 10.3.4.2 | Section 10.3.4.3 |
| Project Life-Cycle Stage (for Other Elements only) | Construction | Construction | Construction |
| <u>UWF Related Works Impact</u> | No Potential for Impacts Evaluated as Excluded - see Section 10.3.1 | | |
| Element 1: UWF Grid Connection | Imperceptible | Imperceptible | Imperceptible |
| Element 3: UWF Replacement Forestry | No Potential for Impact - Evaluated as Excluded, see Section 10.3.2.2.1 | | |
| Element 4: Upperchurch Windfarm | No Potential for Impact - Evaluated as Excluded, see Section 10.3.2.2.1 | | |
| Element 5: UWF Other Activities | No Potential for Impact - Evaluated as Excluded, see Section 10.3.2.2.1 | | |
| <u>Cumulative Impact:</u> (for Other Elements only) | | | |
| All Other Elements of the Whole UWF Project | No Potential for Cumulative Impact | No Potential for Cumulative Impact | No Potential for Cumulative Impact |

Note: No cumulative information for Other Projects or Activities is included in the table above, because no Other Projects or Activities were evaluated as having potential to cause cumulative effects to Lower River Shannon SAC with either the UWF Related Works or the Other Elements of the Whole UWF Project (see Section 10.3.2.1).

Lower River Shannon SAC

Sensitive Aspect

Soils

Topic

10.4 Policy Context

10.4.1 International Policy

At the EU policy level, a Soil Framework Directive does not exist at this time. The EU's Seventh Environmental Action Programme (1386/2013/EU) recommends that "the protection of soil and water should be fully taken into account in decisions relating to renewable energy (EU 2013)."

10.4.2 National Policy

At the national policy level, Ireland does not have specific legislation on soil protection in place. However, soil protection is indirectly covered by other policies in other policy areas such as agriculture, water and waste.

10.4.3 Mid-West Regional Planning Guidelines 2010-2022

The Mid-West Regional Planning Guidelines 2010-2022 contains no policies or guidelines relevant to the soil and geological environment within the study area.

10.4.4 North Tipperary County Development Plan 2010 (as varied):

The North Tipperary County Development Plan 2010 does not contain specific policies or objectives regarding the protection of the soil and geological environment.

The subject development will have regard to Policies LH6 and LH7 concerning the protection of designated sites (See Chapter 8: Biodiversity), and proposed developments are required to avoid a significant adverse impact on the ecological status of any designated sites within or in close proximity to the development area. As such the evaluation of the impacts to the soil, subsoil and geology of the the Lower River Shannon SAC, included in this chapter, have been used in Chapter 11: Water and Chapter 8: Biodiversity to evaluate an indirect impacts on water and biodiversity of these two designated sites.

It is an objective of the Council, subject to resources, to undertake a review of Geological Sites in Tipperary in association with the Geological Survey of Ireland over the lifetime of the Plan.

10.5 Best Practice Measures

The following Best Practice Measures have been developed primarily for the protection of Water, but will also protect **Soils**:

| | |
|-----------|---|
| RW-BPM-07 | Protection of Surface Water and Groundwater Quality during use of Cement Based Compounds |
| RW-BPM-08 | Protection of Surface Water and Groundwater Quality During Storage and Handling of Fuels, Oils and Chemicals |
| RW-BPM-10 | Surface Water Quality Protection Measures During Temporary Storage of Overburden along the Whole Windfarm Project areas |
| RW-BPM-11 | Surface Water Quality Protection Measures during Permanent Storage of Overburden along the Whole Windfarm Project areas |

As these Best Practice Measures primarily relate to Water protection, they are included at the end of the Water topic chapter (Chapter 11).

10.6 Summary of the Soils Chapter

Soils relates to topsoil, subsoil and bedrock. UWF Related Works will be predominately located on agricultural lands. Soils in the area comprise mainly mineral or organic (peaty) topsoil over glacial tills. The underlying bedrock in the study area mainly comprises volcanic meta-sediments. Soils in the UWF Related Works study are not designated.

Sensitive Aspects of Soils which were evaluated in this chapter include Local Soils, Subsoils & Bedrock; and Lower River Shannon SAC. The evaluation of effects to Lower River Shannon SAC relate to effects caused by another Element of the Whole UWF Project – the UWF Grid Connection.

10.6.1 Summary of UWF Related Works Impacts

- Adverse impacts to Local Soils, Subsoils & Bedrock will be Slight-Moderate in relation to excavation/re-location of soils, and Imperceptible in relation to erosion, compaction and contamination effects.
- There is no potential for UWF Related Works to cause impacts to the Lower River Shannon SAC as the construction works areas are not located within the SAC boundary, with a separation distance of 1.5km.

10.6.2 Summary of UWF Related Works Cumulative Impacts

The UWF Related Works are generally in the vicinity of Upperchurch Windfarm, and therefore the cumulative impact relates to the combined effects on landholdings from these two projects. The UWF Grid Connection is generally located at a distance from UWF Related Works, except for the eastern extremity of the 110kV UGC where is routed along public roads and a forestry road that is located within the UWF Related Works and Upperchurch windfarm Sites

- In Summary, cumulative impacts with Upperchurch Windfarm and UWF Grid Connection will not be greater than Slight-Moderate in relation to excavation/relocation of soils, and Imperceptible in relation to erosion, compaction and contamination effects.
- There is no potential for cumulative impacts to the Lower River Shannon SAC.

10.6.3 Summary of Cumulative Impacts with the Other Elements of the Whole UWF Project

As UWF Related Works is one element of the larger Whole Upperchurch Windfarm Project (Whole UWF Project), the potential for cumulative effects was examined with these Other Elements (in particular the construction works relating to UWF Grid Connection and Upperchurch Windfarm).

- Cumulative impacts to Local Soils, Subsoils & Bedrock with the Other Elements will be Slight-Moderate in relation to soil excavation/relocation impacts, Slight in relation to potential contamination by cement-based compounds, and will remain cumulatively imperceptible in relation to erosion, compaction or fuel/oil contamination effects.
- No cumulative impacts to the Lower River Shannon SAC, the only Element which with potential to cause impacts to this site is UWF Grid Connection - impacts will be Imperceptible.

10.6.4 Summary of the Cumulative Impacts with Other Projects or Activities

There is no potential for cumulative impacts to the Sensitive Aspects with Other Projects or Activities.

10.7 Reference List

Geological Survey of Ireland (2004) Bedrock Geology 1:100,000 scale map series, Sheet 18 (Geology of Tipperary).

Institute of Geologists Ireland (2013): Guidelines for Preparation of Soils, Geology & Hydrogeology Chapters in Environmental Impact Statements.

Malachy Walsh and Partners (2012): Windfarm Development Upperchurch, Thurles, Co. Tipperary - Geotechnical Assessment Report.

National Roads Authority (2008): Guidelines on Procedures for Assessment and Treatment of Geology, Hydrology and Hydrogeology for National Road Schemes.

National Parks and Wildlife Services (2004): Bleanbeg Bog NHA Site Synopsis Report (002450).

National Parks and Wildlife Services (2013): Lower River Shannon SAC Site Synopsis Report (002165).

National Parks and Wildlife Services (2013): Lower River Suir SAC Site Synopsis Report (002137).

Tipperary County Council (December 2017 Edition): North Tipperary County Development Plan 2010 – 2016 (As Varied).

Ecopower Developments Ltd. (2013) Upperchurch Windfarm Environmental Impact Statement 13510003

Ecopower Developments Ltd. (2013) Upperchurch Windfarm Response to Further Information 13510003

An Bord Pleanála (2014) Inspectors Report for Upperchurch Windfarm PL22.243040

An Bord Pleanála (2014) Grant of Permission for Upperchurch Windfarm PL22.243040