

## **APPENDIX 11-7**

***NOIDE MODELLING RESULTS***

| House | Description           | Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L. |      |      |      |      |      |      |
|-------|-----------------------|------------------------------------------------------------------------------------|------|------|------|------|------|------|
|       |                       | 3                                                                                  | 4    | 5    | 6    | 7    | 8    | 9    |
| C01   | Predicted Noise Level | 25.5                                                                               | 27.0 | 30.9 | 32.1 | 32.9 | 32.8 | 33.1 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C03   | Predicted Noise Level | 27.5                                                                               | 29.0 | 32.9 | 34.0 | 34.8 | 34.7 | 35.0 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C04   | Predicted Noise Level | 28.3                                                                               | 29.8 | 33.8 | 34.7 | 35.4 | 35.2 | 35.5 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C05   | Predicted Noise Level | 24.0                                                                               | 25.5 | 29.4 | 30.6 | 31.4 | 31.3 | 31.6 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C06   | Predicted Noise Level | 24.2                                                                               | 25.6 | 29.5 | 30.8 | 31.6 | 31.5 | 31.8 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C07   | Predicted Noise Level | 22.7                                                                               | 24.2 | 28.1 | 29.4 | 30.2 | 30.2 | 30.4 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C07a  | Predicted Noise Level | 23.3                                                                               | 24.7 | 28.6 | 30.1 | 30.8 | 30.8 | 31.0 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C08   | Predicted Noise Level | 21.9                                                                               | 23.2 | 27.1 | 28.7 | 29.5 | 29.5 | 29.7 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C08A  | Predicted Noise Level | 22.2                                                                               | 23.5 | 27.4 | 29.0 | 29.8 | 29.8 | 30.0 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C09   | Predicted Noise Level | 22.1                                                                               | 23.4 | 27.3 | 28.9 | 29.7 | 29.7 | 29.9 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C10   | Predicted Noise Level | 21.2                                                                               | 22.3 | 26.2 | 28.3 | 29.0 | 29.1 | 29.3 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C11   | Predicted Noise Level | 20.8                                                                               | 21.7 | 25.6 | 28.0 | 28.7 | 28.9 | 29.1 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C12   | Predicted Noise Level | 20.8                                                                               | 21.7 | 25.6 | 28.1 | 28.7 | 29.0 | 29.2 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C13   | Predicted Noise Level | 22.3                                                                               | 23.1 | 27.0 | 29.5 | 30.1 | 30.3 | 30.5 |

| House | Description           | Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L. |      |      |      |      |      |      |
|-------|-----------------------|------------------------------------------------------------------------------------|------|------|------|------|------|------|
|       |                       | 3                                                                                  | 4    | 5    | 6    | 7    | 8    | 9    |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C14   | Predicted Noise Level | 28.1                                                                               | 28.0 | 32.4 | 35.5 | 35.9 | 36.0 | 36.1 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C15   | Predicted Noise Level | 28.3                                                                               | 28.2 | 32.7 | 35.7 | 36.1 | 36.2 | 36.3 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C16   | Predicted Noise Level | 26.7                                                                               | 26.9 | 31.1 | 33.9 | 34.4 | 34.5 | 34.6 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C16A  | Predicted Noise Level | 27.1                                                                               | 27.2 | 31.5 | 34.3 | 34.8 | 34.9 | 35.0 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C17   | Predicted Noise Level | 27.3                                                                               | 27.3 | 31.7 | 34.5 | 35.0 | 35.1 | 35.1 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C18   | Predicted Noise Level | 27.8                                                                               | 28.0 | 32.3 | 35.0 | 35.5 | 35.6 | 35.7 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C18A  | Predicted Noise Level | 27.7                                                                               | 27.8 | 32.2 | 34.9 | 35.4 | 35.4 | 35.5 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C19   | Predicted Noise Level | 28.5                                                                               | 28.8 | 33.1 | 35.6 | 36.1 | 36.1 | 36.2 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C20   | Predicted Noise Level | 28.4                                                                               | 28.8 | 33.1 | 35.5 | 36.0 | 36.0 | 36.2 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C21   | Predicted Noise Level | 29.1                                                                               | 29.5 | 33.8 | 36.2 | 36.7 | 36.7 | 36.8 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C23   | Predicted Noise Level | 28.0                                                                               | 28.4 | 32.6 | 35.0 | 35.5 | 35.5 | 35.6 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C24   | Predicted Noise Level | 27.2                                                                               | 28.0 | 32.1 | 34.1 | 34.7 | 34.6 | 34.8 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C25   | Predicted Noise Level | 22.7                                                                               | 22.9 | 26.9 | 30.1 | 30.6 | 31.0 | 31.1 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C26   | Predicted Noise Level | 22.7                                                                               | 22.9 | 26.9 | 30.1 | 30.6 | 31.0 | 31.2 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |



| House | Description           | Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L. |      |      |      |      |      |      |
|-------|-----------------------|------------------------------------------------------------------------------------|------|------|------|------|------|------|
|       |                       | 3                                                                                  | 4    | 5    | 6    | 7    | 8    | 9    |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C43   | Predicted Noise Level | 20.5                                                                               | 22.0 | 25.8 | 27.3 | 28.1 | 28.1 | 28.3 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C44   | Predicted Noise Level | 19.5                                                                               | 20.9 | 24.8 | 26.3 | 27.1 | 27.1 | 27.3 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C45   | Predicted Noise Level | 19.1                                                                               | 20.5 | 24.3 | 25.9 | 26.7 | 26.8 | 26.9 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C46   | Predicted Noise Level | 19.2                                                                               | 20.6 | 24.4 | 26.0 | 26.8 | 26.8 | 27.0 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C47   | Predicted Noise Level | 19.1                                                                               | 20.4 | 24.3 | 25.8 | 26.6 | 26.7 | 26.9 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C48   | Predicted Noise Level | 18.4                                                                               | 19.7 | 23.5 | 25.1 | 26.0 | 26.0 | 26.2 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C49   | Predicted Noise Level | 17.9                                                                               | 19.2 | 23.1 | 24.7 | 25.5 | 25.6 | 25.7 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C50   | Predicted Noise Level | 17.7                                                                               | 18.9 | 22.8 | 24.4 | 25.2 | 25.4 | 25.5 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C51   | Predicted Noise Level | 17.0                                                                               | 18.2 | 22.0 | 23.7 | 24.6 | 24.7 | 24.8 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C52   | Predicted Noise Level | 17.3                                                                               | 18.5 | 22.4 | 24.0 | 24.8 | 25.0 | 25.1 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C53   | Predicted Noise Level | 21.8                                                                               | 22.2 | 26.3 | 28.7 | 29.3 | 29.3 | 29.4 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C54   | Predicted Noise Level | 21.7                                                                               | 22.1 | 26.3 | 28.7 | 29.2 | 29.3 | 29.4 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C55   | Predicted Noise Level | 21.7                                                                               | 22.1 | 26.2 | 28.6 | 29.2 | 29.2 | 29.3 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C56   | Predicted Noise Level | 21.7                                                                               | 22.3 | 26.4 | 28.7 | 29.2 | 29.3 | 29.4 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C57   | Predicted Noise Level | 21.9                                                                               | 22.4 | 26.5 | 28.8 | 29.4 | 29.4 | 29.6 |

| House | Description           | Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L. |      |      |      |      |      |      |
|-------|-----------------------|------------------------------------------------------------------------------------|------|------|------|------|------|------|
|       |                       | 3                                                                                  | 4    | 5    | 6    | 7    | 8    | 9    |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C58   | Predicted Noise Level | 21.9                                                                               | 22.5 | 26.6 | 28.8 | 29.4 | 29.5 | 29.6 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C59   | Predicted Noise Level | 20.6                                                                               | 20.7 | 25.0 | 27.6 | 28.1 | 28.1 | 28.2 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C60   | Predicted Noise Level | 20.0                                                                               | 20.2 | 24.4 | 27.0 | 27.5 | 27.6 | 27.6 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C61   | Predicted Noise Level | 19.8                                                                               | 20.0 | 24.2 | 26.8 | 27.3 | 27.4 | 27.5 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C62   | Predicted Noise Level | 19.6                                                                               | 19.7 | 23.9 | 26.6 | 27.1 | 27.1 | 27.2 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C64   | Predicted Noise Level | 19.3                                                                               | 19.4 | 23.6 | 26.2 | 26.7 | 26.8 | 26.9 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C65   | Predicted Noise Level | 18.9                                                                               | 19.0 | 23.2 | 25.8 | 26.3 | 26.4 | 26.5 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C66   | Predicted Noise Level | 18.6                                                                               | 18.8 | 23.0 | 25.6 | 26.1 | 26.2 | 26.3 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C67   | Predicted Noise Level | 18.3                                                                               | 18.4 | 22.6 | 25.2 | 25.7 | 25.8 | 25.9 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C68   | Predicted Noise Level | 17.3                                                                               | 17.6 | 21.7 | 24.2 | 24.7 | 24.8 | 24.9 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C69   | Predicted Noise Level | 17.0                                                                               | 17.5 | 21.6 | 23.8 | 24.4 | 24.4 | 24.5 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C70   | Predicted Noise Level | 13.8                                                                               | 14.4 | 18.1 | 20.4 | 21.2 | 21.5 | 21.6 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C70a  | Predicted Noise Level | 21.2                                                                               | 22.8 | 26.6 | 27.9 | 28.7 | 28.7 | 28.9 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C71   | Predicted Noise Level | 17.8                                                                               | 19.0 | 22.8 | 24.5 | 25.3 | 25.4 | 25.5 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |

| House | Description           | Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L. |      |      |      |      |      |      |
|-------|-----------------------|------------------------------------------------------------------------------------|------|------|------|------|------|------|
|       |                       | 3                                                                                  | 4    | 5    | 6    | 7    | 8    | 9    |
| C72   | Predicted Noise Level | 20.6                                                                               | 22.3 | 26.1 | 27.3 | 28.1 | 28.0 | 28.3 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |
| C73   | Predicted Noise Level | 20.6                                                                               | 22.3 | 26.2 | 27.3 | 28.1 | 28.1 | 28.4 |
|       | Noise Criteria        | 43.0                                                                               | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
|       | Potential Exceedance  | --                                                                                 | --   | --   | --   | --   | --   | --   |