



- NOTES:
1. ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES
 2. ALL LEVELS ARE IN METRES AND ARE RELATED TO ORDNANCE DATUM
 3. CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE
 4. ALL NEW FOUL SEWER INFRASTRUCTURE SHALL BE LAID IN ACCORDANCE WITH IRISH WATER WASTEWATER INFRASTRUCTURE STANDARD DETAILS CONSTRUCTION REQUIREMENTS FOR SELF-LAY DEVELOPMENTS DECEMBER 2017 (REVISION 03) DOCUMENT IW-CES-5030-01
 5. THIS DRAWING IS FOR PLANNING PURPOSES ONLY
 6. MANHOLE COVER LEVELS ARE TO CONFORM WITH FINISHED ROAD AND PATH LEVELS
 7. WHERE COVER TO PIPE IS LESS THAN 1200mm (ROAD/PATH/VERGE) OR 900mm (OPEN SPACE) SURROUND PIPE IN MINIMUM 150mm CONCRETE AS STD-WW-08
 8. WHERE INDICATED, ALL DISTANCES FROM DIVERTED SEWER TO ADJACENT STRUCTURES ARE TO CENTRELINE OF NEW SEWER.
 9. ALL NEW MANHOLES TO BE TO STD-WW-10 UNO

- LEGEND
- SITE BOUNDARY
 - - - EXISTING KERB
 - PROPOSED FOUL SEWER
 - PROPOSED SURFACE WATER SEWER
 - - - EXISTING FOUL SEWER
 - - - EXISTING SURFACE WATER SEWER
 - - - EXISTING WATERMAIN
 - - - PROPOSED FOUL RISING MAIN DIVERSION
 - FILTER DRAIN
 - ATTENUATION STORAGE
 - - - PROPOSED CARPARK DRAINAGE RISING MAIN

P02	02-12-20	PLANNING	BS	NJF
P01	12-12-19	Planning	BS	NJF
rev	date	description	by	chkd.
		A - Approved		
		B - Approved with comments		
		C - Do not use		
client approval				
suitability		issue purpose		
S2 - INFORMATION		PLANNING		
DUBLIN OFFICE: Ormond House, Upper Ormond Quay, Dublin 7, D07 W704 PHONE: +353 1 400 4000 CORK OFFICE: Phoenix House, Marahan Road, Cork, T12 H1K7 PHONE: +353 (0) 21 224538 WATERFORD OFFICE: Suite 10 The Arkham, Marzana Gate, Canada Street, Waterford, X91 W028 PHONE: +353 51 309 500				
project ref.	CASTLEFORBES DEVELOPMENT			
drawing title	GROUND LEVEL SERVICES LAYOUT			
client	GLENVEAGH			
designed by	author	scale	sheet size	
NJF	BS	1:250	A1	
drawing no.	180159-3101		revision	
			P02	

