



COVER LEVEL	113.85				112.33					111.628													
INVERT LEVEL	110.978	1.005	110.422	112.872	109.523	1.006	109.416	109.416	112.742	108.891	108.891	1.007	108.723	108.723	1.008	108.557	108.557	1.008 (3)	108.488	111.346	109.970	110.911	
DEPTH (m)	2.76		3.349							3.342						3.400					2.632	108.338	108.312
DISTANCE (m)		19.46		12.86																			3.91
PIPE SLOPE		1:43		1:121																			1:150
PIPE SIZE		225mm		225mm																			225mm



COVER LEVEL	113.813				112.437					111.888													112.872
INVERT LEVEL	111.904	Pipe002 (30)	111.400	111.400	Pipe002 (30) (1)	110.878	110.878	112.437	2.000	110.772	110.772	2.001	110.481	110.481	4.000	110.376	110.376						109.523
DEPTH (m)	1.709		0.718			1.559				1.207						1.378							3.349
DISTANCE (m)		19.36		20.08		16.01																	85.11
PIPE SLOPE		1:38		1:38		1:151				1:100						1:111							1:100
PIPE SIZE		225mm		225mm		225mm				225mm						225mm							225mm



© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.

NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.

- NOTES:
- ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES
  - ALL LEVELS ARE IN METRES AND ARE RELATED TO ORDNANCE DATUM
  - CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE
  - ALL WORKS TO BE CONSTRUCTED IN ACCORDANCE WITH THE NRA SPECIFICATION FOR ROAD WORKS UNLESS NOTED OTHERWISE
  - THIS DRAWING IS FOR PLANNING PURPOSES ONLY
  - MANHOLE COVER LEVELS ARE TO CONFORM WITH FINISHED ROAD AND PATH LEVELS
  - WHERE COVER TO PIPE IS LESS THAN 1200mm (ROAD/PATH/VERGE) OR 900mm (OPEN SPACE) SURROUND PIPE IN MINIMUM 150mm CONCRETE.

KEY  
 - - - - - EXISTING GROUND PROFILE  
 \_\_\_\_\_ PROPOSED GROUND PROFILE

P02	29-04-21	NEW SHD STAGE 3 PLANNING	PGC	CS
P01	15-12-20	STAGE 3 SHD PLANNING	ICD	DMW
rev	date	description	by	chkd.
		A - Approved		
		B - Approved with comments		
		C - Do not use		

DBFL Consulting Engineers  
 Civil, Structural & Transportation Engineering  
 www.dbfl.ie

DUBLIN OFFICE: Ormond House, Upper Ormond Quay, Dublin 7, D07 W7M4  
 PHONE: +353 1 454 4000

CORK OFFICE: 14 South Mall, Cork, T12 CT91  
 PHONE: +353 21 204538

WATERFORD OFFICE: Suite 10 The Atrium, Maritime Gate, Canada Street, Waterford, X91 W208  
 PHONE: +353 51 309 500

project ref.	COOLDOWN COMMONS PHASE 3
drawing title	LONGITUDINAL SECTIONS THROUGH FOUL SEWERS – SHEET 1
client	CAIRN HOMES
designed by	DMW
author	ICD
scale	AS NOTED
sheet size	A1
drawing no.	190003-DBFL-FW-SP-DR-C-3001
revision	P02