



NOTES

- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL ENGINEERS & ARCHITECTS DRAWINGS (DIMENSIONS ONLY NOT SCALING) TO BE USED. WHERE A CONFLICT OF INFORMATION EXISTS OR IF IN ANY DOUBT - ASK!
- CONSULTANTS TO BE INFORMED IMMEDIATELY OF ANY DISCREPANCIES BEFORE WORK PROCEEDS.
- THE CONTRACTOR SHALL CONSTRUCT ALL FOUL WATER DRAINAGE IN ACCORDANCE WITH THE LATEST IRISH WATER CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE & WASTEWATER INFRASTRUCTURE STANDARD DETAILS.
- POSITIONS OF SERVICES SHOWN ARE INDICATIVE ONLY. THE SETTING-OUT OF ALL SERVICES INDICATED IS THE RESPONSIBILITY OF THE CONTRACTOR, AND HE/SHE SHALL SATISFY THEMSELVES THAT THE REQUIRED DEPTH OF COVER AND SEPARATION DISTANCES ARE ACHIEVED IN ACCORDANCE WITH THE IRISH WATER CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE & WASTEWATER INFRASTRUCTURE STANDARD DETAILS.
- THE CONTRACTOR SHALL REVIEW THE PLAN LAYOUTS PRIOR TO COMMENCEMENT HAVING REGARD TO THE REQUIREMENTS OF THE WASTEWATER INFRASTRUCTURE STANDARD DETAILS PUBLISHED BY IRISH WATER. WHERE A DISCREPANCY BETWEEN THESE PLAN LAYOUT DRAWINGS AND THE RELEVANT REQUIREMENTS OF THE CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE & WASTEWATER INFRASTRUCTURE STANDARD DETAILS IS IDENTIFIED, THE CONTRACTOR MUST CONSULT BMCE, PRIOR TO COMMENCING CONSTRUCTION, SO THAT AN APPROPRIATE DESIGN AMENDMENT CAN BE MADE IF REQUIRED.
- THE GENERAL SPECIFICATION FOR THE FOUL WATER NETWORK ON THE PROJECT SHALL BE THE CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE & WASTEWATER INFRASTRUCTURE STANDARD DETAILS PUBLISHED BY IRISH WATER (LATEST EDITION). THE CONTRACTOR SHALL FAMILIARISE HIMSELF WITH ALL ASPECTS OF THIS DOCUMENT WHICH SHALL BE READ IN CONJUNCTION WITH THIS PARTICULAR SPECIFICATION.

LEGEND



NOTE
MINIMUM COVER TO ALL FOUL DRAINAGE SHALL BE ACHIEVED WHERE POSSIBLE AS PER IRW REQUIREMENTS (1200mm UNDER ROADS AND 750mm UNDER LANDSCAPE AREAS). WHERE MINIMUM COVER IS NOT ACHIEVED FOUL SEWER SHALL BE CONCRETE ENCASED.

- EXTRACT OF RESPONSIBILITIES**
Design Engineer (BMCE) is responsible for:
- Designing the Works required to service the development in accordance with Irish Water's Codes of Practice and Standard Details.
 - Ensuring that the design complies with the Codes of Practice and Standard Details.
 - Accepting liability for compliance through their professional indemnity insurance which shall be kept in place for a period of 6 years after the completion of the Works.
 - Accepting responsibility for the design and ensuring that all aspects of the design meet current Building Regulations, Planning Permission, any other relevant standards and legal requirements.
 - Developing a risk assessment to ensure that risks to both the local community and operators of the water supply or wastewater collection and associated treatment system are minimised.
 - Forwarding to Irish Water's Design Engineer for approval of any proposed revisions to the agreed design.
 - Assisting in development of the Final Documents.
 - Responding to all IRW correspondence in a timely manner.

- EXTRACT OF RESPONSIBILITIES**
Construction Engineer (NOT BMCE) is responsible for:
- Managing and arranging the construction of the Works in accordance with the requirements of the Construction Agreement, the Codes of Practice and the Standard Details.
 - Prior to starting the Works and following submission of the Commencement Notice to Irish Water, arranging and attending a Pre-Construction Meeting with the IRW Field Engineer.
 - Preparing and submitting for review to the IRW Field Engineer an Inspection and Testing Plan for the Works, in accordance with the requirements of the relevant Codes of Practice (see Appendix 5).
 - Resourcing the IRW Field Engineer's attendance on site to witness all mandatory testing and commissioning of the Works - refer to Appendix 2 and Appendix 3 of this document for details of mandatory inspections and commissioning tests.
 - Ensuring that the Works are acceptable to Irish Water.
 - Maintaining quality assurance documentation and as-built records on site (in the form of the CA File).
 - Facilitating site inspections by the IRW Field Engineer.
 - Ensuring as-constructed information is accurately recorded.
 - Assisting in the development of the Final Documents.
 - Submitting the Final Documents to the IRW Field Engineer along with a completed Appendix 4, thereby requesting the provision of the Conformance Certificate.
 - Responding to all IRW correspondence and any Non-Conformance Notices issued in a timely manner.

PL4	09.08.21	ISSUED FOR PLANNING APP.	BM	MS	SL	GC	PD
PL3	30.04.21	ISSUED FOR LW APPROVAL	BM	MS	SL	GC	PD
PL2	31.03.21	ISSUED FOR DCC APPROVAL	BM	MS	SL	GC	PD
PL1	26.03.21	ISSUED FOR LW APPROVAL	BM	MS	SL	GC	PD

PLANNING

BM
Consulting Engineers Ltd. Dublin Office: 52-54 Leeson Garden Street, Dublin 2, Ireland. Tel: (01) 677 2000 Fax: (01) 677 3154
17 Mill Street, London SE1 2AF, United Kingdom
Tel: (0044) 020 3755 3038

ACEI
The Institution of Structural Engineers

CLIENT
CWTC Multi Family ICVA acting on behalf of its sub-fund DBTR DRI Fund

Holy Cross College SHD BM PROJECT NO: **19.253**

MODEL REFERENCE	MODEL REV	SUITABILITY

PROPOSED DRAINAGE SITE PLAN LAYOUT. SHEET 6 OF 8

DRAWING NO: **CLN-BMCE-50-ZZ-DR-C-1008-S6** ISSUE: **PL4**

PROPOSED DRAINAGE SITE PLAN LAYOUT - SHEET 6 OF 8
SCALE @ A0: 1:200
SCALE @ A2: 1:400