



© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.

NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.

ON ORIGINAL

- NOTES:
1. ALL DIMENSIONS AND LEVELS IN METRES, EXCEPT IF NOTED OTHERWISE.
 2. ALL LEVELS TO MAIN HEAD DATUM.
 3. CO-ORDINATE SYSTEM IS: IRISH TRANSVERSE MERCATOR.
 4. REFER TO ARCHITECTS PLAN LAYOUTS FOR SITE BOUNDARY / CLIENT OWNERSHIP BOUNDARY / WORKS BOUNDARY.
- FOUL WATER:
1. FOUL SEWER PIPE MATERIAL SHALL BE uPVC WHICH IS IN ACCORDANCE WITH SECTION 3.13 OF THE WASTEWATER CODE OF PRACTICE.
 2. TYPICAL SERVICE LAYOUT DISTANCES (HORIZONTALLY AND VERTICALLY) AS PER DETAIL STD-WW-05.
 3. ALL FOUL MANHOLE DETAILS ARE TO BE CONSTRUCTED IN ACCORDANCE WITH STANDARD DETAILS STD-WW-09, STD-WW-10, STD-WW-11 AND STD-WW-12.
 4. TRENCH DETAILS ARE TO BE CONSTRUCTED IN ACCORDANCE WITH STD-WW-07, STD-WW-08 AND STD-W-13.
 5. DRAIN CONNECTIONS FROM BUILDINGS TO BE MINIMUM 150mm UNO @ 1:100.
 6. ALL MAIN SEWERS WITH LESS THAN 1.2m COVER UNDER ROADS AND 0.9m COVER UNDER GRASSED AREAS AND FOOTPATHS TO BE SURROUNDED IN 150mm CONCRETE. MANHOLES, AIS AND SERVICE COVERS LOCATED IN BLOCK PAVED OR PAVING SLAB AREAS ARE TO HAVE RECESSED COVERS TO RECEIVE PAVINGS TO MATCH ADJACENT PAVING MATERIALS.
 8. ALL COVERS IN PUBLIC AREAS TO BE IS EN 124 D400 UNLESS NOTED OTHERWISE & NON-LOCKABLE.
 9. REFER TO DRAWING 20060-DBFL-FW-ST-DR-C-3021 FOR FOUL SEWER LONGITUDINAL SECTIONS.
 10. ALL WORKS TO BE UNDERTAKEN IN ACCORDANCE WITH:
 - IRISH WATER CONNECTION AND DEVELOPER SERIES STANDARD DETAILS
 - TI SPECIFICATION FOR ROADWORKS
 - GREATER DUBLIN CODE OF PRACTICE FOR DRAINAGE WORKS RECOMMENDATIONS FOR SITE DEVELOPMENT WORKS
 11. CE CERTIFICATION TO BE PROVIDED FOR ALL PRODUCTS COVERED BY THE CE CONSTRUCTION PRODUCTS REGULATION (NO.305/2011-CPR).
 12. ALL MATERIALS PROPOSED FOR USE ON SITE TO BE APPROVED PRIOR TO ARRIVAL ON SITE.
 13. LEVELS AND POSITIONS OF ALL EXISTING SERVICES TO BE CONFIRMED ON SITE PRIOR TO CONSTRUCTION.
 14. ALL FOUL INSPECTION CHAMBER DETAILS ARE TO BE CONSTRUCTED IN ACCORDANCE WITH STANDARD DETAILS STD-WW-13.

LEGEND

- ROAD EDGE
- FOOTPATH EDGE
- ROAD CENTRELINE
- PROPOSED BUILDING
- PROPOSED BASEMENT
- FINISHED FLOOR LEVEL (FFL 99.99)

PROPOSED SERVICES:

- 225# FS 1:999 FOUL WATER SEWER
- F99 CL 99.99 IL 99.99 FOUL WATER MANHOLE
- DUCTILE IRON RISING MAIN

EXISTING NEIGHBORING SITE INFRASTRUCTURE:

- 225# 1:999 FOUL WATER SEWER
- P1-F99 CL 99.99 IL 99.99 FOUL WATER MANHOLE

EXISTING PUBLIC SERVICES:

- EX. 225# FS FOUL SEWER
- EX-F99 CL 99.99 IL 99.99 FOUL SEWER MANHOLE

ORDNANCE SURVEY IRELAND LICENCE No EN 0017921
© ORDNANCE SURVEY IRELAND GOVERNMENT OF IRELAND

P03	15/06/21	ISSUED FOR PLANNING	DCH	LMCL
P02	26/08/20	ISSUED FOR PRE-PLANNING	DCH	LMCL
P01	22/05/20	ISSUED FOR PRE-PLANNING	DCH	LMCL
rev	date	description	by	chkd.

client approval: A - Approved, B - Approved with comments, C - Do not use

subtitle: S2 - INFORMATION, issue purpose: PLANNING

DBFL Consulting Engineers
Civil, Structural & Transportation Engineering
www.dbfl.ie

DUBLIN OFFICE: Ormond House, Upper Ormond Quay, Dublin 7, D07 W9T4
PHONE: +353 1 400 4000

CORK OFFICE: 14 South Mall, Cork, T12 CT91
PHONE: +353 21 2024538

WATERFORD OFFICE: Suite 10 The Arkum, Maritime Gate, Canada Street, Waterford, X91 W028
PHONE: +353 51 309 500

project ref: MIXED USE DEVELOPMENT-CHADWICKS, SWORDS ROAD, SANTRY.

drawing title: FOUL LAYOUT PLAN

client: DWYER NOLAN DEVELOPMENTS

designed by	author	scale	sheet size
LMCL	DCH	1:250	A1
drawing no.			revision
200060-DBFL-FW-ST-DR-C-1021			P03

SEE INSET A FOR CONTINUATION