



- DRAWINGS NOTES:**
- LIGHTING TO BE SUPPLIED VIA A SOLAR TIME CLOCK WITHIN EACH PUBLIC LIGHTING MINI PILLAR.
 - A MAXIMUM OF 6No. LUMINAIRES PER CIRCUIT & 4No. CIRCUITS PER PUBLIC LIGHTING MINI PILLAR.
 - ALL COLLUMNS TO BE 8 METRES HIGH WITH A 3 METRE OUTREACH BRACKET & SETBACK 1 METRE FROM KERB.
 - ALL COLLUMNS TO BE HINGED & TO BE AT LEAST 3 METRE CLEAR OF ALL OVERHEAD HIGH VOLTAGE POWER LINES.
 - FOR SCHEDULES OF EQUIPMENT SEE SPECIFICATION.
 - THE COMPLETE INSTALLATION TO BE CO-ORDINATED WITH ALL OTHER SERVICES.
- LEGEND OF SYMBOLS:**
- MP PUBLIC LIGHTING MINI PILLAR
 - PL PUBLIC LIGHTING DRAWPOINT
 - 2No. 100mmØ RED PVC PUBLIC LIGHT DUCT
 - X1 COLUMN MOUNTED FLOOD LIGHT
 - X2 LIGHTPOLE - FOOTWAY - H3.5m
 - X3 BOLLARD LIGHT - ENTRANCE BUILDING H2m
 - X4 IN-GROUND LIGHT - ACCENTUATION TREE
 - X5 RECESSED LIGHT - STAIRS

- FOR SETTING OUT REFER TO ARCHITECT'S DRAWINGS.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER ARCHITECTURAL AND ENGINEERING DRAWINGS AND ALL OTHER RELEVANT DRAWINGS AND SPECIFICATIONS.
- DO NOT SCALE THIS DRAWING. USE FIGURED DIMENSIONS ONLY.
- NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF O'CONNOR SUTTON CROWNE AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT FOR WHICH THE DOCUMENT WAS ORIGINALLY ISSUED.

| Rev No. | Date | Revision Note | Drn by | Chkd by |
|---------|----------|-----------------------|--------|---------|
| P01 | 13.10.20 | ISSUED FOR PLANNING. | B.M. | J.D. |
| P02 | 07.07.21 | REISSUED FOR PLANNING | B.M. | J.D. |

| Rev No. | Date | Revision Note | Drn by | Chkd by |
|---------|------|---------------|--------|---------|
| | | | | |
| | | | | |



Head Office,
9 Prussia Street,
Dublin 7,
D07 KT57

TEL +353 (0)1 8682000

e: contactus@ocsc.ie
w: www.ocsc.ie

Dublin | London | Belfast | Galway | Cork | Birmingham

Client: THE SHORELINE PARTNERSHIP
Project: PROJECT SHORELINE
BALDOYLE GA03
Title: ELECTRICAL - GA03
SITE LIGHTING LAYOUT

Code | Originator | Site | Zone | Level | Type | Role | Number | Status | Revision
R500-OCSC-GA03-ZZ-XX-DR-E-0100 | S4 | P02

Date: 15.10.20 Scale: 1:500 @ A0 Drn by: B.M. Chkd by: J.D. Aprvd by: B.R.