


L03 - Third Floor
1 : 200



L04 - Roof
1 : 200

Notes:

- Do not scale from this drawing. Use figured dimensions in all cases.
- Verify dimensions on site and report any discrepancies to the Architect immediately.
- This drawing to be read in conjunction with the Architect's Specification.
- © This drawing is copyright and may only be reproduced with the Architect's permission.

Drawing Notes:

Refer to windows, doors and curtain walling schedules for more information on details and types. Refer to all other referenced architectural drawings for more information.


Refer also to all other consultants drawings, specifications, reports and schedules including: Walsh Goodflow for structural and civils, Renaissance for MEP information, JGA for fire strategy information, Ryan & Associates for DAC information, AIT Urbanism & Landscape for landscape plan boundary details & Amplitude Acoustics for Acoustics.

Walls
Selected clay bricks to varying colours as defined in the different character areas as indicated, painted rap sand cement render, expressed plaster bands around external open fireplaces. Concrete or metal clills, linings or copings as indicated on elevations.

1 Facing Brick 1 - Red / Brown Blend with flush grey mortar
2 Facing Brick 2 - Grey brick with recessed dark grey mortar
3 Facing Brick 3 - Light Buff brick with recessed grey mortar
4 Random rubble stone cladding
5 Sand / cement rap finish to external leaf of blockwork, paint then applied.

Windows
6 Windows to be aluminium double glazed windows. External doors to be high security impact resistant timber hall doors to EN 1627 and level access threshold to approved colour. Obscure windows to bathrooms and where overlooking adjoining amenity spaces as indicated on elevation drawings.

Roof
7 Bullnose flat concrete roof tiles, fixed to timber battens on vapour permeable roofing underlay, on timber / steel roof structure to a suitable roof pitch manufactured in compliance with EN 490: 2005.
8. Low pitch roofs or canopies to be either Single ply membrane Tropicool type membranes or select pressed metal roofing with standing seams.
9. Rainwater goods, downpipes etc. to be Aluminium Alloy.
10. Balustrades to be painted mild steel uprights



Issues & Revisions			
Rev.	Date	Drawn	Details of Issue / Revision
A	SEPT 21	A.R.	Issue for Planning



Client Details:
Voyage Property Limited,
Ashbourne Hall,
Dock Road,
Limerick.

Project Details:
Greenpark SHD
Limerick

Drawing Title:
THIRD & ROOF FLOOR PLAN - APARTMENT C

Job No. P20-133D	Sheet Size: A1	Scale @A1: 1:200
Issue Date: SEPT 21	Drawn By: A.Roche	Reviewed By: M. Freaney

Status S02	Purpose of Issue 3.0 Planning Application
Project-Originator-Zone-Level-Type-Role-Classification-Number 20133-RAU-ZZ-ZZ-DR-A-02.3002	
Revision A	