


© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.

- 1. ALL WORKS TO BE CONSTRUCTED IN ACCORDANCE WITH
- 2. ALL REINFORCED CONCRETE ON THIS DRAWING SHALL BE
- CLASS F1 FOR ALL CONCRETE 100mm OR MORE BELOW
- 5. ALL STRUCTURAL CONCRETE (HEADWALLS, RC MANHOLES, PETROL INTERCEPTOR SLABS) TO RECEIVE MC DUR 1680 (OR SIMILAR APPROVED TAR MODIFIED EPOXY RESIN) TO ALL BURIED SURFACES, TO FINISH 100mm BELOW
- 7. RIGID PIPES SHALL MEAN CAST OR SPUN IRON, CONCRETE,
- 8. CLASS D400 MANHOLE COVER FRAMES TO BE 150mm DEEP IN ROADS AND 100mm DEEP IN FOOTPATHS AND GREEN
- 9. ALL AGGREGATES PROPOSED FOR USE ON THIS SCHEME SHALL MEET FULLY THE REQUIREMENTS OF THE NRA SPECIFICATION FOR ROAD WORKS AND IN ADDITION THE REQUIREMENTS STATED IN STANDARD RECOMMENDATION S.R.
- 10. ALL FOUL SEWERS, MANHOLES, AND CONNECTIONS TO BE CONSTRUCTED IN ACCORDANCE WITH IRISH WATER CODE OF
- 11. ALL SURFACE WATER SEWERS, MANHOLES, AND CONNECTIONS TO BE CONSTRUCTED IN ACCORDANCE WITH THE GRATER DUBLIN REGIONAL CODE OF PRACTICE FOR



## DBFL Consulting Engineers

DUBLIN OFFICE: Ormond House, Upper Ormond Quay, Dublin 7. D07 W704 PHONE +353 1 400 4000

CORK OFFICE: Phoenix House, Monahan Road, Cork. T12 H1XY PHONE +353 (0) 21 2024538 WATERFORD OFFICE: Suite 8b The Atrium, Maritana Gate, Canada Street, Waterford. X91 W028 PHONE +353 51 309 500

RESIDENTIAL DEVELOPMENT

TYPICAL DRAINAGE CONSTRUCTION

GLENVEAGH HOMES LIMITED

AS SHOWN 170182-DBFL-CS-SP-DR-C-5301 P02