


© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.

NOTES:

- 1. WHERE ROCKS OR OTHER HARD TRENCH BOTTOM IS ENCOUNTERED. THE FIGURE DENOTED BY * IS TO BE DOUBLED.
- 2. TYPE 1 GRANULAR MATERIAL : BROKEN STONE OR GRAVEL TO PASS 10mm SIEVE AND BE
- RETAINED ON 5mm SIEVE.

STONES RETAINED ON A 37.5mm SIEVE.

- 3. TYPE 2 GRANULAR MATERIAL : BROKEN STONE OR GRAVEL TO PASS 10mm - 25mm SIEVE, ACCORDING TO PIPE SIZE, (SEE TABLE) AND BE RETAINED ON
- 5mm SIEVE. 4. CLAUSE 601 S.R.W. BACKFILL: UNIFORM READILY COMPACTED MATERIAL FREE FROM TREE ROOTS, VEGETABLE MATTER, BUILDING DEBRIS, AND FROZEN SOIL AND EXCLUDING CLAY LUMPS RETAINED ON A 75mm SIEVE AND
- 5. RIGID PIPES SHALL MEAN CAST OR SPUN IRON, CONCRETE OR
- 6. GULLY GRATINGS AND FRAMES SHALL COMPLY WITH THE REQUIREMENTS OF I.S./E.N./124 1994. GULLIES SHALL BE CLASS
- 7. GULLY WALLS SHALL BE CONSTRUCTED IN CLASS 30N/mm2 PRECAST OR INSITU CONCRETE OR ALTERNATIVELY IN SOLID CONCRETE BLOCKS DESIGNATED S10, STRENGTH 10N/mm2
- 8. ALL PIPES TO BE BEDDED IN ACCORDANCE WITH MANUFACTURERS RECOMMENDATIONS
- 9. SURFACE WATER SEWERS TO BE CLASS H CONCRETE TO IS EN1916 AND IS 6 2004.
- 10. FOUL SEWERS TO BE uPVC PIPES TO COMPLY WITH THE 'PROVISIONAL SPECIFICATIONS FOR SOIL PIPES, DRAINS, SEWERS AND FITTINGS MADE OF UNPLASTICISED P.V.C.' ISSUED BY THE DEPARTMENT OF THE ENVIRONMENT AND THE GRATER DUBLIN REGIONAL CODE OF PRACTICE FOR DRAINAGE WORKS V6.0.







CORK OFFICE: Phoenix House, Monahan Road, Cork. T12 H1XY PHONE +353 (0) 21 2024538

WATERFORD OFFICE: Suite 8b The Atrium, Maritana Gate, Canada Street, Waterford. X91 W028 PHONE +353 51 309 500

RESIDENTIAL DEVELOPMENT HOLLYSTOWN

TYPICAL DRAINAGE CONSTRUCTION **DETAILS SHEET 4**

GLENVEAGH HOMES LIMITED

designed by	author	scale	sheet size	
DMW	GMC	NTS	A1	
drawing no.			revision	
170182-DBFL-CS-SP-DR-C-5304			P02	