



© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.  
 NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.


- NOTES:
- ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES
  - ALL LEVELS ARE IN METRES AND ARE RELATED TO ORDNANCE DATUM
  - CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE
  - ALL WORKS TO BE CONSTRUCTED IN ACCORDANCE WITH THE NRA SPECIFICATION FOR ROAD WORKS UNLESS NOTED OTHERWISE
  - THIS DRAWING IS FOR PLANNING PURPOSES ONLY
  - MANHOLE COVER LEVELS ARE TO CONFORM WITH FINISHED ROAD AND PATH LEVELS
  - WHERE COVER TO PIPE IS LESS THAN 1200mm (ROAD/PATH/VERGE) OR 900mm (OPEN SPACE) SURROUND PIPE IN MINIMUM 150mm CONCRETE



|              | F133-16 | F133-15 | F133-14 | F133-11 |
|--------------|---------|---------|---------|---------|
| COVER LEVEL  | 71.980  | 72.216  | 72.011  | 71.150  |
| INVERT LEVEL | 70.220  | 69.882  | 69.328  | 68.665  |
| DEPTH (m)    | 1.720   | 3.288   | 3.145   | 2.485   |
| DISTANCE (m) |         | 21.000  | 10.44   | 19.005  |
| PIPE SLOPE   | 1:60    | 1:170   |         | 1:200   |
| PIPE SIZE    | 150mm   | 225mm   |         | 225mm   |



|              | F133-18 | F133-17 | F133-15 |
|--------------|---------|---------|---------|
| COVER LEVEL  | 72.200  | 72.293  | 72.216  |
| INVERT LEVEL | 70.750  | 70.299  | 69.328  |
| DEPTH (m)    | 1.450   | 3.325   | 3.288   |
| DISTANCE (m) |         | 20.000  | 6.38    |
| PIPE SLOPE   |         | 1:101   | 1:159   |
| PIPE SIZE    |         | 225mm   | 225mm   |



|              | F133-20 | F133-19 | F133-18A | F133-17 |
|--------------|---------|---------|----------|---------|
| COVER LEVEL  | 71.500  | 71.416  | 71.718   | 72.293  |
| INVERT LEVEL | 70.500  | 69.747  | 69.394   | 68.968  |
| DEPTH (m)    | 0.800   | 1.729   | 2.409    | 3.325   |
| DISTANCE (m) |         | 45.46   | 21.82    | 51.83   |
| PIPE SLOPE   |         | 1:60    |          | 1:152   |
| PIPE SIZE    |         | 150mm   | 150mm    | 225mm   |

KEY  
 - - - - - EXISTING GROUND PROFILE  
 \_\_\_\_\_ PROPOSED GROUND PROFILE

|     |          |                            |     |       |
|-----|----------|----------------------------|-----|-------|
| P01 | 13.12.21 | STAGE 3 SHD PLANNING       | GMC | BCM   |
| rev | date     | description                | by  | chkd. |
|     |          | A - Approved               |     |       |
|     |          | B - Approved with comments |     |       |
|     |          | C - Do not use             |     |       |

DBFL Consulting Engineers  
 Civil, Structural & Transportation Engineering  
 www.dbfl.ie

DUBLIN OFFICE: Ormond House, Upper Ormond Quay, Dublin 7, D07 W704  
 PHONE: +353 (0)1 450 4000

CORK OFFICE: Phoenix House, Monahan Road, Cork, T12 H1XV  
 PHONE: +353 (0)21 2254538

WATERFORD OFFICE: Suite 10 The Arkum, Marzana Gate, Canada Street, Waterford, X91 WQ28  
 PHONE: +353 (0)51 309 500

project ref.  
**RESIDENTIAL DEVELOPMENT  
 HOLLYSTOWN**

drawing title  
**LONGITUDINAL SECTIONS THROUGH  
 FOUL SEWER SHEET 5**

client  
**GLENVEAGH HOMES LIMITED**

|                             |        |                  |            |
|-----------------------------|--------|------------------|------------|
| designed by                 | author | scale            | sheet size |
| BCM                         | GMC    | H 1:500, V 1:100 | A1         |
| drawing no.                 |        |                  | revision   |
| 170182-DBFL-FW-SP-DR-C-3005 |        |                  | P01        |