

COVER LEVEL		75.200		75.200		75.200		75.200		75.301		75.002		74.586		74.263		
INVERT LEVEL		74.200	1.000	73.972	1.001	73.733	1.003	73.590	1.004	72.660	1.005	72.386	1.006	72.070	1.007	71.761	1.008	71.400
DEPTH (m)		1.000		1.228		1.467		1.600		2.641		2.616		2.516		2.502		
DISTANCE (m)			26.54		28.17		10.58		35.71		51.45		59.54		58.02		67.84	
PIPE SLOPE			1:116		1:118		1:74		1:191		1:188		1:188		1:188		1:188	
PIPE SIZE			225mm		225mm		225mm		225mm		225mm		225mm		225mm		225mm	

ON ORIGINAL


0 5 10 15 20 25 30 40 50mm

© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.


NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.

NOTES:

- ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES
- ALL LEVELS ARE IN METRES AND ARE RELATED TO ORDNANCE DATUM
- CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE
- ALL WORKS TO BE CONSTRUCTED IN ACCORDANCE WITH THE NRA SPECIFICATION FOR ROAD WORKS UNLESS NOTED OTHERWISE
- THIS DRAWING IS FOR PLANNING PURPOSES ONLY
- MANHOLE COVER LEVELS ARE TO CONFORM WITH FINISHED ROAD AND PATH LEVELS
- WHERE COVER TO PIPE IS LESS THAN 1200mm (ROAD/PATH/VERGE) OR 900mm (OPEN SPACE) SURROUND PIPE IN MINIMUM 150mm CONCRETE



COVER LEVEL			74.263			73.352			73.086
INVERT LEVEL	72.070	1.007	71.761	1.008		71.400	1.009		71.080
DEPTH (m)			2.592			1.952			2.016
DISTANCE (m)	58.02			67.84			59.88		
PIPE SLOPE	1:188			1:188			1:187		
PIPE SIZE	225mm			225mm			225mm		




COVER LEVEL		75.200		75.200		75.200
INVERT LEVEL		74.200	2.000	73.969	2.001	73.625
DEPTH (m)		1.000		1.231		2.353
DISTANCE (m)			17.02		22.34	
PIPE SLOPE			1:74		1:65	
PIPE SIZE			225mm		225mm	

KEY

----- EXISTING GROUND PROFILE

———— PROPOSED GROUND PROFILE



COVER LEVEL		75.522		74.586
INVERT LEVEL		73.660	3.000	72.790
DEPTH (m)		1.872		2.516
DISTANCE (m)			51.60	
PIPE SLOPE			1:60	
PIPE SIZE			225mm	

P01	13.12.21	STAGE 3 SHD PLANNING	GMC	BCM
rev	date	description	by	chkd.
		A - Approved		
		B - Approved with comments		
		C - Do not use		
suitability		issue purpose		
S0 - WORK IN PROGRESS		PLANNING		
<div><div>DBFL</div><div>DBFL Consulting Engineers Civil, Structural & Transportation Engineering www.dbfl.ie</div></div> <div><div>DUBLIN OFFICE: Ormond House, Upper Ormond Quay, Dublin 7, D07 W704 PHONE +353 1 460 4000</div><div>CORK OFFICE: Phoenix House, Monahan Road, Cork, T12 H1XV PHONE +353 (0) 21 2204538</div><div>WATERFORD OFFICE: Suite 8b The Arkum, Marlboro Gate, Canada Street, Waterford, X91 W028 PHONE +353 51 909 500</div></div>				
project ref.				
RESIDENTIAL DEVELOPMENT HOLLYSTOWN				
drawing title				
LONGITUDINAL SECTIONS THROUGH FOUL SEWER SHEET 7				
client				
GLENVEAGH HOMES LIMITED				
designed by	author	scale	sheet size	
BCM	GMC	H 1:500, V 1:100	A1	
drawing no.	revision			
170182-DBFL-FW-SP-DR-C-3007	P01			