



Hor Scale 500
Ver Scale 50

Datum (m)-3.000

- Notes:**
- All levels relate to OD Malin Head and are in meters.
 - Do not scale from this drawing. If in doubt, ask.
 - This drawing should be read in conjunction with all relevant and available documentation.
 - All foul water drainage to be designed and constructed in accordance with Irish Water Code of Practice and Standard Details.
 - All pipework shall be Polypipe Polysewer and fittings, or similar approved.
 - All pipes to have a minimum cover of 900mm in non-trafficable areas and 1.2m in trafficable areas.
 - Refer to drawing 252666-ARUP-ZZ-XX-DR-C-2000 for Proposed Foul Water Layout.
 - Refer to drawing 252666-ARUP-ZZ-XX-DR-C-6000 and 6001 for drainage details.

P03	16/02/22	RM	RM	J.MacC
Issued for Planning				
P02	20/12/21	WC	RM	J.MacC
Issued for Information				
P01	18/11/21	RM	RM	J.MacC
Issued for Information				
Rev	Date	By	Chkd	Appd

ARUP

One Albert Quay
Cork, Ireland
Tel +353 (0)21 427 7670 Fax +353 (0)21 427 2345
www.arup.com

Client



Project Title
Creamfields Residential Development

Drawing Title
Existing Combined Sewer Longsection

Scale at A1	As Shown
Role	Site Infrastructure
Suitability	S2 - Suitable for Information
Arup Job No	Rev
252666-00	P03
Name 252666-ARUP-ZZ-XX-DR-C-2101	