

## Notes:



Trees & Hedge Vegetation being removed.

Work Exclusion Zone Protective fence line to protect work exclusion zone around trees being retained. Type 1 Protective fence detail as per BS5837 2012 Detail of singage 1 Standard scaffold poles 2 Heavy gauge 2 m tall galvanized tube and welded mesh infill panels Panels secured to uprights and cross-members with wire ties DRAWINGS FOR TH 4 Ground level 5 Uprights driven into the ground until secure (minimum depth 0.6 m) 6 Standard scaffold clamps

Tree Protection Detail

 $\langle \mathbf{0} \rangle$ 

Type 2 Protective fence for area with low concentration of works.



The tree protection fencing is to be erected enclosing the root protection areas around the trees being retained as shown on this drawing and appendix 1\_In some areas, the site hoarding may be sufficient to act as the protective fencing if the tree and its root zone are positioned outside and no works are envisaged within the area outside the site hoarding. This will need to be discussed and agreed at the initial site meeting.

Where tree protection fencing is needed, this will need to be 2.3m high and constructed in accordance with figure 2 of BS 5837 2012 (see detail on drawing & appendix 1) using vertical and horizontal scaffold bars or similar well braced together with the verticals spaced out at a maximum of 3m centres. Onto this, weld mesh panels (harris fecne panels) are to be securely fixed with wire or scaffold clamps.

Signs are to be attached to these fences warning people that this is a protective area and that the fencing must be maintained in good condition in accordance with the approved plans and drawings for this development.

Once the protective fence line is erected, then the main construction works can commence on site.

ARBORIST ASSOCIATES LTD. 94 BALLYBAWN COTTAGES, ENNISKERRY, CO. WICKLOW TEL: 01-2742011 / 087-2629589		
TITLE : Tree Protection Plan		
Lands at Boherboy', Saggart, <b>Site :</b> Co. Dublin.		
DATE:	Dwg No.BBS002 Part 2	Scale 1:500@A0

Part 2