











TABLE 1a.1

C.B.R. OF SUB GRADE (%)	MINIMUM THICKNESS OF CAPPING LAYER (MM)
Less than 2	REFER TO NOTE 1 BELOW
2-5	300
5-15	150
Greater than 15	0

1 THE CONTRACTOR IS TO VERIFY THE CBR VALUES TO DETERMINE THE THICKNESS OF CAPPING LAYER. AS DIRECTED BY TABLE 1. SPOT SPOTS TO BE REMOVED AND REPLACED WITH SUITABLE GRANULAR MATERIAL.
Note: CBR tests to be carried out at a minimum rate of 1 per road or 1 per 10m length of road.



NOT TO BE USED FOR CONSTRUCTION

PHM Consulting
Civil - Structural - Environmental
11 Ardara Street, Limerick, Ireland T94 XN94
Tel: +353 (0)61 576200 Email: info@phm.ie Web: www.phm.ie

Revington Developments Ltd.

PROPOSED RESIDENTIAL DEVELOPMENT AT PA HEALY ROAD, LIMERICK
ROADS DETAILS

Rev	Date	Description	By/CHKD/APP

Project Number	109-96	Rev.	~
Scale	AS SHOWN	Sheet	A1
Client	FOR	Date	07/2021
Author	FOR	Checked	FOR
Appr	FOR	Drawn	FOR
EDD	FOR	Planning	FOR

THIS DRAWING IS COPYRIGHT - ELECTRONIC DRAWING FILE NOTES.