

PAVEMENT SPECIFICATION - 100mm CONCRETE TO CL 1106 CONCRETE KERB TO TII ROAD 40mm STONE MASTIC ASPHALT (SMA) SURFACE COURSE, 10/14mm CHIP SIZE RANGE CONSTRUCTION DETAILS STANDARD. 60mm ASPHALT CONCRETE (AC) BINDER COURSE, 20mm CHIP SIZE RANGE -100mm CLAUSE 808 GRANULAR 220mm ASPHALT CONCRETE (AC) BASE COURSE, 32mm CHIP SIZE RANGE SEE INSET A MATERIAL MIN. 150mm GRANULAR SUB BASE, Clause 808/804 (DEPTH VARIES BASED ON CBR% VALUES) MIN. 150mm CAPPING LAYER, 6F1 (TII SPECIFICATION, SERIES 600) (DEPTH VARIES BASED ON CBR% VALUES) COOLAGAD LINK ROAD (6.5m) **GRASS VERGE GRASS VERGE** FUTURE 3.5m SHARED SURFACE 2m FOOTPATH ← 1:40 FALL 1:40 FALL TOPSOIL TOPSOIL 1:40 3.6 SUBGRADE (SUBJECT TO CBR TESTING) TYPICAL LINK ROAD CROSS SECTION


SCALE 1:20



TYPICAL INTERNAL CENTRAL/SPINE ARTERIAL ROAD CROSS SECTION SCALE 1:20



TYPICAL LOCAL STREET CROSS SECTION SCALE 1:20



#### **PROJECT**

PROPOSED RESIDENTIAL **DEVELOPMENT AT** COOLAGAD, GREYSTONES, CO. WICKLOW

#### CLIENT

CAIRN HOMES PROPERTIES LIMITED

# CONSULTANT

## AECOM

4th Floor Adelphi Plaza, George's Street Upper, Dun Laoghaire, Co Dublin Tel:+353 (0)1 696 6220 www.aecom.com

- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS, ANY DISCREPANCIES, ERRORS OR OMISSIONS TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
- ALL DIMENSIONS TO BE CHECKED BY THE CONTRACTOR ON SITE PRIOR TO COMMENCEMENT OF WORKS.
- AECOM LIMITED TO BE INFORMED BY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF WORKS ON SITE.
- DIMENSIONS OF ALL BOUNDARIES AND ADJOINING ROADS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF



### **ISSUE/REVISION**

used,			
lient. It may not be used			
ay no			
It me	0	11.03.2022	ISSUED FOR PLANNING
ient.	I/R	DATE	DESCRIPTION

# **PROJECT NUMBER**

60578132

SHEET TITLE

TYPICAL ROAD DETAILS SHEET 1 OF 3

### **SHEET NUMBER**

COO-ACM-00-00-DR-CE-00-0110

**TYPICAL ROAD DETAILS - SHEET 1 OF 3** 

ORDNANCE SURVEY IRELAND LICENCE NO CYAL50217544 ©ORDNANCE SURVEY IRELAND / GOVERNMENT OF IRELAND

0110