



PROPOSED 150Ø PERFORATED ^J PIPE TO DISCHARGE INTO SURFACE WATER NETWORK



TYPICAL PERMEABLE PAVING DETAIL



TYPICAL FILTER DRAIN DETAIL



PROJECT

PROPOSED RESIDENTIAL DEVELOPMENT AT COOLAGAD, GREYSTONES, CO. WICKLOW

CLIENT CAIRN HOMES PROPERTIES LIMITED

CONSULTANT

AECOM 4th Floor Adelphi Plaza, George's Street Upper, Dun Laoghaire, Co Dublin Tel:+353 (0)1 696 6220 www.aecom.com

NOTES

- 1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS, ANY DISCREPANCIES, ERRORS OR OMISSIONS TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
- 2. ALL DIMENSIONS TO BE CHECKED BY THE CONTRACTOR ON SITE PRIOR TO COMMENCEMENT OF WORKS.
- 3. AECOM LIMITED TO BE INFORMED BY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF WORKS ON SITE.
- 4. DIMENSIONS OF ALL BOUNDARIES AND ADJOINING ROADS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS.
- 5. DO NOT SCALE, ALL MEASUREMENTS AND COORDINATES TO BE CHECKED ON SITE.



PROPOSED FILTER DRAIN AT EDGE OF PATHWAY

-200 mm SOIL AND GRASS SEEDING

-TERRAM T1000 GEOTEXTILE OR ENHANCED FILTER LAYER

TERRAM T1000 GEOTEXTILE TO BASE AND SIDES

ISSUE/REVISION

0	11.03.2022	ISSUED FOR PLANNING
I/R	DATE	DESCRIPTION

PROJECT NUMBER

60578132

SHEET TITLE

PROPOSED SuDS DETAILS

SHEET NUMBER

ORDNANCE SURVEY IRELAND LICENCE NO CYAL50217544 ©ORDNANCE SURVEY IRELAND / GOVERNMENT OF IRELAND COO-ACM-00-00-DR-CE-00-0526