



© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.

NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.

NOTES:

1. ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES.
2. ALL LEVELS ARE IN METRES AND ARE RELATED TO MALIN HEAD ORDNANCE DATUM.
3. CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE.
4. ALL WORKS TO BE CONSTRUCTED IN ACCORDANCE WITH THE TII SPECIFICATION FOR ROAD WORKS UNLESS NOTED OTHERWISE.
5. MANHOLE COVER LEVELS ARE TO CONFORM WITH FINISHED ROAD AND PATH LEVELS.
6. WHERE COVER TO PIPE IS LESS THAN 1200mm (ROAD/PATH/VERGE) OR 900mm (OPEN SPACE) SURROUND PIPE IN MINIMUM 150mm CONCRETE.

LEGEND:

PROPOSED GROUND PROFILE

P01	21/03/22	ISSUED FOR PLANNING	RSP	LMcL
rev	date	description	by	chkd.
		A - Approved		
		B - Approved with comments		
		C - Do not use		

suitability	issue purpose
S2 - FOR INFORMATION	PLANNING



project ref.  
**RESIDENTIAL DEVELOPMENT AT HACKETTSTOWN, SKERRIES, CO. DUBLIN**

drawing title  
**SURFACE WATER LONGITUDINAL SECTIONS - SHEET 2**

client  
**LAND DEVELOPMENT AGENCY**

designed by	author	scale	sheet size
SJM	APW	1:1000	A1
drawing no.			revision
190170-DBFL-SW-SP-DR-C-3012			P01