



- NOTES:**
- ALL SIGNS AND ROAD MARKINGS SHALL BE IN ACCORDANCE WITH THE DEPARTMENT OF TRANSPORT, TOURISM AND SPORT (DOTS) TRAFFIC SIGNS MANUAL & DOTTS TRAFFIC SIGNS ADVISE NOTE: SLOW ZONES DOCUMENT REF TSAN 2016-02.
  - ALL ROAD MARKING ON ASPHALT SURFACING TO BE THERMOPLASTIC PAINT WITH REFLECTIVE BEADS
  - ALL ROAD MARKINGS ON PAVED SURFACES TO BE SPECTRUM ROUTELINE CR PAINT OR APPROVED EQUIVALENT.
  - ALL ROAD MARKING MATERIALS TO COMPLY WITH EU REGULATION NO.305/2011 IN RELATION TO CE MARKINGS AND DECLARATION OF PERFORMANCE (DOP).
  - ALL PARALLEL PARKING BAYS AS PER RRM 011 OF TSM. PARALLEL VEHICULAR CAR PARKING SPACES TO BE MARKED IN 2.5m x 6.0m BAYS IN 100mm WIDE WHITE LINES WITH A DURABLE PERMANENT MATERIAL.
  - ALL PERPENDICULAR PARKING SPACES AS PER RRM 013 OF TSM. PERPENDICULAR VEHICULAR PARKING SPACES TO BE MARKED IN 2.5m x 5.0m METRE BAYS IN 100mm WIDE WHITE LINES WITH A DURABLE PERMANENT MATERIAL.
  - ALL DISABLED PERSONS' PARKING BAYS AS PER FIG. 7.27 OF TSM.
  - THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWINGS, NAMELY ARCHITECT'S AND LANDSCAPE ARCHITECT'S LAYOUT.

- LEGEND:**
- PROPOSED PAVEMENT TYPE 1 - PERMEABLE PAVING
  - PROPOSED PAVEMENT TYPE 2 - STONE MASTIC ASPHALT (SMA) ROAD (NSORR/STREET Z1)
  - PROPOSED PAVEMENT TYPE 3 - STONE MASTIC ASPHALT (SMA) ROAD
  - PROPOSED PAVEMENT TYPE 4 - CYCLE TRACK
  - PROPOSED PAVEMENT TYPE 5 - CONCRETE FOOTPATH
  - PROPOSED PAVEMENT TYPE 6 - BUFF COLOURED STONE MASTIC ASPHALT HOMEZONE ROAD
  - PROPOSED PAVING TYPE 7 - TACTILE PAVING
  - PROPOSED PAVING TYPE 8 - LADDER PAVING
  - PROPOSED GREEN ROOF
  - PROPOSED SOFT LANDSCAPING TO LANDSCAPE ARCHITECT'S DETAILS
  - EXTENT OF PROPOSED DEVELOPMENT

