

**Chapter 07**  
Air Quality

## Contents

<b>7. Air Quality</b> .....	<b>3</b>
7.1 Introduction .....	3
7.2 Methodology .....	3
7.2.1 Study Area .....	3
7.2.2 Relevant Guidelines, Policy and Legislation .....	5
7.2.3 Data Collection and Collation .....	8
7.2.4 Appraisal Method for the Assessment of Impacts .....	9
7.3 Baseline Environment.....	23
7.3.1 Meteorological Conditions .....	23
7.3.2 Baseline Ambient Air Quality .....	24
7.3.3 Existing Modelled Baseline Scenario .....	30
7.4 Potential Impacts .....	33
7.4.1 Characteristics of the Proposed Scheme .....	33
7.4.2 Construction Phase .....	33
7.4.3 Operational Phase.....	45
7.5 Mitigation and Monitoring Measures .....	57
7.5.1 Construction Phase .....	57
7.5.2 Operational Phase .....	58
7.6 Residual Impacts .....	58
7.6.1 Construction Phase .....	58
7.6.2 Operational Phase .....	58
7.7 References .....	60

## 7. Air Quality

### 7.1 Introduction

This Chapter of the Environmental Impact Assessment Report (EIAR) has considered the potential air quality impacts associated with the Construction and Operational Phases of the Belfield / Blackrock to City Centre Core Bus Corridor Scheme (hereafter referred to as the Proposed Scheme).

During the Construction Phase, the potential air quality impacts associated with the development of the Proposed Scheme have been assessed. This included construction activities such as utility diversions, road carriageway / cycleway / footway resurfacing and kerb road realignments. Construction traffic construction access routes are also assessed as part of the study area for this phase of the works.

During the Operational Phase, the potential air quality impacts associated with altered traffic flows along the Proposed Scheme, reallocated traffic lanes and displaced traffic flows have been assessed.

The assessment has been carried out according to best practice and guidelines relating to air quality.

The aim of the Proposed Scheme when in operation is to provide enhanced walking, cycling and bus infrastructure on this key access corridor in the Dublin region, which will enable and deliver efficient, safe, and integrated sustainable transport movement along the corridor. The objectives of the Proposed Scheme are described in Chapter 1 (Introduction). The Proposed Scheme, which is described in Chapter 4 (Proposed Scheme Description), has been designed to meet these objectives.

The design of the Proposed Scheme has evolved through comprehensive design iteration, with particular emphasis on minimising the potential for environmental impacts, where practicable, whilst ensuring the objectives of the Proposed Scheme are attained. In addition, feedback received from the comprehensive consultation programme undertaken throughout the option selection and design development process have been incorporated, where appropriate.

### 7.2 Methodology

The assessment has been undertaken with reference to the most applicable guidance documents relating to air quality which are set out in the following sections of this Chapter.

An overview of the methodology undertaken for the air quality impact assessment is outlined below:

- A detailed baseline air monitoring study has been undertaken in order to characterise the existing ambient environment in areas along the Proposed Scheme. This has been undertaken through a review of available published ambient air monitoring data and site-specific ambient air monitoring at sensitive locations along the Proposed Scheme;
- A review of the most applicable standards and guidelines has been undertaken in order to define the air quality significance criteria for the Construction and Operational Phases of the Proposed Scheme;
- Predictive calculations and impact assessments relating to the likely Construction Phase air quality impacts have been undertaken at the nearest sensitive locations to the construction work areas associated with the Proposed Scheme;
- Predictive calculations have been performed to assess the potential air quality impacts associated with traffic alterations associated with the operation of the Proposed Scheme at the most sensitive locations; and
- A schedule of mitigation measures has been incorporated where required, to reduce, where necessary, the identified potential air quality impacts associated with the Proposed Scheme.

#### 7.2.1 Study Area

The study area for this assessment covers the length of the Proposed Scheme, approximately 8.3 kilometres (km) from Stradbroke Road to the City Centre, and the area either side of the Proposed Scheme up to a maximum distance of 350 metres (m) during the Construction Phase, and 200m during the Operational Phase. For the

Construction Phase assessment, the focus is on air quality sensitive receptors adjacent to the proposed works (e.g. utility diversions, road widening works, road excavation works (where required), road reconfiguration and resurfacing works) that are susceptible to air quality impacts but also those receptors along construction traffic access routes or routes along which traffic is redistributed within the study area (please see Chapter 5 (Construction) in Volume 2 of this EIAR for more information on construction traffic access routes). The extent of the overall study area is typically up to a maximum of 350m from a specific area of construction work, as per the Institute of Air Quality Management (IAQM) Guidance on the Assessment of Dust from Demolition and Construction (hereafter referred to as the IAQM Guidance) (IAQM, 2014), with the key impacted study areas focused up to a maximum of 350m depending on the air emission sources in question and the local area under consideration. For the Operational Phase, assessment of the dust impacts from maintenance of the route has been scoped out on the basis that these activities have low potential for dust release and are likely to have a negligible impact on air quality sensitive receptors.

For the Construction Phase and Operational Phase traffic assessment, the focus is on air quality sensitive receptors which bound the Proposed Scheme and those along diverted traffic routes within the study area. Highly sensitive air quality receptors during the Construction Phase include residential properties, hospitals, schools and residential care homes, whilst commercial and workplace properties are generally viewed as being of medium sensitivity (IAQM 2014). Sensitive receptor locations include residential housing, schools, hospitals, places of worship, sports centres and shopping areas, i.e. locations where members of the public are likely to be regularly present (TII 2011). Designated areas of conservation (either Irish or European designation) are also considered sensitive air quality receptors (TII 2011). Potential impacts to air quality relate to alterations to traffic patterns (e.g. introduction of a new bus lane or due to redistributed traffic), with particular attention focused on those areas where the Proposed Scheme will be encroaching closer to air quality receptors, specifically where bus or traffic lanes are moving closer to air quality receptors.

For the Construction Phase and Operational Phase traffic assessment, the focus is on air quality receptors within an overall study area of 200m from the Proposed Scheme, as per the Transport Infrastructure Ireland (TII) Guidelines for the Treatment of Air Quality During the Planning and Construction of National Road Schemes (hereafter referred to as the TII Air Quality Guidelines) (TII 2011) or diverted routes within the key impacted study areas focused within 50m to 100m. The range of air quality sensitive receptors for the five geographical sections are discussed in Table 7.1. The locations of sensitive receptors are provided initially in Table 7.18 and also in Figures 7.3 to 7.8 in Volume 3 of this EIAR.

**Table 7.1: Description of Air Quality Receptors within the Study Area**

Geographical Section	Description of Study Area
Stradbrook Road to Booterstown Avenue	Between the R828 Stradbrook Road and Booterstown Avenue junctions, it is proposed to provide a single bus lane, a single general traffic lane and segregated cycle track arrangement in each direction. The key air quality sensitive receptors within this study area are residential properties within 50m to 100m alignment, in particular those that have the road alignment moving closer to the properties by greater than 5m. These sensitive receptors already experience a high volume of traffic related emissions due to proximity to the major road. Sensitive receptors also include Willow Park School, Blackrock College, Blackrock Clinic, The Alzheimer Society of Ireland and Blackrock Hospice.
Booterstown Avenue to Nutley Lane	The key air quality sensitive receptors are residential properties within 50m to 100m of the alignment, particularly those that have the road alignment moving closer to the properties by greater than 5m. These sensitive receptors already experience a high volume of traffic related emissions due to proximity to the major road. Sensitive receptors also include St Marys Nursing Home and St. Vincent's University Hospital.
Merrion Road (Nutley Lane to Ballsbridge)	Sensitive receptors within this Section include St. Vincent's University Hospital, St. Michael's College and residential properties within 20m to 100m of the Proposed Scheme. These sensitive receptors have an existing high level of traffic in proximity.
Ballsbridge to Merrion Square (Pembroke Road, Baggot Street and Fitzwilliam Street)	Sandymount Park Educate Together Secondary school, Home Instead Senior Care Home, Pembroke Montessori, Scoil Chaitríona Baggot Street and residential properties are located within 20m to 100m of the Proposed Scheme.
Nutley Lane (R138 Stillorgan Road to Merrion Road)	Within the study area, the key air quality sensitive receptors are St. Vincent's University Hospital and residential properties within 20m to 100m.

## 7.2.2 Relevant Guidelines, Policy and Legislation

The following Environmental Protection Agency (EPA) guidelines were considered and consulted in the preparation of this Chapter:

- Guidelines on the Information to be contained in Environmental Impact Statements (EPA 2002);
- Advice Notes on Current Practice (in the preparation of Environmental Impact Statements) (EPA 2003);
- Draft Advice Notes for Preparing Environmental Impact Statements (EPA 2015); and
- Draft Guidelines on the Information to be contained in Environmental Impact Assessment Reports (hereafter referred to as the EPA Guidelines) (EPA 2017).

The statutory ambient air quality standards in Ireland are outlined in S.I. No. 180 of 2011 Air Quality Standards Regulations 2011 (hereafter referred to as the Air Quality Regulations), which incorporate the ambient air quality limits set out in Directive 2008/50/EC of the European Parliament and of the Council of 21 May 2008 on ambient air quality and cleaner air for Europe (hereafter referred to as the CAFE Directive), for a range of air pollutants. The statutory ambient air quality guidelines are discussed in greater detail in Section 7.2.2.1.

In addition to the specific statutory air quality standards, the assessment has made reference to national guidelines, where available, in addition to international standards and guidelines relating to the assessment of ambient air quality impacts from road schemes. These are summarised below:

- Institute of Air Quality Management Guidance (IAQM 2014, 2020);
- The Transport Infrastructure Ireland Air Quality Guidelines (TII 2011);
- Guidelines for Assessment of Ecological Impacts of National Roads Schemes (hereafter referred to as the TII Ecological Guidelines) (TII 2009);
- Guidance on Integrating Climate Change and Biodiversity into Environmental Impact Assessment (European Commission 2013);
- Environmental Impact Assessment of Projects – Guidance on the preparation of the Environmental Impact Assessment Report (European Commission 2017);
- United Kingdom (UK) Department of Environment Food and Rural Affairs (DEFRA) Part IV of the Environment Act 1995: Local Air Quality Management Policy Guidance (PG16) (hereafter referred to as LAQM (PG16)) (DEFRA 2016);
- Part IV of the Environment Act 1995: Local Air Quality Management Technical Guidance (TG16) (hereafter referred to as LAQM (TG16)) (DEFRA 2018);
- UK Highways Agency (UKHA) Design Manual for Roads and Bridges (DMRB) – LA 105 Air Quality (hereafter referred to as LA 105 Air Quality) (UKHA 2019); and
- World Health Organization (WHO) Air Quality Guidelines for Particulate Matter, Ozone, Nitrogen Dioxide and Sulfur Dioxide Global Update 2005 (hereafter referred to as the WHO Air Quality Guidelines) (WHO 2006).

### 7.2.2.1 Ambient Air Quality Standards / Limit Values

In order to reduce the risk to health from poor air quality, national and European statutory bodies have set limit values in ambient air for a range of air pollutants. The applicable legal standards in Ireland are outlined in the Air Quality Regulations, which incorporate the CAFE Directive. The Air Quality Regulations set limit values for the relevant pollutants nitrogen dioxide (NO<sub>2</sub>) and nitrogen oxides (NO<sub>x</sub>), particulate matter (PM) with an aerodynamic diameter of less than 10 microns (PM<sub>10</sub>), PM with an aerodynamic diameter of less than 2.5 microns (PM<sub>2.5</sub>), lead (Pb), sulphur dioxide (SO<sub>2</sub>), benzene and carbon monoxide (CO) (see Table 7.2).

**Table 7.2: Air Quality Regulations (based on the CAFE Directive)**

Pollutant	Regulation*	Limit Type	Value**
NO <sub>2</sub>	S.I. 180 of 2011	Hourly limit for protection of human health - not to be exceeded more than 18 times / year	200µg/m <sup>3</sup> NO <sub>2</sub>
		Annual limit for protection of human health	40µg/m <sup>3</sup> NO <sub>2</sub>
Nitrogen Oxides (NO + NO <sub>2</sub> )		Critical limit for the protection of vegetation and natural ecosystems	30µg/m <sup>3</sup> NO + NO <sub>2</sub>
Lead	S.I. 180 of 2011	Annual limit for protection of human health	0.5µg/m <sup>3</sup>
SO <sub>2</sub>	S.I. 180 of 2011	Hourly limit for protection of human health - not to be exceeded more than 24 times / year	350µg/m <sup>3</sup>
		Daily limit for protection of human health - not to be exceeded more than three times / year	125µg/m <sup>3</sup>
		Critical limit for the protection of vegetation and natural ecosystems (calendar year and winter)	20µg/m <sup>3</sup>
PM (as PM <sub>10</sub> )	S.I. 180 of 2011	24-hour limit for protection of human health - not to be exceeded more than 35 times / year	50µg/m <sup>3</sup>
		Annual limit for protection of human health	40µg/m <sup>3</sup>
PM (as PM <sub>2.5</sub> )	S.I. 180 of 2011	Annual limit for protection of human health	25µg/m <sup>3</sup>
Benzene	S.I. 180 of 2011	Annual limit for protection of human health	5µg/m <sup>3</sup>
CO	S.I. 180 of 2011	Eight hour limit (on a rolling basis) for protection of human health	10mg/m <sup>3</sup>

\* CAFE Directive replaces the previous Council Directive 96/62/EC of 27 September 1996 on ambient air quality assessment and management and daughter directives, Council Directive 1999/30/EC of 22 April 1999 relating to limit values for sulphur dioxide, nitrogen dioxide and oxides of nitrogen, particulate matter and lead in ambient air and Directive 2000/69/EC of the European Parliament and of the Council of 16 November 2000 relating to limit values for benzene and carbon monoxide in ambient air

\*\* µg/m<sup>3</sup> (micrograms per cubic metre); mg/m<sup>3</sup> (milligrams per cubic metre)

The WHO Air Quality Guidelines (WHO 2006) values relating to NO<sub>2</sub>, PM<sub>10</sub> and PM<sub>2.5</sub> are shown in Table 7.3. The WHO Air Quality Guideline values are more stringent than the European Union (EU) statutory limit values for PM<sub>10</sub> and PM<sub>2.5</sub>. In relation to NO<sub>2</sub>, the compliance limit values are equivalent. However, the WHO one-hour guideline value is an absolute value while the EU standards allows this limit to be exceeded for 18 hours / annum without breaching the statutory limit value.

In May 2020, as part of the joint WHO / United Nations Environment Program (UNEP) / World Bank *BreatheLife* campaign, the four Dublin local authorities signed a commitment to achieve the WHO Air Quality Guidelines by a target date of 2030.

The appropriate compliance limit values for the assessment of air quality impacts of the Proposed Scheme are those outlined in the Air Quality Regulations, which incorporate the CAFE Directive. Both the compliance limit value and WHO guideline value for NO<sub>2</sub>, the pollutant most likely to exceed either, are 40µg/m<sup>3</sup>. The assessment therefore considers both compliance with the EU limit and meeting the WHO guideline value.

**Table 7.3: WHO Guidelines (WHO 2006)**

Pollutant	Regulation	Limit Type	Value
NO <sub>2</sub>	WHO Air Quality Guidelines	Hourly limit for protection of human health	200µg/m <sup>3</sup> NO <sub>2</sub>
		Annual limit for protection of human health	40µg/m <sup>3</sup> NO <sub>2</sub>
PM (as PM <sub>10</sub> )		24-hour limit for protection of human health	50µg/m <sup>3</sup> PM <sub>10</sub>
		Annual limit for protection of human health	20µg/m <sup>3</sup> PM <sub>10</sub>
PM (as PM <sub>2.5</sub> )		24-hour limit for protection of human health	25µg/m <sup>3</sup> PM <sub>2.5</sub>
		Annual limit for protection of human health	10µg/m <sup>3</sup> PM <sub>2.5</sub>

With regards to larger dust particles that can give rise to nuisance dust, there are no statutory guidelines regarding the maximum dust deposition levels that may be generated during the Construction Phase of a development in Ireland. Dublin City Council (DCC) has published a guidance document titled Air Quality Monitoring and Noise Control Unit's Good Practice Guide for Construction and Demolition (DCC 2018). However, this guidance does not specify a guideline value.

The Verein Deutscher Ingenieure (VDI) German Technical Instructions on Air Quality Control – TA Luft standard for dust deposition (VDI 2002) (non-hazardous dust) sets a maximum permissible emission level for dust deposition of 350mg/(m<sup>2</sup>\*day) averaged over a one-year period at any receptors outside the site boundary. Recommendations from the Department of the Environment, Health and Local Government (DEHLG) Quarries and Ancillary Activities, Guidelines for Planning Authorities (DEHLG 2004) apply the Bergerhoff limit of 350mg/(m<sup>2</sup>\*day) measured over monitoring periods of between 28 to 32 days which are then averaged over a one-year period to the site boundary of quarries. This guidance value is applied to dust impacts from the construction of the Proposed Scheme.

#### **7.2.2.2 National Air Emission Targets**

Directive (EU) 2016/2284 of the European Parliament and of the Council of 14 December 2016 on the reduction of national emissions of certain atmospheric pollutants, amending Directive 2003/35/EC and repealing Directive 2001/81/EC (hereafter referred to as the National Emissions Reduction Directive) was published in December 2016. The National Emissions Reduction Directive applied the limits set out in Directive 2001/81/EC of the European Parliament and of the Council of 23 October 2001 on national emission ceilings for certain atmospheric pollutants (hereafter referred to as the 2010 National Emission Ceiling Directive) until 2020 and establish new national emission reduction commitments which are applicable from 2020 and 2030 for SO<sub>2</sub>, NO<sub>x</sub>, non-methane volatile organic compounds (NMVOC), ammonia (NH<sub>3</sub>), PM<sub>2.5</sub> and methane (CH<sub>4</sub>). In relation to Ireland, the 2020 to 2029 emission targets are 25kt (kilotonnes) for SO<sub>2</sub> (65% on 2005 levels), 65kt for NO<sub>x</sub> (49% reduction on 2005 levels), 43kt for NMVOCs (25% reduction on 2005 levels), 108kt for NH<sub>3</sub> (1% reduction on 2005 levels) and 10kt for PM<sub>2.5</sub> (18% reduction on 2005 levels) as shown in Table 7.4. In relation to 2030, Ireland's emission targets are 85% below 2005 levels for SO<sub>2</sub>, 69% reduction for NO<sub>x</sub>, 32% reduction for VOCs, 5% reduction for NH<sub>3</sub> and 41% reduction for PM<sub>2.5</sub>, also shown in Table 7.4.



**Table 7.4: National Air Emission Targets (Ireland’s Air Pollutant Emissions 2020 to 2030)**

Pollutant	2020-2029 Reduction Commitments (kilotonnes) (and % Reduction compared to 2005 levels)	2030 Reduction Commitments (kilotonnes) (and % Reduction compared to 2005 levels)
SO <sub>2</sub>	25.6	11.0
	-65%	-85%
NO <sub>x</sub>	66.8	40.6
	-49%	-69%
NMVOC	56.3	51.1
	-25%	-32%
NH <sub>3</sub>	112.1	107.5
	-1%	-5%
PM <sub>2.5</sub>	15.6	11.2
	-18%	-41%

### 7.2.2.3 Regional Policy

In 2009, the Dublin Regional Air Quality Management Plan 2009-2012 (DCC 2009) was published, and a range of strategies defined to improve air quality in the Dublin region. The strategies included an improvement in co-ordination to build on the good work to date, to mainstream air quality management into all major policy areas, strengthen the decision-making by improving sharing of information on air quality, introduce measures related to local authority activities that will reduce air emissions and identify and prioritise the main potential threats to air quality.

In relation to specific policies, Policy 6 states that the local authorities shall:

*‘support and encourage the rapid implementation of Quality Bus Corridors and other bus priority measures along the routes identified in the Dublin Transportation Initiative strategy within their functional areas.’*

The Dublin Regional Air Quality Management Plan for Improvements in Levels of Nitrogen Dioxide in Ambient Air Quality (DCC 2011) was a companion document to the Dublin Regional Air Quality Management Plan 2009 - 2012. The document reviewed the measured levels of NO<sub>2</sub> in Dublin City. The document defined the current strategic planning approach as the promotion of *‘consolidated urban development based on enhanced public transport’* and outlines a range of measures and policies which will help to improve ambient levels of NO<sub>2</sub>.

As a result of an exceedance of the annual mean NO<sub>2</sub> ambient air quality limit value at the St John’s Road West monitoring station in 2019 (EPA, 2020a), an Air Quality Action Plan by Dublin Local Authorities in conjunction with the EPA was legally required by the end of 2021. The plan was subject to public consultation, which gave interested members of the public the opportunity to share their views and input to the plan, which is now complete and was issued to the Minister for the Environment and the EU Commission at the end of 2021. The plan sets out 14 broad measures and a number of associated actions to address the exceedance of the nitrogen dioxide annual limit value. This location of exceedance is outside the study area of the Proposed Scheme.

### 7.2.3 Data Collection and Collation

The baseline ambient air quality environment has been characterised through a desk study of publicly available published data sources and site-specific baseline ambient monitoring surveys.

#### 7.2.3.1 Desk Study

A desk-based air quality assessment was carried out following guidelines described in the publication by TII (TII 2011). TII states that wherever possible use should be made of existing certified air quality data such as that undertaken by the EPA. Air quality monitoring programmes have been undertaken in recent years by the EPA and Local Authorities in the Dublin region. The most recent annual report, Air Quality in Ireland 2019 (EPA 2020a),



details the range and scope of monitoring undertaken throughout Ireland. The Urban Environmental Indicators: Nitrogen dioxide levels in Dublin report (EPA 2020b) assessed spatial variations in ambient air quality in Dublin using diffusion tube sampling and detailed air dispersion modelling. The study found that there were potential exceedances of the ambient air quality standards for NO<sub>2</sub> close to busy City Centre road junctions, near the Dublin Port Tunnel entrance and exit and along the M50 Motorway. The baseline air quality data collected through the desk study is detailed in Section 7.3.2.1.

A review of potentially sensitive ecological areas has also been conducted using the National Parks and Wildlife Services (NPWS) online mapping services. This review is discussed in Section 7.2.4.3.

### **7.2.3.2 Site-Specific Baseline Surveys**

A site-specific baseline monitoring study was undertaken at monthly intervals from November 2019 to June 2020 as part of the air quality assessment for NO<sub>2</sub> using diffusion tube monitoring at nine locations as detailed in Section 7.3.2.2 and as shown in Figure 7.1 of Volume 3 of this EIAR. Passive sampling of NO<sub>2</sub> involves the molecular diffusion of NO<sub>2</sub> molecules through a polycarbonate tube and their subsequent adsorption onto a stainless-steel disc coated with triethanolamine. Following a month of sampling, the tubes were analysed using ultraviolet (UV) spectrophotometry, at a United Kingdom Accreditation Service (UKAS) accredited laboratory (SOCOTEC Laboratories in Burton-on-Trent, UK).

The TII Air Quality Guidelines (TII 2011) note that NO<sub>2</sub> diffusion tube monitoring provides a simple, cost-effective means of monitoring at a number of locations across an area and can provide useful information on spatial distributions. The baseline study overlapped in time with traffic surveys being conducted as part of the Traffic Impact Assessment (TIA). Details of the baseline data collected is discussed in Section 7.3.2.

## **7.2.4 Appraisal Method for the Assessment of Impacts**

### **7.2.4.1 Air Quality Impact Assessment from Traffic Emissions**

The air quality assessment has been carried out following procedures described in the Environmental Impact Assessment (EIA) guidance publications by the EPA (EPA 2015; EPA 2017) and using the methodology outlined in LA 105 Air Quality (UKHA 2019), LAQM (PG16) (DEFRA 2016) and LAQM (TG16) (DEFRA 2018). The general approach outlined in the LA 105 Air Quality, LAQM (PG16) and LAQM (TG16) guidance documents and the methodology outlined within has been recommended for use in assessing Irish road schemes by the TII Air Quality Guidelines (TII 2011) as discussed in Section 7.2.4.1.1 below.

The potential changes in regional air emissions due to the Construction Phase and Operational Phase traffic impacts of the Proposed Scheme have been assessed using the National Transport Authority (NTA) Environmental Appraisal Tool (2015), which is based on the Environmental Evaluation Model (hereafter referred to as ENEVAL). The data also takes into account the modal shift from private car to bus (walk or cycle).

A validation study of ENEVAL was undertaken by Jacobs Systra in 2016 (Jacobs Systra 2016) which involved running the module on all the Regional Modelling System (RMS) base models to produce a national emission figure for CO<sub>2</sub> production against the national figure provided by the Department of Transport, Tourism and Sport (DTTAS) of 12 megatonnes. The resultant figure was 8.1 megatonnes for ENEVAL. The DTTAS figure included non-transport related fuel (agricultural and industrial use) and in addition the ENEVAL modelled year was 2012 whilst the DTTAS figures were based on 2015 which would be expected to have higher flows. Therefore, ENEVAL is deemed to be valid for the purposes of calculating regional emissions.

#### **7.2.4.1.1 Local Air Quality Screening Assessment**

In 2019 the UKHA DMRB air quality guidance was revised with the publication of LA 105 Air Quality (UKHA 2019) replacing a number of historical guidance documents (HA 207/07, IAN 170/12, IAN 174/13, IAN 175/13, part of IAN 185/15). The revised document outlines a number of changes of approach when assessing the air quality impact of road schemes.

LA 105 Air Quality states that modelling should be conducted for NO<sub>2</sub> for the base, construction and opening years for both the Do Minimum and Do Something scenarios (please see Chapter 6 (Traffic & Transport) for the

definition of these terms). Modelling of PM<sub>10</sub> is only required for the base year to demonstrate that the air quality limit values in relation to PM<sub>10</sub> are not breached. Where the air quality modelling indicates exceedances of the PM<sub>10</sub> air quality limits in the base year then PM<sub>10</sub> should be included in the air quality model in the Do-Minimum and Do Something scenarios. LA 105 Air Quality guidance states that modelling of PM<sub>2.5</sub> is not required, as modelling of PM<sub>10</sub> can be used to show that the project does not impact on the PM<sub>2.5</sub> limit value. However, as outlined in Section 7.2.2.1, the four Dublin local authorities have signed up for the *BreatheLife* campaign (<https://breathelife2030.org/>) to work towards achieving the goal of compliance with the WHO Air Quality Guidelines (WHO 2006) by 2030. Modelling of PM<sub>10</sub> and PM<sub>2.5</sub> was undertaken to consider the impact of the Proposed Scheme on these concentrations.

Historically modelling of CO, lead and benzene was required by UK HA Guidance (UKHA 2007) and TII Guidance. However, guidance has now been updated by the UK HA (LA 105 Air Quality). As concentrations of these pollutants have been monitored to be significantly below their air quality limit values in recent years, even in urban centres (see Section 7.3.2.1) CO, lead and benzene have been scoped out of detailed assessment (EPA 2020a).

LA 105 Air Quality states that the following scoping criteria shall be used to determine whether the air quality impacts of a project can be scoped out or require an assessment based on the changes between the Do Something traffic (with the Proposed Scheme) compared to the Do Minimum traffic (without the Proposed Scheme):

- Annual average daily traffic (AADT) changes by 1,000 or more;
- Heavy duty vehicle (HDV – includes goods vehicles, buses and other heavy vehicles) AADT changes by 200 or more;
- A change in speed band; and
- A change in carriageway alignment by 5m or greater.

The above scoping criteria have been used in this assessment to determine the road links required for inclusion in the modelling assessment. Sensitive receptors within 200m of impacted road links were included within the modelling assessment as detailed in LA 105 Air Quality.

#### 7.2.4.1.2 ADMS-Roads Dispersion Model

The TII Air Quality Guidelines (TII 2011) states that the assessment must progress to detailed modelling if:

- Concentrations exceed 90% of the air quality limit values when assessed by the screening method; or
- Sensitive receptors exist within 50m of a complex road layout (e.g. grade separated junctions, hills etc).

Guidance from LA 105 Air Quality states that a detailed assessment must be conducted where the sensitivity of the environment is medium or above when combined with a high-risk project, due to a risk of exceeding air quality thresholds.

Considering the scale of the Proposed Scheme, its risk should be considered high as it has the potential to have an impact on ambient air quality over a large geographical area.

Guidance from LA 105 Air Quality states that a medium sensitivity environment includes areas that have annual mean NO<sub>2</sub> concentrations of 36µg/m<sup>3</sup> or above combined with sensitive receptors within 50m of the impacted roads. NO<sub>2</sub> concentrations (Section 7.3.2.1 and Section 7.3.2.2) were found to be generally below 36µg/m<sup>3</sup> along the suburban areas along the Proposed Scheme. However, towards the City Centre, ambient NO<sub>2</sub> concentrations were measured in excess of 36µg/m<sup>3</sup>. The LA 105 Air Quality guidance states a detailed assessment should consider a representative number of receptors and all receptors with the likelihood of exceeding the air quality limit values.

Vehicle-derived air emissions for areas impacted by significant changes in AADT were modelled using the detailed ADMS-Roads dispersion model (Version 5.1) which has been developed by Cambridge Environmental Research

Consultants (CERC) (CERC, 2020). The model is a steady-state Gaussian plume model used to assess ambient pollutant concentrations associated with road sources.

The ADMS-Roads dispersion model (Version 5.1) has been used to predict the ground level concentrations (GLC) of NO<sub>2</sub> and PM<sub>10</sub> / PM<sub>2.5</sub> in the vicinity of the impacted areas for the baseline year of 2019, the peak construction year of 2024 and the opening and design years of 2028 and 2043 respectively.

The modelling incorporated the following features:

- Hourly-sequenced meteorological information for Casement Aerodrome in 2019 has been used in the model (see Diagram 7.2) (Met Éireann 2020). The selection of the appropriate meteorological data has followed the guidance issued by the LAQM (TG16) (DEFRA, 2018). A primary requirement is that the data used should have a data capture of greater than 90% for all parameters; and
- Specific air sensitive receptors (ASRs) were also mapped into the model. Receptor heights were input at 1.5m to represent breathing height. Concentrations were reported for each ASR modelled for all modelling scenarios.

It is intended that the Proposed Scheme will have a peak construction year of 2024 and an opening year of 2028. Road traffic emission rates are derived using traffic data for the peak construction year of 2024 and the Opening Year of 2028 and Design Year of 2043 provided in Chapter 6 (Traffic & Transport) and using emission factors from the COPERT V database (EMISIA 2020) which has been incorporated into the UK DEFRA Emission Factor Toolkit (EFT) Version 10.1 (DEFRA 2020).

The EFT Version 10.1 has been incorporated into the ADMS-Roads model. The toolkit provides emission rates from 2017 to 2030 and traffic emissions for the Proposed Scheme were based on the following assumptions:

- EFT Version 10.1 is based on eight vehicle categories including petrol cars, diesel cars, diesel Light Goods Vehicles (LGV), rigid Heavy Goods Vehicles (HGV) and buses;
- Systra (ENEVAL) fleet composition data for Ireland (2016 base year) were selected to input car, LGV and HGV proportions (Table 7.5). 2019 projections were used for detailed modelling of the 2020 base year, 2022 projections and 2024 projections were used as conservatively representative of the 2024 peak construction year and 2028 opening year respectively;
- National Transport Model (NTM) fleet projections provided in UK Technical Advisory Group (TAG) (UK Department for Transport 2020) have been used to estimate the proportions of cars, LGV and HGV in 2043. No fleet projection tools currently exist, Irish or UK based, that accurately predict the proportion of electric vehicles in 2043, or which take the 2021 Climate Action Plan measures into account. A conservative approach is therefore inevitable, and is based on the use of the UK NTM as the most up to date and robust alternative to the older 2016 base year Systra fleet;
- Predicted bus fleet composition data was developed for 2019, 2028 and 2043 (Table 7.5). The 2019 bus fleet was also applied to the 2024 construction year;
- Emissions have been calculated using predicted emissions factors for 2019 (to represent the Base Year 2020), 2022 (to represent the peak construction year 2024), 2024 (to represent the Opening Year 2028) and 2030 (to represent the Design Year 2043). A conservative approach to emission years has been taken, similarly to the fleet projections, to counteract some of the uncertainty associated with improved vehicle standards;
- EFT Version 10.1 incorporates updated NO<sub>x</sub> (defined as NO and NO<sub>2</sub>) and PM speed emission coefficient equations for Euro 5 and 6 vehicles, taken from the European Environment Agency (EEA) COPERT V emission calculation tool which reflects the most recent evidence on the real-world emission performance of these vehicles;
- Fleet composition based on European emission standards from pre-Euro 1 to Euro 6/VI. Systra fleet data was used to estimate Euro class proportions for cars, LGV and HGV. The NTA provided Euro class proportions for the bus fleet; and
- Improvements in the quality of fuel and some degree of retrofitting; technology conversion in the national fleet.

**Table 7.5: Summary of Fleet Proportions**

Vehicle Type		Base Year 2019	Construction Year 2024	Operational Year 2028	Design Year 2043
Car	Petrol Car	41%	38%	36%	38%
	Diesel Car	57%	60%	63%	25%
	Electric Car	2%	2%	2%	37%
LGV	LGV	99.9%	99.9%	99.9%	81.5%
	Electric LGV	0.1%	0.1%	0.1%	18.5%
HGV	Rigid HGV	86%	86%	86%	86%
	Artic HGV	14%	14%	14%	14%
Bus	Plug-in Hybrid Bus	0%	0%	24%	0%
	Fuel Cell Electric Bus	0%	0%	70%	100%
	Diesel Bus	100%	100%	6%	0%

Advancements in engine technology and the addition of a higher percentage of electric vehicles to the fleet will assist in significantly reducing emissions between 2028 and 2043, even in circumstances where the number of vehicles using a road link increases. Emissions per road link using the EFT Version 10.1 were calculated for the 2043 Do Something scenario and compared to the 2028 Do Something scenario. Conservative assumptions were made for future fleet and uptake of electric vehicles. Across the Proposed Scheme, emissions decreased in 2043, therefore 2028 modelled impacts can be considered worst case. As a result, detailed modelling of the design year 2043 was scoped out for all pollutants on the basis that emissions will be lower compared to 2028 emissions.

#### 7.2.4.1.3 Verification Study – Year 2019 Traffic Data

Model verification investigates the level of agreement between modelled and measured concentrations. Difference between modelled and measured pollutant concentrations can arise due to uncertainties in or limitations to the model input data (such as traffic data and meteorological data), uncertainties in monitoring data and inherent modelling limitations. As outlined in LAQM.TG16 (DEFRA 2018), an adjustment to the modelled results is usually required in order to ensure that the final concentrations presented are representative of monitoring information in the area.

A verification study was undertaken using the traffic data for the study area which was received from the NTA Eastern Regional Model (ERM) traffic model (See Section 7.2.4.1.2 and Chapter 6 (Traffic & Transport)) for year 2020. The study compared the ambient NO<sub>2</sub> monitored concentration at a range of diffusion tube locations with the ADMS-Roads model output at these locations. DCC has undertaken a diffusion tube monitoring program at a range of locations in the study area for both 2018 and 2019. This data has been used to compare model predictions of NO<sub>2</sub> to monitored NO<sub>2</sub> concentrations.

Background data was based on NO<sub>2</sub> levels from Ballyfermot for 2019. Ballyfermot was selected as a suitable suburban background station as it is an ambient air monitoring station suitably removed from Dublin City Centre and at a distance of over 200m from a main roadway. The backgrounds were also utilised in the 2024 and 2028 modelling.

The emission data for the ADMS-Roads model was based on EFT Version 10.1 and the ADMS-Roads model input parameters selected is summarised in Table 7.6.

**Table 7.6: Summary of the ADMS-Roads Model Input Parameters**

Parameter	Description	Input Value
Coordinate System	Spatial data in ADMS-Roads is linked to a Cartesian coordinate system, measured in meters.	Irish Transverse Mercator (ITM) Coordinate system was used.
Pollutants	A range of pre-set pollutants can be selected in ADMS-Roads for modelling.	NO <sub>x</sub> , NO <sub>2</sub> and PM <sub>10</sub> were specifically modelled.

Parameter	Description	Input Value
Road Source Emissions	Road sources emissions can be entered manually or calculated from traffic flow data.	Road emissions have been calculated from traffic flow data.
Street Canyons	ADMS-Roads has the ability to model street canyon effects either by using the Basic Street Canyon module or the Advance Street Canyon Module to simulate turbulent flow patterns along streets with relatively tall buildings.	Basic Street Canyon module has been used where canyons have been identified.
Road Emission Factors	ADMS-Roads has a range of emission factors including the recent UK Emission Factor Tool (EFT) v.9.0 dataset.	UK Emission Factor Tool (EFT) v.10.1 (8 VC) dataset has been used based on Northern Ireland (Urban)
Traffic Speed	ADMS-Roads can adjust pollutant emission factors to take account of traffic speed.	Average traffic speed specific to each link, as advised by traffic consultant, has been used in the model.
Meteorological Data	ADMS-Roads requires hourly meteorological data from a suitable meteorological station for a full year.	2019 data from Casement Aerodrome has been used in the model.
Surface Roughness	The model requires a representative surface roughness value for both the modelling domain and the meteorological station.	A value of 1.0m has been selected for the modelling domain with a value of 0.1m selected for Casement Aerodrome
Time-varied Emissions	The model can accept a range of profiles including 3-day and 7-day diurnal profiles	3-day diurnal profile (Weekdays, Saturday, Sunday) has been used in the model.
Primary NO <sub>2</sub>	Model will assume that a certain percentage of NO <sub>x</sub> emissions are NO <sub>2</sub> when modelling chemistry	Primary NO <sub>2</sub> fractions (%) were calculated using the EFT for each modelled scenario: <ul style="list-style-type: none"> <li>▪ 2020 Base – 28.2%</li> <li>▪ 2024 Do Minimum – 28.9%</li> <li>▪ 2024 Do Something – 28.9%</li> <li>▪ 2028 Do Minimum – 29.6%</li> <li>▪ 2028 Do Something – 29.6%</li> </ul>
Complex Terrain	Where terrain exceeds 1:10, terrain effects may be modelled	Flat terrain has been used in the modelling domain

The first step of model verification, in line with LAQM.TG16, is to consider the performance of the model, prior to any adjustment, by comparing modelled and measured road NO<sub>x</sub> contribution at each of the site-specific survey and DCC diffusion tube locations. Some of the monitoring locations were not considered suitable for model verification, due to missing traffic or monitoring data, or other spatial considerations. A total of 36 monitoring sites were included in the verification exercise. The comparison is shown in Diagram 7.1 as the red points and trendline, and also in Table 7.7. This shows that on average, the unadjusted model under predicts total NO<sub>2</sub> concentrations by around 11%.

**Table 7.7: Diffusion Tube Monitoring Data Used for Model Verification**

Diffusion Tube	Modelled NO <sub>x</sub> concentration (µg/m <sup>3</sup> )	Modelled NO <sub>2</sub> concentration (µg/m <sup>3</sup> )	Monitored NO <sub>x</sub> concentration (µg/m <sup>3</sup> )	Monitored NO <sub>2</sub> concentration (µg/m <sup>3</sup> )	Difference [(modelled – monitored)/(monitored) *100]	Adjustment Factor
Leeson Street/ Morehampton Road	22.8	31.3	80.5	55.8	-44%	2.64
Pearse Street 1	17.7	28.8	52.0	44.4	-35.2%	
Pearse Street 2	23.4	31.5	43.9	40.9	-23%	

Diffusion Tube	Modelled NO <sub>x</sub> concentration (µg/m <sup>3</sup> )	Modelled NO <sub>2</sub> concentration (µg/m <sup>3</sup> )	Monitored NO <sub>x</sub> concentration (µg/m <sup>3</sup> )	Monitored NO <sub>2</sub> concentration (µg/m <sup>3</sup> )	Difference [(modelled - monitored)/(monitored) *100]	Adjustment Factor	
Pearse Street 3	23.6	31.6	67.9	50.9	-37.9%		
Pearse Street 4	16.3	28.1	57.3	46.6	-39.8%		
Pearse Continuous Monitor	23.8	31.7	63.1	49.0	-35.2%		
North Wall 1	26.2	32.9	68.1	51.0	-35.6%		
10.9	15.1	27.5	33.0	36.0	-23.7%		
South Circular Road / Clanbassal Street Lower	22.9	31.3	43.4	40.7	-23.1%		
Ringsend 3 (Fitzwilliam Street)	7.5	23.6	23.1	31.4	-24.8%		
14.2	21.1	30.4	19.9	29.9	1.8%		1.15
14.4	13.0	26.4	3.9	21.8	21.4%		
14.5	14.4	27.1	13.7	26.8	1.4%		
14.6	13.9	26.9	19.2	29.5	-8.9%		
14.9	14.1	27.0	17.9	28.9	-6.6%		
13.10	11.9	25.9	8.5	24.2	7%		
13.11	16.3	28.1	31.5	35.3	-20.5%		
13.12	23.4	31.5	29.9	34.6	-8.9%		
16.5	34.0	36.5	37.6	38.1	-4.3%		
16.6	16.0	27.9	15.1	27.5	1.7%		
16.1	4.0	21.8	4.4	22.0	-0.8%		
16.2	5.8	22.7	13.2	26.5	-14.3%		
11.8	6.8	23.3	5.8	22.8	2.1%		
10.8	8.8	24.3	13.9	26.9	-9.6%		
11.7	12.2	26.0	18.5	29.2	-10.8%		
Ringsend 1 (Recycling Center)	4.0	21.8	18.2	29.0	-24.7%		
Ringsend 2 (Sean Moore Road)	9.6	24.7	3.6	21.6	14.3%		
Ringsend 4 (York Road)	5.3	22.5	9.0	24.4	-7.7%		
Ringsend Continuous Monitor	4.0	21.8	8.2	24.0	-9%		
North Wall 2	17.8	28.8	26.7	33.1	-12.9%		
North Wall 3	15.7	27.8	31.2	35.2	-21.1%		



Diffusion Tube	Modelled NO <sub>x</sub> concentration (µg/m <sup>3</sup> )	Modelled NO <sub>2</sub> concentration (µg/m <sup>3</sup> )	Monitored NO <sub>x</sub> concentration (µg/m <sup>3</sup> )	Monitored NO <sub>2</sub> concentration (µg/m <sup>3</sup> )	Difference [(modelled - monitored)/(monitored) *100]	Adjustment Factor
North Wall 4	19.5	29.6	12.7	26.3	12.7%	
Grand Canal 1	14.1	27.0	4.2	21.9	23.2%	
Grand Canal 2	6.7	23.2	7.8	23.8	-2.4%	
Rathmines Continuous Monitor	5.4	22.6	4.4	22.0	2.5%	
Grand Canal 4	7.7	23.7	10.2	25.0	-5.1%	

In line with LAQM.TG16, the model adjustment was based on NO<sub>x</sub> rather than NO<sub>2</sub> with the NO<sub>2</sub> diffusion tube data first converted to NO<sub>x</sub> using the NO<sub>x</sub> to NO<sub>2</sub> Calculator (DEFRA 2020). Additionally, the adjustment was applied to the road source contribution only rather than total NO<sub>x</sub>, again in line with LAQM.TG16. This process identified that the model performed better at some locations than others, and the adjustment of model bias took this into account.

The comparison of road NO<sub>x</sub> contributions provided the following collective bias adjustment factors across the study area, which were then applied to the modelled road contributions at the air quality sensitive receptors most represented by them, before being converted into total NO<sub>2</sub> concentrations:

- 2.64 – “More congested”. Applied to modelled receptors closest to the R110 Cuffle Street and St. Stephen’s Green, and the R138 Leeson Street to Morehampton Road / Marlborough Road / Herbert Park junction; and
- 1.15 – “Less congested”. Applied to all other receptors.

Following the application of the model bias adjustment factor, the modelled and measured values at these locations included in the verification exercise were compared again. This comparison is shown in Diagram 7.1 as the blue points and trendline. This shows that on average, the adjusted model is within the target 10% of the air quality standard, with a root mean square error (RMSE) of 3.98µg/m<sup>3</sup>. In the absence of measured PM<sub>10</sub> and PM<sub>2.5</sub> at roadside locations in the study area, the same factors calculated for the modelled road NO<sub>x</sub> contribution were applied to the road PM<sub>10</sub> and road PM<sub>2.5</sub> contributions.






Diagram 7.1: Dispersion Model Verification - Comparison of Monitored and Modelled NO<sub>2</sub> Concentrations (µg/m<sup>3</sup>)

7.2.4.1.4 Air Quality Impact Significance Criteria

The TII Air Quality Guidelines (TII 2011) details the methodology for determining air quality impact significance criteria for road schemes in Ireland. The degree of impact is determined based on both the absolute and relative impact of the Proposed Scheme. The significance criteria have been adopted for the Proposed Scheme and are detailed in Table 7.8, Table 7.9 and Table 7.10. The significance criteria are based on PM<sub>10</sub> and NO<sub>2</sub> as these pollutants are most likely to exceed the annual mean limit values (40µg/m<sup>3</sup>). However, the criteria have also been applied to the predicted annual PM<sub>2.5</sub> concentrations for the purpose of this assessment.

Table 7.8: Definition of Impact Magnitude for Changes in Ambient Pollutant Concentrations (TII 2011)

Magnitude of Change	Annual Mean NO <sub>2</sub> / PM <sub>10</sub>	No. Days with PM <sub>10</sub> Concentration > 50µg/m <sup>3</sup>	Annual Mean PM <sub>2.5</sub>
Large	Increase / decrease ≥4µg/m <sup>3</sup>	Increase / decrease >4 days	Increase / decrease ≥ 2.5µg/m <sup>3</sup>
Medium	Increase / decrease 2µg/m <sup>3</sup> - < 4µg/m <sup>3</sup>	Increase / decrease 3 or 4 days	Increase / decrease 1.25µg/m <sup>3</sup> - <2.5µg/m <sup>3</sup>
Small	Increase / decrease 0.4µg/m <sup>3</sup> - < 2µg/m <sup>3</sup>	Increase / decrease 1 or 2 days	Increase / decrease 0.25µg/m <sup>3</sup> - <1.25µg/m <sup>3</sup>
Imperceptible	Increase / decrease < 0.4µg/m <sup>3</sup>	Increase / decrease <1 day	Increase / decrease < 0.25µg/m <sup>3</sup>

**Table 7.9: Definition of Impact Magnitude for Changes in Ambient Pollutant Concentrations (TII 2011)**

Absolute Concentration in Relation to Objective / Limit Value	Change in Concentration		
	Small	Moderate	Large
<b>Increase with Proposed Scheme</b>			
Above Objective / Limit Value with Proposed Scheme ( $\geq 40\mu\text{g}/\text{m}^3$ of $\text{NO}_2$ or $\text{PM}_{10}$ ) ( $\geq 25\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$ )	Slight adverse	Moderate adverse	Substantial adverse
Just Below Objective / Limit Value with Proposed Scheme ( $36\mu\text{g}/\text{m}^3$ - $<40\mu\text{g}/\text{m}^3$ of $\text{NO}_2$ or $\text{PM}_{10}$ ) ( $22.5\mu\text{g}/\text{m}^3$ - $<25\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$ )	Slight adverse	Moderate adverse	Moderate adverse
Below Objective / Limit Value with Proposed Scheme ( $30\mu\text{g}/\text{m}^3$ - $<36\mu\text{g}/\text{m}^3$ of $\text{NO}_2$ or $\text{PM}_{10}$ ) ( $18.75\mu\text{g}/\text{m}^3$ - $<22.5\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$ )	Negligible	Slight adverse	Slight adverse
Well Below Objective / Limit Value with Proposed Scheme ( $<30\mu\text{g}/\text{m}^3$ of $\text{NO}_2$ or $\text{PM}_{10}$ ) ( $<18.75\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$ )	Negligible	Negligible	Slight adverse
<b>Decrease with Proposed Scheme</b>			
Above Objective / Limit Value with Proposed Scheme ( $\geq 40\mu\text{g}/\text{m}^3$ of $\text{NO}_2$ or $\text{PM}_{10}$ ) ( $\geq 25\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$ )	Slight beneficial	Moderate beneficial	Substantial beneficial
Just Below Objective / Limit Value with Proposed Scheme ( $36\mu\text{g}/\text{m}^3$ - $<40\mu\text{g}/\text{m}^3$ of $\text{NO}_2$ or $\text{PM}_{10}$ ) ( $22.5\mu\text{g}/\text{m}^3$ - $<25\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$ )	Slight beneficial	Moderate beneficial	Moderate beneficial
Below Objective / Limit Value with Proposed Scheme ( $30\mu\text{g}/\text{m}^3$ - $<36\mu\text{g}/\text{m}^3$ of $\text{NO}_2$ or $\text{PM}_{10}$ ) ( $18.75\mu\text{g}/\text{m}^3$ - $<22.5\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$ )	Negligible	Slight beneficial	Slight beneficial
Well Below Objective / Limit Value with Proposed Scheme ( $<30\mu\text{g}/\text{m}^3$ of $\text{NO}_2$ or $\text{PM}_{10}$ ) ( $<18.75\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$ )	Negligible	Negligible	Slight beneficial

\* Where the Impact Magnitude is Imperceptible, then the Impact Description is Negligible

**Table 7.10: Air Quality Impact Significance Criteria (TII 2011)**

Absolute Concentration in Relation to Objective / Limit Value	Change in Concentration		
	Small	Medium	Large
<b>Increase with Proposed Scheme</b>			
Above Objective / Limit Value with Proposed Scheme ( $\geq 35$ days)	Slight Adverse	Moderate Adverse	Substantial Adverse
Just Below Objective / Limit Value with Proposed Scheme (32 days - $<35$ days)	Slight Adverse	Moderate Adverse	Moderate Adverse
Below Objective / Limit Value with Proposed Scheme (26 days - $<32$ days)	Negligible	Slight Adverse	Slight Adverse
Well Below Objective / Limit Value with Proposed Scheme ( $<26$ days)	Negligible	Negligible	Slight Adverse
<b>Decrease with Proposed Scheme</b>			
Above Objective / Limit Value with Proposed Scheme ( $\geq 35$ days)	Slight Beneficial	Moderate Beneficial	Substantial Beneficial
Just Below Objective / Limit Value with Proposed Scheme (32 days - $<35$ days)	Slight Beneficial	Moderate Beneficial	Moderate Beneficial

Absolute Concentration in Relation to Objective / Limit Value	Change in Concentration		
	Small	Medium	Large
Below Objective / Limit Value with Proposed Scheme (26 days - <32 days)	Negligible	Slight Beneficial	Slight Beneficial
Well Below Objective / Limit Value with Proposed Scheme (<26 days)	Negligible	Negligible	Slight Beneficial

\* Where the Impact Magnitude is Imperceptible, then the Impact Description is Negligible

#### 7.2.4.2 Regional Air Quality Assessment

The change in regional air quality emissions due to Operational Phase traffic impacts of the Proposed Scheme have been assessed using the NTA Environmental Appraisal Module. Emissions from the zonal level ENEVAL tool can provide information on the emissions of pollutants including NO<sub>2</sub>, PM<sub>10</sub>, CO<sub>2</sub> and VOCs for the different traffic scenarios on a regional basis. The ENEVAL software is recommended by Codema in the publication Developing CO<sub>2</sub> Baselines – A Step-by-Step Guide for Your Local Authority (Codema 2017). The ENEVAL tool is discussed in more detail in Section 7.2.4.1.

#### 7.2.4.3 Ecology

For routes which pass within 2km of a designated area of conservation (either Irish or European designation) the TII Air Quality Guidelines (TII 2011) requires the air quality specialist to consult with the project ecologist. However, in practice the potential for impact on an ecological site is highest within 200m of the Proposed Scheme and within 200m of roads where significant changes in AADT (Section 7.2.4.1) occur. Sites identified within these parameters are considered Key Ecological Receptors.

The TII Ecological Guidelines (TII 2009) and the Appropriate Assessment of Plans and Projects in Ireland – Guidance for Planning Authorities (DEHLG 2010) provide details regarding the legal protection of designated conservation areas. Further guidance can also be found in the IAQM document A Guide to The Assessment Of Air Quality Impacts On Designated Nature Conservation Sites (IAQM 2020) and in the DMRB guidance LA105 Air Quality (UKHA 2019), both of which describe N deposition as the most likely source of significant impacts from road traffic. Pollutants such as CO<sub>2</sub>, CO, SO<sub>2</sub>, ammonia, particulate matter and volatile organic compounds have been scoped out of detailed assessment.

The following assessment criteria, in accordance with TII guidance, is used to determine whether an assessment for nitrogen deposition should be conducted:

- There is a designated area of conservation within 200m of the Proposed Scheme; and
- There is a significant change in AADT flows (see Section 7.2.4.1).

In circumstances where the above criteria are met, there is the potential for impacts on ecology as a result of nitrogen deposition and thus an assessment should be undertaken. For road transport sources within 200m of a designated habitat, individual ecological receptors along a transect at 10m intervals are modelled. Ecological receptors are modelled up to a maximum distance of 200m regardless of whether the habitat extends beyond 200m. It is considered that the greatest impacts will have occurred in proximity to the road. LA 105 notes that only sites that are sensitive to nitrogen deposition need to be included in the assessment, it is not necessary to include sites for example that have been designated as a geological feature or water course. The ecological receptors along the 200m transect are modelled using the methodology for sensitive human receptors in Section 7.2.4.1.2.

Designated sites which are within 2km of the boundary of the Proposed Scheme are shown in Figure 12.3 in Volume 3 of this EIAR and are :

- South Dublin Bay Special Area of Conservation (SAC) (Site Code 000210).
- South Dublin Bay and River Tolka Estuary Special Protection Area (SPA) (Site Code 004024);
- Booterstown Marsh proposed National Heritage Area (pNHA) (Site Code 001205);
- Grand Canal pNHA (Site Code 002104); and

- South Dublin Bay pNHA (Site Code 000210).

Consultation with the ecologist has been undertaken. Habitats of particular ecological importance at these sites are:

- Tidal Mudflats and Sandflats;
- Annual vegetation of drift lines;
- Salicornia and other annuals colonising mud and sand; and
- Embryonic shifting dunes.

Species of particular ecological importance include:

- Light-bellied Brent Goose (*Branta bernicla hrota*);
- Oystercatcher (*Haematopus ostralegus*);
- Ringed Plover (*Charadrius hiaticula*);
- Grey Plover (*Pluvialis squatarola*);
- Knot (*Calidris canutus*);
- Sanderling (*Calidris alba*);
- Dunlin (*Calidris alpina*);
- Bar-tailed Godwit (*Limosa lapponica*);
- Redshank (*Tringa totanus*);
- Black-headed Gull (*Chroicocephalus ridibundus*);
- Roseate Tern (*Sterna dougallii*);
- Common Tern (*Sterna hirundo*);
- Arctic Tern (*Sterna paradisaea*); and
- Wetland and Waterbirds.

The Air Quality Regulations outline an annual critical level for NO<sub>x</sub> for the protection of vegetation and natural ecosystems in general. The CAFE Directive defines 'Critical Levels' as:

*'a level fixed on the basis of scientific knowledge, above which direct adverse effects may occur on some receptors, such as trees, other plants or natural ecosystems but not on humans'.*

The TII Ecological Guidelines reference the United Nations Economic Commission for Europe (UNECE) Critical Loads for Nitrogen where a 'Critical Load' is defined by the UNECE as:

*'a quantitative estimate of an exposure to one or more pollutants below which significant harmful effects on specified sensitive elements of the environment do not occur according to present knowledge' (UNECE 2003).*

The guidance states that where the predicted environmental concentration (PEC) is less than 70% of the long-term critical level / load, the process contribution (PC) is likely to be insignificant.

The TII Ecological Guidelines outline a methodology to derive the road contribution to dry deposition and thereafter to compare with the published critical loads for the appropriate habitat.

The UNECE critical loads were subsequently updated in the 2010 Review and Revision of Empirical Critical Loads and Dose-Response Relationships (UNECE 2010). The pNHAs are not currently designated for the protection of a specific habitat type. In the absence of a specific designation, the most stringent published critical load in the 2010 Review and Revision of Empirical Critical Loads and Dose-Response Relationships for inland and surface water habitats (5kg(N)/ha/yr to 10kg(N)/ha/yr) (kilogrammes of nitrogen per hectare per year) has been used in the assessment.

In order to calculate the nitrogen deposition, the NO<sub>2</sub> / NO<sub>x</sub> concentration determined through modelling including the background concentration must be converted firstly into a dry deposition flux using the equation below which

is taken from UK Environment Agency publication 'AGTAG06 – Technical Guidance On Detailed Modelling Approach For An Appropriate Assessment For Emissions To Air' (EA 2014):

$$\text{Dry deposition flux } (\mu\text{g m}^{-2}\text{s}^{-1}) = \text{ground-level concentration } (\mu\text{g/m}^3) \times \text{deposition velocity (m/s)}$$

Deposition velocities are provided in both the TII (TII 2011) and IAQM Guidance document (IAQM 2020) for NO<sub>2</sub> in grassland and forestry. Once the dry deposition flux ( $\mu\text{g m}^{-2}\text{s}^{-1}$ ) is calculated it must then be converted to nitrogen equivalent acidification flux ( $k_{\text{eq}}\text{ ha}^{-1}\text{ year}^{-1}$ ) for comparison with critical loads.

In order to convert the dry deposition flux from units of  $\mu\text{g m}^{-2}\text{s}^{-1}$  to units of  $\text{kg ha}^{-1}\text{ year}^{-1}$  the dry deposition flux is multiplied by the conversion factors. For NO<sub>2</sub> this factor is 96. In order to convert  $\text{kg ha}^{-1}\text{ year}^{-1}$  to  $k_{\text{eq}}\text{ ha}^{-1}\text{ year}^{-1}$ , where  $k_{\text{eq}}$  is a unit of equivalents (a measure of how acidifying the chemical species can be), the deposition flux in units of  $\text{kg ha}^{-1}\text{ year}^{-1}$  is multiplied by the conversion factor (taken from AQTAG06 (EA 2014)). The conversion factor for nitrogen is 0.071428. LA 105 Air Quality (UKHA 2019) states that if the change in N deposition is greater than 0.4kg N/ha/yr or 1% of the critical level/load consultation with the ecologist should occur.

#### 7.2.4.4 Construction Phase Assessment

The greatest potential impact on air quality during the Construction Phase is from construction dust emissions, PM<sub>10</sub> / PM<sub>2.5</sub> emissions and the potential for nuisance dust. Dust is characterised as encompassing PM with a particle size of between 1 micron and 75 microns (1 $\mu\text{m}$  to 75 $\mu\text{m}$ ). Deposition of dust typically occurs in close proximity to the source and with IAQM Guidance (IAQM 2014) defining a maximum impact area of 350m from the dust generating activity. Sensitivity to dust depends on the duration of the dust deposition, the dust generating activity, and the nature of the deposit. Therefore, a higher tolerance of dust deposition is likely to be shown if only short periods of dust deposition are expected and the dust generating activity is either expected to stop or move on.

An appraisal has been carried out to assess the risk to sensitive receptors as a result of dust soiling, health impacts and ecology impacts due to the Construction Phase in accordance with the IAQM's Guidance on the Assessment of Dust from Demolition and Construction (IAQM 2014). This appraisal reviews the sensitivity of the site's location with respect to dust nuisance, human health and ecological impacts and then calculates a risk of impact using the magnitude of site activities.

Receptor sensitivity can be described as follows with respect to nuisance dust as per the IAQM guidance (IAQM 2014):

- High sensitivity receptor with respect to dust nuisance – surrounding land where:
  - Users can reasonably expect enjoyment of a high level of amenity;
  - The appearance, aesthetics or value of their property would be diminished by soiling;
  - The people or property would reasonably be expected to be present continuously, or at least regularly for extended periods, as part of the normal pattern of use of the land; or
  - Examples include dwellings, museums and other culturally important collections, medium and long-term car parks and car showrooms.
- Medium sensitivity receptor with respect to dust nuisance – surrounding land where:
  - Users would expect to enjoy a reasonable level of amenity, but would not reasonably expect to enjoy the same level of amenity as in their home;
  - The appearance, aesthetics or value of their property could be diminished by soiling;
  - The people or property would not reasonably be expected to be present continuously or regularly for extended periods as part of the normal pattern of use of the land; or
  - Indicative examples include parks and places of work.
- Low sensitivity receptor with respect to dust nuisance – surrounding land where:
  - The enjoyment of amenity would not reasonably be expected;
  - Property would not reasonably be expected to be diminished in appearance, aesthetics or value by soiling;

- There is transient exposure, where the people or property would reasonably be expected to be present only for limited periods of time as part of the normal pattern of use of the land; or
- Indicative examples include playing fields, farmland (unless commercially sensitive horticultural), footpaths, short-term car parks and roads.

Receptor sensitivity can be described as follows with respect to human health as per the IAQM guidance (IAQM 2014):

- High sensitivity receptor with respect to human health – surrounding land where:
  - Locations where members of the public are exposed over a time period relevant to the air quality objective for PM<sub>10</sub> (in the case of the 24-hour objectives, a relevant location would be one where individuals may be exposed for eight hours or more in a day); or
  - Indicative examples include residential properties. Hospitals, schools and residential care homes should also be considered as having equal sensitivity to residential areas for the purposes of this assessment.
- Medium sensitivity receptor with respect to human health – surrounding land where:
  - Locations where the people exposed are workers, and exposure is over a time period relevant to the air quality objective for PM<sub>10</sub> (in the case of the 24-hour objectives, relevant location would be one where individuals may be exposed for eight hours or more in a day); or
  - Indicative examples include office and shop workers but will generally not include workers occupationally exposed to PM<sub>10</sub>, as protection is covered by Health and Safety at Work legislation.
- Low sensitivity receptor with respect to human health – surrounding land where:
  - Locations where human exposure is transient; or
  - Indicative examples include public footpaths, playing fields, parks and shopping streets.

Receptor sensitivity can be described as follows with respect to ecology as per the IAQM guidance (IAQM 2014):

- High sensitivity receptor with respect to ecology – surrounding land where:
  - Locations with an international or national designation and the designated features may be affected by dust soiling; or
  - Indicative examples include a Special Area of Conservation (SAC) designated for acid heathlands or a local site designated for lichens adjacent to the demolition of a large site containing concrete (alkali) buildings.
- Medium sensitivity receptor with respect to ecology – surrounding land where:
  - Locations where there is a particularly important plant species, where its dust sensitivity is uncertain or unknown; or
  - Indicative example is a National Heritage Area (NHA) with dust sensitive features.
- Low sensitivity receptor with respect to ecology – surrounding land where:
  - Locations with a local designation where the features may be affected by dust deposition; or
  - Indicative example is a local Nature Reserve with dust sensitive features.

Prior to assessing the impact from dust emissions, the sensitivity of the area must be established. The sensitivity of the area is determined using the headings:

- Dust soiling effects on people and property;
- Human health impacts; and
- Ecological impacts.

The sensitivity of the area is considered as per the criteria outlined in the IAQM Guidance, and reproduced in Table 7.11, Table 7.12 and Table 7.13.

In terms of the sensitivity of the area to dust soiling effects on people and property, the receptor sensitivity, number of receptors and their distance from the source are considered. Using these criteria, as outlined in Table 7.11, the sensitivity of the area to dust soiling can be established.



The IAQM Guidance (IAQM 2014) also outline the criteria for assessing the human health impact from PM<sub>10</sub> emissions from construction activities based on the current annual mean PM<sub>10</sub> concentration, receptor sensitivity and the number of receptors effected as per Table 7.12

An assessment of the Proposed Scheme was completed with respect to the sensitivity criteria in Table 7.11 and Table 7.12. Where the number of receptors was not clear (i.e. for an apartment building), conservative sensitivities were assumed. In addition, when calculating the sensitivity with respect to human health, the background concentrations of particulates was reviewed. The background air quality in the area of the Proposed Scheme is discussed in Section 7.3.2.

**Table 7.11: Sensitivity of the Area to Dust Soiling Effects on People and Property (IAQM 2014)**

Receptor Sensitivity	Number of Receptors	Distance from Source (m)			
		<20	<50	<100	<350
High	>100	High	High	Medium	Low
	10 - 100	High	Medium	Low	Low
	1 - 10	Medium	Low	Low	Low
Medium	>1	Medium	Low	Low	Low
Low	>1	Low	Low	Low	Low

**Table 7.12: Sensitivity of the Area to Human Health Impacts (IAQM 2014)**

Receptor Sensitivity	Annual Mean PM <sub>10</sub> Concentration	Number of Receptors	Distance from Source (m)					
			<20	<50	<100	<200	<350	
High	> 32µg/m <sup>3</sup>	>100	High	High	High	Medium	Low	
		10 - 100	High	High	Medium	Low	Low	
		1 - 10	High	Medium	Low	Low	Low	
	28µg/m <sup>3</sup> - 32µg/m <sup>3</sup>	>100	High	High	Medium	Low	Low	
		10 - 100	High	Medium	Low	Low	Low	
		1 - 10	High	Medium	Low	Low	Low	
	24µg/m <sup>3</sup> - 28µg/m <sup>3</sup>	>100	High	Medium	Low	Low	Low	
		10 - 100	High	Medium	Low	Low	Low	
		1 - 10	Medium	Low	Low	Low	Low	
	< 24µg/m <sup>3</sup>	>100	Medium	Low	Low	Low	Low	
		10 - 100	Low	Low	Low	Low	Low	
		1 - 10	Low	Low	Low	Low	Low	
Medium	> 32µg/m <sup>3</sup>	>10	High	Medium	Low	Low	Low	
		1 - 10	Medium	Low	Low	Low	Low	
	28µg/m <sup>3</sup> - 32µg/m <sup>3</sup>	>10	Medium	Low	Low	Low	Low	
		1 - 10	Low	Low	Low	Low	Low	
	24µg/m <sup>3</sup> - 28µg/m <sup>3</sup>	>10	Low	Low	Low	Low	Low	
		1 - 10	Low	Low	Low	Low	Low	
	< 24µg/m <sup>3</sup>	>10	Low	Low	Low	Low	Low	
		1 - 10	Low	Low	Low	Low	Low	
	Low	-	1+	Low	Low	Low	Low	Low



Dust deposition impacts on ecology can occur due to chemical or physical effects. This includes reduction in photosynthesis due to smothering from dust on the plants and chemical changes such as acidity to soils. Often impacts will be reversible once the works are completed, and dust deposition ceases. Designated sites within 50m of the boundary of the site or within 50m of the Proposed Scheme used by construction vehicles on public highways up to a distance of 500m from a construction site entrance can be affected according to the IAQM Guidance. The sensitivity of the area to ecological impacts are considered using the sensitivity criteria outlined in Table 7.13. The Grand Canal pNHA (Site Code 002104), Booterstown Marsh pNHA (Site Code 001205), South Dublin Bay pNHA (Site Code 000210), South Dublin Bay SAC (Site Code 000210), and South Dublin Bay and River Tolka Estuary SPA (Site Code 004024) are within 50m of the Proposed Scheme.

**Table 7.13: Sensitivity of the Area to Ecological Impacts (IAQM 2014)**

Receptor Sensitivity	Distance from Source (m)	
	<20	<50
High	High	Medium
Medium	Medium	Low
Low	Low	Low

In order to determine the level of dust mitigation required during the Construction Phase, the potential magnitude of dust emissions for each dust generating activity needs to be taken into account, along with the already established sensitivity of the area. These major dust generating activities are divided into four types (where relevant) to reflect their different potential impacts as outlined below:

- Demolition;
- Earthworks;
- Construction; and
- Trackout.

Trackout is defined by the IAQM as the transport of dust and dirt from the construction/demolition site onto the public road network, where it may be deposited and then re-suspended by vehicles using the network.

## 7.3 Baseline Environment

The following sections describe the baseline conditions in the vicinity of the Proposed Scheme based on a review of published data and on-site monitoring.

### 7.3.1 Meteorological Conditions

A key factor in assessing temporal and spatial variations in air quality is the prevailing meteorological conditions. Depending on wind speed and direction, individual receptors may experience very significant variations in pollutant levels under the same source strength (i.e. traffic levels) (WHO 2006). Wind is of key importance in dispersing air pollutants and for ground level sources, such as traffic emissions, pollutant concentrations are generally inversely related to wind speed. Thus, concentrations of pollutants derived from traffic sources will generally be greatest under very calm conditions and low wind speeds, when the movement of air is restricted. In relation to PM<sub>10</sub>, the situation is more complex due to the range of sources of this pollutant. Smaller particles (less than PM<sub>2.5</sub>) from traffic sources will be dispersed more rapidly at higher wind speeds. However, fugitive emissions of coarse particles (PM<sub>2.5</sub> to PM<sub>10</sub>) will actually increase at higher wind speeds. Thus, measured levels of PM<sub>10</sub> will be a non-linear function of wind speed.

Casement Aerodrome meteorological station, which is located approximately 15km west of the Proposed Scheme at the closest point, collects meteorological data in the correct format for the purposes of this assessment and has a data collection of greater than 90%. Long-term hourly observations at Casement Aerodrome meteorological station provide an indication of the prevailing wind conditions for the region (see Diagram 7.2). Results indicate that the prevailing wind direction is from south to westerly in direction over the period 2015 to 2019.




Diagram 7.2: Casement Aerodrome Meteorological Station Windrose 2015 to 2019 (Met Éireann 2020)

### 7.3.2 Baseline Ambient Air Quality

Background air quality is the air quality at a specific location when the local emissions of air quality have been subtracted from the measured air quality. Thus, a ‘background’ air concentration is usually representative of a wider area (such as an urban area or suburban area). Baseline air quality is the current air quality at a specific location including all local and non-local sources.

A desk study of the EPA air quality monitoring programs has been undertaken. The most recent annual report on air quality at the time of writing, Air Quality in Ireland 2019 (EPA 2020b) details the range and scope of monitoring undertaken throughout Ireland. In addition, scheme specific baseline air quality monitoring has been conducted. The data collected has been included to provide site specific baseline concentrations of NO<sub>2</sub> in areas which have the potential to be impacted by the Proposed Scheme.

#### 7.3.2.1 EPA Data

As part of the implementation of S.I. No. 271/2002 - Air Quality Standards Regulations 2002, four air quality zones have been defined in Ireland for air quality management and assessment purposes (EPA 2020a). Dublin is defined as Zone A and Cork as Zone B. Zone C is composed of 23 towns with a population of greater than 15,000. The remainder of the country, which represents rural Ireland but also includes all towns with a population of less than 15,000, is defined as Zone D. In terms of air monitoring zoning, the area of the Proposed Schemes is located within Zone A, as shown in Figure 7.2 Volume 3 of this EIAR (EPA 2020a).

With regard to NO<sub>2</sub>, continuous monitoring data from the EPA at locations in close proximity to the Proposed Scheme was reviewed. The annual mean NO<sub>2</sub> concentration in 2019 at Pearse Street was 49µg/m<sup>3</sup> – long term data is not available at this location. Sufficient data was available for the station in Rathmines, which is located roughly 800m from the Proposed Scheme, to review long-term trends over a five-year period (2015 to 2019) as shown in Table 7.14. Long-term annual average levels at Rathmines range from 17µg/m<sup>3</sup> to 22µg/m<sup>3</sup> over the period 2015 to 2019, with an average concentration of 22µg/m<sup>3</sup> in 2019.

In addition to the stations in close proximity to the Proposed Scheme, sufficient data was available for suburban stations in Rathmines, Dún Laoghaire and Ballyfermot to observe long-term trends over the period 2015 to 2019. Results average between  $15\mu\text{g}/\text{m}^3$  to  $22\mu\text{g}/\text{m}^3$  for the annual mean concentrations at each location compared to the annual limit value of  $40\mu\text{g}/\text{m}^3$  with no exceedances of the one-hour limit value of  $200\mu\text{g}/\text{m}^3$ . Rathmines, Dún Laoghaire and Ballyfermot had average  $\text{NO}_2$  concentrations of  $19\mu\text{g}/\text{m}^3$  in 2019.

Long-term trends at the City Centre location of Winetavern Street are available, which is located near the City Centre end of the Proposed Scheme. Concentrations of  $\text{NO}_2$  were below the annual and one hour limit values, with annual average levels ranging from  $27\mu\text{g}/\text{m}^3$  to  $37\mu\text{g}/\text{m}^3$  over the period 2015 to 2019 compared to the annual limit value of  $40\mu\text{g}/\text{m}^3$ . The average concentration in 2019 was  $28\mu\text{g}/\text{m}^3$ .

The ambient  $\text{NO}_2$  monitoring results for Winetavern Street, Ballyfermot, Dún Laoghaire and Rathmines over the period 2015 to 2019, based on a three-year rolling average, are shown in Diagram 7.3. The data and trend line indicate that levels are reasonably constant at each location over the five-year period.

**Table 7.14: Trends in Suburban and Urban  $\text{NO}_2$  Concentration ( $\mu\text{g}/\text{m}^3$ ) In Dublin 2015 to 2019**

Station	Station Classification Council Directive 96/62/EC*	Averaging Period	Year					Limit Value
			2015	2016	2017	2018	2019	
Rathmines	Urban Background	Annual Mean $\text{NO}_2$ ( $\mu\text{g}/\text{m}^3$ )	18	20	17	20	22	40
		99.8 <sup>th</sup> ile 1-hr $\text{NO}_2$ ( $\mu\text{g}/\text{m}^3$ )	105	88	86	87	102	200
Ballyfermot	Suburban Background	Annual Mean $\text{NO}_2$ ( $\mu\text{g}/\text{m}^3$ )	16	17	17	17	20	40
		99.8 <sup>th</sup> ile 1-hr $\text{NO}_2$ ( $\mu\text{g}/\text{m}^3$ )	127	90	112	101	101	200
Dún Laoghaire	Suburban Background	Annual Mean $\text{NO}_2$ ( $\mu\text{g}/\text{m}^3$ )	16	19	17	19	15	40
		99.8 <sup>th</sup> ile 1-hr $\text{NO}_2$ ( $\mu\text{g}/\text{m}^3$ )	91	105	101	91	91	200
Winetavern Street	Urban Traffic	Annual Mean $\text{NO}_2$ ( $\mu\text{g}/\text{m}^3$ )	31	37	27	29	28	40
		99.8 <sup>th</sup> ile 1-hr $\text{NO}_2$ ( $\mu\text{g}/\text{m}^3$ )	128	120	110	115	115	200

\* Council Directive 96/62/EC of 27 September 1996 on ambient air quality assessment and management




Diagram 7.3: Rolling Three -Year Annual NO<sub>2</sub> Concentration (µg/m<sup>3</sup>)

In addition to the continuous monitoring stations, the EPA has gathered NO<sub>2</sub> data using the passive diffusion tube methodology in proximity to the Proposed Scheme (EPA 2020c). The diffusion tube sampling was carried out in conjunction with Dublin City Council. Monitoring is for single year periods; therefore long-term averages are not available at diffusion tube locations. Further detail on the diffusion tube methodology is discussed in Section 7.3.2.2 as part of the site-specific monitoring study. The monitoring locations at Leeson Street / Morehampton Road, Camden Street / Wexford Street, North Wall 1, South Circular Road / Clanbassal Street Lower and along Pearse Street were found to exceed the annual mean NO<sub>2</sub> concentration in 2018/2019.

Table 7.15 EPA NO<sub>2</sub> Diffusion Tube Monitoring Data

Monitoring Site	Monitoring Year	Annual Mean NO <sub>2</sub> Concentration (µg/m <sup>3</sup> )
Camden Street / Wexford Street	2019	49.1
Grand Canal 1	2018	21.9
Grand Canal 2	2018	23.8
Grand Canal 3	2018	19.1
Grand Canal 4	2018	25.0
Leeson Street / Morehampton Road	2019	55.8
Pearse Street 1	2018	44.1
Pearse Street 2	2018	40.9
Pearse Street 3	2018	50.9
Pearse Street 4	2018	46.6
North Wall 1	2018	51.0
North Wall 2	2018	33.1

Monitoring Site	Monitoring Year	Annual Mean NO <sub>2</sub> Concentration (µg/m <sup>3</sup> )
North Wall 3	2018	35.2
North Wall 4	2018	26.3
Ringsend 1 (Recycling Center)	2018	29.0
Ringsend 2 (Sean Moore Road)	2018	21.6
Ringsend 3 (Fitzwilliam Street)	2018	31.4
Ringsend 4 (York Road)	2018	24.4
South Circular Road / Clanbassal Street Lower	2019	40.7

With regard to PM<sub>10</sub>, continuous monitoring data from the EPA Zone A stations was reviewed. The stations representative of the Proposed Scheme are Ballyfermot, Dún Laoghaire, Phoenix Park, Rathmines and Winetavern Street. Sufficient data is available to review long-term trends over a five year period (2015 to 2019), as outlined in Table 7.16. Long-term annual average levels at the urban and suburban sites of Ballyfermot, Dun Laoghaire, Rathmines and Phoenix Park from 9µg/m<sup>3</sup> to 16µg/m<sup>3</sup> over the period 2015 to 2019 compared to the annual limit value of 40µg/m<sup>3</sup>, with an average concentration of 13µg/m<sup>3</sup> over this period. Levels ranged between 11µg/m<sup>3</sup> - 15µg/m<sup>3</sup> in 2019, with a maximum of nine exceedances (at Rathmines) of the 24-hour limit value of 50µg/m<sup>3</sup> (35 exceedances are permitted per year).

Average PM<sub>10</sub> levels at the urban traffic monitoring location of Winetavern Street which is in proximity to the south of the Proposed Scheme were reviewed. The annual average level in 2019 was 15µg/m<sup>3</sup>, with nine exceedances of the 24-hour limit value of 50µg/m<sup>3</sup>. The City Centre monitoring location of Winetavern Street has a long-term average (2015 to 2019) of 14µg/m<sup>3</sup>.

Continuous PM<sub>2.5</sub> monitoring carried out at the Zone A locations of Ringsend, Rathmines and Dún Laoghaire showed average levels of 10µg/m<sup>3</sup> in 2019. Longer term averages from 2015 to 2019 show annual average concentrations of between 6µg/m<sup>3</sup> to 10µg/m<sup>3</sup>. Ringsend monitors both PM<sub>10</sub> and PM<sub>2.5</sub> allowing a ratio of PM<sub>10</sub> to PM<sub>2.5</sub> to be calculated. The average PM<sub>2.5</sub>/PM<sub>10</sub> ratio in Ringsend was 0.53 in 2019.

**Table 7.16: Trends in Suburban and Urban PM<sub>10</sub> Concentration (µg/m<sup>3</sup>) In Dublin 2015 to 2019**

Station	Station Classification Council Directive 96/62/EC*	Averaging Period	Year					Limit Value
			2015	2016	2017	2018	2019	
Winetavern Street	Urban Traffic	Annual Mean PM <sub>10</sub> (µg/m <sup>3</sup> )	14	14	13	14	15	40
		90 <sup>th</sup> ile 24-hr PM <sub>10</sub> (µg/m <sup>3</sup> )	25	23	21	24	25	50
Ballyfermot	Suburban Background	Annual Mean PM <sub>10</sub> (µg/m <sup>3</sup> )	12	11	12	16	14	40
		90 <sup>th</sup> ile 24-hr PM <sub>10</sub> (µg/m <sup>3</sup> )	22	21	21	24	26	50
Dún Laoghaire	Suburban Background	Annual Mean PM <sub>10</sub> (µg/m <sup>3</sup> )	13	13	12	13	12	40
		90 <sup>th</sup> ile 24-hr PM <sub>10</sub> (µg/m <sup>3</sup> )	22	22	21	21	21	50
Phoenix Park	Urban Background	Annual Mean PM <sub>10</sub> (µg/m <sup>3</sup> )	12	11	9	11	11	40
		90 <sup>th</sup> ile 24-hr PM <sub>10</sub> (µg/m <sup>3</sup> )	20	20	16	18	18	50
Rathmines	Urban Background	Annual Mean PM <sub>10</sub> (µg/m <sup>3</sup> )	15	15	13	15	15	40
		90 <sup>th</sup> ile 24-hr PM <sub>10</sub> (µg/m <sup>3</sup> )	28	28	24	25	24	50

### 7.3.2.2 Site-Specific Monitoring Data

Monitoring of NO<sub>2</sub> in proximity to the Proposed Scheme, and roads that have the potential to be impacted by it, was carried out using passive diffusion tubes. The baseline monitoring study was carried out close to the alignment of the Proposed Scheme, with monitoring focusing on areas of greatest potential impact. The results of the monitoring survey allow for an indicative comparison with the annual limit value for NO<sub>2</sub>. Diffusion tubes are a useful tool for assessing the spatial variation of NO<sub>2</sub> as they do not require an electrical connection and allow

for multiple locations to be monitored at the same time. The results also provide information on the influence of road sources relative to the prevailing background level of these pollutants in the area. The spatial variation in NO<sub>2</sub> levels away from air emission sources is particularly important, as a complex relationship exists between NO, NO<sub>2</sub> and O<sub>3</sub> leading to a non-linear variation of NO<sub>2</sub> concentrations with distance from these sources.

A baseline NO<sub>2</sub> monitoring survey was undertaken as part of the air quality assessment for the BusConnects Dublin - Core Bus Corridors Infrastructure Works (hereafter referred to as the Proposed Works). Monitoring at 112 locations was completed for a seven-month data collection period (with six diffusion tube change overs between 15 November 2019 to 8 June 2020). However, due to COVID-19 impacts on the baseline traffic environment, the final two data sets (16 March 2020 to 8 June 2020) are considered non 'typical' baseline data and therefore are not included in the baseline data set.

Under the TII Air Quality Guidelines (TII 2011) a minimum of one-month baseline monitoring is required, ideally extending to at least three months. The TII Air Quality Guidance specifically states:

*'Monitoring should ideally be carried out for a period of six months, including both summer and winter periods. However, for practical reasons, the monitoring period may be shorter, but, wherever possible, should extend for at least 3 months and should not be less than 1 month'.*

In general, four months of typical (i.e. prior to COVID-19 traffic conditions) baseline data was collected which achieves the minimum monitoring period recommended in the TII Air Quality Guidelines.

Studies in the UK have shown that diffusion tube monitoring results generally have a positive or negative bias when compared to continuous analysers. This bias is laboratory specific and is dependent on the specific analysis procedures at each laboratory. A diffusion tube bias of 0.77 was obtained for the SOCOTEC laboratory (which analysed the diffusion tubes) from the UK DEFRA website (DEFRA 2018). In addition, three diffusion tubes were co-located with the continuous EPA NO<sub>2</sub> monitors at a number of locations across the Proposed Works in order to develop a local bias adjustment factor specific to the Proposed Scheme. A bias adjustment factor was calculated for the St. John's Road (near Heuston Station) monitor of 0.76. A bias adjustment factor of 0.77 was selected for the diffusion tube monitoring results as this value was the more conservative of the laboratory derived and site-specific biases.

In addition to the bias adjustment, an annualisation factor is required as the monitoring period did not extend to a full year. The annualisation factor was prepared as per LAQM (TG16) (DEFRA, 2018). The annualisation factor is necessary as NO<sub>2</sub> concentrations vary across the year and this should be accounted for within the baseline monitoring. The factor was calculated using 2019 monitoring data from Ballyfermot, Winetavern, Davitt Road and St. Johns Road using Box 7.10 of LAQM (TG16). This factor was calculated to be 0.986 for the period of the diffusion tube monitoring.

The 20 monitored locations in the vicinity of the Proposed Scheme are listed in in Table 7.17 and shown in Figure 7.1 in Volume 3 of this EIAR. Table 7.18 and Diagram 7.4 outlines the results of the baseline NO<sub>2</sub> diffusion tube monitoring over the period 15 November 2019 to 16 March 2020.

The highest four-month average concentration was recorded at a roadside location in proximity to 34 City Quay (tube no. 16.5). Concentrations at this location were 38.1µg/m<sup>3</sup> or 95% of the annual mean limit value with the bias adjustment and annualisation factor applied. No monitoring locations along the Proposed Scheme recorded an exceedance in the annual mean limit value for NO<sub>2</sub>.

The lowest concentration was recorded in Caroline Court, Raglan Road (tube no.14.8) (20.0µg/m<sup>3</sup>). This location has the potential to be impacted due to changes in traffic flows adjacent to the Proposed Scheme.

Based on guidance from DEFRA, it can be considered that exceedances of the NO<sub>2</sub> one-hour limit value objective may occur at roadside sites if the annual mean is above 60µg/m<sup>3</sup> (DEFRA 2018). None of the twenty sites monitored are considered likely to exceed the NO<sub>2</sub> one-hour limit value objective.



**Table 7.17: Air Quality Monitoring Locations**

Tube No.	Reference	Site	East (ITM)	North (ITM)
10.8	CBC0010DT008	23 Castlewood Avenue Rathmines	715760	731701
10.9	CBC0010DT009	Rathmines Road Lower	715561	731950
11.7	CBC0011DT007	73 Grove Road	714957	732408
11.8	CBC0011DT008	14 Vincent's Street South	714998	732798
13.10	CBC0013DT010	The Crescent Donnybrook Village	717617	731522
13.11	CBC0013DT011	131 Donnybrook Road	717345	731758
13.12	CBC0013DT012	St Stephens Green	716155	733367
14.1	CBC0014DT001	Temple Road	721782	729110
14.2	CBC0014DT002	49 Rock Road	720705	729916
14.3	CBC0014DT003	St. Vincent's University Hospital, Merrion Road	719200	731239
14.4	CBC0014DT004	73 Nutley Lane	718913	731218
14.5	CBC0014DT005	49 Nutley Park	718504	730815
14.6	CBC0014DT006	116 Merrion Road	718527	731908
14.7	CBC0014DT007	22 Elgin Road	717494	732563
14.8	CBC0014DT008	Caroline Court, Raglan Road	717381	732720
14.9	CBC0014DT009	Pembroke Road	717121	732831
16.1	CBC0016DT001	Ringsend EPA Colocation (Triplicate Average)	718923	733898
16.2	CBC0016DT002	Portview House	717995	734166
16.5	CBC0016DT005	34 City Quay	716608	734399
16.6	CBC0016DT006	77 Sir John Rogerson Quay	717301	734305

**Table 7.18: Air Quality Monitoring Results**


Tube No.	Site	15 Nov – 15 Dec 2019 (µg/m <sup>3</sup> )	15 Dec 2019 – 15 Jan 2020 (µg/m <sup>3</sup> )	15 Jan – 17 Feb 2020 (µg/m <sup>3</sup> )	15 Feb – 16 Mar 2020 (µg/m <sup>3</sup> )	Average	Locally Bias adjusted and annualised NO <sub>2</sub> Concentration (µg m <sup>-3</sup> ) <small>Note 1, Note 2</small>
10.8	23 Castlewood Avenue Rathmines	45.3	36.6	34.1	25.5	35.4	26.8
10.9	Rathmines Road Lower	58.3	45.6	Lost	38.5	47.5	<b>36.0</b>
11.7	73 Grove Road	43.3	41.2	39.8	29.4	38.4	29.2
11.8	14 Vincent's Street South	39.1	29.9	Lost	21.0	30.0	22.8
13.10	The Crescent Donnybrook Village	37.5	42.3	28.1	19.4	31.8	24.2
13.11	131 Donnybrook Road	57.4	Lost	46.8	35.4	46.5	<b>35.3</b>
13.12	St Stephens Green	58.7	49.5	44.3	29.7	45.6	<b>34.6</b>
14.1	Temple Road	Lost	Lost	Lost	Lost	Lost	Lost
14.2	49 Rock Road	50.1	40.1	Lost	27.8	39.3	29.8
14.3	St. Vincent's University Hospital, Merrion Road	50.1	36.9	37.6	22.8	36.9	28.0
14.4	73 Nutley Lane	37.3	28.5	30.5	18.4	28.7	21.8
14.5	49 Nutley Park	42.8	36.0	36.8	25.4	35.3	26.7
14.6	116 Merrion Road	45.6	Lost	43.0	28.0	38.9	29.5
14.7	22 Elgin Road	36.7	30.0	Lost	21.0	29.2	22.2



Tube No.	Site	15 Nov – 15 Dec 2019 (µg/m <sup>3</sup> )	15 Dec 2019 – 15 Jan 2020 (µg/m <sup>3</sup> )	15 Jan – 17 Feb 2020 (µg/m <sup>3</sup> )	15 Feb – 16 Mar 2020 (µg/m <sup>3</sup> )	Average	Locally Bias adjusted and annualised NO <sub>2</sub> Concentration (µg m <sup>-3</sup> ) <small>Note 1, Note 2</small>
14.8	Caroline Court, Raglan Road	32.2	29.0	28.1	16.3	26.4	20.0
14.9	Pembroke Road	49.9	33.5	Lost	30.6	38.0	28.8
16.1	Ringsend EPA Colocation (Triplicate Average)	33.9	34.4	24.4	23.2	29.0	22.0
16.2	Portview House	43.0	36.0	35.1	25.7	35.0	26.5
16.5	34 City Quay	60.7	48.8	53.9	37.5	50.2	<b>38.1</b>
16.6	77 Sir John Rogerson Quay	33.5	40.0	43.4	27.8	36.2	27.5
Average		45.0	37.5	37.6	26.5	36.8	27.9
Max		60.7	49.5	53.9	38.5	50.2	38.1
Min		32.2	28.5	28.1	16.3	26.4	20.0

Note 1: Bias adjustment factor: 0.77, Annualisation factor: 0.986

Note 2: Locally bias adjusted concentrations in bold exceed the 90% threshold value for screening modelling



**Diagram 7.4: Locally Bias Adjusted and Annualized NO<sub>2</sub> Concentration (µg/m<sup>3</sup>)**

\* Annual mean limit value denoted by red line.

### 7.3.3 Existing Modelled Baseline Scenario

In the Existing Baseline Scenario, the current air quality environment experienced within the study area has been modelled. The Existing Baseline modelling scenario has been modelled using AMDS-Roads for the representative baseline year of 2019, to establish baseline concentrations at receptors within the Proposed Scheme study area. Predicted annual mean concentrations of NO<sub>2</sub>, PM<sub>10</sub>, PM<sub>2.5</sub> and the number of exceedances of the 24-hour PM<sub>10</sub> limit value objective, at selected most impacted existing air quality sensitive receptors in the 2019 Existing Baseline scenario are listed in Table 7.19. Locations of these receptors are shown in Figures 7.3 to 7.8 in Volume 3 of this EIAR. Statistics for the full list of modelled receptors can be found in Table 1.1 (Appendix A7.1 – Detailed Modelling Results in Volume 4 of this EIAR).

**Table 7.19: Existing Baseline Scenario Pollutant Statistics at Most Impacted Receptor Locations**

Existing Baseline (2019)					
Receptor	Receptor Location (ITM)	Annual Mean Conc. ( $\mu\text{g}/\text{m}^3$ )			No of $\text{PM}_{10}$ days > $50\mu\text{g}/\text{m}^3$
		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$	
AQ3	721306,729354	28.8	15.1	10.7	<1
AQ5	720812,729814	32.5	16.0	11.3	1
AQ7	720852,729786	29.4	15.5	11.0	1
AQ9	720793,729833	32.2	15.9	11.2	1
AQ10	720785,729839	35.1	16.2	11.5	1
AQ11	720743,729877	32.4	16.0	11.3	1
AQ12	720642,729995	29.9	15.7	11.1	1
AQ13	720696,729932	30.4	15.7	11.1	1
AQ14	720689,729941	30.1	15.7	11.1	1
AQ26	718458,730750	41.0	17.6	12.3	1
AQ30	717896,732423	43.0	17.1	12.1	1
AQ31	717756,732518	46.6	17.5	12.3	1
AQ32	717741,732531	52.0	18.4	12.9	2
AQ33	717762,732471	36.7	16.2	11.5	1
AQ34	717871,732437	44.7	17.4	12.2	1
AQ35	717786,732489	60.4	19.8	13.9	3
AQ48	716603,733291	46.5	16.9	11.9	1
AQ49	721574,729220	30.9	15.7	11.1	1
AQ54	716626,733276	39.2	16.3	11.5	1
AQ59	721389,729300	31.0	15.6	11.0	1
AQ62	722017,728804	30.5	15.7	11.1	1
AQ73	721913,729051	28.6	15.3	10.8	<1
AQ98	719649,731004	34.7	16.1	11.4	1
AQ107	719000,731418	32.0	15.9	11.2	1
AQ109	716590,733267	38.0	16.2	11.4	1
AQ123	720534,730047	27.3	15.2	10.8	<1
AQ127	716857,732973	42.9	16.9	11.9	1
AQ138	716897,732967	42.7	17.0	12.0	1
AQ139	716871,732953	39.6	16.5	11.7	1
AQ178	721069,729603	30.4	15.7	11.1	1
AQ188	717727,731393	43.1	17.2	12.1	1
AQ202	719158,729956	36.2	17.2	12.0	1
AQ270	717748,732487	39.1	16.5	11.6	1
AQ282	716885,732329	50.4	17.6	12.3	1
AQ292	716799,732376	42.5	16.9	11.9	1
AQ295	717176,731954	41.2	17.0	11.9	1
AQ296	717176,731934	39.7	16.8	11.8	1
AQ297	717228,731951	41.5	16.8	11.9	1

Existing Baseline (2019)					
Receptor	Receptor Location (ITM)	Annual Mean Conc. ( $\mu\text{g}/\text{m}^3$ )			No of $\text{PM}_{10}$ days > $50\mu\text{g}/\text{m}^3$
		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$	
AQ300	717394,731747	42.3	16.8	11.9	1
AQ301	717382,731761	44.0	16.9	11.9	1
AQ303	717503,731644	36.9	16.3	11.5	1
AQ304	717500,731661	41.5	16.9	11.9	1
AQ305	717602,731574	45.1	16.9	11.9	1
AQ307	717211,731994	37.0	16.3	11.5	1
AQ318	716458,732652	35.6	16.4	11.5	1
AQ319	716440,732652	36.6	16.5	11.6	1
AQ321	716404,732715	54.3	18.7	13.1	2
AQ322	716373,732706	46.6	17.6	12.3	1
AQ323	716416,732588	36.9	16.6	11.6	1
AQ324	716351,732738	44.4	17.2	12.1	1
AQ388	716372,732821	42.5	16.8	11.9	1
AQ389	716221,732991	40.4	16.9	11.8	1
AQ400	716462,733370	35.2	16.2	11.4	1
AQ401	716301,733420	45.3	17.4	12.2	1
AQ404	716293,733410	40.3	16.7	11.8	1
AQ406	716072,733165	39.1	16.4	11.6	1
AQ407	716085,733186	45.0	17.1	12.0	1
AQ411	715479,733323	39.3	16.4	11.6	1
AQ418	717109,733957	43.2	17.1	12.0	1
AQ420	716355,732847	37.7	16.2	11.5	1
AQ422	716311,732813	37.2	16.1	11.4	1
AQ423	715505,733367	43.0	17.1	12.0	1
AQ424	715539,733353	40.0	16.7	11.8	1
AQ430	721416,729314	32.6	15.8	11.2	1
AQ431	721325,729384	28.6	15.2	10.8	<1
AQ553	716170,733029	43.4	16.9	11.9	1
AQ555	716080,733191	55.5	18.4	12.9	2
AQ559	716054,733178	47.7	17.5	12.3	1
AQ561	715707,733320	43.4	17.2	12.1	1
<b>Air Quality Limit Value Objective</b>		<b>40</b>	<b>40</b>	<b>25</b>	<b>35</b>

In the 2019 Existing Baseline scenario annual mean concentrations of  $\text{NO}_2$  are above the relevant national air quality limit value objective in some areas; 40 exceedances were modelled at receptors on the R110 Cuffle Street / St. Stephen's Green, the R138 Leeson Street / Morehampton Road / Donnybrook Road / Stillorgan Road, R824 Ailesbury Road, R816 Baggot Street, R118 Pembroke Road and Pearse Street. Concentrations for these receptors can be found in Table 1.1 (Appendix A7.1 in Volume 4 of this EIAR). Some of these have been excluded from results tables in this chapter as these locations experiences a negligible impact due to the Proposed Scheme. They are therefore not considered most impacted receptors. Annual mean  $\text{NO}_2$  concentrations exceed  $60\mu\text{g}/\text{m}^3$  at one receptor on R118 Pembroke Road, indicating that exceedances of the  $\text{NO}_2$  1-hour mean may occur. Annual

mean PM<sub>10</sub> concentrations are below the relevant national air quality limit value objective in 2019 for all modelled receptors. At all receptors, modelling of the maximum 24-hour PM<sub>10</sub> concentration indicated that there is likely to be no more than three exceedances of the 50µg/m<sup>3</sup> ambient limit value compared to the threshold which allows 35 daily exceedances in any one calendar year. Annual mean PM<sub>2.5</sub> concentrations are also below the relevant national air quality limit value objective for all modelled receptors.

## 7.4 Potential Impacts

### 7.4.1 Characteristics of the Proposed Scheme

In the context of the Proposed Scheme, the potential air quality impact on the surrounding environment must be considered for two distinct stages:

- Construction Phase; and
- Operational Phase.

### 7.4.2 Construction Phase

During the Construction Phase of the Proposed Scheme, works will involve predominately utility diversions, road widening works, road excavation works (where required), road and junction reconfiguration and resurfacing works, urban realm improvements including landscaping, and construction traffic access routes including movement of machinery and materials within and to and from the Construction Compound along the Proposed Scheme.

Other works specific to the Proposed Scheme include:

- Preparatory and site clearance works including ground investigations;
- The setting up of one Construction Compound;
- A range of pavement works including construction of general traffic carriageways, bus lanes, on-road cycle tracks, off-road cycle tracks, off-line bus stops, bus terminals, traffic islands, off-line parking and loading bays; and
- A range of structural works including retaining walls, archway relocations and ramp at Grand Canal Walk.

During the Construction Phase, site clearance and preparation, landscaping, road and junction construction works all have the potential to generate dust and gaseous air emissions on site.

Chapter 5 (Construction) provides a full description of the proposed construction phasing and works for the Proposed Scheme.

For the purposes of the EIAR, seven individual construction sections are set out. Sections may be completed simultaneously and combined in certain areas. Table 5.1 in Chapter 5 (Construction) includes a summary of each section with the estimated time for the completion of works in these areas.

It is envisaged that construction may be completed in the following sections:

- **Section 1:** Stradbroke Road to Booterstown Avenue:
  - **Section 1a:** Stradbroke Road to Carysfort Avenue;
  - **Section 1b:** Carysfort Avenue to Phoenix Terrace; and
  - **Section 1c:** Phoenix Terrace to Booterstown Avenue.
- **Section 2:** Booterstown Avenue to Nutley Lane:
  - **Section 2a:** Booterstown Avenue to Elmpark Green Development; and
  - **Section 2b:** Elmpark Green Development to Nutley Lane.
- **Section 3:** Nutley Lane to Ballsbridge:
  - **Section 3a:** Nutley Lane to Shrewsbury Road;
  - **Section 3b:** Shrewsbury Road to Ballsbridge Avenue; and
  - **Section 3c:** Ballsbridge Avenue Junction.

- **Section 4:** Ballsbridge to Merrion Square:
  - **Section 4a:** Ballsbridge Avenue to Shelbourne Road;
  - **Section 4b:** Shelbourne Road Junction;
  - **Section 4c:** Shelbourne Road to Lansdowne Road;
  - **Section 4d:** Lansdowne Road Junction;
  - **Section 4e:** Lansdowne Road to Haddington Road;
  - **Section 4f:** Haddington Road to Fitzwilliam Street Lower; and
  - **Section 4g:** Fitzwilliam Street Lower.
- **Section 5:** Nutley Lane.

Road works by their nature are transient in nature as the works progress along the length of the route of the Proposed Scheme. This includes excavation and fill works and road completion works.

The potential air quality impacts associated with this phase are set out within Sections 7.4.2.1 and 7.4.2.2.

#### **7.4.2.1 Construction Dust Assessment**

In order to determine the level of dust mitigation required during the proposed works, the potential dust emission magnitude for each dust generating activity needs to be taken into account, in conjunction with the sensitivity of the area, as outlined above (Section 7.2.4.4).

The Institute of Air Quality Management (IAQM) has issued guidelines (IAQM 2014) which also outline the assessment criteria for assessing the impact of dust emissions from construction activities based on both receptor sensitivity and the number of receptors affected. In terms of receptor sensitivity, the study area is characterised as having high, medium and low sensitivity receptors within 350m of the construction activities associated with the Proposed Scheme.

Table 7.11 identifies how the sensitivity of an area may be determined for dust soiling taking into account the number of receptors, the receptor sensitivity and distance from the source. The area in proximity to the proposed development would be an area of high sensitivity with greater than 100 receptors within 20m of the construction activities.

In addition, the IAQM guidelines outline the assessment criteria for assessing the impact of PM<sub>10</sub> emissions from construction activities based on current annual mean PM<sub>10</sub> concentration, receptor sensitivity and the number of receptors affected. The current PM<sub>10</sub> concentration in Zone A locations as reported in Section 7.3.2.1 is approximately 15µg/m<sup>3</sup>. Based on the criteria outlined in Table 7.12 the risk to human health from PM<sub>10</sub> emissions at the nearest residential receptor (high sensitivity, distance less than 20m and with receptor numbers between >100) is considered medium under this guidance.

Table 7.13 identifies how the sensitivity of an area may be determined for ecological impacts taking into account the distance from the source to an ecological receptor and the sensitivity of this ecological receptor. The Grand Canal pNHA, Booterstown Marsh pNHA (Site Code 001205), South Dublin Bay pNHA (Site Code 000210), South Dublin Bay SAC (Site Code 000210), and South Dublin Bay and River Tolka Estuary SPA (Site Code 004024), as well as potential ex-situ sites for bird species listed as SCIs of European Sites, are ecological receptors of medium sensitivity in proximity to the Proposed Scheme with a particularly important plant species, where its dust sensitivity is uncertain or unknown within 20m of the construction activities.

The major dust generating activities are divided into four types within the IAQM guidance (IAQM 2014) to reflect their different potential impacts. These are:

- Demolition;
- Earthworks;
- Construction; and
- Trackout.

#### 7.4.2.1.1 Demolition

There are no significant demolition activities associated with the proposed development. Therefore, there is no significant demolition impact predicted as a result of the works.

#### 7.4.2.1.2 Earthworks

Earthworks will primarily involve excavating material, haulage, tipping and stockpiling activities. Activities such as preparatory works, levelling and landscaping works are also considered under this category. The dust emission magnitude from earthworks can be classified as small, medium or large based on the definitions from the IAQM guidance as transcribed below:

- **Large:** Total site area > 10,000 m<sup>2</sup>, potentially dusty soil type (e.g. clay which will be prone to suspension when dry due to small particle size), >10 heavy earth moving vehicles active at any one time, formation of bunds > 8 m in height, total material moved >100,000 tonnes;
- **Medium:** Total site area 2,500 m<sup>2</sup> – 10,000 m<sup>2</sup>, moderately dusty soil type (e.g. silt), 5 - 10 heavy earth moving vehicles active at any one time, formation of bunds 4 – 8 m in height, total material moved 20,000 – 100,000 tonnes; and
- **Small:** Total site area < 2,500 m<sup>2</sup>, soil type with large grain size (e.g. sand), < 5 heavy earth moving vehicles active at any one time, formation of bunds < 4 m in height, total material moved < 20,000 tonnes, earthworks during wetter months.

The dust emission magnitude for the proposed earthwork activities required for the Proposed Scheme is conservatively considered as medium. The proposed construction compound plus the Proposed Scheme construction site areas will have a total site area between 2,500m<sup>2</sup> and 10,000 m<sup>2</sup> and it is unlikely there would be more than five heavy earth moving vehicles in use at any one time during peak construction activities.

The sensitivity of the area is combined with the dust emission magnitude for each dust generating activity to define the risk of dust impacts in the absence of mitigation. The sensitivity of the area would be described as high for dust soiling and medium for human health impacts. As outlined in Table 7.20, this results in an overall medium risk of temporary dust soiling impacts and an overall medium risk of temporary human health impacts as a result of the proposed earthworks activities. In relation to ecological impact, as the receptors are of medium sensitivity, the risk associated with the proposed earthwork activities is described as medium.

Overall, in order to ensure that no dust nuisance occurs during the proposed earthworks activities, a range of dust mitigation measures associated with a low risk of dust impacts must be implemented. When the dust mitigation measures detailed in the mitigation section of this Chapter are implemented, fugitive emissions of dust from the site will not have a significant impact at nearby receptors.

**Table 7.20: Risk of Dust Impacts - Earthworks**

Sensitivity of Area	Dust Emission Magnitude		
	Large	Medium	Small
High	High Risk	Medium Risk	Low Risk
Medium	Medium Risk	Medium Risk	Low Risk
Low	Low Risk	Low Risk	Negligible

#### 7.4.2.1.3 Construction

Dust emission magnitude from construction can be classified as small, medium or large based on the definitions from the IAQM guidance as transcribed below:

- **Large:** Total building volume > 100,000m<sup>3</sup>, on-site concrete batching, sandblasting;
- **Medium:** Total building volume 25,000m<sup>3</sup> – 100,000m<sup>3</sup>, potentially dusty construction material (e.g. concrete), on-site concrete batching; and
- **Small:** Total building volume < 25,000m<sup>3</sup>, construction material with low potential for dust release (e.g. metal cladding or timber).

The dust emission magnitude for the proposed construction activities can be classified as small. There are no buildings being constructed as part of the works. The key construction activities after earthworks are installation of the paving materials and construction of retaining walls and a ramp at Grand Canal Walk.

The sensitivity of the area is combined with the dust emission magnitude for each dust generating activity to define the risk of dust impacts in the absence of mitigation. As outlined in Table 7.21, this results in an overall low risk of temporary dust soiling impacts and an overall low risk of temporary human health impacts as a result of the proposed construction activities. In relation to ecological impact, as the receptor is of medium sensitivity, the risk associated with the proposed construction activities is described as low.

Overall, in order to ensure that no dust nuisance occurs during the construction activities, a range of dust mitigation measures associated with a low risk of dust impacts will be implemented. When the dust mitigation measures detailed in the mitigation section of this Chapter are implemented, fugitive emissions of dust from the site will not have a significant impact at nearby receptors.

**Table 7.21: Risk of Dust Impacts - Construction**

Sensitivity of Area	Dust Emission Magnitude		
	Large	Medium	Small
High	High Risk	Medium Risk	Low Risk
Medium	Medium Risk	Medium Risk	Low Risk
Low	Low Risk	Low Risk	Negligible

#### 7.4.2.1.4 Trackout

Factors which determine the dust emission magnitude are vehicle size, vehicle speed, number of vehicles, road surface material and duration of movement. Dust emission magnitude from trackout can be classified as small, medium or large based on the definitions from the IAQM guidance as transcribed below:

- **Large:** > 50 HDV (> 3.5 t) outward movements in any one day, potentially dusty surface material (e.g. high clay content), unpaved road length > 100 m;
- **Medium:** 10 - 50 HDV (> 3.5 t) outward movements in any one day, moderately dusty surface material (e.g. high clay content), unpaved road length 50 - 100 m; and
- **Small:** < 10 HDV (> 3.5 t) outward movements in any one day, surface material with low potential for dust release, unpaved road length < 50 m.

The dust emission magnitude for the proposed trackout can be classified as medium with between approximately 10 and 45 HDV outward movements in any one day during peak construction activity and with surface material with a low potential for dust release.

The sensitivity of the area is combined with the dust emission magnitude for each dust generating activity to define the risk of dust impacts in the absence of mitigation. As outlined in Table 7.22, this results in an overall medium risk of temporary dust soiling impacts and an overall medium risk of temporary human health impacts as a result of the proposed trackout activities. In relation to ecological impact, as the receptor is of medium sensitivity, the risk associated with the proposed trackout is described as medium.

Overall, in order to ensure that no dust nuisance occurs during the trackout activities, a range of dust mitigation measures associated with a medium risk of dust impacts must be implemented. When the dust mitigation measures detailed in the mitigation section of this Chapter are implemented, fugitive emissions of dust from the site will not have a significant impact at nearby receptors.



**Table 7.22: Risk of Dust Impacts - Trackout**

Sensitivity of Area	Dust Emission Magnitude		
	Large	Medium	Small
High	High Risk	Medium Risk	Low Risk
Medium	Medium Risk	Medium Risk	Low Risk
Low	Low Risk	Low Risk	Negligible

#### 7.4.2.1.5 Summary of Potential Dust Impacts

The risk of dust impacts as a result of the Proposed Scheme are summarised in Table 7.23 for each activity. The magnitude of risk determined is used to prescribe the level of site-specific mitigation required for each activity in order to prevent significant impacts occurring.

In accordance with the EPA Guidelines (EPA 2017) the impacts associated with the Construction Phase dust emissions pre-mitigation are overall negative, not significant and short-term.

**Table 7.23: Summary of Dust Impact Risk Used to Define Site-Specific Mitigation**

Potential Impact	Dust Emission Magnitude			
	Demolition	Earthworks	Construction	Trackout
Dust Soiling	-	Medium Risk	Low Risk	Medium Risk
Human Health	-	Medium Risk	Low Risk	Medium Risk
Ecological	-	Medium Risk	Low Risk	Medium Risk

#### 7.4.2.2 Construction Traffic Assessment

In addition to direct impacts from the construction works including site compounds, there is also the potential for air impacts from construction traffic along public roads.

A detailed analysis of construction traffic volumes has been conducted to determine the expected HDV movements required to transport the materials extracted and delivered to site. A total of six public roads has been identified as required construction access routes where construction traffic will be permitted to travel along. Whilst the overall construction period is forecast as 24 months, construction traffic movements are assumed to occur over a 12-month period along construction access roads accessing specific work zones as a worst-case. For national and regional roads serving multiple work zones, a construction period of 24 months has been assumed.

Traffic volumes for the base scenario are based on the 2024 Do Minimum flows projected along the local road network. These are AADT flows with percentage HDV flows. An additional 640 HDV vehicles per day associated with construction traffic along each road including construction deliveries and earthworks material haulage are added to the base traffic volumes. The estimated construction traffic volumes are based on the peak construction period volumes and are therefore a worst-case assumption. In reality the Proposed Scheme will be constructed in phases with lower volumes and the corridor of the Proposed Scheme will be used for a large bulk of construction delivery vehicles along its route.

In order to determine the potential air quality impacts associated with additional construction traffic on the identified construction access routes, a comparison between ambient air concentrations for the 2024 Do Minimum scenario and the 2024 Do Something (construction) scenario was carried out.

##### 7.4.2.2.1 Do Minimum Scenario

The Do Minimum (DM) is a defined scenario within the traffic modelling analysis in Chapter 6 (Traffic & Transport) and is based on the likely conditions of the road network with all major committed transportation schemes in place that will impact on the use of public transport and private car, not including construction traffic associated with the Proposed Scheme. The output of this analysis and its impact on air quality has been modelled using AMDS-

Roads for the construction year of 2024. Predicted annual mean concentrations of NO<sub>2</sub>, PM<sub>10</sub>, PM<sub>2.5</sub> and the number of exceedances of the 24-hour PM<sub>10</sub> limit value objective, at selected most impacted existing air quality sensitive receptors in the 2024 DM scenario are listed in Table 7.24. Locations of these receptors are shown in Figures 7.6 to 7.9 in Volume 3 of this EIAR. Statistics for the full list of modelled receptors can be found in Table 2.1 (Appendix A7.1 in Volume 4 of this EIAR). ‘Most impacted’ refers to those receptors with non-negligible impacts due to the Construction Phase of the Scheme.

**Table 7.24: Predicted 2024 Do Minimum Construction Pollutant Statistics at Most Impacted Receptor Locations**

DM (2024)					
Receptor	Receptor Location (ITM)	Annual Mean Conc. (µg/m <sup>3</sup> )			No of PM <sub>10</sub> days > 50µg/m <sup>3</sup>
		NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	
AQ5	720812,729814	32.5	16.0	11.2	1
AQ13	720696,729932	30.4	15.7	11.0	1
AQ14	720689,729941	30.1	15.7	11.0	1
AQ30	717896,732423	42.7	17.1	11.9	1
AQ34	717871,732437	44.6	17.4	12.1	1
AQ35	717786,732489	60.6	19.8	13.7	3
AQ48	716603,733291	45.8	16.9	11.8	1
AQ49	721574,729220	31.0	15.7	11.0	1
AQ59	721389,729300	30.7	15.5	11.0	1
AQ62	722017,728804	30.2	15.6	11.0	1
AQ127	716857,732973	42.1	16.8	11.8	1
AQ138	716897,732967	42.0	16.9	11.8	1
AQ139	716871,732953	39.0	16.5	11.6	1
AQ178	721069,729603	30.2	15.6	11.0	1
AQ430	721416,729314	32.2	15.7	11.1	1
AQ26	718458,730750	40.8	17.6	12.2	1
AQ31	717756,732518	46.3	17.5	12.2	1
AQ188	717727,731393	42.5	17.1	11.9	1
AQ202	719158,729956	36.1	17.2	11.9	1
AQ270	717748,732487	38.9	16.5	11.6	1
AQ295	717176,731954	40.4	16.9	11.8	1
AQ296	717176,731934	39.0	16.7	11.7	1
AQ297	717228,731951	40.7	16.7	11.7	1
AQ300	717394,731747	41.2	16.7	11.7	1
AQ301	717382,731761	42.9	16.8	11.7	1
AQ303	717503,731644	36.3	16.2	11.4	1
AQ304	717500,731661	40.7	16.8	11.8	1
AQ305	717602,731574	44.2	16.8	11.8	1
AQ307	717211,731994	36.5	16.2	11.4	1
<b>Air Quality Limit Value Objective</b>		<b>40</b>	<b>40</b>	<b>25</b>	<b>35</b>

In the 2024 DM scenario annual mean concentrations of NO<sub>2</sub> are above the relevant national air quality limit value objective in some areas; 37 exceedances were modelled at receptors on the R110 Cuffle Street / St. Stephen’s Green, the R138 Leeson Street / Morehampton Road / Donnybrook Road / Stillorgan Road, R824 Ailesbury Road,

R816 Baggot Street, R118 Pembroke Road and Pearse Street. Concentrations at all receptors with exceedances can be found in Table 2.1 (Appendix A7.1 in Volume 4 of this EIAR). Some of these receptors have been excluded from this section as these locations experience a negligible impact due to the Proposed Scheme and are therefore not considered a most impacted receptor. Annual mean NO<sub>2</sub> concentrations exceed 60µg/m<sup>3</sup> at one receptor on R118 Pembroke Road, indicating that exceedances of the NO<sub>2</sub> 1-hour mean may occur. Annual mean PM<sub>10</sub> concentrations are below the relevant national air quality limit value objective in 2019 for all modelled receptors. At all receptors, modelling of the maximum 24-hour PM<sub>10</sub> concentration indicated that there is likely to be no more than three exceedances of the 50µg/m<sup>3</sup> ambient limit value compared to the threshold which allows 35 daily exceedances in any one calendar year. Annual mean PM<sub>2.5</sub> concentrations are also below the relevant national air quality limit value objective for all modelled receptors.

#### 7.4.2.2.2 Do Something Scenario

The Do Something (DS) is a defined scenario within the traffic modelling analysis in Chapter 6 (Traffic & Transport) and is based on the likely conditions of the road network with all major committed transportation schemes in place that will impact on the use of public transport and private car, including the construction traffic associated with the Proposed Scheme. The output of this analysis and its impact on air quality has been modelled using AMDS-Roads for the construction year of 2024 in line with the methodology set out in Section 7.2.4.1. Predicted annual mean concentrations of NO<sub>2</sub>, PM<sub>10</sub>, PM<sub>2.5</sub> and the number of exceedances of the 24-hour PM<sub>10</sub> limit value objective, at selected most impacted existing air quality sensitive receptors in the 2024 DS scenario are listed in Table 7.25. Locations of these receptors are shown in Volume 3 of this EIAR. Statistics for the full list of modelled receptors can be found in Table 2.2 (Appendix A7.1 in Volume 4 of this EIAR). 'Most impacted' refers to those receptors with non-negligible impacts due to the Construction Phase of the Scheme.

**Table 7.25: Predicted 2024 Do Something Construction Scenario Pollutant Statistics at Most Impacted Receptor Locations**

DS (2024)					
Receptor	Receptor Location (ITM)	Annual Mean Conc. (µg/m <sup>3</sup> )			No of PM <sub>10</sub> days > 50µg/m <sup>3</sup>
		NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	
AQ5	720812,729814	29.2	15.3	10.8	<1
AQ13	720696,729932	27.1	15.1	10.7	<1
AQ14	720689,729941	26.4	15.0	10.6	<1
AQ30	717896,732423	40.7	16.8	11.8	1
AQ34	717871,732437	43.0	17.1	12.0	1
AQ35	717786,732489	59.7	19.3	13.4	3
AQ48	716603,733291	45.2	16.8	11.8	1
AQ49	721574,729220	27.4	15.0	10.6	<1
AQ59	721389,729300	27.4	15.0	10.7	<1
AQ62	722017,728804	27.0	15.1	10.7	<1
AQ127	716857,732973	41.4	16.7	12.0	1
AQ138	716897,732967	41.2	16.8	12.0	1
AQ139	716871,732953	38.4	16.4	11.6	1
AQ178	721069,729603	26.4	15.0	10.6	<1
AQ430	721416,729314	28.3	15.1	10.7	<1
AQ26	718458,730750	41.7	17.7	12.3	1
AQ31	717756,732518	47.7	17.1	12.0	1
AQ188	717727,731393	43.1	17.1	12.0	1
AQ202	719158,729956	36.8	17.3	12.0	1
AQ270	717748,732487	39.5	16.2	11.4	1

DS (2024)					
Receptor	Receptor Location (ITM)	Annual Mean Conc. ( $\mu\text{g}/\text{m}^3$ )			No of $\text{PM}_{10}$ days > $50\mu\text{g}/\text{m}^3$
		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$	
AQ295	717176,731954	40.9	16.9	11.8	1
AQ296	717176,731934	39.4	16.8	11.7	1
AQ297	717228,731951	41.3	16.8	11.8	1
AQ300	717394,731747	42.0	16.8	11.8	1
AQ301	717382,731761	43.7	16.8	11.8	1
AQ303	717503,731644	37.0	16.3	11.4	1
AQ304	717500,731661	41.5	16.9	11.8	1
AQ305	717602,731574	45.4	16.9	11.8	1
AQ307	717211,731994	37.0	16.3	11.4	1
<b>Air Quality Limit Value Objective</b>		<b>40</b>	<b>40</b>	<b>25</b>	<b>35</b>

In the 2024 DS scenario, annual mean concentrations of  $\text{NO}_2$  are above the relevant national air quality limit value objective in some areas; 37 exceedances were modelled at receptors on the R110 Cuffle Street / St. Stephen's Green, the R138 Leeson Street / Morehampton Road / Donnybrook Road / Stillorgan Road, R824 Ailesbury Road, R816 Baggot Street, R118 Pembroke Road and Pearse Street. This is no change from the DM scenario. Concentrations at all receptors with exceedances can be found in Table 2.2 (Appendix A7.1 in Volume 4 of this EIAR). Some of these receptors have been excluded from this section as these locations experience a negligible impact due to the Proposed Scheme and are therefore not considered a most impacted receptor. Annual mean  $\text{NO}_2$  concentrations do not exceed  $60\mu\text{g}/\text{m}^3$ , indicating that exceedances of the  $\text{NO}_2$  1-hour mean are unlikely to occur. Annual mean  $\text{PM}_{10}$  concentrations are below the relevant national air quality limit value for all modelled receptors. At all receptors, modelling of the maximum 24-hour  $\text{PM}_{10}$  concentration indicated that there is likely to be no more than three exceedances of the  $50\mu\text{g}/\text{m}^3$  ambient limit value compared to the threshold which allows 35 daily exceedances in any one calendar year. Annual mean  $\text{PM}_{2.5}$  concentrations are also below the relevant national air quality limit value objective for all modelled receptors.

#### 7.4.2.2.3 Comparison of Do Something with Do Minimum

Table 7.26 provides the predicted change in and impact on pollutant concentrations, between the DM and DS in 2024. Statistics for the full list of modelled receptors can be found in Table 2.3 (Appendix A7.1 in Volume 4 of this EIAR). 'Most impacted' refers to those receptors with non-negligible impacts due to the Construction Phase of the Scheme.

**Table 7.26: Predicted Changes in Construction DM and DS and Impact Significance Criteria at Most Impacted Receptor Locations**

Receptor	Receptor Location (ITM)	Change in Annual Mean Conc. ( $\mu\text{g}/\text{m}^3$ )			Change in No of $\text{PM}_{10}$ days > $50\mu\text{g}/\text{m}^3$	Impact on Annual Mean Conc.		
		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$
AQ5	721010,729639	-3.3	-0.7	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ13	721010,729647	-3.2	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ14	721010,729648	-3.6	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ30	721010,729664	-2.0	-0.3	-0.2	0	Slight Beneficial	Negligible	Negligible
AQ34	721010,729668	-1.6	-0.3	-0.2	0	Slight Beneficial	Negligible	Negligible
AQ35	721010,729669	-1.0	-0.5	-0.3	0	Slight Beneficial	Negligible	Negligible
AQ48	721010,729682	-0.6	-0.1	<0.1	0	Slight Beneficial	Negligible	Negligible
AQ49	721010,729683	-3.6	-0.7	-0.4	<1	Slight Beneficial	Negligible	Negligible

Receptor	Receptor Location (ITM)	Change in Annual Mean Conc. ( $\mu\text{g}/\text{m}^3$ )			Change in No of $\text{PM}_{10}$ days $> 50\mu\text{g}/\text{m}^3$	Impact on Annual Mean Conc.		
		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$
AQ59	721010,729693	-3.3	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ62	721010,729696	-3.3	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ127	721010,729761	-0.7	-0.1	0.2	0	Slight Beneficial	Negligible	Negligible
AQ138	721010,729772	-0.9	-0.1	0.2	0	Slight Beneficial	Negligible	Negligible
AQ139	721010,729773	-0.6	-0.1	0.1	0	Slight Beneficial	Negligible	Negligible
AQ178	721010,729812	-3.9	-0.6	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ430	721010,730064	-3.9	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ26	721010,729660	1.0	0.1	0.1	0	Slight Adverse	Negligible	Negligible
AQ31	721010,729665	1.4	-0.4	-0.2	0	Slight Adverse	Negligible	Negligible
AQ188	721010,729822	0.5	<0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ202	721010,729836	0.7	0.1	0.1	0	Slight Adverse	Negligible	Negligible
AQ270	721010,729904	0.6	-0.2	-0.1	0	Slight Adverse	Negligible	Negligible
AQ295	721010,729929	0.5	0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ296	721010,729930	0.4	<0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ297	721010,729931	0.6	0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ300	721010,729934	0.7	0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ301	721010,729935	0.8	0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ303	721010,729937	0.7	<0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ304	721010,729938	0.9	0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ305	721010,729939	1.2	<0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ307	721010,729941	0.5	0.1	<0.1	0	Slight Adverse	Negligible	Negligible

The significance of the changes in the concentration of each of the ambient receptors has been determined in the context of the TII significance criteria (TII 2011). As shown in Table 7.26 and Figure 7.6 in Volume 3 of this EIAR, the majority of modelled receptors are estimated to experience a negligible impact due to the Proposed Scheme in terms of the annual mean  $\text{NO}_2$  concentration. A slightly beneficial impact is estimated at 15 receptors along the Proposed Scheme. A slight adverse impact is expected at 14 receptors. As shown Table 7.26 and Figure 7.7 in Volume 3 of this EIAR, the Proposed Scheme is overall neutral in terms of annual mean  $\text{PM}_{10}$  concentrations, with all receptors experiencing a negligible impact. As shown in Table 7.26 and Figure 7.8 in Volume 3 of this EIAR, the Proposed Scheme is overall neutral in terms of the annual mean  $\text{PM}_{2.5}$  concentration with all receptors experiencing a negligible impact.

In accordance with the EPA Guidelines (EPA 2017) the impacts associated with the Construction Phase traffic emissions are overall neutral and short-term.

#### 7.4.2.2.4 Ecological Assessment

An assessment of the impact of the Proposed Scheme has been undertaken using the approach outlined in the IAQM guidance document A Guide to the Assessment of Air Quality Impacts on Designated Nature Conservation Sites (Version 1.1) (IAQM 2020). The guidance states that where the predicted environmental concentration (PEC) is less than 70% of the long-term critical level / load, the process contribution (PC) is likely to be insignificant. Where the PC is greater than 1% of the critical level / load it is recommended that the project ecologist should be consulted.

The impact of the Proposed Scheme on the nearby ecologically sensitive areas within 200m of roads impacted by the Proposed Scheme, as defined in Section 7.2.4.1, is outlined in Table 7.27. The annual mean  $\text{NO}_x$

concentration has been compared to the critical level of  $30\mu\text{g}/\text{m}^3$  at each of the designated habitat sites. Most sites exceed the critical level for  $\text{NO}_x$  in both the DM and the DS scenarios.  $\text{NO}_x$  concentrations are predicted to decrease below the critical level beyond 190m at South Dublin Bay and River Tolka Estuary SPA, and South Dublin Bay SAC due to the Proposed Scheme.

Nitrogen deposition levels have been compared to the lower and higher critical loads for the designated habitat sites in Table 7.28. Most sites are below the lower critical load for the designated habitat site in both the DM and the DS scenarios. The lower critical load is exceeded in both the DM and DS by the Grand Canal pNHA at Leeson Bridge.

In accordance with the EPA Guidelines (EPA 2017) the impacts associated with the Construction Phase traffic emissions are overall negative, slight and short-term.

**Table 7.27: Potential Impacts at Key Ecological Receptors ( $\text{NO}_x$  Annual Mean Concentration in 2024)**

Annual Mean $\text{NO}_x$ in 2024 At Closest Point Within Ecological Site To Road							
Receptor	Receptor Location (ITM)	Do Minimum ( $\mu\text{g}/\text{m}^3$ )	Distance from road beyond which concentration is below critical level ( $30\mu\text{g}/\text{m}^3$ ) (m)	Do Something ( $\mu\text{g}/\text{m}^3$ )	Distance from road beyond which concentration is below critical level ( $30\mu\text{g}/\text{m}^3$ ) (m)	Impact (DS – DM) ( $\mu\text{g}/\text{m}^3$ )	Change as a percentage of critical level ( $30\mu\text{g}/\text{m}^3$ ) (%)
Booterstown Marsh pNHA (Rock Road)	720171, 730286	64.9	>200m	59.1	>200m	-5.8	-19%
Grand Canal pNHA (McCartney Bridge, western side)	716851, 732986	57.9	>200m	56.4	>200m	-1.4	-5%
Grand Canal pNHA (McCartney Bridge, eastern side)	716866, 732989	79.0	>200m	76.2	>200m	-2.8	-9%
Grand Canal pNHA (Grand Canal Street Upper)	717258, 733509	59.2	>200m	59.3	>200m	0.1	0%
Grand Canal pNHA (Haddington Road)	716883, 732978	70.8	>200m	69.1	>200m	-1.7	-6%
Grand Canal pNHA (Huband Bridge, northern side)	717062, 733223	46.1	>200m	45.5	>200m	-0.5	-2%
Grand Canal pNHA (Huband Bridge, southern side)	717062, 733223	46.1	>200m	45.5	>200m	-0.5	-2%
Grand Canal pNHA (Leeson Bridge, eastern side)	716382, 732741	172.8	>200m	174.3	>200m	1.4	5%
Grand Canal pNHA (Leeson Bridge, western side)	716368, 732736	129.0	>200m	129.7	>200m	0.7	2%
Grand Canal pNHA (McKenny's Bridge, northern side)	717198, 733367	64.1	>200m	60.3	>200m	-3.8	-13%
Grand Canal pNHA (McKenny's Bridge, southern side)	717192, 733356	51.0	>200m	49.0	>200m	-2.0	-7%
Grand Canal pNHA (Mespil Road, western end)	716426, 732743	62.2	>200m	62.3	>200m	0.1	0%
Grand Canal pNHA (Mespil Road, eastern end)	716780, 732925	55.4	>200m	54.9	>200m	-0.5	-2%



Annual Mean NO <sub>x</sub> in 2024 At Closest Point Within Ecological Site To Road							
Receptor	Receptor Location (ITM)	Do Minimum (µg/m <sup>3</sup> )	Distance from road beyond which concentration is below critical level (30µg/m <sup>3</sup> ) (m)	Do Something (µg/m <sup>3</sup> )	Distance from road beyond which concentration is below critical level (30µg/m <sup>3</sup> ) (m)	Impact (DS – DM) (µg/m <sup>3</sup> )	Change as a percentage of critical level (30µg/m <sup>3</sup> ) (%)
Grand Canal pNHA (Percy Place, northern end)	717139, 733284	39.3	>200m	39.0	>200m	-0.3	-1%
Grand Canal pNHA (Percy Place, southern end)	716948, 733044	44.0	>200m	43.6	>200m	-0.4	-1%
Grand Canal pNHA (Wilton Terrace)	716642, 732897	44.9	>200m	44.0	>200m	-0.9	-3%
South Dublin Bay pNHA (Merrion Road)	719656, 730992	69.1	>200m	68.7	>200m	-0.4	-1%
South Dublin Bay SAC (Rock Road)	717088, 733235	31.2	>200m	30.5	190m	-0.7	-2%
South Dublin Bay and River Tolka Estuary SPA (Rock Road)	720508, 730155	32.1	>200m	31.1	190m	-1.0	-3%

**Table 7.28: Potential Impacts at Key Ecological Receptors (N Deposition in 2024)**

Annual Mean N Deposition in 2024 At Closest Point Within Ecological Site to Road									
Receptor	Receptor Location (ITM)	Lower critical load for most sensitive feature (kgN/ha/yr)	Do Minimum (kgN/ha/yr)	Distance from road beyond which deposition is below critical load (m)	Do Something (kgN/ha/yr)	Distance from road beyond which deposition is below critical load (m)	Change relative to lower critical load (%)	Distance from road beyond which the change is <1% (m)	Change in deposition (kgN/ha/yr)
Boosterstown Marsh pNHA (Rock Road)	720171, 730286	5	3.79	0m	3.53	0m	-5%	0m	-0.27
Grand Canal pNHA (McCartney Bridge, western side)	716851, 732986	5	3.47	0m	3.40	0m	-1%	0m	-0.07
Grand Canal pNHA (McCartney Bridge, eastern side)	716866, 732989	5	4.42	0m	4.30	0m	-2%	0m	-0.12
Grand Canal pNHA (Grand Canal Street Upper)	717258, 733509	5	3.53	0m	3.54	0m	0%	0m	<0.01
Grand Canal pNHA (Haddington Road)	716883, 732978	5	4.06	0m	3.98	0m	-1%	0m	-0.07
Grand Canal pNHA (Huband Bridge, northern side)	717062, 733223	5	2.90	0m	2.87	0m	-1%	0m	-0.03
Grand Canal pNHA (Huband Bridge, southern side)	717062, 733223	5	2.90	0m	2.87	0m	-1%	0m	-0.03

Annual Mean N Deposition in 2024 At Closest Point Within Ecological Site to Road									
Receptor	Receptor Location (ITM)	Lower critical load for most sensitive feature (kgN/ha/yr)	Do Minimum (kgN/ha/yr)	Distance from road beyond which deposition is below critical load (m)	Do Something (kgN/ha/yr)	Distance from road beyond which deposition is below critical load (m)	Change relative to lower critical load (%)	Distance from road beyond which the change is <1% (m)	Change in deposition (kgN/ha/yr)
Grand Canal pNHA (Leeson Bridge, eastern side)	716382, 732741	5	7.92	20m	7.96	20m	1%	0m	0.05
Grand Canal pNHA (Leeson Bridge, western side)	716368, 732736	5	6.39	10m	6.42	10m	1%	0m	0.03
Grand Canal pNHA (McKenny's Bridge, northern side)	717198, 733367	5	3.76	0m	3.58	0m	-4%	0m	-0.18
Grand Canal pNHA (McKenny's Bridge, southern side)	717192, 733356	5	3.14	0m	3.04	0m	-2%	0m	-0.10
Grand Canal pNHA (Mespil Road, western end)	716426, 732743	5	3.67	0m	3.68	0m	0%	0m	<0.01
Grand Canal pNHA (Mespil Road, eastern end)	716780, 732925	5	3.35	0m	3.33	0m	0%	0m	-0.02
Grand Canal pNHA (Percy Place, northern end)	717139, 733284	5	2.56	0m	2.54	0m	0%	0m	-0.01
Grand Canal pNHA (Percy Place, southern end)	716948, 733044	5	2.79	0m	2.77	0m	0%	0m	-0.02
Grand Canal pNHA (Wilton Terrace)	716642, 732897	5	2.84	0m	2.79	0m	-1%	0m	-0.05
South Dublin Bay pNHA (Merrion Road)	719656, 730992	5	3.98	0m	3.97	0m	0%	0m	-0.02
South Dublin Bay SAC (Rock Road)	717088, 733235	5	2.14	0m	2.10	0m	-1%	0m	-0.04
South Dublin Bay and River Tolka Estuary SPA (Rock Road)	720508, 730155	5	2.18	0m	2.13	0m	-1%	0m	-0.05

#### 7.4.2.2.5 Regional Air Quality Assessment

The potential changes in regional air emissions due to the Construction Phase traffic impacts of the Proposed Scheme have been assessed using the NTA Environmental Appraisal Tool, which is based on ENEVAL. ENEVAL measures the regional emissions associated with road transport based on the various road links and their corresponding emissions.

Pollutant emissions (in tonnes) produced in both the DM and DS scenarios during the construction year 2024 of the Construction Phase are shown in Table 7.29. The Proposed Scheme will result in increases in emissions of all pollutants modelled. The majority of these emission increases result from redistribution of vehicles onto other longer diversion routes, while the construction of the scheme takes place. To produce these emissions estimates,

the traffic model and therefore the ENEVAL tool have applied the peak construction day in 2024 across the whole year. Emissions are therefore worst-case and likely to be lower in reality.

**Table 7.29. Construction Phase Regional Pollutant Emissions (tonnes) – Construction Year 2024**

	Vehicle Class	NO <sub>x</sub> (tonnes)	NO <sub>2</sub> (tonnes)	PM <sub>10</sub> (tonnes)	PM <sub>2.5</sub> (tonnes)	HC (tonnes)	CO (tonnes)	Benzene (tonnes)	Butadiene (tonnes)
DM	Car	1624	489	18	17	86	1951	1.5	1.2
DS		1627	489	18	17	87	1955	1.5	1.2
Change		3	0.8	0.03	0.03	0.2	4	0.002	0.001
% Change		0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.1%	0.1%
DM	Goods	1436	408	11	11	43	223	0.4	0.5
DS		1437	409	11	11	43	223	0.4	0.5
Change		0.9	0.2	0.003	0.003	0.03	0.4	0.001	0.0004
% Change		0.06%	0.05%	0.03%	0.03%	0.1%	0.2%	0.3%	0.1%
DM	Urban Bus	44	4.5	0.7	0.7	2.0	9	0	0.05
DS		44	4.5	0.8	0.7	2.0	9	0	0.05
Change		0.5	0.05	0.006	0.005	0.02	0.1	0	0.0003
% Change		1%	1%	0.8%	0.8%	0.8%	0.9%	0%	0.7%
<b>DM</b>	<b>Total</b>	3105	901	30	29	132	2183	1.8	1.7
<b>DS</b>		3109	902	30	29	132	2187	1.8	1.7
<b>Change</b>		4	1	0.04	0.04	0.2	4	0.003	0.002
<b>% Change</b>		0.1%	0.1%	0.1%	0.1%	0.12%	0.2%	0.2%	0.1%

In accordance with the EPA Guidelines (EPA 2017), the regional impacts associated with the Construction Phase traffic emissions pre-mitigation are considered overall neutral and short-term.

## 7.4.3 Operational Phase

### 7.4.3.1 Do Minimum Scenario

The Do Minimum (DM) is a defined scenario within the traffic modelling exercise in Chapter 6 (Traffic & Transport) and is based on the likely conditions of the road network with all major committed transportation schemes in place that will impact on the use of public transport and private car, not including the Proposed Scheme. The output of this analysis and its impact on air quality has been modelled using ADMS-Roads for the opening year of 2028. Predicted annual mean concentrations of NO<sub>2</sub>, PM<sub>10</sub>, PM<sub>2.5</sub> and the number of exceedances of the 24-hour PM<sub>10</sub> objective, at selected most impacted existing air quality sensitive receptors in the 2028 DM scenario are listed in Table 7.30. Locations of these receptors are shown in Figures 7.3 to 7.5 in Volume 3 of this EIAR. Statistics for the full list of modelled receptors can be found in Table 3.1 (Appendix A7.1 in Volume 4 of this EIAR). 'Most impacted' refers to those receptors with non-negligible impacts due to the Operational Phase of the Scheme.

**Table 7.30: Predicted 2028 Do Minimum Scenario Pollutant Statistics at Most Impacted Receptor Locations**

DM (2028)						
Receptor	Receptor Location (ITM)	Annual Mean Conc. (µg/m <sup>3</sup> )			No of PM <sub>10</sub> days > 50µg/m <sup>3</sup>	
		NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
AQ3	721306,729354	28.5	15.1	10.6	<1	
AQ5	720812,729814	32.4	15.9	11.1	1	
AQ7	720852,729786	29.3	15.4	10.9	<1	
AQ9	720793,729833	32.0	15.8	11.1	1	

DM (2028)					
Receptor	Receptor Location (ITM)	Annual Mean Conc. ( $\mu\text{g}/\text{m}^3$ )			No of $\text{PM}_{10}$ days > $50\mu\text{g}/\text{m}^3$
		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$	
AQ10	720785,729839	34.6	16.1	11.3	1
AQ11	720743,729877	32.2	15.9	11.1	1
AQ12	720642,729995	29.8	15.6	10.9	1
AQ13	720696,729932	30.3	15.6	11.0	1
AQ14	720689,729941	30.0	15.6	10.9	1
AQ49	721574,729220	30.6	15.5	10.9	1
AQ59	721389,729300	30.8	15.5	10.9	1
AQ62	722017,728804	30.2	15.6	10.9	1
AQ73	721913,729051	28.5	15.2	10.7	<1
AQ98	719649,731004	34.2	15.9	11.1	1
AQ107	719000,731418	31.6	15.9	11.1	1
AQ109	716590,733267	35.8	16.1	11.2	1
AQ123	720534,730047	27.2	15.1	10.7	<1
AQ127	716857,732973	41.6	16.7	11.6	1
AQ139	716871,732953	38.6	16.4	11.4	1
AQ178	721069,729603	30.1	15.5	10.9	1
AQ400	716462,733370	32.1	15.8	11.1	1
AQ406	716072,733165	37.2	16.2	11.3	1
AQ407	716085,733186	42.1	16.8	11.7	1
AQ411	715479,733323	36.9	16.2	11.3	1
AQ418	717109,733957	42.5	17.0	11.8	1
AQ423	715505,733367	38.0	16.5	11.5	1
AQ424	715539,733353	37.7	16.4	11.4	1
AQ430	721416,729314	32.3	15.7	11.0	1
AQ431	721325,729384	28.5	15.1	10.7	<1
AQ553	716170,733029	38.6	16.5	11.5	1
AQ555	716080,733191	52.1	18.1	12.5	2
AQ561	715707,733320	42.0	16.8	11.7	1
AQ33	717762,732471	37.4	16.2	11.3	1
AQ54	716626,733276	38.1	16.3	11.4	1
AQ138	716897,732967	41.6	16.8	11.7	1
AQ270	717748,732487	39.6	16.4	11.5	1
AQ559	716054,733178	47.1	17.3	12.0	1
AQ30	717896,732423	43.6	17.0	11.8	1
AQ31	717756,732518	47.4	17.4	12.1	1
AQ32	717741,732531	52.1	18.3	12.6	2
AQ34	717871,732437	45.9	17.3	12.0	1
AQ35	717786,732489	63.2	19.8	13.6	3
AQ48	716603,733291	42.8	16.7	11.6	1

DM (2028)					
Receptor	Receptor Location (ITM)	Annual Mean Conc. ( $\mu\text{g}/\text{m}^3$ )			No of $\text{PM}_{10}$ days > $50\mu\text{g}/\text{m}^3$
		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$	
AQ26	718458,730750	39.7	17.4	12.0	1
AQ188	717727,731393	41.1	16.9	11.8	1
AQ202	719158,729956	35.8	17.1	11.8	1
AQ282	716885,732329	44.8	17.1	11.9	1
AQ292	716799,732376	40.0	16.6	11.6	1
AQ296	717176,731934	38.3	16.6	11.6	1
AQ307	717211,731994	35.2	16.1	11.3	1
AQ318	716458,732652	34.5	16.2	11.3	1
AQ319	716440,732652	35.3	16.3	11.4	1
AQ323	716416,732588	36.6	16.4	11.5	1
AQ324	716351,732738	43.6	17.0	11.8	1
AQ388	716372,732821	41.3	16.7	11.6	1
AQ389	716221,732991	37.8	16.6	11.5	1
AQ401	716301,733420	42.9	17.1	11.9	1
AQ404	716293,733410	38.2	16.5	11.5	1
AQ420	716355,732847	36.3	16.1	11.2	1
AQ422	716311,732813	35.2	15.9	11.2	1
AQ295	717176,731954	39.2	16.7	11.6	1
AQ297	717228,731951	38.5	16.5	11.5	1
AQ300	717394,731747	38.6	16.5	11.5	1
AQ301	717382,731761	39.9	16.5	11.5	1
AQ303	717503,731644	34.5	16.0	11.2	1
AQ304	717500,731661	38.4	16.6	11.6	1
AQ305	717602,731574	40.7	16.6	11.6	1
AQ321	716404,732715	52.6	18.4	12.7	2
AQ322	716373,732706	45.6	17.4	12.0	1
<b>Air Quality Limit Value Objective</b>		<b>40</b>	<b>40</b>	<b>25</b>	<b>35</b>

In the 2028 DM scenario annual mean concentrations of  $\text{NO}_2$  are above the relevant national air quality limit value objective in some areas; 27 exceedances were modelled at receptors on the R110 Cuffle Street / St. Stephen's Green, the R138 Leeson Street / Morehampton Road / Donnybrook Road / Stillorgan Road, R824 Ailesbury Road, R816 Baggot Street, R118 Pembroke Road and Pearse Street. Concentrations at all receptors with exceedances can be found in Table 3.1 (Appendix A7.1 in Volume 4 of this EIAR). Some of these receptors have been excluded from this section as these locations experience a negligible impact due to the Proposed Scheme and are therefore not considered a most impacted receptor. Annual mean  $\text{NO}_2$  concentrations exceed  $60\mu\text{g}/\text{m}^3$  at one receptor on R118 Pembroke Road, indicating that exceedances of the  $\text{NO}_2$  1-hour mean may occur. Annual mean  $\text{PM}_{10}$  concentrations are below the relevant national air quality limit value objectives for all modelled receptors. At all receptors, modelling of the maximum 24-hour  $\text{PM}_{10}$  concentration indicated that there is likely to be no more than three exceedances of the  $50\mu\text{g}/\text{m}^3$  ambient limit value compared to the threshold which allows 35 daily exceedances in any one calendar year. Annual mean  $\text{PM}_{2.5}$  concentrations are also below the relevant national air quality limit value objectives for all modelled receptors. Reported concentrations are lower in 2028 due to the assumed modest improvements in vehicle emissions rates between now and then.

### 7.4.3.2 Do Something Scenario

The Do Something (DS) is a defined scenario within the traffic modelling exercise in Chapter 6 (Traffic & Transport) and is based on the likely conditions of the road network with all major committed transportation schemes in place that will impact on the use of public transport and private car, including the Proposed Scheme. The output of this analysis and its impact on air quality has been modelled using AMDS-Roads for the opening year of 2028 in line with the methodology set out in Section 7.2.4.1. Predicted annual mean concentrations of NO<sub>2</sub>, PM<sub>10</sub>, PM<sub>2.5</sub> and the number of exceedances of the 24-hour PM<sub>10</sub> objective, at selected most impacted existing air quality sensitive receptors both along the Proposed Scheme and on routes affected by traffic diversions in the 2028 DS scenario are listed in Table 7.31. Locations of these receptors are shown in Volume 3 of this EIAR. Statistics for the full list of modelled receptors can be found in Table 3.2 (Appendix A7.1 in Volume 4 of this EIAR). 'Most impacted' refers to those receptors with non-negligible impacts due to the Operational Phase of the Scheme.

**Table 7.31: Predicted 2028 Do Something Scenario Pollutant Statistics at Most Impacted Receptor Locations**

DS (2028)					
Receptor	Receptor Location (ITM)	Annual Mean Conc. (µg/m <sup>3</sup> )			No of PM <sub>10</sub> days > 50µg/m <sup>3</sup>
		NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	
AQ3	721306,729354	23.9	14.5	10.3	<1
AQ5	720812,729814	26.2	15.0	10.6	<1
AQ7	720852,729786	24.9	14.8	10.5	<1
AQ9	720793,729833	26.9	14.9	10.6	<1
AQ10	720785,729839	29.0	15.0	10.6	<1
AQ11	720743,729877	27.8	15.0	10.6	<1
AQ12	720642,729995	24.6	14.8	10.5	<1
AQ13	720696,729932	25.4	14.8	10.5	<1
AQ14	720689,729941	24.9	14.8	10.5	<1
AQ49	721574,729220	25.0	14.7	10.4	<1
AQ59	721389,729300	27.8	14.9	10.6	<1
AQ62	722017,728804	26.2	15.0	10.6	<1
AQ73	721913,729051	24.4	14.6	10.4	<1
AQ98	719649,731004	28.7	15.1	10.6	<1
AQ107	719000,731418	26.9	15.0	10.6	<1
AQ109	716590,733267	31.9	15.5	10.9	1
AQ123	720534,730047	23.0	14.5	10.3	<1
AQ127	716857,732973	41.1	16.6	11.6	1
AQ139	716871,732953	36.9	16.1	11.3	1
AQ178	721069,729603	26.5	14.9	10.5	<1
AQ400	716462,733370	29.5	15.3	10.8	<1
AQ406	716072,733165	36.4	16.1	11.3	1
AQ407	716085,733186	40.8	16.7	11.6	1
AQ411	715479,733323	36.5	16.1	11.3	1
AQ418	717109,733957	42.0	17.0	11.8	1
AQ423	715505,733367	37.5	16.5	11.5	1
AQ424	715539,733353	36.8	16.3	11.4	1



DS (2028)					
Receptor	Receptor Location (ITM)	Annual Mean Conc. ( $\mu\text{g}/\text{m}^3$ )			No of PM <sub>10</sub> days > 50 $\mu\text{g}/\text{m}^3$
		NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	
AQ430	721416,729314	27.5	14.8	10.5	<1
AQ431	721325,729384	24.4	14.5	10.3	<1
AQ553	716170,733029	37.7	16.4	11.5	1
AQ555	716080,733191	50.1	17.9	12.4	2
AQ561	715707,733320	41.3	16.7	11.6	1
AQ33	717762,732471	30.1	15.4	10.9	<1
AQ54	716626,733276	33.0	15.5	10.9	1
AQ138	716897,732967	38.6	16.3	11.4	1
AQ270	717748,732487	34.3	15.9	11.1	1
AQ559	716054,733178	44.5	17.1	11.9	1
AQ30	717896,732423	36.1	15.9	11.1	1
AQ31	717756,732518	41.2	16.6	11.6	1
AQ32	717741,732531	47.0	17.2	11.9	1
AQ34	717871,732437	36.2	15.9	11.1	1
AQ35	717786,732489	39.6	17.2	11.9	1
AQ48	716603,733291	35.9	15.8	11.1	1
AQ26	718458,730750	40.1	17.4	12.0	1
AQ188	717727,731393	42.7	17.0	11.8	1
AQ202	719158,729956	36.8	17.3	11.9	1
AQ282	716885,732329	46.4	17.3	12.0	1
AQ292	716799,732376	40.6	16.7	11.7	1
AQ296	717176,731934	40.1	16.7	11.7	1
AQ307	717211,731994	37.1	16.3	11.4	1
AQ318	716458,732652	36.2	16.5	11.5	1
AQ319	716440,732652	36.8	16.6	11.5	1
AQ323	716416,732588	37.4	16.5	11.5	1
AQ324	716351,732738	44.2	17.1	11.9	1
AQ388	716372,732821	41.9	16.7	11.7	1
AQ389	716221,732991	38.5	16.7	11.6	1
AQ401	716301,733420	44.2	17.3	12.0	1
AQ404	716293,733410	39.0	16.6	11.6	1
AQ420	716355,732847	37.0	16.1	11.3	1
AQ422	716311,732813	36.3	16.0	11.2	1
AQ295	717176,731954	41.3	16.9	11.8	1
AQ297	717228,731951	40.8	16.7	11.7	1
AQ300	717394,731747	40.9	16.7	11.6	1
AQ301	717382,731761	42.7	16.7	11.7	1
AQ303	717503,731644	36.8	16.2	11.3	1
AQ304	717500,731661	41.4	16.8	11.7	1

DS (2028)					
Receptor	Receptor Location (ITM)	Annual Mean Conc. ( $\mu\text{g}/\text{m}^3$ )			No of $\text{PM}_{10}$ days > $50\mu\text{g}/\text{m}^3$
		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$	
AQ305	717602,731574	42.9	16.8	11.7	1
AQ321	716404,732715	55.3	18.9	13.0	2
AQ322	716373,732706	47.8	17.7	12.2	1
<b>Air Quality Limit Value Objective</b>		<b>40</b>	<b>40</b>	<b>25</b>	<b>35</b>

In the 2028 DS scenario annual mean concentrations of  $\text{NO}_2$  are above the relevant national air quality limit value objective in some areas; 30 exceedances were modelled at receptors on the R110 Cuffle Street / St. Stephen's Green, the R138 Leeson Street / Morehampton Road / Donnybrook Road / Stillorgan Road, R824 Ailesbury Road, R816 Baggot Street, R118 Pembroke Road and Pearse Street. This is an increase from the 27 exceedances modelled in the DM scenario. Concentrations at all receptors with exceedances can be found in Table 3.2 (Appendix A7.1 in Volume 4 of this EIAR). Some of these receptors have been excluded from this section as these locations experience a negligible impact due to the Proposed Scheme and are therefore not considered a most impacted receptor. Annual mean  $\text{NO}_2$  concentrations do not exceed  $60\mu\text{g}/\text{m}^3$ , indicating that exceedances of the  $\text{NO}_2$  1-hour mean are unlikely to occur. Annual mean  $\text{PM}_{10}$  concentrations are below the relevant national air quality limit value objectives for all modelled receptors. At all receptors, modelling of the maximum 24-hour  $\text{PM}_{10}$  concentration indicated that there is likely to be no more than two exceedances of the  $50\mu\text{g}/\text{m}^3$  ambient limit value compared to the threshold which allows 35 daily exceedances in any one calendar year. Annual mean  $\text{PM}_{2.5}$  concentrations are also below the relevant national air quality limit value limit value objectives for all modelled receptors.

### 7.4.3.3 Comparison of Do Something with Do Minimum

Table 7.32 provides the predicted change in and impact on pollutant concentrations, between the DM and DS in 2028. Statistics for the full list of modelled receptors can be found in Table 3.3 (Appendix A7.1 in Volume 4 of this EIAR). 'Most impacted' refers to those receptors with non-negligible impacts due to the Operational Phase of the Proposed Scheme.

**Table 7.32: Predicted Changes in Operational DM and DS and Impact Significance Criteria at Most Impacted Receptor Locations**

Receptor	Receptor Location (ITM)	Change in Annual Mean Conc. ( $\mu\text{g}/\text{m}^3$ )			Change in No of $\text{PM}_{10}$ days > $50\mu\text{g}/\text{m}^3$	Impact on Annual Mean Conc.		
		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$
AQ3	721010,729637	-4.6	-0.6	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ5	721010,729639	-6.2	-0.9	-0.6	<1	Slight Beneficial	Negligible	Negligible
AQ7	721010,729641	-4.4	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ9	721010,729643	-5.1	-0.9	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ10	721010,729644	-5.5	-1.0	-0.6	<1	Slight Beneficial	Negligible	Negligible
AQ11	721010,729645	-4.4	-0.9	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ12	721010,729646	-5.2	-0.8	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ13	721010,729647	-4.9	-0.8	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ14	721010,729648	-5.2	-0.8	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ49	721010,729683	-5.6	-0.9	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ59	721010,729693	-3.0	-0.6	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ62	721010,729696	-4.0	-0.6	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ73	721010,729707	-4.0	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible

Receptor	Receptor Location (ITM)	Change in Annual Mean Conc. ( $\mu\text{g}/\text{m}^3$ )			Change in No of $\text{PM}_{10}$ days $> 50\mu\text{g}/\text{m}^3$	Impact on Annual Mean Conc.		
		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$
AQ98	721010,729732	-5.5	-0.8	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ107	721010,729741	-4.7	-0.8	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ109	721010,729743	-3.9	-0.5	-0.3	0	Slight Beneficial	Negligible	Negligible
AQ123	721010,729757	-4.2	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ127	721010,729761	-0.6	-0.1	<0.1	0	Slight Beneficial	Negligible	Negligible
AQ139	721010,729773	-1.7	-0.2	-0.2	0	Slight Beneficial	Negligible	Negligible
AQ178	721010,729812	-3.7	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ400	721010,730034	-2.6	-0.4	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ406	721010,730040	-0.8	-0.1	-0.1	0	Slight Beneficial	Negligible	Negligible
AQ407	721010,730041	-1.3	-0.1	-0.1	0	Slight Beneficial	Negligible	Negligible
AQ411	721010,730045	-0.4	-0.1	<0.1	0	Slight Beneficial	Negligible	Negligible
AQ418	721010,730052	-0.5	-0.1	<0.1	0	Slight Beneficial	Negligible	Negligible
AQ423	721010,730057	-0.4	-0.1	<0.1	0	Slight Beneficial	Negligible	Negligible
AQ424	721010,730058	-0.9	-0.1	-0.1	0	Slight Beneficial	Negligible	Negligible
AQ430	721010,730064	-4.8	-0.8	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ431	721010,730065	-4.0	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ553	721010,730187	-0.8	-0.1	-0.1	0	Slight Beneficial	Negligible	Negligible
AQ555	721010,730189	-1.9	-0.2	-0.1	0	Slight Beneficial	Negligible	Negligible
AQ561	721010,730195	-0.7	-0.1	-0.1	0	Slight Beneficial	Negligible	Negligible
AQ33	721010,729667	-7.3	-0.7	-0.5	<1	Moderate Beneficial	Negligible	Negligible
AQ54	721010,729688	-5.1	-0.7	-0.4	0	Moderate Beneficial	Negligible	Negligible
AQ138	721010,729772	-3.0	-0.5	-0.3	0	Moderate Beneficial	Negligible	Negligible
AQ270	721010,729904	-5.3	-0.6	-0.4	0	Moderate Beneficial	Negligible	Negligible
AQ559	721010,730193	-2.6	-0.3	-0.2	0	Moderate Beneficial	Negligible	Negligible
AQ30	721010,729664	-7.5	-1.2	-0.7	0	Substantial Beneficial	Negligible	Negligible
AQ31	721010,729665	-6.2	-0.9	-0.6	0	Substantial Beneficial	Negligible	Negligible
AQ32	721010,729666	-5.1	-1.2	-0.7	-1	Substantial Beneficial	Negligible	Negligible
AQ34	721010,729668	-9.7	-1.4	-0.9	0	Substantial Beneficial	Negligible	Negligible
AQ35	721010,729669	-23.6	-2.6	-1.7	-2	Substantial Beneficial	Negligible	Negligible
AQ48	721010,729682	-6.9	-0.9	-0.6	0	Substantial Beneficial	Negligible	Negligible
AQ26	721010,729660	0.5	<0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ188	721010,729822	1.6	0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ202	721010,729836	1.0	0.2	0.1	0	Slight Adverse	Negligible	Negligible
AQ282	721010,729916	1.6	0.2	0.1	0	Slight Adverse	Negligible	Negligible
AQ292	721010,729926	0.6	0.1	0.1	0	Slight Adverse	Negligible	Negligible
AQ296	721010,729930	1.8	0.2	0.1	0	Slight Adverse	Negligible	Negligible
AQ307	721010,729941	1.9	0.2	0.1	0	Slight Adverse	Negligible	Negligible
AQ318	721010,729952	1.7	0.3	0.2	0	Slight Adverse	Negligible	Negligible
AQ319	721010,729953	1.5	0.2	0.1	0	Slight Adverse	Negligible	Negligible

Receptor	Receptor Location (ITM)	Change in Annual Mean Conc. ( $\mu\text{g}/\text{m}^3$ )			Change in No of $\text{PM}_{10}$ days $> 50\mu\text{g}/\text{m}^3$	Impact on Annual Mean Conc.		
		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$		$\text{NO}_2$	$\text{PM}_{10}$	$\text{PM}_{2.5}$
AQ323	721010,729957	0.8	0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ324	721010,729958	0.6	0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ388	721010,730022	0.6	0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ389	721010,730023	0.7	0.1	0.1	0	Slight Adverse	Negligible	Negligible
AQ401	721010,730035	1.3	0.2	0.1	0	Slight Adverse	Negligible	Negligible
AQ404	721010,730038	0.8	0.1	0.1	0	Slight Adverse	Negligible	Negligible
AQ420	721010,730054	0.7	0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ422	721010,730056	1.2	0.1	0.1	0	Slight Adverse	Negligible	Negligible
AQ295	721010,729929	2.1	0.2	0.1	0	Moderate Adverse	Negligible	Negligible
AQ297	721010,729931	2.3	0.2	0.1	0	Moderate Adverse	Negligible	Negligible
AQ300	721010,729934	2.3	0.2	0.1	0	Moderate Adverse	Negligible	Negligible
AQ301	721010,729935	2.8	0.2	0.1	0	Moderate Adverse	Negligible	Negligible
AQ303	721010,729937	2.3	0.1	0.1	0	Moderate Adverse	Negligible	Negligible
AQ304	721010,729938	3.0	0.2	0.1	0	Moderate Adverse	Negligible	Negligible
AQ305	721010,729939	2.3	0.2	0.1	0	Moderate Adverse	Negligible	Negligible
AQ321	721010,729955	2.7	0.5	0.3	0	Moderate Adverse	Negligible	Negligible
AQ322	721010,729956	2.2	0.3	0.2	0	Moderate Adverse	Negligible	Negligible

The significance of the changes in the concentration of each of the ambient receptors has been determined in the context of the TII significance criteria (TII 2011). As shown in Table 7.32 and Figure 7.3 (Volume 3 of this EIAR) the majority of modelled receptors are estimated to experience a negligible impact due to the Proposed Scheme in terms of the annual mean  $\text{NO}_2$  concentration. A slightly beneficial impact is estimated at 32 receptors, a moderate beneficial impact at five receptors and a substantial beneficial impact at six receptors due to the diversion of traffic off the Proposed Scheme routes. A slight adverse impact is expected at 17 receptors, and a moderate adverse impact at nine receptors on R138 Leeson Street and Donnybrook Road. These localised moderate adverse impacts are considered negative, significant and short-term as  $\text{NO}_2$  concentrations exceed the limit value but will decrease below the limit by 2043 due to reductions in emissions between 2028 and 2043 from advancements in engine technology and the addition of a higher percentage of electric vehicles to the fleet. As shown in Table 7.32 and Figure 7.4 (Volume 3 of this EIAR) the Proposed Scheme is overall neutral in terms of annual mean  $\text{PM}_{10}$  concentrations, with all receptors experiencing a negligible impact. As shown in Table 7.32 and Figure 7.5 (Volume 3 of this EIAR) the Proposed Scheme is overall neutral in terms of the annual mean  $\text{PM}_{2.5}$  concentration with all receptors experiencing a negligible impact.

In accordance with the EPA Guidelines (EPA 2017) the impacts associated with the Operational Phase traffic emissions are overall neutral and long-term.

The predictions reported are based on conservative assumptions regarding background pollutant concentrations and the improvement in vehicle emission rates. 2019 background pollutant concentrations have been used to represent 2028 and are likely to be lower by the opening year than in 2019. Older fleet projections were used in the absence of a fleet that incorporates the effects of 2021 Climate Action Plan measures – a larger proportion of electric vehicles is planned by the opening year than has been modelled. In reality, total concentrations (and magnitude of change) are likely to be lower than those reported here.

#### 7.4.3.4 Ecological Assessment

An assessment of the impact of the Proposed Scheme has been undertaken using the approach outlined in the IAQM guidance document A Guide to the Assessment of Air Quality Impacts on Designated Nature Conservation

Sites (Version 1.1) (IAQM 2020). The guidance states that where the PEC is less than 70% of the long-term critical level / load, the PC is likely to be insignificant. Where the process contribution is greater than 1% of the critical level / load it is recommended that the project ecologist should be consulted.

The impact of the Proposed Scheme on the nearby ecologically sensitive areas within 200m of roads impacted by the Proposed Scheme, as defined in Section 7.2.4.1, is outlined in Table 7.33. The annual mean NO<sub>x</sub> concentration has been compared to the critical level of 30µg/m<sup>3</sup> at each of the designated habitat sites. All sites exceed the critical level for NO<sub>x</sub> in both the DM and the DS scenarios.

Nitrogen deposition levels have been compared to the lower and higher critical loads for the designated habitat sites in Table 7.34. Most sites are below the lower critical load for the designated habitat site in both the DM and the DS scenarios. The lower critical load is exceeded in both the DM and DS by the Grand Canal pNHA at Leeson Bridge.

In accordance with the EPA Guidelines (EPA 2017) the ecological impacts associated with the Operational Phase traffic emissions are overall negative, slight and long-term.

**Table 7.33: Significance of Impacts at Key Ecological Receptors (NO<sub>x</sub> Annual Mean Concentration in 2028)**

Annual Mean NO <sub>x</sub> In 2028 At Closest Point Within Ecological Site To Road							
Receptor	Receptor Location (ITM)	Do Minimum (µg/m <sup>3</sup> )	Distance from road beyond which concentration is below critical level (30µg/m <sup>3</sup> ) (m)	Do Something (µg/m <sup>3</sup> )	Distance from road beyond which concentration is below critical level (30µg/m <sup>3</sup> ) (m)	Impact (DS – DM) (µg/m <sup>3</sup> )	Change as a percentage of critical level (30µg/m <sup>3</sup> ) (%)
Boosterstown Marsh pNHA (Rock Road)	720171, 730286	63.2	>200m	51.7	190m	-11.5	-38%
Grand Canal pNHA (McCartney Bridge, western side)	716851, 732986	56.4	>200m	49.3	>200m	-7.1	-24%
Grand Canal pNHA (McCartney Bridge, eastern side)	716866, 732989	75.9	>200m	58.3	>200m	-17.6	-59%
Grand Canal pNHA (Grand Canal Street Upper)	717258, 733509	62.9	>200m	62.8	>200m	-0.1	0%
Grand Canal pNHA (Haddington Road)	716883, 732978	70.0	>200m	67.6	>200m	-2.4	-8%
Grand Canal pNHA (Huband Bridge, northern side)	717062, 733223	46.6	>200m	56.2	>200m	9.6	32%
Grand Canal pNHA (Huband Bridge, southern side)	717062, 733223	46.6	>200m	56.2	>200m	9.6	32%
Grand Canal pNHA (Leeson Bridge, eastern side)	716382, 732741	161.7	>200m	170.7	>200m	9.0	30%
Grand Canal pNHA (Leeson Bridge, western side)	716368, 732736	122.8	>200m	128.2	>200m	5.4	18%
Grand Canal pNHA (McKenny's Bridge, northern side)	717198, 733367	63.3	>200m	62.3	>200m	-1.0	-3%

Annual Mean NO <sub>x</sub> In 2028 At Closest Point Within Ecological Site To Road							
Receptor	Receptor Location (ITM)	Do Minimum (µg/m <sup>3</sup> )	Distance from road beyond which concentration is below critical level (30µg/m <sup>3</sup> ) (m)	Do Something (µg/m <sup>3</sup> )	Distance from road beyond which concentration is below critical level (30µg/m <sup>3</sup> ) (m)	Impact (DS – DM) (µg/m <sup>3</sup> )	Change as a percentage of critical level (30µg/m <sup>3</sup> ) (%)
Grand Canal pNHA (McKenny's Bridge, southern side)	717192, 733356	50.7	>200m	51.1	>200m	0.4	1%
Grand Canal pNHA (Mespil Road, western end)	716426, 732743	62.7	>200m	64.0	>200m	1.3	4%
Grand Canal pNHA (Mespil Road, eastern end)	716780, 732925	55.9	>200m	64.5	>200m	8.7	29%
Grand Canal pNHA (Percy Place, northern end)	717139, 733284	39.2	>200m	41.8	>200m	2.6	9%
Grand Canal pNHA (Percy Place, southern end)	716948, 733044	44.0	>200m	49.5	>200m	5.5	18%
Grand Canal pNHA (Wilton Terrace)	716642, 732897	45.3	>200m	42.2	>200m	-3.2	-11%
South Dublin Bay pNHA (Merriion Road)	719656, 730992	67.5	>200m	51.7	>200m	-15.8	-53%
South Dublin Bay SAC (Rock Road)	717088, 733235	31.1	>200m	30.1	130m	-1.0	-3%
South Dublin Bay and River Tolka Estuary SPA (Rock Road)	720508, 730155	32.0	>200m	30.6	130m	-1.4	-5%

**Table 7.34: Significance of Impacts at Key Ecological Receptors (N Deposition in 2028)**

Annual Mean N Deposition in 2028 At Closest Point Within Ecological Site to Road									
Receptor	Receptor Location (ITM)	Lower critical load for most sensitive feature (kgN/ha/yr)	Do Minimum (kgN/ha/yr)	Distance from road beyond which deposition is below critical load (m)	Do Something (kgN/ha/yr)	Distance from road beyond which deposition is below critical load (m)	Change relative to lower critical load (%)	Distance from road beyond which the change is <1% (m)	Change in deposition (kgN/ha/yr)
Boosterstown Marsh pNHA (Rock Road)	720171, 730286	5	3.73	0m	3.18	0m	-11%	0m	-0.55
Grand Canal pNHA (McCartney Bridge, western side)	716851, 732986	5	3.41	0m	3.06	0m	-7%	0m	-0.35
Grand Canal pNHA (McCartney Bridge, eastern side)	716866, 732989	5	4.31	0m	3.50	0m	-16%	0m	-0.81
Grand Canal pNHA (Grand Canal Street Upper)	717258, 733509	5	3.71	0m	3.71	0m	0%	0m	<0.01



Receptor	Receptor Location (ITM)	Annual Mean N Deposition in 2028 At Closest Point Within Ecological Site to Road							
		Lower critical load for most sensitive feature (kgN/ha/yr)	Do Minimum (kgN/ha/yr)	Distance from road beyond which deposition is below critical load (m)	Do Something (kgN/ha/yr)	Distance from road beyond which deposition is below critical load (m)	Change relative to lower critical load (%)	Distance from road beyond which the change is <1% (m)	Change in deposition (kgN/ha/yr)
Grand Canal pNHA (Haddington Road)	716883, 732978	5	4.05	0m	3.94	0m	-2%	0m	-0.11
Grand Canal pNHA (Huband Bridge, northern side)	717062, 733223	5	2.93	0m	3.40	0m	9%	190m	0.47
Grand Canal pNHA (Huband Bridge, southern side)	717062, 733223	5	2.93	0m	3.40	0m	9%	190m	0.47
Grand Canal pNHA (Leeson Bridge, eastern side)	716382, 732741	5	7.63	20m	7.94	20m	6%	>200m	0.31
Grand Canal pNHA (Leeson Bridge, western side)	716368, 732736	5	6.22	10m	6.42	20m	4%	20m	0.20
Grand Canal pNHA (McKenny's Bridge, northern side)	717198, 733367	5	3.74	0m	3.69	0m	-1%	0m	-0.05
Grand Canal pNHA (McKenny's Bridge, southern side)	717192, 733356	5	3.13	0m	3.15	0m	0%	0m	0.02
Grand Canal pNHA (Mespil Road, western end)	716426, 732743	5	3.71	0m	3.77	0m	1%	0m	0.06
Grand Canal pNHA (Mespil Road, eastern end)	716780, 732925	5	3.38	0m	3.79	0m	8%	30m	0.41
Grand Canal pNHA (Percy Place, northern end)	717139, 733284	5	2.55	0m	2.69	0m	3%	30m	0.14
Grand Canal pNHA (Percy Place, southern end)	716948, 733044	5	2.80	0m	3.07	0m	6%	20m	0.28
Grand Canal pNHA (Wilton Terrace)	716642, 732897	5	2.87	0m	2.71	0m	-3%	0m	-0.16
South Dublin Bay pNHA (Merrion Road)	719656, 730992	5	3.93	0m	3.18	0m	-15%	0m	-0.75
South Dublin Bay SAC (Rock Road)	717088, 733235	5	2.13	0m	2.08	0m	-1%	0m	-0.05
South Dublin Bay and River Tolka Estuary SPA (Rock Road)	720508, 730155	5	2.18	0m	2.10	0m	-2%	0m	-0.08

#### 7.4.3.5 Regional Air Quality Assessment

The potential changes in regional air emissions due to the Operational Phase traffic impacts of the Proposed Scheme have been assessed using the NTA Environmental Appraisal Tool, which is based on ENEVAL. ENEVAL measures the regional emissions associated with road transport based on the various road links and their corresponding emissions.

Pollutant emissions (in tonnes) produced in both the DM and DS scenarios during the opening year of the Operational Phase are shown in Table 7.35. The Proposed Scheme will lead to an overall increase in pollutants primarily due to predicted slower and, or longer travel times associated with cars and heavy good vehicles as a result of the Proposed Scheme.

**Table 7.35. Operational Phase regional pollutant emissions (tonnes) – Opening Year 2028**

	Vehicle Class	NO <sub>x</sub> (tonnes)	NO <sub>2</sub> (tonnes)	PM <sub>10</sub> (tonnes)	PM <sub>2.5</sub> (tonnes)	HC (tonnes)	CO (tonnes)	Benzene (tonnes)	Butadiene (tonnes)
DM	Car	1318	382	9.2	8.7	79	1698	0.9	1.2
DS		1318	382	9.2	8.7	79	1701	0.9	1.2
Change		0.5	0.1	0.004	0.004	0.02	2.4	-0.0004	-0.0005
% Change		0.04%	0.04%	0.04%	0.04%	0.02%	0.14%	-0.05%	-0.04%
DM	Goods	1673	473	3.8	3.6	46	247	0.4	0.5
DS		1675	473	3.8	3.6	47	248	0.4	0.5
Change		1.9	0.1	0.01	0.01	0.1	1.2	0.003	0.001
% Change		0.1%	0.03%	0.4%	0.4%	0.2%	0.5%	0.7%	0.3%
DM	Urban Bus	17	1.7	0.2	0.2	0.7	5.4	0	0.006
DS		17	1.7	0.2	0.2	0.7	5.4	0	0.006
Change		-0.2	-0.02	-0.002	-0.002	-0.01	-0.1	0	-0.0001
% Change		-1.3%	-1.3%	-1.4%	-1.4%	-1.4%	-1.5%	0%	-1.4%
<b>DM</b>	<b>Total</b>	<b>3007</b>	<b>856</b>	<b>13</b>	<b>12</b>	<b>127</b>	<b>1951</b>	<b>1.3</b>	<b>1.7</b>
<b>DS</b>		<b>3010</b>	<b>857</b>	<b>13</b>	<b>12</b>	<b>127</b>	<b>1955</b>	<b>1.3</b>	<b>1.7</b>
<b>Change</b>		<b>2.1</b>	<b>0.3</b>	<b>0.02</b>	<b>0.01</b>	<b>0.1</b>	<b>3.5</b>	<b>0.003</b>	<b>0.001</b>
<b>% Change</b>		<b>0.1%</b>	<b>0.03%</b>	<b>0.1%</b>	<b>0.1%</b>	<b>0.1%</b>	<b>0.2%</b>	<b>0.2%</b>	<b>0.1%</b>

Pollutant emissions (in tonnes) produced in both the DM and DS scenarios during the design year of the Operational Phase are shown in Table 7.36. The Proposed Scheme will lead to an overall increase in pollutants primarily due to predicted slower and, or longer travel times associated with cars and heavy good vehicles as a result of the Proposed Scheme.

**Table 7.36. Operational Phase regional pollutant emissions (tonnes) – Design Year 2043**

	Vehicle Class	NO <sub>x</sub> (tonnes)	NO <sub>2</sub> (tonnes)	PM <sub>10</sub> (tonnes)	PM <sub>2.5</sub> (tonnes)	HC (tonnes)	CO (tonnes)	Benzene (tonnes)	Butadiene (tonnes)
DM	Car	508	147	4.3	4.1	37	654	0.4	0.6
DS		509	147	4.3	4.1	37	655	0.4	0.6
Change		0.4	0.1	0.003	0.003	0.01	1.5	0.0001	-0.0003
% Change		0.1%	0.1%	0.1%	0.1%	0.04%	0.2%	0.03%	-0.1%
DM	Goods	1081	284	3.3	3.1	34	190	0.3	0.4
DS		1086	285	3.3	3.1	34	191	0.3	0.4
Change		5.0	0.9	0.02	0.02	0.1	1	0.002	0.002
% Change		0.5%	0.3%	0.6%	0.6%	0.4%	0.6%	0.8%	0.5%
DM	Urban Bus	0	0	0.2	0.1	0	0	0	0
DS		0	0	0.2	0.1	0	0	0	0
Change		0	0	-0.002	-0.002	0	0	0	0
% Change		0%	0%	-1.4%	-1.4%	0%	0%	0%	0%

	Vehicle Class	NO <sub>x</sub> (tonnes)	NO <sub>2</sub> (tonnes)	PM <sub>10</sub> (tonnes)	PM <sub>2.5</sub> (tonnes)	HC (tonnes)	CO (tonnes)	Benzene (tonnes)	Butadiene (tonnes)
DM	Total	1605	432	8	7	72	849	0.6	0.95
DS		1611	433	8	7	72	852	0.6	0.95
Change		5	1	0.02	0.02	0.1	3	0.002	0.001
% Change		0.3%	0.2%	0.3%	0.3%	0.2%	0.3%	0.4%	0.1%

In accordance with the EPA Guidelines (EPA 2017), the regional impacts associated with the Operational Phase traffic emissions pre-mitigation are considered overall neutral and long-term.

## 7.5 Mitigation and Monitoring Measures

In order to sufficiently ameliorate the likely air quality impact, a schedule of mitigation measures has been formulated for the Construction Phase of the Proposed Scheme.

### 7.5.1 Construction Phase

#### 7.5.1.1 Construction Dust

In order to minimise dust nuisance impacts, a series of mitigation measures that are applicable to the Construction Phase of the Proposed Scheme will be implemented by the appointed contractor. In summary, the mitigation measures will include:

- Public roads affected by the Proposed Scheme works will be regularly inspected for soiling associated with the construction activities and cleaned as necessary;
- Material handling systems and stockpiling of materials will be designed and laid out to minimise exposure to wind. Water misting or sprays (or similar dust suppression methods) will be used as required if particularly dusty activities associated with the Construction Compound are necessary during dry or windy periods;
- During movement of dust generating materials both on and off-site, trucks will be covered with tarpaulin, and before entrance onto public roads, trucks will be checked to ensure the tarpaulins are properly in place; and
- The appointed contractor will provide a site hoarding of 2.4m height along noise sensitive boundaries, at a minimum, at the Construction Compound, which will assist in minimising the potential for dust impacts off-site.

The appointed contractor will keep the effectiveness of the mitigation measures under review and revise them as necessary. In the event of dust nuisance occurring outside the works boundary associated with the Proposed Scheme, movements of materials likely to raise dust will be curtailed and satisfactory procedures implemented to rectify the problem.

#### 7.5.1.2 Construction Traffic

Construction vehicles, generators etc. may give rise to some NO<sub>2</sub> and PM<sub>10</sub> / PM<sub>2.5</sub> emissions. Table 7.37 summarises the Construction Phase impacts prior and post mitigation. In terms of construction traffic impacts, the Proposed Scheme will have a generally neutral impact on air quality, with some slight adverse impacts. Due to worst-case scenario modelling where in reality the works will be short-term and temporary in nature, the impact on air quality will not be significant. Therefore, no specific construction phase mitigation or monitoring measures are required.

**Table 7.37: Summary of Predicted Construction Phase Impacts Following the Implementation of Mitigation and Monitoring Measures**

Assessment Topic	Predicted Impact (Pre-Mitigation and Monitoring)	Predicted Impact (Post Mitigation and Monitoring)
Construction dust	Negative, Not significant, Short-term	Neutral, Short-term
Road traffic impacts on local human receptors	Neutral, Short-term	Neutral, Short-term
Road traffic impacts on local ecological receptors	Negative, Slight, Short-term	Negative, Slight, Short-term
Regional air quality	Neutral, Short-term	Neutral, Short-term

## 7.5.2 Operational Phase

Table 7.38 summarises the Operational Phase impacts prior and post mitigation. As the Proposed Scheme will have a generally neutral impact on air quality, no specific Operational Phase mitigation or monitoring measures are required. The area where moderate adverse impacts are modelled is an area of known congestion (R138 Leeson Street) and both Existing Baseline and DM NO<sub>2</sub> concentrations are modelled above the limit value of 40µg/m<sup>3</sup>. The impact from the Proposed Scheme derives mainly from these high baseline concentrations. Whilst not a mitigation measure as such, it is noted that in time, vehicle emissions technology is anticipated to improve, and the Irish vehicle fleet will continue to evolve to the extent that vehicle emissions impacts associated with the Proposed Scheme are anticipated to decrease. City wide traffic management measures and proactive encouragement of low emissions vehicle uptake would accelerate these improvements.

**Table 7.38: Summary of Predicted Operational Phase Impacts Following the Implementation of Mitigation and Monitoring Measures**

Assessment Topic	Predicted Impact (Pre-Mitigation and Monitoring)	Predicted Impact (Post Mitigation and Monitoring)
Road traffic impacts on local human receptors	Neutral, Long-term	Neutral, Long-term
Road traffic impacts on local ecological receptors	Negative, Slight, Long-term	Negative, Slight, Long-term
Regional air quality	Neutral, Long-term	Neutral, Long-term

## 7.6 Residual Impacts

### 7.6.1 Construction Phase

When the dust minimisation measures detailed in the mitigation section of this Chapter are implemented, fugitive emissions of dust from the site will be insignificant and pose no nuisance at nearby receptors. Thus, there will be no residual Construction Phase dust impacts.

The air dispersion modelling assessment of Construction Phase traffic emissions has found that the Proposed Scheme will be neutral overall in the study area. There are no substantial or moderate adverse effects expected as a result of the Construction Phase of the Proposed Scheme.

Therefore, overall it is considered that the residual effects as a result of the Proposed Scheme's construction are neutral and short-term. No significant residual impacts have been identified during the Construction Phase of the Proposed Scheme, whilst meeting the scheme objectives set out in Chapter 1 (Introduction).

### 7.6.2 Operational Phase

The air dispersion modelling assessment has found that the majority of all modelled receptors are predicted to experience negligible impacts due to the Proposed Scheme, and beneficial impacts are also estimated along the length of the Proposed Scheme. The number of receptors where an exceedance of the NO<sub>2</sub> limit value is predicted increases as a result of the Proposed Scheme. In 2043 all receptors are expected to have ambient air quality in compliance with the ambient air quality standards for the DM and DS scenarios. There are residual moderate adverse effects expected on R138 Leeson Street and Donnybrook Road as a result of the 2028 Operational

Phase of the Proposed Scheme and are considered significant as NO<sub>2</sub> concentrations are predicted to exceed the limit value. However, these are expected to reduce to negligible by 2043, due to a significant reduction in emissions between 2028 and 2043 from advancements in engine technology and the addition of a higher percentage of electric vehicles to the fleet. The localised impacts on R138 Leeson Street and Donnybrook Road due to the 2028 Operational Phase of the Proposed Scheme are therefore considered negative, significant and short-term.

Overall it is considered that the residual effects as a result of the Proposed Scheme's operation are neutral and long-term.

## 7.7 References

- CERC (2020). ADMS-Roads dispersion model (Version 5.1)
- Codema (2017). Developing CO<sub>2</sub> Baselines – A Step-by-Step Guide for Your Local Authority
- DCC (2009). Dublin Regional Air Quality Management Plan 2009 – 2012
- DCC (2011). Dublin Regional Air Quality Management Plan for Improvements in Levels of Nitrogen Dioxide in Ambient Air Quality
- DCC (2018). Air Quality Monitoring and Noise Control Unit's Good Practice Guide for Construction and Demolition
- DEFRA (2016). Part IV of the Environment Act 1995: Local Air Quality Management Policy Guidance (PG16)
- DEFRA (2018). Part IV of the Environment Act 1995: Local Air Quality Management Technical Guidance (TG16)
- DEFRA (2019). UK DEFRA Emission Factor Toolkit (EFT) Version 10.1
- DEFRA (2020). NO<sub>x</sub> to NO<sub>2</sub> Calculator Version 8.1, available online from <https://laqm.defra.gov.uk/review-and-assessment/tools/background-maps.html#NOxNO2calc>
- DEHLG (2004). Quarries and Ancillary Activities, Guidelines for Planning Authorities
- DEHLG (2010). Appropriate Assessment of Plans and Projects in Ireland – Guidance for Planning Authorities
- EA (2014). AGTAG06 – Technical Guidance On Detailed Modelling Approach For An Appropriate Assessment For Emissions To Air
- European Commission, (2013). Guidance on Integrating Climate Change and Biodiversity into Environmental Impact Assessment
- European Commission, (2017). Environmental Impact Assessment of Projects – Guidance on the preparation of the Environmental Impact Assessment Report
- EMISIA (2020). COPERT 5.3.26 Software [Online] Available from <https://www.emisia.com/utilities/copert/versions/>
- EPA (2002). Guidelines on Information to Be Contained in Environmental Impact Statements
- EPA (2003). Advice Notes on Current Practice (In the Preparation of Environmental Impact Statements)
- EPA (2015). Advice Notes for Preparing Environmental Impact Statements. Draft. September 2015
- EPA (2017). Guidelines on the Information to be Contained in Environmental Impact Assessment Reports. Draft. August 2017
- EPA (2020a) Urban Environmental Indicators: Nitrogen dioxide levels in Dublin
- EPA (2020b) Air Quality in Ireland 2019
- EPA (2020c). Diffusion Tube Results [Online] Available from <https://www.epa.ie/air/quality/diffusiontuberresults/>
- IAQM (2014). Guidance on the Assessment of Dust from Demolition and Construction
- IAQM (2020). A Guide to the Assessment of Air Quality Impacts on Designated Nature Conservation Sites

Jacobs Systra (2016). Modelling Services Framework – Regional Model Development – Appraisal Tools – Environment Module Development Note

Met Éireann (2020). Historical Data – Dublin Airport. [Online] Available from <https://www.met.ie/climate/available-data/historical-data>

TII (2009). Guidelines for Assessment of Ecological Impacts of National Roads Schemes (Rev. 2, National Roads Authority, 2009)

TII (2011). Guidelines for the Treatment of Air Quality During the Planning and Construction of National Road Schemes

UK Highways Agency (2007) Design Manual for Roads and Bridges, Volume 11, Section 3, Part 1 - HA207/07 (Document & Calculation Spreadsheet)

UKHA (2011). Design Manual for Roads and Bridges – LA 114 Climate. Available from <https://www.standardsforhighways.co.uk/prod/attachments/d1ec82f3-834b-4d5f-89c6-d7d7d299dce0?inline=true>

UKHA (2019). Design Manual for Roads and Bridges – LA 105 Air Quality. Available from <https://www.standardsforhighways.co.uk/prod/attachments/10191621-07df-44a3-892e-c1d5c7a28d90?inline=true>

UNECE (2003). Critical Loads for Nitrogen Expert Workshop 2002

UNECE (2010). 2010 Review and Revision of Empirical Critical Loads and Dose-Response Relationships

VDI (2002). German Technical Instructions on Air Quality Control – TA Luft standard for dust deposition

WHO (2006). Air Quality Guidelines for Particulate Matter, Ozone, Nitrogen Dioxide and Sulfur Dioxide Global Update 2005

#### Directives and Legislation

Council Directive 1999/30/EC of 22 April 1999 relating to limit values for sulphur dioxide, nitrogen dioxide and oxides of nitrogen, particulate matter and lead in ambient air

Council Directive 96/62/EC of 27 September 1996 on ambient air quality assessment and management and daughter directives

Directive 2000/69/EC of the European Parliament and of the Council of 16 November 2000 relating to limit values for benzene and carbon monoxide in ambient air

Directive 2001/81/EC of the European Parliament and of the Council of 23 October 2001 on national emission ceilings for certain atmospheric pollutants

Directive 2008/50/EC of the European Parliament and of the Council of 21 May 2008 on ambient air quality and cleaner air for Europe

Directive (EU) 2016/2284 of the European Parliament and of the Council of 14 December 2016 on the reduction of national emissions of certain atmospheric pollutants, amending Directive 2003/35/EC and repealing Directive 2001/81/EC

S.I. No. 180 of 2011 Air Quality Standards Regulations 2011

S.I. No. 271/2002 - Air Quality Standards Regulations 2002