

Rev No. Date Revision Note

TABLE 1: CAPPING LAYER DEPTH THE MINIMUM REQUIRED THICKNESS OF NON-FROST SUSCEPTIBLE CAPPING MATERIAL IS SHOWN HEREUNDER: **CBR SUBGRADE**

THICKNESS OF CAPPING LAYER | GEOTECHNICAL 600 350 ADVISE REQUIRED CBR TESTS SHALL BE CARRIED OUT AT A RATE OF

PLANNING DRAWING.

ONE TEST PER 100 METERS OF ROAD OR WHERE THE SOIL TYPE CHANGES


> NOT FOR CONSTRUCTION. ALL LEVELS GIVEN ARE RELATIVE TO ORDNANCE DATUM. THIS DRAWING HAS BEEN ISSUED FOR INFORMATION PURPOSES ONLY AND MUST NOT BE USED FOR CONSTRUCTION UNDER ANY CIRCUMSTANCES

• FOR SETTING OUT REFER TO ARCHITECT'S DRAWINGS.

FOR WHICH THE DOCUMENT WAS ORIGINALLY ISSUED.


- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER ARCHITECTURAL AND ENGINEERING DRAWINGS AND ALL OTHER
- RELEVANT DRAWINGS AND SPECIFICATIONS. • DO NOT SCALE THIS DRAWING. USE FIGURED DIMENSIONS ONLY. • NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF O'CONNOR SUTTON CRONIN AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT

	Rev No.	Date	Revision Note	Drn by	Chkd by
	P01	23/09/21	SUITABLE FOR INFORMATION	RM	SMcG
	P02	04/10/21	SUITABLE FOR STAGE APPROVAL	RM	DR
	P03	05/10/21	SUITABLE FOR STAGE APPROVAL	RM	DR
)	P04	22/10/21	SUITABLE FOR STAGE APPROVAL	RM	DR
	P05	08/04/22	SUITABLE FOR STAGE APPROVAL	RB	LA



Drn by Chkd by





w: www.ocsc.ie

Dublin | London | Belfast | Galway | Cork | Birmingham

Head Office,

9 Prussia Street,



Client: BEO PROPERTIES LIMITED Project: RATOATH SOUTH SHD

ROAD SECTIONS SHEET 2 OF 2

Code |Originator| Zone | Level | Type | Role | Number | Status | Revision L308 · OCSC · XX · XX · DR · C · 0701 S4 P05 Date: 17.05.22 Scale: SHWN @ A1 Drn by: RM Chkd by: LA Aprvd by: AH