



© Copyright  
This drawing and any design herein is the copyright of the  
Consultants and must not be reproduced without their written  
consent.

All drawings remain the property of the Consultants.

LEGEND:

APPLICATION BOUNDARY	
PROPOSED FOUL WATER DRAIN AND MANHOLE	
EXISTING FOUL SEWER	
PROPOSED FOUL WATER INSPECTION CHAMBER	
PROPOSED SURFACE WATER DRAIN AND MANHOLE	

NOTES:

UP TO INSPECTION CHAMBERS, THE FOUL SEWER SYSTEM HAS BEEN DESIGNED AND DETAILED IN ACCORDANCE WITH IRISH WATER'S CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE (IW-CDS-5030-03) AND IRISH WATER'S WASTEWATER INFRASTRUCTURE STANDARD DETAILS (IW-CDS-5030-01).

THE FOUL SEWER SYSTEM IS TO BE CONSTRUCTED IN ACCORDANCE WITH IRISH WATER'S CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE (IW-CDS-5030-03) AND IRISH WATER'S WASTEWATER INFRASTRUCTURE STANDARD DETAILS (IW-CDS-5030-01).

CONSTRUCTION OF THE FOUL SEWER SYSTEM SHALL ENSURE REQUIRED SEPARATION DISTANCES AS SPECIFIED IN SECTION 3.5 OF IW-CDS-5030-03.

FOUL SEWERS TO BE THERMOPLASTIC STRUCTURED WALL PIPES IN ACCORDANCE WITH SECTION 3.13 OF IW-CDS-5030-03.

FOUL SERVICE CONNECTIONS TO BE UPVC PIPES IN ACCORDANCE WITH SECTION 3.13 OF IW-CDS-5030-03.

MANHOLES TO BE PRECAST CONCRETE AND IN ACCORDANCE WITH SECTION 3.12 OF IW-CDS-5030-03 AND STD-WW-10 OF IW-CDS-5030-01, WITH BACKDROP MANHOLES TO BE AS PER STD-WW-12.

WHERE LOCATED IN UNPAVED AREAS, MANHOLE COVERS TO BE SURROUNDED WITH A CONCRETE PLINTH AS PER NOTE 9 OF STD-WW-10 AND FORMED WITH C20/25 CONCRETE, 20MM AGGREGATE SIZE, BEDDED IN CLAUSE 804 MATERIAL.

Rev.	Suit.	Description	Drawn	Chkd	Date
P05	S3	Issued for Planning	DOB	TF	28.06.22
P04	S3	Issued to IW for Design Approval	DOB	TF	02.06.22
P03	S3	Issued for Pre Planning	DOB	TF	13.10.21
P02	S3	Minor Amendments	RS	TF	26.06.20
P01	S3	Issued for Pre Planning	DOB	TF	11.06.20

Client

CORK COUNTY GAA BOARD

Client's Representative:



3 Eastgate Road, Eastgate tel +353 21 475 7800  
Business Park, Little Island, web www.jbbarry.ie  
Co. Cork, Ireland email cork@jbbarry.ie

Project  
**STRATEGIC HOUSING  
DEVELOPMENT AT KILBARRY**

Drawing Title  
**DRAINAGE LAYOUT  
(SHEET 3 OF 3)**

Drawn by: DOB Date: 29.04.2020

Checked by: RS Date: 10.06.2020

Approved by: TF Date: 11.06.2020

Internal Project REF: JBB: 19215

Scales: 1:500 @ A1

Stage: PLANNING

Drawing No:	Revision	Suitability Code
19215-JBB-00-XX-DR-C-04003	P05	S3

File Name: \\cork03\Projects\Barrys\Project Files\19 Projects\19215 - SHD\_Lands at Kilbarr\00-WP\DWG\19215-BB-00-XX-DR-C-04003\_Proposed Drainage Layout - Sheet 3 of 3.dwg

id Drilling Beneath Butterfly  
Facilitate Stormwater Outfall  
(n Below Ground Level)

