

- NOTES:
- DO NOT SCALE. USE FIGURED DIMENSIONS ONLY.
 - THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS.


LEGEND FOUL AND SURFACE WATER

- INDICATES PROPOSED PUBLIC FOUL WATER SEWER AND MANHOLE.
- INDICATES EXISTING SURFACE WATER PUBLIC SEWER PIPE SIZE WITH MANHOLE REFERENCE, COVER AND INVERT LEVELS
- INDICATES PROPOSED SURFACE WATER SEWER AND MANHOLE
- INDICATES EXISTING SURFACE WATER PUBLIC SEWER PIPE SIZE WITH MANHOLE REFERENCE, COVER AND INVERT LEVELS
- INDICATES EXISTING SURFACE WATER
- INDICATES EXISTING FOUL WATER
- INDICATES EXISTING WATER SUPPLY
- INDICATES EXISTING UTILITIES

NOTE: PUBLIC FOUL PIPE MATERIAL TO BE U-PVC (STIFFNESS CLASS B) AND IN COMPLIANCE WITH SECTION 3.13 OF IRISH WATER CODE OF PRACTICE.

NOTE: FOUL SEWERS TO BE CONSTRUCTED WITH CONCRETE SURROUND IN ACCORDANCE WITH IRISH WATER STD-WW-08 WHERE VERTICAL CLEARANCE FROM SURFACE WATER IS LESS THAN 300mm AND WHERE DEPTH OF COVER TO ROAD IS LESS THAN 1.2m

NOTE: RISING MAINS TO BE DEMARCATED IN ACCORDANCE WITH SECTION 3.5.22 OF WASTEWATER CODE OF PRACTICE.



REV.	DATE	AMENDMENT	DRN	APPD

STATUS **FOR PLANNING ONLY
NOT FOR CONSTRUCTION**

Waterman Moylan
Engineering Consultants

BLOCK 8, EASTPOINT BUSINESS PARK, ALFIE BYRNE ROAD,
DUBLIN D03 H3F4 IRELAND. Tel: (01) 664 8900
Email: info@waterman-moylan.ie www.waterman-moylan.ie


CLIENT **ATLAS GP LIMITED**

ARCHITECT **MC CAULEY DAYE O'CONNELL**


PROJECT **CARMANHALL ROAD SHD 2022**

TITLE **PROPOSED FOUL & SURFACE WATER DRAINAGE OUTFALLS**

DRAWN G. Byrne	DESIGNED BMC	APPROVED JG	DATE AUG. '22
SCALE 1:100 A1	JOB NO. 21-118	DRG. NO. P228	REVISION



PLAN VIEW - PROPOSED FOUL WATER OUTFALL



PLAN VIEW - PROPOSED SURFACE WATER OUTFALL