



**DRAWINGS 0501 & 0504**

POROUS ASPHALT TO BE PROVIDED IN ALL CAR PARKING. 300mm BASE COURSE TO BE PROVIDED. STONE TO BE IN ACCORDANCE WITH CL 505 OF TII SPECIFICATION FOR ROAD WORKS AND HAVE A MINIMUM POROSITY OF 30%

**DRAWINGS 0502 & 0505**

**DRAWINGS 0503 & 0506**

PROPOSED ATTENUATION STORAGE TO BE PROVIDED. STORAGE TO BE PROVIDED FOR RAINFALL EVENTS UP TO AND INCLUDING 1 IN 100-YEAR RAINFALL EVENT INCLUDING 20% ALLOWANCE FOR CLIMATE CHANGE. 1835m<sup>3</sup> TEMPORARY STORAGE TO BE PROVIDED.

PROPOSED OUTFALL TO RIVER RYE WATER

PROPOSED STORMTECH SC-740 ATTENUATION STORAGE TO BE PROVIDED. STORAGE TO BE PROVIDED FOR RAINFALL EVENTS UP TO AND INCLUDING 1 IN 100-YEAR RAINFALL EVENT INCLUDING 20% ALLOWANCE FOR CLIMATE CHANGE. 180m<sup>3</sup> TEMPORARY STORAGE TO BE PROVIDED.

PROPOSED STORMTECH SC-740 OR SIMILAR APPROVED. ATTENUATION STORAGE TO BE PROVIDED FOR RAINFALL EVENTS UP TO AND INCLUDING 1 IN 100-YEAR RAINFALL EVENT INCLUDING 20% ALLOWANCE FOR CLIMATE CHANGE. 1188m<sup>3</sup> TEMPORARY STORAGE TO BE PROVIDED.

PERVIOUS PAVING TO BE PROVIDED IN ALL IN-CURTLAGE CAR PARKING. 300mm BASE COURSE TO BE PROVIDED. STONE TO BE IN ACCORDANCE WITH CL 505 OF TII SPECIFICATION FOR ROAD WORKS AND HAVE A MINIMUM POROSITY OF 30%

PROPOSED STORMTECH SC-740 OR SIMILAR APPROVED. ATTENUATION STORAGE TO BE PROVIDED FOR RAINFALL EVENTS UP TO AND INCLUDING 1 IN 100-YEAR RAINFALL EVENT INCLUDING 20% ALLOWANCE FOR CLIMATE CHANGE. 400m<sup>3</sup> TEMPORARY STORAGE TO BE PROVIDED.

TWIN HDPE WASTEWATER RISING MAIN (100mm & 150mm), IN ACCORDANCE WITH IRISH WATER REQUIREMENTS AND CONNECTION AGREEMENT. ROUTED ALONG EXISTING FOOTPATH / ROAD

NEW STRATEGIC WASTEWATER PUMPING STATION, TO SERVE THE MOYGADDY AREA. WWPS TO COMPRISE DUTY AND STANDBY PUMPS, AND IN ACCORDANCE WITH IRISH WATER REQUIREMENTS AND CONNECTION AGREEMENT. REFER TO SPECIALIST DESIGN FOR CHAMBER AND PUMP DESIGN DETAILS, DUCTING AND POWER SUPPLY BY M&E DESIGNERS.

**DRAWING 0520**

**DRAWING 0521**

**DRAWING 0522**

**DRAWING 0523**

MAYNOOTH MUNICIPAL WASTEWATER PUMPING STATION

TWIN HDPE WASTEWATER RISING MAIN (100mm & 150mm), IN ACCORDANCE WITH IRISH WATER REQUIREMENTS AND CONNECTION AGREEMENT. ROUTED ALONG EXISTING FOOTPATH / ROAD

- GENERAL NOTES:**
- ALL NOTED LEVELS ARE TO ORDNANCE DATUM, MALIN HEAD.
  - REFER TO ARCHITECT'S LAYOUT FOR ALL SET-OUT INFORMATION.
  - REFER TO ARCHITECT / LANDSCAPE ARCHITECT'S DESIGN DRAWINGS FOR DETAILS OF PROPOSED SURFACE FINISHES AND LANDSCAPING.
  - REFER TO ARCHITECT DRAWINGS FOR DETAILS OF PRIVATE DRAINAGE.
  - ALL SURFACE WATER DRAINAGE IS TO BE INSTALLED IN ACCORDANCE WITH THE GREATER DUBLIN REGION CODE OF PRACTICE FOR DRAINAGE WORKS, THE BUILDING REGULATIONS PART H AND THE SITE DEVELOPMENT SPECIFICATION.
  - ALL CAR PARK DRAINAGE IS TO BE INSTALLED IN ACCORDANCE WITH THE GREATER DUBLIN REGION CODE OF PRACTICE FOR DRAINAGE WORKS, THE BUILDING REGULATIONS PART H AND THE SITE DEVELOPMENT SPECIFICATION.
  - ALL WASTEWATER DRAINAGE IS TO BE INSTALLED IN ACCORDANCE WITH THE IRISH WATER CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE (REVISION 2 - JULY 2020), THE BUILDING REGULATIONS PART H AND THE SITE DEVELOPMENT SPECIFICATION.
  - ALL DRAINAGE COVER LEVELS ARE TO BE COORDINATED WITH PROPOSED ROAD DESIGN LEVELS AND ARCHITECT/LANDSCAPE ARCHITECT'S PROPOSED FINISH LEVELS.
  - ALL BASEMENT CHAMBER COVERS TO BE DOUBLE SEALED, AND CLASSIFICATION D400 LOADING WHERE LOCATED IN VEHICULAR AREAS.
  - ALL CONNECTIONS TO NEW DRAINAGE NETWORKS ARE TO BE MADE AT AN ANGLE OF 90° OR IN THE DIRECTION OF FLOW.
  - REFER TO ARCHITECT AND M&E ENGINEERING DESIGN DRAWINGS FOR CONFIRMATION OF LOCATION AND SPECIFICATION OF FLOOR GULLIES.
  - REFER TO M&E ENGINEERING DESIGN FOR CONFIRMATION OF WASTE AND SANITARY POP-UP/OUTLET LOCATIONS.
  - THE CONTRACTOR IS TO VERIFY INVERT LEVEL AT PROPOSED CONNECTION TO EXISTING SEWERS. PRIOR TO ANY OTHER WORKS BEING CARRIED OUT, AND MAKE ANY DISCREPANCIES KNOWN TO THE ENGINEER.
  - THE CONTRACTOR IS RESPONSIBLE FOR CONFIRMATION OF PRESENCE ALL EXISTING UTILITIES, IF ANY, ALONG ROUTE OF PROPOSED DRAINAGE NETWORKS - BY INTRUSIVE INVESTIGATION OR EQUAL.
  - EXISTING PUBLIC SEWER TO BE JET CLEANED AND CCTV SURVEYED PRIOR TO, AND AFTER PROPOSED CONNECTIONS FROM NEW NETWORK.
  - ALL NEW DRAINAGE INFRASTRUCTURE TO BE JET CLEANED AND CCTV SURVEYED, WITH ANY NOTED DEFECTS REMEDIATED, ON COMPLETION OF WORKS, TO THE SATISFACTION OF THE LOCAL AUTHORITY.
  - WHERE MANHOLE COVERS ARE TO BE LOCATED IN SOFT LANDSCAPED/GRASS AREAS, TO ENSURE THAT MANHOLE COVERS ARE IDENTIFIABLE, ACCESSIBLE AND WILL NOT BECOME OVERGROWN. COVERS ARE TO BE SURROUNDED BY A CONCRETE PLINTH, 200MM ALL ROUND AND 100MM DEEP FORMED WITH C20/25 CONCRETE, 20MM AGGREGATE SIZE, BEDDED IN CLAUSE 804 MATERIAL.

**LEGEND:**

SITE BOUNDARY (CO. MEATH)	Red line
SITE BOUNDARY UNDER SEPARATE APPLICATION	Blue line
WORKS WITHIN CO. KILDARE	Green line
MASTER PLAN BOUNDARY	Yellow line
TWIN HDPE RISING MAIN	Blue dashed line
UPVC SN8 WASTEWATER DRAINAGE OR SIMILAR APPROVED	Orange dashed line
1200mm Ø WASTEWATER DRAINAGE PRECAST CONCRETE MANHOLE	Orange circle
UPVC SN8 WASTEWATER DRAINAGE SERVICE CONNECTION	Orange dashed line
600mm x 600mm WASTEWATER DRAINAGE INSPECTION CHAMBER	Orange square

**LEGEND:**

SITE BOUNDARY	Red line
UPVC TWINWALL SURFACE WATER DRAINAGE OR SIMILAR APPROVED	Blue dashed line
1200mm Ø SURFACE WATER DRAINAGE PRECAST CONCRETE MANHOLE	Blue circle
UPVC TWINWALL PERFORATED SURFACE WATER DRAINAGE OR SIMILAR APPROVED	Blue dashed line
FILTER DRAIN	Blue dashed line
SURFACE WATER ATTENUATION	Blue hatched area
PERVIOUS PAVING	Yellow hatched area
POROUS ASPHALT	Orange hatched area
KLARGESTER CLASS I "BYPASS NSBP NSBE / FULL RETENTION NSPP NSFA" FUEL SEPARATOR	Blue circle

- FOR SETTING OUT REFER TO ARCHITECT'S DRAWINGS.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER ARCHITECTURAL AND ENGINEERING DRAWINGS AND ALL OTHER RELEVANT DRAWINGS AND SPECIFICATIONS.
- DO NOT SCALE DRAWING. USE FIGURED DIMENSIONS ONLY.
- NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF O'CONNOR SUTTON CRONIN AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT FOR WHICH THE DOCUMENT WAS ORIGINALLY ISSUED.

Rev No.	Date	Revision Note	Drn by	Chkd by
P01	15/10/21	SUITABLE FOR INFORMATION	RM	MK
P02	01/12/21	SUITABLE FOR INFORMATION	EH	MK
P03	07/12/22	SUITABLE FOR STAGE APPROVAL	RM	SMG
P04	04.08.22	SUITABLE FOR INFORMATION	EH	MK
P05	10.08.22	SUITABLE FOR INFORMATION	EH	MK
P06	16.08.22	SUITABLE FOR INFORMATION	ZB	MK

NSAI Certified	NSAI Certified	NSAI Certified
bsi	bsi	bsi

Head Office,  
9 Prussia Street,  
Dublin 7,  
D07 KT57

TEL +353 (0)1 8682000

e: [contactus@ocsc.ie](mailto:contactus@ocsc.ie)  
w: [www.ocsc.ie](http://www.ocsc.ie)

**OCSC**  
O'CONNOR | SUTTON | CRONIN  
Multidisciplinary  
Consulting Engineers

Dublin | London | Belfast | Galway | Cork | Birmingham

Client: SKY CASTLE LTD.  
Project: MOYGADDY CASTLE SHD

Title: PROPOSED DRAINAGE LAYOUT MASTERPLAN

Code | Originator | Zone | Level | Type | Role | Number | Status | Revision  
S665 - OCSC - 1C - XX - DR - C - 0500 | S4 | P06

Date: OCT'21 Scale: 1:1250@ A1 Drn by:RM Chkd by:MK Aprvd by:MK