





© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.

NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.

 ALL DRAWINGS TO BE CHECKED BY
 CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES

- 2. ALL LEVELS ARE IN METRES AND ARE RELATED TO ORDNANCE DATUM
- 3. CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE
- PRIOR TO COMMENCEMENT OF WORKS ON SITE 4. ALL WORKS TO BE CONSTRUCTED IN ACCORDANCE WITH THE NRA SPECIFICATION FOR

ROAD WORKS UNLESS NOTED OTHERWISE

SURROUND PIPE IN MINIMUM 150mm CONCRETE

- 5. THIS DRAWING IS FOR PLANNING PURPOSES
- 6. MANHOLE COVER LEVELS ARE TO CONFORM WITH FINISHED ROAD AND PATH LEVELS
- 7. WHERE COVER TO PIPE IS LESS THAN 1200mm (ROAD/PATH/VERGE) OR 900mm (OPEN SPACE)

KEY

---- EXISTING GROUND PROFILE PROPOSED GROUND PROFILE

P01 01-09-22 STAGE 3 SHD PLANNING A - Approved B - Approved

C - Do not use
issue purpose
PLANNING client approval suitability
S2 - INFORMATION





DUBLIN OFFICE: Ormond House, Upper Ormond Quay, Dublin 7. D07 W704 PHONE +353 1 400 4000 CORK OFFICE: Phoenix House, Monahan Road, Cork. T12 H1XY PHONE +353 (0) 21 2024538

WATERFORD OFFICE: Suite 8b The Atrium, Maritana Gate, Canada Street, Waterford. X91 W028 PHONE +353 51 309 500

ASHBOURNE SHD

LONGITUDINAL SECTIONS THROUGH SURFACE WATER SHEET 4

ARNUB LTD. & ASPECT HOMES (ADC) LTD

 
 signed by
 author
 scale
 sl

 BCM
 GMC
 H 1:500, V 1:100
 Incompared to the second to 200059-DBFL-SW-SP-DR-C-3304 P01