

Chapter 07
Air Quality

Contents

7. Air Quality	1
7.1 Introduction	1
7.2 Methodology	2
7.2.1 Study Area	2
7.2.2 Relevant Guidelines, Policy and Legislation	3
7.2.3 Data Collection and Collation	7
7.2.4 Appraisal Method for the Assessment of Impacts	8
7.3 Baseline Environment.....	22
7.3.1 Meteorological Conditions	22
7.3.2 Baseline Ambient Air Quality	22
7.3.3 Existing Modelled Baseline Scenario	28
7.4 Potential Impacts	32
7.4.1 Characteristics of the Proposed Scheme	32
7.4.2 Construction Phase	32
7.4.3 Operational Phase	45
7.5 Mitigation and Monitoring Measures	60
7.5.1 Construction Phase	60
7.5.2 Operational Phase	60
7.6 Residual Impacts	62
7.6.1 Construction Phase	62
7.6.2 Operational Phase	62
7.7 References	63

7. Air Quality

7.1 Introduction

This Chapter of the Environmental Impact Assessment Report (EIAR) has considered the potential air quality impacts associated with the Construction and Operational Phases of the Templeogue / Rathfarnham to City Centre Core Bus Corridor Scheme (hereafter referred to as the Proposed Scheme).

During the Construction Phase, the potential air quality impacts associated with the development of the Proposed Scheme have been assessed. This included construction activities such as utility diversions, road carriageway / cycleway / footway resurfacing, construction of minor structures and kerb road realignments. Construction traffic access routes are also assessed as part of the study area for this phase of the works.

During the Operational Phase, the potential air quality impacts associated with altered traffic flows along the Proposed Scheme, realigned traffic lanes and displaced traffic flows have been assessed.

The assessment has been carried out according to best practice and guidelines relating to air quality.

The aim of the Proposed Scheme when in operation is to provide enhanced walking, cycling and bus infrastructure on this key access corridor in the Dublin region, which will enable and deliver efficient, safe, and integrated sustainable transport movement along the corridor. The objectives of the Proposed Scheme are described in Chapter 1 (Introduction). The Proposed Scheme, which is described in Chapter 4 (Proposed Scheme Description), has been designed to meet these objectives.

The design of the Proposed Scheme has evolved through comprehensive design iteration, with particular emphasis on minimising the potential for environmental impacts, where practicable, whilst ensuring the objectives of the Proposed Scheme are attained. In addition, feedback received from the comprehensive consultation programme undertaken throughout the option selection and design development process have been incorporated, where appropriate.

7.2 Methodology

The assessment has been undertaken with reference to the most applicable guidance documents relating to air quality which are set out in the following sections of this Chapter.

An overview of the methodology undertaken for the air quality impact assessment is outlined below:

- A detailed baseline air monitoring study has been undertaken in order to characterise the existing ambient environment in areas along the Proposed Scheme. This has been undertaken through a review of available published ambient air monitoring data and site-specific ambient air monitoring at sensitive locations along the Proposed Scheme;
- A review of the most applicable standards and guidelines has been reviewed in order to define the air quality significance criteria for the Construction and Operational Phases of the Proposed Scheme;
- Predictive calculations and impact assessments relating to the likely Construction Phase air quality impacts have been undertaken at the nearest sensitive locations to the construction work areas associated with the Proposed Scheme;
- Predictive calculations have been performed to assess the potential air quality impacts associated with traffic alterations associated with the operation of the Proposed Scheme at the most sensitive locations; and
- A schedule of mitigation measures has been incorporated where required, to reduce, where necessary, the identified potential air quality impacts associated with the Proposed Scheme.

7.2.1 Study Area

The study area for this assessment covers the length of the Proposed Scheme, approximately 3.7 kilometres (km) from Tallaght Road to Terenure Road North (Templeogue Section) and 6.3km from Grange Road to Dame Street in the City Centre (Rathfarnham Section) respectively, and the area either side of the Proposed Scheme up to a maximum distance of 350 metres (m) during construction, and 200m during the Operational Phase. For the Construction Phase assessment, the focus is on air quality sensitive receptors adjacent to the proposed works (e.g. utility diversions, road widening works, road excavation works (where required), road reconfiguration and resurfacing works) that are susceptible to air quality impacts but also those receptors along construction traffic access routes or routes along which traffic is redistributed within the study area (please see Chapter 5 (Construction) in Volume 2 of this EIAR for more information on construction traffic access routes). The extent of the overall study area is typically up to a maximum of 350m from a specific area of construction work, as per the Institute of Air Quality Management (IAQM) Guidance on the Assessment of Dust from Demolition and Construction (hereafter referred to as the IAQM Guidance) (IAQM 2014), with the key impacted study areas focused up to a maximum of 100m depending on the air emission sources in question and the local area under consideration. For the Operational Phase, assessment of the dust impacts from maintenance of the route has been scoped out on the basis that these activities have low potential for dust release and are likely to have a negligible impact on air quality sensitive receptors.

For the Construction Phase and Operational Phase traffic assessment, the focus is on air quality sensitive receptors which bound the Proposed Scheme and those along diverted traffic routes within the study area. Highly sensitive air quality receptors during the construction phase include residential properties, hospitals, schools and residential care homes, whilst commercial and workplace properties are generally viewed as being of medium sensitivity (IAQM 2014). Sensitive receptor locations include residential housing, schools, hospitals, places of worship, sports centres and shopping areas, i.e. locations where members of the public are likely to be regularly present (TII 2011). Designated areas of conservation (either Irish or European designation) are also considered sensitive air quality receptors (TII 2011). Potential impacts to air quality relate to alterations to traffic patterns (e.g. introduction of a new bus lane or due to redistributed traffic), with particular attention focused on those areas where the Proposed Scheme will be encroaching closer to air quality receptors, specifically where bus or traffic lanes are moving closer to air quality receptors.

For the Construction Phase and Operational Phase traffic assessment, the focus is on air quality receptors within an overall study area of 200m from the Proposed Scheme, as per the Transport Infrastructure Ireland (TII) Guidelines for the Treatment of Air Quality During the Planning and Construction of National Road Schemes (hereafter referred to as the TII Air Quality Guidelines) (TII 2011) or diverted routes within the key impacted study areas focused within 50m to 100m. The range of air quality sensitive receptors for the three geographical sections are discussed in Table 7.1. The locations of sensitive receptors are provided initially in Table 7.19 and also in Figures 7.3 to 7.8 in Volume 3 of this EIAR.

Table 7.1: Description of Air Quality Receptors within the Study Area

Geographical Section	Description of Study Area
Tallaght Road to Rathfarnham Road	<p>The key air quality sensitive areas are high density residential, commercial, educational and amenity receptors in this zone. The key air quality sensitive receptors along the R137 Tallaght Road are the residential receptors in the Rossmore, Hillcrest, Corrybeg, Templeogue Wood and Rathdown estates, within 10m to 30m of the Proposed Scheme. In addition to these estates, there are a number of residential receptors lining either side of the R137 Templeogue Road, within 5m to 30m of the Proposed Scheme, as well as Ashfield Place accommodation lodgings within 25m of the road edge.</p> <p>Educational receptors include Our Lady's School Templeogue within 100m and Terenure College between 200 to 300m of the road edge. Amenity receptors within 10m to 20m of the Proposed Scheme include the southern portion of Tymon Park, Bushy Park and Terenure Library.</p>
Nutgrove Avenue to Terenure Road North	<p>The key air quality sensitive areas are predominately residential properties, which bound the east and west of the Proposed Scheme within 10m to 30m of the Proposed Scheme including Rathfarnham Wood, Beaufort Downs and the residential receptors lining R821 Grange Road / R114 Rathfarnham Road. The Parklands estate is set back 120m from the road edge to the east of R114 Rathfarnham Road.</p> <p>Educational receptors in the zone include St. Mary's Boys National School Rathfarnham, LilyPad Creche & Montessori and Little Smarties Montessori and After School, within 15m to 100m of the Proposed Scheme. Rathfarnham Castle and Park, Rathfarnham Church of the Annunciation, Little Sisters of the Assumption and Orthodox Synagogue are community receptors within 5m to 35m of the road edge.</p>
Terenure Road North to Charleville Road	<p>The key air quality sensitive areas are predominately residential dwellings along R114 Terenure Road East and R114 Rathgar Road, which are located between 10m to 30m to the north and south of the Proposed Scheme.</p> <p>Educational receptors include St Joseph's Boys' National School (BNS), Cranford Creche and Montessori, Daoine Beaga Montessori School and St. Louis High School Rathmines, within 5m to 50m of the Proposed Scheme. The Proposed Scheme passes within 10m to 15m of St. Joseph's Church, Christ Church Rathgar and Church of Three Patrons and within 15m to 20m of Rathgar Audiology and Rathgar Medical Practice.</p>
Charleville Road to Dame Street	<p>The key air quality sensitive areas are predominately residential dwellings, which are located between 5m to 20m to the east and west of the Proposed Scheme as it travels between R114 Rathmines Road Lower, R114 Richmond Street, R114 Camden Street and R114 Aungier Street. It should be noted that there are parts of the existing network along the Proposed Scheme, which already experience relatively high air quality concentrations due to the existing heavy traffic in the area and general urban sources. Commercial properties include the Travelodge Dublin City Centre Rathmines, within 5m of the road edge.</p> <p>The Proposed Scheme passes within 5m to 20m of the educational receptors such as Rathmines College of Further Education, Technological University Dublin (TUD) Conservatory of Music and Drama, Technological University Dublin – City Campus and Dublin Business School. St. Mary's College Rathmines is also within 100m of the Proposed Scheme. Other receptors within 5m to 20m of the Proposed Scheme include various offices, Rafter's Medical Centre Rathmines, Rathmines Eye Centre, Walk-In Clinic Rathmines, Rathmines Library and Church of Mary Immaculate Refuge of Sinners.</p>

7.2.2 Relevant Guidelines, Policy and Legislation

The Environmental Protection Agency (EPA) Guidelines on the Information to be contained in Environmental Impact Assessment Reports (hereafter referred to as the EPA Guidelines) (EPA 2022) were considered and consulted in the preparation of this Chapter.

The statutory ambient air quality standards in Ireland are outlined in S.I. No. 1739 of 2022 Air Quality Standards Regulations 2022 (hereafter referred to as the Air Quality Regulations), which incorporate the ambient air quality limits set out in Directive 2008/50/EC of the European Parliament and of the Council of 21 May 2008 on ambient air quality and cleaner air for Europe (hereafter referred to as the CAFE Directive), for a range of air pollutants. The statutory ambient air quality guidelines are discussed in greater detail in Section 7.2.2.1.

In addition to the specific statutory air quality standards, the assessment has made reference to national guidelines, where available, in addition to international standards and guidelines relating to the assessment of ambient air quality impacts from road schemes. These are summarised below:

- The IAQM Guidance (IAQM 2014 2020);
- The Transport Infrastructure Ireland Air Quality Guidelines (TII 2011);
- Guidelines for Assessment of Ecological Impacts of National Roads Schemes (hereafter referred to as the TII Ecological Guidelines) (TII 2009);
- Guidance on Integrating Climate Change and Biodiversity into Environmental Impact Assessment (European Commission 2013);
- Environmental Impact Assessment of Projects – Guidance on the preparation of the Environmental Impact Assessment Report (European Commission 2017);
- United Kingdom (UK) Department of Environment Food and Rural Affairs (DEFRA) Part IV of the Environment Act 1995: Local Air Quality Management Policy Guidance (PG16) (hereafter referred to as LAQM (PG22)) (DEFRA 2022);i
- Part IV of the Environment Act 1995: Local Air Quality Management Technical Guidance (TG16) (hereafter referred to as LAQM (TG22)) (DEFRA 2022);
- UK Highways Agency (UKHA) Design Manual for Roads and Bridges (DMRB) – LA 105 Air Quality (hereafter referred to as LA 105 Air Quality) (UKHA 2019); and
- World Health Organisation. WHO global air quality guidelines: particulate matter (PM_{2.5} and PM₁₀), ozone, nitrogen dioxide, sulfur dioxide and carbon monoxide (WHO 2021).

The guidance ‘PE-ENV-01107: Air Quality Assessment of Proposed National Roads – Standard’ was issued by TII in December 2022. Section 1.9 of PE-ENV-01107 states that:

‘where projects requiring approval under Section 51, Section 177AE or Part 8 have, at the date of publication of this SD, commenced planning and design, and in particular, where technical advisor contracts have been executed, this SD should be:

- *treated as advice and guidance;*
- *employed to the greatest extent reasonably practicable; and*
- *applied in a proportionate manner, having regard to the characteristics and location of the project/maintenance works and the type and characteristics of potential impacts.’*

At the date of publication of PE-ENV-01107, this EIAR was being finalised. It is therefore considered appropriate to retain the methodology outlined in the 2011 TII Air Quality Guidelines (TII 2011) and LA 105 Air Quality (UKHA 2019), particularly to preserve comparability of air quality impacts from the cumulative assessment of this scheme with 11 other Core Bus Corridor Schemes and the standalone assessments of other schemes already submitted for planning permission.

7.2.2.1 Ambient Air Quality Standards / Limit Values

In order to reduce the risk to health from poor air quality, national and European statutory bodies have set limit values in ambient air for a range of air pollutants. The applicable legal standards in Ireland are outlined the Air Quality Regulations, which incorporate the CAFE Directive. The Air Quality Regulations set limit values for the pollutants nitrogen dioxide (NO₂) and nitrogen oxides (NO_x), particulate matter (PM) with an aerodynamic diameter of less than 10 microns (PM₁₀), PM with an aerodynamic diameter of less than 2.5 microns (PM_{2.5}), lead (Pb), sulphur dioxide (SO₂), benzene and carbon monoxide (CO) (see Table 7.2).

Table 7.2: Air Quality Regulations (based on the CAFE Directive)

Pollutant	Regulation*	Limit Type	Value**
NO ₂	S.I. 739 of 2022	Hourly limit for protection of human health - not to be exceeded more than 18 times / year	200µg/m ³ NO ₂

Pollutant	Regulation*	Limit Type	Value**
Nitrogen Oxides (NO + NO ₂)		Annual limit for protection of human health	40µg/m ³ NO ₂
		Critical limit for the protection of vegetation and natural ecosystems	30µg/m ³ NO + NO ₂
Lead	S.I. 739 of 2022	Annual limit for protection of human health	0.5µg/m ³
SO ₂	S.I. 739 of 2022	Hourly limit for protection of human health - not to be exceeded more than 24 times / year	350µg/m ³
		Daily limit for protection of human health - not to be exceeded more than three times / year	125µg/m ³
		Critical limit for the protection of vegetation and natural ecosystems (calendar year and winter)	20µg/m ³
PM (as PM ₁₀)	S.I. 739 of 2022	24-hour limit for protection of human health - not to be exceeded more than 35 times / year	50µg/m ³
		Annual limit for protection of human health	40µg/m ³
PM (as PM _{2.5})	S.I. 739 of 2022	Annual limit for protection of human health	25µg/m ³
Benzene	S.I. 739 of 2022	Annual limit for protection of human health	5µg/m ³
CO	S.I. 739 of 2022	8-hour limit (on a rolling basis) for protection of human health	10mg/m ³

* CAFE Directive replaces the previous Council Directive 96/62/EC of 27 September 1996 on ambient air quality assessment and management and daughter directives, Council Directive 1999/30/EC of 22 April 1999 relating to limit values for sulphur dioxide, nitrogen dioxide and oxides of nitrogen, particulate matter and lead in ambient air and Directive 2000/69/EC of the European Parliament and of the Council of 16 November 2000 relating to limit values for benzene and carbon monoxide in ambient air

** µg/m³ (micrograms per cubic metre); mg/m³ (milligrams per cubic metre)

The WHO Quality Guidelines (WHO 2021) values relating to NO₂, PM₁₀ and PM_{2.5} are shown in Table 7.3. The WHO Air Quality Guideline values are more stringent than the European Union (EU) statutory limit values for PM₁₀ and PM_{2.5}. In relation to NO₂, the compliance limit values are equivalent. However, the WHO one-hour guideline value is an absolute value while the EU standards allows this limit to be exceeded for 18 hours / annum without breaching the statutory limit value.

In May 2020, a part of the joint WHO / United Nations Environment Program (UNEP) / World Bank *BreatheLife* campaign the four Dublin local authorities signed a commitment to achieve the 2006 WHO Air Quality Guidelines (WHO 2006) by a target date of 2030.

The appropriate compliance limit values for the assessment of air quality impacts of the Proposed Scheme are those outlined in the Air Quality Regulations, which incorporate the CAFE Directive.

Table 7.3: WHO Air Quality Guidelines (WHO 2021)

Pollutant	Regulation	Limit Type	Value
NO ₂	WHO Air Quality Guidelines	Hourly limit for protection of human health	25µg/m ³ NO ₂
		Annual limit for protection of human health	10µg/m ³ NO ₂
PM (as PM ₁₀)		24-hour limit for protection of human health	45µg/m ³ PM ₁₀
		Annual limit for protection of human health	15µg/m ³ PM ₁₀
PM (as PM _{2.5})		24-hour limit for protection of human health	15µg/m ³ PM _{2.5}
		Annual limit for protection of human health	5µg/m ³ PM _{2.5}

With regards to larger dust particles that can give rise to nuisance dust, there are no statutory guidelines regarding the maximum dust deposition levels that may be generated during the Construction Phase of a development in Ireland. Dublin City Council (DCC) has published a guidance document titled Air Quality Monitoring and Noise Control Unit's Good Practice Guide for Construction and Demolition (DCC 2018). However, this guidance does not specify a guideline value.

The Verein Deutscher Ingenieure (VDI) German Technical Instructions on Air Quality Control – TA Luft standard for dust deposition (VDI 2002) (non-hazardous dust) sets a maximum permissible emission level for dust deposition of 350mg/(m²*day) averaged over a one-year period at any receptors outside the site boundary. Recommendations from the Department of the Environment, Health and Local Government (DEHLG) Quarries and Ancillary Activities, Guidelines for Planning Authorities (DEHLG 2004) apply the Bergerhoff limit of 350mg/(m²*day) measured over monitoring periods of between 28 to 32 days which are then averaged over a one-year period to the site boundary of quarries. This guidance value is applied to dust impacts from the construction of the Proposed Scheme.

7.2.2.2 National Air Emission Targets

Directive (EU) 2016/2284 of the European Parliament and of the Council of 14 December 2016 on the reduction of national emissions of certain atmospheric pollutants, amending Directive 2003/35/EC and repealing Directive 2001/81/EC (hereafter referred to as the National Emissions Reduction Directive) was published in December 2016. The National Emissions Reduction Directive applied the limits set out in Directive 2001/81/EC of the European Parliament and of the Council of 23 October 2001 on national emission ceilings for certain atmospheric pollutants (hereafter referred to as the National Emission Ceiling Directive) until 2020 and established new national emission reduction commitments which are applicable from 2020 and 2030 for SO₂, NO_x, non-methane volatile organic compounds (NMVOC), ammonia (NH₃), PM_{2.5} and methane (CH₄). In relation to Ireland, the 2020 to 2029 emission targets are 25kt (kilotonnes) for SO₂ (65% on 2005 levels), 65kt for NO_x (49% reduction on 2005 levels), 43kt for NMVOCs (25% reduction on 2005 levels), 108kt for NH₃ (1% reduction on 2005 levels) and 10kt for PM_{2.5} (18% reduction on 2005 levels) as shown in Table 7.4. In relation to 2030, Ireland's emission targets are 85% below 2005 levels for SO₂, 69% reduction for NO_x, 32% reduction for VOCs, 5% reduction for NH₃ and 41% reduction for PM_{2.5}, also shown in Table 7.4.

Table 7.4: National Air Emission Targets (Ireland's Air Pollutant Emissions 2020 to 2030)

Pollutant	2020 to 2029 Reduction Commitments (kt) (and % Reduction Compared to 2005 Levels)	2030 Reduction Commitments (kt) (and % Reduction Compared to 2005 Levels)
SO ₂	25.6	11.0
	-65%	-85%
NO _x	66.8	40.6
	-49%	-69%
NMVOC	56.3	51.1
	-25%	-32%
NH ₃	112.1	107.5

Pollutant	2020 to 2029 Reduction Commitments (kt) (and % Reduction Compared to 2005 Levels)	2030 Reduction Commitments (kt) (and % Reduction Compared to 2005 Levels)
	-1%	-5%
PM _{2.5}	15.6	11.2
	-18%	-41%

7.2.2.3 Regional Policy

In 2009, the Dublin Regional Air Quality Management Plan 2009-2012 (DCC, 2009) was published and a range of strategies defined to improve air quality in the Dublin region. The strategies included an improvement in co-ordination to build on the good work to date, to mainstream air quality management into all major policy areas, strengthen the decision-making by improving sharing of information on air quality, introduce measures related to local authority activities that will reduce air emissions and identify and prioritise the main potential threats to air quality.

In relation to specific policies, Policy 6 states that the local authorities shall:

'support and encourage the rapid implementation of Quality Bus Corridors and other bus priority measures along the routes identified in the Dublin Transportation Initiative strategy within their functional areas.'

The Dublin Regional Air Quality Management Plan for Improvements in Levels of Nitrogen Dioxide in Ambient Air Quality (DCC, 2011) was a companion document to the Dublin Regional Air Quality Management Plan 2009 – 2012. The document reviewed the measured levels of NO₂ in Dublin City. The document defined the current strategic planning approach as the promotion of *'consolidated urban development based on enhanced public transport'* and outlines a range of measures and policies which will help to improve ambient levels of NO₂.

As a result of an exceedance of the annual mean NO₂ ambient air quality limit value at the St John's Road West monitoring station in 2019 (EPA, 2020a), an Air Quality Action Plan by Dublin Local Authorities in conjunction with the EPA is now legally required by the end of 2021. Once prepared, the action plan will be submitted to the European Commission for analysis and approval. The plan was subject to public consultation, which gave interested members of the public the opportunity to share their views and input to the plan, which is now complete and was issued to the Minister for the Environment and the EU Commission at the end of 2021. The plan sets out 14 broad measures and a number of associated actions to address the exceedance of the nitrogen dioxide annual limit value. This location of exceedance is outside the study area of the Proposed Scheme.

7.2.3 Data Collection and Collation

The baseline ambient air quality environment has been characterised through a desk study of publicly available published data sources and site-specific baseline ambient monitoring surveys.

7.2.3.1 Desk Study

A desk-based air quality assessment was carried out following guidelines described in the publication by TII (TII, 2011). TII states that wherever possible use should be made of existing certified air quality data such as that undertaken by the EPA. Air quality monitoring programmes have been undertaken in recent years by the EPA and Local Authorities in the Dublin region. The most recent annual report, Air Quality in Ireland 2019 (EPA, 2020a), details the range and scope of monitoring undertaken throughout Ireland. The Urban Environmental Indicators: Nitrogen dioxide levels in Dublin report (EPA, 2020b) assessed spatial variations in ambient air quality in Dublin using diffusion tube sampling and detailed air dispersion modelling. The study found that there were potential exceedances of the ambient air quality standards for NO₂ close to busy City Centre road junctions, near the Dublin Port Tunnel entrance and exit and along the M50 Motorway. The baseline air quality data collected through the desk study is detailed in Section 7.2.3.1.

A review of potentially sensitive ecological areas has also been conducted using the National Parks and Wildlife Services (NPWS) online mapping services. This review is discussed in Section 7.3.2.

7.2.3.2 Site-Specific Baseline Surveys

A site-specific baseline monitoring study was undertaken at monthly intervals from November 2019 to June 2020 as part of the air quality assessment for NO₂ using diffusion tube monitoring at 13 locations as detailed in Section 7.3.2.2 and as shown in Figure 7.1 of Volume 3 of this EIAR. Passive sampling of NO₂ involves the molecular diffusion of NO₂ molecules through a polycarbonate tube and their subsequent adsorption onto a stainless steel disc coated with triethanolamine. Following a month of sampling, the tubes were analysed using ultraviolet (UV) spectrophotometry, at a United Kingdom Accreditation Service (UKAS) accredited laboratory (SOCOTEC Laboratories in Burton-on-Trent, UK).

The TII Air Quality Guidelines (TII 2011) note that NO₂ diffusion tube monitoring provides a simple, cost-effective means of monitoring at a number of locations across an area and can provide useful information on spatial distributions. The baseline study overlapped in time with traffic surveys being conducted as part of the Traffic Impact Assessment (TIA). Details of the baseline data collected is discussed in Section 7.3.2.

7.2.4 Appraisal Method for the Assessment of Impacts

7.2.4.1 Air Quality Impact Assessment from Traffic Emissions

The air quality assessment has been carried out following the Guidelines on the information to be contained in Environmental Impact Assessment Reports (EPA 2022) and using the methodology outlined in LA 105 Air Quality (UKHA 2019), LAQM (PG22) (DEFRA 2022) and LAQM (TG22) (DEFRA 2022). The general approach outlined in the LA 105 Air Quality, LAQM (PG16) and LAQM (TG16) guidance documents and the methodology outlined within has been recommended for use in assessing Irish road schemes by the TII Air Quality Guidelines (TII 2011) as discussed in Section 7.2.4.1.1 below.

The potential changes in regional air emissions due to the Construction Phase and Operational Phase traffic impacts of the Proposed Scheme have been assessed using the National Transport Authority (NTA) Environmental Appraisal Tool (2015), which is based on the Environmental Evaluation Model (hereafter referred to as ENEVAL). The data also takes into account the modal shift from private car to bus (walk or cycle).

A validation study of ENEVAL was undertaken by Jacobs Systra in 2016 (Jacobs Systra 2016) which involved running the module on all the Regional Modelling System (RMS) base models to produce a national emission figure for CO₂ production against the national figure provided by the Department of Transport, Tourism and Sport (DTTAS) of 12 megatonnes. The resultant figure was 8.1 megatonnes for ENEVAL. The DTTAS figure included non-transport related fuel (agricultural and industrial use) and in addition the ENEVAL modelled year was 2012 whilst the DTTAS figures were based on 2015 which would be expected to have higher flows. Therefore, ENEVAL is deemed to be valid for the purposes of calculating regional emissions.

7.2.4.1.1 Local Air Quality Screening Assessment

In 2019 the UKHA DMRB air quality guidance was revised with the publication of LA 105 Air Quality (UKHA 2019) replacing a number of historical guidance documents (HA 207/07, IAN 170/12, IAN 174/13, IAN 175/13, part of IAN 185/15). The revised document outlines a number of changes of approach when assessing the air quality impact of road schemes.

LA 105 Air Quality states that modelling should be conducted for NO₂ for the base, construction and opening years for both the Do Minimum and Do Something scenarios (please see Chapter 6 (Traffic & Transport) for the definition of these terms). Modelling of PM₁₀ is only required for the base year to demonstrate that the air quality limit values in relation to PM₁₀ are not breached. Where the air quality modelling indicates exceedances of the PM₁₀ air quality limits in the base year then PM₁₀ should be included in the air quality model in the Do-Minimum and Do-Something scenarios. LA 105 Air Quality guidance states that modelling of PM_{2.5} is not required, as modelling of PM₁₀ can be used to show that the project does not impact on the PM_{2.5} limit value. However, as outlined in Section 7.2.2.1, the four Dublin local authorities have signed up for the *BreatheLife* campaign (<https://breathelife2030.org/>) to work towards achieving the goal of compliance with the WHO Air Quality

Guidelines (WHO 2006) by 2030. Modelling of PM₁₀ and PM_{2.5} was undertaken to consider the impact of the Proposed Scheme on these concentrations.

Historically modelling of CO, lead and benzene was required by UK HA Guidance (UKHA 2007) and TII Guidance. However, guidance has now been updated by the UK HA (LA 105 Air Quality). As concentrations of these pollutants have been monitored to be significantly below their air quality limit values in recent years, even in urban centres (see Section 7.3.2.1) CO, lead and benzene have been scoped out of detailed assessment (EPA, 2020a).

LA 105 Air Quality states that the following scoping criteria shall be used to determine whether the air quality impacts of a project can be scoped out or require an assessment based on the changes between the Do Something traffic (with the Proposed Scheme) compared to the Do Minimum traffic (without the Proposed Scheme):

- Annual average daily traffic (AADT) changes by 1,000 or more;
- Heavy duty vehicle (HDV – includes goods vehicles, buses and other heavy vehicles) AADT changes by 200 or more;
- A change in speed band; and
- A change in carriageway alignment by 5m or greater.

The above scoping criteria have been used in the assessment to determine the road links required for inclusion in the modelling assessment. Sensitive receptors within 200m of impacted road links were included within the modelling assessment as detailed in LA 105 Air Quality.

7.2.4.1.2 Atmospheric Dispersion Modelling System (ADMS)-Roads Dispersion Model

The TII Air Quality Guidelines (TII 2011) state that the assessment must progress to detailed modelling if:

- Concentrations exceed 90% of the air quality limit values when assessed by the screening method; or
- Sensitive receptors exist within 50m of a complex road layout (e.g. grade separated junctions, hills etc.).

Guidance from LA 105 Air Quality states that a detailed assessment must be conducted where the sensitivity of the environment is medium or above when combined with a high-risk project, due to a risk of exceeding air quality thresholds.

Considering the scale of the Proposed Scheme, its risk should be considered high as it has the potential to have an impact on ambient air quality over a large geographical area.

Guidance from LA 105 Air Quality states that a medium sensitivity environment includes areas that have annual mean NO₂ concentrations of 36µg/m³ or above combined with sensitive receptors within 50m of the impacted roads. NO₂ concentrations (Section 0 and Section 7.3.2.2) were found to be generally below 36µg/m³ along the suburban areas along the Proposed Scheme. However, towards the City Centre, ambient NO₂ concentrations were measured in excess of 36µg/m³. The LA 105 Air Quality guidance states a detailed assessment should consider a representative number of receptors and all receptors with the likelihood of exceeding the air quality limit values.

Vehicle-derived air emissions for areas impacted by significant changes in AADT were modelled using the detailed ADMS-Roads dispersion model (Version 5.1) which has been developed by Cambridge Environmental Research Consultants (CERC) (CERC 2020). The model is a steady-state Gaussian plume model used to assess ambient pollutant concentrations associated with road sources.

The ADMS-Roads dispersion model (Version 5.1) has been used to predict the ground level concentrations (GLC) of NO₂ and PM₁₀ / PM_{2.5} in the vicinity of the impacted areas for the baseline year of 2019, the peak construction year of 2024 and the opening and design years of 2028 and 2043, respectively.

The modelling incorporated the following features:

- Hourly-sequenced meteorological information for Casement Aerodrome in 2019 has been used in the model (see Diagram 7.2) (Met Éireann 2020). The selection of the appropriate meteorological data has followed the guidance issued by the LAQM (TG22) (DEFRA 2022). A primary requirement is that the data used should have a data capture of greater than 90% for all parameters; and
- Specific air sensitive receptors (ASRs) were also mapped into the model. Receptor heights were input at 1.5m to represent breathing height. Concentrations were reported for each ASR modelled for all modelling scenarios.

It is intended that the Proposed Scheme will have a peak construction year of 2024 and an opening year of 2028. Road traffic emission rates are derived using traffic data for the peak construction year of 2024, and the Opening Year of 2028 and Design Year of 2043 provided in Chapter 6 (Traffic & Transport) and using emission factors from the COPERT V database (EMISIA 2020) which has been incorporated into the UK DEFRA Emission Factor Toolkit (EFT) Version 10.1 (DEFRA 2019).

The EFT Version 10.1 has been incorporated into the ADMS-Roads model. The toolkit provides emission rates from 2017 to 2030 and traffic emissions for the Proposed Scheme were based on the following assumptions:

- EFT Version 10.1 is based on eight vehicle categories including petrol cars, diesel cars, diesel Light Goods Vehicles (LGV), rigid Heavy Goods Vehicles (HGV) and buses;
- Systra (ENEVAL) fleet composition data for Ireland (2016 base year) were selected to input car, LGV and HGV proportions (Table 7.5). 2019 projections were used for detailed modelling of the 2019 base year, 2022 projections and 2024 projections were used as conservatively representative of the 2024 peak construction year and 2028 opening year respectively;
- National Transport Model (NTM) fleet projections provided in UK Technical Advisory Group (TAG) (UK Department for Transport 2020) have been used to estimate the proportions of cars, LGV and HGV in 2043. No fleet projection tools currently exist, Irish or UK based, that accurately predict the proportion of electric vehicles in 2043, or which take the 2021 Climate Action Plan measures into account. A conservative approach is therefore inevitable, and is based on the use of the UK NTM as the most up to date and robust alternative to the older 2016 base year Systra fleet;
- Predicted bus fleet composition data was developed for 2019, 2028 and 2043 (Table 7.5). The 2019 bus fleet was also applied to the 2024 construction year;
- Emissions have been calculated using predicted emissions factors for 2019 (to represent the Base Year 2020), 2022 (to represent the peak construction year 2024), 2024 (to represent the Opening Year 2028) and 2030 (to represent the Design Year 2043). A conservative approach to emission years has been taken, similarly to the fleet projections, to counteract some of the uncertainty associated with improved vehicle standards;
- EFT Version 10.1 incorporates updated NO_x (defined as NO and NO₂) and PM speed emission coefficient equations for Euro 5 and 6 vehicles, taken from the European Environment Agency (EEA) COPERT V emission calculation tool which reflects the most recent evidence on the real-world emission performance of these vehicles;
- Fleet composition based on European emission standards from pre-Euro 1 to Euro 6/VI. Systra fleet data was used to estimate Euro class proportions for cars, LGV, and HGV. The NTA provided Euro class proportions for the bus fleet; and
- Improvements in the quality of fuel and some degree of retrofitting; technology conversion in the national fleet.

Table 7.5: Summary of Fleet Proportions

Vehicle Type		Base Year	Construction Year	Operational Year	Design Year
Car	Petrol Car	41%	38%	36%	38%
	Diesel Car	57%	60%	63%	25%
	Electric Car	2%	2%	2%	37%
LGV	LGV	99.9%	99.9%	99.9%	81.5%
	Electric LGV	0.1%	0.1%	0.1%	18.5%

Vehicle Type		Base Year	Construction Year	Operational Year	Design Year
HGV	Rigid HGV	86%	86%	86%	86%
	Artic HGV	14%	14%	14%	14%
Bus	Plug-in Hybrid Bus	0%	0%	24%	0%
	Fuel Cell Electric Bus	0%	0%	70%	100%
	Diesel Bus	100%	100%	6%	0%

Advancements in engine technology and the addition of a higher percentage of electric vehicles to the fleet will assist in significantly reducing emissions between 2028 and 2043, even in circumstances where the number of vehicles using a road link increases. Emissions per road link using the EFT Version 10.1 were calculated for the 2043 Do Something scenario and compared to the 2028 Do Something scenario. Conservative assumptions were made for future fleet and uptake of electric vehicles. Across the Proposed Scheme, emissions decreased in 2043, therefore 2028 modelled impacts can be considered worst case. As a result, detailed modelling of the design year 2043 was scoped out for all pollutants on the basis that emissions will be lower compared to 2028 emissions.

7.2.4.1.3 Verification Study – Year 2020 Traffic Data

Model verification investigates the level of agreement between modelled and measured concentrations. Differences between modelled and measured pollutant concentrations can arise due to uncertainties in or limitations to the model input data (such as traffic data and meteorological data), uncertainties in monitoring data and inherent modelling limitations. As outlined in LAQM.TG16 (DEFRA 2018), an adjustment to the modelled results is usually required in order to ensure that the final concentrations presented are representative of monitoring information in the area.

A verification study was undertaken using the traffic data for the study area which was received from the NTA Eastern Regional Model (ERM) traffic model (See Section 7.2.4.1.2 and Chapter 6 (Traffic & Transport)) for year 2020. The study compared the ambient NO₂ monitored concentration at a range of diffusion tube locations with the ADMS-Roads model output at these locations. DCC has undertaken a diffusion tube monitoring programme at a range of locations in the study area for both 2018 and 2019. This data has been used to compare model predictions of NO₂ to monitored NO₂ concentrations.

Background data was based on NO₂ levels from Ballyfermot for 2019. Ballyfermot was selected as a suitable suburban background station as it is an ambient air monitoring station suitably removed from Dublin City Centre and at a distance of over 200m from a main roadway. The backgrounds were also utilised in the 2024 and 2028 modelling.

The emission data for the ADMS-Roads model was based on EFT Version 10.1 and the ADMS-Roads model input parameters selected is summarised in Table 7.6.

Table 7.6: Summary of the ADMS-Roads Model Input Parameters

Parameter	Description	Input Value
Coordinate System	Spatial data in ADMS-Roads is linked to a Cartesian coordinate system, measured in meters.	Irish Transverse Mercator (ITM) Coordinate system was used.
Pollutants	A range of preset pollutants can be selected in ADMS-Roads for modelling.	NO _x , NO ₂ and PM ₁₀ were specifically modelled.
Road Source Emissions	Road sources emissions can be entered manually or calculated from traffic flow data.	Road emissions have been calculated from traffic flow data.
Street Canyons	ADMS-Roads has to the ability to model street canyon effects either by using the Basic Street Canyon module or the Advance Street Canyon	Basic Street Canyon module has been used where canyons have been identified.

Parameter	Description	Input Value
	Module to simulate turbulent flow patterns along streets with relatively tall buildings.	
Road Emission Factors	ADMS-Roads has a range of emission factors including the recent UK Emission Factor Tool (EFT) v.9.0 dataset.	UK Emission Factor Tool (EFT) v.10.1 (8 VC) dataset has been used based on Northern Ireland (Urban)
Traffic Speed	ADMS-Roads can adjust pollutant emission factors to take account of traffic speed.	Average traffic speed specific to each link, as advised by traffic consultant, has been used in the model.
Meteorological Data	ADMS-Roads requires hourly meteorological data from a suitable meteorological station for a full year.	2019 data from Casement Aerodrome has been used in the model.
Surface Roughness	The model requires a representative surface roughness value for both the modelling domain and the meteorological station.	A value of 1.0m has been selected for the modelling domain with a value of 0.1m selected for Casement Aerodrome.
Time-varied Emissions	The model can accept a range of profiles including 3-day and 7-day diurnal profiles	3-day diurnal profile (Weekdays, Saturday, Sunday) has been used in the model.
Primary NO ₂	Model will assume that a certain percentage of NO _x emissions are NO ₂ when modelling chemistry	Primary NO ₂ fractions (%) were calculated using the EFT for each modelled scenario: 2020 Base – 28.2% 2024 Do Minimum – 28.9% 2024 Do Something – 28.9% 2028 Do Minimum – 29.6% 2028 Do Something – 29.6%
Complex Terrain	Where terrain exceeds 1:10, terrain effects may be modelled	Flat terrain has been used in the modelling domain

The first step of model verification, in line with LAQM.TG16, is to consider the performance of the model, prior to any adjustment, by comparing modelled and measured road NO_x contribution at each of the site specific survey and DCC diffusion tube locations. Some of the monitoring locations were not considered suitable for model verification, due to missing traffic or monitoring data, or other spatial considerations. A total of 20 monitoring sites were included in the verification exercise. The comparison is shown in Diagram 7.1, as the red points and trendline, and also in Table 7.7. This shows that on average, the unadjusted model under predicts total NO₂ concentrations by around 13%.

Table 7.7: Diffusion Tube Monitoring Data Used for Model Verification

Diffusion Tube	Modelled NO _x concentration (µg/m ³)	Modelled NO ₂ concentration (µg/m ³)	Monitored NO _x concentration (µg/m ³)	Monitored NO ₂ concentration (µg/m ³)	Difference [(modelled – monitored)/(monitored) *100]	Adjustment Factor
Pearse Street 4	15.9	27.9	57.3	46.6	-40%	2.52
Pearse Street 2	21.0	30.4	43.9	40.9	-26%	
Pearse Street 3	21.9	30.8	67.9	50.9	-39%	
Sth Circular Road/Clanbassil St Lower	24.0	31.8	43.4	40.7	-22%	
10.9	15.7	27.8	33.0	36.0	-23%	

Diffusion Tube	Modelled NO _x concentration (µg/m ³)	Modelled NO ₂ concentration (µg/m ³)	Monitored NO _x concentration (µg/m ³)	Monitored NO ₂ concentration (µg/m ³)	Difference [(modelled – monitored)/(monitored) *100]	Adjustment Factor
Pearse St Continuous Monitor	22.4	31.0	63.1	49.0	-37%	1.32
Grand Canal 2	6.80	23.3	7.8	23.8	-2%	
Grand Canal 4	8.29	24.0	10.2	25.0	-4%	
Winetavern Street Continuous Monitor	13.39	26.6	16.1	28.0	-5%	
Rathmines Continuous Monitor	6.38	23.1	4.4	22.0	5%	
10.6	13.41	26.6	15.0	27.4	-3%	
10.8	9.42	24.6	13.9	26.9	-8%	
11.2	15.14	27.5	25.5	32.5	-16%	
11.3	8.83	24.3	11.3	25.6	-5%	
11.4	3.32	21.5	8.1	23.9	-10%	
11.5	7.63	23.7	6.5	23.1	2%	
11.6	13.21	26.5	19.2	29.5	-10%	
11.7	13.11	26.5	18.5	29.2	-9%	
11.8	7.56	23.7	5.8	22.8	4%	
13.12	22.12	30.9	29.9	34.6	-11%	

In line with LAQM.TG16, the model adjustment was based on NO_x rather than NO₂ with the NO₂ diffusion tube data first converted to NO_x using the NO_x to NO₂ Calculator (DEFRA 2020). Additionally, the adjustment was applied to the road source contribution only rather than total NO_x, again in line with LAQM.TG16. This process identified that the model performed better at some locations than others, and the adjustment of model bias took this into account.

The comparison of road NO_x contributions provided the following collective bias adjustment factors across the study area, which were then applied to the modelled road contributions at the air quality sensitive receptors most represented by them, before being converted into total NO₂ concentrations:

- 2.52 – “More congested”. Applied to modelled receptors closest to the R105 Burgh Quay, R110 Cuffe St/Kevin St Lower, R114 Aungier St/Rathmines Rd Lower/Richmond St South/South Great George’s St, R137 Clanbrassil St Lower/Clanbrassil St Upper/Dame St/Harold’s Cross Rd/New St South/Nicholas St, R148 Aston Quay/Wellington Quay and R811 South Circular Rd, and
- 1.32 – “Less congested”. Applied to all other receptors.

Following the application of the model bias adjustment factor, the modelled and measured values at these locations included in the verification exercise were compared again. This comparison is shown in Diagram 7.1 as the blue points and trendline. This shows that on average, the adjusted model is within the target 10% of the air quality standard, with a root mean square error (RMSE) of 3.78 µg/m³. In the absence of measured PM₁₀ and PM_{2.5} at roadside locations in the study area, the same factors calculated for the modelled road NO_x contribution were applied to the road PM₁₀ and road PM_{2.5} contributions.




Diagram 7.1: Dispersion Model Verification - Comparison of Monitored and Modelled NO₂ Concentrations (µg/m³)

7.2.4.1.4 Air Quality Impact Significance Criteria

The TII Air Quality Guidelines (TII 2011) detail the methodology for determining air quality impact significance criteria for road schemes in Ireland. The degree of impact is determined based on both the absolute and relative impact of the Proposed Scheme. The significance criteria have been adopted for the Proposed Scheme and are detailed in Table 7.8, Table 7.9 and Table 7.10. The significance criteria are based on PM₁₀ and NO₂ as these pollutants are most likely to exceed the annual mean limit values (40µg/m³). However, the criteria have also been applied to the predicted annual PM_{2.5} concentrations for the purpose of this assessment.

Table 7.8: Definition of Impact Magnitude for Changes in Ambient Pollutant Concentrations (TII 2011)

Magnitude of Change	Annual Mean NO ₂ / PM ₁₀	No. Days with PM ₁₀ Concentration > 50 µg/m ³	Annual Mean PM _{2.5}
Large	Increase / decrease ≥ 4µg/m ³	Increase / decrease >4 days	Increase / decrease ≥ 2.5µg/m ³
Medium	Increase / decrease 2µg/m ³ - < 4µg/m ³	Increase / decrease 3 or 4 days	Increase / decrease 1.25µg/m ³ - <2.5µg/m ³
Small	Increase / decrease 0.4µg/m ³ - < 2µg/m ³	Increase / decrease 1 or 2 days	Increase / decrease 0.25µg/m ³ - <1.25µg/m ³
Imperceptible	Increase / decrease < 0.4µg/m ³	Increase / decrease <1 day	Increase / decrease < 0.25µg/m ³

Table 7.9: Definition of Impact Magnitude for Changes in Ambient Pollutant Concentrations (TII 2011)

Absolute Concentration in Relation to Objective / Limit Value	Change in Concentration		
	Small	Moderate	Large
Increase with Proposed Scheme			
Above Objective / Limit Value with Proposed Scheme ($\geq 40\mu\text{g}/\text{m}^3$ of NO_2 or PM_{10}) ($\geq 25\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$)	Slight adverse	Moderate adverse	Substantial adverse
Just Below Objective / Limit Value with Proposed Scheme ($36\mu\text{g}/\text{m}^3$ - $< 40\mu\text{g}/\text{m}^3$ of NO_2 or PM_{10}) ($22.5\mu\text{g}/\text{m}^3$ - $< 25\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$)	Slight adverse	Moderate adverse	Moderate adverse
Below Objective / Limit Value with Proposed Scheme ($30\mu\text{g}/\text{m}^3$ - $< 36\mu\text{g}/\text{m}^3$ of NO_2 or PM_{10}) ($18.75\mu\text{g}/\text{m}^3$ - $< 22.5\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$)	Negligible	Slight adverse	Slight adverse
Well Below Objective / Limit Value with Proposed Scheme ($< 30\mu\text{g}/\text{m}^3$ of NO_2 or PM_{10}) ($< 18.75\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$)	Negligible	Negligible	Slight adverse
Decrease with Proposed Scheme			
Above Objective / Limit Value with Proposed Scheme ($\geq 40\mu\text{g}/\text{m}^3$ of NO_2 or PM_{10}) ($\geq 25\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$)	Slight beneficial	Moderate beneficial	Substantial beneficial
Just Below Objective / Limit Value with Proposed Scheme ($36\mu\text{g}/\text{m}^3$ - $< 40\mu\text{g}/\text{m}^3$ of NO_2 or PM_{10}) ($22.5\mu\text{g}/\text{m}^3$ - $< 25\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$)	Slight beneficial	Moderate beneficial	Moderate beneficial
Below Objective / Limit Value with Proposed Scheme ($30\mu\text{g}/\text{m}^3$ - $< 36\mu\text{g}/\text{m}^3$ of NO_2 or PM_{10}) ($18.75\mu\text{g}/\text{m}^3$ - $< 22.5\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$)	Negligible	Slight beneficial	Slight beneficial
Well Below Objective / Limit Value with Proposed Scheme ($< 30\mu\text{g}/\text{m}^3$ of NO_2 or PM_{10}) ($< 18.75\mu\text{g}/\text{m}^3$ of $\text{PM}_{2.5}$)	Negligible	Negligible	Slight beneficial

* Where the Impact Magnitude is Imperceptible, then the Impact Description is Negligible

Table 7.10: Air Quality Impact Significance Criteria (TII 2011)

Absolute Concentration in Relation to Objective / Limit Value	Change in Concentration		
	Small	Medium	Large
Increase with Proposed Scheme			
Above Objective / Limit Value with Proposed Scheme (≥ 35 days)	Slight Adverse	Moderate Adverse	Substantial Adverse
Just Below Objective / Limit Value with Proposed Scheme (32 - < 35 days)	Slight Adverse	Moderate Adverse	Moderate Adverse
Below Objective / Limit Value with Proposed Scheme (26 - < 32 days)	Negligible	Slight Adverse	Slight Adverse
Well Below Objective / Limit Value with Proposed Scheme (< 26 days)	Negligible	Negligible	Slight Adverse
Decrease with Proposed Scheme			
Above Objective / Limit Value with Proposed Scheme (≥ 35 days)	Slight Beneficial	Moderate Beneficial	Substantial Beneficial
Just Below Objective / Limit Value with Proposed Scheme (32 - < 35 days)	Slight Beneficial	Moderate Beneficial	Moderate Beneficial
Below Objective / Limit Value with Proposed Scheme (26 - < 32 days)	Negligible	Slight Beneficial	Slight Beneficial
Well Below Objective / Limit Value with Proposed Scheme (< 26 days)	Negligible	Negligible	Slight Beneficial

* Where the Impact Magnitude is Imperceptible, then the Impact Description is Negligible

7.2.4.2 Regional Air Quality Assessment

The change in regional air quality emissions due to Operational Phase traffic impacts of the Proposed Scheme have been assessed using the NTA Environmental Appraisal Module. Emissions from the zonal level ENEVAL

tool can provide information on the emissions of pollutants including NO₂, PM₁₀, CO₂ and VOCs for the different traffic scenarios on a regional basis. The ENEVAL software is recommended by Codema in the publication Developing CO₂ Baselines – A Step-by-Step Guide for Your Local Authority (Codema 2017). The ENEVAL tool is discussed in more detail in Section 7.2.4.1.

7.2.4.3 Ecology

For routes which pass within 2km of a designated area of conservation (either Irish or European designation) the TII Air Quality Guidelines (TII 2011) requires the air quality specialist to consult with the project ecologist. However, in practice the potential for impact on an ecological site is highest within 200m of the Proposed Scheme and within 200m of roads where significant changes in AADT (Section 7.2.4.1) occur. Sites identified within these parameters are considered Key Ecological Receptors

The TII Ecological Guidelines (TII 2009) and the Appropriate Assessment of Plans and Projects in Ireland – Guidance for Planning Authorities (DEHLG 2010) provide details regarding the legal protection of designated conservation areas. Further guidance can also be found in the IAQM document A Guide to the Assessment Of Air Quality Impacts On Designated Nature Conservation Sites (IAQM 2020) and in the DMRB guidance LA105 Air Quality (UKHA 2019), both of which describe N deposition as the most likely source of significant impacts from road traffic. Pollutants such as CO₂, CO, SO₂, ammonia, particulate matter and volatile organic compounds have been scoped out of detailed assessment.

The following assessment criteria, in accordance with TII guidance, is used to determine whether an assessment for nitrogen deposition should be conducted:

- There is a designated area of conservation within 200m of the Proposed Scheme; and
- There is a significant change in AADT flows (see Section 7.2.4.1).

In circumstances where the above criteria are met, there is the potential for impacts on ecology as a result of nitrogen deposition and thus an assessment should be undertaken. For road transport sources within 200m of a designated habitat, individual ecological receptors along a transect at 10m intervals are modelled. Ecological receptors are modelled up to a maximum distance of 200m regardless of whether the habitat extends beyond 200m. It is considered that the greatest impacts will have occurred in proximity to the road. LA 105 notes that only sites that are sensitive to nitrogen deposition need to be included in the assessment, it is not necessary to include sites for example that have been designated as a geological feature or water course. The ecological receptors along the 200m transect are modelled using the methodology for sensitive human receptors in Section 7.2.4.1.

Designated sites which are within 2km of the boundary of the Proposed Scheme are the Dodder Valley proposed Natural Heritage Area (pNHA) (Site Code 000991) and the Grand Canal pNHA (Site Code 002104). Consultation with the ecologist has been undertaken. Species of particular ecological importance at these sites include Hairy St John's Wort, Green Figwort, Yellow Archangel and Opposite-leaved Pondweed. Habitats of particular ecological importance at this site are Canal (FW3), Dry Meadow / Grassy Verges (GS2), Reed and Large Sedge Swamps (FS1), Tall-herb Swamps (FS2) and Riparian woodland (WN5).

The Air Quality Regulations outline an annual critical level for NO_x for the protection of vegetation and natural ecosystems in general. The CAFE Directive defines 'Critical Levels' as:

'a level fixed on the basis of scientific knowledge, above which direct adverse effects may occur on some receptors, such as trees, other plants or natural ecosystems but not on humans'.

The TII Ecological Guidelines reference the United Nations Economic Commission for Europe (UNECE) Critical Loads for Nitrogen where a 'Critical Load' is defined by the UNECE as:

'a quantitative estimate of an exposure to one or more pollutants below which significant harmful effects on specified sensitive elements of the environment do not occur according to present knowledge' (UNECE 2003).

The guidance states that where the predicted environmental concentration (PEC) is less than 70% of the long-term critical level / load, the process contribution (PC) is likely to be insignificant.

The TII Ecological Guidelines outline a methodology to derive the road contribution to dry deposition and thereafter to compare with the published critical loads for the appropriate habitat.

The UNECE critical loads were subsequently updated in the 2010 Review and Revision of Empirical Critical Loads and Dose-Response Relationships (UNECE 2010). The pNHAs are not currently designated for the protection of a specific habitat type. In the absence of a specific designation, the most stringent published critical load in the 2010 Review and Revision of Empirical Critical Loads and Dose-Response Relationships for inland and surface water habitats (5kg(N)/ha/yr to 10kg(N)/ha/yr) (kilogrammes of nitrogen per hectare per year) has been used in the assessment.

In order to calculate the nitrogen deposition, the NO₂ / NO_x concentration determined through modelling including the background concentration must be converted firstly into a dry deposition flux using the equation below which is taken from UK Environment Agency publication 'AGTAG06 – Technical Guidance On Detailed Modelling Approach For An Appropriate Assessment For Emissions To Air' (UKEA 2014):

$$\text{Dry deposition flux } (\mu\text{g m}^{-2} \text{s}^{-1}) = \text{ground-level concentration } (\mu\text{g/m}^3) \times \text{deposition velocity (m/s)}$$

Deposition velocities are provided in both the TII (TII 2011) and IAQM Guidance document (IAQM 2020) for NO₂ in grassland and forestry. Once the dry deposition flux ($\mu\text{g m}^{-2} \text{s}^{-1}$) is calculated it must then be converted to nitrogen equivalent acidification flux ($k_{\text{eq}} \text{ ha}^{-1} \text{ year}^{-1}$) for comparison with critical loads.

In order to convert the dry deposition flux from units of $\mu\text{g m}^{-2} \text{s}^{-1}$ to units of $\text{kg ha}^{-1} \text{ year}^{-1}$ the dry deposition flux is multiplied by the conversion factors. For NO₂ this factor is 96. In order to convert $\text{kg ha}^{-1} \text{ year}^{-1}$ to $k_{\text{eq}} \text{ ha}^{-1} \text{ year}^{-1}$, where k_{eq} is a unit of equivalents (a measure of how acidifying the chemical species can be), the deposition flux in units of $\text{kg ha}^{-1} \text{ year}^{-1}$ is multiplied by the conversion factor (taken from AQTAG06 (EA 2014)). The conversion factor for nitrogen is 0.071428. LA 105 Air Quality (UKHA 2019) states that if the change in N deposition is greater than 0.4kg N/ha/yr or 1% of the critical level / load consultation with the ecologist should occur.

7.2.4.4 Construction Phase Assessment

The greatest potential impact on air quality during the Construction Phase is from construction dust emissions, PM₁₀ / PM_{2.5} emissions and the potential for nuisance dust. Dust is characterised as encompassing PM with a particle size of between 1 micron and 75 microns (1 μm to 75 μm). Deposition of dust typically occurs in close proximity to the source and with IAQM Guidance (IAQM 2014) defining a maximum impact area of 350m from the dust generating activity. Sensitivity to dust depends on the duration of the dust deposition, the dust generating activity, and the nature of the deposit. Therefore, a higher tolerance of dust deposition is likely to be shown if only short periods of dust deposition are expected and the dust generating activity is either expected to stop or move on.

An appraisal has been carried out to assess the risk to sensitive receptors as a result of dust soiling, health impacts and ecology impacts due to the Construction Phase in accordance with the IAQM's Guidance on the Assessment of Dust from Demolition and Construction (IAQM 2014). This appraisal reviews the sensitivity of the site's location with respect to dust nuisance, human health and ecological impacts and then calculates a risk of impact using the magnitude of site activities.

Receptor sensitivity can be described as follows with respect to nuisance dust as per the IAQM guidance (IAQM 2014):

- High sensitivity receptor with respect to dust nuisance – surrounding land where:
 - Users can reasonably expect enjoyment of a high level of amenity;
 - The appearance, aesthetics or value of their property would be diminished by soiling;
 - The people or property would reasonably be expected to be present continuously, or at least regularly for extended periods, as part of the normal pattern of use of the land; or

- Examples include dwellings, museums and other culturally important collections, medium and long-term car parks and car showrooms.
- Medium sensitivity receptor with respect to dust nuisance – surrounding land where:
 - Users would expect to enjoy a reasonable level of amenity, but would not reasonably expect to enjoy the same level of amenity as in their home;
 - The appearance, aesthetics or value of their property could be diminished by soiling;
 - The people or property would not reasonably be expected to be present continuously or regularly for extended periods as part of the normal pattern of use of the land; or
 - Indicative examples include parks and places of work.
- Low sensitivity receptor with respect to dust nuisance – surrounding land where:
 - The enjoyment of amenity would not reasonably be expected;
 - Property would not reasonably be expected to be diminished in appearance, aesthetics or value by soiling;
 - There is transient exposure, where the people or property would reasonably be expected to be present only for limited periods of time as part of the normal pattern of use of the land; or
 - Indicative examples include playing fields, farmland (unless commercially sensitive horticultural), footpaths, short term car parks and roads.

Receptor sensitivity can be described as follows with respect to human health as per the IAQM guidance (IAQM 2014):

- High sensitivity receptor with respect to human health – surrounding land where:
 - Locations where members of the public are exposed over a time period relevant to the air quality objective for PM₁₀ (in the case of the 24-hour objectives, a relevant location would be one where individuals may be exposed for eight hours or more in a day); or
 - Indicative examples include residential properties. Hospitals, schools and residential care homes should also be considered as having equal sensitivity to residential areas for the purposes of this assessment.
- Medium sensitivity receptor with respect to human health – surrounding land where:
 - Locations where the people exposed are workers, and exposure is over a time period relevant to the air quality objective for PM₁₀ (in the case of the 24-hour objectives, relevant location would be one where individuals may be exposed for eight hours or more in a day); or
 - Indicative examples include office and shop workers but will generally not include workers occupationally exposed to PM₁₀, as protection is covered by Health and Safety at Work legislation.
- Low sensitivity receptor with respect to human health – surrounding land where:
 - Locations where human exposure is transient; or
 - Indicative examples include public footpaths, playing fields, parks and shopping streets.

Receptor sensitivity can be described as follows with respect to ecology as per the IAQM guidance (IAQM 2014):

- High sensitivity receptor with respect to ecology – surrounding land where:
 - Locations with an international or national designation and the designated features may be affected by dust soiling; or
 - Indicative examples include a Special Area of Conservation (SAC) designated for acid heathlands or a local site designated for lichens adjacent to the demolition of a large site containing concrete (alkali) buildings.
- Medium sensitivity receptor with respect to ecology – surrounding land where:
 - Locations where there is a particularly important plant species, where its dust sensitivity is uncertain or unknown; or
 - Indicative example is a National Heritage Area (NHA) with dust sensitive features.
- Low sensitivity receptor with respect to ecology – surrounding land where:
 - Locations with a local designation where the features may be affected by dust deposition; or

- Indicative example is a local Nature Reserve with dust sensitive features.

Prior to assessing the impact from dust emissions, the sensitivity of the area must be established. The sensitivity of the area is determined using the headings:

- Dust Soiling Effects on People and Property;
- Human Health Impacts; and
- Ecological Impacts.

The sensitivity of the area is considered as per the criteria outlined in the IAQM Guidance and as reproduced in Table 7.11, Table 7.12 and Table 7.13.

In terms of the sensitivity of the area to dust soiling effects on people and property, the receptor sensitivity, number of receptors and their distance from the source are considered. Using these criteria as outlined in Table 7.11, the sensitivity of the area to dust soiling can be established.

The IAQM Guidance (IAQM 2014) also outline the criteria for assessing the human health impact from PM₁₀ emissions from construction activities based on the current annual mean PM₁₀ concentration, receptor sensitivity and the number of receptors effected as per Table 7.12.

An assessment of the Proposed Scheme was completed with respect to the sensitivity criteria in Table 7.11 and Table 7.12. Where the number of receptors was not clear i.e. for an apartment building, conservative sensitivities were assumed. In addition, when calculating the sensitivity with respect to human health, the background concentrations of particulates was reviewed. The background air quality in the region of the Proposed Scheme is discussed in Section 7.3.2.1.

Table 7.11: Sensitivity of the Area to Dust Soiling Effects on People and Property (IAQM 2014)

Receptor Sensitivity	Number of Receptors	Distance from Source (m)			
		<20	<50	<100	<350
High	>100	High	High	Medium	Low
	10 - 100	High	Medium	Low	Low
	1 - 10	Medium	Low	Low	Low
Medium	>1	Medium	Low	Low	Low
Low	>1	Low	Low	Low	Low

Table 7.12: Sensitivity of the Area to Human Health Impacts (IAQM 2014)

Receptor Sensitivity	Annual Mean PM ₁₀ Concentration	Number of Receptors	Distance from Source (m)				
			<20	<50	<100	<200	<350
High	> 32µg/m ³	>100	High	High	High	Medium	Low
		10-100	High	High	Medium	Low	Low
		1-10	High	Medium	Low	Low	Low
	28µg/m ³ - 32µg/m ³	>100	High	High	Medium	Low	Low
		10-100	High	Medium	Low	Low	Low
		1-10	High	Medium	Low	Low	Low
	24µg/m ³ - 28µg/m ³	>100	High	Medium	Low	Low	Low
		10-100	High	Medium	Low	Low	Low
		1-10	Medium	Low	Low	Low	Low
	< 24µg/m ³	>100	Medium	Low	Low	Low	Low
		10-100	Low	Low	Low	Low	Low
		1-10	Low	Low	Low	Low	Low
Medium	> 32µg/m ³	>10	High	Medium	Low	Low	Low
		1-10	Medium	Low	Low	Low	Low
	28µg/m ³ - 32µg/m ³	>10	Medium	Low	Low	Low	Low
		1-10	Low	Low	Low	Low	Low
	24µg/m ³ - 28µg/m ³	>10	Low	Low	Low	Low	Low
		1-10	Low	Low	Low	Low	Low
	< 24µg/m ³	>10	Low	Low	Low	Low	Low
		1-10	Low	Low	Low	Low	Low
Low	-	1+	Low	Low	Low	Low	Low

Dust deposition impacts on ecology can occur due to chemical or physical effects. This includes reduction in photosynthesis due to smothering from dust on the plants and chemical changes such as acidity to soils. Often impacts will be reversible once the works are completed, and dust deposition ceases. Designated sites within 50m of the boundary of the site or within 50m of the Proposed Scheme used by construction vehicles on public highways up to a distance of 500m from a construction site entrance can be affected according to the IAQM Guidance. The sensitivity of the area to ecological impacts are considered using the sensitivity criteria outlined in Table 7.13. The Grand Canal pNHA (Site Code 002104) is within 50m of the Proposed Scheme.

Table 7.13: Sensitivity of the Area to Ecological Impacts (IAQM 2014)

Receptor Sensitivity	Distance from Source (m)	
	<20	<50
High	High	Medium
Medium	Medium	Low
Low	Low	Low

In order to determine the level of dust mitigation required during the Construction Phase, the potential magnitude of dust emissions for each dust generating activity needs to be taken into account, along with the already established sensitivity of the area. These major dust generating activities are divided into four types (where relevant) to reflect their different potential impacts as outlined below:

- Demolition;
- Earthworks;
- Construction; and
- Trackout.

Trackout is defined by the IAQM as the transport of dust and dirt from the construction/demolition site onto the public road network, where it may be deposited and then re-suspended by vehicles using the network.

7.3 Baseline Environment

The following sections describe the baseline conditions in the vicinity of the Proposed Scheme based on a review of published data and on-site monitoring.

7.3.1 Meteorological Conditions

A key factor in assessing temporal and spatial variations in air quality is the prevailing meteorological conditions. Depending on wind speed and direction, individual receptors may experience very significant variations in pollutant levels under the same source strength (i.e. traffic levels) (WHO 2006). Wind is of key importance in dispersing air pollutants and for ground level sources, such as traffic emissions, pollutant concentrations are generally inversely related to wind speed. Thus, concentrations of pollutants derived from traffic sources will generally be greatest under very calm conditions and low wind speeds, when the movement of air is restricted. In relation to PM₁₀, the situation is more complex due to the range of sources of this pollutant. Smaller particles (less than PM_{2.5}) from traffic sources will be dispersed more rapidly at higher wind speeds. However, fugitive emissions of coarse particles (PM_{2.5} to PM₁₀) will actually increase at higher wind speeds. Thus, measured levels of PM₁₀ will be a non-linear function of wind speed.

Casement Aerodrome meteorological station, which is located approximately 7.7km north-west of the Proposed Scheme at the closest point, collects meteorological data in the correct format for the purposes of this assessment and has a data collection of greater than 90%. Long-term hourly observations at Casement Aerodrome meteorological station provide an indication of the prevailing wind conditions for the region (see Diagram 7.2). Results indicate that the prevailing wind direction is from south to westerly in direction over the period 2015 to 2019.




Diagram 7.2: Casement Aerodrome Meteorological Station Windrose 2015 to 2019 (Met Éireann 2020)

7.3.2 Baseline Ambient Air Quality

Background air quality is the air quality at a specific location when the local emissions of air quality have been subtracted from the measured air quality. Thus, a 'background' air concentration is usually representative of a

wider area (such as an urban area or sub-urban area). Baseline air quality is the current air quality at a specific location including all local and non-local sources.

A desk study of the EPA air quality monitoring programs has been undertaken. The most recent annual report on air quality at the time of writing, Air Quality in Ireland 2019 (EPA 2020b), details the range and scope of monitoring undertaken throughout Ireland. In addition, scheme-specific baseline air quality monitoring has been conducted. The data collected has been included to provide site-specific baseline concentrations of NO₂ in areas which have the potential to be impacted by the Proposed Scheme.

7.3.2.1 EPA Data

As part of the implementation of S.I. No. 271/2002 - Air Quality Standards Regulations 2002, four air quality zones have been defined in Ireland for air quality management and assessment purposes (EPA 2020b). Dublin is defined as Zone A and Cork as Zone B. Zone C is composed of 23 towns with a population of greater than 15,000. The remainder of the country, which represents rural Ireland but also includes all towns with a population of less than 15,000, is defined as Zone D. In terms of air monitoring zoning, the area of the Proposed Schemes is located within Zone A, as shown in Figure 7.2 Volume 3 of this EIAR (EPA 2020b).

With regard to NO₂, continuous monitoring data from the EPA (EPA 2020) at locations in proximity to the Proposed Scheme was reviewed. Sufficient data was available for the station in Rathmines, which is located roughly 50m from the Proposed Scheme, to review long-term trends over a five-year period (2015 to 2019) as shown in Table 7.14. Long-term annual average levels at Rathmines range from 17µg/m³ to 22µg/m³ over the period 2015 to 2019, with an average concentration of 22µg/m³ in 2019.

In addition to the station in proximity to the Proposed Scheme, sufficient data was available for suburban stations in Dún Laoghaire and Ballyfermot to observe long-term trends over the period 2015 to 2019. Results average between 15µg/m³ to 20µg/m³ for the annual mean concentrations at each location compared to the annual limit value of 40µg/m³ with no exceedances of the one-hour limit value of 200µg/m³. Rathmines, Dún Laoghaire and Ballyfermot had an average NO₂ concentrations of 19µg/m³ in 2019.

Long-term trends at the City Centre location of Winetavern Street are available, which is located near the City Centre end of the Proposed Scheme. Concentrations of NO₂ were below the annual and one hour limit values, with annual average levels ranging from 27µg/m³ to 37µg/m³ over the period 2015 to 2019 compared to the annual limit value of 40µg/m³. The average concentration in 2019 was 28µg/m³.

The ambient NO₂ monitoring results for Winetavern Street, Rathmines, Dún Laoghaire and Ballyfermot over the period 2015 to 2019, based on a three-year rolling average, are shown in in Diagram 7.3. The data and trend line indicate that levels are reasonably constant at each location over the five-year period.

Table 7.14: Trends in Suburban and Urban NO₂ Concentration (µg/m³) In Dublin 2015 to 2019

Station	Station Classification Council Directive 96/62/EC	Averaging Period	Year					Limit Value
			2015	2016	2017	2018	2019	
Rathmines	Urban Background	Annual Mean NO ₂ (µg/m ³)	18	20	17	20	22	40
		99.8 th ile 1-hr NO ₂ (µg/m ³)	105	88	86	87	102	200
Ballyfermot	Suburban Background	Annual Mean NO ₂ (µg/m ³)	16	17	17	17	20	40
		99.8 th ile 1-hr NO ₂ (µg/m ³)	127	90	112	101	101	200
Dún Laoghaire	Suburban Background	Annual Mean NO ₂ (µg/m ³)	16	19	17	19	15	40
		99.8 th ile 1-hr NO ₂ (µg/m ³)	91	105	101	91	84	200

Station	Station Classification Council Directive 96/62/EC	Averaging Period	Year					Limit Value
			2015	2016	2017	2018	2019	
Winetavern Street	Urban Traffic	Annual Mean NO ₂ (µg/m ³)	31	37	27	29	28	40
		99.8 th ile 1-hr NO ₂ (µg/m ³)	128	120	110	115	115	200

* Council Directive 96/62/EC of 27 September 1996 on ambient air quality assessment and management




Diagram 7.3: Rolling Three-Year Annual NO₂ Concentration (µg/m³)

In addition to the continuous monitoring stations, the EPA has gathered NO₂ data using the passive diffusion tube methodology in proximity to the Proposed Scheme (EPA 2020c). The diffusion tube sampling was carried out in conjunction with Dublin City Council. Monitoring is for single year periods, therefore long-term averages are not available at diffusion tube locations. Further detail on the diffusion tube methodology is discussed in Section 7.3.2.2 as part of the site-specific monitoring study. The annual mean NO₂ limit value was exceeded in 2016 at Wood Quay, in 2018 at Pearse Street 2 – 4 and in 2019 at Camden Street/Wexford Street, Pearse Street Continuous Monitor and South Circular/Clanbrassil Street Lower.

Table 7.15: EPA NO₂ Diffusion Tube Monitoring Data

Monitoring Site	Monitoring Year	Annual Mean NO ₂ Concentration (µg/m ³)
Belgrave Square	2016	24.6
Bolton Street 1	2016	34.5
Bolton Street 1	2016	34.7
Busaras Environs 1 (Beresford Place)	2017	37.8
Camden Street / Wexford Street	2019	49.1
Castlewood Place	2016	19.0

Monitoring Site	Monitoring Year	Annual Mean NO ₂ Concentration (µg/m ³)
Chancery Park	2019	31.8
Charlemont Mall	2017	23.8
Charlemont Place	2017	21.2
Charlemont Road	2016	21.7
Grand Canal 1	2018	21.9
Grand Canal 2	2018	23.8
Grand Canal 3	2018	19.1
Grand Canal 4	2018	25.0
High Street/Christchurch Place	2016	38.2
Kingsland Parade	2017	28.9
Pearse St Continuous Monitor	2019	49.0
Pearse Street 2	2018	40.9
Pearse Street 3	2018	50.9
Pearse Street 4	2018	46.6
Ranelagh Road	2017	18.6
Rathmines – CEN Station	2016	20.6
Sth Circular/Clanbrassil Street Lower	2019	40.7
Winetavern Street - CEN Station	2016	30.2
Winetavern Street - Recycling	2016	38.9
Wood Quay	2016	49.1
Wynnefield Road	2017	16.9

With regard to PM₁₀, continuous monitoring data from the EPA Zone A stations was reviewed. The stations representative of the Proposed Scheme are Ballyfermot, Dún Laoghaire, Phoenix Park, Rathmines, Tallaght and Winetavern Street. Sufficient data is available to review long-term trends over a five year period (2015 to 2019), as outlined in Table 7.16. Long-term annual average levels at the urban and suburban sites of Ballyfermot, Dun Laoghaire, Phoenix Park, Rathmines and Tallaght from 9µg/m³ to 16µg/m³ over the period 2015 to 2019 compared to the annual limit value of 40µg/m³, with an average concentration of 13µg/m³ over this period. Levels ranged between 11µg/m³ - 15µg/m³ in 2019, with a maximum of nine exceedances (at Rathmines) of the 24-hour limit value of 50µg/m³ (35 exceedances are permitted per year).

Average PM₁₀ levels at the urban traffic monitoring location of Winetavern Street, which is in close proximity to the City Centre end of the Proposed Scheme, were reviewed. The annual average level in 2019 was 15µg/m³, with nine exceedance of the 24-hour limit value of 50µg/m³. The City Centre monitoring location of Winetavern Street has a long-term average (2015 to 2019) of 14µg/m³.

Continuous PM_{2.5} monitoring carried out at the Zone A locations of Ballyfermot, Dún Laoghaire Phoenix Park, Davitt Road, Finglas, Ringsend, Rathmines and Marino showed an average of 9µg/m³ in 2019. Longer term averages for Finglas, Rathmines and Marino from 2015 to 2019 show annual average concentrations of between 6µg/m³ to 10µg/m³. The annual averages in these suburban locations are likely to be representative of the existing levels of PM_{2.5} for the Proposed Scheme. Rathmines monitors both PM₁₀ and PM_{2.5} allowing a ratio of PM₁₀ to PM_{2.5} to be calculated. The average PM_{2.5}/PM₁₀ ratio in Rathmines was 0.53 in 2019.

Table 7.16 Trends in Suburban and Urban PM₁₀ Concentration (µg/m³) In Dublin 2015 to 2019

Station	Averaging Period	Year					Limit Value
		2015	2016	2017	2018	2019	
Winetavern Street	Annual Mean PM ₁₀ (µg/m ³)	14	14	13	14	15	40
	90 th ile 24-hr PM ₁₀ (µg/m ³)	25	23	21	24	26	50
Rathmines	Annual Mean PM ₁₀ (µg/m ³)	15	15	13	15	15	40
	90 th ile 24-hr PM ₁₀ (µg/m ³)	28	28	24	25	25	50
Dún Laoghaire	Annual Mean PM ₁₀ (µg/m ³)	13	13	12	13	12	40
	90 th ile 24-hr PM ₁₀ (µg/m ³)	22	22	21	21	21	50
Tallaght	Annual Mean PM ₁₀ (µg/m ³)	14	14	12	15	12	40
	90 th ile 24-hr PM ₁₀ (µg/m ³)	26	28	22	24	19	50
Phoenix Park	Annual Mean PM ₁₀ (µg/m ³)	12	11	9	11	11	40
	90 th ile 24-hr PM ₁₀ (µg/m ³)	20	20	16	18	18	50
Ballyfermot	Annual Mean PM ₁₀ (µg/m ³)	12	11	12	16	14	40
	90 th ile 24-hr PM ₁₀ (µg/m ³)	22	21	21	24	26	50

7.3.2.2 Site-Specific Monitoring Data

Monitoring of NO₂ in proximity to the Proposed Scheme, and roads that have the potential to be impacted by it, was carried out using passive diffusion tubes. The baseline monitoring study was carried out close to the alignment of the Proposed Scheme, with monitoring focusing on areas of greatest potential impact. The results of the monitoring survey allow for an indicative comparison with the annual limit value for NO₂. Diffusion tubes are a useful tool for assessing the spatial variation of NO₂ as they do not require an electrical connection and allow for multiple locations to be monitored at the same time. The results also provide information on the influence of road sources relative to the prevailing background level of these pollutants in the area. The spatial variation in NO₂ levels away from air emission sources is particularly important, as a complex relationship exists between NO, NO₂ and O₃ leading to a non-linear variation of NO₂ concentrations with distance from these sources.

A baseline NO₂ monitoring survey was undertaken as part of the air quality assessment for the BusConnects Dublin – Core Bus Corridors Infrastructure Works (hereafter referred to as the Proposed Works). Monitoring at 112 locations was completed for a seven-month data collection period (with six diffusion tube change overs between 15 November 2019 to 8 June 2020). However, due to COVID-19 impacts on the baseline traffic environment, the final two data sets (16 March 2020 to 8 June 2020) are considered non ‘typical’ baseline data and therefore are not included in the baseline data set.

Under the TII Air Quality Guidelines (TII 2011) a minimum of one-month baseline monitoring is required, ideally extending to at least three months. The TII Air Quality Guidance specifically states:

‘Monitoring should ideally be carried out for a period of six months, including both summer and winter periods. However, for practical reasons, the monitoring period may be shorter, but, wherever possible, should extend for at least 3 months and should not be less than 1 month’.

In general, four months of typical (i.e. prior to COVID-19 conditions) baseline data was collected which achieves the minimum monitoring period recommended in the TII Air Quality Guidelines.

Studies in the UK have shown that diffusion tube monitoring results generally have a positive or negative bias when compared to continuous analysers. This bias is laboratory specific and is dependent on the specific analysis procedures at each laboratory. A diffusion tube bias of 0.77 was obtained for the SOCOTEC laboratory (which analysed the diffusion tubes) from the UK DEFRA website (DEFRA 2018). In addition, three diffusion tubes were co-located with the continuous EPA NO₂ monitors at a number of locations across the Proposed Works in order to develop a local bias adjustment factor specific to the Proposed Scheme. A bias adjustment factor was calculated for the St. John’s Road (near Heuston Station) monitor of 0.76. A bias adjustment factor of 0.77 was

selected for the diffusion tube monitoring results as this value was the more conservative of the laboratory derived and site-specific biases.

In addition to the bias adjustment, an annualization factor is required as the monitoring period did not extend to a full year. The annualization factor was prepared as per LAQM (TG16) (DEFRA, 2018). The annualisation factor is necessary as NO₂ concentrations vary across the year and this should be accounted for within the baseline monitoring. The factor was calculated using 2019 monitoring data from Ballyfermot, Winetavern, Davitt Road and St. Johns Road using Box 7.10 of LAQM (TG16). This factor was calculated to be 0.986 for the period of the diffusion tube monitoring.

The ten monitored locations in the vicinity of the Proposed Scheme are listed in Table 7.17 and shown in Figure 7.1 in Volume 3 of this EIAR. Table 7.18 and Diagram 7.4 outline the results of the baseline NO₂ diffusion tube monitoring over the period 15 November 2019 to 16 March 2020.

The highest four-month average concentration was recorded at a roadside location on Rathmines Road Lower (tube no. 10.9) at the junction with Williams Park. Concentrations at this location were 36µg/m³ or 90% of the annual mean limit value with the bias adjustment and annualisation factor applied. No monitoring locations along the Proposed Scheme recorded an exceedance in the annual mean limit value for NO₂.

The lowest concentration was recorded at 59 Springfield Avenue (tube no. 10.3) (16.4µg/m³). This location has the potential to be impacted due to changes in traffic flows adjacent to the Proposed Scheme.

Based on guidance from DEFRA, it can be considered that exceedances of the NO₂ one-hour limit value objective may occur at roadside sites if the annual mean is above 60µg/m³ (DEFRA 2018). None of the ten sites monitored are considered likely to exceed the NO₂ one-hour objective.

Table 7.17: Air Quality Monitoring Locations

Tube No.	Reference	Site	East (ITM)	North (ITM)
10.1	CBC0010DT001	66 Cypress Grove Road	712684	728925
10.2	CBC0010DT002	Rathdown Drive	713735	729520
10.3	CBC0010DT003	59 Springfield Avenue	713404	728928
10.4	CBC0010DT004	St. Marys Boys N.S.	714519	728584
10.5	CBC0010DT005	Fergus Road, Terenure	714204	730060
10.6	CBC0010DT006	59 Terenure Road East	714675	730346
10.7	CBC0010DT007	Rathmines EPA Colocation	715444	731603
10.8	CBC0010DT008	23 Castlewood Avenue, Rathmines	715760	731701
10.9	CBC0010DT009	Rathmines Road Lower	715561	731950
10.10	CBC0010DT010	59 Heytesbury Street	715337	732814


Table 7.18: Air Quality Monitoring Results

Tube No.	Site	15 Nov – 15 Dec 2019 (µg/m ³)	15 Dec 2019 – 15 Jan 2020 (µg/m ³)	15 Jan – 17 Feb 2020 (µg/m ³)	15 Feb – 16 Mar 2020 (µg/m ³)	Average	Locally Bias Adjusted and Annualised NO ₂ Concentration (µg/m ³) ^{Note 1, Note 2}
10.1	66 Cypress Grove Road	36.0	25.3	25.0	18.5	26.2	19.9
10.2	Rathdown Drive	32.0	23.1	21.6	18.8	23.9	18.1
10.3	59 Springfield Avenue	31.1	20.5	20.6	14.3	21.6	16.4
10.4	St. Marys Boys N.S.	25.8	30.0	29.8	19.9	26.4	20.0

Tube No.	Site	15 Nov – 15 Dec 2019 (µg/m ³)	15 Dec 2019 – 15 Jan 2020 (µg/m ³)	15 Jan – 17 Feb 2020 (µg/m ³)	15 Feb – 16 Mar 2020 (µg/m ³)	Average	Locally Bias Adjusted and Annualised NO ₂ Concentration (µg/m ³) ^{Note 1, Note 2}
10.5	Fergus Road, Terenure	35.1	25.3	26.0	17.0	25.9	19.6
10.6	59 Terenure Road East	45.8	35.8	35.0	27.8	36.1	27.4
10.7	Rathmines EPA Colocation	29.1	24.9	19.2	16.4	22.4	17.0
10.8	23 Castlewood Avenue, Rathmines	45.3	36.6	34.1	25.5	35.4	26.8
10.9	Rathmines Road Lower	58.3	45.6	Lost	38.5	47.5	36.0
10.10	59 Heytesbury Street	45.6	43.1	36.1	25.3	37.5	28.5
Average		38.4	31.0	27.5	22.2	30.3	23.0
Max		58.3	45.6	36.1	38.5	47.5	36.0
Min		25.8	20.5	19.2	14.3	21.6	16.4

Note 1: Bias adjustment factor: 0.77, Annualisation factor: 0.986

Note 2: Locally bias adjusted concentrations in bold exceed the 80% threshold value for screening modelling



* Annual mean limit value denoted by red line.

Diagram 7.4: Locally Bias Adjusted and Annualised NO₂ Concentration (µg/m³)

7.3.3 Existing Modelled Baseline Scenario

In the Existing Baseline Scenario, the current air quality environment experienced within the study area has been modelled. The Existing Baseline modelling scenario has been modelled using AMDS-Roads for the representative baseline year of 2019, to establish baseline concentrations at receptors within the Proposed Scheme study area. Predicted annual mean concentrations of NO₂, PM₁₀, PM_{2.5} and the number of exceedances of the 24-hour PM₁₀ limit value objective, at selected most impacted existing air quality sensitive receptors in the 2019 Existing Baseline scenario are listed in Table 7.19. Locations of these receptors are shown in Figures 7.3 to 7.8 in Volume 3 of this EIAR. Statistics for the full list of modelled receptors can be found in Table 1.1 (Appendix A7.1 – Detailed Modelling Results in Volume 4 of this EIAR).

Table 7.19: Existing Baseline Scenario Pollutant Statistics at Most Impacted Receptor Locations

Existing Baseline (2019)					No of PM ₁₀ days > 50 µg/m ³
Receptor	Receptor Location (ITM) (m)	Annual Mean Concentration (µg/m ³)			
		NO ₂	PM ₁₀	PM _{2.5}	
AQ3	715484,733638	34.2	15.7	11.1	1
AQ3	715484,733638	34.2	15.7	11.1	1
AQ4	715482,733620	34.1	15.7	11.1	1
AQ5	715498,733591	37.4	16.2	11.4	1
AQ7	715504,733648	37.8	16.2	11.4	1
AQ10	715467,733397	34.6	16.1	11.3	1
AQ12	715511,733714	39.3	16.2	11.4	1
AQ13	715495,733568	37.7	16.3	11.5	1
AQ18	712920,728769	29.8	15.6	11.0	1
AQ73	714220,730073	28.8	15.2	10.8	<1
AQ83	714394,730195	30.8	15.4	10.9	<1
AQ84	714378,730235	30.6	15.3	10.9	<1
AQ85	714349,730189	32.3	15.4	10.9	<1
AQ86	714311,730191	30.8	15.4	10.9	<1
AQ88	714406,730216	32.4	15.5	11.0	1
AQ89	714516,730270	32.5	15.7	11.1	1
AQ91	714425,730243	31.3	15.4	10.9	<1
AQ189	714993,730456	30.5	15.4	10.9	<1
AQ190	714984,730476	30.9	15.5	11.0	1
AQ198	715074,730659	28.2	15.3	10.8	<1
AQ223	715120,730777	27.1	15.1	10.7	<1
AQ246	715566,732023	28.7	15.1	10.7	<1
AQ250	715598,732173	34.5	15.7	11.1	1
AQ251	715612,732226	28.0	15.0	10.6	<1
AQ253	715607,732187	29.0	15.1	10.7	<1
AQ280	715550,731624	31.3	15.5	11.0	<1
AQ295	715596,732360	28.4	15.2	10.7	<1
AQ296	715607,732475	40.5	15.4	10.9	<1
AQ297	715628,732456	40.0	15.4	10.9	<1
AQ299	715592,732582	32.4	15.6	11.0	1
AQ300	715613,732580	36.0	16.0	11.3	1
AQ301	715628,732545	35.6	15.9	11.3	1
AQ305	714646,728539	35.2	16.0	11.3	1
AQ315	715586,732617	32.2	15.6	11.0	1
AQ316	715609,732606	35.0	16.0	11.3	1
AQ318	715551,733063	34.5	16.0	11.3	1
AQ319	715541,733159	34.9	16.1	11.3	1
AQ320	715550,733100	34.8	16.1	11.3	1

Existing Baseline (2019)					No of PM ₁₀ days > 50 µg/m ³
Receptor	Receptor Location (ITM) (m)	Annual Mean Concentration (µg/m ³)			
		NO ₂	PM ₁₀	PM _{2.5}	
AQ321	715545,733145	34.5	16.0	11.3	1
AQ322	715527,733108	32.6	15.7	11.1	1
AQ323	715526,733215	39.1	16.4	11.5	1
AQ324	715520,733260	38.7	16.2	11.5	1
AQ325	715479,733323	39.4	16.5	11.6	1
AQ326	715467,733351	36.4	16.2	11.4	1
AQ327	715505,733227	35.6	15.9	11.2	1
AQ329	715510,733290	41.5	16.6	11.7	1
AQ330	715501,733256	36.5	16.0	11.3	1
AQ331	715489,733277	34.1	15.7	11.1	1
AQ332	715592,732740	40.0	15.2	10.8	<1
AQ333	715594,732766	43.0	15.4	10.9	<1
AQ339	715550,732972	36.1	16.1	11.4	1
AQ340	715549,732946	37.9	16.3	11.5	1
AQ343	715552,733030	34.4	16.0	11.3	1
AQ344	715549,733001	35.6	16.1	11.4	1
AQ357	715588,734078	45.7	16.7	11.8	1
AQ394	715889,732519	40.9	15.6	11.0	1
AQ398	716370,732708	39.6	16.6	11.7	1
AQ423	711079,727940	39.0	17.5	12.2	1
AQ460	714885,732472	41.5	16.8	11.8	1
AQ548	713667,729497	31.5	15.7	11.1	1
AQ550	713514,729333	32.1	15.8	11.2	1
AQ565	713495,729279	27.9	15.0	10.7	<1
AQ574	715716,734090	53.7	17.7	12.4	1
AQ584	715594,733943	39.8	16.5	11.6	1
AQ598	715405,733325	35.5	16.4	11.5	1
AQ6	715508,733685	40.1	16.3	11.5	1
AQ8	715488,733494	42.3	17.3	12.1	1
AQ9	715493,733542	42.3	17.1	12.0	1
AQ11	715480,733431	40.7	16.9	11.9	1
AQ177	714605,731037	36.3	16.4	11.6	1
AQ180	714613,731056	37.2	16.6	11.7	1
AQ302	715615,732562	37.6	16.2	11.4	1
AQ303	715599,732543	39.3	16.4	11.6	1
AQ313	715593,732673	38.2	16.2	11.4	1
AQ314	715598,732649	37.3	16.1	11.4	1
AQ317	715567,732733	41.1	16.2	11.5	1
AQ328	715511,733317	42.0	16.7	11.8	1

Existing Baseline (2019)					No of PM ₁₀ days > 50 µg/m ³
Receptor	Receptor Location (ITM) (m)	Annual Mean Concentration (µg/m ³)			
		NO ₂	PM ₁₀	PM _{2.5}	
AQ335	715555,732801	46.3	16.9	11.9	1
AQ337	715548,732841	42.0	16.4	11.6	1
AQ397	716325,732791	40.7	16.6	11.7	1
AQ341	715552,732925	41.4	16.4	11.6	1
AQ404	715667,732466	35.7	15.1	10.7	<1
AQ372	715506,733370	41.5	16.9	11.9	1
AQ387	715610,732912	39.9	16.5	11.6	1
AQ457	714843,732402	43.9	17.3	12.2	1
AQ488	715959,734385	54.4	17.6	12.3	1
AQ134	711504,728117	40.1	17.8	12.4	1
AQ166	714591,731017	40.3	17.1	12.0	1
AQ571	715567,732856	67.3	19.2	13.5	3
AQ582	715505,733658	46.7	17.2	12.1	1
AQ364	715192,733670	37.5	16.3	11.5	1
AQ370	715589,733351	38.8	16.7	11.8	1
AQ384	715054,733468	46.2	17.2	12.1	1
AQ386	715025,733184	34.5	16.0	11.3	1
AQ462	714871,732667	37.1	16.5	11.6	1
AQ464	714775,732703	39.0	17.0	11.9	1
AQ466	714866,732814	39.7	16.8	11.8	1
AQ463	714899,732730	45.2	17.5	12.3	1
Air Quality Limit Value Objective		40	40	25	35

In the 2019 Existing Baseline scenario, annual mean concentrations of NO₂ are above the relevant national air quality limit value objective in some areas; 39 exceedances were modelled at receptors on the R105 Burgh Quay, R110 Kevin Street Lower, R111 Canal Road, R114 Aungier Street /Camden Street Lower/Rathmines Road Lower/Richmond Street South/South Great George's Street, R137 Clanbrassil Street Lower/ Clanbrassil Street Upper/Dame Street/Harold's Cross Road/New Street South/Tallaght Road, R138 Leeson Street Lower, R148 Aston Quay/Wellington Quay and R811 South Circular Road and Bride Street. Concentrations at all receptors with exceedances can be found in Table 1.1 (Appendix A7.1 in Volume 4 of this EIAR). Some of these receptors have been excluded from results tables in this chapter as these locations experience a negligible impact due to the Proposed Scheme. They are therefore not considered most impacted receptors. Annual mean NO₂ concentrations exceeded 60µg/m³ at one receptor on the R114 Richmond Street South, indicating that exceedances of the NO₂ 1-hour mean may occur. Annual mean PM₁₀ concentrations are below the relevant national air quality standards in 2019 for all modelled receptors. At all receptors, modelling of the maximum 24-hour PM₁₀ concentration indicated that there are likely to be no more than three exceedances of the 50µg/m³ ambient limit value compared to the threshold which allows 35 daily exceedances in any one calendar year. Annual mean PM_{2.5} concentrations are also below the relevant national air quality limit value objective for all modelled receptors.

7.4 Potential Impacts

7.4.1 Characteristics of the Proposed Scheme

In the context of the Proposed Scheme, the potential air quality impact on the surrounding environment must be considered for two distinct stages:

- Construction Phase; and
- Operational Phase.

7.4.2 Construction Phase

During the Construction Phase of the Proposed Scheme, works will involve predominately utility diversions, road widening works, road excavation works (where required), road and junction reconfiguration and resurfacing works, public realm improvements including landscaping, and construction traffic access routes including movement of machinery and materials within and to and from the six construction compounds along the Proposed Scheme.

Other works specific to the Proposed Scheme include the construction of:

- Preparatory and site clearance works including ground investigations and demolition of the existing boundary wall at Rathfarnham Castle;
- The setting up of six Construction Compounds;
- A range of pavement works including construction of general traffic carriageways, bus lanes, on-road cycle tracks, off-road cycle tracks, off-line bus stops, bus terminals, traffic islands, off-line parking and loading bays; and
- A range of structural works including a new boundary wall at Rathfarnham Castle, a minor retaining wall, general traffic carriageways, cycle tracks and bus stops.

Potential air quality impacts associated with the Proposed Scheme will be associated with the Construction Phase and the long-term Operational Phase. During the Construction Phase, site clearance and preparation, landscaping, road and junction construction works all have the potential to generate dust and gaseous air emissions on site.

Chapter 5 (Construction) provides a full description of the proposed construction phasing and works for the Proposed Scheme.

For the purposes of the EIAR, four individual construction sections are set out. Sections may be completed simultaneously and combined in certain areas. Table 5.1 in Chapter 5 (Construction) includes a summary of each section with the estimated time for the completion of works in these areas.

It is envisaged that construction may be completed in parallel in the following Sections:

- **Section 1:** Tallaght Road, Templeogue Road to Rathfarnham Road:
 - **Section 1a:** Tallaght Road: M50 to Spawell Roundabout;
 - **Section 1b:** Spawell Roundabout;
 - **Section 1c:** Templeogue Road: Spawell Roundabout to Cypress Grove Junction;
 - **Section 1d:** Templeogue Road: Cypress Grove Junction to Templeville Road;
 - **Section 1e:** Templeogue Road: Templeville Road to Rathdown Avenue;
 - **Section 1f:** Templeogue Road: Rathdown Avenue to Terenure Road North; and
 - **Section 1g:** Bushy Park Road, Wasdale Park, Wasdale Road, Wasdale Grove, Victoria Road, Zion Road and Orwell Road.
- **Section 2:** Nutgrove Avenue to Terenure Road North – Grange Road, Rathfarnham Road:
 - **Section 2a:** Rathfarnham Road: Grange Road Junction to Main Street Junction;
 - **Section 2b:** Rathfarnham Road: Main Street Junction to Dodder Park Road;
 - **Section 2c:** Rathfarnham Road: Dodder Park Road to Terenure Junction;

- **Section 2d:** Terenure Road North: Rathfarnham Junction to Mount Tallant Avenue; and
- **Section 2e:** Harold's Cross Road: Mount Tallant Avenue to Harold's Cross.
- **Section 3:** Terenure Road North to Charleville Road – Terenure Road East, Rathgar Road:
 - **Section 3a:** Terenure Road East: Terenure Junction to Rathgar Avenue; and
 - **Section 3b:** Rathgar Road: Rathgar Avenue to Rathmines Road.
- **Section 4:** Charleville Road to Dame Street;
 - **Section 4a:** Rathmines Road Lower: Rathgar Road to Grove Road;
 - **Section 4b:** Camden Street: Grove Road to Cuffe Street;
 - **Section 4c:** R114: Cuffe Street to Dame Street; and
 - **Section 4d:** Offline Sections.

Road works by their nature are transient in nature as the works progress along the length of the route of the Proposed Scheme. This includes excavation and fill works and road completion works.

The potential air quality impacts associated with this phase are set out within Sections 7.4.2.1 and 7.4.2.3.

7.4.2.1 Construction Dust Assessment

In order to determine the level of dust mitigation required during the proposed works, the potential dust emission magnitude for each dust generating activity needs to be taken into account, in conjunction with the sensitivity of the area, as outlined above (Section 7.2.4.4).

The Institute of Air Quality Management (IAQM) has issued guidelines (IAQM 2014) which also outline the assessment criteria for assessing the impact of dust emissions from construction activities based on both receptor sensitivity and the number of receptors affected. In terms of receptor sensitivity, the study area is characterised as having high, medium and low sensitivity receptors within 350m of the construction activities associated with the Proposed Scheme.

Table 7.11 identifies how the sensitivity of an area may be determined for dust soiling taking into account the number of receptors, the receptor sensitivity and distance from the source. The area in proximity to the Proposed Scheme would be an area of high sensitivity with greater than 100 receptors within 20m of the construction activities.

In addition, the IAQM guidelines outline the assessment criteria for assessing the impact of PM₁₀ emissions from construction activities based on current annual mean PM₁₀ concentration, receptor sensitivity and the number of receptors affected. The current PM₁₀ concentration in Zone A locations as reported in Section 7.3.2.1 is approximately 15 µg/m³. Based on the criteria outlined in Table 7.12 the risk to human health from PM₁₀ emissions at the nearest residential receptor (high sensitivity, distance less than 20m and with receptor numbers between >100) is considered medium under this guidance.

Table 7.13 identifies how the sensitivity of an area may be determined for ecological impacts taking into account the distance from the source to the ecological receptor and the sensitivity of the ecological receptor. The Grand Canal pNHA is an ecological receptor of medium sensitivity in proximity to the Proposed Scheme with a particularly important plant species, where its dust sensitivity is uncertain or unknown within 20m of the construction activities.

The major dust generating activities are divided into four types within the IAQM guidance (IAQM 2014) to reflect their different potential impacts. These are:

- Demolition;
- Earthworks;
- Construction; and
- Trackout.

7.4.2.1.1 Demolition

Demolition will primarily involve the demolition of the existing boundary wall at Rathfarnham Castle (380m in length). The dust emission magnitude from demolition can be classified as small, medium or large based on the definitions from the IAQM guidance as transcribed below:

- **Large:** Total building volume > 50,000 m³, potentially dusty construction material (e.g. concrete), on-site crushing and screening, demolition activities > 20 m above ground level;
- **Medium:** Total building volume 20,000 m³ – 50,000 m³, potentially dusty construction material, demolition activities 10-20 m above ground level; and
- **Small:** Total building volume < 20,000 m³, construction material with low potential for dust release (e.g. metal cladding or timber), demolition activities < 10 m above ground, demolition during wetter months.

The dust emission magnitude for the proposed demolition activities can be conservatively classified as small as the total building volume is likely to be less than 20,000m³, with low potential for dust release.

The magnitude for each dust generating activity is combined with the sensitivity of the area to define the risk of dust impacts in the absence of mitigation. The sensitivity of the area is considered to be low for dust soiling and medium for human health impacts. As outlined in Table 7.20 this results in an overall low risk of temporary dust soiling impacts and a medium risk of temporary human health impacts as a result of the proposed demolition activities. In relation to ecological impact, as the receptor is of medium sensitivity, the risk associated with the proposed demolition activities is described as low.

Overall, in order to ensure that no dust nuisance occurs during the demolition activities, a range of dust mitigation measures associated with a low risk of dust impacts must be implemented. When the dust mitigation measures detailed in the mitigation section of this Chapter are implemented, fugitive emissions of dust from the site will not have a significant impact at nearby receptors.

Table 7.20: Risk of Dust Impacts - Demolition

Sensitivity of Area	Dust Emission Magnitude		
	Large	Medium	Small
High	High Risk	Medium Risk	Low Risk
Medium	Medium Risk	Medium Risk	Low Risk
Low	Low Risk	Low Risk	Negligible

7.4.2.1.2 Earthworks

Earthworks will primarily involve excavating material, haulage, tipping and stockpiling activities. Activities such as preparatory works, levelling and landscaping works are also considered under this category. The dust emission magnitude from earthworks can be classified as small, medium or large based on the definitions from the IAQM guidance as transcribed below:

- **Large:** Total site area > 10,000 m², potentially dusty soil type (e.g. clay which will be prone to suspension when dry due to small particle size), >10 heavy earth moving vehicles active at any one time, formation of bunds > 8 m in height, total material moved >100,000 tonnes;
- **Medium:** Total site area 2,500 m² – 10,000 m², moderately dusty soil type (e.g. silt), 5 - 10 heavy earth moving vehicles active at any one time, formation of bunds 4 – 8 m in height, total material moved 20,000 – 100,000 tonnes; and
- **Small:** Total site area < 2,500 m², soil type with large grain size (e.g. sand), < 5 heavy earth moving vehicles active at any one time, formation of bunds < 4 m in height, total material moved < 20,000 tonnes, earthworks during wetter months.

The dust emission magnitude for the proposed earthwork activities required for the Proposed Scheme is conservatively classified as large. The proposed Construction Compounds plus the Proposed Scheme

construction site areas will have a total site area greater than 10,000m², while there would be between five and ten heavy earth moving vehicles in use at any one time during peak construction activities.

The sensitivity of the area is combined with the dust emission magnitude for each dust generating activity to define the risk of dust impacts in the absence of mitigation. The sensitivity of the area would be described as high for dust soiling and medium for human health impacts. As outlined in Table 7.21, this results in an overall high risk of temporary dust soiling impacts and an overall medium risk of temporary human health impacts as a result of the proposed earthworks activities. In relation to ecological impact, as the receptor is of medium sensitivity, the risk associated with the proposed earthwork activities is described as medium.

Overall, in order to ensure that no dust nuisance occurs during the proposed earthworks activities, a range of dust mitigation measures associated with a high risk of dust impacts must be implemented. When the dust mitigation measures detailed in the mitigation section of this Chapter are implemented, fugitive emissions of dust from the site will not have a significant impact at nearby receptors.

Table 7.21: Risk of Dust Impacts – Earthworks

Sensitivity of Area	Dust Emission Magnitude		
	Large	Medium	Small
High	High Risk	Medium Risk	Low Risk
Medium	Medium Risk	Medium Risk	Low Risk
Low	Low Risk	Low Risk	Negligible

7.4.2.1.3 Construction

Dust emission magnitude from construction can be classified as small, medium or large based on the definitions from the IAQM guidance as transcribed below:

- **Large:** Total building volume > 100,000 m³, on-site concrete batching, sandblasting;
- **Medium:** Total building volume 25,000 m³ – 100,000 m³, potentially dusty construction material (e.g. concrete), on-site concrete batching; and
- **Small:** Total building volume < 25,000 m³, construction material with low potential for dust release (e.g. metal cladding or timber).

The dust emission magnitude for the proposed construction activities can be classified as small, due to the construction of a new boundary wall at Rathfarnham Castle. The key construction activities after earthworks are installation of the paving materials and the construction of one minor retaining wall.

The sensitivity of the area is combined with the dust emission magnitude for each dust generating activity to define the risk of dust impacts in the absence of mitigation. As outlined in Table 7.22, this results in an overall low risk of temporary dust soiling impacts and an overall low risk of temporary human health impacts as a result of the proposed construction activities. In relation to ecological impact, as the receptor is of medium sensitivity, the risk associated with the proposed construction activities is described as low.

Overall, in order to ensure that no dust nuisance occurs during the construction activities, a range of dust mitigation measures associated with a low risk of dust impacts will be implemented. When the dust mitigation measures detailed in the mitigation section of this Chapter are implemented, fugitive emissions of dust from the site will not have a significant impact at nearby receptors.

Table 7.22: Risk of Dust Impacts – Construction

Sensitivity of Area	Dust Emission Magnitude		
	Large	Medium	Small
High	High Risk	Medium Risk	Low Risk
Medium	Medium Risk	Medium Risk	Low Risk
Low	Low Risk	Low Risk	Negligible

7.4.2.1.4 Trackout

Factors which determine the dust emission magnitude are vehicle size, vehicle speed, number of vehicles, road surface material and duration of movement. Dust emission magnitude from trackout can be classified as small, medium or large based on the definitions from the IAQM Guidance (IAQM 2014), as transcribed below:

- **Large:** > 50 HDV (> 3.5 t) outward movements in any one day, potentially dusty surface material (e.g. high clay content), unpaved road length > 100 m;
- **Medium:** 10 - 50 HDV (> 3.5 t) outward movements in any one day, moderately dusty surface material (e.g. high clay content), unpaved road length 50 - 100 m; and
- **Small:** < 10 HDV (> 3.5 t) outward movements in any one day, surface material with low potential for dust release, unpaved road length < 50 m.

The dust emission magnitude for the proposed trackout can be classified as medium with between approximately 10 and 50 HDV outward movements in any one day during peak construction activity and with surface material with a low potential for dust release.

The sensitivity of the area is combined with the dust emission magnitude for each dust generating activity to define the risk of dust impacts in the absence of mitigation. As outlined in Table 7.23, this results in an overall medium risk of temporary dust soiling impacts and an overall medium risk of temporary human health impacts as a result of the proposed trackout activities. In relation to ecological impact, as the receptor is of medium sensitivity, the risk associated with the proposed trackout is described as medium.

Overall, in order to ensure that no dust nuisance occurs during the trackout activities, a range of dust mitigation measures associated with a medium risk of dust impacts must be implemented. When the dust mitigation measures detailed in the mitigation section of this Chapter are implemented, fugitive emissions of dust from the site will not have a significant impact at nearby receptors.

Table 7.23: Risk of Dust Impacts – Trackout

Sensitivity of Area	Dust Emission Magnitude		
	Large	Medium	Small
High	High Risk	Medium Risk	Low Risk
Medium	Medium Risk	Medium Risk	Low Risk
Low	Low Risk	Low Risk	Negligible

7.4.2.2 Summary of Potential Dust Impacts

The risk of dust impacts as a result of the Proposed Scheme are summarised in Table 7.24 for each activity. The magnitude of risk determined is used to prescribe the level of site specific mitigation required for each activity in order to prevent significant impacts occurring.

In accordance with the EPA Guidelines (EPA 2022) the impacts associated with the Construction Phase dust emissions pre-mitigation are overall negative, not significant and short-term.

Table 7.24: Summary of Dust Impact Risk Used to Define Site-Specific Mitigation

Potential Impact	Dust Emission Magnitude			
	Demolition	Earthworks	Construction	Trackout
Dust Soiling	Low Risk	High Risk	Low Risk	Medium Risk
Human Health	Low Risk	Medium Risk	Low Risk	Medium Risk
Ecological	Low Risk	Medium Risk	Low Risk	Medium Risk

7.4.2.3 Construction Traffic Assessment

In addition to direct impacts from the construction works including Construction Compounds, there will also be the potential for air impacts from construction traffic along public roads.

A detailed analysis of construction traffic volumes has been conducted to determine the expected HDV movements required to transport the materials extracted and delivered to site. A total of eight public roads have been identified as required construction access routes where construction traffic will be permitted to travel along. Whilst the overall construction period is forecast as 24 months, construction traffic movements are assumed to occur over a 12-month period along construction access roads accessing specific work zones as a worst-case. For national and regional roads serving multiple work zones, a construction period of 30 months has been assumed.

Traffic volumes for the base scenario are based on the 2024 Do Minimum flows projected along the local road network. These are AADT flows with percentage HGV flows. An additional 528 HDV vehicles per day associated with construction traffic along each road including construction deliveries and earthworks material haulage are added to the base traffic volumes. The estimated construction traffic volumes are based on the peak construction period volumes and are therefore a worst-case assumption. In reality the Proposed Scheme will be constructed in phases with lower volumes and the corridor of the Proposed Scheme will be used for a large bulk of construction delivery vehicles along its route.

In order to determine the potential air quality impacts associated with additional construction traffic on the identified construction access routes, a comparison between ambient air concentrations for the 2024 Do Minimum scenario and the 2024 Do Something (construction) scenario was carried out.

7.4.2.3.1 'Do Minimum' Scenario

The Do Minimum (DM) is a defined scenario within the traffic modelling analysis in Chapter 6 (Traffic & Transport) and is based on the likely conditions of the road network with all major committed transportation schemes in place that will impact on the use of public transport and private car, not including construction traffic associated with the Proposed Scheme. The output of this analysis and its impact on air quality has been modelled using AMDS-Roads for the construction year of 2024. Predicted annual mean concentrations of NO₂, PM₁₀, PM_{2.5} and the number of exceedances of the 24-hour PM₁₀ limit value objective, at selected most impacted existing air quality sensitive receptors in the 2024 DM scenario are listed in Table 7.25. Locations of these receptors are shown in Figures 7.6 to 7.8, Volume 3 of this EIAR. Statistics for the full list of modelled receptors can be found in Table 2.1 (Appendix A7.1 in Volume 4 of this EIAR). 'Most impacted' refers to those receptors with non-negligible impacts due to the Construction Phase of the Proposed Scheme.

Table 7.25: Predicted 2024 Do Minimum Construction Pollutant Statistics At Most Impacted Receptor Locations

DM (2024)					
Receptor	Receptor Location (ITM)	Annual Mean Conc. (µg/m ³)			No of PM ₁₀ days > 50 µg/m ³
		NO ₂	PM ₁₀	PM _{2.5}	
AQ9	715493,733542	41.1	17.0	11.9	1
AQ250	715598,732173	34.0	15.7	11.1	1
AQ300	715613,732580	35.7	16.0	11.2	1

DM (2024)					
Receptor	Receptor Location (ITM)	Annual Mean Conc. ($\mu\text{g}/\text{m}^3$)			No of PM_{10} days > $50 \mu\text{g}/\text{m}^3$
		NO_2	PM_{10}	$\text{PM}_{2.5}$	
AQ301	715628,732545	35.2	15.9	11.2	1
AQ315	715586,732617	31.9	15.6	11.0	1
AQ316	715609,732606	34.7	15.9	11.2	1
AQ332	715592,732740	39.3	16.2	11.4	1
AQ337	715548,732841	41.1	16.3	11.5	1
AQ457	714999,732403	43.6	17.3	12.0	1
AQ460	714612,732426	41.2	15.4	10.7	<1
AQ582	715449,734173	44.7	17.1	12.0	1
AQ177	714605,731037	36.1	16.4	11.5	1
AQ180	714613,731056	37.0	16.5	11.6	1
AQ296	715607,732475	40.0	16.7	11.6	1
AQ297	715628,732456	39.4	16.6	11.5	1
AQ302	715615,732562	37.1	16.1	11.3	1
AQ303	715599,732543	38.8	16.3	11.5	1
AQ313	715593,732673	37.7	16.1	11.3	1
AQ314	715598,732649	36.9	16.1	11.3	1
AQ571	715110,731002	65.3	16.6	11.7	1
AQ166	714591,731017	40.1	17.0	11.9	1
AQ394	715829,732595	40.8	15.5	10.9	1
AQ397	716211,732645	40.3	16.5	11.5	1
AQ398	716325,732791	39.4	16.5	11.6	1
AQ404	715695,732403	35.4	15.1	10.6	<1
AQ464	714899,732730	39.2	17.1	11.9	1
Air Quality Limit Value Objective		40	40	25	35

In the 2024 DM Scenario, annual mean concentrations of NO_2 are above the relevant national air quality limit value objective in some areas; 35 exceedances were modelled at receptors on the R105 Burgh Quay, R110 Kevin St Lower, R111 Canal Rd, R114 Aungier Street /Camden Street Lower/Rathmines Road Lower/Richmond Street South/South Great George's St, R137 Clanbrassil Street Lower/ Clanbrassil Street Upper/Dame Street /Harold's Cross Road /New Street South/Tallaght Road, R138 Leeson Street Lower, R148 Aston Quay/Wellington Quay and R811 South Circular Road and Bride Street. Concentrations at all receptors with exceedances can be found in Table 2.1 (Appendix A7.1, Volume 4 of this EIAR). Some of these receptors have been excluded from this section as these locations experience a negligible impact due to the Proposed Scheme and are therefore not considered most impacted receptor. Annual mean NO_2 concentrations exceeded $60 \mu\text{g}/\text{m}^3$ at one receptor on the R114 Richmond St South, indicating that exceedances of the NO_2 1-hour mean may occur. Annual mean PM_{10} concentrations are below the relevant national air quality limit value objective for all modelled receptors. At all receptors, modelling of the maximum 24-hour PM_{10} concentration indicated that there is likely to be no more than one exceedance of the $50 \mu\text{g}/\text{m}^3$ ambient limit value compared to the threshold which allows 35 daily exceedances in any one calendar year. Annual mean $\text{PM}_{2.5}$ concentrations are also below the relevant national air quality limit value objective for all modelled receptors.

7.4.2.3.2 'Do Something' Scenario

The Do Something (DS) is a defined scenario within the traffic modelling analysis in Chapter 6 (Traffic & Transport) and is based on the likely conditions of the road network with all major committed transportation schemes in place that will impact on the use of public transport and private car, including the construction traffic associated with the Proposed Scheme. The output of this analysis and its impact on air quality has been modelled using AMDS-Roads for the construction year of 2024 in line with the methodology set out in Section 7.2.4.1. Predicted annual mean concentrations of NO₂, PM₁₀, PM_{2.5} and the number of exceedances of the 24 hour PM₁₀ limit value objective, at selected most impacted existing air quality sensitive receptors in the 2024 DS scenario are listed in Table 7.26. Locations of these receptors are shown in Figures 7.6 to 7.8, Volume 3 of this EIAR. Statistics for the full list of modelled receptors can be found in Table 2.2 (Appendix A7.1 in Volume 4 of this EIAR). 'Most impacted' refers to those receptors with non-negligible impacts due to the Construction Phase of the Proposed Scheme.

Table 7.26: Predicted 2024 Do Something Construction Scenario Pollutant Statistics at Most Impacted Receptor Locations

DS (2024)					
Receptor	Receptor Location (ITM)	Annual Mean Conc. (µg/m ³)			No of PM ₁₀ days > 50 µg/m ³
		NO ₂	PM ₁₀	PM _{2.5}	
AQ9	715493,733542	40.6	16.9	11.8	1
AQ250	715598,732173	30.0	15.2	10.8	<1
AQ300	715613,732580	32.8	15.6	11.0	1
AQ301	715628,732545	33.1	15.6	11.0	1
AQ315	715586,732617	29.9	15.3	10.8	<1
AQ316	715609,732606	31.9	15.6	11.0	1
AQ332	715592,732740	38.6	15.9	11.2	1
AQ337	715548,732841	40.4	16.3	11.5	1
AQ457	714999,732403	42.5	17.1	11.9	1
AQ460	714612,732426	40.5	15.4	10.6	<1
AQ582	715449,734173	44.3	17.1	11.9	1
AQ177	714605,731037	30.9	15.5	10.9	<1
AQ180	714613,731056	31.6	15.6	11.0	1
AQ296	715607,732475	37.3	16.2	11.3	1
AQ297	715628,732456	35.3	15.9	11.1	1
AQ302	715615,732562	34.0	15.7	11.1	1
AQ303	715599,732543	35.4	15.9	11.2	1
AQ313	715593,732673	34.9	15.8	11.1	1
AQ314	715598,732649	33.9	15.7	11.1	1
AQ571	715110,731002	63.1	16.6	11.7	1
AQ166	714591,731017	33.6	15.8	11.1	1
AQ394	715829,732595	42.0	15.6	10.9	1
AQ397	716211,732645	41.0	16.6	11.6	1
AQ398	716325,732791	40.0	16.6	11.6	1
AQ404	715695,732403	36.8	15.2	10.7	<1
AQ464	714899,732730	39.8	17.1	11.9	1
Air Quality Limit Value Objective		40	40	25	35

In the 2024 DS scenario, annual mean concentrations of NO₂ are above the relevant national air quality limit value objective in some areas; 34 exceedances were modelled at receptors on the R105 Burgh Quay, R110 Kevin Street Lower, R111 Canal Road, R114 Aungier Street /Camden Street Lower/Rathmines Road Lower/Richmond Street South/South Great George’s Street, R137 Clanbrassil Street Lower/ Clanbrassil. Street Upper/Dame Street /Harold’s Cross Road/New Street South/Tallaght Road, R138 Leeson Street Lower, R148 Aston Quay/Wellington Quay and R811 South Circular Road and Bride Street. This is a decrease from 35 exceedances modelled in the DM scenario. Concentrations at all receptors with exceedances can be found in Table 2.2 (Appendix A7.1, Volume 4 of this EIAR). Some of these receptors have been excluded from this section as these locations experience a negligible impact due to the Proposed Scheme and are therefore not considered a most impacted receptor. Annual mean NO₂ concentrations exceeded 60 µg/m³ at one receptor on the R114 Richmond Street South, indicating that exceedances of the NO₂ 1-hour mean may occur. Annual mean PM₁₀ concentrations are below the relevant national air quality limit value objectives for all modelled receptors. At all receptors, modelling of the maximum 24-hour PM₁₀ concentration indicated that there is likely to be no more than one exceedance of the 50 µg/m³ ambient limit value compared to the threshold which allows 35 daily exceedances in any one calendar year. Annual mean PM_{2.5} concentrations are also below the relevant national air quality limit value objectives for all modelled receptors.

7.4.2.3.3 Comparison of Do Something with Do Minimum

Table 7.27 provides the predicted change in and impact on pollutant concentrations, between the DM and DS in 2024. Statistics for the full list of modelled receptors can be found in Table 2.3 (Appendix A7.1 in Volume 4 of this EIAR). ‘Most impacted’ refers to those receptors with non-negligible impacts due to the Construction Phase of the Scheme.

Table 7.27: Predicted Changes in 2024 Construction DM and DS and Impact Significance Criteria at Most Impacted Receptor Locations

Receptor	Receptor Location (ITM)	Change in Annual Mean Conc. (µg/m ³)			Change in No of PM ₁₀ days > 50 µg/m ³	Impact on Annual Mean Conc.		
		NO ₂	PM ₁₀	PM _{2.5}		NO ₂	PM ₁₀	PM _{2.5}
AQ9	721010,729643	-0.5	-0.1	-0.1	0	Slight Beneficial	Negligible	Negligible
AQ250	721010,729884	-4.0	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ300	721010,729934	-2.9	-0.4	-0.2	0	Slight Beneficial	Negligible	Negligible
AQ301	721010,729935	-2.1	-0.3	-0.2	0	Slight Beneficial	Negligible	Negligible
AQ315	721010,729949	-2.0	-0.3	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ316	721010,729950	-2.8	-0.4	-0.2	0	Slight Beneficial	Negligible	Negligible
AQ332	721010,729966	-0.6	-0.3	-0.2	0	Slight Beneficial	Negligible	Negligible
AQ337	721010,729971	-0.7	<0.1	<0.1	0	Slight Beneficial	Negligible	Negligible
AQ457	721010,730091	-1.1	-0.1	-0.1	0	Slight Beneficial	Negligible	Negligible
AQ460	721010,730094	-0.7	<0.1	<0.1	<1	Slight Beneficial	Negligible	Negligible
AQ582	721010,730216	-0.4	-0.1	<0.1	0	Slight Beneficial	Negligible	Negligible
AQ177	721010,729811	-5.2	-0.9	-0.6	<1	Moderate Beneficial	Negligible	Negligible
AQ180	721010,729814	-5.5	-1.0	-0.6	0	Moderate Beneficial	Negligible	Negligible
AQ296	721010,729930	-2.7	-0.5	-0.3	0	Moderate Beneficial	Negligible	Negligible
AQ297	721010,729931	-4.1	-0.7	-0.4	0	Moderate Beneficial	Negligible	Negligible
AQ302	721010,729936	-3.1	-0.4	-0.3	0	Moderate Beneficial	Negligible	Negligible
AQ303	721010,729937	-3.4	-0.4	-0.3	0	Moderate Beneficial	Negligible	Negligible
AQ313	721010,729947	-2.8	-0.4	-0.2	0	Moderate Beneficial	Negligible	Negligible
AQ314	721010,729948	-3.0	-0.4	-0.2	0	Moderate Beneficial	Negligible	Negligible

Receptor	Receptor Location (ITM)	Change in Annual Mean Conc. ($\mu\text{g}/\text{m}^3$)			Change in No of PM_{10} days $> 50 \mu\text{g}/\text{m}^3$	Impact on Annual Mean Conc.		
		NO_2	PM_{10}	$\text{PM}_{2.5}$		NO_2	PM_{10}	$\text{PM}_{2.5}$
AQ571	721010,730205	-2.2	<0.1	<0.1	0	Moderate Beneficial	Negligible	Negligible
AQ166	721010,729800	-6.5	-1.2	-0.7	0	Substantial Beneficial	Negligible	Negligible
AQ394	721010,730028	1.1	0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ397	721010,730031	0.6	0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ398	721010,730032	0.6	0.1	<0.1	0	Slight Adverse	Negligible	Negligible
AQ404	721010,730038	1.4	0.1	<0.1	<1	Slight Adverse	Negligible	Negligible
AQ464	721010,730098	0.5	0.1	0.1	0	Slight Adverse	Negligible	Negligible

The significance of the changes in the concentration of each of the ambient receptors has been determined in the context of the TII significance criteria (TII 2011). As shown in Table 7.27 and Figure 7.6 in Volume 3 of this EIAR, the majority of modelled receptors are estimated to experience a negligible impact due to the Proposed Scheme in terms of the annual mean NO_2 concentration. A slightly beneficial impact is estimated at 12 receptors along the Proposed Scheme, a moderate beneficial impact at nine receptors and a substantial beneficial impact is expected at one receptor. All beneficial impacts are modelled along the Proposed Scheme due to the diversion of traffic off these routes. A slight adverse impact is expected at five receptors. As shown in Table 7.27 and Figure 7.7 in Volume 3 of this EIAR the Proposed Scheme will be overall neutral in terms of annual mean PM_{10} concentrations, with all receptors experiencing a negligible impact. As shown in Table 7.27 and Figure 7.8 in Volume 3 of this EIAR, the Proposed Scheme is overall neutral in terms of the annual mean $\text{PM}_{2.5}$ concentration with all receptors experiencing a negligible impact.

In accordance with the EPA Guidelines (EPA 2022) the impacts associated with the Construction Phase traffic emissions are overall neutral and short-term.

7.4.2.3.4 Ecological Assessment

An assessment of the impact of the Proposed Scheme has been undertaken using the approach outlined in the IAQM Guidance document A Guide to the Assessment of Air Quality Impacts on Designated Nature Conservation Sites (Version 1.1) (IAQM 2020). The guidance states that where the predicted environmental concentration (PEC) is less than 70% of the long-term critical level / load, the process contribution is likely to be insignificant. Where the process contribution is greater than 1% of the critical level / load it is recommended that the project ecologist be consulted.

The impact of the Proposed Scheme on the nearby ecologically sensitive areas within 200m of roads impacted by the Proposed Scheme, as defined in Section 7.2.4.1, is outlined in Table 7.28. The annual mean NO_x concentration has been compared to the critical level of $30\mu\text{g}/\text{m}^3$ at each of the designated habitat sites. All sites exceed the critical level for NO_x in both the DM and the DS scenarios.

Nitrogen deposition levels have been compared to the lower and higher critical loads for the designated habitat sites in Table 7.29. All sites are below the lower critical load for the designated habitat site, with the exception of the Dodder Valley pNHA (Tallaght Road) and the Grand Canal pNHA (Charlemont Bridge, Emmet Bridge, La Touche Bridge and Leeson Bridge).

In accordance with the EPA Guidelines (EPA 2022) the ecological impacts associated with the Construction Phase traffic emissions are overall negative, slight and short-term.

Table 7.28: Significance of Impacts at Key Ecological Receptors (NO_x Annual Mean Concentration In 2024)

Annual Mean NO _x In 2024 At Closest Point Within Ecological Site To Road							
Receptor	Receptor Location (ITM)	Do Minimum (µg/m ³)	Distance from road beyond which concentration is below critical level (30 µg/m ³) (m)	Do Something (µg/m ³)	Distance from road beyond which concentration is below critical level (30 µg/m ³) (m)	Impact (DS – DM) (µg/m ³)	Change as a percentage of critical level (30 µg/m ³) (%)
Dodder Valley pNHA (M50)	711343, 727787	88.7	>200m	88.7	>200m	<0.1	0%
Dodder Valley pNHA (Tallaght Road)	710796, 727740	104.7	>200m	104.7	>200m	-0.1	0%
Grand Canal pNHA (Canal Road)	715821, 732513	115.1	>200m	115.0	>200m	<0.1	0%
Grand Canal pNHA (Charlemont Bridge, western side)	715881, 732544	93.1	>200m	93.1	>200m	<0.1	0%
Grand Canal pNHA (Charlemont Bridge, eastern side)	715894, 732549	111.8	>200m	111.7	>200m	<0.1	0%
Grand Canal pNHA (Charlemont Mall)	715814, 732531	45.6	>200m	45.6	>200m	<0.1	0%
Grand Canal pNHA (Cheltenham Place)	715924, 732560	77.5	>200m	77.6	>200m	0.1	0%
Grand Canal pNHA (Dartmouth Walk)	716126, 732631	66.7	>200m	66.6	>200m	-0.1	0%
Grand Canal pNHA (Emmet Bridge, western side)	714864, 732443	124.6	>200m	124.7	>200m	<0.1	0%
Grand Canal pNHA (Emmet Bridge, eastern side)	714874, 732441	150.6	>200m	150.6	>200m	<0.1	0%
Grand Canal pNHA (Grand Parade)	715926, 732552	91.4	>200m	91.3	>200m	-0.1	0%
Grand Canal pNHA (Grove Road, western end)	714919, 732420	87.8	>200m	87.7	>200m	-0.1	0%
Grand Canal pNHA (Grove Road, centre)	715221, 732446	74.2	>200m	74.3	>200m	<0.1	0%
Grand Canal pNHA (Grove Road, eastern end)	715565, 732488	78.5	>200m	78.4	>200m	-0.1	0%
Grand Canal pNHA (La Touche Bridge, western side)	715609, 732499	115.1	>200m	115.0	>200m	0.0	0%
Grand Canal pNHA (La Touche Bridge, eastern side)	715881, 732544	93.1	>200m	93.1	>200m	0.0	0%
Grand Canal pNHA (Leeson Bridge, western side)	716368, 732736	121.9	>200m	121.8	>200m	-0.1	0%

Annual Mean NO _x In 2024 At Closest Point Within Ecological Site To Road							
Receptor	Receptor Location (ITM)	Do Minimum (µg/m ³)	Distance from road beyond which concentration is below critical level (30 µg/m ³) (m)	Do Something (µg/m ³)	Distance from road beyond which concentration is below critical level (30 µg/m ³) (m)	Impact (DS – DM) (µg/m ³)	Change as a percentage of critical level (30 µg/m ³) (%)
Grand Canal pNHA (Leeson Bridge, eastern side)	716382, 732741	167.0	>200m	167.1	>200m	0.1	0%
Grand Canal pNHA (Mespil Road, western end)	716425, 732748	56.5	>200m	56.5	>200m	<0.1	0%
Grand Canal pNHA (Parnell Road, eastern end)	714807, 732429	84.6	>200m	84.6	>200m	<0.1	0%

Table 7.29: Significance of Impacts at Key Ecological Receptors (N Deposition In 2024)

Annual Mean N Deposition In 2024 At Closest Point Within Ecological Site To Road									
Receptor	Receptor Location (ITM)	Lower critical load for most sensitive feature (kgN/ha/yr)	Do Minimum (kgN/ha/yr)	Distance from road beyond which deposition is below critical load (m)	Do Something (kgN/ha/yr)	Distance from road beyond which deposition is below critical load (m)	Change relative to lower critical load (%)	Distance from road beyond which the change is <1% (m)	Change in deposition (kgN/ha/yr)
Dodder Valley pNHA (M50)	711343, 727787	5	4.83	10m	4.84	10m	0%	10m	0.01
Dodder Valley pNHA (Tallaght Road)	710796, 727740	5	5.47	10m	5.49	0m	0%	0m	0.01
Grand Canal pNHA (Canal Road)	715821, 732513	5	5.16	10m	5.17	10m	0%	40m	0.01
Grand Canal pNHA (Charlemont Bridge, western side)	715881, 732544	5	5.01	10m	5.02	0m	0%	0m	0.01
Grand Canal pNHA (Charlemont Bridge, eastern side)	715894, 732549	5	5.75	0m	5.76	0m	0%	0m	0.01
Grand Canal pNHA (Charlemont Mall)	715814, 732531	5	2.87	0m	2.87	0m	0%	0m	0.00
Grand Canal pNHA (Cheltenham Place)	715924, 732560	5	4.36	0m	4.36	0m	0%	0m	0.01
Grand Canal pNHA (Dartmouth Walk)	716126, 732631	5	3.87	0m	3.87	0m	0%	0m	0.01
Grand Canal pNHA (Emmet Bridge, western side)	714864, 732443	5	6.23	10m	6.25	0m	0%	0m	0.01
Grand Canal pNHA (Emmet Bridge, eastern side)	714874, 732441	5	7.16	10m	7.18	0m	0%	0m	0.02

Annual Mean N Deposition In 2024 At Closest Point Within Ecological Site To Road									
Receptor	Receptor Location (ITM)	Lower critical load for most sensitive feature (kgN/ha/yr)	Do Minimum (kgN/ha/yr)	Distance from road beyond which deposition is below critical load (m)	Do Something (kgN/ha/yr)	Distance from road beyond which deposition is below critical load (m)	Change relative to lower critical load (%)	Distance from road beyond which the change is <1% (m)	Change in deposition (kgN/ha/yr)
Grand Canal pNHA (Grand Parade)	715926, 732552	5	4.94	0m	4.95	0m	0%	0m	0.01
Grand Canal pNHA (Grove Road, western end)	714919, 732420	5	4.79	0m	4.80	0m	0%	0m	0.01
Grand Canal pNHA (Grove Road, center)	715221, 732446	5	4.21	0m	4.22	0m	0%	0m	0.01
Grand Canal pNHA (Grove Road, eastern end)	715565, 732488	5	4.39	0m	4.40	0m	0%	0m	0.01
Grand Canal pNHA (La Touche Bridge, western side)	715609, 732499	5	5.87	0m	5.89	10m	0%	40m	0.01
Gand Canal pNHA (La Touche Bridge, eastern side)	715881, 732544	5	5.01	10m	5.02	0m	0%	0m	0.01
Grand Canal pNHA (Leeson Bridge, western side)	716368, 732736	5	6.13	10m	6.14	0m	0%	0m	0.01
Grand Canal pNHA (Leeson Bridge, eastern side)	716382, 732741	5	7.72	10m	7.75	10m	0%	0m	0.02
Grand Canal pNHA (Mespil Road, western end)	716425, 732748	5	3.40	0m	3.41	0m	0%	0m	<0.01
Grand Canal pNHA (Parnell Road, eastern end)	714807, 732429	5	4.66	0m	4.66	0m	0%	0m	0.01

7.4.2.4 Regional Air Quality Assessment

The potential changes in regional air emissions due to the Construction Phase traffic impacts of the Proposed Scheme have been assessed using the NTA Environmental Appraisal Tool, which is based on ENEVAL. ENEVAL measures the regional emissions associated with road transport based on the various road links and their corresponding emissions.

Pollutant emissions (in tonnes) produced in both the DM and DS scenarios during the construction year 2024 of the Construction Phase are shown in Table 7.30. The Proposed Scheme will result in increases in emissions of all pollutants modelled. The majority of these emission increases result from redistribution of vehicles onto other longer diversion routes, while construction of the Proposed Scheme takes place. To produce these emissions estimates, the traffic model and therefore the ENEVAL tool have applied the peak construction day in 2024 across the whole year. Emissions are therefore worst-case and likely to be lower in reality.

Table 7.30: Construction Phase Regional Pollutant Emissions (tonnes) – Construction Year 2024

	Vehicle Class	NO _x (tonnes)	NO ₂ (tonnes)	PM ₁₀ (tonnes)	PM _{2.5} (tonnes)	HC (tonnes)	CO (tonnes)	Benzene (tonnes)	Butadiene (tonnes)
DM	Car	1624	489	18	18	86	1951	1	1
DS		1626	489	18	18	87	1953	1	1
Change		1	0.4	0.02	0.02	0.1	2	0.001	0.001
% Change		0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%
DM	Goods	1436	408	11	11	43	223	0.4	0.5
DS		1438	409	11	11	43	223	0.4	0.5
Change		1	0.3	0.01	0.01	0.02	0.3	0.001	0.0002
% Change		0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.2%	0.04%
DM	Urban Bus	44	4.47	0.7	0.7	2	9	0	0.05
DS		45	4.52	0.7	0.7	2	9	0	0.05
Change		0.5	0.05	0.01	0.005	0.02	0.1	0	0.0003
% Change		1%	1%	0.7%	0.7%	0.8%	0.9%	0%	0.6%
DM	Total	3105	901	30	29	132	2183	2	2
DS		3108	902	30	29	132	2185	2	2
Change		3	0.8	0.03	0.03	0.1	2	0.002	0.001
% Change		0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%

In accordance with the EPA Guidelines (EPA 2022), the regional impacts associated with the Construction Phase traffic emissions pre-mitigation are considered overall to be neutral and short-term.

7.4.3 Operational Phase

7.4.3.1 'Do Minimum' Scenario

The Do Minimum (DM) is a defined scenario within the traffic modelling exercise in Chapter 6 (Traffic & Transport) and is based on the likely conditions of the road network with all major committed transportation schemes in place that will impact on the use of public transport and private car, not including the Proposed Scheme. The output of this analysis and its impact on air quality has been modelled using AMDS-Roads for the Opening Year of 2028. Predicted annual mean concentrations of NO₂, PM₁₀, PM_{2.5} and the number of exceedances of the 24-hour PM₁₀ objective, at selected most impacted existing air quality sensitive receptors in the 2028 DM scenario are listed in Table 7.31. Locations of these receptors are shown in Figures 7.3 to Figure 7.5 in Volume 3 of this EIAR. Statistics for the full list of modelled receptors can be found in Table 3.1 in Appendix A7.1 in Volume 4 of this EIAR. 'Most impacted' refers to those receptors with non-negligible impacts due to the Operational Phase of the Proposed Scheme.

Table 7.31: Predicted 2028 Do Minimum Scenario Pollutant Statistics At Most Impacted Receptor Locations

DM (2028)					
Receptor	Receptor Location (ITM) (m)	Annual Mean Conc. (µg/m ³)			No of PM ₁₀ days > 50 µg/m ³
		NO ₂	PM ₁₀	PM _{2.5}	
AQ3	715484,733638	32.0	15.6	11.0	1
AQ4	715482,733620	31.9	15.6	11.0	1
AQ5	715498,733591	34.4	16.0	11.2	1
AQ7	715504,733648	34.9	16.0	11.2	1
AQ10	715467,733397	32.8	15.9	11.1	1

DM (2028)					
Receptor	Receptor Location (ITM) (m)	Annual Mean Conc. (µg/m ³)			No of PM ₁₀ days > 50 µg/m ³
		NO ₂	PM ₁₀	PM _{2.5}	
AQ12	715511,733714	35.3	16.0	11.2	1
AQ13	715495,733568	34.8	16.1	11.2	1
AQ18	712920,728769	30.0	15.6	10.9	1
AQ73	714220,730073	28.4	15.2	10.7	<1
AQ83	714394,730195	31.1	15.4	10.8	<1
AQ84	714378,730235	30.5	15.3	10.8	<1
AQ85	714349,730189	32.0	15.4	10.8	<1
AQ86	714311,730191	30.5	15.3	10.8	<1
AQ88	714406,730216	32.8	15.5	10.9	1
AQ89	714516,730270	33.3	15.8	11.1	1
AQ91	714425,730243	31.8	15.5	10.9	<1
AQ189	714993,730456	30.6	15.4	10.9	<1
AQ190	714984,730476	31.2	15.5	10.9	1
AQ198	715074,730659	27.7	15.3	10.7	<1
AQ223	715120,730777	26.6	15.1	10.6	<1
AQ246	715566,732023	27.6	15.1	10.6	<1
AQ250	715598,732173	32.6	15.6	11.0	1
AQ251	715612,732226	27.0	14.9	10.5	<1
AQ253	715607,732187	27.9	15.0	10.6	<1
AQ280	715550,731624	30.5	15.4	10.8	<1
AQ295	715596,732360	27.6	15.1	10.7	<1
AQ296	715607,732475	30.6	15.4	10.8	<1
AQ297	715628,732456	29.9	15.3	10.8	<1
AQ299	715592,732582	31.6	15.6	10.9	1
AQ300	715613,732580	34.8	16.0	11.2	1
AQ301	715628,732545	34.5	15.9	11.1	1
AQ305	714646,728539	35.5	15.9	11.2	1
AQ315	715586,732617	31.4	15.5	10.9	1
AQ316	715609,732606	33.9	15.9	11.2	1
AQ318	715551,733063	31.5	15.7	11.0	1
AQ319	715541,733159	31.8	15.8	11.1	1
AQ320	715550,733100	32.0	15.8	11.1	1
AQ321	715545,733145	31.6	15.7	11.0	1
AQ322	715527,733108	30.7	15.5	10.9	1
AQ323	715526,733215	33.1	15.8	11.1	1
AQ324	715520,733260	32.8	15.7	11.0	1
AQ325	715479,733323	38.6	16.4	11.5	1
AQ326	715467,733351	36.5	16.3	11.4	1
AQ327	715505,733227	30.8	15.4	10.9	<1

DM (2028)					
Receptor	Receptor Location (ITM) (m)	Annual Mean Conc. (µg/m ³)			No of PM ₁₀ days > 50 µg/m ³
		NO ₂	PM ₁₀	PM _{2.5}	
AQ329	715510,733290	35.3	16.0	11.2	1
AQ330	715501,733256	31.6	15.5	10.9	1
AQ331	715489,733277	30.7	15.4	10.9	<1
AQ332	715592,732740	30.0	15.1	10.7	<1
AQ333	715594,732766	31.7	15.3	10.8	<1
AQ339	715550,732972	33.1	15.8	11.1	1
AQ340	715549,732946	34.5	15.9	11.2	1
AQ343	715552,733030	31.5	15.7	11.0	1
AQ344	715549,733001	32.5	15.8	11.1	1
AQ357	715588,734078	36.9	16.3	11.4	1
AQ394	715889,732519	32.0	15.5	10.9	1
AQ398	716370,732708	39.6	16.5	11.5	1
AQ423	711079,727940	40.6	17.6	12.1	1
AQ460	714885,732472	42.1	16.7	11.7	1
AQ548	713667,729497	31.4	15.7	11.0	1
AQ550	713514,729333	31.9	15.7	11.0	1
AQ565	713495,729279	27.8	15.0	10.6	<1
AQ574	715716,734090	40.5	16.8	11.7	1
AQ584	715594,733943	36.1	16.3	11.4	1
AQ598	715405,733325	39.4	16.9	11.7	1
AQ6	715508,733685	37.2	16.2	11.3	1
AQ8	715488,733494	38.8	17.0	11.8	1
AQ9	715493,733542	38.4	16.8	11.7	1
AQ11	715480,733431	36.7	16.4	11.5	1
AQ177	714605,731037	36.0	16.3	11.4	1
AQ180	714613,731056	36.9	16.4	11.5	1
AQ302	715615,732562	36.1	16.1	11.3	1
AQ303	715599,732543	37.7	16.3	11.4	1
AQ313	715593,732673	36.9	16.1	11.3	1
AQ314	715598,732649	36.1	16.1	11.3	1
AQ317	715567,732733	38.8	16.2	11.3	1
AQ328	715511,733317	37.6	16.3	11.4	1
AQ335	715555,732801	43.3	16.7	11.7	1
AQ337	715548,732841	39.3	16.2	11.4	1
AQ341	715552,732925	36.7	16.1	11.3	1
AQ372	715506,733370	38.4	16.6	11.6	1
AQ387	715610,732912	38.4	16.3	11.4	1
AQ457	714843,732402	44.7	17.2	12.0	1
AQ488	715959,734385	45.9	17.4	12.0	1

DM (2028)					
Receptor	Receptor Location (ITM) (m)	Annual Mean Conc. ($\mu\text{g}/\text{m}^3$)			No of PM ₁₀ days > 50 $\mu\text{g}/\text{m}^3$
		NO ₂	PM ₁₀	PM _{2.5}	
AQ134	711504,728117	41.5	17.8	12.2	1
AQ166	714591,731017	40.0	16.9	11.8	1
AQ571	715567,732856	60.3	18.7	12.9	2
AQ582	715505,733658	42.0	17.0	11.8	1
AQ364	715192,733670	39.9	16.7	11.6	1
AQ370	715589,733351	39.0	16.7	11.6	1
AQ384	715054,733468	47.5	17.3	12.0	1
AQ386	715025,733184	36.3	16.1	11.3	1
AQ462	714871,732667	37.3	16.4	11.5	1
AQ464	714775,732703	39.6	16.9	11.8	1
AQ466	714866,732814	41.8	16.8	11.7	1
AQ463	714899,732730	46.3	17.4	12.1	1
Air Quality Limit Value Objective		40	40	25	35

In the 2028 DM scenario, annual mean concentrations of NO₂ are above the relevant national air quality limit value objective in some areas; 17 exceedances were modelled at receptors on the N81 Tallaght Road, R105 Burgh Quay, R110 Kevin Street Lower, R114 Aungier Street/Richmond Street South, R137 Clanbrassil St Lower/Clanbrassil Street Upper/Dame Street/Harold's Cross Road/New Street South/Tallaght Road, R138 Leeson Street Lower, R148 Wellington Quay, R811 South Circular Road and Bride Street. Concentrations at all receptors with exceedances can be found in Table 3.1 in Appendix A7.1 in Volume 4 of this EIAR. Some of these receptors have been excluded from this section as these locations experience a negligible impact due to the Proposed Scheme and are therefore not considered a most impacted receptor. Annual mean NO₂ concentrations exceed 60 $\mu\text{g}/\text{m}^3$ at one receptor on the R114 Richmond St South, indicating that exceedances of the NO₂ 1-hour mean may occur. Annual mean PM₁₀ concentrations are below the relevant national air quality limit value objective for all modelled receptors. At all receptors, modelling of the maximum 24-hour PM₁₀ concentration indicated that there is likely to be no more than two exceedances of the 50 $\mu\text{g}/\text{m}^3$ ambient limit value compared to the threshold which allows 35 daily exceedances in any one calendar year. Annual mean PM_{2.5} concentrations are also below the relevant national air quality limit value objective for all modelled receptors. Reported concentrations are lower in 2028 due to the assumed modest improvements in vehicle emissions rates between now and then.

7.4.3.2 'Do Something' Scenario

The Do Something (DS) is a defined scenario within the traffic modelling exercise in Chapter 6 (Traffic & Transport) and is based on the likely conditions of the road network with all major committed transportation schemes in place that will impact on the use of public transport and private car, including the Proposed Scheme. The output of this analysis and its impact on air quality has been modelled using AMDS-Roads for the opening year of 2028 in line with the methodology set out in Section 7.2.4.1. Predicted annual mean concentrations of NO₂, PM₁₀, PM_{2.5} and the number of exceedances of the 24-hour PM₁₀ objective, at selected most impacted existing air quality sensitive receptors both along the Proposed Scheme and on routes affected by traffic diversions in the 2028 DS scenario are listed in Table 7.32. Locations of these receptors are shown in Figures 7.3 to Figure 7.5 in Volume 3 of this EIAR. Statistics for the full list of modelled receptors can be found in Table 3.2 (Appendix A7.1 in Volume 4 of this EIAR). 'Most impacted' refers to those receptors with non-negligible impacts due to the Operational Phase of the Proposed Scheme.

Table 7.32: Predicted 2028 Do Something Scenario Pollutant Statistics At Worst-Case Receptor Locations

DS (2028)					
Receptor	Receptor Location (ITM) (m)	Annual Mean Conc. (µg/m³)			No of PM ₁₀ days > 50 µg/m³
		NO ₂	PM ₁₀	PM _{2.5}	
AQ13	724491,723268	30.2	15.6	11.0	1
AQ3	715484,733638	30.0	15.3	10.8	<1
AQ4	715482,733620	29.7	15.3	10.8	<1
AQ5	715498,733591	31.1	15.6	10.9	1
AQ7	715504,733648	31.9	15.6	11.0	1
AQ10	715467,733397	30.5	15.5	10.9	<1
AQ12	715511,733714	32.8	15.7	11.0	1
AQ13	715495,733568	31.4	15.6	11.0	1
AQ18	712920,728769	25.6	14.9	10.6	<1
AQ73	714220,730073	23.7	14.6	10.3	<1
AQ83	714394,730195	28.5	15.0	10.6	<1
AQ84	714378,730235	27.4	14.9	10.5	<1
AQ85	714349,730189	27.6	14.9	10.5	<1
AQ86	714311,730191	26.4	14.9	10.5	<1
AQ88	714406,730216	29.4	15.1	10.6	<1
AQ89	714516,730270	27.0	15.0	10.6	<1
AQ91	714425,730243	28.6	15.0	10.6	<1
AQ189	714993,730456	28.3	15.0	10.6	<1
AQ190	714984,730476	28.8	15.1	10.6	<1
AQ198	715074,730659	23.6	14.6	10.3	<1
AQ223	715120,730777	22.5	14.5	10.3	<1
AQ246	715566,732023	23.2	14.5	10.3	<1
AQ250	715598,732173	24.5	14.7	10.4	<1
AQ251	715612,732226	23.0	14.4	10.3	<1
AQ253	715607,732187	23.1	14.5	10.3	<1
AQ280	715550,731624	27.7	15.0	10.6	<1
AQ295	715596,732360	23.6	14.6	10.3	<1
AQ296	715607,732475	26.9	14.8	10.5	<1
AQ297	715628,732456	25.5	14.7	10.4	<1
AQ299	715592,732582	27.7	15.0	10.6	<1
AQ300	715613,732580	29.3	15.2	10.7	<1
AQ301	715628,732545	29.5	15.2	10.7	<1
AQ305	714646,728539	29.8	15.3	10.8	<1
AQ315	715586,732617	27.7	15.0	10.6	<1
AQ316	715609,732606	29.0	15.2	10.7	<1
AQ318	715551,733063	28.5	15.2	10.7	<1
AQ319	715541,733159	28.3	15.2	10.7	<1
AQ320	715550,733100	28.6	15.2	10.7	<1

DS (2028)					
Receptor	Receptor Location (ITM) (m)	Annual Mean Conc. ($\mu\text{g}/\text{m}^3$)			No of PM_{10} days > $50 \mu\text{g}/\text{m}^3$
		NO_2	PM_{10}	$\text{PM}_{2.5}$	
AQ321	715545,733145	28.2	15.2	10.7	<1
AQ322	715527,733108	27.8	15.1	10.7	<1
AQ323	715526,733215	28.5	15.2	10.7	<1
AQ324	715520,733260	28.9	15.2	10.7	<1
AQ325	715479,733323	37.3	16.1	11.3	1
AQ326	715467,733351	35.3	16.0	11.2	1
AQ327	715505,733227	27.9	15.1	10.6	<1
AQ329	715510,733290	30.7	15.4	10.9	<1
AQ330	715501,733256	28.5	15.1	10.7	<1
AQ331	715489,733277	28.6	15.1	10.7	<1
AQ332	715592,732740	26.9	14.8	10.5	<1
AQ333	715594,732766	29.6	15.1	10.7	<1
AQ339	715550,732972	31.0	15.4	10.9	<1
AQ340	715549,732946	32.5	15.6	11.0	1
AQ343	715552,733030	28.8	15.2	10.7	<1
AQ344	715549,733001	29.9	15.3	10.8	<1
AQ357	715588,734078	36.5	16.0	11.2	1
AQ394	715889,732519	28.7	15.1	10.7	<1
AQ398	716370,732708	37.7	16.3	11.4	1
AQ423	711079,727940	39.6	17.5	12.1	1
AQ460	714885,732472	41.7	16.6	11.6	1
AQ548	713667,729497	25.4	14.8	10.5	<1
AQ550	713514,729333	25.9	14.9	10.5	<1
AQ565	713495,729279	23.5	14.6	10.3	<1
AQ574	715716,734090	39.1	16.6	11.5	1
AQ584	715594,733943	35.5	16.2	11.3	1
AQ598	715405,733325	37.7	16.6	11.6	1
AQ6	715508,733685	34.9	15.9	11.1	1
AQ8	715488,733494	33.5	16.1	11.2	1
AQ9	715493,733542	33.1	16.0	11.2	1
AQ11	715480,733431	33.1	15.9	11.1	1
AQ177	714605,731037	26.2	14.9	10.5	<1
AQ180	714613,731056	26.5	15.0	10.6	<1
AQ302	715615,732562	29.8	15.2	10.7	<1
AQ303	715599,732543	30.4	15.3	10.8	<1
AQ313	715593,732673	28.8	15.3	10.8	<1
AQ314	715598,732649	28.9	15.3	10.7	<1
AQ317	715567,732733	34.2	15.5	10.9	1
AQ328	715511,733317	34.4	15.8	11.1	1

DS (2028)					
Receptor	Receptor Location (ITM) (m)	Annual Mean Conc. ($\mu\text{g}/\text{m}^3$)			No of PM_{10} days > $50 \mu\text{g}/\text{m}^3$
		NO_2	PM_{10}	$\text{PM}_{2.5}$	
AQ335	715555,732801	40.3	16.3	11.4	1
AQ337	715548,732841	36.1	15.8	11.1	1
AQ341	715552,732925	34.5	15.7	11.0	1
AQ372	715506,733370	35.5	16.0	11.2	1
AQ387	715610,732912	35.7	15.9	11.2	1
AQ457	714843,732402	42.4	16.9	11.8	1
AQ488	715959,734385	42.7	16.9	11.7	1
AQ134	711504,728117	37.4	17.0	11.8	1
AQ166	714591,731017	27.4	15.1	10.7	<1
AQ571	715567,732856	50.7	17.4	12.1	1
AQ582	715505,733658	37.0	16.2	11.3	1
AQ364	715192,733670	41.0	16.8	11.7	1
AQ370	715589,733351	39.9	16.7	11.6	1
AQ384	715054,733468	48.0	17.4	12.1	1
AQ386	715025,733184	36.8	16.2	11.3	1
AQ462	714871,732667	38.3	16.5	11.5	1
AQ464	714775,732703	40.7	17.1	11.9	1
AQ466	714866,732814	42.9	16.9	11.8	1
AQ463	714899,732730	48.4	17.6	12.2	1
Air Quality Limit Value Objective		40	40	25	35

In the 2028 DS scenario, annual mean concentrations of NO_2 are above the relevant national air quality limit value objective in some areas; 14 exceedances were modelled at receptors on the R105 Burgh Quay, R110 Kevin St Lower, R114 Richmond St South, R137 Clanbrassil St Lower/ Clanbrassil St Upper/Harold's Cross Rd/New St South, R138 Leeson St Lower, R148 Aston Quay/Wellington Quay and R811 South Circular Rd and Bride St. This is a decrease from 17 exceedances in the DM scenario. Concentrations at all receptors with exceedances can be found in Table 3.2 in Appendix A7.1 in Volume 4 of this EIAR. Some of these receptors have been excluded from this section as these locations experience a negligible impact due to the Proposed Scheme and are therefore not considered a most impacted receptor. Annual mean NO_2 concentrations did not exceed $60 \mu\text{g}/\text{m}^3$, indicating that exceedances of the NO_2 1-hour mean are unlikely to occur. Annual mean PM_{10} concentrations are below the relevant national air quality limit value objectives for all modelled receptors. At all receptors, modelling of the maximum 24-hour PM_{10} concentration indicated that there is likely to be no more than one exceedance of the $50 \mu\text{g}/\text{m}^3$ ambient limit value compared to the threshold which allows 35 daily exceedances in any one calendar year. Annual mean $\text{PM}_{2.5}$ concentrations are also below the relevant national air quality limit value objectives for all modelled receptors.

7.4.3.3 Comparison of Do Something with Do Minimum

Table 7.33 provides the predicted change in and impact on pollutant concentrations, between the DM and the DS in 2028. Statistics for the full list of modelled receptors can be found in Table 3.3 in Appendix A7.1 in Volume 4 of this EIAR. 'Most impacted' refers to those receptors with non-negligible impacts due to the Operational Phase of the Proposed Scheme.

Table 7.33: Predicted Changes in Operational DM and DS and Impact Significance Criteria At Most Impacted Receptor Locations

Receptor	Receptor Location (ITM)	Change in Annual Mean Conc. ($\mu\text{g}/\text{m}^3$)			Change in No of PM_{10} days > $50 \mu\text{g}/\text{m}^3$	Impact on Annual Mean Conc.		
		NO_2	PM_{10}	$\text{PM}_{2.5}$		NO_2	PM_{10}	$\text{PM}_{2.5}$
AQ3	721010,729637	-2.1	-0.3	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ4	721010,729638	-2.2	-0.3	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ5	721010,729639	-3.4	-0.4	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ7	721010,729641	-3.0	-0.4	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ10	721010,729644	-2.4	-0.4	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ12	721010,729646	-2.4	-0.3	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ13	721010,729647	-3.4	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ18	721010,729652	-4.3	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ73	721010,729707	-4.8	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ83	721010,729717	-2.6	-0.4	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ84	721010,729718	-3.0	-0.4	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ85	721010,729719	-4.5	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ86	721010,729720	-4.1	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ88	721010,729722	-3.4	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ89	721010,729723	-6.4	-0.7	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ91	721010,729725	-3.2	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ189	721010,729823	-2.2	-0.4	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ190	721010,729824	-2.4	-0.4	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ198	721010,729832	-4.1	-0.7	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ223	721010,729857	-4.1	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ246	721010,729880	-4.4	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ250	721010,729884	-8.1	-0.9	-0.6	<1	Slight Beneficial	Negligible	Negligible
AQ251	721010,729885	-4.1	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ253	721010,729887	-4.8	-0.6	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ280	721010,729914	-2.8	-0.4	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ295	721010,729929	-4.0	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ296	721010,729930	-3.7	-0.6	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ297	721010,729931	-4.4	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ299	721010,729933	-3.9	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ300	721010,729934	-5.5	-0.8	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ301	721010,729935	-5.1	-0.7	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ305	721010,729939	-5.7	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ315	721010,729949	-3.8	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ316	721010,729950	-5.0	-0.7	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ318	721010,729952	-3.0	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ319	721010,729953	-3.5	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ320	721010,729954	-3.4	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible

Receptor	Receptor Location (ITM)	Change in Annual Mean Conc. ($\mu\text{g}/\text{m}^3$)			Change in No of PM_{10} days > $50 \mu\text{g}/\text{m}^3$	Impact on Annual Mean Conc.		
		NO_2	PM_{10}	$\text{PM}_{2.5}$		NO_2	PM_{10}	$\text{PM}_{2.5}$
AQ321	721010,729955	-3.4	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ322	721010,729956	-2.8	-0.4	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ323	721010,729957	-4.6	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ324	721010,729958	-4.0	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ325	721010,729959	-1.3	-0.4	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ326	721010,729960	-1.2	-0.3	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ327	721010,729961	-2.9	-0.4	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ329	721010,729963	-4.5	-0.6	-0.4	<1	Slight Beneficial	Negligible	Negligible
AQ330	721010,729964	-3.1	-0.4	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ331	721010,729965	-2.1	-0.3	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ332	721010,729966	-3.1	-0.3	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ333	721010,729967	-2.0	-0.2	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ339	721010,729973	-2.1	-0.4	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ340	721010,729974	-2.1	-0.4	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ343	721010,729977	-2.7	-0.4	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ344	721010,729978	-2.7	-0.5	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ357	721010,729991	-0.5	-0.2	-0.1	<1	Slight Beneficial	Negligible	Negligible
AQ394	721010,730028	-3.3	-0.4	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ398	721010,730032	-1.9	-0.2	-0.1	<1	Slight Beneficial	Negligible	Negligible
AQ423	721010,730057	-1.0	-0.1	-0.1	<1	Slight Beneficial	Negligible	Negligible
AQ460	721010,730094	-0.5	-0.1	-0.1	<1	Slight Beneficial	Negligible	Negligible
AQ548	721010,730182	-6.0	-0.9	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ550	721010,730184	-6.1	-0.8	-0.5	<1	Slight Beneficial	Negligible	Negligible
AQ565	721010,730197	-4.3	-0.4	-0.3	<1	Slight Beneficial	Negligible	Negligible
AQ574	721010,730197	-1.4	-0.3	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ584	721010,730197	-0.6	-0.1	-0.1	<1	Slight Beneficial	Negligible	Negligible
AQ598	721010,730197	-1.6	-0.3	-0.2	<1	Slight Beneficial	Negligible	Negligible
AQ6	721010,729640	-2.3	-0.3	-0.2	<1	Moderate Beneficial	Negligible	Negligible
AQ8	721010,729642	-5.3	-0.9	-0.5	<1	Moderate Beneficial	Negligible	Negligible
AQ9	721010,729643	-5.3	-0.8	-0.5	<1	Moderate Beneficial	Negligible	Negligible
AQ11	721010,729645	-3.6	-0.6	-0.3	<1	Moderate Beneficial	Negligible	Negligible
AQ177	721010,729811	-9.8	-1.4	-0.8	<1	Moderate Beneficial	Negligible	Negligible
AQ180	721010,729814	-10.4	-1.5	-0.9	<1	Moderate Beneficial	Negligible	Negligible
AQ302	721010,729936	-6.3	-0.8	-0.5	<1	Moderate Beneficial	Negligible	Negligible
AQ303	721010,729937	-7.3	-1.0	-0.6	<1	Moderate Beneficial	Negligible	Negligible
AQ313	721010,729947	-8.1	-0.8	-0.5	<1	Moderate Beneficial	Negligible	Negligible
AQ314	721010,729948	-7.2	-0.8	-0.5	<1	Moderate Beneficial	Negligible	Negligible
AQ317	721010,729951	-4.6	-0.6	-0.4	<1	Moderate Beneficial	Negligible	Negligible
AQ328	721010,729962	-3.2	-0.5	-0.3	<1	Moderate Beneficial	Negligible	Negligible

Receptor	Receptor Location (ITM)	Change in Annual Mean Conc. ($\mu\text{g}/\text{m}^3$)			Change in No of PM_{10} days > $50 \mu\text{g}/\text{m}^3$	Impact on Annual Mean Conc.		
		NO_2	PM_{10}	$\text{PM}_{2.5}$		NO_2	PM_{10}	$\text{PM}_{2.5}$
AQ335	721010,729969	-3.1	-0.4	-0.2	<1	Moderate Beneficial	Negligible	Negligible
AQ337	721010,729971	-3.2	-0.4	-0.3	<1	Moderate Beneficial	Negligible	Negligible
AQ341	721010,729975	-2.1	-0.4	-0.2	<1	Moderate Beneficial	Negligible	Negligible
AQ372	721010,730006	-2.9	-0.6	-0.3	<1	Moderate Beneficial	Negligible	Negligible
AQ387	721010,730021	-2.7	-0.4	-0.2	<1	Moderate Beneficial	Negligible	Negligible
AQ457	721010,730091	-2.2	-0.3	-0.2	<1	Moderate Beneficial	Negligible	Negligible
AQ488	721010,730122	-3.2	-0.5	-0.3	<1	Moderate Beneficial	Negligible	Negligible
AQ134	721010,729768	-4.2	-0.8	-0.4	<1	Substantial Beneficial	Negligible	Negligible
AQ166	721010,729800	-12.6	-1.8	-1.1	<1	Substantial Beneficial	Negligible	Negligible
AQ571	721010,730197	-9.6	-1.2	-0.8	-1	Substantial Beneficial	Negligible	Negligible
AQ582	721010,730197	-5.0	-0.8	-0.5	<1	Substantial Beneficial	Negligible	Negligible
AQ364	721010,729998	1.0	0.1	0.1	<1	Slight Adverse	Negligible	Negligible
AQ370	721010,730004	0.9	<0.1	<0.1	<1	Slight Adverse	Negligible	Negligible
AQ384	721010,730018	0.5	0.1	<0.1	<1	Slight Adverse	Negligible	Negligible
AQ386	721010,730020	0.5	<0.1	<0.1	<1	Slight Adverse	Negligible	Negligible
AQ462	721010,730096	1.1	0.1	0.1	<1	Slight Adverse	Negligible	Negligible
AQ464	721010,730098	1.1	0.2	0.1	<1	Slight Adverse	Negligible	Negligible
AQ466	721010,730100	1.1	0.1	0.1	<1	Slight Adverse	Negligible	Negligible
AQ463	721010,730097	2.1	0.3	0.2	<1	Moderate Adverse	Negligible	Negligible

The significance of the changes in the concentration of each of the ambient receptors has been determined in the context of the TII Air Quality Guidelines (TII 2011). As shown in Table 7.33 and Figure 7.3 in Volume 3 of this EIAR and Table 3.3 in Appendix A7.1 in Volume 4 of this EIAR, the majority of modelled receptors are estimated to experience a negligible impact due to the Proposed Scheme in terms of the annual mean NO_2 concentration. A slightly beneficial impact is estimated at 64 receptors, a moderate beneficial impact at 19 receptors and a substantial beneficial impact at four receptors due to the diversion of traffic off the Proposed Scheme routes. A slight adverse impact is expected at seven receptors, and a moderate adverse impact at one receptor on the R137 Clanbrassil St Lower junction with the R811 South Circular Rd. This localised moderate adverse impact is considered negative, significant and short-term as NO_2 concentrations exceed the limit value but will decrease below the limit by 2043 due to reductions in emissions between 2028 and 2043 from advancements in engine technology and the addition of a higher percentage of electric vehicles to the fleet. As shown in Table 7.33 and Figure 7.4 in Volume 3 of this EIAR, the Proposed Scheme will be overall neutral in terms of annual mean PM_{10} concentrations, with all receptors experiencing a negligible impact. As shown in Table 7.33 and Figure 7.5 in Volume 3 of this EIAR, the Proposed Scheme will be neutral overall in terms of the annual mean $\text{PM}_{2.5}$ concentration with all receptors experiencing a negligible impact.

In accordance with the EPA Guidelines (EPA 2022), the impacts associated with the Operational Phase traffic emissions pre-mitigation are overall neutral and long-term.

The predictions reported are based on conservative assumptions regarding background pollutant concentrations and the improvement in vehicle emission rates. 2019 background pollutant concentrations have been used to represent 2028 and are likely to be lower by the opening year than in 2019. Older fleet projections were used in the absence of a fleet that incorporates the effects of 2021 Climate Action Plan measures – a larger proportion of electric vehicles is planned by the opening year than has been modelled. In reality, total concentrations (and magnitude of change) are likely to be lower than those reported here.

7.4.3.4 Ecological Assessment

An assessment of the impact of the Proposed Scheme has been undertaken using the approach outlined in the IAQM guidance document A Guide to the Assessment of Air Quality Impacts on Designated Nature Conservation Sites (Version 1.1) (IAQM 2020). The guidance states that where the PEC is less than 70% of the long-term critical level / load, the process contribution (PC) is likely to be insignificant. Where the PC is greater than 1% of the critical level / load it is recommended that the project ecologist should be consulted.

The impact of the Proposed Scheme on the nearby ecologically sensitive areas within 200m of roads impacted by the Proposed Scheme, as defined in Section 7.2.4.1, is outlined in Table 7.34. The annual mean NO_x concentration has been compared to the critical level of 30µg/m³ at each of the designated habitat sites. All sites will exceed the critical level for NO_x in both the DM and the DS scenarios.

Nitrogen deposition levels have been compared to the lower and higher critical loads for the designated habitat sites in Table 7.35. All sites will be below the lower critical load for the designated habitat site in both the DM and the DS scenarios, with the exception of the Dodder Valley pNHA (Tallaght Road) and the Grand Canal pNHA (Canal Road, Charlemont Bridge, Emmet Bridge, Grand Parade, La Touche Bridge and Leeson Bridge). However nitrogen deposition levels reduce at most of these sites due to the Proposed Scheme.

In accordance with the EPA Guidelines (EPA 2022) the ecological impacts associated with the Operational Phase traffic emissions will overall be positive, slight and long-term.

Table 7.34: Significance of Impacts at Key Ecological Receptors (NO₂ Annual Mean Concentration In 2028)

Annual Mean NO ₂ in 2028 At Closest Point Within Ecological Site To Road							
Receptor	Receptor Location (ITM) (m)	DM (µg/m ³)	Distance from Road Beyond which Concentration is Below Critical Level (30 µg/m ³) (m)	DS (µg/m ³)	Distance from Road Beyond which Concentration is Below Critical Level (30 µg/m ³) (m)	Impact (DS – DM) (µg/m ³)	Change as a Percentage of Critical Level (30 µg/m ³) (%)
Dodder Valley pNHA (M50)	711343, 727787	91.7	>200m	93.5	>200m	1.8	6%
Dodder Valley pNHA (Tallaght Road)	710796, 727740	108.3	>200m	102.7	>200m	-5.5	-18%
Grand Canal pNHA (Canal Road)	715821, 732513	101.0	>200m	67.3	>200m	-33.7	-112%
Grand Canal pNHA (Charlemont Bridge, western side)	715881, 732544	96.4	>200m	85.9	>200m	-10.5	-35%
Grand Canal pNHA (Charlemont Bridge, eastern side)	715894, 732549	115.8	>200m	109.9	>200m	-5.9	-20%
Grand Canal pNHA (Charlemont Mall)	715814, 732531	46.7	>200m	42.1	>200m	-4.6	-15%
Grand Canal pNHA (Cheltenham Place)	715924, 732560	79.1	>200m	58.9	>200m	-20.2	-67%
Grand Canal pNHA (Dartmouth Walk)	716126, 732631	68.8	>200m	56.7	>200m	-12.0	-40%
Grand Canal pNHA (Emmet Bridge, western side)	714864, 732443	128.0	>200m	125.6	>200m	-2.4	-8%

Annual Mean NO ₂ in 2028 At Closest Point Within Ecological Site To Road							
Receptor	Receptor Location (ITM) (m)	DM (µg/m ³)	Distance from Road Beyond which Concentration is Below Critical Level (30 µg/m ³) (m)	DS (µg/m ³)	Distance from Road Beyond which Concentration is Below Critical Level (30 µg/m ³) (m)	Impact (DS – DM) (µg/m ³)	Change as a Percentage of Critical Level (30 µg/m ³) (%)
Grand Canal pNHA (Emmet Bridge, eastern side)	714874, 732441	154.5	>200m	151.8	>200m	-2.7	-9%
Grand Canal pNHA (Grand Parade)	715926, 732552	95.2	>200m	77.4	>200m	-17.8	-59%
Grand Canal pNHA (Grove Road, western end)	714919, 732420	91.6	>200m	75.0	>200m	-16.6	-55%
Grand Canal pNHA (Grove Road, center)	715221, 732446	78.1	>200m	66.8	>200m	-11.3	-38%
Grand Canal pNHA (Grove Road, eastern end)	715565, 732488	82.2	>200m	69.3	>200m	-12.9	-43%
Grand Canal pNHA (La Touche Bridge, western side)	715609, 732499	108.0	>200m	82.1	>200m	-25.9	-86%
Grand Canal pNHA (La Touche Bridge, eastern side)	715881, 732544	96.4	>200m	85.9	>200m	-10.5	-35%
Grand Canal pNHA (Leeson Bridge, western side)	716368, 732736	117.5	>200m	115.4	>200m	-2.2	-7%
Grand Canal pNHA (Leeson Bridge, eastern side)	716382, 732741	157.8	>200m	160.1	>200m	2.2	7%
Grand Canal pNHA (Mespil Road, western end)	716425, 732748	56.8	>200m	53.7	>200m	-3.1	-10%
Grand Canal pNHA (Parnell Road)	714464, 732489	74.4	>200m	64.9	>200m	-9.5	-32%

Table 7.35: Significance of Impacts at Key Ecological Receptors (N Deposition In 2028)

Annual Mean N Deposition in 2028 At Closest Point Within Ecological Site To Road									
Receptor	Receptor Location (ITM)	Lower Critical Load for Most Sensitive Feature (kgN/ha/yr)	DM (kgN/ha/yr)	Distance From Road Beyond which Deposition is Below Critical Load (m)	DS (kgN/ha/yr)	Distance from Road Beyond which Deposition is Below Critical Load (m)	Change Relative to Lower Critical Load (%)	Distance from Road Beyond which the Change is <1% (m)	Change in Deposition >0.4 kgN/ha/yr?
Dodder Valley pNHA (M50)	711343, 727787	5	4.99	10m	5.06	10m	2%	16m	0.08
Dodder Valley pNHA (Tallaght Road)	710796, 727740	5	5.66	10m	5.44	0m	-4%	0m	-0.22

Annual Mean N Deposition in 2028 At Closest Point Within Ecological Site To Road									
Receptor	Receptor Location (ITM)	Lower Critical Load for Most Sensitive Feature (kgN/ha/yr)	DM (kgN/ha/yr)	Distance From Road Beyond which Deposition is Below Critical Load (m)	DS (kgN/ha/yr)	Distance from Road Beyond which Deposition is Below Critical Load (m)	Change Relative to Lower Critical Load (%)	Distance from Road Beyond which the Change is <1% (m)	Change in Deposition >0.4 kgN/ha/yr?
Grand Canal pNHA (Canal Road)	715821, 732513	5	5.37	10m	3.92	0m	-29%	0m	-1.45
Grand Canal pNHA (Charlemont Bridge, western side)	715881, 732544	5	5.18	10m	4.74	0m	-9%	0m	-0.44
Grand Canal pNHA (Charlemont Bridge, eastern side)	715894, 732549	5	5.95	10m	5.72	10m	-5%	0m	-0.23
Grand Canal pNHA (Charlemont Mall)	715814, 732531	5	2.93	0m	2.71	0m	-5%	0m	-0.23
Grand Canal pNHA (Cheltenham Place)	715924, 732560	5	4.45	0m	3.53	0m	-18%	0m	-0.92
Grand Canal pNHA (Dartmouth Walk)	716126, 732631	5	3.99	0m	3.42	0m	-11%	0m	-0.56
Grand Canal pNHA (Emmet Bridge, western side)	714864, 732443	5	6.41	10m	6.32	0m	-2%	0m	-0.09
Grand Canal pNHA (Emmet Bridge, eastern side)	714874, 732441	5	7.38	20m	7.28	10m	-2%	0m	-0.10
Grand Canal pNHA (Grand Parade)	715926, 732552	5	5.13	10m	4.37	0m	-15%	0m	-0.76
Grand Canal pNHA (Grove Road, western end)	714919, 732420	5	4.98	10m	4.27	0m	-14%	0m	-0.72
Grand Canal pNHA (Grove Road, center)	715221, 732446	5	4.40	3m	3.90	0m	-10%	0m	-0.51
Grand Canal pNHA (Grove Road, eastern end)	715565, 732488	5	4.58	4m	4.01	0m	-11%	0m	-0.57
Grand Canal pNHA (La Touche Bridge, western side)	715609, 732499	5	5.65	0m	4.58	0m	-21%	0m	-1.07
Gand Canal pNHA (La Touche Bridge, eastern side)	715881, 732544	5	5.18	10m	4.74	0m	-9%	0m	-0.44
Grand Canal pNHA (Leeson Bridge, western side)	716368, 732736	5	6.02	10m	5.94	10m	-2%	0m	-0.08
Grand Canal pNHA (Leeson Bridge, eastern side)	716382, 732741	5	7.49	20m	7.57	20m	2%	10m	0.08

Annual Mean N Deposition in 2028 At Closest Point Within Ecological Site To Road									
Receptor	Receptor Location (ITM)	Lower Critical Load for Most Sensitive Feature (kgN/ha/yr)	DM (kgN/ha/yr)	Distance From Road Beyond which Deposition is Below Critical Load (m)	DS (kgN/ha/yr)	Distance from Road Beyond which Deposition is Below Critical Load (m)	Change Relative to Lower Critical Load (%)	Distance from Road Beyond which the Change is <1% (m)	Change in Deposition >0.4 kgN/ha/yr?
Grand Canal pNHA (Mespil Road, western end)	716425, 732748	5	3.43	0m	3.28	0m	-3%	0m	-0.15
Grand Canal pNHA (Parnell Road)	714464, 732489	5	4.24	0m	3.81	0m	-9%	0m	-0.43

7.4.3.5 Regional Air Quality Assessment

The potential changes in regional air emissions due to the Operational Phase traffic impacts of the Proposed Scheme have been assessed using the NTA Environmental Appraisal Tool, which is based on ENEVAL. ENEVAL measures the regional air emissions associated with road transport based on the various road links and their corresponding emissions.

Pollutant emissions (in tonnes) produced in both the DM and DS scenarios during the opening year of the Operational Phase are shown in Table 7.36. The Proposed Scheme will lead to an overall increase in pollutants primarily due to predicted slower and, or longer travel times associated with cars and heavy good vehicles as a result of the Proposed Scheme.

Table 7.36: Operational Phase Regional Pollutant Emissions (tonnes) – Opening Year 2028

Scenario	Vehicle Class	NO _x (tonnes)	NO ₂ (tonnes)	PM ₁₀ (tonnes)	PM _{2.5} (tonnes)	HC (tonnes)	CO (tonnes)	Benzene (tonnes)	Butadiene (tonnes)
DM	Car	239	69	2	2	15	288	0.2	0.2
DS		238	69	2	2	15	289	0.2	0.2
Change		-1	-0.3	-0.01	-0.01	-0.1	1	-0.002	-0.002
% Change		-0.5%	-0.5%	-0.6%	-0.6%	-0.6%	0.3%	-1%	-1%
DM	Goods	314	89	0.7	0.6	9	52	0.1	0.1
DS		317	90	0.7	0.6	9	53	0.1	0.1
Change		3	1	0.003	0.003	0.03	0.4	0.001	-0.0003
% Change		1%	1%	0.4%	0.4%	0.3%	1%	1%	-0.2%
DM	Urban Bus	6	0.6	0.1	0.05	0.2	2	0	0.002
DS		6	0.6	0.1	0.05	0.2	2	0	0.002
Change		0.1	0.01	-0.0004	-0.0004	-0.002	-0.01	0	-0.00002
% Change		2%	2%	-1%	-1%	-1%	-0.5%	0%	-1%
DM	Total	560	159	2	2	24	342	0.3	0.3
DS		561	159	2	2	24	344	0.3	0.3
Change		2	0.4	-0.01	-0.01	-0.1	1	-0.0003	-0.003
% Change		0.3%	0.3%	-0.3%	-0.3%	-0.3%	0.4%	-0.1%	-0.8%

Pollutant emissions (in tonnes) produced in both the DM and DS scenarios during the design year of the Operational Phase are shown in Table 7.37. The Proposed Scheme will lead to an overall slight increase in

pollutants primarily due to predicted slower and, or longer travel times associated with cars and heavy good vehicles as a result of the Proposed Scheme.

Table 7.37: Operational Phase Regional Pollutant Emissions (tonnes) – Design Year 2043

Scenario	Vehicle Class	NO _x (tonnes)	NO ₂ (tonnes)	PM ₁₀ (tonnes)	PM _{2.5} (tonnes)	HC (tonnes)	CO (tonnes)	Benzene (tonnes)	Butadiene (tonnes)
DM	Car	85	24	1	1	7	106	0.1	0.1
DS		86	25	1	1	7	107	0.1	0.1
Change		0.6	0.2	0.005	0.005	0.03	0.9	0.0002	0.001
% Change		0.8%	0.8%	0.7%	0.7%	0.5%	0.9%	0.4%	1%
DM	Goods	172	44	0.5	0.5	5	33	0.1	0.1
DS		176	45	0.5	0.5	6	34	0.1	0.1
Change		4	1	0.01	0.01	0.1	0.7	0.002	0.001
% Change		2%	2%	2%	2%	2%	2%	3%	2%
DM	Urban Bus	0	0	0.05	0.05	0	0	0	0
DS		0	0	0.05	0.05	0	0	0	0
Change		0	0	0.0002	0.0002	0	0	0	0
% Change		0%	0%	0.4%	0.4%	0%	0%	0%	0%
DM	Total	257	68	1	1	12	139	0.1	0.2
DS		262	69	1	1	12	141	0.1	0.2
Change		5	1	0.01	0.01	0.1	2	0.002	0.002
% Change		2%	2%	1%	1%	1%	1%	2%	1%

In accordance with the EPA Guidelines (EPA 2022) and considering that the change in concentrations is within the traffic model and ENEVAL tool margin of variability, the regional impacts associated with the Operational Phase traffic emissions pre-mitigation are considered overall neutral and long-term.

7.5 Mitigation and Monitoring Measures

In order to sufficiently ameliorate the likely air quality impact, a schedule of mitigation measures has been formulated for the Construction Phase of the Proposed Scheme.

7.5.1 Construction Phase

7.5.1.1 Construction Dust

In order to minimise dust nuisance impacts, a series of mitigation measures that are applicable to the Construction Phase of the Proposed Scheme will be implemented by the appointed contractor. In summary, the mitigation measures will include:

- Public roads affected by the Proposed Scheme works will be regularly inspected for soiling associated with the construction activities and cleaned as necessary;
- Material handling systems and stockpiling of materials will be designed and laid out to minimise exposure to wind. Water misting or sprays (or similar dust suppression methods) will be used as required if particularly dusty activities associated with the construction contract are necessary during dry or windy periods;
- During movement of dust generating materials both on and off-site, trucks will be covered with tarpaulin, and before entrance onto public roads, trucks will be checked to ensure the tarpaulins are properly in place; and
- The appointed contractor will provide a site hoarding of 2.4m height along noise sensitive boundaries, at a minimum, at the Construction Compounds, which will assist in minimising the potential for dust impacts off-site.

The appointed contractor will keep the effectiveness of the mitigation measures under review and revise them as necessary. In the event of dust nuisance occurring outside the works boundary associated with the Proposed Scheme, movements of materials likely to raise dust will be curtailed and satisfactory procedures implemented to rectify the problem.

7.5.1.2 Construction Traffic

Construction vehicles, generators etc., may give rise to some NO₂ and PM₁₀ / PM_{2.5} emissions. Table 7.38 summarises the Construction Phase impacts prior and post mitigation. In terms of construction traffic impacts, the Proposed Scheme will have a generally neutral impact on air quality, with some slight beneficial impacts. Due to worst-case scenario modelling where in reality the works will be short-term and temporary in nature, the impact on air quality will not be significant. Therefore, no specific Construction Phase mitigation or monitoring measures are required.

Table 7.38: Summary of Predicted Construction Phase Impacts Following the Implementation of Mitigation and Monitoring Measures

Assessment Topic	Potential Impact (Pre-Mitigation and Monitoring)	Predicted Impact (Post Mitigation and Monitoring)
Construction dust	Negative, Not Significant, Short-term	Neutral, Short-term
Road traffic impacts on local human receptors	Neutral, Short-term	Neutral, Short-term
Road traffic impacts on local ecological receptors	Negative, Slight, Short-term	Negative, Slight, Short-term
Regional air quality	Neutral, Short-term	Neutral, Short-term

7.5.2 Operational Phase

Table 7.39 summarises the Operational Phase impacts prior and post mitigation. As the Proposed Scheme will have a generally neutral impact on air quality, no specific Operational Phase mitigation or monitoring measures are recommended. The area where moderate adverse impacts were modelled is on the R137 Clanbrassil St Lower junction with the R811 South Circular Rd, and both Existing Baseline and DM NO₂ concentrations are

modelled near the limit value of 40 µg/m³. The impact from the Proposed Scheme derives both from these high baseline concentrations and increase in traffic flows at this location due to the Proposed Scheme. Whilst not a mitigation measure as such, it is noted that in time, vehicle emissions technology will improve and the Irish vehicle fleet will continue to evolve to the extent that vehicle emissions impacts associated with the Proposed Scheme are anticipated to be short-term. City wide traffic management measures and proactive encouragement of low emissions vehicle uptake would accelerate these improvements.

Table 7.39: Summary of Predicted Operational Phase Impacts Following the Implementation of Mitigation and Monitoring Measures

Assessment Topic	Potential Impact (Pre-Mitigation and Monitoring)	Predicted Impact (Post Mitigation and Monitoring)
Road traffic impacts on local human receptors	Neutral, Long-term	Neutral, Long-term
Road traffic impacts on local ecological receptors	Positive, Slight, Long-term	Positive, Slight, Long-term
Regional air quality	Neutral, Long-term	Neutral, Long-term

7.6 Residual Impacts

7.6.1 Construction Phase

When the dust minimisation measures detailed in the mitigation section of this Chapter are implemented, fugitive emissions of dust from the site will be insignificant and pose no nuisance at nearby receptors. Thus, there will be no significant residual Construction Phase dust impacts.

The air dispersion modelling assessment of Construction Phase traffic emissions has found that the Proposed Scheme will be neutral overall in the study area. There are no substantial or moderate adverse effects expected as a result of the Construction Phase of the Proposed Scheme.

Therefore, overall it is considered that the residual effects as a result of the Proposed Scheme's construction are neutral and short-term. No significant residual impacts have been identified during the Construction Phase of the Proposed Scheme, whilst meeting the scheme objectives set out in Chapter 1 (Introduction).

7.6.2 Operational Phase

The air dispersion modelling assessment has found that the majority of all modelled receptors are predicted to experience negligible impacts due to the Proposed Scheme, and beneficial impacts are also estimated along the length of the Proposed Scheme. The number of receptors where an exceedance of the NO₂ limit value is predicted decreases as a result of the Proposed Scheme. In 2043 all receptors are expected to have ambient air quality in compliance with the ambient air quality standards for the DM and DS scenarios. There are localised residual moderate adverse effects expected on the R137 Clanbrassil Street Lower junction with the R811 South Circular Road as a result of the 2028 Operational Phase of the Proposed Scheme which are considered significant as NO₂ concentrations are predicted to exceed the limit value. However, these are expected to reduce to negligible by 2043, due to a significant reduction in emissions between 2028 and 2043 from advancements in engine technology and the addition of a higher percentage of electric vehicles to the fleet. The localised impacts at human receptors on the R137 Clanbrassil Street Lower junction with the R811 South Circular Road due to the 2028 Operational Phase of the Proposed Scheme are therefore considered negative, significant and short-term.

Overall, it is considered that the residual effects as a result of the Proposed Scheme's operation are neutral and long-term.

7.7 References

- CERC (2020). ADMS-Roads dispersion model (Version 5.1)
- Codema (2017). Developing CO₂ Baselines – A Step-by-Step Guide for Your Local Authority
- DCC (2009). Dublin Regional Air Quality Management Plan 2009 – 2012
- DCC (2011). Dublin Regional Air Quality Management Plan for Improvements in Levels of Nitrogen Dioxide in Ambient Air Quality
- DCC (2018). Air Quality Monitoring and Noise Control Unit's Good Practice Guide for Construction and Demolition
- DEFRA (2022). Part IV of the Environment Act 1995: Local Air Quality Management Policy Guidance (PG22)
- DEFRA (2022). Part IV of the Environment Act 1995: Local Air Quality Management Technical Guidance (TG22)
- DEFRA (2020). UK DEFRA Emission Factor Toolkit (EFT) Version 10.1
- DEFRA (2020), NO_x to NO₂ Calculator Version 8.1, available online from <https://laqm.defra.gov.uk/review-and-assessment/tools/background-maps.html#NOxNO2calc>
- DEHLG (2004). Quarries and Ancillary Activities, Guidelines for Planning Authorities
- DEHLG (2010). Appropriate Assessment of Plans and Projects in Ireland – Guidance for Planning Authorities
- EA (2014). AGTAG06 – Technical Guidance On Detailed Modelling Approach For An Appropriate Assessment For Emissions To Air
- European Commission, (2013). Guidance on Integrating Climate Change and Biodiversity into Environmental Impact Assessment
- European Commission, (2017). Environmental Impact Assessment of Projects – Guidance on the preparation of the Environmental Impact Assessment Report
- EMISIA (2020). COPERT 5.3.26 Software [Online] Available from <https://www.emisia.com/utilities/copert/versions/>
- EPA (2020a) Urban Environmental Indicators: Nitrogen dioxide levels in Dublin
- EPA (2020b) Air Quality in Ireland 2019
- EPA (2020c). Diffusion Tube Results [Online] Available from <https://www.epa.ie/air/quality/diffusiontuberresults/>
- EPA (2022). Guidelines on the Information to be Contained in Environmental Impact Assessment Reports
- IAQM (2014). Guidance on the Assessment of Dust from Demolition and Construction
- IAQM (2020). A Guide to the Assessment of Air Quality Impacts on Designated Nature Conservation Sites
- Jacobs Systra (2016). Modelling Services Framework – Regional Model Development – Appraisal Tools – Environment Module Development Note
- Met Éireann (2020). Historical Data – Dublin Airport. [Online] Available from <https://www.met.ie/climate/available-data/historical-data>

TII (2009). Guidelines for Assessment of Ecological Impacts of National Roads Schemes (Rev. 2, National Roads Authority, 2009)

TII (2011). Guidelines for the Treatment of Air Quality During the Planning and Construction of National Road Schemes

UK Highways Agency (2007) Design Manual for Roads and Bridges, Volume 11, Section 3, Part 1 - HA207/07 (Document & Calculation Spreadsheet)

UKHA (2011). Design Manual for Roads and Bridges – LA 114 Climate. Available from <https://www.standardsforhighways.co.uk/prod/attachments/d1ec82f3-834b-4d5f-89c6-d7d7d299dce0?inline=true>

UKHA (2019). Design Manual for Roads and Bridges – LA 105 Air Quality. Available from <https://www.standardsforhighways.co.uk/prod/attachments/10191621-07df-44a3-892e-c1d5c7a28d90?inline=true>

UNECE (2003). Critical Loads for Nitrogen Expert Workshop 2002

UNECE (2010). 2010 Review and Revision of Empirical Critical Loads and Dose-Response Relationships

VDI (2002). German Technical Instructions on Air Quality Control – TA Luft standard for dust deposition.

WHO (2006). Air Quality Guidelines for Particulate Matter, Ozone, Nitrogen Dioxide and Sulfur Dioxide Global Update 2005

WHO (2021). WHO global air quality guidelines: particulate matter (PM_{2.5} and PM₁₀), ozone, nitrogen dioxide, sulfur dioxide and carbon monoxide

Directives and Legislation

Council Directive 1999/30/EC of 22 April 1999 relating to limit values for sulphur dioxide, nitrogen dioxide and oxides of nitrogen, particulate matter and lead in ambient air

Council Directive 96/62/EC of 27 September 1996 on ambient air quality assessment and management and daughter directives

Directive 2000/69/EC of the European Parliament and of the Council of 16 November 2000 relating to limit values for benzene and carbon monoxide in ambient air

Directive 2001/81/EC of the European Parliament and of the Council of 23 October 2001 on national emission ceilings for certain atmospheric pollutants

Directive 2008/50/EC of the European Parliament and of the Council of 21 May 2008 on ambient air quality and cleaner air for Europe

Directive (EU) 2016/2284 of the European Parliament and of the Council of 14 December 2016 on the reduction of national emissions of certain atmospheric pollutants, amending Directive 2003/35/EC and repealing Directive 2001/81/EC

S.I. No. 739 of 2022 Air Quality Standards Regulations 2022

S.I. No. 271/2002 - Air Quality Standards Regulations 2002