



Appendix A9.1
Noise & Vibration Survey

Contents

Appendix A9.1: Noise & Vibration Surveys	1
1. Baseline Noise Monitoring	1
1.1 Introduction	1
1.2 Survey Methodology	1
1.3 Survey Results	6
2. Baseline Vibration Monitoring	12
2.1 Introduction	12
2.2 Survey Methodology	12
2.3 Survey Results – Harristown Bus Depot	14
2.4 Survey Results – Malahide Road	17
3. References	21
4. Calibration Certificates For Monitoring Equipment	22
4.1 Rion NL-52 S/N 186672	22
4.2 Rion NL-52 S/N 998410	25
4.3 Rion NL-52 S/N 998413	28
4.4 Rion NL-52 S/N 186668	31
4.5 Bruel and Kjaer 2250L	34
4.6 Rion VM-56 (S/N 680043)	38
5. Unattended Monitoring Equipment Set Up	41

Appendix A9.1: Noise & Vibration Surveys

1. Baseline Noise Monitoring

1.1 Introduction

This Report includes the relevant survey details and results associated with baseline noise monitoring undertaken as part of the Bray to City Centre Core Bus Corridor Scheme (hereafter referred to as the Proposed Scheme). The survey has been undertaken to inform the noise and vibration chapter of the Proposed Scheme Environmental Impact Assessment Report (EIAR).

Survey details and results for each of the noise monitoring locations are included within this Report.

1.2 Survey Methodology

1.2.1 Study Area

The assessment study area is split into four geographical zones. The range of noise and vibration sensitive locations along the Proposed Scheme within the geographic sections are discussed in Table 1.

Table 1: Description of Noise and Vibration Sensitive Locations Along Proposed Scheme

Geographical Zone	Description of Study Area
Leeson Street to Donnybrook (Anglesea Road Junction)	Within this study area the key NSLs are predominately residential dwellings, Church of the Sacred Heart in Donnybrook, The Institute of Education and the Royal Victoria Eye and Ear Hospital.
Donnybrook (Anglesea Road Junction) to Loughlinstown Roundabout	Within this study area the key NSLs are predominately residential dwellings between 50m to 100 m from the Proposed Scheme. Other sensitive receptors include Teresian School, University College Dublin (UCD), Coláiste Íosagáin, St Thomas' Church, Gleneagle Medical Clinic, Oatlands College, St John of God Hospital, Saint Brigid's National School, Belmont House Nursing home, Church of Our Lady of Perpetual Succour Foxrock and The Down Syndrome Centre, Foxrock Church, St Laurence College, St. Columcille's Hospital, at the R118 Wyattville Road junction and on the approach to Loughlinstown Roundabout.
Loughlinstown Roundabout to Bray North (Wilford Roundabout)	Within this study area the key NSLs are predominately residential dwellings which bound the road, in particular in proximity to Shankill Village. In addition to residential receptors the following sensitive receptors are noted within this study area; Rathmichael Parish National School, Beechfield Manor Nursing Home, St. Joseph's Centre Nursing Home and Woodbrook College. To the south of this study area there are sections of agricultural land with lower numbers of sensitive receptors.
Bray North (Wilford Roundabout) to Bray South (Fran O'Toole Bridge)	Within this study area the key noise sensitive receptors are predominately residential dwellings which are within 20m to 100m of the Proposed Scheme.

1.2.2 Survey Locations

Baseline noise surveys have been conducted at locations representative of the nearest noise sensitive areas which have the potential to be impacted by construction works and/or those likely to be impacted during the Operational Phase of the Proposed Scheme. Baseline noise measurements were made over both long-term and short-term periods to inform the assessment.

- Long-term surveys (typically one week in duration) were made at a total of five locations; and
- Short-term surveys (attended day-time measurements) were made at a total of 24 locations along the length of the Proposed Scheme.

Figure 9.2, in Volume 3 of this EIAR illustrates the baseline noise monitoring locations. Each is discussed in the relevant geographical zone in the following sections.

1.2.2.1 Leeson Street to Donnybrook (Anglesea Road Junction)

One attended survey location was surveyed within this study area. The location reference and a description of survey position is included in Table 2.

Table 2: Noise Monitoring Locations – Leeson Street to Donnybrook (Anglesea Road Junction)

Location	Description of Survey Location
Attended Monitoring Locations	
CBC0013ANML001	On footpath to north of R138 Donnybrook Road / Eglinton Road junction, in line with closest residential façade facing onto R138 Donnybrook Road. Located approximately 5m from R138 road edge.

1.2.2.2 Donnybrook (Anglesea Road Junction) to Loughlinstown Roundabout

Nine attended survey locations were surveyed within this study area. The location reference, and a description of the survey positions, are included in Table 3.

Table 3: Noise Monitoring Locations – Donnybrook (Anglesea Road Junction) to Loughlinstown Roundabout

Location	Description of Survey Location
Attended Monitoring Locations	
CBC0013ANML002	In carpark of Church to southeast of R138 Stillorgan Road / R815 Anglesea Road junction. Located approximately 15m from R138 road edge.
CBC0013ANML003	On footpath in UCD campus to west of R138 Stillorgan Road slip road. Located approximately 15m from R138 slip road edge.
CBC0013ANML004	On footpath to north of St. Thomas Road / The Rise junction off the R138 Stillorgan Road, in line with facades facing onto R138 Stillorgan Road. Located approximately 100m from R138 road edge.
CBC0013ANML005	On laneway joining South Hill Park onto R138 Stillorgan Road. Located approximately 5m from R138 road edge.
CBC0013ANML006	On footpath to north of N11 Stillorgan Road / Treesdale junction, in line with residential facades facing onto N11 Stillorgan Road. Located approximately 18m from N11 road edge.
CBC0013ANML007	On footpath in Laurleen housing estate to south of N11 Stillorgan Road. Located approximately 30m from N11 road edge.
CBC0013ANML008	On footpath to east of N11 Stillorgan Road in Newpark housing estate, in line with residential facades facing onto N11 Stillorgan Road. Located approximately 18m from N11 road edge.
CBC0013ANML009	On footpath to east of N11 Bray Road in line with closest residential facades in Shanganagh Vale housing estate facing onto N11 Bray Road. Located approximately 15m from N11 road edge.
CBC0013ANML010	On footpath to south of Cherrywood housing estate, east of N11 Bray Road, in line with residential facades facing onto N11 Bray Road. Located approximately 65m from N11 road edge.

1.2.2.3 Loughlinstown Roundabout to Bray North (Wilford Roundabout)

Five long-term unattended monitoring locations and 10 attended survey locations were surveyed within this study area. The location reference and a description of survey positions are included in Table 4.

Table 4: Noise Monitoring Locations – Loughlinstown Roundabout to Bray North (Wilford Roundabout)

Location	Description of Survey Location
Unattended Monitoring Locations	
CBC0013UNML001 ^{Note 1}	Rear garden of residential property, 5m from façade with direct line of sight to R837 Dublin Road. Located approximately 55m to R837 road and 35m from M11 motorway road edge.
CBC0013UNML002	In front residential garden separated from R837 Dublin Road by wall. Located approximately 7m from R837 road edge and 18m from residential façade.
CBC0013UNML003	In front residential garden, in line with property façade and separated from R119 Dublin Road by wall. Located approximately 6m from R119 road edge.
CBC0013UNML004	In front residential garden, in line with property facade and separated from R119 Dublin Road by wall. Located approximately 12m from R119 road edge.
CBC0013UNML005	In front residential garden separated from R119 Dublin Road by wall. Located approximately 10m from R119 road edge and 5m from residential façade.
Attended Monitoring Locations	
CBC0013ANML011	Green area to northwest Parc na Silla Rise housing estate to west of M11 road, in line with closest facades of properties facing onto M11. Located approximately 40m from M11 road edge.
CBC0013ANML012	On footpath in National School to northwest of R837 Dublin Road / Stonebridge Road junction, in line with façade of school facing onto R837 Dublin Road. Located approximately 25m from R837 Dublin Road.
CBC0013ANML013	In carpark of Church located to northeast of R837 Dublin Road / R119 Shanganagh Road roundabout junction. Located approximately 45m from R837 road edge.
CBC0013ANML014	On footpath at entrance to residential property along cul de sac to west of Shankill Roundabout at R837 Dublin Road / R119 Dublin Road junction. Located approximately 15m from R8237 road edge, Separated from road by short wall running along length of properties overlooking the R837 Dublin Road.
CBC0013ANML015	Grass verge to southwest of R119 Dublin Road / Cherrington Road junction, in line with façade of residential properties facing onto R119 Dublin Road. Located approximately 33m from R119 road edge.
CBC0013ANML016	On footpath to north of R119 Dublin Road / Castle Farm junction, in line with closest residential facades facing onto R119 Dublin Road. Located approximately 15m from R119 Dublin Road.
CBC0013ANML017	Grass verge to south of Beech Road housing estate, in line with residential facades facing onto R119 Dublin Road. Located approximately 30m from R119 road edge.
CBC0013ANML018	Grass area 110m to southeast of R119 Dublin Road / Crinken Lane junction. Located in line with façade of residential property facing onto R119 Dublin Road. Located approximately 30m from R119 road edge, separated from R119 by 6ft wall, comparable to residential properties to east of this section of the R119.
CBC0013ANML019	On footpath in line with façade of Crinken Church facing into R119 Dublin Road. Located approximately 30m from R119 road edge.
CBC0013ANML020	In carpark of a Secondary School, 175m to northwest of R119 Dublin Road / M11 slip road. Located approximately 10m from R119 road edge.

Note 1: An attended noise survey was also undertaken at CBC0013UNML001, logged for a period of three-hours in the front garden of the property. The three-hour survey results are summarised in Table 10.

1.2.2.4 Bray North (Wilford Roundabout) to Bray South (Fran O’Toole Bridge)

Three attended survey locations were surveyed within this study area. The location reference, and a description of the survey positions, are included in Table 5.

Table 5: Noise Monitoring Locations – Bray North (Wilford Roundabout) to Bray South (Fran O’Toole Bridge)

Location	Description of Survey Location
Attended Monitoring Locations	
CBC0013ANML021	Grass area to north of The Drive housing estate to east of R761 Dublin Road, in line with residential facades located further north, positioned approximately 290m from R761 road edge.
CBC0013ANML022	On footpath to north of R761 Dublin Road / Corke Abbey Avenue junction, in line with closest residential facades facing onto R761 Dublin Road. Located approximately 25m from R761 road edge.
CBC0013ANML023	On footpath to northeast of Fran O’ Toole Bridge, in line with residential facades facing onto R761 Castle Street, Located approximately 10m from R761 road edge.

1.2.3 Survey Periods

Unattended noise surveys were undertaken between 18 August 2020 and 7 October 2020. The specific survey dates for each location are included in the survey result tables in Section 1.3.

Attended noise surveys were undertaken between 30 June 2020 and 11 September 2020. The specific survey dates and times for each location are included in the survey results tables in Section 1.3.

1.2.4 Survey Equipment and Personnel

The unattended surveys were undertaken using RION NL-52 sound level meters. The attended surveys were undertaken using either RION NL-52 and Brüel and Kjær 2250L sound level meters. The specific equipment details are summarised in Table 6.

Table 6: Noise Monitoring Equipment

Survey Type	Equipment	Serial Number	Calibration Date
Unattended	Rion NL-52	186672	04/05/2020
		998410	22/01/2020
		998413	22/01/2020
Attended	Rion NL-52	186668	07/05/2020
	Brüel and Kjær 2250L	3008402	04/11/2019

Calibration certificate of the monitoring equipment are included within Section 4.

For unattended surveys, a Rion WS-15 Outdoor Microphone Protection System with microphone extension cable and outdoor peli-case was used. An image of the equipment install at each monitoring location is included in Section 5.

1.2.5 Survey Parameters

The following noise parameters were measured and are discussed within this report.

L_{Aeq,T} is the A-weighted equivalent continuous steady sound level during the sample period and effectively represents an average value of the defined measurement period, T.

L_{Aeq,16hr} refers to the ambient daytime period between 07:00 and 23:00hrs.

L_{A10,T} is the A-weighted sound level that is exceeded for 10% of the sample period; this parameter gives an indication of the upper limit of fluctuating noise such as that from road traffic. The T is the sample period the parameter is measured over.

L_{A10,18hr} is the L_{A10} parameter between 06:00 and 00:00hrs as defined within the Calculation of Road Traffic Noise (hereafter referred to as CRTN) (UK Department of Transport 1998).

L_{A90,T} is the A-weighted sound level that is exceeded for 90% of the sample period; generally used to quantify background noise. The T is the sample period the parameter is measured over.

L_{A90,16hr}, refers to the background daytime noise level between 07:00 and 23:00hrs

L_{A90,8hr}, refers to the background night-time noise level between 23:00 and 07:00hrs

The L_{den} parameter is also discussed within the report. For long-term survey locations, this parameter is derived from the L_{Aeq} data over each 24 hour period as is defined as follows:

L_{den} is the 24hour noise rating level determined by the averaging of the L_{day} with the L_{evening} (plus a 5dB penalty) and the L_{night} (plus a 10dB penalty). L_{den} is calculated using the following formula, as defined within the Environmental Noise Regulations (S.I.140 / 2006):

$$L_{den} = 10 \log \left(\frac{1}{24} \left(12 * \left(10^{\frac{L_{day}}{10}} \right) + 4 * \left(10^{\frac{L_{evening}+5}{10}} \right) + 8 * \left(10^{\frac{L_{night}+10}{10}} \right) \right) \right)$$

Where:

L_{day} is the A-weighted long-term average sound level as defined in ISO 1996-2, determined over all the day periods of a year. The 12hr daytime period is between 07:00 to 19:00hrs.

L_{evening} is the A-weighted long-term average sound level as defined in ISO 1996-2, determined over all the evening periods of a year. The 4hr evening period is between 19:00 to 23:00hrs.

L_{night} is the A-weighted long-term average sound level as defined in ISO 1996-2, determined over all the night periods of a year. The 8hr night-time period is between 23:00 to 07:00hrs.

1.2.6 Survey Procedure

Noise measurements were conducted in general accordance with the guidance contained in ISO 1996-1:2016 Acoustics – Description measurement and assessment and environmental noise. Part 1: Basic quantities and assessment procedures (ISO 2016) and ISO 1996-2:2017 Part 2: Determination of sound pressure levels (ISO 2017).

1.2.6.1 Unattended Measurements

For unattended noise surveys, the monitoring equipment was installed within the private grounds of residential properties. For single story buildings, the microphone was installed at the height of ground floor windows (typically 1.5m above ground). For all other locations, the microphone was extended to a height of approximately 3.8m above ground. The equipment was set to log for 15 minute intervals on a continual basis over a one week period.

1.2.6.2 Attended Measurements

Attended noise surveys were undertaken at public locations at positions representative of the adjacent noise sensitive locations (e.g. on green areas in residential areas, footpaths, parks etc.). For all attended surveys, the microphone was positioned at height of approximately 1.2m above ground.

The attended surveys were undertaken in accordance with the shortened measurement procedure described in CRTN and Transport Infrastructure Ireland’s (TII) document Guidelines for the Treatment of Noise and Vibration on National Road (TII 2004).

This methodology involves a method whereby L_{A10(18hour)} and L_{den} values are obtained through a combination of measurement and calculation as follows:

- Noise level measurements are undertaken at the chosen location over three consecutive hours between 10:00 and 17:00hrs.
- Each sample period was measured over a 15 minute duration.
- The L_{A10(18hour)} for the location is derived by subtracting 1 dB from the arithmetic average of the three hourly sample values, i.e.

$$L_{A10(18hour)} = ((\sum L_{A10(15\ minutes)}) \div 3) - 1 \text{ dB.}$$

- The derived L_{den} value is calculated from the L_{A10(18hour)} value, i.e.

$$L_{den} = 0.86 \times L_{A10(18hr)} + 9.86 \text{ dB.}$$

1.3 Survey Results

1.3.1 Leeson Street to Donnybrook (Anglesea Road Junction)

1.3.1.1 Attended Surveys

The attended noise survey results recorded during the baseline surveys within this study area are presented in Table 7.

Table 7: Attended Noise Survey Results for Leeson Street to Donnybrook (Anglesea Road Junction)

Attended Location	Date	Start Time	Measured Noise Levels (dB re.2x10 ⁻⁵ Pa)			Derived L _{den}	Survey Notes
			L _{Aeq}	L _{A10}	L _{A90}		
CBC0013ANML001	30/06/2020	10:04	68	71	60	70	Road traffic noise from R138 Donnybrook Road / Eglinton Road junction dominant noise source, pedestrian traffic light beacon.
		11:09	68	71	60		Road traffic noise from R138 Donnybrook Road / Eglinton Road junction dominant noise source, pedestrian traffic light beacon, pedestrian conversation.
		12:12	67	71	59		Road traffic noise from R138 Donnybrook Road / Eglinton Road junction dominant noise source, pedestrian traffic light beacon.

1.3.2 Donnybrook (Anglesea Road Junction) to Loughlinstown Roundabout

1.3.2.1 Attended Surveys

The attended noise survey results recorded during the baseline surveys within this study area are presented in Table 8.

Table 8: Attended Noise Survey Results for Donnybrook (Anglesea Road Junction) to Loughlinstown Roundabout

Attended Location	Date	Start Time	Measured Noise Levels (dB re.2x10 ⁻⁵ Pa)			Derived L _{den}	Survey Notes
			L _{Aeq}	L _{A10}	L _{A90}		
CBC0013ANML002	30/06/2020	10:24	64	67	57	67	Road traffic noise from R138 Stillorgan Road dominant noise source, car horn.
		11:29	64	68	58		Road traffic noise from R138 Stillorgan Road dominant noise source, car horn.
		12:31	64	68	58		Road traffic noise from R138 Stillorgan Road dominant noise source, car horn.
CBC0013ANML003	30/06/2020	10:45	64	66	57	66	Road traffic noise from R138 Stillorgan Road dominant noise source.
		11:50	63	66	58		Road traffic noise from R138 Stillorgan Road dominant noise source, pedestrian conversation.
		12:51	64	67	57		Road traffic noise from R138 Stillorgan Road dominant noise source, pedestrian conversation.
CBC0013ANML004	30/06/2020	13:27	59	63	50	62	Road traffic noise from St. Thomas Road and R138 Stillorgan Road dominant noise source.
		14:34	57	61	48		Road traffic noise from St. Thomas Road and R138 Stillorgan Road dominant noise source.
		15:37	58	62	49		Road traffic noise from St. Thomas Road and R138 Stillorgan Road dominant noise source.
CBC0013ANML005	30/06/2020	13:49	68	72	54	71	Road traffic noise from R138 Stillorgan Road dominant noise source, pedestrian conversation, siren.
		14:53	68	72	56		Road traffic noise from R138 Stillorgan Road dominant noise source.
		15:56	68	72	52		Road traffic noise from R138 Stillorgan Road dominant noise source.
CBC0013ANML006	30/06/2020	14:12	66	69	55	69	Road traffic noise from N11 Stillorgan Road dominant noise source, car horn.
		15:14	66	69	55		Road traffic noise from N11 Stillorgan Road dominant noise source, siren.
		16:17	67	70	56		Road traffic noise from N11 Stillorgan Road dominant noise source, siren.
CBC0013ANML007	02/07/2020	10:00	56	58	49	59	Road traffic noise from N11 Stillorgan Road dominant noise source.
		11:27	55	58	48		Road traffic noise from N11 Stillorgan Road dominant noise source, conversation, dog barking.
		12:41	57	59	50		Road traffic noise from N11 Stillorgan Road dominant noise source, conversation, dog barking.
CBC0013ANML008	02/07/2020	10:30	68	72	58	70	Road traffic noise from N11 Stillorgan Road dominant noise source.
		11:48	67	71	58		Road traffic noise from N11 Stillorgan Road dominant noise source, birdsong.
		13:04	67	71	59		Road traffic noise from N11 Stillorgan Road dominant noise source, birdsong.
CBC0013ANML009	02/07/2020	10:56	62	65	56	64	Road traffic noise from N11 Bray Road dominant noise source.
		12:12	61	64	56		Road traffic noise from N11 Bray Road dominant noise source, birdsong, reverse beacon.
		13:28	62	64	58		Road traffic noise from N11 Bray Road dominant noise source, birdsong.
CBC0013ANML010	02/07/2020	14:12	55	56	52	58	Road traffic noise from N11 Bray Road dominant noise source, car horn.
		15:00	56	57	52		Road traffic noise from N11 Bray Road dominant noise source, distant construction noise, intermittent reversing beacon, car horn.
		16:00	57	58	52		Road traffic noise from N11 Bray Road dominant noise source, siren.

1.3.3 Loughlinstown Roundabout to Bray North (Wilford Roundabout)

1.3.3.1 Unattended Surveys

The noise survey results recorded during the baseline surveys within this study area are presented in Table 9.

Table 9: Unattended Noise Survey Results for Loughlinstown Roundabout to Bray North (Wilford Roundabout)

Survey Date	Daytime				Evening	Night-Time			L _{den}
	L _{Aeq,16hr}	L _{day}	L _{A10,16hr}	L _{A90,16hr}	L _{evening}	L _{night}	L _{A10,8hr}	L _{A90,8hr}	
CBC0013UNML001									
21/08/2020	62	64	64	57	60	53	56	39	64
22/08/2020	62	63	64	56	60	53	55	38	63
23/08/2020	61	62	63	54	60	53	55	37	63
24/08/2020	60	61	61	52	58	56	58	51	64
25/08/2020	64	64	65	59	62	60	60	50	67
Average	62	63	63	56	60	56	57	43	65
CBC0013UNML002									
26/08/2020	59	60	61	51	58	54	57	37	62
27/08/2020	58	59	61	50	58	52	51	37	61
28/08/2020	59	61	62	52	57	55	57	41	63
29/08/2020	56	57	60	48	55	49	51	36	59
30/08/2020	57	58	59	46	55	50	49	35	59
31/08/2020	58	58	61	50	58	54	56	38	62
01/09/2020	58	58	60	50	57	56	58	42	63
Average	58	59	61	49	57	53	54	38	61
CBC0013UNML003									
18/08/2020	54	55	56	48	52	48	50	40	57
19/08/2020	55	55	58	51	56	57	59	51	63
20/08/2020	59	59	60	56	58	54	56	48	62
21/08/2020	58	60	59	54	55	50	51	41	60
22/08/2020	58	58	59	54	58	47	49	40	59
23/08/2020	56	57	57	52	55	46	48	36	57
24/08/2020	53	53	56	48	53	54	56	51	60
25/08/2020	61	62	62	56	60	54	56	46	63
Average	57	58	58	52	57	53	53	44	61
CBC0013UNML004									
18/08/2020	60	61	63	49	58	51	51	36	62
19/08/2020	62	63	65	52	60	58	60	50	66
20/08/2020	62	63	65	55	62	57	58	48	65
21/08/2020	60	61	63	52	59	53	53	40	62
22/08/2020	60	61	63	54	59	52	52	40	62
23/08/2020	59	60	62	52	58	51	50	36	61
24/08/2020	59	59	62	46	58	59	61	54	65
25/08/2020	63	64	66	56	62	57	58	48	65
Average	61	62	64	52	60	56	55	44	64
CBC0013UNML005									
30/09/2020	68	69	72	55	67	60	56	41	70
01/10/2020	68	69	72	55	68	61	59	47	70
02/10/2020	68	69	72	54	67	60	59	45	70
03/10/2020	68	69	72	55	66	65	68	56	72
04/10/2020	68	69	72	54	66	60	56	42	70
05/10/2020	68	69	72	53	66	60	58	46	70
06/10/2020	69	70	72	57	67	60	58	46	70
Average	68	69	72	55	67	62	59	46	71

Road traffic noise from R119 / R837 Dublin Road are the dominant noise sources at the monitoring positions in the vicinity of the Proposed Scheme. During daytime periods, average ambient noise levels were recorded in range of 57 to 68 dB $L_{Aeq,16hr}$. Average background daytime noise levels were measured in the range of 49 to 56 dB $L_{A90,16hr}$. Highest noise levels were recorded at UNML005, located approximately 10m from R119 Dublin Road edge and 5m from residential façade.

Night-time noise levels at the monitoring locations are dominated by road traffic from R119 / R837 Dublin Road. Average ambient night-time noise levels were measured in the range of 53 to 62 dB $L_{Aeq,8hr}$. Average background noise levels during this time period were measured in the range of 38 to 48 dB $L_{A90,8hr}$.

The measured L_{den} values in this study area ranged between 61 to 71 dB L_{den} .

1.3.3.2 Attended Surveys

The attended noise survey results recorded during the baseline surveys within this study area are presented in Table 10.

Table 10: Attended Noise Survey Results for Loughlinstown Roundabout to Bray North (Wilford Roundabout)

Attended Location	Date	Start Time	Measured Noise Levels (dB re.2x10 ⁻⁵ Pa)			Derived L_{den}	Survey Notes
			L_{Aeq}	L_{A10}	L_{A90}		
CBC0013ANML011	02/07/2020	14:35	59	61	55	62	Road traffic noise from M11 motorway and local traffic on Park na Silla Road dominant noise source, aircraft flyover, siren.
		15:22	60	61	56		Road traffic noise from M11 motorway and local traffic on Park na Silla Road dominant noise source.
		16:41	60	62	56		Road traffic noise from M11 motorway and local traffic on Park na Silla Road dominant noise source, aircraft flyover, siren.
CBC0013ANML012	24/08/2020	10:45	54	57	49	58	Road traffic noise from R837 Dublin Road dominant noise source.
		11:47	54	56	49		
		12:55	54	57	49		
CBC0013ANML013	24/08/2020	10:26	63	67	51	66	Road traffic noise from R837 Dublin Road / R119 Shanganagh Road roundabout junction dominant noise source.
		11:27	63	67	52		Road traffic noise from R837 Dublin Road / R119 Shanganagh Road roundabout junction dominant noise source.
		12:37	62	66	52		
CBC0013ANML014 Note 1	09/07/2020	13:18	54	56	50	57	Road traffic noise from R837 / R119 Dublin Road junction dominant noise source.
		14:17	61	56	51		Road traffic noise from R837 / R119 Dublin Road junction dominant noise source, siren.
		15:18	54	56	51		Road traffic noise from R837 / R119 Dublin Road junction dominant noise source.
CBC0013ANML015	09/07/2020	12:58	56	58	52	59	Road traffic noise from R119 Dublin Road dominant noise source, children playing in gardens.
		13:58	59	59	51		Road traffic noise from R119 Dublin Road dominant noise source, car horn, dogs barking.
		14:59	57	59	53		Road traffic noise from R119 Dublin Road dominant noise source.

Attended Location	Date	Start Time	Measured Noise Levels (dB re.2x10 ⁻⁵ Pa)			Derived L _{den}	Survey Notes
			L _{Aeq}	L _{A10}	L _{A90}		
CBC0013ANML016 Note 2	09/07/2020	12:37	66	70	52	70	Road traffic noise from R119 Dublin Road dominant noise source, birdsong, refuse truck pass by.
		13:38	67	70	52		Road traffic noise from R119 Dublin Road dominant noise source, birdsong.
		14:39	82	71	56		Road traffic noise from R119 Dublin Road dominant noise source, pedestrians shouting loudly nearby, tractor.
CBC0013ANML017	09/07/2020	10:00	66	69	51	67	Road traffic noise from R119 Dublin Road and Crinken Lane dominant noise source.
		11:12	65	68	52		
		12:14	65	67	52		
CBC0013ANML018 Note 3	08/07/2020	13:59	62	57	50	57	Road traffic noise from R119 Dublin Road dominant noise source, tractor.
	09/07/2020	10:52	55	56	51		Road traffic noise from R119 Dublin Road dominant noise source.
		11:53	53	55	50		
CBC0013ANML019	24/08/2020	10:05	59	62	45	63	Road traffic noise from R119 Dublin Road dominant noise source.
		11:06	59	63	47		
		12:08	59	63	49		
CBC0013ANML020	08/07/2020	13:29	66	69	53	68	Road traffic noise from R119 Dublin Road dominant noise source.
	09/07/2020	10:30	65	69	52		
		11:33	65	69	54		
CBC0013UNML001 Note 4	11/09/2020	10:26	60	63	53	63	Road traffic noise from R837 Dublin Road dominant noise source, rustling leaves.
		11:26	60	63	52		
		12:26	60	63	54		

Note 1: Noise monitoring undertaken at CBC0013ANML014 during the second 15-minute measurement period was elevated due erroneous interference at end of measurement. Average calculated based on first and third measurement periods.

Note 2: Noise monitoring undertaken at CBC0013ANML016 during the third 15-minute measurement period was elevated due erroneous interference at end of measurement. Average calculated based on first and second measurement periods.

Note 3: Noise monitoring undertaken at CBC0013ANML018 during the first 15-minute measurement period was elevated due erroneous interference at end of measurement. Average calculated based on second and third measurement periods.

Note 4: An attended noise survey was also undertaken at CBC0013UNML001, logged for a period of 3 hours within the front garden of the property

1.3.4 Bray North (Wilford Roundabout) to Bray South (Fran O'Toole Bridge)

1.3.4.1 Attended Surveys

The attended noise survey results recorded during the baseline surveys within this study area are presented in Table 11.

Table 11: Attended Noise Survey Results for Bray North (Wilford Roundabout) to Bray South (Fran O'Toole Bridge)

Attended Location	Date	Start Time	Measured Noise Levels (dB re.2x10 ⁻⁵ Pa)			Derived L _{den}	Survey Notes
			L _{Aeq}	L _{A10}	L _{A90}		
CBC0013ANML021	08/07/2020	10:52	45	48	37	51	Birdsong, distant road traffic noise from R761 Dublin Road dominant noise source, distant DART train pass-by, distant lawnmower noise.
		11:59	45	49	37		
		13:01	46	49	38		
CBC0013ANML022	08/07/2020	10:32	65	68	58	68	Road traffic noise from R761 Dublin Road and Corke Abbey Avenue junction dominant noise source.
		11:39	65	68	60		Road traffic noise from R761 Dublin Road and Corke Abbey Avenue junction dominant noise source, distant alarm ringing, hammering.
		12:42	65	68	57		Road traffic noise from R761 Dublin Road and Corke Abbey Avenue junction dominant noise source, distant alarm ringing, hammering, squealing breaks.
CBC0013ANML023	08/07/2020	10:00	67	70	58	69	Road traffic noise from R761 Castle Street and Fran O' Toole Bridge dominant noise source.
		11:17	66	69	58		Road traffic noise from R761 Castle Street and Fran O' Toole Bridge dominant noise source, car horn.
		12:20	66	68	58		Road traffic noise from R761 Castle Street and Fran O' Toole Bridge dominant noise source.

2. Baseline Vibration Monitoring

2.1 Introduction

This Section includes the relevant survey details and results associated baseline vibration surveys conducted as part of the overall Bus Connects Dublin – Core Bus Corridor Infrastructure Works (hereafter referred to as the CBC Infrastructure Works). Baseline vibration data obtained from this study has been used to information all individual Core Bus Corridor Schemes.

2.2 Survey Methodology

2.2.1 Survey Locations

Attended vibration monitoring was undertaken at sample locations adjacent to existing bus lanes within Dublin City. The surveys were undertaken to obtain typical baseline vibration levels along roads with both mixed vehicular traffic lanes and individual bus lanes. This information has been used to inform the operational vibration impact assessment for the CBC Infrastructure Works.

Surveys were also undertaken along an access road to the Harristown Bus Depot, Horizon Logistics Park, Swords, Co. Dublin, to obtain a measurement of vibration relating to specific bus drive by in isolation at a controlled sampling location to characterise the specific vibration level associated with buses in the absence of other traffic. A description of the survey locations is set out in Table 12.

Table 12: Vibration Monitoring Locations

Vibration Monitoring Locations	Description of Survey Location
AVML001	Harristown – Entrance Road to Bus Depot, midway along inbound road, 5m from road edge
AVML002	Harristown – Roundabout at Bus Depot entrance, buses entering depot, 5m from road edge
AVML003	Harristown – Roundabout at Bus Depot entrance, buses exiting depot, 5m from road edge
AVML004	Harristown – Entrance Road to Bus Depot, midway along outbound road, 5m from road edge
AVML005	Harristown – Entrance Road to Bus Depot, midway along inbound road, 7m from road edge
AVML006	Malahide Road / St. Johns Court – 5m from edge of Inbound Bus Lane
AVML007	Malahide Road / St. Johns Court – 10m from edge of Inbound Bus Lane
AVML008	Malahide Road / Donnycarney Church – 2.5m from edge of Inbound Bus Lane
AVML009	Malahide Road – 2.5m from edge of outbound Bus Lane

The survey locations undertaken along the Harristown Bus Depot entrance are illustrated in Figure 1. The survey locations undertaken along the Malahide Road are illustrated in Figure 2.



Figure 1: Vibration Monitoring Locations Harristown Bus Depot (source Google Earth)



Figure 2: Vibration Monitoring Locations Malahide Road (source Google Earth)

2.2.2 Survey Periods

Vibration monitoring was undertaken on the following dates:

- AVML001 - AVML005 : 30 July 2020; and
- AVML005 – AMML009: 13 August 2020.

2.2.3 Survey Equipment and Personnel

The survey was undertaken using a RION VM-56 vibration meter (S/N 680043) with PV-83D tri-axial accelerometer. Calibration certificate of monitoring equipment are included within Section 4.

The surveys were conducted Alex Ryan and David O'Donoghue, acoustic technicians, AWN Consulting.

2.2.4 Survey Procedure

Vibration measurements were conducted in general accordance with the guidance contained in British Standard BS 7385. Part 1: Guide for measurement of vibrations and evaluation of their effects on buildings (1990).

Vibration was measured in the three orthogonal axes. The accelerometer was secured in place with a 5kg sandbag at all monitoring locations.

The equipment was set to log for 1 minute intervals on a continual basis with an instantaneous storage interval of 100ms. Vibration monitoring periods at AVML001 to AVML005 along the entrance road to Harristown Bus Depot were undertaken for a period of 15 minutes at each position. Vibration monitoring periods at AVML006 to AVML009 along the Malahide Road were undertaken for a period of 30 minutes at each position.

2.2.5 Survey Parameters

The following vibration parameters are discussed within this Report.

PPV Peak Particle Velocity (PPV) is a measure of the velocity of vibration displacement in terms of millimetres per second (mm/s). It is defined as follows within BS 7385: (1990) as:

'the maximum instantaneous velocity of a particle at a point during a given time interval'

VDV Vibration Dose Value (VDV) is an evaluation of human exposure to vibration in buildings. It defines a relationship that yields a consistent assessment of continuous, intermittent, occasional and impulsive vibration and correlates well with subjective response. It is defined as follows within British Standard BS 6472: (2008) Guide to evaluation of human exposure to vibration in buildings (2008): Part 1 - Vibration sources other than blasting, as:

'The VDV is the fourth root of the integral of the fourth power of acceleration after it has been frequency-weighted (as defined in BS6472: 2008). The frequency-weighted acceleration is measured in m/s² and the time period over which the VDV is measured is in seconds. This yields VDV's in m/s^{1.75}'

The frequency weightings used in the BS 6472 (2008) document is W_b weighting for vertical axis and W_d for the horizontal axes.

2.3 Survey Results – Harristown Bus Depot

The vibration survey results measured at each location are presented for each pass by event (bus drive by) in terms of the PPV parameter in mm/s and in terms of the VDV parameter in m/s^{1.75} for each axis.

2.3.1 Location AVML001

Table 13 presents the results of vibration values associated with individual bus drive events by during the monitoring period at this location.

Table 13: Vibration Monitoring Results at ANML001

Event Time	PPV, mm/s			VDV _b , m/s ^{1.75}		
	X	Y	Z	X	Y	Z
14:57	0.05	0.05	0.06	0.0003	0.0003	0.0020
15:01	0.03	0.04	0.04	0.0002	0.0003	0.0016
15:02	0.03	0.03	0.03	0.0002	0.0002	0.0008
15:03	0.02	0.04	0.04	0.0001	0.0002	0.0016
15:04	0.03	0.02	0.06	0.0002	0.0002	0.0022
15:05	0.04	0.05	0.08	0.0002	0.0002	0.0028
15:06	0.03	0.04	0.03	0.0002	0.0002	0.0013
15:07	0.03	0.04	0.05	0.0002	0.0002	0.0018
Minimum event	0.02	0.02	0.03	0.0001	0.0002	0.0008
Maximum event	0.05	0.05	0.08	0.0003	0.0003	0.0028

2.3.2 Location AVML002

Table 14 presents the results of vibration values associated with individual bus drive events by during the monitoring period at this location.

Table 14: Vibration Monitoring Results at ANML002

Event Time	PPV, mm/s			VDV _b , m/s ^{1.75}		
	X	Y	Z	X	Y	Z
15:22	0.03	0.03	0.08	0.0002	0.0002	0.0019
15:26	0.02	0.03	0.03	0.0002	0.0002	0.0012
15:29	0.02	0.07	0.09	0.0002	0.0003	0.0014
15:30	0.02	0.02	0.07	0.0001	0.0002	0.0019
15:31	0.03	0.04	0.06	0.0002	0.0002	0.0024
15:32	0.02	0.03	0.07	0.0002	0.0002	0.0022
15:33	0.03	0.03	0.06	0.0002	0.0002	0.0014
15:34	0.02	0.02	0.04	0.0001	0.0002	0.0016
Minimum event	0.03	0.07	0.09	0.0002	0.0003	0.0024
Maximum event	0.02	0.02	0.03	0.0001	0.0002	0.0012

2.3.3 Location AVML003

Table 15 presents the results of vibration values associated with individual bus drive events by during the monitoring period at this location.

Table 15: Vibration Monitoring Results at ANML003

Event Time	PPV, mm/s			VDV _{b,d} , m/s ^{1.75}		
	X	Y	Z	X	Y	Z
15:40	0.06	0.06	0.09	0.0003	0.0003	0.0031
15:43	0.07	0.05	0.07	0.0003	0.0003	0.0027
15:44	0.04	0.05	0.06	0.0002	0.0003	0.0021
15:45	0.07	0.05	0.07	0.0003	0.0003	0.0032
15:49	0.03	0.03	0.03	0.0002	0.0002	0.0014
15:50	0.06	0.06	0.05	0.0003	0.0004	0.0027
Minimum event	0.07	0.06	0.09	0.0003	0.0004	0.0032
Maximum event	0.03	0.03	0.03	0.0002	0.0002	0.0014

2.3.4 Location AVML004

Table 16 presents the results of vibration values associated with individual bus drive events by during the monitoring period at this location.

Table 16: Vibration Monitoring Results at ANML004

Event Time	PPV, mm/s			VDV _b , m/s ^{1.75}		
	X	Y	Z	X	Y	Z
16:04	0.08	0.12	0.1	0.0006	0.0008	0.0060
16:06	0.09	0.1	0.13	0.0004	0.0006	0.0061
16:08	0.1	0.13	0.11	0.0005	0.0008	0.0049
16:09	0.07	0.1	0.12	0.0005	0.0006	0.0049
16:10	0.11	0.12	0.15	0.0006	0.0007	0.0072
16:11	0.08	0.09	0.1	0.0005	0.0006	0.0046
16:12	0.07	0.08	0.11	0.0004	0.0006	0.0059
16:13	0.07	0.09	0.11	0.0004	0.0005	0.0054
Minimum event	0.11	0.13	0.15	0.0006	0.0008	0.0072
Maximum event	0.07	0.08	0.1	0.0004	0.0005	0.0046

2.3.5 Location AVML005

Table 17 presents the results of vibration values associated with individual bus drive events by during the monitoring period at this location.

Table 17: Vibration Monitoring Results at ANML005

Event Time	PPV, mm/s			VDV _b , m/s ^{1.75}		
	X	Y	Z	X	Y	Z
16:36	0.03	0.02	0.03	0.0002	0.0002	0.0013
16:39	0.02	0.03	0.03	0.0002	0.0002	0.0017
16:40	0.03	0.04	0.04	0.0002	0.0003	0.0015
16:44	0.03	0.04	0.06	0.0002	0.0003	0.0021
16:46	0.03	0.03	0.03	0.0002	0.0002	0.0012
16:47	0.03	0.03	0.03	0.0002	0.0002	0.0013
16:48	0.03	0.03	0.04	0.0002	0.0002	0.0012
Minimum event	0.02	0.02	0.03	0.0002	0.0002	0.0012
Maximum event	0.03	0.04	0.06	0.0002	0.0003	0.0021

2.4 Survey Results – Malahide Road

2.4.1 Location AVML006

Table 18 presents the results of vibration values measured during each 1 minute sample period at this location with periods during a bus or HGV drive by noted.

Table 18: Vibration Monitoring Results at ANML006

Event Time	PPV, mm/s			VDV _b , m/s ^{1.75}			Notes
	X	Y	Z	X	Y	Z	
11:23	0.03	0.03	0.07	0.0002	0.0002	0.0020	
11:24	0.03	0.02	0.06	0.0002	0.0001	0.0018	
11:25	0.03	0.03	0.10	0.0002	0.0002	0.0030	Bus
11:26	0.02	0.02	0.06	0.0002	0.0002	0.0015	HGV
11:27	0.03	0.03	0.07	0.0002	0.0002	0.0030	
11:28	0.02	0.02	0.05	0.0001	0.0001	0.0019	
11:29	0.05	0.03	0.08	0.0002	0.0002	0.0033	Bus
11:30	0.04	0.16	0.17	0.0002	0.0008	0.0027	HGV
11:31	0.02	0.02	0.03	0.0001	0.0001	0.0017	
11:32	0.04	0.05	0.07	0.0002	0.0002	0.0029	HGV
11:33	0.03	0.03	0.05	0.0002	0.0002	0.0020	
11:34	0.02	0.02	0.04	0.0002	0.0001	0.0015	Bus
11:35	0.04	0.04	0.13	0.0002	0.0002	0.0050	HGV
11:36	0.02	0.02	0.04	0.0001	0.0002	0.0015	
11:37	0.02	0.02	0.05	0.0002	0.0002	0.0020	Bus
11:38	0.02	0.02	0.03	0.0001	0.0001	0.0014	
11:39	0.04	0.03	0.10	0.0002	0.0002	0.0037	
11:40	0.03	0.04	0.12	0.0002	0.0002	0.0026	
11:41	0.07	0.06	0.15	0.0003	0.0002	0.0056	
11:42	0.05	0.03	0.11	0.0002	0.0002	0.0040	
11:43	0.04	0.04	0.05	0.0002	0.0002	0.0023	HGV
11:44	0.03	0.08	0.08	0.0002	0.0004	0.0021	
11:45	0.03	0.03	0.05	0.0002	0.0002	0.0025	HGV
11:46	0.04	0.04	0.06	0.0002	0.0002	0.0027	HGV
11:47	0.02	0.03	0.04	0.0001	0.0002	0.0012	
11:48	0.04	0.04	0.10	0.0003	0.0002	0.0036	
11:49	0.06	0.04	0.08	0.0003	0.0002	0.0028	
11:50	0.03	0.02	0.05	0.0002	0.0002	0.0020	
11:51	0.03	0.04	0.05	0.0002	0.0003	0.0021	
11:52	0.04	0.05	0.21	0.0003	0.0003	0.0053	
Maximum all traffic	0.07	0.16	0.17	0.0003	0.0008	0.0056	
Maximum bus	0.05	0.03	0.10	0.0002	0.0002	0.0033	

2.4.2 Location AVML007

Table 19 presents the results of vibration values measured during each 1 minute sample period at this location with periods during a bus or HGV drive by noted.

Table 19: Vibration Monitoring Results at ANML007

Event Time	PPV, mm/s			VDV _b , m/s ^{1.75}			Notes
	X	Y	Z	X	Y	Z	
11:55	0.03	0.02	0.04	0.0002	0.0001	0.0011	HGV
11:56	0.03	0.04	0.03	0.0002	0.0002	0.0011	
11:57	0.02	0.06	0.06	0.0002	0.0003	0.0011	
11:58	0.03	0.03	0.02	0.0002	0.0002	0.0004	
11:59	0.02	0.03	0.03	0.0001	0.0002	0.0008	
12:00	0.02	0.02	0.02	0.0001	0.0001	0.0005	
12:01	0.02	0.03	0.02	0.0001	0.0002	0.0005	
12:02	0.03	0.02	0.03	0.0002	0.0002	0.0009	
12:03	0.03	0.03	0.02	0.0002	0.0002	0.0008	
12:04	0.02	0.03	0.02	0.0001	0.0001	0.0004	
12:05	0.02	0.02	0.03	0.0002	0.0002	0.0011	
12:06	0.03	0.03	0.02	0.0002	0.0002	0.0006	Bus
12:07	0.02	0.05	0.05	0.0001	0.0002	0.0008	Bus
12:08	0.02	0.02	0.02	0.0002	0.0001	0.0007	Bus
12:09	0.02	0.02	0.03	0.0001	0.0002	0.0008	
12:10	0.02	0.03	0.02	0.0002	0.0002	0.0005	Bus
12:11	0.02	0.02	0.02	0.0001	0.0002	0.0009	
12:12	0.02	0.02	0.02	0.0001	0.0002	0.0003	
12:13	0.02	0.02	0.02	0.0001	0.0001	0.0007	Bus
12:14	0.02	0.02	0.02	0.0001	0.0002	0.0009	
12:15	0.02	0.02	0.02	0.0001	0.0001	0.0008	
12:16	0.02	0.02	0.02	0.0001	0.0001	0.0005	
12:17	0.02	0.02	0.02	0.0001	0.0001	0.0005	Bus
12:18	0.02	0.03	0.03	0.0002	0.0002	0.0008	
12:19	0.03	0.03	0.03	0.0002	0.0002	0.0010	
12:20	0.02	0.02	0.02	0.0002	0.0002	0.0009	Bus
12:21	0.02	0.02	0.04	0.0001	0.0001	0.0012	
12:22	0.02	0.03	0.03	0.0001	0.0002	0.0010	
Maximum all traffic	0.03	0.06	0.06	0.0002	0.0003	0.0012	
Maximum bus	0.03	0.05	0.05	0.0002	0.0002	0.0009	

2.4.3 Location AVML008

Table 20 presents the results of vibration values measured during each 1 minute sample period at this location with periods during a bus or Heavy Goods Vehicle (HGV) drive by noted.

Table 20: Vibration Monitoring Results at ANML008

Event Time	PPV, mm/s			VDV _b , m/s ^{1.75}			Notes
	X	Y	Z	X	Y	Z	
12:31	0.02	0.02	0.06	0.0001	0.0001	0.0004	Bus
12:32	0.02	0.06	0.08	0.0001	0.0003	0.0009	
12:33	0.02	0.03	0.04	0.0001	0.0002	0.0012	Bus
12:34	0.02	0.02	0.02	0.0001	0.0001	0.0004	HGV
12:35	0.02	0.02	0.04	0.0002	0.0002	0.0010	
12:36	0.02	0.02	0.02	0.0002	0.0002	0.0006	
12:37	0.02	0.02	0.02	0.0001	0.0001	0.0003	
12:38	0.02	0.03	0.03	0.0001	0.0002	0.0005	
12:39	0.02	0.03	0.02	0.0001	0.0002	0.0005	
12:40	0.03	0.03	0.02	0.0002	0.0002	0.0006	
12:41	0.04	0.03	0.02	0.0003	0.0002	0.0005	
12:42	0.03	0.02	0.03	0.0002	0.0001	0.0013	Bus
12:43	0.06	0.07	0.18	0.0003	0.0003	0.0057	
12:44	0.01	0.02	0.02	0.0001	0.0001	0.0004	Bus
12:45	0.02	0.03	0.05	0.0001	0.0002	0.0015	
12:46	0.02	0.02	0.03	0.0001	0.0001	0.0010	
12:47	0.02	0.03	0.03	0.0001	0.0001	0.0007	HGV
12:48	0.02	0.03	0.03	0.0001	0.0002	0.0010	HGV
12:49	0.02	0.02	0.02	0.0001	0.0001	0.0005	
12:50	0.02	0.02	0.02	0.0001	0.0001	0.0004	
12:51	0.02	0.02	0.02	0.0001	0.0002	0.0004	
12:52	0.02	0.02	0.02	0.0001	0.0002	0.0005	Bus
12:53	0.02	0.02	0.03	0.0001	0.0002	0.0009	
12:54	0.02	0.03	0.04	0.0001	0.0002	0.0012	
12:55	0.02	0.02	0.02	0.0001	0.0002	0.0003	
12:56	0.04	0.05	0.23	0.0002	0.0003	0.0056	HGV
12:57	0.02	0.03	0.05	0.0001	0.0002	0.0017	Bus
12:58	0.02	0.02	0.04	0.0001	0.0001	0.0012	
12:59	0.02	0.03	0.02	0.0001	0.0002	0.0006	
Maximum all traffic	0.06	0.07	0.23	0.0003	0.0003	0.0057	
Maximum bus	0.03	0.03	0.06	0.0002	0.0002	0.0017	

2.4.4 Location AVML009

Table 21 presents the results of vibration values measured during each 1 minute sample period at this location with periods during a bus or HGV drive by noted.

Table 21: Vibration Monitoring Results at ANML009

Event Time	PPV, mm/s			VDV _b , m/s ^{1.75}			Notes
	X	Y	Z	X	Y	Z	
13:05	0.03	0.02	0.05	0.0001	0.0001	0.0012	
13:06	0.02	0.04	0.03	0.0002	0.0001	0.0011	Bus
13:07	0.04	0.05	0.08	0.0002	0.0002	0.0028	HGV
13:08	0.04	0.05	0.06	0.0002	0.0002	0.0019	
13:09	0.04	0.03	0.03	0.0002	0.0002	0.0011	
13:10	0.03	0.04	0.04	0.0002	0.0001	0.0012	
13:11	0.03	0.04	0.04	0.0002	0.0001	0.0011	
13:12	0.02	0.03	0.04	0.0002	0.0001	0.0012	Bus
13:13	0.03	0.06	0.04	0.0002	0.0003	0.0013	
13:14	0.03	0.04	0.03	0.0002	0.0002	0.0012	Bus
13:15	0.04	0.04	0.04	0.0002	0.0003	0.0014	Bus
13:16	0.04	0.04	0.09	0.0002	0.0001	0.0028	HGV
13:17	0.06	0.06	0.05	0.0002	0.0002	0.0016	
13:18	0.03	0.04	0.05	0.0002	0.0002	0.0016	Bus
13:19	0.02	0.03	0.03	0.0001	0.0001	0.0008	
13:20	0.04	0.04	0.03	0.0002	0.0002	0.0011	Bus
13:21	0.03	0.03	0.03	0.0001	0.0001	0.0011	Bus
13:22	0.04	0.04	0.09	0.0002	0.0002	0.0030	
13:23	0.03	0.03	0.03	0.0001	0.0001	0.0013	
13:24	0.02	0.03	0.05	0.0001	0.0002	0.0012	HGV
13:25	0.03	0.03	0.05	0.0002	0.0002	0.0014	
13:26	0.03	0.05	0.05	0.0002	0.0003	0.0015	Bus
13:27	0.03	0.04	0.04	0.0002	0.0002	0.0012	
13:28	0.02	0.04	0.04	0.0001	0.0002	0.0008	Bus
13:29	0.04	0.05	0.04	0.0003	0.0003	0.0022	
13:30	0.03	0.03	0.08	0.0002	0.0002	0.0022	
13:31	0.04	0.04	0.03	0.0002	0.0002	0.0011	
13:32	0.02	0.02	0.04	0.0001	0.0001	0.0011	
13:33	0.02	0.03	0.04	0.0002	0.0002	0.0014	
13:05	0.03	0.02	0.05	0.0001	0.0001	0.0012	
Maximum all traffic	0.06	0.06	0.09	0.0003	0.0003	0.0030	
Maximum bus	0.04	0.05	0.05	0.0002	0.0003	0.0016	

3. References

Environmental Noise Regulations (S.I. No. 140 / 2006);

ISO 1996-1:2016 Acoustics - Description, measurement and assessment of environmental noise. Part 1: Basic quantities and assessment procedures (hereafter referred to as ISO 1996 – 1) (ISO 2016);

ISO 1996-2:2017 - Description, measurement and assessment of environmental noise - Part 2: Determination of sound pressure levels (hereafter referred to as ISO 1996 – 2) (ISO 2017); and

Transport Infrastructure Ireland (TII) Guidelines for the Treatment of Noise and Vibration in National Road Schemes, Revision 1 (hereafter referred to as the TII Noise Guidelines 2004) (TII 2004);

The UK Department of Transport Calculation of Road Traffic Noise (hereafter referred to as CRTN) (UK Department of Transport 1998).

4. Calibration Certificates For Monitoring Equipment

4.1 Rion NL-52 S/N 186672



**CERTIFICATE
 OF
 CALIBRATION**



Date of Issue: 04 May 2020

Certificate Number: UCRT20/1388

Issued by:

ANV Measurement Systems
 Beaufort Court
 17 Roebuck Way
 Milton Keynes MK5 8HL
 Telephone 01908 642846 Fax 01908 642814
 E-Mail: info@noise-and-vibration.co.uk
 Web: www.noise-and-vibration.co.uk
 Acoustics Noise and Vibration Ltd trading as ANV Measurement Systems

Page 1 of 2 Pages
 Approved Signatory

 K. Mistry

Customer AWN Consulting
 The Tecpro Building
 IDA Business and Technology Park
 Clonshaugh
 Dublin 17

Order No. RM/20/Cal019
Description Sound Level Meter / Pre-amp / Microphone / Associated Calibrator
Identification

Manufacturer	Instrument	Type	Serial No. / Version
Rion	Sound Level Meter	NL-52	00186672
Rion	Firmware		2.0
Rion	Pre Amplifier	NH-25	76822
Rion	Microphone	UC-59	12818
Brüel & Kjær	Calibrator	4231	2205805
	Calibrator adaptor type if applicable		UC 0210

Performance Class 1
Test Procedure TP 2.SLM 61672-3 TPS-49
 Procedures from IEC 61672-3:2006 were used to perform the periodic tests.
Type Approved to IEC 61672-1:2002 YES Approval Number 21.21 / 13.02
 If YES above there is public evidence that the SLM has successfully completed the applicable pattern evaluation tests of IEC 61672-2:2003
Date Received 30 April 2020 ANV Job No. UKAS20/04240
Date Calibrated 04 May 2020

The sound level meter submitted for testing has successfully completed the class 1 periodic tests of IEC 61672-3:2006, for the environmental conditions under which the tests were performed. As public evidence was available, from an independent testing organisation responsible for approving the results of pattern evaluation tests performed in accordance with IEC 61672-2:2003, to demonstrate that the model of sound level meter fully conformed to the requirements in IEC 61672-1:2002, the sound level meter submitted for testing conforms to the class 1 requirements of IEC 61672-1:2002.

Previous Certificate	Dated	Certificate No.	Laboratory
	20 April 2018	UCRT18/1439	0653

This certificate is issued in accordance with the laboratory accreditation requirements of the United Kingdom Accreditation Service. It provides traceability of measurement to the SI system of units and/or to units of measurement realised at the National Physical Laboratory or other recognised national metrology institutes. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

CERTIFICATE OF CALIBRATION	Certificate Number UCRT20/1388
	Page 2 of 2 Pages

UKAS Accredited Calibration Laboratory No. 0653

Sound Level Meter Instruction manual and data used to adjust the sound levels indicated.

SLM instruction manual title	Sound Level Meter	NL-42 / NL-52
SLM instruction manual ref / issue		11-03
SLM instruction manual source	Manufacturer	
Internet download date if applicable	N/A	
Case corrections available	Yes	
Uncertainties of case corrections	Yes	
Source of case data	Manufacturer	
Wind screen corrections available	Yes	
Uncertainties of wind screen corrections	Yes	
Source of wind screen data	Manufacturer	
Mic pressure to free field corrections	Yes	
Uncertainties of Mic to F.F. corrections	Yes	
Source of Mic to F.F. corrections	Manufacturer	
Total expanded uncertainties within the requirements of IEC 61672-1:2002		Yes
Specified or equivalent Calibrator	Specified	
Customer or Lab Calibrator	Customers Calibrator	
Calibrator adaptor type if applicable	UC 0210	
Calibrator cal. date	06 December 2019	
Calibrator cert. number	UCRT19/2333	
Calibrator cal cert issued by	0653	
Calibrator SPL @ STP	93.95	dB Calibration reference sound pressure level
Calibrator frequency	999.97	Hz Calibration check frequency
Reference level range	25 - 130	dB

Accessories used or corrected for during calibration - Extension Cable & Wind Shield WS-15
 Note - if a pre-amp extension cable is listed then it was used between the SLM and the pre-amp.

Environmental conditions during tests	Start	End	
Temperature	22.56	22.99	± 0.30 °C
Humidity	38.4	39.3	± 3.00 %RH
Ambient Pressure	101.05	101.04	± 0.03 kPa

Response to associated Calibrator at the environmental conditions above.			
Initial indicated level	94.2	dB	Adjusted indicated level
			93.9
			dB
The uncertainty of the associated calibrator supplied with the sound level meter ±			0.10
			dB

Self Generated Noise	This test is currently not performed by this Lab.		
Microphone installed (if requested by customer) = Less Than	N/A	dB	A Weighting
Uncertainty of the microphone installed self generated noise ±	N/A	dB	

Microphone replaced with electrical input device -	UR = Under Range indicated		
Weighting	A	C	Z
	12.5	16.0	21.7
	dB	dB	dB
	UR	UR	UR
Uncertainty of the electrical self generated noise ±	0.12		
	dB		

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor $k=2$, providing a coverage probability of approximately 95%. The uncertainty evaluation has been carried out in accordance with UKAS requirements.

For the test of the frequency weightings as per paragraph 12. of IEC 61672-3:2006 the actual microphone free field response was used.

The acoustical frequency tests of a frequency weighting as per paragraph 11 of IEC 61672-3:2006 were carried out using an electrostatic actuator.

..... END

Calibrated by: B. Giles R 2

Additional Comments The results on this certificate only relate to the items calibrated as identified above.
 None

4.2 Rion NL-52 S/N 998410




**CERTIFICATE
 OF
 CALIBRATION**



Date of Issue: 22 January 2020

Certificate Number: UCRT20/1096

Issued by:
 ANV Measurement Systems
 Beaufort Court
 17 Roebuck Way
 Milton Keynes MK5 8HL
 Telephone 01908 642846 Fax 01908 642814
 E-Mail: info@noise-and-vibration.co.uk
 Web: www.noise-and-vibration.co.uk
 Acoustics Noise and Vibration Ltd trading as ANV Measurement Systems

Page 1 of 2 Pages
 Approved Signatory

 K. Mistry

Customer AWN Consulting
 The Tecpro Building
 IDA Business and Technology Park
 Clonshaugh
 Dublin 17

Order No. AWNC150120QTE
 Description Sound Level Meter / Pre-amp / Microphone / Associated Calibrator
 Identification

Manufacturer	Instrument	Type	Serial No. / Version
Rion	Sound Level Meter	NL-52	00998410
Rion	Firmware		2.0
Rion	Pre Amplifier	NH-25	98624
Rion	Microphone	UC-59	15916
Rion	Calibrator	NC-74	34536109
	Calibrator adaptor type if applicable		NC-74-002

Performance Class 1
 Test Procedure TP 2.SLM 61672-3 TPS-49
 Procedures from IEC 61672-3:2006 were used to perform the periodic tests.
 Type Approved to IEC 61672-1:2002 YES Approval Number 21.21 / 13.02
 If YES above there is public evidence that the SLM has successfully completed the applicable pattern evaluation tests of IEC 61672-2:2003
 Date Received 17 January 2020 ANV Job No. UKAS20/01036
 Date Calibrated 22 January 2020

The sound level meter submitted for testing has successfully completed the class 1 periodic tests of IEC 61672-3:2006, for the environmental conditions under which the tests were performed. As public evidence was available, from an independent testing organisation responsible for approving the results of pattern evaluation tests performed in accordance with IEC 61672-2:2003, to demonstrate that the model of sound level meter fully conformed to the requirements in IEC 61672-1:2002, the sound level meter submitted for testing conforms to the class 1 requirements of IEC 61672-1:2002.

Previous Certificate	Dated	Certificate No.	Laboratory
	Initial Calibration		

This certificate is issued in accordance with the laboratory accreditation requirements of the United Kingdom Accreditation Service. It provides traceability of measurement to the SI system of units and/or to units of measurement realised at the National Physical Laboratory or other recognised national metrology institutes. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

CERTIFICATE OF CALIBRATION	Certificate Number UCRT20/1096
	Page 2 of 2 Pages

UKAS Accredited Calibration Laboratory No. 0653

Sound Level Meter Instruction manual and data used to adjust the sound levels indicated.

SLM instruction manual title	Sound Level Meter	NL-42 / NL-52
SLM instruction manual ref / issue		11-03
SLM instruction manual source	Manufacturer	
Internet download date if applicable		N/A
Case corrections available		Yes
Uncertainties of case corrections		Yes
Source of case data	Manufacturer	
Wind screen corrections available		Yes
Uncertainties of wind screen corrections		Yes
Source of wind screen data	Manufacturer	
Mic pressure to free field corrections		Yes
Uncertainties of Mic to F.F. corrections		Yes
Source of Mic to F.F. corrections	Manufacturer	
Total expanded uncertainties within the requirements of IEC 61672-1:2002	Yes	
Specified or equivalent Calibrator	Specified	
Customer or Lab Calibrator	Lab Calibrator	
Calibrator adaptor type if applicable	NC-74-002	
Calibrator cal. date	21 January 2020	
Calibrator cert. number	UCRT20/1082	
Calibrator cal cert issued by	0653	
Calibrator SPL @ STP	93.98	dB Calibration reference sound pressure level
Calibrator frequency	1001.97	Hz Calibration check frequency
Reference level range	25 - 130	dB

Accessories used or corrected for during calibration - Extension Cable & Wind Shield WS-15
 Note - if a pre-amp extension cable is listed then it was used between the SLM and the pre-amp.

Environmental conditions during tests	Start	End	
Temperature	22.46	22.19	± 0.30 °C
Humidity	42.2	37.2	± 3.00 %RH
Ambient Pressure	102.71	102.74	± 0.03 kPa

Response to associated Calibrator at the environmental conditions above.			
Initial indicated level	94.0	dB	Adjusted indicated level 94.0 dB
The uncertainty of the associated calibrator supplied with the sound level meter ±			0.10 dB

Self Generated Noise	This test is currently not performed by this Lab.		
Microphone installed (if requested by customer) = Less Than	N/A	dB	A Weighting
Uncertainty of the microphone installed self generated noise ±	N/A	dB	
Microphone replaced with electrical input device -	UR = Under Range indicated		
Weighting	A	C	Z
	11.4	15.3	21.3
	dB	dB	dB
	UR	UR	UR
Uncertainty of the electrical self generated noise ±	0.12 dB		

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor $k=2$, providing a coverage probability of approximately 95%. The uncertainty evaluation has been carried out in accordance with UKAS requirements.

For the test of the frequency weightings as per paragraph 12. of IEC 61672-3:2006 the actual microphone free field response was used.

The acoustical frequency tests of a frequency weighting as per paragraph 11 of IEC 61672-3:2006 were carried out using an electrostatic actuator.

..... END

Calibrated by: A.Escalona R 3

Additional Comments The results on this certificate only relate to the items calibrated as identified above.

None

4.3 Rion NL-52 S/N 998413



**CERTIFICATE
 OF
 CALIBRATION**



Date of Issue: 22 January 2020

Certificate Number: UCRT20/1095

Issued by:
 ANV Measurement Systems
 Beaufort Court
 17 Roebuck Way
 Milton Keynes MK5 8HL
 Telephone 01908 642846 Fax 01908 642814
 E-Mail: info@noise-and-vibration.co.uk
 Web: www.noise-and-vibration.co.uk
 Acoustics Noise and Vibration Ltd trading as ANV Measurement Systems

Page 1 of 2 Pages
 Approved Signatory

 K. Mistry

Customer AWN Consulting
 The Tecpro Building
 IDA Business and Technology Park
 Clonshaugh
 Dublin 17

Order No. AWNC150120QTE
Description Sound Level Meter / Pre-amp / Microphone / Associated Calibrator
Identification

Manufacturer	Instrument	Type	Serial No. / Version
Rion	Sound Level Meter	NL-52	00998413
Rion	Firmware		2.0
Rion	Pre Amplifier	NH-25	98627
Rion	Microphone	UC-59	15920
Rion	Calibrator	NC-74	34536109
	Calibrator adaptor type if applicable		NC-74-002

Performance Class 1
Test Procedure TP 2.SLM 61672-3 TPS-49
Procedures from IEC 61672-3:2006 were used to perform the periodic tests.
Type Approved to IEC 61672-1:2002 YES **Approval Number** 21.21 / 13.02
if YES above there is public evidence that the SLM has successfully completed the applicable pattern evaluation tests of IEC 61672-2:2003
Date Received 17 January 2020 **ANV Job No.** UKAS20/01036
Date Calibrated 22 January 2020

The sound level meter submitted for testing has successfully completed the class 1 periodic tests of IEC 61672-3:2006, for the environmental conditions under which the tests were performed. As public evidence was available, from an independent testing organisation responsible for approving the results of pattern evaluation tests performed in accordance with IEC 61672-2:2003, to demonstrate that the model of sound level meter fully conformed to the requirements in IEC 61672-1:2002, the sound level meter submitted for testing conforms to the class 1 requirements of IEC 61672-1:2002.

Previous Certificate	Dated	Certificate No.	Laboratory
			Initial Calibration

This certificate is issued in accordance with the laboratory accreditation requirements of the United Kingdom Accreditation Service. It provides traceability of measurement to the SI system of units and/or to units of measurement realised at the National Physical Laboratory or other recognised national metrology institutes. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

CERTIFICATE OF CALIBRATION	Certificate Number UCRT20/1095
	Page 2 of 2 Pages

UKAS Accredited Calibration Laboratory No. 0653

Sound Level Meter Instruction manual and data used to adjust the sound levels indicated.

SLM instruction manual title	Sound Level Meter	NL-42 / NL-52
SLM instruction manual ref / issue		11-03
SLM instruction manual source	Manufacturer	
Internet download date if applicable		N/A
Case corrections available		Yes
Uncertainties of case corrections		Yes
Source of case data	Manufacturer	
Wind screen corrections available		Yes
Uncertainties of wind screen corrections		Yes
Source of wind screen data	Manufacturer	
Mic pressure to free field corrections		Yes
Uncertainties of Mic to F.F. corrections		Yes
Source of Mic to F.F. corrections	Manufacturer	
Total expanded uncertainties within the requirements of IEC 61672-1:2002	Yes	
Specified or equivalent Calibrator	Specified	
Customer or Lab Calibrator	Lab Calibrator	
Calibrator adaptor type if applicable	NC-74-002	
Calibrator cal. date	21 January 2020	
Calibrator cert. number	UCRT20/1082	
Calibrator cal cert issued by	0653	
Calibrator SPL @ STP	93.98	dB Calibration reference sound pressure level
Calibrator frequency	1001.97	Hz Calibration check frequency
Reference level range	25 - 130	dB

Accessories used or corrected for during calibration - Extension Cable & Wind Shield WS-15
 Note - if a pre-amp extension cable is listed then it was used between the SLM and the pre-amp.

Environmental conditions during tests	Start	End	
Temperature	22.18	22.19	± 0.30 °C
Humidity	38.7	37.6	± 3.00 %RH
Ambient Pressure	102.72	102.74	± 0.03 kPa

Response to associated Calibrator at the environmental conditions above.			
Initial indicated level	93.9	dB	Adjusted indicated level
			94.0
			dB
The uncertainty of the associated calibrator supplied with the sound level meter ±			0.10
			dB

Self Generated Noise	This test is currently not performed by this Lab.		
Microphone installed (if requested by customer) = Less Than	N/A	dB	A Weighting
Uncertainty of the microphone installed self generated noise ±	N/A	dB	

Microphone replaced with electrical input device -	UR = Under Range indicated					
Weighting	A		C		Z	
	11.7	dB UR	16.3	dB UR	23.2	dB UR
Uncertainty of the electrical self generated noise ±					0.12	dB

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor $k=2$, providing a coverage probability of approximately 95%. The uncertainty evaluation has been carried out in accordance with UKAS requirements.

For the test of the frequency weightings as per paragraph 12. of IEC 61672-3:2006 the actual microphone free field response was used.

The acoustical frequency tests of a frequency weighting as per paragraph 11 of IEC 61672-3:2006 were carried out using an electrostatic actuator.

..... END

Calibrated by: B. Bogdan R 2

Additional Comments The results on this certificate only relate to the items calibrated as identified above.
 None

4.4 Rion NL-52 S/N 186668




**CERTIFICATE
 OF
 CALIBRATION**



Date of Issue: 07 May 2020

Certificate Number: UCRT20/1405

Issued by:
 ANV Measurement Systems
 Beaufort Court
 17 Roebuck Way
 Milton Keynes MK5 8HL
 Telephone 01908 642846 Fax 01908 642814
 E-Mail: info@noise-and-vibration.co.uk
 Web: www.noise-and-vibration.co.uk
 Acoustics Noise and Vibration Ltd trading as ANV Measurement Systems

Page 1 of 2 Pages
 Approved Signatory

 K. Mistry

Customer AWN Consulting
 The Tecpro Building
 IDA Business and Technology Park
 Clonshaugh
 Dublin 17

Order No. RM/20/Cal019
Description Sound Level Meter / Pre-amp / Microphone / Associated Calibrator
Identification

Manufacturer	Instrument	Type	Serial No. / Version
Rion	Sound Level Meter	NL-52	00186668
Rion	Firmware		2.0
Rion	Pre Amplifier	NH-25	76701
Rion	Microphone	UC-59	12813
Brüel & Kjær	Calibrator	4231	2205805
	Calibrator adaptor type if applicable		UC 0210

Performance Class 1
Test Procedure TP 2.SLM 61672-3 TPS-49
 Procedures from IEC 61672-3:2006 were used to perform the periodic tests.
Type Approved to IEC 61672-1:2002 **YES** Approval Number 21.21 / 13.02
 If YES above there is public evidence that the SLM has successfully completed the applicable pattern evaluation tests of IEC 61672-2:2003
Date Received 30 April 2020 ANV Job No. UKAS20/04240
Date Calibrated 07 May 2020

The sound level meter submitted for testing has successfully completed the class 1 periodic tests of IEC 61672-3:2006, for the environmental conditions under which the tests were performed. As public evidence was available, from an independent testing organisation responsible for approving the results of pattern evaluation tests performed in accordance with IEC 61672-2:2003, to demonstrate that the model of sound level meter fully conformed to the requirements in IEC 61672-1:2002, the sound level meter submitted for testing conforms to the class 1 requirements of IEC 61672-1:2002.

Previous Certificate	Dated	Certificate No.	Laboratory
	20 April 2018	UCRT18/1436	0653

This certificate is issued in accordance with the laboratory accreditation requirements of the United Kingdom Accreditation Service. It provides traceability of measurement to the SI system of units and/or to units of measurement realised at the National Physical Laboratory or other recognised national metrology institutes. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

CERTIFICATE OF CALIBRATION	Certificate Number UCRT20/1405
	Page 2 of 2 Pages

Sound Level Meter Instruction manual and data used to adjust the sound levels indicated.

SLM instruction manual title	Sound Level Meter	NL-42 / NL-52
SLM instruction manual ref / issue		11-03
SLM instruction manual source	Manufacturer	
Internet download date if applicable		N/A
Case corrections available	Yes	
Uncertainties of case corrections	Yes	
Source of case data	Manufacturer	
Wind screen corrections available	Yes	
Uncertainties of wind screen corrections	Yes	
Source of wind screen data	Manufacturer	
Mic pressure to free field corrections	Yes	
Uncertainties of Mic to F.F. corrections	Yes	
Source of Mic to F.F. corrections	Manufacturer	
Total expanded uncertainties within the requirements of IEC 61672-1:2002	Yes	
Specified or equivalent Calibrator	Specified	
Customer or Lab Calibrator	Customers Calibrator	
Calibrator adaptor type if applicable	UC 0210	
Calibrator cal. date	06 December 2019	
Calibrator cert. number	UCRT19/2333	
Calibrator cal cert issued by	0653	
Calibrator SPL @ STP	93.95	dB Calibration reference sound pressure level
Calibrator frequency	999.97	Hz Calibration check frequency
Reference level range	25 - 130	dB

Accessories used or corrected for during calibration - Extension Cable & Wind Shield WS-15
 Note - if a pre-amp extension cable is listed then it was used between the SLM and the pre-amp.

Environmental conditions during tests	Start	End	
Temperature	23.24	23.17	± 0.30 °C
Humidity	35.0	37.5	± 3.00 %RH
Ambient Pressure	101.20	101.19	± 0.03 kPa

Response to associated Calibrator at the environmental conditions above.			
Initial indicated level	94.0	dB	Adjusted indicated level
			93.9
			dB
The uncertainty of the associated calibrator supplied with the sound level meter ±			0.10
			dB

Self Generated Noise	This test is currently not performed by this Lab.		
Microphone installed (if requested by customer) = Less Than	N/A	dB	A Weighting
Uncertainty of the microphone installed self generated noise ±	N/A	dB	

Microphone replaced with electrical input device -	UR = Under Range indicated						
Weighting	A		C		Z		
	12.4	dB	UR	16.2	dB	UR	22.1
							dB
Uncertainty of the electrical self generated noise ±							0.12
							dB

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor $k=2$, providing a coverage probability of approximately 95%. The uncertainty evaluation has been carried out in accordance with UKAS requirements.

For the test of the frequency weightings as per paragraph 12. of IEC 61672-3:2006 the actual microphone free field response was used.

The acoustical frequency tests of a frequency weighting as per paragraph 11 of IEC 61672-3:2006 were carried out using an electrostatic actuator.

..... END

Calibrated by: B. Bogdan R 2

Additional Comments The results on this certificate only relate to the items calibrated as identified above. Prior to calibration the instrument's main PCB was replaced and the meter was re-aligned.

4.5 Bruel and Kjaer 2250L



**CERTIFICATE
 OF
 CALIBRATION**




Date of Issue: 04 November 2019

Issued by:
 ANV Measurement Systems
 Beaufort Court
 17 Roebuck Way
 Milton Keynes MK5 8HL
 Telephone 01908 642846 Fax 01908 642814
 E-Mail: info@noise-and-vibration.co.uk
 Web: www.noise-and-vibration.co.uk

Certificate Number: UCRT19/2218

Page 1 of 3 Pages

Approved Signatory



K. Mistry

Acoustics Noise and Vibration Ltd trading as ANV Measurement Systems

CUSTOMER AWN Consulting Limited
 The Tecpro Building
 IDA Business and Technology Park
 Clonshaugh
 Dublin 17
 Ireland

ORDER No DOD/19/Cal013 Job No UKAS19/11718

DATE OF RECEIPT 01 November 2019

PROCEDURE Calibration Engineer's Handbook, section 25: periodic testing of sound level meters to IEC 61672-3:2006 (BS EN 61672-3:2006) as modified by UKAS TPS 49 Edition 2:June 2009

IDENTIFICATION Sound level meter Brüel & Kjær type 2250-L serial No 3008402 connected via a preamplifier type ZC 0032 serial No 22882 to a half-inch microphone type 4950 serial No 3016830. Associated calibrator Brüel & Kjær type 4231 serial No 2263026 with a one-inch housing and adapter type UC 0210 for half-inch microphone.

CALIBRATED ON 04 November 2019

PREVIOUS CALIBRATION Calibrated on 16 October 2017, Certificate No. UCRT17/1897 issued by this laboratory.

This certificate is issued in accordance with the laboratory accreditation requirements of the United Kingdom Accreditation Service. It provides traceability of measurement to the SI system of units and/or to units of measurement realised at the National Physical Laboratory or other recognised national metrology institutes. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

CERTIFICATE OF CALIBRATION

UKAS ACCREDITED CALIBRATION LABORATORY No 0653

Certificate No UCRT19/2218

Page 2 of 3 Pages

The sound level meter was set up using the type 4231 sound calibrator supplied; it was set to frequency weighting A, and initially read 94.1 dB. It was then adjusted to read 93.9 dB (corresponding to 93.9 dB at standard atmospheric pressure). This reading was derived from Calibration Certificate no. UCRT19/2217 supplied by this laboratory and manufacturers' information on the free-field response of the sound level meter. The calibration check frequency was 1kHz. The final microphone sensitivity calculated and stored by the instrument was 45.25 mV/Pa.

Procedures from IEC 61672-3:2006 (BS EN 61672-3:2006) as modified by UKAS TPS 49 Edition 2: June 2009 were used to perform the periodic tests.

RESULTS

The sound level meter submitted for testing has successfully completed the class 1 periodic tests of IEC 61672-3:2006 (BS EN 61672-3:2006), for the environmental conditions under which the tests were performed. As public evidence was available, from an independent testing organization responsible for approving the results of pattern evaluation tests performed in accordance with IEC 61672-2 : 2003 (BS EN 61672-2 : 2003), to demonstrate that the model of sound level meter fully conformed to the requirements in IEC 61672-1 : 2002 (BS EN 61672-1 : 2003), the sound level meter submitted for testing conforms to the class 1 requirements of IEC 61672-1 : 2002 (BS EN 61672-1 2003).

The self-generated noise recorded with the microphone replaced by the electrical input device was:

13.4 dB (A) 13.8 dB (C) 19.5 dB (Z)

The environmental conditions recorded at the start and end of testing were:

Start: 23 to 24 °C, 31 to 41 %RH and 97.2 to 97.3 kPa
End: 24 to 25 °C, 34 to 44 %RH and 97.2 to 97.3 kPa

Technical information including adjustment data specified in the manufacturers' Instruction Manual BE 1774-11 (2007) and User Manual BE 1766 has been used to carry out this verification. These data include manufacturer-specified uncertainties.

Publicly-available evidence has been found that the B&K 2250-L sound level meter design has successfully undergone pattern evaluation in accordance with IEC 61672-2:2002 (BS EN 61672-2:2003) by Physikalisch-Technische Bundesanstalt (PTB), an independent testing organisation responsible for pattern approvals.

All measurement data are held at ANV Measurement Systems for a period of at least six years.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor $k=2$, providing a coverage probability of approximately 95%. The uncertainty evaluation has been carried out in accordance with UKAS requirements.

CERTIFICATE OF CALIBRATION

UKAS ACCREDITED CALIBRATION LABORATORY No 0653

Certificate No UCRT19/2218

Page 3 of 3 Pages

NOTES

Any opinions or interpretations which may be expressed in the following notes are not UKAS Accredited.

- 1 All tests were carried out in "Broad Band".
- 2 Windscreen correction was set to "None", soundfield to "Free-field" and microphone to "4950".
- 3 No suitable microphone frequency response information was supplied with the instrument. It was therefore measured by this laboratory using the electrostatic actuator method. This response in isolation is not UKAS Accredited.
- 4 It was noted that in order to obtain the correct A-weighted response to the sound calibrator, the relevant software setting in the meter had to be changed from '4231' to 'custom' with the appropriate calibration level entered.
- 5 The electrical tests have been carried out with the instrument set for the nominal microphone sensitivity, as specified in the Instruction Manual. This may mean that the instrument has a slightly different linearity range when in normal use.
- 6 Typical case reflection factors specified by the manufacturer have been used for this verification.

The instrument was running on hardware version 4.0

The instrument firmware settings were:

Module i.d.	Function	Version	Active?	Licenced?	Template used?
BZ 7130	SLM	4.7.5	Y	Y	Y
BZ 7131	Octave analysis	4.7.5	Y	N	N/A
BZ 7132	1/3-oct analysis	4.7.5	Y	Y	N/A
BZ 7133	Logging	4.7.5	Y	Y	N/A
BZ 7226	Signal Recording Option	4.7.5	Y	N	N/A
BZ 7231	Tone Assessment	4.7.5	Y	N	N/A
BZ 7232	Noise Monitoring Software	4.7.5	Y	N	N/A
BZ	N/A	N/A	N/A	N/A	N/A
BZ	N/A	N/A	N/A	N/A	N/A
BZ	N/A	N/A	N/A	N/A	N/A

The results on this certificate only relate to the items calibrated as identified above.

END

R 3

4.6 Rion VM-56 (S/N 680043)



CERTIFICATE OF CALIBRATION

Date of Issue: 01 November 2019

Certificate Number: TCRT19/1825

Issued by:

ANV Measurement Systems

Beaufort Court

17 Roebuck Way

Milton Keynes MK5 8HL

Telephone 01908 642846 Fax 01908 642814

E-Mail: info@noise-and-vibration.co.uk

Web: www.noise-and-vibration.co.uk

Acoustics Noise and Vibration Ltd trading as ANV Measurement Systems

Page 1 of 3 Pages

Approved Signatory

K. Mistry

A handwritten signature in blue ink, appearing to read 'K. Mistry', is written over a horizontal line.

Client	AWN Consulting Limited The Tecpro Building, IDA Business & Technology Park, Clonsaugh Dublin 17 Ireland
Purchase Order No.	DOD/19/Cal03
Instrument	Rion VM-56 Tri-Axial Vibration Meter
Serial No.	00680043
Accelerometer Type	VM-56
Accelerometer Serial No.	80047
Program	2.0
Client Asset No.	N/A
Procedure ID.	VM-56 Issue 1
Job Number	TRAC19/11477
Date of Calibration	01 Nov 2019
Previous Cert. number	N/A
Date of Previous Cert.	N/A
Rig Number	6
Kit Number	24
Calibration Status	Passed Calibration

This calibration is traceable to National Standards. ANV Measurement Systems sources used to perform calibrations are calibrated at the National Physical Laboratory or by UKAS laboratories accredited for the purpose.

The performance of the system (the meter, accelerometer) was found to be within the manufacturer's specification.

Comment

This certificate reports recorded values for the instrument 'As Received'.

CERTIFICATE OF CALIBRATION



Certificate Number

TCRT19/1825

Page 2 of 3 Pages

Environment

The ambient environmental conditions at the time of the calibration were;
 Temperature: 22.9 ± 1°C, Humidity: 40 ± 5%RH, Atmospheric pressure 98.2 ± 1 kPa

Test results

Each accelerometer axis was mounted co-axially with a Rion LS-10C servo accelerometer, and tests conducted for the dynamic range, PPV linearity and frequency response of the complete system. Additional electrical tests were carried out on the amplitude linearity of the instrument.

PPV linearity response for the complete system at 16 Hz

With PV-83CW serial No. 80047

Weightings for all channels turned OFF

Target Vel. mm/s	Actual Vel. mm/s	Indicated (X) mm/s	Error (X) %	Indicated (Y) mm/s	Error (Y) %	Indicated (Z) mm/s	Error (Z) %
0.50	0.51	0.57	11.56	0.55	7.65	0.54	5.69
1.00	1.02	1.09	6.67	1.08	5.69	1.06	3.73
2.50	2.55	2.67	4.51	2.66	4.12	2.60	1.77
5.00	5.11	5.31	3.93	5.30	3.73	5.18	1.38
10.00	10.13	10.59	4.50	10.43	2.92	10.35	2.13
20.00	20.27	21.24	4.80	21.03	3.76	20.61	1.69

Permitted tolerance ± 10% ± 1 LSD (Least Significant Digit).

Linearity errors in dB measured electrically at 40 Hz

Weightings for all channels turned OFF

Level changes in dB; reading error in dB given for each axis. "m/s²" is actual reading in m/s².

1 m/s² Range

Level dB	Error (X) dB	m/s ² (X)	Error (Y) dB	m/s ² (Y)	Error (Z) dB	m/s ² (Z)
0	REF	0.98154	REF	0.98129	REF	0.98130
-20	-0.01	0.09805	-0.01	0.09802	-0.01	0.09803
-40	-0.02	0.00979	-0.02	0.00979	-0.02	0.00979
-60	-0.10	0.00097	-0.10	0.00097	-0.10	0.00097
-66	-0.03	0.00049	-0.21	0.00048	-0.03	0.00049
-72	-0.23	0.00024	-0.23	0.00024	-0.23	0.00024

Permitted tolerance ±1.0 dB.

10 m/s² Range

Level dB	Error (X) dB	m/s ² (X)	Error (Y) dB	m/s ² (Y)	Error (Z) dB	m/s ² (Z)
20	-0.03	9.79122	-0.03	9.75526	-0.03	9.73534
0	REF	0.98208	REF	0.97857	REF	0.97679
-20	-0.01	0.09808	-0.01	0.09775	-0.01	0.09758
-30	-0.01	0.03102	-0.03	0.03085	-0.06	0.03067
-40	0.04	0.00987	-0.02	0.00976	0.02	0.00979
-52	-0.31	0.00238	0.69	0.00266	-0.01	0.00245

Permitted tolerance ±1.0 dB.

CERTIFICATE OF CALIBRATION



Certificate Number

TCRT19/1825

Page 3 of 3 Pages

Frequency Responses For Complete System

Measured on the 1 m/s² range with weightings as indicated in the table and PV-83CW serial No. 80047

Frequency Hz	Applied Acc. m/s ²	X (Wd) rms m/s ²	Error X %	VDV (X) m/s ^{1.75}	Error X %
3.981	0.285	0.15654	5.4	0.30765	5.3
5.012	0.355	0.15445	5.2	0.30359	5.1
6.310	0.355	0.12187	5.1	0.23974	5.0
7.943	0.355	0.09586	4.5	0.18849	4.4
10.00	0.355	0.07622	4.9	0.14987	4.8
12.59	0.355	0.06052	5.3	0.11912	5.3
15.85	0.355	0.04836	6.2	0.09515	6.2
19.95	0.550	0.06014	7.3	0.11834	7.3

Frequency Hz	Applied Acc. m/s ²	Y (Wd) rms m/s ²	Error Y %	VDV (Y) m/s ^{1.75}	Error Y %
3.981	0.285	0.15640	5.3	0.30743	5.2
5.012	0.355	0.15372	4.7	0.30199	4.5
6.310	0.355	0.12149	4.7	0.23878	4.6
7.943	0.355	0.09627	5.0	0.18928	4.9
10.00	0.355	0.07622	4.9	0.14987	4.8
12.59	0.355	0.06054	5.3	0.11907	5.3
15.85	0.355	0.04850	6.5	0.09539	6.5
19.95	0.550	0.06064	8.2	0.11932	8.2

Frequency Hz	Applied Acc. m/s ²	Z (Wb) rms m/s ²	Error Z %	VDV (Z) m/s ^{1.75}	Error Z %
3.981	0.285	0.26307	3.0	0.52192	3.8
5.012	0.355	0.37779	2.4	0.74853	3.1
6.310	0.355	0.38731	2.1	0.76723	2.7
7.943	0.355	0.37632	2.0	0.74338	2.4
10.00	0.355	0.35641	1.6	0.70262	1.7
12.59	0.355	0.32928	1.2	0.64883	1.3
15.85	0.355	0.29668	1.3	0.58400	1.3
19.95	0.550	0.39872	0.8	0.78497	0.8
25.12	0.550	0.33640	3.3	0.66184	3.3
31.62	0.550	0.27597	2.9	0.54310	2.9
39.81	0.550	0.21843	1.0	0.42982	1.0
50.12	0.550	0.17703	3.4	0.34836	3.3
63.10	0.550	0.13695	3.8	0.26950	3.8
79.43	0.550	0.10077	4.1	0.19832	4.1



Tolerance required @ 4 Hz +12%/-11% ; @ 80 Hz +26%/-21%

All results meet the manufacturer's specification.

END OF CALIBRATION

CALIBRATED BY :- A. Lloyd

5. Unattended Monitoring Equipment Set Up

Location	Equipment Set up
<p>CBC0013UNML001</p> <p>On grass in rear residential garden, 5m from façade with direct line of sight to R837 Dublin Road. Located approximately 55m to R837 road and 35m to M11 motorway road edge.</p>	
<p>CBC0013UNML002</p> <p>In front residential garden separated from R837 Dublin Road by wall. Located approximately 7m from R837 road edge and 18m from residential façade.</p>	

Location	Equipment Set up	
<p>CBC0013UNML003</p> <p>In front residential garden, in line with property façade and separated from R119 Dublin Road by wall. Located approximately 6m from R119 road edge.</p>		
<p>CBC0013UNML004</p> <p>In front residential garden, in line with property façade and separated from R119 Dublin Road by wall. Located approximately 12m from R119 road edge.</p>		
<p>CBC0013UNML005</p> <p>In front residential garden separated from R119 Dublin Road by wall. Located approximately 10m from R119 road edge and 5m from residential façade.</p>		