

WaterbodyName	MonitoringStationCode	MonitoringStationName	SampleDate	ParameterName	ParameterUnitShortCode	Result
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	19/02/2013	Alkalinity-total (as C: mg/l)		335.21
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	23/09/2013	Alkalinity-total (as C: mg/l)		316.66
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	18/11/2014	Alkalinity-total (as C: mg/l)		246.4
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	08/06/2016	Alkalinity-total (as C: mg/l)		311
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	23/08/2018	Alkalinity-total (as C: mg/l)		321
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	04/10/2018	Alkalinity-total (as C: mg/l)		331
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	18/09/2007	Alkalinity-total (as H: mg/l)		326
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	27/02/2008	Alkalinity-total (as H: mg/l)		311.59
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	29/04/2008	Alkalinity-total (as H: mg/l)		304.92
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	26/11/2008	Alkalinity-total (as H: mg/l)		310.11
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	05/03/2009	Alkalinity-total (as H: mg/l)		313.52
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	02/12/2009	Alkalinity-total (as H: mg/l)		299.85
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	17/06/2010	Alkalinity-total (as H: mg/l)		306.8
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	22/09/2010	Alkalinity-total (as H: mg/l)		304.54
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	16/07/2013	Alkalinity-total (as C: mg/l)		331.88
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	30/10/2013	Alkalinity-total (as C: mg/l)		243.05
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	27/11/2013	Alkalinity-total (as C: mg/l)		314.03
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	18/02/2014	Alkalinity-total (as C: mg/l)		266
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	05/08/2014	Alkalinity-total (as C: mg/l)		202.1
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	28/05/2015	Alkalinity-total (as C: mg/l)		308
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	20/08/2015	Alkalinity-total (as C: mg/l)		328
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	30/03/2011	Alkalinity-total (as H: mg/l)		311.14
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	28/09/2011	Alkalinity-total (as H: mg/l)		294.17
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	25/06/2013	Alkalinity-total (as H: mg/l)		321.25
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	22/08/2013	Alkalinity-total (as H: mg/l)		316.49
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	19/12/2013	Alkalinity-total (as H: mg/l)		178.55
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	18/09/2007	Ammonia-Total (as N: mg/l)		0.03
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	25/08/2008	Ammonia-Total (as N: mg/l)		0.107
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	06/04/2017	Alkalinity-total (as C: mg/l)		315
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	02/05/2007	Alkalinity-total (as H: mg/l)		316
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	07/09/2009	Alkalinity-total (as H: mg/l)		299.04
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	24/11/2011	Alkalinity-total (as H: mg/l)		180.78
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	13/08/2007	Ammonia-Total (as N: mg/l)		0.216
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	22/09/2010	Ammonia-Total (as N: mg/l)		0.148
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	28/09/2011	Ammonia-Total (as N: mg/l)		0.351
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	26/11/2008	Ammonia-Total (as N: mg/l)		0.197
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	05/03/2009	Ammonia-Total (as N: mg/l)		0.269
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	11/06/2009	Ammonia-Total (as N: mg/l)		0.149
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	17/06/2010	Ammonia-Total (as N: mg/l)		0.05
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	30/03/2011	Ammonia-Total (as N: mg/l)		0.189
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	20/02/2012	Ammonia-Total (as N: mg/l)		0.21
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	30/10/2012	Ammonia-Total (as N: mg/l)		0.066
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	24/11/2011	Ammonia-Total (as N: mg/l)		0.116
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	23/08/2012	Ammonia-Total (as N: mg/l)		0.037
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	21/05/2013	Ammonia-Total (as N: mg/l)		0.012
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	25/06/2013	Ammonia-Total (as N: mg/l)		0.042
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	16/07/2013	Ammonia-Total (as N: mg/l)		0.031
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	22/08/2013	Ammonia-Total (as N: mg/l)		0.024
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	22/08/2013	Ammonia-Total (as N: mg/l)		0.024
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	21/05/2013	Alkalinity-total (as C: mg/l)		335.4
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	19/12/2013	Alkalinity-total (as C: mg/l)		178.55
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	24/02/2015	Alkalinity-total (as C: mg/l)		205.1
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	01/06/2017	Alkalinity-total (as C: mg/l)		318
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	16/05/2018	Alkalinity-total (as C: mg/l)		322
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	18/10/2018	Alkalinity-total (as C: mg/l)		290
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	03/07/2007	Alkalinity-total (as H: mg/l)		308
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	25/06/2013	Alkalinity-total (as C: mg/l)		321.25
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	22/08/2013	Alkalinity-total (as C: mg/l)		316.49
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	21/01/2014	Alkalinity-total (as C: mg/l)		400.6
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	20/05/2014	Alkalinity-total (as C: mg/l)		290.4
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	03/02/2016	Alkalinity-total (as C: mg/l)		283
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	05/04/2016	Alkalinity-total (as C: mg/l)		249
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	09/08/2016	Alkalinity-total (as C: mg/l)		304
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	30/10/2013	Ammonia-Total (as N: mg/l)		0.273
YELLOW (CASTLEJORI RS07Y020100)		Garr Br	27/11/2013	Ammonia-Total (as N: mg/l)		0.152

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Ammonia-Total (as N mg/l)	0.392
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	Ammonia-Total (as N mg/l)	0.261
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	Ammonia-Total (as N mg/l)	0.039
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	Ammonia-Total (as N mg/l)	0.14
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	Ammonia-Total (as N mg/l)	0.025
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	Ammonia-Total (as N mg/l)	0.048
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	Ammonia-Total (as N mg/l)	0.023
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	Ammonia-Total (as N mg/l)	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	Ammonia-Total (as N mg/l)	0.041
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/07/2007	BOD - 5 days (Total) mg/l	1.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	BOD - 5 days (Total) mg/l	1.64
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	BOD - 5 days (Total) mg/l	1.71
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/09/2010	BOD - 5 days (Total) mg/l	1.98
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	BOD - 5 days (Total) mg/l	1.99
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	BOD - 5 days (Total) mg/l	2.09
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	BOD - 5 days (Total) mg/l	1.84
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	BOD - 5 days (Total) mg/l	1.88
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	BOD - 5 days (Total) mg/l	1.36
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	BOD - 5 days (Total) mg/l	2.91
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	BOD - 5 days (Total) mg/l	2.91
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	BOD - 5 days (Total) mg/l	3.92
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	BOD - 5 days (Total) mg/l	4.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	BOD - 5 days (Total) mg/l	1.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	BOD - 5 days (Total) mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	Chloride mg/l	15.76
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	Chloride mg/l	13.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	Chloride mg/l	14.13
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Chloride mg/l	14.31
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Chloride mg/l	13.31
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Chloride mg/l	13.386
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Chloride mg/l	13.23
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	Chloride mg/l	11.58
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	Chloride mg/l	14.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	Chloride mg/l	14.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	Chloride mg/l	15.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	Chloride mg/l	15.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	Chloride mg/l	19.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	Chloride mg/l	15.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	Chloride mg/l	16.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	Chloride mg/l	15.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	COD-Cr mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	COD-Cr mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	COD-Cr mg/l	50
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	COD-Cr mg/l	50
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Conductivity @20Â°i ÂµS/cm	642
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Conductivity @20Â°i ÂµS/cm	651
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Conductivity @20Â°i ÂµS/cm	526
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	26/11/2008	Conductivity @25Â°i ÂµS/cm	696
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	Conductivity @25Â°i ÂµS/cm	732
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/03/2011	Conductivity @25Â°i ÂµS/cm	720
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	Conductivity @25Â°i ÂµS/cm	690
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/11/2011	Conductivity @25Â°i ÂµS/cm	733
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	Conductivity @25Â°i ÂµS/cm	753
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	Conductivity @25Â°i ÂµS/cm	687
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Conductivity @25Â°i ÂµS/cm	742.95
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Conductivity @25Â°i ÂµS/cm	576
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	Conductivity @25Â°i ÂµS/cm	632
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	Conductivity @25Â°i ÂµS/cm	702
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	Conductivity @25Â°i ÂµS/cm	730
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/09/2007	Dissolved Oxygen % Saturation	91.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	Dissolved Oxygen % Saturation	85.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	Dissolved Oxygen mg/l	10.13
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/03/2009	Dissolved Oxygen mg/l	8.12
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	Dissolved Oxygen % Saturation	87.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	Dissolved Oxygen mg/l	9.04
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/09/2010	Dissolved Oxygen % Saturation	81.8

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	Dissolved Oxygen	mg/l	8.49
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/11/2011	Dissolved Oxygen	% Saturation	69.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/11/2011	Dissolved Oxygen	mg/l	7.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	Dissolved Oxygen	mg/l	5.91
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	Dissolved Oxygen	% Saturation	73.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	Dissolved Oxygen	mg/l	8.24
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Dissolved Oxygen	mg/l	9.47
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Dissolved Oxygen	% Saturation	78.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Dissolved Oxygen	mg/l	9.47
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Dissolved Oxygen	mg/l	10.37
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Dissolved Oxygen	% Saturation	84.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Dissolved Oxygen	% Saturation	88
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Dissolved Oxygen	% Saturation	82.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Dissolved Oxygen	mg/l	9.24
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Dissolved Oxygen	mg/l	9.43
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	Dissolved Oxygen	% Saturation	82.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	Dissolved Oxygen	mg/l	10.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	Dissolved Oxygen	% Saturation	92.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	Dissolved Oxygen	mg/l	10.11
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	Dissolved Oxygen	% Saturation	81
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	Dissolved Oxygen	mg/l	8.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	Dissolved Oxygen	mg/l	8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	Dissolved Oxygen	% Saturation	100
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	Dissolved Oxygen	mg/l	8.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	Dissolved Oxygen	mg/l	8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	Dissolved Oxygen	% Saturation	82
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/05/2007	Nitrate (as N)	mg/l	2.934
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/07/2007	Nitrate (as N)	mg/l	2.062
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	Nitrate (as N)	mg/l	3.714
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	Nitrate (as N)	mg/l	2.611
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	Nitrate (as N)	mg/l	3.223
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/03/2009	Nitrate (as N)	mg/l	2.367
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	Nitrate (as N)	mg/l	1.899
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	Nitrate (as N)	mg/l	1.374
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	Nitrate (as N)	mg/l	2.493
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Nitrate (as N)	mg/l	1.143
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Nitrate (as N)	mg/l	1.143
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Nitrate (as N)	mg/l	1.823
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Nitrate (as N)	mg/l	2.574
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	Nitrate (as N)	mg/l	2.672
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	Nitrate (as N)	mg/l	1.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	Nitrite (as N)	mg/l	0.07
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	Nitrite (as N)	mg/l	0.027
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Nitrite (as N)	mg/l	0.005
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Nitrite (as N)	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Nitrite (as N)	mg/l	0.034
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Nitrite (as N)	mg/l	0.028
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	Nitrite (as N)	mg/l	0.029
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	Nitrite (as N)	mg/l	0.041
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	Nitrite (as N)	mg/l	0.113
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	Nitrite (as N)	mg/l	0.024
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	Nitrite (as N)	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	Nitrite (as N)	Âµg/l	20.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	Nitrite (as N)	Âµg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	Nitrite (as N)	Âµg/l	16.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	Nitrite (as N)	Âµg/l	28.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	Nitrite (as N)	Âµg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/05/2007	ortho-Phosphate (as mg/l		0.02
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/03/2009	ortho-Phosphate (as mg/l		0.013
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	ortho-Phosphate (as mg/l		
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/09/2011	ortho-Phosphate (as mg/l		
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	ortho-Phosphate (as mg/l		0.009
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	ortho-Phosphate (as mg/l		
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	ortho-Phosphate (as mg/l		
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	ortho-Phosphate (as mg/l		0.015
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	ortho-Phosphate (as mg/l		

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	ortho-Phosphate (as mg/l)	0.008	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	ortho-Phosphate (as mg/l)	0.023	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	ortho-Phosphate (as mg/l)	0.014	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	ortho-Phosphate (as mg/l)	0.015	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	ortho-Phosphate (as mg/l)	0.012	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	ortho-Phosphate (as mg/l)	0.017	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	ortho-Phosphate (as mg/l)		
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/05/2007	pH	pH units	7.98
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	26/11/2008	pH	pH units	7.79
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	pH	pH units	7.96
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	pH	pH units	7.425
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/03/2011	pH	pH units	7.93
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/09/2011	pH	pH units	7.93
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	pH	pH units	7.83
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	pH	pH units	8.06
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	pH	pH units	7.61
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	pH	pH units	7.82
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	pH	pH units	8.128
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	pH	pH units	8.009
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	pH	pH units	7.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	pH	pH units	7.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	pH	pH units	7.62
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	pH	pH units	7.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	pH	pH units	7.98
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	pH	pH units	7.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	pH	pH units	8.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	pH	pH units	8.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	pH	pH units	8.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	Suspended Solids	mg/l	1.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Suspended Solids	mg/l	4.33
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Suspended Solids	mg/l	4.33
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Suspended Solids	mg/l	4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Suspended Solids	mg/l	86.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	Suspended Solids	mg/l	12
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/07/2007	Temperature	Â°C	15
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	Temperature	Â°C	7.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	Temperature	Â°C	12.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	26/11/2008	Temperature	Â°C	9.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/03/2009	Temperature	Â°C	7.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/09/2010	Temperature	Â°C	13.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/03/2011	Temperature	Â°C	10
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/09/2011	Temperature	Â°C	14.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	Temperature	Â°C	9.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	Temperature	Â°C	14.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Temperature	Â°C	6.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Temperature	Â°C	11.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Temperature	Â°C	16.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Temperature	Â°C	16.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	Temperature	Â°C	8.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	Temperature	Â°C	16.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	Temperature	Â°C	11.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	Temperature	Â°C	15.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	Temperature	Â°C	12.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	Temperature	Â°C	12.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/09/2007	Total Hardness (as C. mg/l)		400
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	Total Hardness (as C. mg/l)		329.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	Total Hardness (as C. mg/l)		331.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/09/2011	Total Hardness (as C. mg/l)		358.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Total Hardness (as C. mg/l)		388.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Total Hardness (as C. mg/l)		400.33
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Total Hardness (as C. mg/l)		295
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	Total Hardness (as C. mg/l)		321
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	Total Hardness (as C. mg/l)		392
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	Total Hardness (as C. mg/l)		409
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	Total Hardness (as C. mg/l)		369
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	Total Hardness (as C. mg/l)		421

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	Total Hardness (as C	mg/l	412
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	Total Nitrogen	mg/l	2.32
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	Total Nitrogen	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Total Nitrogen	mg/l	2.07
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Total Nitrogen	mg/l	2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Total Nitrogen	mg/l	1.99
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Total Nitrogen	mg/l	3.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/07/2007	Total Oxidised Nitroξ	mg/l	2.096
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	Total Oxidised Nitroξ	mg/l	2.634
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	Total Oxidised Nitroξ	mg/l	3.287
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	Total Oxidised Nitroξ	mg/l	2.169
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	Total Oxidised Nitroξ	mg/l	1.451
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/09/2010	Total Oxidised Nitroξ	mg/l	1.601
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	Total Oxidised Nitroξ	mg/l	1.444
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/09/2011	Total Oxidised Nitroξ	mg/l	0.988
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/11/2011	Total Oxidised Nitroξ	mg/l	1.931
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	Total Oxidised Nitroξ	mg/l	2.52
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Total Oxidised Nitroξ	mg/l	1.148
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Total Oxidised Nitroξ	mg/l	2.423
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Total Oxidised Nitroξ	mg/l	1.851
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Total Oxidised Nitroξ	mg/l	2.582
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Total Oxidised Nitroξ	mg/l	2.582
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	Total Oxidised Nitroξ	mg/l	1.993
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	Total Oxidised Nitroξ	mg/l	3.126
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	Total Oxidised Nitroξ	mg/l	1.64
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	Total Oxidised Nitroξ	mg/l	4.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	Total Oxidised Nitroξ	mg/l	2.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	Total Oxidised Nitroξ	mg/l	1.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	Total Phosphorus (as	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Total Phosphorus (as	mg/l	0.026
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Total Phosphorus (as	mg/l	0.07
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Total Phosphorus (as	mg/l	0.05
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Total Phosphorus (as	mg/l	0.32
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Total Phosphorus (as	mg/l	0.063
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/05/2007	True Colour	Hazen	88
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	True Colour	Hazen	236
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/09/2007	True Colour	Hazen	78
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	True Colour	Hazen	80
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	True Colour	Hazen	152
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/03/2009	True Colour	Hazen	103
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	True Colour	Hazen	152
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/09/2010	True Colour	Hazen	117
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/11/2011	True Colour	Hazen	122
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	True Colour	Hazen	119
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	True Colour	Hazen	118
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	True Colour	Hazen	106
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	True Colour	Hazen	116
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	True Colour	Hazen	126
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	True Colour	Hazen	95
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	True Colour	Hazen	111
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	True Colour	Hazen	133
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	True Colour	Hazen	121
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	True Colour	Hazen	131
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	True Colour	Hazen	205
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	True Colour	Hazen	152
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	True Colour	Hazen	110
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	True Colour	mg/litre Pt Co	83
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	True Colour	mg/litre Pt Co	65
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	True Colour	mg/litre Pt Co	71
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	Alkalinity-total (as H	mg/l	325.91
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	Alkalinity-total (as H	mg/l	307.91
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Alkalinity-total (as H	mg/l	335.21
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Alkalinity-total (as H	mg/l	243.05
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Alkalinity-total (as H	mg/l	314.03
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/07/2007	Ammonia-Total (as N	mg/l	0.037
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	Ammonia-Total (as N	mg/l	0.17

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	Ammonia-Total (as N mg/l)	0.041
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	Ammonia-Total (as N mg/l)	0.218
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	Ammonia-Total (as N mg/l)	0.159
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Ammonia-Total (as N mg/l)	0.042
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Ammonia-Total (as N mg/l)	0.031
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	Ammonia-Total (as N mg/l)	0.307
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	Ammonia-Total (as N mg/l)	0.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	Ammonia-Total (as N mg/l)	0.18
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	Ammonia-Total (as N mg/l)	0.17
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	BOD - 5 days (Total) mg/l	1.54
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/09/2011	BOD - 5 days (Total) mg/l	3.09
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	BOD - 5 days (Total) mg/l	1.52
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	BOD - 5 days (Total) mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	BOD - 5 days (Total) mg/l	2.59
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	BOD - 5 days (Total) mg/l	2.49
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	BOD - 5 days (Total) mg/l	2.49
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	BOD - 5 days (Total) mg/l	5.13
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	BOD - 5 days (Total) mg/l	1.66
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	BOD - 5 days (Total) mg/l	1.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	BOD - 5 days (Total) mg/l	1.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	BOD - 5 days (Total) mg/l	4.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/05/2007	Chloride mg/l	16.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	Chloride mg/l	12.99
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	Chloride mg/l	15.66
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/09/2010	Chloride mg/l	13.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/09/2011	Chloride mg/l	14.21
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/11/2011	Chloride mg/l	15.83
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	Chloride mg/l	12.77
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Chloride mg/l	13.31
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Chloride mg/l	13.16
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Chloride mg/l	13.16
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Chloride mg/l	12.93
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Chloride mg/l	13.386
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	Chloride mg/l	15.69
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	Chloride mg/l	14.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	Chloride mg/l	14.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	Chloride mg/l	14.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	COD-Cr mg/l	49
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	COD-Cr mg/l	54
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	COD-Cr mg/l	66
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	COD-Cr mg/l	33
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	COD-Cr mg/l	51
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	COD-Cr mg/l	44
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	COD-Cr mg/l	39
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Conductivity @20Â°C (ÎµS/cm)	630
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	Conductivity @20Â°C (ÎµS/cm)	285
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/05/2007	Conductivity @25Â°C (ÎµS/cm)	755
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	Conductivity @25Â°C (ÎµS/cm)	728
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	Alkalinity-total (as Ca mg/l)	323
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	Alkalinity-total (as Ca mg/l)	291
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	Alkalinity-total (as Ca mg/l)	339
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	Alkalinity-total (as Ca mg/l)	309
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	Alkalinity-total (as Ca mg/l)	313
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	Alkalinity-total (as Ca mg/l)	342
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	Alkalinity-total (as H mg/l)	206
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	Alkalinity-total (as H mg/l)	283.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	Alkalinity-total (as H mg/l)	299.25
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	Alkalinity-total (as H mg/l)	315.39
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Alkalinity-total (as H mg/l)	335.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Alkalinity-total (as H mg/l)	331.88
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Alkalinity-total (as H mg/l)	316.66
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/05/2007	Ammonia-Total (as N mg/l)	0.116
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	Ammonia-Total (as N mg/l)	0.112
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	Ammonia-Total (as N mg/l)	0.27
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	Ammonia-Total (as N mg/l)	0.016
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Ammonia-Total (as N mg/l)	0.262

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Ammonia-Total (as N mg/l)	0.012
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Ammonia-Total (as N mg/l)	0.032
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Ammonia-Total (as N mg/l)	0.273
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Ammonia-Total (as N mg/l)	0.392
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	Ammonia-Total (as N mg/l)	0.238
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	Ammonia-Total (as N mg/l)	0.142
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	Ammonia-Total (as N mg/l)	0.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	Ammonia-Total (as N mg/l)	0.088
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	Ammonia-Total (as N mg/l)	0.03
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	Ammonia-Total (as N mg/l)	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	Ammonia-Total (as N mg/l)	0.09
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	Ammonia-Total (as N mg/l)	0.021
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	Ammonia-Total (as N mg/l)	0.081
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	BOD - 5 days (Total) mg/l	2.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/09/2007	BOD - 5 days (Total) mg/l	1.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	BOD - 5 days (Total) mg/l	1.37
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/03/2009	BOD - 5 days (Total) mg/l	2.14
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	BOD - 5 days (Total) mg/l	4.18
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/11/2011	BOD - 5 days (Total) mg/l	3.47
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	BOD - 5 days (Total) mg/l	2.09
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	BOD - 5 days (Total) mg/l	1.36
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	BOD - 5 days (Total) mg/l	1.29
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	BOD - 5 days (Total) mg/l	2.59
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	BOD - 5 days (Total) mg/l	3.12
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	BOD - 5 days (Total) mg/l	2.33
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	BOD - 5 days (Total) mg/l	2.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	BOD - 5 days (Total) mg/l	2.36
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	BOD - 5 days (Total) mg/l	2.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	BOD - 5 days (Total) mg/l	1.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	BOD - 5 days (Total) mg/l	2.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	BOD - 5 days (Total) mg/l	7.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	BOD - 5 days (Total) mg/l	1.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	BOD - 5 days (Total) mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	Chloride mg/l	15.44
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	26/11/2008	Chloride mg/l	15.61
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/03/2009	Chloride mg/l	16.16
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	Chloride mg/l	15.65
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	Chloride mg/l	13.88
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Chloride mg/l	12.93
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Chloride mg/l	13.23
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Chloride mg/l	13.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Chloride mg/l	13.95
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Chloride mg/l	13.95
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Chloride mg/l	17.54
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	Chloride mg/l	15.85
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	Chloride mg/l	16.28
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	Chloride mg/l	15.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	Chloride mg/l	14.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	Chloride mg/l	15.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	Chloride mg/l	15.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	Chloride mg/l	16.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	COD-Cr mg/l	57
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	COD-Cr mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	COD-Cr mg/l	80
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	COD-Cr mg/l	51
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Conductivity @20Â°i ÂµS/cm	654
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Conductivity @20Â°i ÂµS/cm	369
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	Conductivity @20Â°i ÂµS/cm	456
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/09/2007	Conductivity @25Â°i ÂµS/cm	764
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	Conductivity @25Â°i ÂµS/cm	656
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	Conductivity @25Â°i ÂµS/cm	676
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	Conductivity @25Â°i ÂµS/cm	675
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/09/2011	Conductivity @25Â°i ÂµS/cm	748
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	Conductivity @25Â°i ÂµS/cm	513
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Conductivity @25Â°i ÂµS/cm	690
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Conductivity @25Â°i ÂµS/cm	404.6

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	Conductivity @25Â°i ÂµS/cm	714
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	Conductivity @25Â°i ÂµS/cm	627
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	Conductivity @25Â°i ÂµS/cm	702
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	Conductivity @25Â°i ÂµS/cm	726
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	Conductivity @25Â°i ÂµS/cm	697
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	Dissolved Oxygen % Saturation	84
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	Dissolved Oxygen mg/l	11.27
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	26/11/2008	Dissolved Oxygen % Saturation	77.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	Dissolved Oxygen mg/l	9.05
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	Dissolved Oxygen % Saturation	83.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/03/2011	Dissolved Oxygen % Saturation	84.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/09/2011	Dissolved Oxygen mg/l	6.62
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	Dissolved Oxygen % Saturation	79.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	Dissolved Oxygen % Saturation	73.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Dissolved Oxygen mg/l	9.65
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Dissolved Oxygen % Saturation	87
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Dissolved Oxygen % Saturation	93.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Dissolved Oxygen mg/l	8.16
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Dissolved Oxygen % Saturation	88
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Dissolved Oxygen mg/l	8.65
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Dissolved Oxygen % Saturation	86.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Dissolved Oxygen mg/l	8.49
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Dissolved Oxygen % Saturation	87.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Dissolved Oxygen mg/l	9.43
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	Dissolved Oxygen % Saturation	91.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	Dissolved Oxygen % Saturation	75
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	Dissolved Oxygen mg/l	8.18
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	Dissolved Oxygen % Saturation	88.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	Dissolved Oxygen % Saturation	84.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	Dissolved Oxygen mg/l	8.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	Dissolved Oxygen % Saturation	95
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	Dissolved Oxygen mg/l	10.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	Dissolved Oxygen mg/l	7.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	Dissolved Oxygen % Saturation	89
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	Dissolved Oxygen mg/l	10.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	Dissolved Oxygen % Saturation	76
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	Dissolved Oxygen % Saturation	80
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	Dissolved Oxygen % Saturation	85
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	Dissolved Oxygen mg/l	8.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	Dissolved Oxygen mg/l	8.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	Nitrate (as N) mg/l	3.584
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	Nitrate (as N) mg/l	1.412
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/11/2011	Nitrate (as N) mg/l	1.898
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	Nitrate (as N) mg/l	1.629
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Nitrate (as N) mg/l	2.709
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Nitrate (as N) mg/l	1.37
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Nitrate (as N) mg/l	1.823
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	Nitrate (as N) mg/l	1.952
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	Nitrate (as N) mg/l	2.551
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	Nitrate (as N) mg/l	1.628
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	Nitrate (as N) mg/l	2.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	Nitrate (as N) mg/l	1.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/05/2007	Nitrite (as N) mg/l	0.052
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/07/2007	Nitrite (as N) mg/l	0.034
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	Nitrite (as N) mg/l	0.052
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	Nitrite (as N) mg/l	0.038
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	Nitrite (as N) mg/l	0.064
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/03/2009	Nitrite (as N) mg/l	0.025
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	Nitrite (as N) mg/l	0.038
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	Nitrite (as N) mg/l	0.035
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/03/2011	Nitrite (as N) mg/l	0.038
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/11/2011	Nitrite (as N) mg/l	0.033
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Nitrite (as N) mg/l	0.02
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Nitrite (as N) mg/l	0.02
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Nitrite (as N) mg/l	0.024
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Nitrite (as N) mg/l	0.024

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Nitrite (as N)	mg/l	0.008
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Nitrite (as N)	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Nitrite (as N)	mg/l	0.013
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	Nitrite (as N)	mg/l	0.031
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	Nitrite (as N)	mg/l	0.02
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	Nitrite (as N)	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	Nitrite (as N)	Âµg/l	21.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	Nitrite (as N)	Âµg/l	23.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	Nitrite (as N)	Âµg/l	15.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	ortho-Phosphate (as mg/l)		0.019
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/09/2007	ortho-Phosphate (as mg/l)		0.009
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	ortho-Phosphate (as mg/l)		0.009
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	ortho-Phosphate (as mg/l)		0
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	ortho-Phosphate (as mg/l)		0.017
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	ortho-Phosphate (as mg/l)		0.005
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	ortho-Phosphate (as mg/l)		0.0969
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	ortho-Phosphate (as mg/l)		0.014
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	ortho-Phosphate (as mg/l)		0.008
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	ortho-Phosphate (as mg/l)		0.015
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	ortho-Phosphate (as mg/l)		0.014
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	ortho-Phosphate (as mg/l)		0.01
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	ortho-Phosphate (as mg/l)		0.006
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	ortho-Phosphate (as mg/l)		
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	ortho-Phosphate (as mg/l)		0.057
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	ortho-Phosphate (as mg/l)		0.014
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	ortho-Phosphate (as mg/l)		
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	pH	pH units	8.23
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	pH	pH units	8.09
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	pH	pH units	7.719
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	pH	pH units	7.64
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	pH	pH units	8.01
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/09/2010	pH	pH units	7.68
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	pH	pH units	8.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/11/2011	pH	pH units	7.55
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	pH	pH units	8.08
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	pH	pH units	8.007
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	pH	pH units	7.748
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	pH	pH units	7.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	pH	pH units	7.93
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	pH	pH units	8.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	pH	pH units	8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	pH	pH units	8.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	pH	pH units	8.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	pH	pH units	8.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	Suspended Solids	mg/l	9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	Suspended Solids	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Suspended Solids	mg/l	4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Suspended Solids	mg/l	4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Suspended Solids	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Suspended Solids	mg/l	11
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	Temperature	Â°C	14.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	Temperature	Â°C	13.89
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	Temperature	Â°C	13.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/11/2011	Temperature	Â°C	12.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Temperature	Â°C	14.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Temperature	Â°C	16.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Temperature	Â°C	16.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Temperature	Â°C	10.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Temperature	Â°C	9.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Temperature	Â°C	6.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	Temperature	Â°C	8.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	Temperature	Â°C	9.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	Temperature	Â°C	8.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	Temperature	Â°C	9.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	Temperature	Â°C	12.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	Total Hardness (as C mg/l)		354.4

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	Total Hardness (as C. mg/l)	391.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/09/2010	Total Hardness (as C. mg/l)	358.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Total Hardness (as C. mg/l)	395.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Total Hardness (as C. mg/l)	392.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Total Hardness (as C. mg/l)	323.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Total Hardness (as C. mg/l)	393.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Total Hardness (as C. mg/l)	362.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Total Hardness (as C. mg/l)	201.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	Total Hardness (as C. mg/l)	237.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	Total Hardness (as C. mg/l)	367.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	Total Hardness (as C. mg/l)	267.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	Total Hardness (as C. mg/l)	317
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	Total Hardness (as C. mg/l)	305.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	Total Hardness (as C. mg/l)	361
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	Total Hardness (as C. mg/l)	386
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	Total Hardness (as C. mg/l)	408
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	Total Hardness (as C. mg/l)	385
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Total Nitrogen mg/l	2.07
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Total Nitrogen mg/l	2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Total Nitrogen mg/l	3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Total Nitrogen mg/l	3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	Total Oxidised Nitro� mg/l	1.937
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Total Oxidised Nitro� mg/l	1.394
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Total Oxidised Nitro� mg/l	1.394
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Total Oxidised Nitro� mg/l	1.112
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Total Oxidised Nitro� mg/l	1.148
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Total Oxidised Nitro� mg/l	1.074
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Total Oxidised Nitro� mg/l	1.215
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Total Oxidised Nitro� mg/l	2.423
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	Total Oxidised Nitro� mg/l	2.701
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	Total Oxidised Nitro� mg/l	3.018
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	Total Oxidised Nitro� mg/l	2.841
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	Total Oxidised Nitro� mg/l	1.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	Total Oxidised Nitro� mg/l	1.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	Total Oxidised Nitro� mg/l	2.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	Total Oxidised Nitro� mg/l	2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	Total Oxidised Nitro� mg/l	2.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	Total Oxidised Nitro� mg/l	1.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	Total Phosphorus (as mg/l)	0.034
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	Total Phosphorus (as mg/l)	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Total Phosphorus (as mg/l)	0.06
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Total Phosphorus (as mg/l)	0.05
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Total Phosphorus (as mg/l)	0.025
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Total Phosphorus (as mg/l)	0.025
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/07/2007	True Colour Hazen	102
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	True Colour Hazen	91
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/09/2011	True Colour Hazen	148
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	True Colour Hazen	118
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	True Colour Hazen	106
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	True Colour Hazen	104
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	True Colour Hazen	180
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	True Colour mg/litre Pt Co	140
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	True Colour mg/litre Pt Co	89
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	True Colour mg/litre Pt Co	75
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	True Colour mg/litre Pt Co	86
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	Conductivity @25��i ��S/cm	742
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/09/2010	Conductivity @25��i ��S/cm	631
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	Conductivity @25��i ��S/cm	572
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Conductivity @25��i ��S/cm	734
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Conductivity @25��i ��S/cm	716.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Conductivity @25��i ��S/cm	437.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	Conductivity @25��i ��S/cm	699
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	Conductivity @25��i ��S/cm	727
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	Conductivity @25��i ��S/cm	694
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	Conductivity @25��i ��S/cm	719
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	Conductivity @25��i ��S/cm	732

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/05/2007	Dissolved Oxygen	% Saturation	93.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/07/2007	Dissolved Oxygen	% Saturation	84.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/09/2007	Dissolved Oxygen	mg/l	10.13
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	Dissolved Oxygen	% Saturation	82.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	26/11/2008	Dissolved Oxygen	mg/l	8.44
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	Dissolved Oxygen	% Saturation	90.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	Dissolved Oxygen	% Saturation	87.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	Dissolved Oxygen	mg/l	9.78
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	Dissolved Oxygen	mg/l	7.85
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/03/2011	Dissolved Oxygen	mg/l	9.76
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	Dissolved Oxygen	mg/l	8.01
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Dissolved Oxygen	% Saturation	87
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Dissolved Oxygen	mg/l	9.65
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Dissolved Oxygen	% Saturation	93.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Dissolved Oxygen	mg/l	10.37
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Dissolved Oxygen	% Saturation	84.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Dissolved Oxygen	mg/l	9.24
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Dissolved Oxygen	% Saturation	79.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Dissolved Oxygen	mg/l	9.96
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Dissolved Oxygen	mg/l	9.96
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	Dissolved Oxygen	% Saturation	94
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	Dissolved Oxygen	mg/l	10.21
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	Dissolved Oxygen	% Saturation	80.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	Dissolved Oxygen	mg/l	11.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	Dissolved Oxygen	mg/l	7.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	Dissolved Oxygen	% Saturation	66
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	Dissolved Oxygen	mg/l	8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	Dissolved Oxygen	% Saturation	84
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	Dissolved Oxygen	% Saturation	76
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	26/11/2008	Nitrate (as N)	mg/l	2.379
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	Nitrate (as N)	mg/l	2.313
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/09/2010	Nitrate (as N)	mg/l	1.547
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/03/2011	Nitrate (as N)	mg/l	2.184
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	Nitrate (as N)	mg/l	2.784
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Nitrate (as N)	mg/l	1.104
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Nitrate (as N)	mg/l	1.202
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Nitrate (as N)	mg/l	2.389
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Nitrate (as N)	mg/l	2.389
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Nitrate (as N)	mg/l	2.574
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	Nitrate (as N)	mg/l	2.996
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	Nitrate (as N)	mg/l	2.803
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	Nitrate (as N)	mg/l	2.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	Nitrate (as N)	mg/l	1.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	Nitrate (as N)	mg/l	1.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	Nitrate (as N)	mg/l	2.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	Nitrate (as N)	mg/l	1.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	Nitrate (as N)	mg/l	2.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/09/2011	Nitrite (as N)	mg/l	0.025
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	Nitrite (as N)	mg/l	0.019
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	Nitrite (as N)	mg/l	0.03
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Nitrite (as N)	mg/l	0.008
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Nitrite (as N)	mg/l	0.034
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Nitrite (as N)	mg/l	0.008
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	Nitrite (as N)	mg/l	0.038
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	Nitrite (as N)	mg/l	0.012
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	Nitrite (as N)	µg/l	24.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	ortho-Phosphate (as mg/l)		0.013
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	ortho-Phosphate (as mg/l)		0.006
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/09/2010	ortho-Phosphate (as mg/l)		0.007
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	ortho-Phosphate (as mg/l)		0.009
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	ortho-Phosphate (as mg/l)		0.009
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	ortho-Phosphate (as mg/l)		0.009
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	ortho-Phosphate (as mg/l)		0.008
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	ortho-Phosphate (as mg/l)		0.017
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	ortho-Phosphate (as mg/l)		0.011
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	ortho-Phosphate (as mg/l)		0.014

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	ortho-Phosphate (as mg/l)	0.013	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	ortho-Phosphate (as mg/l)		
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	ortho-Phosphate (as mg/l)		
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	ortho-Phosphate (as mg/l)	0.01	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	ortho-Phosphate (as mg/l)		
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	pH	pH units	7.55
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	pH	pH units	7.73
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	pH	pH units	7.73
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	pH	pH units	8.08
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	pH	pH units	8.13
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	pH	pH units	8.01
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	pH	pH units	8.01
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	pH	pH units	8.116
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	pH	pH units	7.78
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	pH	pH units	7.77
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	pH	pH units	7.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	pH	pH units	8.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	pH	pH units	8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	pH	pH units	7.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Suspended Solids	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Suspended Solids	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Suspended Solids	mg/l	11
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Suspended Solids	mg/l	4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	Suspended Solids	mg/l	3.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/05/2007	Temperature	Â°C	14.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	Temperature	Â°C	7.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	Temperature	Â°C	9.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	Temperature	Â°C	15.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	Temperature	Â°C	8.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Temperature	Â°C	11.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Temperature	Â°C	14.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Temperature	Â°C	16.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Temperature	Â°C	10.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Temperature	Â°C	9.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	Temperature	Â°C	5.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	Temperature	Â°C	7.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	Temperature	Â°C	10.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	Temperature	Â°C	13.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	Temperature	Â°C	11.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	Temperature	Â°C	3.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	Temperature	Â°C	11.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	Temperature	Â°C	15.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	Total Hardness (as C. mg/l)	280.1	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	26/11/2008	Total Hardness (as C. mg/l)	368.5	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/11/2011	Total Hardness (as C. mg/l)	368.8	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	Total Hardness (as C. mg/l)	379.9	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	Total Hardness (as C. mg/l)	393.3	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Total Hardness (as C. mg/l)	388.7	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Total Hardness (as C. mg/l)	395.2	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Total Hardness (as C. mg/l)	392.9	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Total Hardness (as C. mg/l)	295	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	Total Hardness (as C. mg/l)	351.4	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	Total Hardness (as C. mg/l)	407	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	Total Hardness (as C. mg/l)	371	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	Total Hardness (as C. mg/l)	396	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	Total Nitrogen	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	Total Nitrogen	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Total Nitrogen	mg/l	1.99
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Total Nitrogen	mg/l	1.86
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	Total Nitrogen	mg/l	3.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	Total Oxidised Nitroξ	mg/l	3.752
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/03/2009	Total Oxidised Nitroξ	mg/l	2.392
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/03/2011	Total Oxidised Nitroξ	mg/l	2.222
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	Total Oxidised Nitroξ	mg/l	2.82
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Total Oxidised Nitroξ	mg/l	2.729
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Total Oxidised Nitroξ	mg/l	2.729

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Total Oxidised Nitro	mg/l	1.074
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	Total Oxidised Nitro	mg/l	2.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	Total Oxidised Nitro	mg/l	1.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	Total Oxidised Nitro	mg/l	1.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	Total Oxidised Nitro	mg/l	1.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	Total Oxidised Nitro	mg/l	1.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	Total Phosphorus (as	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Total Phosphorus (as	mg/l	0.026
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Total Phosphorus (as	mg/l	0.32
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	Total Phosphorus (as	mg/l	0.06
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	True Colour	Hazen	84
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	26/11/2008	True Colour	Hazen	69
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	True Colour	Hazen	93
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	True Colour	Hazen	145
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	True Colour	Hazen	114
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	True Colour	Hazen	116
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	True Colour	Hazen	104
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	True Colour	Hazen	95
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	True Colour	Hazen	248
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	True Colour	Hazen	248
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	True Colour	Hazen	111
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	True Colour	Hazen	127
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	True Colour	Hazen	94
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	True Colour	mg/litre Pt Co	141
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	True Colour	mg/litre Pt Co	88
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	True Colour	mg/litre Pt Co	117
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/04/2017	True Colour	mg/litre Pt Co	87
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/10/2017	True Colour	mg/litre Pt Co	109
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	True Colour	mg/litre Pt Co	89
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	True Colour	mg/litre Pt Co	72
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	True Colour	mg/litre Pt Co	73
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Ammonia-Total (as N	mg/l	0.262
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Ammonia-Total (as N	mg/l	0.032
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Ammonia-Total (as N	mg/l	0.152
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	Ammonia-Total (as N	mg/l	0.39
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	Ammonia-Total (as N	mg/l	0.22
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	Ammonia-Total (as N	mg/l	0.033
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/05/2007	BOD - 5 days (Total)	mg/l	1.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	BOD - 5 days (Total)	mg/l	2.23
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	26/11/2008	BOD - 5 days (Total)	mg/l	1.39
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	BOD - 5 days (Total)	mg/l	2.22
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	BOD - 5 days (Total)	mg/l	1.77
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/03/2011	BOD - 5 days (Total)	mg/l	1.93
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	BOD - 5 days (Total)	mg/l	2.36
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	BOD - 5 days (Total)	mg/l	1.49
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	BOD - 5 days (Total)	mg/l	1.84
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	BOD - 5 days (Total)	mg/l	1.88
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	BOD - 5 days (Total)	mg/l	1.52
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	BOD - 5 days (Total)	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	BOD - 5 days (Total)	mg/l	1.29
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	BOD - 5 days (Total)	mg/l	1.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	BOD - 5 days (Total)	mg/l	2.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	BOD - 5 days (Total)	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	BOD - 5 days (Total)	mg/l	1.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	BOD - 5 days (Total)	mg/l	1.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/07/2007	Chloride	mg/l	16.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/09/2007	Chloride	mg/l	16.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/02/2008	Chloride	mg/l	16.51
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	Chloride	mg/l	1641
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	Chloride	mg/l	14.34
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/03/2011	Chloride	mg/l	14.18
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	Chloride	mg/l	13.53
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	Chloride	mg/l	14.65
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Chloride	mg/l	14.31
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Chloride	mg/l	13.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Chloride	mg/l	17.54

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	Chloride	mg/l	14.61
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	Chloride	mg/l	12.08
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	Chloride	mg/l	14.07
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	Chloride	mg/l	15.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	COD-Cr	mg/l	59
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	COD-Cr	mg/l	59
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	COD-Cr	mg/l	54
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	COD-Cr	mg/l	66
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	COD-Cr	mg/l	80
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	COD-Cr	mg/l	33
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	COD-Cr	mg/l	52
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	COD-Cr	mg/l	59
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Conductivity @20Â°i	ÂµS/cm	670
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Conductivity @20Â°i	ÂµS/cm	678
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Conductivity @20Â°i	ÂµS/cm	400
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	Conductivity @20Â°i	ÂµS/cm	602
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	Conductivity @20Â°i	ÂµS/cm	311
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/11/2014	Conductivity @20Â°i	ÂµS/cm	553
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	Conductivity @20Â°i	ÂµS/cm	494
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	Conductivity @20Â°i	ÂµS/cm	642
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	Conductivity @20Â°i	ÂµS/cm	636
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/07/2007	Conductivity @25Â°i	ÂµS/cm	658
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	Conductivity @25Â°i	ÂµS/cm	523
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	Conductivity @25Â°i	ÂµS/cm	722
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	Conductivity @25Â°i	ÂµS/cm	692
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/03/2009	Conductivity @25Â°i	ÂµS/cm	724
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Conductivity @25Â°i	ÂµS/cm	703
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Conductivity @25Â°i	ÂµS/cm	713.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	Conductivity @25Â°i	ÂµS/cm	587
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	Conductivity @25Â°i	ÂµS/cm	693
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	Conductivity @25Â°i	ÂµS/cm	738
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	Dissolved Oxygen	mg/l	8.45
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	Dissolved Oxygen	% Saturation	108.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/08/2008	Dissolved Oxygen	mg/l	7.81
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/03/2009	Dissolved Oxygen	% Saturation	84.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	Dissolved Oxygen	mg/l	8.97
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	Dissolved Oxygen	% Saturation	78.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/09/2010	Dissolved Oxygen	mg/l	8.19
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	Dissolved Oxygen	% Saturation	106.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/09/2011	Dissolved Oxygen	% Saturation	64.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	Dissolved Oxygen	% Saturation	85.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	Dissolved Oxygen	mg/l	9.98
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Dissolved Oxygen	% Saturation	78.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Dissolved Oxygen	mg/l	8.16
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Dissolved Oxygen	mg/l	8.65
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Dissolved Oxygen	mg/l	8.49
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Dissolved Oxygen	% Saturation	86.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	Dissolved Oxygen	% Saturation	82.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Dissolved Oxygen	% Saturation	87.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Dissolved Oxygen	% Saturation	79.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	Dissolved Oxygen	mg/l	9.85
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	Dissolved Oxygen	mg/l	7.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	Dissolved Oxygen	mg/l	11.31
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/04/2016	Dissolved Oxygen	% Saturation	91
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	08/06/2016	Dissolved Oxygen	% Saturation	77
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	Dissolved Oxygen	% Saturation	83
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	Dissolved Oxygen	mg/l	8.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	Dissolved Oxygen	% Saturation	76
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	10/08/2017	Dissolved Oxygen	mg/l	8.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	Dissolved Oxygen	mg/l	10.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	Dissolved Oxygen	% Saturation	89
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	Dissolved Oxygen	mg/l	9.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/09/2007	Nitrate (as N)	mg/l	2.914
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	Nitrate (as N)	mg/l	2.13
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	Nitrate (as N)	mg/l	1.957
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/09/2011	Nitrate (as N)	mg/l	0.963

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	Nitrate (as N)	mg/l	1.046
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Nitrate (as N)	mg/l	2.709
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/05/2013	Nitrate (as N)	mg/l	1.37
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Nitrate (as N)	mg/l	1.104
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Nitrate (as N)	mg/l	1.074
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Nitrate (as N)	mg/l	1.074
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Nitrate (as N)	mg/l	1.202
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	Nitrate (as N)	mg/l	1.135
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	Nitrate (as N)	mg/l	3.106
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	06/10/2016	Nitrate (as N)	mg/l	1.3
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	Nitrate (as N)	mg/l	2.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/02/2018	Nitrate (as N)	mg/l	4.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	Nitrate (as N)	mg/l	2.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	Nitrate (as N)	mg/l	1.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	Nitrate (as N)	mg/l	1.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	Nitrate (as N)	mg/l	1.6
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/09/2007	Nitrite (as N)	mg/l	0.017
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	29/04/2008	Nitrite (as N)	mg/l	0.023
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	26/11/2008	Nitrite (as N)	mg/l	0.035
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/09/2009	Nitrite (as N)	mg/l	0.039
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	Nitrite (as N)	mg/l	0.03
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	Nitrite (as N)	mg/l	0.039
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/09/2010	Nitrite (as N)	mg/l	0.054
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	Nitrite (as N)	mg/l	0.036
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Nitrite (as N)	mg/l	0.005
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Nitrite (as N)	mg/l	0.013
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Nitrite (as N)	mg/l	0.028
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Nitrite (as N)	mg/l	0.008
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	Nitrite (as N)	mg/l	0.022
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	Nitrite (as N)	mg/l	0.02
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	Nitrite (as N)	mg/l	0.024
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	Nitrite (as N)	Âµg/l	27
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	Nitrite (as N)	Âµg/l	6.85
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/07/2007	ortho-Phosphate (as mg/l)		0.038
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	26/11/2008	ortho-Phosphate (as mg/l)		0.015
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	ortho-Phosphate (as mg/l)		0.016
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/03/2011	ortho-Phosphate (as mg/l)		0.017
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/11/2011	ortho-Phosphate (as mg/l)		0.006
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	ortho-Phosphate (as mg/l)		0.011
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	ortho-Phosphate (as mg/l)		0.048
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	ortho-Phosphate (as mg/l)		0.014
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	ortho-Phosphate (as mg/l)		0.01
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	ortho-Phosphate (as mg/l)		0.008
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	ortho-Phosphate (as mg/l)		0.014
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	ortho-Phosphate (as mg/l)		0.014
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	ortho-Phosphate (as mg/l)		0.014
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	24/02/2015	ortho-Phosphate (as mg/l)		0.018
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	ortho-Phosphate (as mg/l)		0.013
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	ortho-Phosphate (as mg/l)		0.021
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/05/2018	ortho-Phosphate (as mg/l)		0.01
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/07/2007	pH	pH units	7.96
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/09/2007	pH	pH units	7.96
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/03/2009	pH	pH units	8.02
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	pH	pH units	7.65
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	pH	pH units	8.12
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2013	pH	pH units	7.75
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	pH	pH units	7.78
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	pH	pH units	7.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	pH	pH units	7.92
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	pH	pH units	8.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2018	pH	pH units	8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	04/10/2018	pH	pH units	8.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	Suspended Solids	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	Suspended Solids	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Suspended Solids	mg/l	
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Suspended Solids	mg/l	86.5

YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/09/2007	Temperature	Â°C	10.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	Temperature	Â°C	14.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/06/2011	Temperature	Â°C	13.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	Temperature	Â°C	14
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/02/2013	Temperature	Â°C	6.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Temperature	Â°C	16.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Temperature	Â°C	6.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/05/2014	Temperature	Â°C	13
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/08/2015	Temperature	Â°C	15.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	Temperature	Â°C	9.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	Temperature	Â°C	14.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/10/2018	Temperature	Â°C	8.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/05/2007	Total Hardness (as C mg/l)		412
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/07/2007	Total Hardness (as C mg/l)		356
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	Total Hardness (as C mg/l)		266
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/03/2009	Total Hardness (as C mg/l)		341.2
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	11/06/2009	Total Hardness (as C mg/l)		367.8
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	Total Hardness (as C mg/l)		328.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/03/2011	Total Hardness (as C mg/l)		363
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	20/02/2012	Total Hardness (as C mg/l)		380.5
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Total Hardness (as C mg/l)		323.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Total Hardness (as C mg/l)		400.33
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Total Hardness (as C mg/l)		393.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Total Hardness (as C mg/l)		362.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Total Hardness (as C mg/l)		201.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	21/01/2014	Total Hardness (as C mg/l)		363.7
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	Total Hardness (as C mg/l)		400
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	09/08/2016	Total Hardness (as C mg/l)		391
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	Total Hardness (as C mg/l)		336
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	01/06/2017	Total Hardness (as C mg/l)		378
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	Total Nitrogen	mg/l	3.18
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Total Nitrogen	mg/l	1.86
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Total Nitrogen	mg/l	2.45
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Total Nitrogen	mg/l	2.45
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Total Nitrogen	mg/l	3.4
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	Total Nitrogen	mg/l	3.93
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/05/2007	Total Oxidised Nitro� mg/l		2.986
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	13/08/2007	Total Oxidised Nitro� mg/l		3.636
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/09/2007	Total Oxidised Nitro� mg/l		2.931
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	26/11/2008	Total Oxidised Nitro� mg/l		2.414
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/12/2009	Total Oxidised Nitro� mg/l		2.343
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/03/2010	Total Oxidised Nitro� mg/l		1.992
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/05/2012	Total Oxidised Nitro� mg/l		1.648
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/10/2012	Total Oxidised Nitro� mg/l		1.076
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	25/06/2013	Total Oxidised Nitro� mg/l		1.112
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/09/2013	Total Oxidised Nitro� mg/l		1.215
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	27/11/2013	Total Oxidised Nitro� mg/l		1.851
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	05/08/2014	Total Oxidised Nitro� mg/l		1.248
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	28/05/2015	Total Oxidised Nitro� mg/l		2.582
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	03/02/2016	Total Oxidised Nitro� mg/l		2.9
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	02/02/2017	Total Oxidised Nitro� mg/l		2.1
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	17/06/2010	Total Phosphorus (as mg/l)		0.051
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	16/07/2013	Total Phosphorus (as mg/l)		0.07
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	Total Phosphorus (as mg/l)		0.06
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	Total Phosphorus (as mg/l)		0.063
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	18/02/2014	Total Phosphorus (as mg/l)		0.08
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	30/03/2011	True Colour	Hazen	88
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	23/08/2012	True Colour	Hazen	139
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	22/08/2013	True Colour	Hazen	126
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	19/12/2013	True Colour	Hazen	133
YELLOW (CASTLEJORI RS07Y020100)	Garr Br	07/06/2018	True Colour	mg/litre Pt Co	102