



-GAS INSULATED DUCT OPENING BEYOND SIZE AND LOCATION TO ENGINEERS' SPECIFICATION. REFER TO MEP DRAWINGS.


(Scale 1:200)



							<ol> <li>NOTES</li> <li>FOR PLANNING PURPOSES ONLY.</li> <li>ORIGINATING SIZE 1:200@A1.</li> <li>ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE INDICATED.</li> <li>ALL LEVELS ARE IN METERS RELATIVE TO ORDNANCE DATUM MALIN.</li> <li>LOCATION AND SIZE OF CUTOUTS FOR GAS INSULATED DUCTS WILL BE FINALIZED IN DETAIL ENGINEERING STAGE.</li> <li>LOCATION AND SIZE OF ALL VENTS ARE TENTATIVE ONLY AND WILL BE FINALIZED IN DETAIL ENGINEERING STAGE.</li> <li>THE SWITCHGEAR SHOWN ON THIS DRAWING IS INDICATIVE ONLY. DIMENSIONS OF THE OVERALL BUILDING SHALL BE DESIGN TO SUIT</li> </ol>	REFEREN 3210844 3210844
P02	07.02.2024	ISSUED FOR PLANNING.	RD	KR	NE	GS	MANUFACTURER SPECIFIC DIMENSION AND RECOMMENDATIONS FOR ON-GOING OPERATION, MAINTENANCE AND REPLACEMENT OF HV PLANT.	
P01	15.12.2023	ISSUED FOR PLANNING.	TK/ RD	KR	NE	GS		
Rev	Rev. Date	Purpose of revision	Orig	Check'd	Rev'd	Apprv'd		

\_\_\_\_\_





acobs. errion Road, Dublin, D04R2C5, Ireland 1 269 5666 Fax: +353 (0)1 269 5497 www.jacobs.com	Drawing title BELCAMP SUBSTATION 400kV GIS BUILDING ROOF PLAN & SECTION A-A & SECTION B-B					
	Drawing status FOR PLANNING					
	Scale	1:200@A1	DO NOT SC	CALE		
TH DUBLIN GRID UPGRADE	Jacobs No.	321084AJ		Rev		
	Client No.	CP1021		P02		
	Drawing number 321084AJ-JAC-ZZ-XX-DR-A-1602					