INTERACTIONS OF THE FOREGOING AND A SUMMARY OF MITIGATION 17 ECENED. 7007. **MEASURES**

17.1 INTERACTIONS OF THE FOREGOING

17.1.1 Introduction

The foregoing topics in earlier chapters do not exist in isolation from each other and consequently, any impact on one element of the environment may also impact on another. The Irish Environmental Protection Agency have developed a simple matrix to show the key interactions and interrelationships between the environmental aspects of a Development (Table 17.1). The interactions between impacts on different factors have been addressed as relevant throughout the EIAR (Table 17.2). The cumulative slight impact on a number of topics may result in a significant impact on another topic.

17.1.2 Impact Interactions

Where any potential negative impacts have been identified during the assessment process, these impacts have been avoided by embedded design mitigation or at a minimum, reduced by the proposed mitigation measures.

17.2 **SUMMARY OF MITIGATION MEASURES**

This Chapter summarises mitigation measures proposed elsewhere in the EIAR. Chapters 4 to 16 of the EIAR outline the findings of the assessment of the predicted effects of the Project on a topic by topic basis. The significance of these effects have been assessed using criteria defined in the topic chapters. In the context of The EPA Guidelines (2022), the significance of effects is categorised from imperceptible through to not significant, significant and profound with varying sub-categories.

Embedded Mitigation 17.2.1

Embedded mitigation includes design changes that were made to reduce or eliminate adverse effects, as well as normal good practice measures; these have avoided the majority of potentially significant effects. Appendix 17.1 summarises mitigation measures for all technical assessment chapters.

The process of applying the embedded mitigation is set out in Chapter 2: Project **Description**. The key design aspects comprising embedded mitigation include:

- Avoiding inconsistent turbine spacing, outliers and excessive turbine overlapping to minimise visual confusion and ensure a balanced/compact array of key views;
- Achieving an appropriate scale of turbine, taking account of the landscape context;

- Upgrading existing forestry tracks to be used as Site Access Roads at the Site;
- Respecting and understanding the ground conditions and topography of the Site;
 including avoiding effects on active peat where possible;
- Maximising the separation from residential dwellings, and
- Respecting other environmental constraints and associated buffer separations.

17.2.2 Specific Mitigation Measures

In addition to mitigation proposed to address significant adverse effects (**Appendix 17.1**), certain chapters have also proposed further measures to reduce effects that were assessed as 'Not Significant' before mitigation.

Table 17.2 outlines interactions between environmental aspects. Technical assessments have assessed pathways, both direct and indirect that can magnify effects through the interaction or accumulation of effects. Effects have been cross-referenced between chapter topics. An outline of potential interactions between chapters/topics is presented in **Table 17.1**.

Table 17.1: Summary matrix of Interactions of Impacts during Construction, Operational and Decommissioning Phases (Source: Adapted from EIAR Guidelines, 2022)

	Population & Human Health		Biodiversity		Ornithology		Soils & I Geology		an Hydrog	ion, Operational and Hydrology Noi: and Hydrogeolog y				Material Assets		Cultural Heritage		Traffic & Transportatio n		Major Accidents and Natural Disasters		
	Const & Deco m	Ope r	Const & Deco m	Ope r	Const & Deco m	Ope r	Const & Deco m	Ope r	Const & Deco m	Ope r	Const & Deco m	Ope r	Const & Deco m	Ope r	Const & Deco m	Ope r	Const & Deco m	Ope r	Const Decom	Oper	Const & Deco m	Ope r
Population & Human Health																				8	22	
Biodiversity																						
Ornithology																						
Soils & Geology																						
Hydrology and Hydrogeolog y																						
Noise																						
Landscape & Visual																						
Material Assets																						
Archaeology and Cultural Heritage																						
Traffic & Transportatio n																						
Major Accidents & Natural Disasters																						

Note: Const. = Construction phase; Oper = Operational phase Decom. = Decommissioning

	Interaction or inter-relationship	No interaction or inter-relationship

Table 17.2: Interactions & Inter-relationships between Environmental Aspects of the Development

Interaction	Description
Population and Human Health &	Impacts could be observed through flood risk polluting waters supply and also recreational fisheries; Chapter 9: Hydrology and Hydrogeology considers these aspects and concludes that there are no impacts.
Hydrology and Hydrogeology	<u> </u>
Population and Human Health	The noise assessment inherently covers any interaction as the methodology used and
&	limits applied are designed to protect health and amenity.
Noise	` X
Population and Human Health &	The construction phase of the Project will see a temporary introduction of machinery and the erection of four turbines into a natural but already modified landscape. Chapter 12: Landscape and Visual Amenity assessed the landscape effects, the
Landscape and Visual	visual effects and the cumulative effects of the Project, including assessment from recreational scenic viewpoints, and was also informed by the findings of the Assessment. The interactions between the environmental aspects were carefully considered in the EIAR, particularly in the design of the turbine layout. Detailed zone of theoretical visibility maps (ZTVs) and photomontages were prepared to assess the level of impact.
	Based on the findings of the collective assessments it is considered that the Project will not give rise to any significant effects, either singly or in combination. Tourists to Ireland have become accustomed to the vision of turbines on the landscape and given the scenario where more windfarms will be built in Ireland in the future, the most widely held view is that this will not impact their likelihood to visit the area again.
Population and Human Health	1. The shadow flicker assessment identified the potential for shadow flicker to affect all
&	receptors within the shadow flicker study area.
Material Assets:	
Shadow Flicker	The assessment identified no significant effects, given that shadow flicker is unlikely to cause a nuisance to nearby inhabited dwellings. It also notes that the
2. Air Navigation	function to stop the turbine if required to do so, is available. The potential effects of the Project from shadow flicker are considered to be Not Significant .
3. Telecommunications	Operating windfarms have the potential to cause a variety of adverse effects on
4. Socio-economic	aviation. Rotating wind turbine blades may have an impact on certain aviation operations, particularly those involving radar. The physical height of turbines can cause obstruction to aviation and the overall performance of communications, navigation and surveillance equipment. All structures over 150 m in height are required to have lighting to warn aviation traffic.
	Although no significant impacts are predicted, it is standard policy of the IAA Safety Regulation Division to request an Obstruction Survey for wind farms. This Survey is designed to collate data on the height, latitude, longitude, elevation and dimensions of any structures or feature that the IAA deems necessary. An Obstruction Survey will be undertaken at the pre-construction phase in agreement with the IAA.
	An aeronautical lighting scheme for the Development will be agreed with the Irish Aviation Authority (IAA) prior to turbine erection. The IAA will be notified of intention to commence crane operations with at least 30 days prior notification of their erection.
	 During operation, wind turbines have the potential to interfere with electromagnetic signals passing above the ground due to the nature and size of the windfarm. During the construction and decommissioning phase activity, signals may be passed below ground via existing infrastructure. Impacts may

Interaction	Description
	include overground or underground communication cables, microwave links, telecommunication links, business radio and television reception.
	In the operational phase, all electrical components, equipment, apparatus and systems will be required by Irish and European law to comply with the EMC Directive 2014/30/EU. Compliance with this Directive will mean that the electromagnetic emissions from these devices will not cause interference to other equipment. Turbine and substation control electronics will be typical of any circuits used by industry or a conventional generating station.
	There is no potential for interference with the links from other windfarms in combination with the Project. Based on the remote location of the Project and a distance of 710 metres to the nearest residential dwelling, no significant impacts are predicted on telecommunications or radio reception as a result of the Project.
	3. The Project will provide opportunities for local suppliers to be engaged in the construction phase. This will be a minor beneficial impact. The developer will seek to secure positive benefits for the local/regional economy by encouraging the use of local labour, manufacture and suppliers where possible.
Population and Human Health & Air and Climate	Impacts on air quality during the construction and decommissioning phase may occur due to dust emissions from construction activities onsite and through increased traffic and associated exhaust emissions from construction traffic. These interactions have been considered as part of the EIAR, without significant effects being predicted and suitable mitigation measures provided to further reduce potential impacts.
	During the operational phase, the energy generated by the Project will offset energy and the associated emission of greenhouse gases from electricity-generating stations dependent on fossil fuels, thereby having a net positive effect on climate. In doing so, there will likely be reduced effects from climate change on human beings. The cumulative effect of the Project with other Irish renewable generation is considered to be a fundamental change in the climate effects of Ireland's energy supply, which is a major, positive effect, that is Significant (beneficial) under the EIA Regulations and will contribute to Ireland's binding emission reduction targets.
Population and Human Health &	Damaging a cultural asset could affect tourism; this has been considered in Chapter 14: Cultural Heritage and will not to be an issue.
Cultural Heritage	
Population and Human Health & Traffic and Transport	The construction and decommissioning phase will give rise to traffic movements of abnormal loads and is likely to create some short-term inconvenience for road users. A Traffic Management Plan (TMP) will be in place and minimise disruption insofar as possible. Suitable mitigation measures to reduce dust emissions have been outlined in Chapter 15: Traffic and Transportation.
Population and Human Health &	A wind farm is not a recognised source of chemical pollution. Should a major accident or natural disaster occur, the potential sources of pollution onsite during both the construction and operational phases are limited.
Major Accidents and Natural Disasters	There is limited potential for significant natural disasters to occur at the Site. Ireland is a geologically stable country with a mild temperate climate. The potential natural disasters that may occur are therefore limited to peat-slide, flooding and fire.
	In the unlikely event that the stability of peat is compromised, an Emergency Response Plan has been prepared and can be found in Appendix 2.1: Construction Environmental Management Plan, Management Plan 1 .
Biodiversity & Ornithology	All interactions for any habitat or species including those associated with Special Protection Areas (SPA) or Special Areas of Conservation (SAC) are considered in the Natura Impact Statement and not considered further here.

Interaction	Description
Biodiversity & Hydrology and Hydrogeology	Contamination of surface water and groundwater could occur from many elements including wastewater sanitation contamination, hydrocarbon contamination, watercourse crossing construction, entrainment of suspended solids during earth works, increased entrainment of contaminants and other impacts arising due to localised stability issues, amongst other potential sources. Contamination of water quality could impact both flora and fauna including fisheries. Sediment fencing will be erected along proximal and paralleling areas of watercourses to maintain water quality and prevent potential impacts on protected species located downstream. These interactions have been considered as part of the EIAR, with suitable mitigation measures provided to minimise potential impacts.
Biodiversity & Soils and Geology	Potential impacts on biodiversity during the construction and decommissioning phase could include disturbance to birds and mammals from loss / changes in habitat. The installation of the wind turbines and associated infrastructure will result in direct and permanent habitat loss under the footprint of the proposed wind farm. The Habitat Management Plan will be implemented to mitigate for the loss of habitat to the footprint of the proposed wind farm (Appendix 5.4)
Biodiversity & Major Accidents & Natural Disasters	Potential impacts on biodiversity during the construction and decommissioning phase could include disturbance to birds and mammals from loss / changes in habitat. The Project has been designed in accordance with the best practice measures described in detail in this EIAR and, as such, mitigation against the risk of major accidents and/or disasters is embedded through the design.
Ornithology & Noise	The ornithology assessment considers general disturbance to sensitive bird species, including that caused by the sources likely to occur during the construction and decommissioning of the Development. The potential effects on birds from noise will be negligible to low significance.
Ornithology & Major Accidents and Natural Disasters	Potential impacts on biodiversity during the construction and decommissioning phase could include disturbance to birds from loss/ changes in habitat. The Project has been designed in accordance with the best practice measures described in detail in this EIAR and, as such, mitigation against the risk of major accidents and/or disasters is embedded through the design to ensure no such impacts will occur.
Soils and Geology & Hydrology and Hydrogeology	The hydrogeological balance of the Site could be impacted by the amount of earth materials excavated. Adopting good practices, planning ahead and real time monitoring in more sensitive (>1 m peat depth) areas will ensure that any excavations associated with the Project will have minimal impact.
and Landscape and Visual	These interactions have been considered as part of the EIAR, with suitable mitigation measures provided to minimise potential impacts. Application of the mitigation measures will reduce the risk of stability issues and impacts on hydrology and hydrogeology arising at a localised scale.
Soils and Geology & Landscape and Visual	The unavoidable residual impacts on the soils and geology environment as a function of the Project is that there will be a change in ground conditions at the Site with the replacement of natural materials such as peat, subsoil and bedrock by concrete, subgrade and surfacing materials.
& Major Accidents and Natural Disasters	Stability issues and slope failure arising from vehicular movement could cause significant local or at worst-case scenario landslide issues. Where suitable mitigation measures are applied and proper precautions and planning are executed effectively, the risk of such potential impacts will be significantly reduced and considered avoidable.

Interaction	Description
Soils and Geology, Landscape and Visual & Archaeology and Cultural Heritage	The construction and decommissioning phase pertaining to the Development will involve significant ground reduction and topsoil removal throughout the design layout footprint. While there are no recorded archaeological sites located within the Redline Boundary, it is possible that unrecorded sub-surface archaeology survives below ground level, either within the peat or at the level of the underlying natural subsoil. Ground disturbance associated with the Project may have a potential impact on unrecorded sub-surface archaeology, however the potential impact cannot be measured. In the event of archaeological features, finds and/or deposits been encountered during the monitoring, all relevant authorities should be notified immediately. Preservation in-situ or preservation by record (excavation) may be required. These interactions were considered in the EIAR, both in the design of turbine layout and in the design of mitigation measures. All ground disturbance associated with the
	construction of the proposed development will be monitored by a suitably qualified archaeologist working under licence as issued by the minister (DCHG) under section 26 of the National Monuments Acts (1994-2014). All records will be preserved where found. There are no likely direct effects of significance during the operational phase of the Project on the cultural heritage environment. There will be a visual impact on the cultural heritage environment. The upstanding Development infrastructure will be visible from the surrounding cultural heritage features.
	The assessment has identified no likely significant direct effects (negative) from the Development on the receiving environment, given the layout and design of the Development and the mitigation measures recommended. Parts of the Development are located in areas of upland peat where there is potential subsurface wetland archaeology surviving in-situ.
Soil and Geology &	The Project has been designed in accordance with the best practice measures described in detail in this EIAR and, as such, mitigation against the risk of major accidents and/or disasters is embedded through the design.
Major Accidents and Natural Disasters	The Project has been designed in accordance with the best practice measures described in detail in this EIAR and, as such, mitigation against the risk of major accidents and/or disasters is embedded through the design.
Hydrology & Biodiversity	There is a potential for Fisheries to be impacted by a disturbance or contamination of watercourses during the construction period if the stated mitigation measures are not adhered to. However, the mitigation measures to protect watercourses outlined in Aquatic Ecology, Soils and Geology and Hydrology and Hydrogeology chapters will be strictly adhered to which includes monitoring of Site water run-off during all phases of the Project.
Hydrology and Major Accidents & Natural Disasters	The Project will use the latest best practice guidance to ensure that flood risk within or downstream of the Site is not increased as a function of the Project, i.e., a neutral impact at a minimum.
	The risk of the wind farm contributing to downstream flooding is very low, as the long-term plan for the Site is to retain and slow down drainage water prior to release. Robust drainage measures on the Site will include swales, silt traps, check dams, settlement ponds and buffered outfalls. This has been addressed in Chapter 9: Hydrology and Hydrogeology.
Noise & Traffic and Transportation	Traffic and Transportation will create noise onsite and along the Site Access Roads. Site contractors will be required to employ the best practicable means of reducing noise emissions from plant, machinery and activities, as advocated in BS 5228. Such potential effects are considered to be not significant.

Interaction	Description
Noise & Major Accidents and Natural Disasters	Alarms (e.g., for security, fire) will be sounded in cases of emergency. The maintenance of these alarms is essential and any faulty alarm causing ruisance alerts will be replaced accordingly. Incidents such as explosions in the substation buildings will have a poise impact.
	However, proper maintenance and operation will make this risk unlikely.
Landscape and Visual &	Wind turbines or any structures exceeding 90 metres in height are considered obstacles to aerial navigation and need to be shown on aviation charts. They will also need appropriate warning lighting.
Material Assets	An aeronautical lighting scheme for the Development will be agreed with the Irish Aviation Authority (IAA) prior to turbine erection. The IAA will be notified of intention to commence crane operations with at least 30 days prior notification of their erection. This has been addressed in Chapter 13: Material Assets and Other Issues .
Material Assets & Major Accidents and Natural	The Project is not connected to or in the vicinity of any site regulated under the Control of Major Accident Hazards Involving Dangerous Substances Regulations (SEVESO sites), therefore no significant effects associated with major industrial accidents involving dangerous substances are anticipated.
Disasters	Any technical fault at the Project would not impact the local or national energy supply.
	The extremely low frequency (ELF) electric and magnetic fields (EMF) associated with the operation of the proposed cables fully comply with the international guidelines for ELF-EMF set by the International Commission on Non-Ionizing Radiation Protection (ICNIRP), a formal advisory agency to the World Health Organisation, as well as the EU guidelines for human exposure to EMF. Accordingly, there will be no operational impact on properties (residential or other uses), construction staff, operational & maintenance staff or recreational users of the site as the ICNIRP guidelines will not be exceeded at any distances even directly above the cables.
Traffic and Transport & Biodiversity: Fisheries	During the construction phase, increased traffic could lead to increased sedimentation/pollution of watercourses as moving vehicles disrupt soil and emit pollutants. The interactions between these aspects were considered in the EIAR and mitigation has been embedded in the design of the Project. This assessment has identified no potentially significant residual effects on Fisheries from Traffic & Transportation from the Project.
Traffic and Transport & Major Accidents & Natural Disasters	The Project will utilise the existing road network during the construction phase. Construction related traffic will originate from the delivery of materials to site, removal of surplus excavated material from site and transport of employees to, from and throughout the Site. The localised traffic disruptions will be mitigated through the use of industry standard traffic management measures. Please see Chapter 15: Traffic and Transport and Appendix 2.1 for details.