



CAUSEWAY
— GEOTECH

APPENDIX I
ENVIRONMENTAL LABORATORY TEST RESULTS





2183

Final Report

Report No.:	22-09208-1		
Initial Date of Issue:	21-Mar-2022		
Client	Causeway Geotech Ltd		
Client Address:	8 Drumahiskey Road Balnamore Ballymoney County Antrim BT53 7QL		
Contact(s):	Carin Cornwall Colm Hurley Darren O'Mahony Gabriella Horan Joe Gervin John Cameron Lucy Newland Martin Gardiner Matthew Gilbert Neil Haggan Paul Dunlop Sean Ross Stephen Franey Stephen Watson Stuart Abraham Thomas McAllister		
Project	21-1619 North Irish Sea Array (NISA)		
Quotation No.:	Q21-26199	Date Received:	10-Mar-2022
Order No.:		Date Instructed:	11-Mar-2022
No. of Samples:	10		
Turnaround (Wkdays):	7	Results Due:	21-Mar-2022
Date Approved:	21-Mar-2022		
Approved By:			
Details:	Stuart Henderson, Technical Manager		

Results - Leachate

Project: 21-1619 North Irish Sea Array (NISA)

Client: Causeway Geotech Ltd	Chemtest Job No.:					22-09208	22-09208	22-09208	22-09208	22-09208	22-09208	22-09208	22-09208
Quotation No.: Q21-26199	Chemtest Sample ID.:					1389143	1389144	1389145	1389146	1389147	1389148	1389149	1389150
	Client Sample ID.:					1	2	1	2	1	2	1	2
	Sample Location:					TP22	TP22	TP23	TP23	TP18	TP18	TP17	TP17
	Sample Type:					SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Top Depth (m):					0.50	1.50	0.50	1.50	0.50	1.50	0.50	1.50
	Date Sampled:					07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022
Determinand	Accred.	SOP	Type	Units	LOD								
Total Dissolved Solids	N	1020	10:1	mg/l	1.0	78	65	59	65	72	46	26	33
Chloride	U	1220	10:1	mg/l	1.0	2.3	< 1.0	< 1.0	1.7	3.4	1.6	1.3	1.3
Fluoride	U	1220	10:1	mg/l	0.050	0.49	0.28	0.41	0.36	0.32	0.21	0.48	0.19
Sulphate	U	1220	10:1	mg/l	1.0	< 1.0	1.2	2.5	1.5	2.3	2.1	< 1.0	3.6
Arsenic (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0020	< 0.0002	0.0003	< 0.0002	0.0003	< 0.0002	0.0012	0.0004
Barium (Dissolved)	U	1455	10:1	mg/l	0.005	0.010	0.008	0.009	0.014	< 0.005	< 0.005	0.006	< 0.005
Cadmium (Dissolved)	U	1455	10:1	mg/l	0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011
Chromium (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0009	< 0.0005	< 0.0005	0.0009	< 0.0005	< 0.0005	0.0010	0.0005
Copper (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0034	< 0.0005	0.0006	0.0009	0.0005	< 0.0005	0.0025	0.0006
Mercury (Dissolved)	U	1455	10:1	mg/l	0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005
Molybdenum (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0019	0.010	0.0045	0.011	0.0041	0.0014	0.0010	0.0004
Nickel (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0022	< 0.0005	0.0006	0.0016	< 0.0005	< 0.0005	0.0017	0.0006
Lead (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0010	< 0.0005	< 0.0005	0.0005	< 0.0005	< 0.0005	0.0013	< 0.0005
Antimony (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Selenium (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0009	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.0005
Zinc (Dissolved)	U	1455	10:1	mg/l	0.002	0.025	0.004	0.009	0.041	< 0.003	0.005	0.007	0.004
Dissolved Organic Carbon	U	1610	10:1	mg/l	2.0	34	14	19	15	31	37	23	38
Total Phenols	U	1920	10:1	mg/l	0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030

Results - Leachate

Project: 21-1619 North Irish Sea Array (NISA)

Client: Causeway Geotech Ltd	Chemtest Job No.:					22-09208	22-09208
Quotation No.: Q21-26199	Chemtest Sample ID.:					1389151	1389152
	Client Sample ID.:					1	2
	Sample Location:					TP16	TP16
	Sample Type:					SOIL	SOIL
	Top Depth (m):					0.50	1.50
	Date Sampled:					07-Mar-2022	07-Mar-2022
Determinand	Accred.	SOP	Type	Units	LOD		
Total Dissolved Solids	N	1020	10:1	mg/l	1.0	46	72
Chloride	U	1220	10:1	mg/l	1.0	1.1	< 1.0
Fluoride	U	1220	10:1	mg/l	0.050	0.41	0.46
Sulphate	U	1220	10:1	mg/l	1.0	< 1.0	2.6
Arsenic (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0013	< 0.0002
Barium (Dissolved)	U	1455	10:1	mg/l	0.005	< 0.005	0.011
Cadmium (Dissolved)	U	1455	10:1	mg/l	0.00011	< 0.00011	< 0.00011
Chromium (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0014	< 0.0005
Copper (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0060	0.0006
Mercury (Dissolved)	U	1455	10:1	mg/l	0.00005	< 0.00005	< 0.00005
Molybdenum (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0013	0.0083
Nickel (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0027	< 0.0005
Lead (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0009	< 0.0005
Antimony (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005
Selenium (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005
Zinc (Dissolved)	U	1455	10:1	mg/l	0.002	0.009	0.004
Dissolved Organic Carbon	U	1610	10:1	mg/l	2.0	31	18
Total Phenols	U	1920	10:1	mg/l	0.030	< 0.030	< 0.030

Results - Soil

Project: 21-1619 North Irish Sea Array (NISA)

Client: Causeway Geotech Ltd	Chemtest Job No.:				22-09208	22-09208	22-09208	22-09208	22-09208	22-09208	22-09208	22-09208	22-09208
Quotation No.: Q21-26199	Chemtest Sample ID.:				1389143	1389144	1389145	1389146	1389147	1389148	1389149	1389150	1389151
	Client Sample ID.:				1	2	1	2	1	2	1	2	1
	Sample Location:				TP22	TP22	TP23	TP23	TP18	TP18	TP17	TP17	TP16
	Sample Type:				SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Top Depth (m):				0.50	1.50	0.50	1.50	0.50	1.50	0.50	1.50	0.50
	Date Sampled:				07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022
	Asbestos Lab:				DURHAM	DURHAM	DURHAM	DURHAM	DURHAM	DURHAM	DURHAM	DURHAM	DURHAM
Determinand	Accred.	SOP	Units	LOD									
ACM Type	U	2192		N/A	-	-	-	-	-	-	-	-	-
Asbestos Identification	U	2192		N/A	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected
Moisture	N	2030	%	0.020	27	13	16	14	20	30	21	28	20
pH	U	2010		4.0	8.5	8.7	8.6	8.2	8.4	8.5	8.4	8.5	8.8
Arsenic	U	2450	mg/kg	1.0	6.9	14	16	16	15	17	18	22	18
Barium	U	2450	mg/kg	10	68	88	140	160	90	180	130	190	100
Cadmium	U	2450	mg/kg	0.10	0.72	2.1	1.5	1.5	1.0	2.2	1.8	2.5	1.4
Mercury Low Level	U	2450	mg/kg	0.05	0.07	0.07	0.06	0.05	< 0.05	0.05	0.07	< 0.05	0.08
Molybdenum	U	2450	mg/kg	2.0	< 2.0	4.0	3.2	4.1	3.0	2.9	3.7	3.0	2.7
Antimony	N	2450	mg/kg	2.0	< 2.0	2.0	2.1	2.0	< 2.0	< 2.0	< 2.0	< 2.0	2.0
Copper	U	2450	mg/kg	0.50	20	31	30	31	29	33	35	34	40
Nickel	U	2450	mg/kg	0.50	22	41	45	44	37	45	48	50	56
Lead	U	2450	mg/kg	0.50	27	27	25	27	25	25	38	30	21
Selenium	U	2450	mg/kg	0.20	0.64	0.59	< 0.20	0.43	0.50	0.46	0.96	0.84	0.62
Zinc	U	2450	mg/kg	0.50	57	55	61	66	69	93	79	110	62
Chromium (Trivalent)	N	2490	mg/kg	1.0	16	16	22	20	27	33	33	46	30
Chromium (Hexavalent)	N	2490	mg/kg	0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
LOI	U	2610	%	0.10	6.5	2.6	2.5	2.6	2.9	3.5	3.8	3.6	3.1
Total Organic Carbon	U	2625	%	0.20	2.4	0.30	0.41	0.33	0.75	0.71	1.1	0.75	0.54
Mineral Oil	N	2670	mg/kg	10	< 10	200	28	< 10	< 10	< 10	< 10	57	< 10
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	53	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	74	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	16	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	62	28	< 1.0	< 1.0	< 1.0	< 1.0	57	< 1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	200	28	< 5.0	< 5.0	< 5.0	< 5.0	57	< 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	3.2	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	58	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	15	67	< 1.0	< 1.0	< 1.0	< 1.0	73	< 1.0
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0

Results - Soil

Project: 21-1619 North Irish Sea Array (NISA)

Client: Causeway Geotech Ltd	Chemtest Job No.:		22-09208	22-09208	22-09208	22-09208	22-09208	22-09208	22-09208	22-09208	22-09208	22-09208
Quotation No.: Q21-26199	Chemtest Sample ID.:		1389143	1389144	1389145	1389146	1389147	1389148	1389149	1389150	1389151	1389151
	Client Sample ID.:		1	2	1	2	1	2	1	2	1	1
	Sample Location:		TP22	TP22	TP23	TP23	TP18	TP18	TP17	TP17	TP16	TP16
	Sample Type:		SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Top Depth (m):		0.50	1.50	0.50	1.50	0.50	1.50	0.50	1.50	0.50	0.50
	Date Sampled:		07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022	07-Mar-2022
	Asbestos Lab:		DURHAM	DURHAM	DURHAM	DURHAM	DURHAM	DURHAM	DURHAM	DURHAM	DURHAM	DURHAM
Determinand	Accred.	SOP	Units	LOD								
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	76	67	< 5.0	< 5.0	< 5.0	< 5.0	73
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	< 10	280	94	< 10	< 10	< 10	< 10	130
Benzene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Toluene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Ethylbenzene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
m & p-Xylene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
o-Xylene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Methyl Tert-Butyl Ether	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Naphthalene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Acenaphthylene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Acenaphthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Fluorene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Phenanthrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Fluoranthene	N	2800	mg/kg	0.010	< 0.010	0.67	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Pyrene	N	2800	mg/kg	0.010	< 0.010	0.55	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[a]anthracene	N	2800	mg/kg	0.010	< 0.010	0.65	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Chrysene	N	2800	mg/kg	0.010	< 0.010	0.51	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[b]fluoranthene	N	2800	mg/kg	0.010	< 0.010	0.63	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[k]fluoranthene	N	2800	mg/kg	0.010	< 0.010	0.48	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[a]pyrene	N	2800	mg/kg	0.010	< 0.010	0.56	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Indeno(1,2,3-c,d)Pyrene	N	2800	mg/kg	0.010	< 0.010	0.56	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Dibenz(a,h)Anthracene	N	2800	mg/kg	0.010	< 0.010	0.33	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[g,h,i]perylene	N	2800	mg/kg	0.010	< 0.010	0.74	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Coronene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Total Of 17 PAH's	N	2800	mg/kg	0.20	< 0.20	5.7	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
PCB 28	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 52	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 90+101	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 118	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 153	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 138	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 180	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Total PCBs (7 congeners)	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010

Results - Soil

Project: 21-1619 North Irish Sea Array (NISA)

Client: Causeway Geotech Ltd	Chemtest Job No.:				22-09208
Quotation No.: Q21-26199	Chemtest Sample ID.:				1389152
	Client Sample ID.:				2
	Sample Location:				TP16
	Sample Type:				SOIL
	Top Depth (m):				1.50
	Date Sampled:				07-Mar-2022
	Asbestos Lab:				DURHAM
Determinand	Accred.	SOP	Units	LOD	
ACM Type	U	2192		N/A	-
Asbestos Identification	U	2192		N/A	No Asbestos Detected
Moisture	N	2030	%	0.020	16
pH	U	2010		4.0	8.6
Arsenic	U	2450	mg/kg	1.0	14
Barium	U	2450	mg/kg	10	88
Cadmium	U	2450	mg/kg	0.10	1.1
Mercury Low Level	U	2450	mg/kg	0.05	0.05
Molybdenum	U	2450	mg/kg	2.0	2.6
Antimony	N	2450	mg/kg	2.0	< 2.0
Copper	U	2450	mg/kg	0.50	30
Nickel	U	2450	mg/kg	0.50	42
Lead	U	2450	mg/kg	0.50	18
Selenium	U	2450	mg/kg	0.20	0.41
Zinc	U	2450	mg/kg	0.50	48
Chromium (Trivalent)	N	2490	mg/kg	1.0	21
Chromium (Hexavalent)	N	2490	mg/kg	0.50	< 0.50
LOI	U	2610	%	0.10	3.2
Total Organic Carbon	U	2625	%	0.20	0.35
Mineral Oil	N	2670	mg/kg	10	< 10
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	4.9
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	60
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0

Results - Soil

Project: 21-1619 North Irish Sea Array (NISA)

Client: Causeway Geotech Ltd	Chemtest Job No.:		22-09208		
Quotation No.: Q21-26199	Chemtest Sample ID.:		1389152		
	Client Sample ID.:		2		
	Sample Location:		TP16		
	Sample Type:		SOIL		
	Top Depth (m):		1.50		
	Date Sampled:		07-Mar-2022		
	Asbestos Lab:		DURHAM		
Determinand	Accred.	SOP	Units	LOD	
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	60
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	65
Benzene	U	2760	mg/kg	0.0010	< 0.0010
Toluene	U	2760	mg/kg	0.0010	< 0.0010
Ethylbenzene	U	2760	mg/kg	0.0010	< 0.0010
m & p-Xylene	U	2760	mg/kg	0.0010	< 0.0010
o-Xylene	U	2760	mg/kg	0.0010	< 0.0010
Methyl Tert-Butyl Ether	U	2760	mg/kg	0.0010	< 0.0010
Naphthalene	N	2800	mg/kg	0.010	< 0.010
Acenaphthylene	N	2800	mg/kg	0.010	< 0.010
Acenaphthene	N	2800	mg/kg	0.010	< 0.010
Fluorene	N	2800	mg/kg	0.010	< 0.010
Phenanthrene	N	2800	mg/kg	0.010	1.0
Anthracene	N	2800	mg/kg	0.010	0.95
Fluoranthene	N	2800	mg/kg	0.010	2.3
Pyrene	N	2800	mg/kg	0.010	2.5
Benzo[a]anthracene	N	2800	mg/kg	0.010	2.3
Chrysene	N	2800	mg/kg	0.010	2.1
Benzo[b]fluoranthene	N	2800	mg/kg	0.010	2.2
Benzo[k]fluoranthene	N	2800	mg/kg	0.010	2.0
Benzo[a]pyrene	N	2800	mg/kg	0.010	2.4
Indeno(1,2,3-c,d)Pyrene	N	2800	mg/kg	0.010	2.2
Dibenz(a,h)Anthracene	N	2800	mg/kg	0.010	1.9
Benzo[g,h,i]perylene	N	2800	mg/kg	0.010	2.2
Coronene	N	2800	mg/kg	0.010	< 0.010
Total Of 17 PAH's	N	2800	mg/kg	0.20	24
PCB 28	N	2815	mg/kg	0.0010	< 0.0010
PCB 52	N	2815	mg/kg	0.0010	< 0.0010
PCB 90+101	N	2815	mg/kg	0.0010	< 0.0010
PCB 118	N	2815	mg/kg	0.0010	< 0.0010
PCB 153	N	2815	mg/kg	0.0010	< 0.0010
PCB 138	N	2815	mg/kg	0.0010	< 0.0010
PCB 180	N	2815	mg/kg	0.0010	< 0.0010
Total PCBs (7 congeners)	N	2815	mg/kg	0.0010	< 0.0010

Test Methods

SOP	Title	Parameters included	Method summary
1020	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Conductivity Meter
1220	Anions, Alkalinity & Ammonium in Waters	Fluoride; Chloride; Nitrite; Nitrate; Total; Oxidisable Nitrogen (TON); Sulfate; Phosphate; Alkalinity; Ammonium	Automated colorimetric analysis using 'Aquakem 600' Discrete Analyser.
1455	Metals in Waters by ICP-MS	Metals, including: Antimony; Arsenic; Barium; Beryllium; Boron; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Tin; Vanadium; Zinc	Filtration of samples followed by direct determination by inductively coupled plasma mass spectrometry (ICP-MS).
1610	Total/Dissolved Organic Carbon in Waters	Organic Carbon	TOC Analyser using Catalytic Oxidation
1920	Phenols in Waters by HPLC	Phenolic compounds including: Phenol, Cresols, Xylenols, Trimethylphenols Note: Chlorophenols are excluded.	Determination by High Performance Liquid Chromatography (HPLC) using electrochemical detection.
2010	pH Value of Soils	pH	pH Meter
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2120	Water Soluble Boron, Sulphate, Magnesium & Chromium	Boron; Sulphate; Magnesium; Chromium	Aqueous extraction / ICP-OES
2192	Asbestos	Asbestos	Polarised light microscopy / Gravimetry
2450	Acid Soluble Metals in Soils	Metals, including: Arsenic; Barium; Beryllium; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Vanadium; Zinc	Acid digestion followed by determination of metals in extract by ICP-MS.
2490	Hexavalent Chromium in Soils	Chromium [VI]	Soil extracts are prepared by extracting dried and ground soil samples into boiling water. Chromium [VI] is determined by 'Aquakem 600' Discrete Analyser using 1,5-diphenylcarbazide.
2610	Loss on Ignition	loss on ignition (LOI)	Determination of the proportion by mass that is lost from a soil by ignition at 550°C.
2625	Total Organic Carbon in Soils	Total organic Carbon (TOC)	Determined by high temperature combustion under oxygen, using an Eltra elemental analyser.
2670	Total Petroleum Hydrocarbons (TPH) in Soils by GC-FID	TPH (C6–C40); optional carbon banding, e.g. 3-band – GRO, DRO & LRO*TPH C8–C40	Dichloromethane extraction / GC-FID
2680	TPH A/A Split	Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35– C44Aromatics: >C5–C7, >C7–C8, >C8– C10, >C10–C12, >C12–C16, >C16– C21, >C21– C35, >C35– C44	Dichloromethane extraction / GCxGC FID detection
2760	Volatile Organic Compounds (VOCs) in Soils by Headspace GC-MS	Volatile organic compounds, including BTEX and halogenated Aliphatic/Aromatics.(cf. USEPA Method 8260)*please refer to UKAS schedule	Automated headspace gas chromatographic (GC) analysis of a soil sample, as received, with mass spectrometric (MS) detection of volatile organic compounds.
2800	Speciated Polynuclear Aromatic Hydrocarbons (PAH) in Soil by GC-MS	Acenaphthene*; Acenaphthylene; Anthracene*; Benzo[a]Anthracene*; Benzo[a]Pyrene*; Benzo[b]Fluoranthene*; Benzo[ghi]Perylene*; Benzo[k]Fluoranthene*; Chrysene*; Dibenzo[ah]Anthracene; Fluoranthene*; Fluorene*; Indeno[123cd]Pyrene*; Naphthalene*; Phenanthrene*; Pyrene*	Dichloromethane extraction / GC-MS

Test Methods

SOP	Title	Parameters included	Method summary
2815	Polychlorinated Biphenyls (PCB) ICES7Congeners in Soils by GC-MS	ICES7 PCB congeners	Acetone/Hexane extraction / GC-MS
640	Characterisation of Waste (Leaching C10)	Waste material including soil, sludges and granular waste	ComplianceTest for Leaching of Granular Waste Material and Sludge

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation

The results relate only to the items tested

Uncertainty of measurement for the determinands tested are available upon request

None of the results in this report have been recovery corrected

All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis

All Asbestos testing is performed at the indicated laboratory

Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

- A - Date of sampling not supplied
- B - Sample age exceeds stability time (sampling to extraction)
- C - Sample not received in appropriate containers
- D - Broken Container
- E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt

All water samples will be retained for 14 days from the date of receipt

Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:

customerservices@chemtest.com



2183

Final Report

Report No.: 22-10214-1
Initial Date of Issue: 25-Mar-2022
Client Causeway Geotech Ltd

Client Address: 8 Drumahiskey Road
Balnamore
Ballymoney
County Antrim
BT53 7QL

Contact(s): Colm Hurley
Stephen Watson
Carin Cornwall
Darren O'Mahony
Gabriella Horan
Joe Gervin
John Cameron
Lucy Newland
Martin Gardiner
Matthew Gilbert
Michelle Gaffney
Neil Haggan
Paul Dunlop
Paul McNamara
Sean Ross
Stephen Franey
Stuart Abraham

Project 21-1619 North Irish Sea Array

Quotation No.: Q21-26199

Date Received: 17-Mar-2022

Order No.:

Date Instructed: 17-Mar-2022

No. of Samples: 20

Turnaround (Wkdays): 7

Results Due: 25-Mar-2022

Date Approved: 25-Mar-2022

Approved By:



Details: Stuart Henderson, Technical
Manager

Results - Leachate

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:					22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214
Quotation No.: Q21-26199	Chemtest Sample ID.:					1393655	1393656	1393657	1393658	1393659	1393660	1393661	1393662
	Sample Location:					TP01	TP01	TP02	TP02	TP07	TP07	TP09	TP09
	Sample Type:					SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Top Depth (m):					0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0
	Date Sampled:					15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022
Determinand	Accred.	SOP	Type	Units	LOD								
Total Dissolved Solids	N	1020	10:1	mg/l	1.0	100	85	98	78	120	59	78	91
Chloride	U	1220	10:1	mg/l	1.0	3.8	1.9	2.4	1.8	1.7	< 1.0	1.7	2.4
Fluoride	U	1220	10:1	mg/l	0.050	0.51	0.54	0.39	0.31	0.37	0.24	0.44	0.82
Sulphate	U	1220	10:1	mg/l	1.0	15	14	9.3	6.3	18	4.1	12	13
Arsenic (Dissolved)	U	1455	10:1	mg/l	0.0002	< 0.0002	< 0.0002	< 0.0002	< 0.0002	< 0.0002	< 0.0002	0.0007	< 0.0002
Barium (Dissolved)	U	1455	10:1	mg/l	0.005	0.006	0.006	0.006	< 0.005	0.006	< 0.005	< 0.005	< 0.005
Cadmium (Dissolved)	U	1455	10:1	mg/l	0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011
Chromium (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0007	0.0005	0.0009	0.0008	0.0006	0.0005	0.0009	< 0.0005
Copper (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0006	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.0024	< 0.0005
Mercury (Dissolved)	U	1455	10:1	mg/l	0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005
Molybdenum (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0020	0.0078	0.0033	0.0080	0.0030	0.0066	0.0013	0.0044
Nickel (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.0009	< 0.0005
Lead (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Antimony (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Selenium (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.0011	0.0056
Zinc (Dissolved)	U	1455	10:1	mg/l	0.002	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003
Dissolved Organic Carbon	U	1610	10:1	mg/l	2.0	16	12	14	12	16	11	18	14
Total Phenols	U	1920	10:1	mg/l	0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030

Results - Leachate

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:					22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214
Quotation No.: Q21-26199	Chemtest Sample ID.:					1393663	1393664	1393665	1393666	1393667	1393668	1393669	1393670
	Sample Location:					TP08	TP08	TP12	TP12	TP05	TP05	TP04	TP04
	Sample Type:					SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Top Depth (m):					0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0
	Date Sampled:					14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022
Determinand	Accred.	SOP	Type	Units	LOD								
Total Dissolved Solids	N	1020	10:1	mg/l	1.0	65	72	85	78	33	65	52	59
Chloride	U	1220	10:1	mg/l	1.0	1.1	1.4	1.5	1.2	1.0	1.5	3.2	1.2
Fluoride	U	1220	10:1	mg/l	0.050	0.33	0.29	0.40	0.76	0.20	0.24	0.25	0.34
Sulphate	U	1220	10:1	mg/l	1.0	7.0	6.3	3.9	7.0	8.5	10	18	4.7
Arsenic (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0003	< 0.0002	0.0011	< 0.0002	0.0020	< 0.0002	0.0006	< 0.0002
Barium (Dissolved)	U	1455	10:1	mg/l	0.005	0.005	0.007	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Cadmium (Dissolved)	U	1455	10:1	mg/l	0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011
Chromium (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0011	0.0013	0.0010	0.0006	0.0022	0.0005	0.0009	< 0.0005
Copper (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0013	< 0.0005	0.0024	< 0.0005	0.0035	< 0.0005	0.0014	< 0.0005
Mercury (Dissolved)	U	1455	10:1	mg/l	0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005
Molybdenum (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0007	0.0059	0.0021	0.0088	0.0006	0.0006	0.0003	0.0048
Nickel (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	0.0015	< 0.0005	0.0035	< 0.0005	0.0010	< 0.0005
Lead (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	0.0006	< 0.0005	0.0017	< 0.0005	< 0.0005	< 0.0005
Antimony (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Selenium (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	0.0019	0.0006	0.0007	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Zinc (Dissolved)	U	1455	10:1	mg/l	0.002	< 0.003	< 0.003	0.003	< 0.003	0.006	< 0.003	< 0.003	< 0.003
Dissolved Organic Carbon	U	1610	10:1	mg/l	2.0	24	13	23	13	16	9.2	11	8.7
Total Phenols	U	1920	10:1	mg/l	0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030

Results - Leachate

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:					22-10214	22-10214	22-10214	22-10214
Quotation No.: Q21-26199	Chemtest Sample ID.:					1393671	1393672	1393673	1393674
	Sample Location:					TP11	TP11	TP03	TP03
	Sample Type:					SOIL	SOIL	SOIL	SOIL
	Top Depth (m):					0.5	1.0	0.5	1.0
	Date Sampled:					14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022
Determinand	Accred.	SOP	Type	Units	LOD				
Total Dissolved Solids	N	1020	10:1	mg/l	1.0	26	59	33	26
Chloride	U	1220	10:1	mg/l	1.0	5.7	2.0	1.2	< 1.0
Fluoride	U	1220	10:1	mg/l	0.050	0.16	0.27	0.55	0.40
Sulphate	U	1220	10:1	mg/l	1.0	9.3	7.3	11	3.1
Arsenic (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0021	< 0.0002	0.0017	< 0.0002
Barium (Dissolved)	U	1455	10:1	mg/l	0.005	< 0.005	< 0.005	0.005	< 0.005
Cadmium (Dissolved)	U	1455	10:1	mg/l	0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011
Chromium (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0019	0.0006	0.0021	0.0006
Copper (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0034	< 0.0005	0.0037	0.0006
Mercury (Dissolved)	U	1455	10:1	mg/l	0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005
Molybdenum (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0004	0.0003	0.0008	0.0012
Nickel (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0037	< 0.0005	0.0028	< 0.0005
Lead (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0008	< 0.0005	0.0010	< 0.0005
Antimony (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Selenium (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Zinc (Dissolved)	U	1455	10:1	mg/l	0.002	0.005	< 0.003	0.007	< 0.003
Dissolved Organic Carbon	U	1610	10:1	mg/l	2.0	13	8.8	18	5.5
Total Phenols	U	1920	10:1	mg/l	0.030	< 0.030	< 0.030	< 0.030	< 0.030

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:		22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214
Quotation No.: Q21-26199	Chemtest Sample ID.:		1393655	1393656	1393657	1393658	1393659	1393660	1393661	1393662	1393663		
	Sample Location:		TP01	TP01	TP02	TP02	TP07	TP07	TP09	TP09	TP08		
	Sample Type:		SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL		
	Top Depth (m):		0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5		
	Date Sampled:		15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	14-Mar-2022		
	Asbestos Lab:		COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY		
Determinand	Accred.	SOP	Units	LOD									
ACM Type	U	2192		N/A	-	-	-	-	-	-	-	-	-
Asbestos Identification	U	2192		N/A	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected
Moisture	N	2030	%	0.020	18	16	16	11	16	16	27	18	18
pH	U	2010		4.0	8.5	8.5	8.5	8.7	8.6	8.7	8.2	8.5	8.5
Arsenic	U	2450	mg/kg	1.0	11	12	13	12	9.9	14	6.9	15	1.9
Barium	U	2450	mg/kg	10	54	58	68	50	57	66	60	83	62
Cadmium	U	2450	mg/kg	0.10	0.85	1.1	1.2	0.82	0.89	0.96	0.88	1.5	0.66
Mercury Low Level	U	2450	mg/kg	0.05	0.06	0.08	0.09	< 0.05	0.08	0.08	0.06	0.09	< 0.05
Molybdenum	U	2450	mg/kg	2.0	2.4	2.5	2.3	< 2.0	< 2.0	2.8	< 2.0	3.0	< 2.0
Antimony	N	2450	mg/kg	2.0	2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Copper	U	2450	mg/kg	0.50	22	29	31	20	26	24	18	34	15
Nickel	U	2450	mg/kg	0.50	33	44	54	34	39	38	25	62	25
Lead	U	2450	mg/kg	0.50	19	15	18	10	12	13	15	20	6.8
Selenium	U	2450	mg/kg	0.20	0.61	0.57	0.43	0.29	0.24	0.21	0.91	2.0	< 0.20
Zinc	U	2450	mg/kg	0.50	50	56	59	37	44	49	48	67	32
Chromium (Trivalent)	N	2490	mg/kg	1.0	18	19	22	18	17	21	18	24	20
Chromium (Hexavalent)	N	2490	mg/kg	0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
LOI	U	2610	%	0.10	4.8	3.4	4.0	2.6	4.2	2.4	10	5.0	3.6
Total Organic Carbon	U	2625	%	0.20	1.8	1.1	1.1	0.57	1.3	0.66	3.3	1.2	0.94
Mineral Oil	N	2670	mg/kg	10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:		22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214
Quotation No.: Q21-26199	Chemtest Sample ID.:		1393655	1393656	1393657	1393658	1393659	1393660	1393661	1393662	1393663		
	Sample Location:		TP01	TP01	TP02	TP02	TP07	TP07	TP09	TP09	TP08		
	Sample Type:		SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL		
	Top Depth (m):		0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5		
	Date Sampled:		15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	15-Mar-2022	14-Mar-2022		
	Asbestos Lab:		COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY		
Determinand	Accred.	SOP	Units	LOD									
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
Benzene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Toluene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Ethylbenzene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
m & p-Xylene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
o-Xylene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Methyl Tert-Butyl Ether	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Naphthalene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Acenaphthylene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Acenaphthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Fluorene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Phenanthrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Fluoranthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	0.17	< 0.010	< 0.010	< 0.010	< 0.010
Pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	0.15	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[a]anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Chrysene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[b]fluoranthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[k]fluoranthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[a]pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Indeno(1,2,3-c,d)Pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Dibenz(a,h)Anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[g,h,i]perylene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Coronene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Total Of 17 PAH's	N	2800	mg/kg	0.20	< 0.20	< 0.20	< 0.20	< 0.20	0.32	< 0.20	< 0.20	< 0.20	< 0.20
PCB 28	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 52	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 90+101	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 118	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 153	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 138	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 180	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Total PCBs (7 congeners)	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:				22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214
Quotation No.: Q21-26199	Chemtest Sample ID.:				1393664	1393665	1393666	1393667	1393668	1393669	1393670	1393671	1393672
	Sample Location:				TP08	TP12	TP12	TP05	TP05	TP04	TP04	TP11	TP11
	Sample Type:				SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Top Depth (m):				1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0
	Date Sampled:				14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022
	Asbestos Lab:				COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY
Determinand	Accred.	SOP	Units	LOD									
ACM Type	U	2192		N/A	-	-	-	-	-	-	-	-	-
Asbestos Identification	U	2192		N/A	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected
Moisture	N	2030	%	0.020	14	20	20	17	17	17	9.5	15	16
pH	U	2010		4.0	8.5	8.5	8.5	7.8	8.2	8.1	8.5	8.0	8.2
Arsenic	U	2450	mg/kg	1.0	7.7	12	11	9.8	12	15	15	16	16
Barium	U	2450	mg/kg	10	42	62	46	65	32	53	60	63	50
Cadmium	U	2450	mg/kg	0.10	0.58	1.2	0.94	0.70	0.61	0.87	0.90	0.92	0.70
Mercury Low Level	U	2450	mg/kg	0.05	0.06	0.06	0.07	< 0.05	0.05	0.09	0.05	0.08	0.05
Molybdenum	U	2450	mg/kg	2.0	< 2.0	2.3	2.7	< 2.0	< 2.0	2.3	2.5	2.1	< 2.0
Antimony	N	2450	mg/kg	2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Copper	U	2450	mg/kg	0.50	19	28	28	17	19	31	23	27	28
Nickel	U	2450	mg/kg	0.50	32	49	51	28	30	48	38	52	44
Lead	U	2450	mg/kg	0.50	11	20	16	16	9.0	12	11	14	13
Selenium	U	2450	mg/kg	0.20	0.84	0.80	0.62	0.38	0.26	0.37	< 0.20	0.34	0.32
Zinc	U	2450	mg/kg	0.50	44	66	57	59	36	61	41	62	54
Chromium (Trivalent)	N	2490	mg/kg	1.0	22	23	17	22	15	31	23	31	27
Chromium (Hexavalent)	N	2490	mg/kg	0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
LOI	U	2610	%	0.10	3.1	5.0	4.3	3.2	3.6	3.8	2.6	3.7	3.3
Total Organic Carbon	U	2625	%	0.20	0.90	1.4	1.1	1.1	0.90	0.99	0.55	0.99	0.70
Mineral Oil	N	2670	mg/kg	10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:				22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214	22-10214
Quotation No.: Q21-26199	Chemtest Sample ID.:				1393664	1393665	1393666	1393667	1393668	1393669	1393670	1393671	1393672
	Sample Location:				TP08	TP12	TP12	TP05	TP05	TP04	TP04	TP11	TP11
	Sample Type:				SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Top Depth (m):				1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0
	Date Sampled:				14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022	14-Mar-2022
	Asbestos Lab:				COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY	COVENTRY
Determinand	Accred.	SOP	Units	LOD									
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
Benzene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Toluene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Ethylbenzene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
m & p-Xylene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
o-Xylene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Methyl Tert-Butyl Ether	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Naphthalene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Acenaphthylene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Acenaphthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Fluorene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Phenanthrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Fluoranthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[a]anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Chrysene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[b]fluoranthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[k]fluoranthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[a]pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Indeno(1,2,3-c,d)Pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Dibenz(a,h)Anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[g,h,i]perylene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Coronene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Total Of 17 PAH's	N	2800	mg/kg	0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
PCB 28	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 52	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 90+101	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 118	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 153	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 138	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 180	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Total PCBs (7 congeners)	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:				22-10214	22-10214
Quotation No.: Q21-26199	Chemtest Sample ID.:				1393673	1393674
	Sample Location:				TP03	TP03
	Sample Type:				SOIL	SOIL
	Top Depth (m):				0.5	1.0
	Date Sampled:				14-Mar-2022	14-Mar-2022
	Asbestos Lab:				COVENTRY	COVENTRY
Determinand	Accred.	SOP	Units	LOD		
ACM Type	U	2192		N/A	-	-
Asbestos Identification	U	2192		N/A	No Asbestos Detected	No Asbestos Detected
Moisture	N	2030	%	0.020	16	11
pH	U	2010		4.0	7.6	8.1
Arsenic	U	2450	mg/kg	1.0	12	13
Barium	U	2450	mg/kg	10	47	56
Cadmium	U	2450	mg/kg	0.10	0.81	0.31
Mercury Low Level	U	2450	mg/kg	0.05	0.06	< 0.05
Molybdenum	U	2450	mg/kg	2.0	< 2.0	< 2.0
Antimony	N	2450	mg/kg	2.0	< 2.0	< 2.0
Copper	U	2450	mg/kg	0.50	22	32
Nickel	U	2450	mg/kg	0.50	32	39
Lead	U	2450	mg/kg	0.50	17	7.0
Selenium	U	2450	mg/kg	0.20	0.29	< 0.20
Zinc	U	2450	mg/kg	0.50	53	48
Chromium (Trivalent)	N	2490	mg/kg	1.0	24	35
Chromium (Hexavalent)	N	2490	mg/kg	0.50	< 0.50	< 0.50
LOI	U	2610	%	0.10	4.2	2.4
Total Organic Carbon	U	2625	%	0.20	1.4	0.40
Mineral Oil	N	2670	mg/kg	10	< 10	< 10
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:				22-10214	22-10214
Quotation No.: Q21-26199	Chemtest Sample ID.:				1393673	1393674
	Sample Location:				TP03	TP03
	Sample Type:				SOIL	SOIL
	Top Depth (m):				0.5	1.0
	Date Sampled:				14-Mar-2022	14-Mar-2022
	Asbestos Lab:				COVENTRY	COVENTRY
Determinand	Accred.	SOP	Units	LOD		
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	< 10	< 10
Benzene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010
Toluene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010
Ethylbenzene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010
m & p-Xylene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010
o-Xylene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010
Methyl Tert-Butyl Ether	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010
Naphthalene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Acenaphthylene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Acenaphthene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Fluorene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Phenanthrene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Fluoranthene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Benzo[a]anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Chrysene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Benzo[b]fluoranthene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Benzo[k]fluoranthene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Benzo[a]pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Indeno(1,2,3-c,d)Pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Dibenz(a,h)Anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Benzo[g,h,i]perylene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Coronene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Total Of 17 PAH's	N	2800	mg/kg	0.20	< 0.20	< 0.20
PCB 28	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
PCB 52	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
PCB 90+101	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
PCB 118	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
PCB 153	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
PCB 138	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
PCB 180	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
Total PCBs (7 congeners)	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010

Test Methods

SOP	Title	Parameters included	Method summary
1020	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Conductivity Meter
1220	Anions, Alkalinity & Ammonium in Waters	Fluoride; Chloride; Nitrite; Nitrate; Total; Oxidisable Nitrogen (TON); Sulfate; Phosphate; Alkalinity; Ammonium	Automated colorimetric analysis using 'Aquakem 600' Discrete Analyser.
1455	Metals in Waters by ICP-MS	Metals, including: Antimony; Arsenic; Barium; Beryllium; Boron; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Tin; Vanadium; Zinc	Filtration of samples followed by direct determination by inductively coupled plasma mass spectrometry (ICP-MS).
1610	Total/Dissolved Organic Carbon in Waters	Organic Carbon	TOC Analyser using Catalytic Oxidation
1920	Phenols in Waters by HPLC	Phenolic compounds including: Phenol, Cresols, Xylenols, Trimethylphenols Note: Chlorophenols are excluded.	Determination by High Performance Liquid Chromatography (HPLC) using electrochemical detection.
2010	pH Value of Soils	pH	pH Meter
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2120	Water Soluble Boron, Sulphate, Magnesium & Chromium	Boron; Sulphate; Magnesium; Chromium	Aqueous extraction / ICP-OES
2192	Asbestos	Asbestos	Polarised light microscopy / Gravimetry
2450	Acid Soluble Metals in Soils	Metals, including: Arsenic; Barium; Beryllium; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Vanadium; Zinc	Acid digestion followed by determination of metals in extract by ICP-MS.
2490	Hexavalent Chromium in Soils	Chromium [VI]	Soil extracts are prepared by extracting dried and ground soil samples into boiling water. Chromium [VI] is determined by 'Aquakem 600' Discrete Analyser using 1,5-diphenylcarbazide.
2610	Loss on Ignition	loss on ignition (LOI)	Determination of the proportion by mass that is lost from a soil by ignition at 550°C.
2625	Total Organic Carbon in Soils	Total organic Carbon (TOC)	Determined by high temperature combustion under oxygen, using an Eltra elemental analyser.
2670	Total Petroleum Hydrocarbons (TPH) in Soils by GC-FID	TPH (C6–C40); optional carbon banding, e.g. 3-band – GRO, DRO & LRO*TPH C8–C40	Dichloromethane extraction / GC-FID
2680	TPH A/A Split	Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35– C44Aromatics: >C5–C7, >C7–C8, >C8– C10, >C10–C12, >C12–C16, >C16– C21, >C21– C35, >C35– C44	Dichloromethane extraction / GCxGC FID detection
2760	Volatile Organic Compounds (VOCs) in Soils by Headspace GC-MS	Volatile organic compounds, including BTEX and halogenated Aliphatic/Aromatics.(cf. USEPA Method 8260)*please refer to UKAS schedule	Automated headspace gas chromatographic (GC) analysis of a soil sample, as received, with mass spectrometric (MS) detection of volatile organic compounds.
2800	Speciated Polynuclear Aromatic Hydrocarbons (PAH) in Soil by GC-MS	Acenaphthene*; Acenaphthylene; Anthracene*; Benzo[a]Anthracene*; Benzo[a]Pyrene*; Benzo[b]Fluoranthene*; Benzo[ghi]Perylene*; Benzo[k]Fluoranthene*; Chrysene*; Dibenzo[ah]Anthracene; Fluoranthene*; Fluorene*; Indeno[123cd]Pyrene*; Naphthalene*; Phenanthrene*; Pyrene*	Dichloromethane extraction / GC-MS

Test Methods

SOP	Title	Parameters included	Method summary
2815	Polychlorinated Biphenyls (PCB) ICES7Congeners in Soils by GC-MS	ICES7 PCB congeners	Acetone/Hexane extraction / GC-MS
640	Characterisation of Waste (Leaching C10)	Waste material including soil, sludges and granular waste	ComplianceTest for Leaching of Granular Waste Material and Sludge

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation

The results relate only to the items tested

Uncertainty of measurement for the determinands tested are available upon request

None of the results in this report have been recovery corrected

All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis

All Asbestos testing is performed at the indicated laboratory

Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

- A - Date of sampling not supplied
- B - Sample age exceeds stability time (sampling to extraction)
- C - Sample not received in appropriate containers
- D - Broken Container
- E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt

All water samples will be retained for 14 days from the date of receipt

Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:

customerservices@chemtest.com

Final Report

Report No.: 22-30572-1

Initial Date of Issue: 25-Aug-2022

Client Causeway Geotech Ltd

Client Address: 8 Drumahiskey Road
Balnamore
Ballymoney
County Antrim
BT53 7QL

Contact(s): Colm Hurley
Darren O'Mahony
Gabriella Horan
Joe Gervin
John Cameron
Lucy Newland
Martin Gardiner
Matthew Gilbert
Neil Haggan
Paul Dunlop
Sean Ross
Stephen Franey
Stephen Watson
Stuart Abraham
Thomas McAllister
Rachel White

Project 21-1619 North Irish Sea Array

Quotation No.: Q21-26199

Order No.:

No. of Samples: 6

Turnaround (Wkdays): 7

Date Approved: 25-Aug-2022

Approved By:



Details: Stuart Henderson, Technical Manager

Date Received: 11-Aug-2022

Date Instructed: 17-Aug-2022

Results Due: 25-Aug-2022

Results - Leachate

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:					22-30572	22-30572	22-30572	22-30572	22-30572	22-30572
Quotation No.: Q21-26199	Chemtest Sample ID.:					1485686	1485687	1485688	1485689	1485690	1485691
	Client Sample ID.:					1	2	1	2	1	2
	Sample Location:					ST24	ST24	ST23	ST23	ST06	ST06
	Sample Type:					SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Top Depth (m):					0.50	1.00	0.50	1.00	0.50	1.00
	Date Sampled:					09-Aug-2022	09-Aug-2022	09-Aug-2022	09-Aug-2022	09-Aug-2022	09-Aug-2022
Determinand	Accred.	SOP	Type	Units	LOD						
Total Dissolved Solids	N	1020	10:1	mg/l	1.0	47	53	43	62	47	80
Chloride	U	1220	10:1	mg/l	1.0	< 1.0	1.4	2.6	6.1	8.1	12
Fluoride	U	1220	10:1	mg/l	0.050	0.16	0.23	0.17	0.20	0.55	0.70
Sulphate	U	1220	10:1	mg/l	1.0	1.5	1.9	2.2	3.9	8.1	6.4
Arsenic (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0034	0.0030	0.0015	0.0010	0.0014	0.0007
Barium (Dissolved)	U	1455	10:1	mg/l	0.005	< 0.005	< 0.005	< 0.005	0.006	< 0.005	0.008
Cadmium (Dissolved)	U	1455	10:1	mg/l	0.00011	0.00044	< 0.00011	0.00025	< 0.00011	< 0.00011	< 0.00011
Chromium (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	0.0006	< 0.0005	0.0005	< 0.0005
Copper (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0023	0.0019	0.0013	0.0014	0.0030	0.0011
Mercury (Dissolved)	U	1455	10:1	mg/l	0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005
Molybdenum (Dissolved)	U	1455	10:1	mg/l	0.0002	0.013	0.014	0.0044	0.0047	0.0027	0.0060
Nickel (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.0009	< 0.0005
Lead (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	0.0005	< 0.0005
Antimony (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0028	0.0018	0.0034	0.0011	0.0008	0.0006
Selenium (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0039	0.0029	0.0027	0.0024	0.0016	0.0011
Zinc (Dissolved)	U	1455	10:1	mg/l	0.002	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003
Dissolved Organic Carbon	U	1610	10:1	mg/l	2.0	13	13	11	13	19	14
Total Phenols	U	1920	10:1	mg/l	0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:		22-30572	22-30572	22-30572	22-30572	22-30572	22-30572
Quotation No.: Q21-26199	Chemtest Sample ID.:		1485686	1485687	1485688	1485689	1485690	1485691
	Client Sample ID.:		1	2	1	2	1	2
	Sample Location:		ST24	ST24	ST23	ST23	ST06	ST06
	Sample Type:		SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Top Depth (m):		0.50	1.00	0.50	1.00	0.50	1.00
	Date Sampled:		09-Aug-2022	09-Aug-2022	09-Aug-2022	09-Aug-2022	09-Aug-2022	09-Aug-2022
	Asbestos Lab:		DURHAM	DURHAM	DURHAM	DURHAM	DURHAM	DURHAM
Determinand	Accred.	SOP	Units	LOD				
ACM Type	U	2192		N/A	-	-	-	-
Asbestos Identification	U	2192		N/A	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected
Moisture	N	2030	%	0.020	5.8	8.1	6.9	6.7
pH	U	2010		4.0	8.6	8.5	8.6	8.1
Arsenic	U	2455	mg/kg	0.5	11	11	13	8.1
Barium	U	2455	mg/kg	0	63	32	58	47
Cadmium	U	2455	mg/kg	0.10	0.49	0.26	0.56	0.65
Mercury Low Level	U	2450	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05
Molybdenum	U	2455	mg/kg	0.5	1.6	1.5	2.1	1.5
Antimony	N	2455	mg/kg	2.0	< 2.0	< 2.0	< 2.0	< 2.0
Copper	U	2455	mg/kg	0.50	55	25	89	17
Nickel	U	2455	mg/kg	0.50	20	26	25	20
Lead	U	2455	mg/kg	0.50	15	14	17	22
Selenium	U	2455	mg/kg	0.25	0.75	0.61	0.86	1.1
Zinc	U	2455	mg/kg	0.50	46	46	53	67
Chromium (Trivalent)	N	2490	mg/kg	1.0	12	14	15	11
Chromium (Hexavalent)	N	2490	mg/kg	0.50	< 0.50	< 0.50	< 0.50	< 0.50
LOI	U	2610	%	0.10	4.6	4.9	2.2	2.1
Total Organic Carbon	U	2625	%	0.20	0.41	0.36	0.78	0.90
Mineral Oil	N	2670	mg/kg	10	< 10	< 10	< 10	< 10
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:		22-30572	22-30572	22-30572	22-30572	22-30572	22-30572
Quotation No.: Q21-26199	Chemtest Sample ID.:		1485686	1485687	1485688	1485689	1485690	1485691
	Client Sample ID.:		1	2	1	2	1	2
	Sample Location:		ST24	ST24	ST23	ST23	ST06	ST06
	Sample Type:		SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Top Depth (m):		0.50	1.00	0.50	1.00	0.50	1.00
	Date Sampled:		09-Aug-2022	09-Aug-2022	09-Aug-2022	09-Aug-2022	09-Aug-2022	09-Aug-2022
	Asbestos Lab:		DURHAM	DURHAM	DURHAM	DURHAM	DURHAM	DURHAM
Determinand	Accred.	SOP	Units	LOD				
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	< 10	< 10	< 10	< 10
Benzene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Toluene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Ethylbenzene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
m & p-Xylene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
o-Xylene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Methyl Tert-Butyl Ether	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Naphthalene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010
Acenaphthylene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010
Acenaphthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010
Fluorene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010
Phenanthrene	N	2800	mg/kg	0.010	8.0	8.0	15	0.60
Anthracene	N	2800	mg/kg	0.010	2.5	2.4	5.0	0.30
Fluoranthene	N	2800	mg/kg	0.010	11	7.7	18	2.6
Pyrene	N	2800	mg/kg	0.010	8.4	5.9	14	2.6
Benzo[a]anthracene	N	2800	mg/kg	0.010	3.4	2.2	7.2	1.3
Chrysene	N	2800	mg/kg	0.010	2.8	1.6	5.2	1.1
Benzo[b]fluoranthene	N	2800	mg/kg	0.010	4.3	< 0.010	8.3	< 0.010
Benzo[k]fluoranthene	N	2800	mg/kg	0.010	1.4	< 0.010	2.8	< 0.010
Benzo[a]pyrene	N	2800	mg/kg	0.010	3.2	< 0.010	6.5	< 0.010
Indeno(1,2,3-c,d)Pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010
Dibenz(a,h)Anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[g,h,i]perylene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010
Coronene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010
Total Of 17 PAH's	N	2800	mg/kg	0.20	45	28	82	8.5
PCB 28	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 52	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 90+101	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 118	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 153	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 138	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 180	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Total PCBs (7 congeners)	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010

Test Methods

SOP	Title	Parameters included	Method summary
1020	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Conductivity Meter
1220	Anions, Alkalinity & Ammonium in Waters	Fluoride; Chloride; Nitrite; Nitrate; Total; Oxidisable Nitrogen (TON); Sulfate; Phosphate; Alkalinity; Ammonium	Automated colorimetric analysis using 'Aquakem 600' Discrete Analyser.
1455	Metals in Waters by ICP-MS	Metals, including: Antimony; Arsenic; Barium; Beryllium; Boron; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Tin; Vanadium; Zinc	Filtration of samples followed by direct determination by inductively coupled plasma mass spectrometry (ICP-MS).
1610	Total/Dissolved Organic Carbon in Waters	Organic Carbon	TOC Analyser using Catalytic Oxidation
1920	Phenols in Waters by HPLC	Phenolic compounds including: Phenol, Cresols, Xylenols, Trimethylphenols Note: Chlorophenols are excluded.	Determination by High Performance Liquid Chromatography (HPLC) using electrochemical detection.
2010	pH Value of Soils	pH	pH Meter
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2120	Water Soluble Boron, Sulphate, Magnesium & Chromium	Boron; Sulphate; Magnesium; Chromium	Aqueous extraction / ICP-OES
2192	Asbestos	Asbestos	Polarised light microscopy / Gravimetry
2450	Acid Soluble Metals in Soils	Metals, including: Arsenic; Barium; Beryllium; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Vanadium; Zinc	Acid digestion followed by determination of metals in extract by ICP-MS.
2490	Hexavalent Chromium in Soils	Chromium [VI]	Soil extracts are prepared by extracting dried and ground soil samples into boiling water. Chromium [VI] is determined by 'Aquakem 600' Discrete Analyser using 1,5-diphenylcarbazide.
2610	Loss on Ignition	loss on ignition (LOI)	Determination of the proportion by mass that is lost from a soil by ignition at 550°C.
2625	Total Organic Carbon in Soils	Total organic Carbon (TOC)	Determined by high temperature combustion under oxygen, using an Eltra elemental analyser.
2670	Total Petroleum Hydrocarbons (TPH) in Soils by GC-FID	TPH (C6–C40); optional carbon banding, e.g. 3-band – GRO, DRO & LRO*TPH C8–C40	Dichloromethane extraction / GC-FID
2680	TPH A/A Split	Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35– C44Aromatics: >C5–C7, >C7–C8, >C8– C10, >C10–C12, >C12–C16, >C16– C21, >C21– C35, >C35– C44	Dichloromethane extraction / GCxGC FID detection
2760	Volatile Organic Compounds (VOCs) in Soils by Headspace GC-MS	Volatile organic compounds, including BTEX and halogenated Aliphatic/Aromatics.(cf. USEPA Method 8260)*please refer to UKAS schedule	Automated headspace gas chromatographic (GC) analysis of a soil sample, as received, with mass spectrometric (MS) detection of volatile organic compounds.
2800	Speciated Polynuclear Aromatic Hydrocarbons (PAH) in Soil by GC-MS	Acenaphthene*; Acenaphthylene; Anthracene*; Benzo[a]Anthracene*; Benzo[a]Pyrene*; Benzo[b]Fluoranthene*; Benzo[ghi]Perylene*; Benzo[k]Fluoranthene*; Chrysene*; Dibenzo[ah]Anthracene; Fluoranthene*; Fluorene*; Indeno[123cd]Pyrene*; Naphthalene*; Phenanthrene*; Pyrene*	Dichloromethane extraction / GC-MS

Test Methods

SOP	Title	Parameters included	Method summary
2815	Polychlorinated Biphenyls (PCB) ICES7Congeners in Soils by GC-MS	ICES7 PCB congeners	Acetone/Hexane extraction / GC-MS
640	Characterisation of Waste (Leaching C10)	Waste material including soil, sludges and granular waste	ComplianceTest for Leaching of Granular Waste Material and Sludge

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation

The results relate only to the items tested

Uncertainty of measurement for the determinands tested are available upon request

None of the results in this report have been recovery corrected

All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis

All Asbestos testing is performed at the indicated laboratory

Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

- A - Date of sampling not supplied
- B - Sample age exceeds stability time (sampling to extraction)
- C - Sample not received in appropriate containers
- D - Broken Container
- E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt

All water samples will be retained for 14 days from the date of receipt

Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:

customerservices@chemtest.com

Final Report

Report No.: 22-30639-1

Initial Date of Issue: 25-Aug-2022

Client Causeway Geotech Ltd

Client Address: 8 Drumahiskey Road
Balnamore
Ballymoney
County Antrim
BT53 7QL

Contact(s): Colm Hurley
Darren O'Mahony
Gabriella Horan
Joe Gervin
John Cameron
Lucy Newland
Martin Gardiner
Matthew Gilbert
Neil Haggan
Paul Dunlop
Sean Ross
Stephen Franey
Stephen Watson
Stuart Abraham
Thomas McAllister

Project 21-1619 North Irish Sea Army

Quotation No.: Q21-26199

Order No.:

No. of Samples: 5

Turnaround (Wkdays): 7

Date Approved: 25-Aug-2022

Date Received: 11-Aug-2022

Date Instructed: 17-Aug-2022

Results Due: 25-Aug-2022

Approved By:



Details: Stuart Henderson, Technical
Manager

Results - Leachate

Project: 21-1619 North Irish Sea Army

Client: Causeway Geotech Ltd	Chemtest Job No.:					22-30639	22-30639	22-30639	22-30639	22-30639
Quotation No.: Q21-26199	Chemtest Sample ID.:					1485978	1485979	1485980	1485981	1485982
	Client Sample ID.:					1	2	1	2	3
	Sample Location:					ST02	ST02	ST03	ST03	ST03
	Sample Type:					SOIL	SOIL	SOIL	SOIL	SOIL
	Top Depth (m):					0.5	1.0	0.5	1.0	1.3
	Date Sampled:					08-Aug-2022	08-Aug-2022	08-Aug-2022	08-Aug-2022	08-Aug-2022
Determinand	Accred.	SOP	Type	Units	LOD					
Total Dissolved Solids	N	1020	10:1	mg/l	1.0	65	59	300	490	170
Chloride	U	1220	10:1	mg/l	1.0	4.5	4.6	6.9	8.9	22
Fluoride	U	1220	10:1	mg/l	0.050	0.41	0.38	0.12	0.090	0.62
Sulphate	U	1220	10:1	mg/l	1.0	2.0	1.4	170	390	49
Arsenic (Dissolved)	U	1455	10:1	mg/l	0.0002	< 0.0002	0.0005	< 0.0002	< 0.0002	0.0012
Barium (Dissolved)	U	1455	10:1	mg/l	0.005	< 0.005	< 0.005	0.011	0.036	0.017
Cadmium (Dissolved)	U	1455	10:1	mg/l	0.00011	< 0.00011	< 0.00011	< 0.00011	0.00044	< 0.00011
Chromium (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Copper (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	0.0005	< 0.0005	< 0.0005	0.0018
Mercury (Dissolved)	U	1455	10:1	mg/l	0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005
Molybdenum (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0038	0.0064	0.0050	< 0.0002	0.0063
Nickel (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	0.040	< 0.0005
Lead (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Antimony (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	0.0010	< 0.0005	0.0006
Selenium (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	0.012	0.046	0.0011
Zinc (Dissolved)	U	1455	10:1	mg/l	0.002	< 0.003	< 0.003	< 0.003	0.005	< 0.003
Dissolved Organic Carbon	U	1610	10:1	mg/l	2.0	14	16	14	4.8	15
Total Phenols	U	1920	10:1	mg/l	0.030	< 0.030	< 0.030	< 0.030	< 0.030	< 0.030

Results - Soil

Project: 21-1619 North Irish Sea Army

Client: Causeway Geotech Ltd	Chemtest Job No.:				22-30639	22-30639	22-30639	22-30639	22-30639
Quotation No.: Q21-26199	Chemtest Sample ID.:				1485978	1485979	1485980	1485981	1485982
	Client Sample ID.:				1	2	1	2	3
	Sample Location:				ST02	ST02	ST03	ST03	ST03
	Sample Type:				SOIL	SOIL	SOIL	SOIL	SOIL
	Top Depth (m):				0.5	1.0	0.5	1.0	1.3
	Date Sampled:				08-Aug-2022	08-Aug-2022	08-Aug-2022	08-Aug-2022	08-Aug-2022
	Asbestos Lab:				DURHAM	DURHAM	DURHAM	DURHAM	DURHAM
Determinand	Accred.	SOP	Units	LOD					
ACM Type	U	2192		N/A	-	-	-	-	-
Asbestos Identification	U	2192		N/A	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected
Moisture	N	2030	%	0.020	14	9.8	9.8	12	13
pH	U	2010		4.0	7.7	7.6	7.6	5.8	7.4
Arsenic	U	2455	mg/kg	0.5	27	28	35	52	11
Barium	U	2455	mg/kg	0	49	56	53	46	61
Cadmium	U	2455	mg/kg	0.10	0.92	1.2	0.98	0.26	1.1
Mercury Low Level	U	2450	mg/kg	0.05	0.06	0.08	0.08	0.14	< 0.05
Molybdenum	U	2455	mg/kg	0.5	9.9	12	16	43	2.4
Antimony	N	2455	mg/kg	2.0	3.4	4.0	5.0	8.1	< 2.0
Copper	U	2455	mg/kg	0.50	36	42	49	75	22
Nickel	U	2455	mg/kg	0.50	34	41	37	14	30
Lead	U	2455	mg/kg	0.50	31	36	42	73	22
Selenium	U	2455	mg/kg	0.25	3.4	3.9	5.1	1.5	1.1
Zinc	U	2455	mg/kg	0.50	50	61	56	21	69
Chromium (Trivalent)	N	2490	mg/kg	1.0	23	26	25	17	13
Chromium (Hexavalent)	N	2490	mg/kg	0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
LOI	U	2610	%	0.10	2.4	2.7	3.0	4.4	4.1
Total Organic Carbon	U	2625	%	0.20	0.42	0.64	0.63	1.5	0.79
Mineral Oil	N	2670	mg/kg	10	< 10	< 10	< 10	< 10	< 10
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	60	< 1.0	< 1.0	< 1.0
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	210	< 1.0	< 1.0	< 1.0
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0

Results - Soil

Project: 21-1619 North Irish Sea Army

Client: Causeway Geotech Ltd	Chemtest Job No.:					22-30639	22-30639	22-30639	22-30639	22-30639
Quotation No.: Q21-26199	Chemtest Sample ID.:					1485978	1485979	1485980	1485981	1485982
	Client Sample ID.:					1	2	1	2	3
	Sample Location:					ST02	ST02	ST03	ST03	ST03
	Sample Type:					SOIL	SOIL	SOIL	SOIL	SOIL
	Top Depth (m):					0.5	1.0	0.5	1.0	1.3
	Date Sampled:					08-Aug-2022	08-Aug-2022	08-Aug-2022	08-Aug-2022	08-Aug-2022
	Asbestos Lab:					DURHAM	DURHAM	DURHAM	DURHAM	DURHAM
Determinand	Accred.	SOP	Units	LOD						
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	270	< 5.0	< 5.0	< 5.0	< 5.0
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	< 10	270	< 10	< 10	< 10	< 10
Benzene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Toluene	U	2760	mg/kg	0.0010	0.0015	< 0.0010	< 0.0010	0.0037	< 0.0010	< 0.0010
Ethylbenzene	U	2760	mg/kg	0.0010	0.0062	< 0.0010	0.0027	0.0070	< 0.0010	< 0.0010
m & p-Xylene	U	2760	mg/kg	0.0010	0.024	< 0.0010	0.0077	0.019	< 0.0010	< 0.0010
o-Xylene	U	2760	mg/kg	0.0010	0.0053	< 0.0010	0.0014	0.0039	< 0.0010	< 0.0010
Methyl Tert-Butyl Ether	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Naphthalene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Acenaphthylene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Acenaphthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Fluorene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Phenanthrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Fluoranthene	N	2800	mg/kg	0.010	0.96	0.74	< 0.010	< 0.010	< 0.010	< 0.010
Pyrene	N	2800	mg/kg	0.010	0.78	0.61	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[a]anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Chrysene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[b]fluoranthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[k]fluoranthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[a]pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Indeno(1,2,3-c,d)Pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Dibenz(a,h)Anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Benzo[g,h,i]perylene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Coronene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Total Of 17 PAH's	N	2800	mg/kg	0.20	1.7	1.4	< 0.20	< 0.20	< 0.20	< 0.20
PCB 28	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 52	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 90+101	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 118	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 153	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 138	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 180	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Total PCBs (7 congeners)	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010

Test Methods

SOP	Title	Parameters included	Method summary
1020	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Conductivity Meter
1220	Anions, Alkalinity & Ammonium in Waters	Fluoride; Chloride; Nitrite; Nitrate; Total; Oxidisable Nitrogen (TON); Sulfate; Phosphate; Alkalinity; Ammonium	Automated colorimetric analysis using 'Aquakem 600' Discrete Analyser.
1455	Metals in Waters by ICP-MS	Metals, including: Antimony; Arsenic; Barium; Beryllium; Boron; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Tin; Vanadium; Zinc	Filtration of samples followed by direct determination by inductively coupled plasma mass spectrometry (ICP-MS).
1610	Total/Dissolved Organic Carbon in Waters	Organic Carbon	TOC Analyser using Catalytic Oxidation
1920	Phenols in Waters by HPLC	Phenolic compounds including: Phenol, Cresols, Xylenols, Trimethylphenols Note: Chlorophenols are excluded.	Determination by High Performance Liquid Chromatography (HPLC) using electrochemical detection.
2010	pH Value of Soils	pH	pH Meter
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2120	Water Soluble Boron, Sulphate, Magnesium & Chromium	Boron; Sulphate; Magnesium; Chromium	Aqueous extraction / ICP-OES
2192	Asbestos	Asbestos	Polarised light microscopy / Gravimetry
2450	Acid Soluble Metals in Soils	Metals, including: Arsenic; Barium; Beryllium; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Vanadium; Zinc	Acid digestion followed by determination of metals in extract by ICP-MS.
2490	Hexavalent Chromium in Soils	Chromium [VI]	Soil extracts are prepared by extracting dried and ground soil samples into boiling water. Chromium [VI] is determined by 'Aquakem 600' Discrete Analyser using 1,5-diphenylcarbazide.
2610	Loss on Ignition	loss on ignition (LOI)	Determination of the proportion by mass that is lost from a soil by ignition at 550°C.
2625	Total Organic Carbon in Soils	Total organic Carbon (TOC)	Determined by high temperature combustion under oxygen, using an Eltra elemental analyser.
2670	Total Petroleum Hydrocarbons (TPH) in Soils by GC-FID	TPH (C6–C40); optional carbon banding, e.g. 3-band – GRO, DRO & LRO*TPH C8–C40	Dichloromethane extraction / GC-FID
2680	TPH A/A Split	Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35– C44Aromatics: >C5–C7, >C7–C8, >C8– C10, >C10–C12, >C12–C16, >C16– C21, >C21– C35, >C35– C44	Dichloromethane extraction / GCxGC FID detection
2760	Volatile Organic Compounds (VOCs) in Soils by Headspace GC-MS	Volatile organic compounds, including BTEX and halogenated Aliphatic/Aromatics.(cf. USEPA Method 8260)*please refer to UKAS schedule	Automated headspace gas chromatographic (GC) analysis of a soil sample, as received, with mass spectrometric (MS) detection of volatile organic compounds.
2800	Speciated Polynuclear Aromatic Hydrocarbons (PAH) in Soil by GC-MS	Acenaphthene*; Acenaphthylene; Anthracene*; Benzo[a]Anthracene*; Benzo[a]Pyrene*; Benzo[b]Fluoranthene*; Benzo[ghi]Perylene*; Benzo[k]Fluoranthene*; Chrysene*; Dibenzo[ah]Anthracene; Fluoranthene*; Fluorene*; Indeno[123cd]Pyrene*; Naphthalene*; Phenanthrene*; Pyrene*	Dichloromethane extraction / GC-MS

Test Methods

SOP	Title	Parameters included	Method summary
2815	Polychlorinated Biphenyls (PCB) ICES7Congeners in Soils by GC-MS	ICES7 PCB congeners	Acetone/Hexane extraction / GC-MS
640	Characterisation of Waste (Leaching C10)	Waste material including soil, sludges and granular waste	ComplianceTest for Leaching of Granular Waste Material and Sludge

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation

The results relate only to the items tested

Uncertainty of measurement for the determinands tested are available upon request

None of the results in this report have been recovery corrected

All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis

All Asbestos testing is performed at the indicated laboratory

Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

- A - Date of sampling not supplied
- B - Sample age exceeds stability time (sampling to extraction)
- C - Sample not received in appropriate containers
- D - Broken Container
- E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt

All water samples will be retained for 14 days from the date of receipt

Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:

customerservices@chemtest.com

Final Report

Report No.: 22-30817-1
Initial Date of Issue: 25-Aug-2022
Client Causeway Geotech Ltd

Client Address: 8 Drumahiskey Road
Balnamore
Ballymoney
County Antrim
BT53 7QL

Contact(s): Colm Hurley
Darren O'Mahony
Gabriella Horan
Joe Gervin
John Cameron
Lucy Newland
Martin Gardiner
Matthew Gilbert
Neil Haggan
Paul Dunlop
Sean Ross
Stephen Franey
Stephen Watson
Stuart Abraham
Thomas McAllister

Project 21-1619 North Irish Sea Array

Quotation No.: Q21-26199

Date Received: 12-Aug-2022

Order No.:

Date Instructed: 17-Aug-2022

No. of Samples: 4

Turnaround (Wkdays): 7

Results Due: 25-Aug-2022

Date Approved: 25-Aug-2022

Approved By:



Details: Stuart Henderson, Technical
Manager

Results - Leachate

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:					22-30817	22-30817	22-30817	22-30817
Quotation No.: Q21-26199	Chemtest Sample ID.:					1486825	1486826	1486827	1486828
	Sample Location:					ST29	ST29	ST31	ST31
	Sample Type:					SOIL	SOIL	SOIL	SOIL
	Top Depth (m):					1.0	0.5	1.0	0.5
	Date Sampled:					10-Aug-2022	10-Aug-2022	10-Aug-2022	10-Aug-2022
Determinand	Accred.	SOP	Type	Units	LOD				
Total Dissolved Solids	N	1020	10:1	mg/l	1.0	110	69	61	68
Chloride	U	1220	10:1	mg/l	1.0	26	10	3.2	4.5
Fluoride	U	1220	10:1	mg/l	0.050	0.19	0.19	0.14	0.27
Sulphate	U	1220	10:1	mg/l	1.0	7.0	2.9	1.2	2.6
Arsenic (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0010	0.0005	0.033	0.0009
Barium (Dissolved)	U	1455	10:1	mg/l	0.005	0.014	< 0.005	0.007	0.014
Cadmium (Dissolved)	U	1455	10:1	mg/l	0.00011	< 0.00011	< 0.00011	< 0.00011	< 0.00011
Chromium (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Copper (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0007	< 0.0005	0.0030	< 0.0005
Mercury (Dissolved)	U	1455	10:1	mg/l	0.00005	< 0.00005	< 0.00005	< 0.00005	< 0.00005
Molybdenum (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0066	0.0043	0.0052	0.013
Nickel (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Lead (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	0.032	< 0.0005
Antimony (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	0.0014	< 0.0005
Selenium (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Zinc (Dissolved)	U	1455	10:1	mg/l	0.002	< 0.003	< 0.003	< 0.003	< 0.003
Dissolved Organic Carbon	U	1610	10:1	mg/l	2.0	13	14	34	37
Total Phenols	U	1920	10:1	mg/l	0.030	< 0.030	< 0.030	0.088	< 0.030

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:				22-30817	22-30817	22-30817	22-30817
Quotation No.: Q21-26199	Chemtest Sample ID.:				1486825	1486826	1486827	1486828
	Sample Location:				ST29	ST29	ST31	ST31
	Sample Type:				SOIL	SOIL	SOIL	SOIL
	Top Depth (m):				1.0	0.5	1.0	0.5
	Date Sampled:				10-Aug-2022	10-Aug-2022	10-Aug-2022	10-Aug-2022
	Asbestos Lab:				DURHAM	DURHAM	DURHAM	DURHAM
Determinand	Accred.	SOP	Units	LOD				
ACM Type	U	2192		N/A	-	-	-	-
Asbestos Identification	U	2192		N/A	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected
Moisture	N	2030	%	0.020	6.0	6.3	0.78	9.0
pH	U	2010		4.0	7.8	8.4	8.6	8.7
Arsenic	U	2455	mg/kg	0.5	9.5	17	15	18
Barium	U	2455	mg/kg	0	44	55	48	65
Cadmium	U	2455	mg/kg	0.10	1.4	0.95	0.85	0.89
Mercury Low Level	U	2450	mg/kg	0.05	< 0.05	< 0.05	< 0.05	0.25
Molybdenum	U	2455	mg/kg	0.5	2.6	2.1	1.8	1.8
Antimony	N	2455	mg/kg	2.0	< 2.0	< 2.0	< 2.0	3.0
Copper	U	2455	mg/kg	0.50	21	19	18	38
Nickel	U	2455	mg/kg	0.50	32	29	27	29
Lead	U	2455	mg/kg	0.50	18	27	25	12
Selenium	U	2455	mg/kg	0.25	1.0	0.93	0.83	0.88
Zinc	U	2455	mg/kg	0.50	66	55	51	34
Chromium (Trivalent)	N	2490	mg/kg	1.0	11	13	11	17
Chromium (Hexavalent)	N	2490	mg/kg	0.50	< 0.50	< 0.50	< 0.50	< 0.50
LOI	U	2610	%	0.10	1.9	1.8	1.9	1.9
Total Organic Carbon	U	2625	%	0.20	1.2	0.52	0.83	0.57
Mineral Oil	N	2670	mg/kg	10	< 10	< 10	620	< 10
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	13	< 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	69	< 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	110	< 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0	420	< 1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	620	< 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	140	< 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	480	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	1100	130
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0	2300	290
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	4000	420

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:				22-30817	22-30817	22-30817	22-30817
Quotation No.: Q21-26199	Chemtest Sample ID.:				1486825	1486826	1486827	1486828
	Sample Location:				ST29	ST29	ST31	ST31
	Sample Type:				SOIL	SOIL	SOIL	SOIL
	Top Depth (m):				1.0	0.5	1.0	0.5
	Date Sampled:				10-Aug-2022	10-Aug-2022	10-Aug-2022	10-Aug-2022
	Asbestos Lab:				DURHAM	DURHAM	DURHAM	DURHAM
Determinand	Accred.	SOP	Units	LOD				
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	< 10	< 10	4600	420
Benzene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Toluene	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	0.0064	< 0.0010
Ethylbenzene	U	2760	mg/kg	0.0010	0.0043	< 0.0010	0.013	< 0.0010
m & p-Xylene	U	2760	mg/kg	0.0010	0.013	< 0.0010	0.045	< 0.0010
o-Xylene	U	2760	mg/kg	0.0010	0.0026	< 0.0010	0.033	< 0.0010
Methyl Tert-Butyl Ether	U	2760	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Naphthalene	N	2800	mg/kg	0.010	< 0.010	< 0.010	4.3	4.5
Acenaphthylene	N	2800	mg/kg	0.010	< 0.010	< 0.010	0.34	0.37
Acenaphthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	8.4	8.5
Fluorene	N	2800	mg/kg	0.010	< 0.010	< 0.010	10	9.4
Phenanthrene	N	2800	mg/kg	0.010	1.1	< 0.010	47	42
Anthracene	N	2800	mg/kg	0.010	0.22	< 0.010	14	14
Fluoranthene	N	2800	mg/kg	0.010	0.99	< 0.010	38	37
Pyrene	N	2800	mg/kg	0.010	0.89	< 0.010	30	30
Benzo[a]anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010	16	16
Chrysene	N	2800	mg/kg	0.010	< 0.010	< 0.010	12	12
Benzo[b]fluoranthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	17	17
Benzo[k]fluoranthene	N	2800	mg/kg	0.010	< 0.010	< 0.010	6.0	6.6
Benzo[a]pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	16	15
Indeno(1,2,3-c,d)Pyrene	N	2800	mg/kg	0.010	< 0.010	< 0.010	11	< 0.010
Dibenz(a,h)Anthracene	N	2800	mg/kg	0.010	< 0.010	< 0.010	1.1	< 0.010
Benzo[g,h,i]perylene	N	2800	mg/kg	0.010	< 0.010	< 0.010	6.8	< 0.010
Coronene	N	2800	mg/kg	0.010	< 0.010	< 0.010	< 0.010	< 0.010
Total Of 17 PAH's	N	2800	mg/kg	0.20	3.2	< 0.20	240	210
PCB 28	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 52	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 90+101	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 118	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 153	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 138	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
PCB 180	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
Total PCBs (7 congeners)	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010

Test Methods

SOP	Title	Parameters included	Method summary
1020	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Conductivity Meter
1220	Anions, Alkalinity & Ammonium in Waters	Fluoride; Chloride; Nitrite; Nitrate; Total; Oxidisable Nitrogen (TON); Sulfate; Phosphate; Alkalinity; Ammonium	Automated colorimetric analysis using 'Aquakem 600' Discrete Analyser.
1455	Metals in Waters by ICP-MS	Metals, including: Antimony; Arsenic; Barium; Beryllium; Boron; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Tin; Vanadium; Zinc	Filtration of samples followed by direct determination by inductively coupled plasma mass spectrometry (ICP-MS).
1610	Total/Dissolved Organic Carbon in Waters	Organic Carbon	TOC Analyser using Catalytic Oxidation
1920	Phenols in Waters by HPLC	Phenolic compounds including: Phenol, Cresols, Xylenols, Trimethylphenols Note: Chlorophenols are excluded.	Determination by High Performance Liquid Chromatography (HPLC) using electrochemical detection.
2010	pH Value of Soils	pH	pH Meter
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2120	Water Soluble Boron, Sulphate, Magnesium & Chromium	Boron; Sulphate; Magnesium; Chromium	Aqueous extraction / ICP-OES
2192	Asbestos	Asbestos	Polarised light microscopy / Gravimetry
2450	Acid Soluble Metals in Soils	Metals, including: Arsenic; Barium; Beryllium; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Vanadium; Zinc	Acid digestion followed by determination of metals in extract by ICP-MS.
2490	Hexavalent Chromium in Soils	Chromium [VI]	Soil extracts are prepared by extracting dried and ground soil samples into boiling water. Chromium [VI] is determined by 'Aquakem 600' Discrete Analyser using 1,5-diphenylcarbazide.
2610	Loss on Ignition	loss on ignition (LOI)	Determination of the proportion by mass that is lost from a soil by ignition at 550°C.
2625	Total Organic Carbon in Soils	Total organic Carbon (TOC)	Determined by high temperature combustion under oxygen, using an Eltra elemental analyser.
2670	Total Petroleum Hydrocarbons (TPH) in Soils by GC-FID	TPH (C6–C40); optional carbon banding, e.g. 3-band – GRO, DRO & LRO*TPH C8–C40	Dichloromethane extraction / GC-FID
2680	TPH A/A Split	Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35– C44Aromatics: >C5–C7, >C7–C8, >C8– C10, >C10–C12, >C12–C16, >C16– C21, >C21– C35, >C35– C44	Dichloromethane extraction / GCxGC FID detection
2760	Volatile Organic Compounds (VOCs) in Soils by Headspace GC-MS	Volatile organic compounds, including BTEX and halogenated Aliphatic/Aromatics.(cf. USEPA Method 8260)*please refer to UKAS schedule	Automated headspace gas chromatographic (GC) analysis of a soil sample, as received, with mass spectrometric (MS) detection of volatile organic compounds.
2800	Speciated Polynuclear Aromatic Hydrocarbons (PAH) in Soil by GC-MS	Acenaphthene*; Acenaphthylene; Anthracene*; Benzo[a]Anthracene*; Benzo[a]Pyrene*; Benzo[b]Fluoranthene*; Benzo[ghi]Perylene*; Benzo[k]Fluoranthene*; Chrysene*; Dibenzo[ah]Anthracene; Fluoranthene*; Fluorene*; Indeno[123cd]Pyrene*; Naphthalene*; Phenanthrene*; Pyrene*	Dichloromethane extraction / GC-MS

Test Methods

SOP	Title	Parameters included	Method summary
2815	Polychlorinated Biphenyls (PCB) ICES7Congeners in Soils by GC-MS	ICES7 PCB congeners	Acetone/Hexane extraction / GC-MS
640	Characterisation of Waste (Leaching C10)	Waste material including soil, sludges and granular waste	ComplianceTest for Leaching of Granular Waste Material and Sludge

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation

The results relate only to the items tested

Uncertainty of measurement for the determinands tested are available upon request

None of the results in this report have been recovery corrected

All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis

All Asbestos testing is performed at the indicated laboratory

Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

- A - Date of sampling not supplied
- B - Sample age exceeds stability time (sampling to extraction)
- C - Sample not received in appropriate containers
- D - Broken Container
- E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt

All water samples will be retained for 14 days from the date of receipt

Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:

customerservices@chemtest.com

Final Report

Report No.: 22-31064-1

Initial Date of Issue: 25-Aug-2022

Client Causeway Geotech Ltd

Client Address: 8 Drumahiskey Road
Balnamore
Ballymoney
County Antrim
BT53 7QL

Contact(s): Colm Hurley
Darren O'Mahony
Gabriella Horan
Joe Gervin
John Cameron
Lucy Newland
Martin Gardiner
Matthew Gilbert
Neil Haggan
Paul Dunlop
Sean Ross
Stephen Franey
Stephen Watson
Stuart Abraham
Thomas McAllister

Project 21-1619 North Irish Sea Array

Quotation No.: Q21-26199

Order No.:

No. of Samples: 2

Turnaround (Wkdays): 7

Date Approved: 25-Aug-2022

Date Received: 15-Aug-2022

Date Instructed: 17-Aug-2022

Results Due: 25-Aug-2022

Approved By:



Details: Stuart Henderson, Technical
Manager

Results - Leachate

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:					22-31064	22-31064
Quotation No.: Q21-26199	Chemtest Sample ID.:					1487811	1487812
	Client Sample ID.:					1	2
	Sample Location:					ST27	ST27
	Sample Type:					SOIL	SOIL
	Top Depth (m):					0.50	1.00
Determinand	Accred.	SOP	Type	Units	LOD		
Total Dissolved Solids	N	1020	10:1	mg/l	1.0	100	120
Chloride	U	1220	10:1	mg/l	1.0	11	19
Fluoride	U	1220	10:1	mg/l	0.050	0.24	0.42
Sulphate	U	1220	10:1	mg/l	1.0	35	21
Arsenic (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0026	0.0005
Barium (Dissolved)	U	1455	10:1	mg/l	0.005	0.006	0.007
Cadmium (Dissolved)	U	1455	10:1	mg/l	0.00011	< 0.00011	< 0.00011
Chromium (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0053	< 0.0005
Copper (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0008	0.0013
Mercury (Dissolved)	U	1455	10:1	mg/l	0.00005	< 0.00005	< 0.00005
Molybdenum (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0067	0.010
Nickel (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005
Lead (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005
Antimony (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005
Selenium (Dissolved)	U	1455	10:1	mg/l	0.0005	0.0018	0.0012
Zinc (Dissolved)	U	1455	10:1	mg/l	0.002	< 0.003	< 0.003
Dissolved Organic Carbon	U	1610	10:1	mg/l	2.0	9.3	15
Total Phenols	U	1920	10:1	mg/l	0.030	< 0.030	< 0.030

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:				22-31064	22-31064
Quotation No.: Q21-26199	Chemtest Sample ID.:				1487811	1487812
	Client Sample ID.:				1	2
	Sample Location:				ST27	ST27
	Sample Type:				SOIL	SOIL
	Top Depth (m):				0.50	1.00
	Asbestos Lab:				DURHAM	DURHAM
Determinand	Accred.	SOP	Units	LOD		
ACM Type	U	2192		N/A	-	-
Asbestos Identification	U	2192		N/A	No Asbestos Detected	No Asbestos Detected
Moisture	N	2030	%	0.020	6.7	9.3
pH	U	2010		4.0	[A] 8.3	[A] 8.3
Arsenic	U	2455	mg/kg	0.5	11	12
Barium	U	2455	mg/kg	0	87	89
Cadmium	U	2455	mg/kg	0.10	0.91	1.2
Mercury Low Level	U	2450	mg/kg	0.05	0.05	0.06
Molybdenum	U	2455	mg/kg	0.5	2.1	2.7
Antimony	N	2455	mg/kg	2.0	< 2.0	< 2.0
Copper	U	2455	mg/kg	0.50	23	25
Nickel	U	2455	mg/kg	0.50	28	34
Lead	U	2455	mg/kg	0.50	35	35
Selenium	U	2455	mg/kg	0.25	0.80	1.0
Zinc	U	2455	mg/kg	0.50	74	70
Chromium (Trivalent)	N	2490	mg/kg	1.0	12	14
Chromium (Hexavalent)	N	2490	mg/kg	0.50	< 0.50	< 0.50
LOI	U	2610	%	0.10	2.8	3.0
Total Organic Carbon	U	2625	%	0.20	[A] 0.83	[A] 0.82
Mineral Oil	N	2670	mg/kg	10	[A] < 10	[A] < 10
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	[A] < 5.0	[A] < 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	[A] < 1.0	[A] < 1.0
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	[A] < 5.0	[A] < 5.0

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:				22-31064	22-31064
Quotation No.: Q21-26199	Chemtest Sample ID.:				1487811	1487812
	Client Sample ID.:				1	2
	Sample Location:				ST27	ST27
	Sample Type:				SOIL	SOIL
	Top Depth (m):				0.50	1.00
	Asbestos Lab:				DURHAM	DURHAM
Determinand	Accred.	SOP	Units	LOD		
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	[A] < 10	[A] < 10
Benzene	U	2760	mg/kg	0.0010	[A] < 0.0010	[A] < 0.0010
Toluene	U	2760	mg/kg	0.0010	[A] < 0.0010	[A] < 0.0010
Ethylbenzene	U	2760	mg/kg	0.0010	[A] 0.0018	[A] 0.0016
m & p-Xylene	U	2760	mg/kg	0.0010	[A] 0.0047	[A] 0.0051
o-Xylene	U	2760	mg/kg	0.0010	[A] 0.0013	[A] 0.0013
Methyl Tert-Butyl Ether	U	2760	mg/kg	0.0010	[A] < 0.0010	[A] < 0.0010
Naphthalene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Acenaphthylene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Acenaphthene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Fluorene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Phenanthrene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Anthracene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Fluoranthene	N	2800	mg/kg	0.010	[A] 0.61	[A] < 0.010
Pyrene	N	2800	mg/kg	0.010	[A] 0.58	[A] < 0.010
Benzo[a]anthracene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Chrysene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Benzo[b]fluoranthene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Benzo[k]fluoranthene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Benzo[a]pyrene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Indeno(1,2,3-c,d)Pyrene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Dibenz(a,h)Anthracene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Benzo[g,h,i]perylene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Coronene	N	2800	mg/kg	0.010	[A] < 0.010	[A] < 0.010
Total Of 17 PAH's	N	2800	mg/kg	0.20	[A] 1.2	[A] < 0.20
PCB 28	N	2815	mg/kg	0.0010	[A] < 0.0010	[A] < 0.0010
PCB 52	N	2815	mg/kg	0.0010	[A] < 0.0010	[A] < 0.0010
PCB 90+101	N	2815	mg/kg	0.0010	[A] < 0.0010	[A] < 0.0010
PCB 118	N	2815	mg/kg	0.0010	[A] < 0.0010	[A] < 0.0010
PCB 153	N	2815	mg/kg	0.0010	[A] < 0.0010	[A] < 0.0010
PCB 138	N	2815	mg/kg	0.0010	[A] < 0.0010	[A] < 0.0010
PCB 180	N	2815	mg/kg	0.0010	[A] < 0.0010	[A] < 0.0010
Total PCBs (7 congeners)	N	2815	mg/kg	0.0010	[A] < 0.0010	[A] < 0.0010

Deviations

In accordance with UKAS Policy on Deviating Samples TPS 63. Chemtest have a procedure to ensure 'upon receipt of each sample a competent laboratory shall assess whether the sample is suitable with regard to the requested test(s)'. This policy and the respective holding times applied, can be supplied upon request. The reason a sample is declared as deviating is detailed below. Where applicable the analysis remains UKAS/MCERTs accredited but the results may be compromised.

Sample:	Sample Ref:	Sample ID:	Sample Location:	Sampled Date:	Deviation Code(s):	Containers Received:
1487811		1	ST27		A	Amber Glass 250ml
1487811		1	ST27		A	Amber Glass 60ml
1487811		1	ST27		A	Plastic Tub 500g
1487812		2	ST27		A	Amber Glass 250ml
1487812		2	ST27		A	Amber Glass 60ml
1487812		2	ST27		A	Plastic Tub 500g

Test Methods

SOP	Title	Parameters included	Method summary
1020	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Conductivity Meter
1220	Anions, Alkalinity & Ammonium in Waters	Fluoride; Chloride; Nitrite; Nitrate; Total; Oxidisable Nitrogen (TON); Sulfate; Phosphate; Alkalinity; Ammonium	Automated colorimetric analysis using 'Aquakem 600' Discrete Analyser.
1455	Metals in Waters by ICP-MS	Metals, including: Antimony; Arsenic; Barium; Beryllium; Boron; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Tin; Vanadium; Zinc	Filtration of samples followed by direct determination by inductively coupled plasma mass spectrometry (ICP-MS).
1610	Total/Dissolved Organic Carbon in Waters	Organic Carbon	TOC Analyser using Catalytic Oxidation
1920	Phenols in Waters by HPLC	Phenolic compounds including: Phenol, Cresols, Xylenols, Trimethylphenols Note: Chlorophenols are excluded.	Determination by High Performance Liquid Chromatography (HPLC) using electrochemical detection.
2010	pH Value of Soils	pH	pH Meter
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2120	Water Soluble Boron, Sulphate, Magnesium & Chromium	Boron; Sulphate; Magnesium; Chromium	Aqueous extraction / ICP-OES
2192	Asbestos	Asbestos	Polarised light microscopy / Gravimetry
2450	Acid Soluble Metals in Soils	Metals, including: Arsenic; Barium; Beryllium; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Vanadium; Zinc	Acid digestion followed by determination of metals in extract by ICP-MS.
2490	Hexavalent Chromium in Soils	Chromium [VI]	Soil extracts are prepared by extracting dried and ground soil samples into boiling water. Chromium [VI] is determined by 'Aquakem 600' Discrete Analyser using 1,5-diphenylcarbazide.
2610	Loss on Ignition	loss on ignition (LOI)	Determination of the proportion by mass that is lost from a soil by ignition at 550°C.
2625	Total Organic Carbon in Soils	Total organic Carbon (TOC)	Determined by high temperature combustion under oxygen, using an Eltra elemental analyser.
2670	Total Petroleum Hydrocarbons (TPH) in Soils by GC-FID	TPH (C6–C40); optional carbon banding, e.g. 3-band – GRO, DRO & LRO*TPH C8–C40	Dichloromethane extraction / GC-FID
2680	TPH A/A Split	Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35– C44Aromatics: >C5–C7, >C7–C8, >C8– C10, >C10–C12, >C12–C16, >C16– C21, >C21– C35, >C35– C44	Dichloromethane extraction / GCxGC FID detection
2760	Volatile Organic Compounds (VOCs) in Soils by Headspace GC-MS	Volatile organic compounds, including BTEX and halogenated Aliphatic/Aromatics.(cf. USEPA Method 8260)*please refer to UKAS schedule	Automated headspace gas chromatographic (GC) analysis of a soil sample, as received, with mass spectrometric (MS) detection of volatile organic compounds.
2800	Speciated Polynuclear Aromatic Hydrocarbons (PAH) in Soil by GC-MS	Acenaphthene*; Acenaphthylene; Anthracene*; Benzo[a]Anthracene*; Benzo[a]Pyrene*; Benzo[b]Fluoranthene*; Benzo[ghi]Perylene*; Benzo[k]Fluoranthene*; Chrysene*; Dibenzo[ah]Anthracene; Fluoranthene*; Fluorene*; Indeno[123cd]Pyrene*; Naphthalene*; Phenanthrene*; Pyrene*	Dichloromethane extraction / GC-MS

Test Methods

SOP	Title	Parameters included	Method summary
2815	Polychlorinated Biphenyls (PCB) ICES7Congeners in Soils by GC-MS	ICES7 PCB congeners	Acetone/Hexane extraction / GC-MS
640	Characterisation of Waste (Leaching C10)	Waste material including soil, sludges and granular waste	ComplianceTest for Leaching of Granular Waste Material and Sludge

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation

The results relate only to the items tested

Uncertainty of measurement for the determinands tested are available upon request

None of the results in this report have been recovery corrected

All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis

All Asbestos testing is performed at the indicated laboratory

Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

- A - Date of sampling not supplied
- B - Sample age exceeds stability time (sampling to extraction)
- C - Sample not received in appropriate containers
- D - Broken Container
- E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt

All water samples will be retained for 14 days from the date of receipt

Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:

customerservices@chemtest.com



2183

Final Report

Report No.: 22-36060-1
Initial Date of Issue: 30-Sep-2022
Client Causeway Geotech Ltd

Client Address: 8 Drumahiskey Road
Balnamore
Ballymoney
County Antrim
BT53 7QL

Contact(s): Alistair McQuat
Colm Hurley
Darren O'Mahony
Gabriella Horan
Joe Gervin
John Cameron
Lucy Newland
Martin Gardiner
Matthew Gilbert
Neil Haggan
Paul Dunlop
Sean Ross
Stephen Franey
Stephen McCracken
Stephen Watson
Stuart Abraham
Thomas McAlli

Project 21-1619 North Irish Sea Array

Quotation No.: Q21-26199

Date Received: 21-Sep-2022

Order No.:

Date Instructed: 21-Sep-2022

No. of Samples: 2

Turnaround (Wkdays): 7

Results Due: 29-Sep-2022

Date Approved: 30-Sep-2022

Approved By:



Details: Stuart Henderson, Technical
Manager

Results - Leachate

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:					22-36060	22-36060
Quotation No.: Q21-26199	Chemtest Sample ID.:					1510217	1510218
	Client Sample ID.:					0.15	0.7
	Sample Location:					ST02	ST02
	Sample Type:					SOIL	SOIL
	Top Depth (m):					0.15	0.7
	Date Sampled:					02-Sep-2022	02-Sep-2022
Determinand	Accred.	SOP	Type	Units	LOD		
Total Dissolved Solids	N	1020	10:1	mg/l	1.0	32	35
Chloride	U	1220	10:1	mg/l	1.0	< 1.0	< 1.0
Fluoride	U	1220	10:1	mg/l	0.050	0.11	0.13
Sulphate	U	1220	10:1	mg/l	1.0	< 1.0	< 1.0
Arsenic (Dissolved)	U	1455	10:1	mg/l	0.0002	0.0015	0.0006
Barium (Dissolved)	U	1455	10:1	mg/l	0.005	0.019	< 0.005
Cadmium (Dissolved)	U	1455	10:1	mg/l	0.00011	< 0.00011	< 0.00011
Chromium (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005
Copper (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	0.0005
Mercury (Dissolved)	U	1455	10:1	mg/l	0.00005	< 0.00005	< 0.00005
Molybdenum (Dissolved)	U	1455	10:1	mg/l	0.0002	< 0.0002	0.0013
Nickel (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005
Lead (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005
Antimony (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005
Selenium (Dissolved)	U	1455	10:1	mg/l	0.0005	< 0.0005	< 0.0005
Zinc (Dissolved)	U	1455	10:1	mg/l	0.002	< 0.003	< 0.003
Dissolved Organic Carbon	U	1610	10:1	mg/l	2.0	18	3.8
Total Phenols	U	1920	10:1	mg/l	0.030	3.1	< 0.030

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd			Chemtest Job No.:		22-36060	22-36060
Quotation No.: Q21-26199			Chemtest Sample ID.:		1510217	1510218
			Client Sample ID.:		0.15	0.7
			Sample Location:		ST02	ST02
			Sample Type:		SOIL	SOIL
			Top Depth (m):		0.15	0.7
			Date Sampled:		02-Sep-2022	02-Sep-2022
			Asbestos Lab:		DURHAM	DURHAM
Determinand	Accred.	SOP	Units	LOD		
ACM Type	U	2192		N/A	-	-
Asbestos Identification	U	2192		N/A	No Asbestos Detected	No Asbestos Detected
Moisture	N	2030	%	0.020	0.55	10
pH	U	2010		4.0	8.8	8.7
Arsenic	U	2455	mg/kg	0.5	1.3	22
Barium	U	2455	mg/kg	0	4	62
Cadmium	U	2455	mg/kg	0.10	0.11	1.2
Mercury Low Level	U	2450	mg/kg	0.05	< 0.05	0.08
Molybdenum	U	2455	mg/kg	0.5	< 0.5	3.0
Antimony	N	2455	mg/kg	2.0	< 2.0	< 2.0
Copper	U	2455	mg/kg	0.50	1.9	39
Nickel	U	2455	mg/kg	0.50	2.9	55
Lead	U	2455	mg/kg	0.50	3.3	23
Selenium	U	2455	mg/kg	0.25	< 0.25	0.94
Zinc	U	2455	mg/kg	0.50	7.6	87
Chromium (Trivalent)	N	2490	mg/kg	1.0	2.4	34
Chromium (Hexavalent)	N	2490	mg/kg	0.50	< 0.50	< 0.50
LOI	U	2610	%	0.10	17	2.5
Total Organic Carbon	U	2625	%	0.20	31	< 0.20
Mineral Oil	N	2670	mg/kg	10	[B] 1100	[B] < 10
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	[B] < 1.0	[B] < 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	[B] < 1.0	[B] < 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	[B] < 1.0	[B] < 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	[B] 52	[B] < 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	[B] 250	[B] < 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	[B] 270	[B] < 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	[B] 550	[B] < 1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	[B] < 1.0	[B] < 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	[B] 1100	[B] < 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	[B] < 1.0	[B] < 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	[B] < 1.0	[B] < 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	[B] < 1.0	[B] < 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	[B] 620	[B] < 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	[B] 2200	[B] < 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	[B] 4200	[B] < 1.0
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	[B] 9400	[B] < 1.0
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	[B] 310	[B] < 1.0

Results - Soil

Project: 21-1619 North Irish Sea Array

Client: Causeway Geotech Ltd	Chemtest Job No.:				22-36060	22-36060
Quotation No.: Q21-26199	Chemtest Sample ID.:				1510217	1510218
	Client Sample ID.:				0.15	0.7
	Sample Location:				ST02	ST02
	Sample Type:				SOIL	SOIL
	Top Depth (m):				0.15	0.7
	Date Sampled:				02-Sep-2022	02-Sep-2022
	Asbestos Lab:				DURHAM	DURHAM
Determinand	Accred.	SOP	Units	LOD		
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	[B] 17000	[B] < 5.0
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	[B] 18000	[B] < 10
Benzene	U	2760	mg/kg	0.0010	[B] 0.014	[B] < 0.0010
Toluene	U	2760	mg/kg	0.0010	[B] 0.039	[B] < 0.0010
Ethylbenzene	U	2760	mg/kg	0.0010	[B] 0.020	[B] < 0.0010
m & p-Xylene	U	2760	mg/kg	0.0010	[B] 0.073	[B] < 0.0010
o-Xylene	U	2760	mg/kg	0.0010	[B] 0.046	[B] < 0.0010
Methyl Tert-Butyl Ether	U	2760	mg/kg	0.0010	[B] < 0.0010	[B] < 0.0010
Naphthalene	N	2800	mg/kg	0.010	74	< 0.010
Acenaphthylene	N	2800	mg/kg	0.010	0.60	< 0.010
Acenaphthene	N	2800	mg/kg	0.010	69	< 0.010
Fluorene	N	2800	mg/kg	0.010	59	< 0.010
Phenanthrene	N	2800	mg/kg	0.010	210	< 0.010
Anthracene	N	2800	mg/kg	0.010	70	< 0.010
Fluoranthene	N	2800	mg/kg	0.010	170	< 0.010
Pyrene	N	2800	mg/kg	0.010	120	< 0.010
Benzo[a]anthracene	N	2800	mg/kg	0.010	58	< 0.010
Chrysene	N	2800	mg/kg	0.010	49	< 0.010
Benzo[b]fluoranthene	N	2800	mg/kg	0.010	57	< 0.010
Benzo[k]fluoranthene	N	2800	mg/kg	0.010	22	< 0.010
Benzo[a]pyrene	N	2800	mg/kg	0.010	49	< 0.010
Indeno(1,2,3-c,d)Pyrene	N	2800	mg/kg	0.010	28	< 0.010
Dibenz(a,h)Anthracene	N	2800	mg/kg	0.010	6.0	< 0.010
Benzo[g,h,i]perylene	N	2800	mg/kg	0.010	27	< 0.010
Coronene	N	2800	mg/kg	0.010	< 0.010	< 0.010
Total Of 17 PAH's	N	2800	mg/kg	0.20	1100	< 0.20
PCB 28	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
PCB 52	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
PCB 90+101	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
PCB 118	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
PCB 153	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
PCB 138	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
PCB 180	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010
Total PCBs (7 congeners)	N	2815	mg/kg	0.0010	< 0.0010	< 0.0010

Deviations

In accordance with UKAS Policy on Deviating Samples TPS 63. Chemtest have a procedure to ensure 'upon receipt of each sample a competent laboratory shall assess whether the sample is suitable with regard to the requested test(s)'. This policy and the respective holding times applied, can be supplied upon request. The reason a sample is declared as deviating is detailed below. Where applicable the analysis remains UKAS/MCERTs accredited but the results may be compromised.

Sample:	Sample Ref:	Sample ID:	Sample Location:	Sampled Date:	Deviation Code(s):	Containers Received:
1510217		0.15	ST02	02-Sep-2022	B	Amber Glass 250ml
1510217		0.15	ST02	02-Sep-2022	B	Amber Glass 60ml
1510217		0.15	ST02	02-Sep-2022	B	Plastic Tub 500g
1510218		0.7	ST02	02-Sep-2022	B	Amber Glass 250ml
1510218		0.7	ST02	02-Sep-2022	B	Amber Glass 60ml
1510218		0.7	ST02	02-Sep-2022	B	Plastic Tub 500g

Test Methods

SOP	Title	Parameters included	Method summary
1020	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Electrical Conductivity and Total Dissolved Solids (TDS) in Waters	Conductivity Meter
1220	Anions, Alkalinity & Ammonium in Waters	Fluoride; Chloride; Nitrite; Nitrate; Total; Oxidisable Nitrogen (TON); Sulfate; Phosphate; Alkalinity; Ammonium	Automated colorimetric analysis using 'Aquakem 600' Discrete Analyser.
1455	Metals in Waters by ICP-MS	Metals, including: Antimony; Arsenic; Barium; Beryllium; Boron; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Tin; Vanadium; Zinc	Filtration of samples followed by direct determination by inductively coupled plasma mass spectrometry (ICP-MS).
1610	Total/Dissolved Organic Carbon in Waters	Organic Carbon	TOC Analyser using Catalytic Oxidation
1920	Phenols in Waters by HPLC	Phenolic compounds including: Phenol, Cresols, Xylenols, Trimethylphenols Note: Chlorophenols are excluded.	Determination by High Performance Liquid Chromatography (HPLC) using electrochemical detection.
2010	pH Value of Soils	pH	pH Meter
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2120	Water Soluble Boron, Sulphate, Magnesium & Chromium	Boron; Sulphate; Magnesium; Chromium	Aqueous extraction / ICP-OES
2192	Asbestos	Asbestos	Polarised light microscopy / Gravimetry
2450	Acid Soluble Metals in Soils	Metals, including: Arsenic; Barium; Beryllium; Cadmium; Chromium; Cobalt; Copper; Lead; Manganese; Mercury; Molybdenum; Nickel; Selenium; Vanadium; Zinc	Acid digestion followed by determination of metals in extract by ICP-MS.
2490	Hexavalent Chromium in Soils	Chromium [VI]	Soil extracts are prepared by extracting dried and ground soil samples into boiling water. Chromium [VI] is determined by 'Aquakem 600' Discrete Analyser using 1,5-diphenylcarbazide.
2610	Loss on Ignition	loss on ignition (LOI)	Determination of the proportion by mass that is lost from a soil by ignition at 550°C.
2625	Total Organic Carbon in Soils	Total organic Carbon (TOC)	Determined by high temperature combustion under oxygen, using an Eltra elemental analyser.
2670	Total Petroleum Hydrocarbons (TPH) in Soils by GC-FID	TPH (C6–C40); optional carbon banding, e.g. 3-band – GRO, DRO & LRO*TPH C8–C40	Dichloromethane extraction / GC-FID
2680	TPH A/A Split	Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35– C44Aromatics: >C5–C7, >C7–C8, >C8– C10, >C10–C12, >C12–C16, >C16– C21, >C21– C35, >C35– C44	Dichloromethane extraction / GCxGC FID detection
2760	Volatile Organic Compounds (VOCs) in Soils by Headspace GC-MS	Volatile organic compounds, including BTEX and halogenated Aliphatic/Aromatics.(cf. USEPA Method 8260)*please refer to UKAS schedule	Automated headspace gas chromatographic (GC) analysis of a soil sample, as received, with mass spectrometric (MS) detection of volatile organic compounds.
2800	Speciated Polynuclear Aromatic Hydrocarbons (PAH) in Soil by GC-MS	Acenaphthene*; Acenaphthylene; Anthracene*; Benzo[a]Anthracene*; Benzo[a]Pyrene*; Benzo[b]Fluoranthene*; Benzo[ghi]Perylene*; Benzo[k]Fluoranthene*; Chrysene*; Dibenzo[ah]Anthracene; Fluoranthene*; Fluorene*; Indeno[123cd]Pyrene*; Naphthalene*; Phenanthrene*; Pyrene*	Dichloromethane extraction / GC-MS

Test Methods

SOP	Title	Parameters included	Method summary
2815	Polychlorinated Biphenyls (PCB) ICES7Congeners in Soils by GC-MS	ICES7 PCB congeners	Acetone/Hexane extraction / GC-MS
640	Characterisation of Waste (Leaching C10)	Waste material including soil, sludges and granular waste	ComplianceTest for Leaching of Granular Waste Material and Sludge

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation

The results relate only to the items tested

Uncertainty of measurement for the determinands tested are available upon request

None of the results in this report have been recovery corrected

All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis

All Asbestos testing is performed at the indicated laboratory

Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

- A - Date of sampling not supplied
- B - Sample age exceeds stability time (sampling to extraction)
- C - Sample not received in appropriate containers
- D - Broken Container
- E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt

All water samples will be retained for 14 days from the date of receipt

Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:

customerservices@chemtest.com