



APPENDIX 12-9

**PREDICTED
CUMULATIVE NOISE
LEVELS**

APPENDIX 12-9 – PREDICTED CUMULATIVE NOISE LEVELS

Location	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H101	21.9	24.3	28.6	32.6	33.5	33.6	33.6
H102	21.9	24.3	28.6	32.6	33.6	33.6	33.6
H103	21.9	24.3	28.7	32.6	33.6	33.6	33.6
H104	22.0	24.4	28.7	32.7	33.6	33.7	33.7
H105	22.0	24.4	28.7	32.7	33.6	33.7	33.7
H106	22.0	24.4	28.7	32.7	33.6	33.7	33.7
H107	22.0	24.4	28.7	32.7	33.6	33.7	33.7
H108	22.0	24.4	28.8	32.7	33.6	33.7	33.7
H109	22.0	24.5	28.8	32.8	33.7	33.8	33.8
H110	22.0	24.5	28.8	32.8	33.7	33.8	33.8
H111	22.2	24.6	29.0	32.9	33.8	33.9	33.9
H112	22.2	24.7	29.1	33.0	33.9	34.0	34.0
H113	22.2	24.6	29.0	32.9	33.8	33.9	33.9
H114	22.1	24.5	28.9	32.8	33.7	33.8	33.8
H115	22.1	24.6	28.9	32.9	33.8	33.8	33.8
H116	22.0	24.5	28.8	32.8	33.7	33.8	33.8
H117	22.1	24.5	28.9	32.8	33.8	33.8	33.8
H118	22.1	24.6	28.9	32.9	33.8	33.8	33.8
H119	22.1	24.6	28.9	32.9	33.8	33.8	33.8
H120	22.3	24.7	29.1	33.0	34.0	34.0	34.0
H121	22.3	24.8	29.1	33.1	34.0	34.0	34.0
H122	22.2	24.6	29.0	32.9	33.8	33.9	33.9
H123	22.3	24.8	29.2	33.1	34.0	34.1	34.1
H124	22.4	24.9	29.3	33.2	34.1	34.2	34.2
H125	22.8	25.3	29.6	33.6	34.5	34.5	34.5
H126	22.8	25.3	29.6	33.6	34.4	34.5	34.5
H127	23.0	25.5	29.9	33.8	34.7	34.8	34.8
H128	23.0	25.6	29.9	33.8	34.7	34.8	34.8
H129	23.1	25.7	30.1	34.0	34.9	34.9	34.9
H130	23.0	25.6	29.9	33.8	34.7	34.8	34.8
H131	23.4	26.0	30.3	34.2	35.1	35.2	35.2
H132	22.8	25.2	29.6	33.6	34.5	34.6	34.6
H133	22.8	25.2	29.6	33.5	34.4	34.5	34.5
H134	22.8	25.3	29.6	33.6	34.5	34.6	34.6
H135	22.7	25.1	29.4	33.4	34.3	34.4	34.4
H136	22.7	25.1	29.5	33.5	34.4	34.4	34.4
H137	22.6	25.0	29.4	33.3	34.3	34.3	34.3
H138	22.8	25.3	29.6	33.6	34.5	34.6	34.6
H139	22.7	25.1	29.5	33.4	34.4	34.4	34.4
H140	22.8	25.2	29.5	33.5	34.4	34.5	34.5
H141	23.0	25.5	29.8	33.8	34.7	34.8	34.8
H142	22.8	25.2	29.6	33.6	34.5	34.6	34.6
H143	22.8	25.2	29.6	33.6	34.5	34.6	34.6
H144	22.8	24.9	29.2	33.4	34.3	34.4	34.4

Location	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H145	22.7	24.9	29.3	33.4	34.3	34.4	34.4
H146	23.2	25.4	29.7	33.9	34.8	34.9	34.9
H147	23.2	25.4	29.8	33.9	34.8	34.9	34.9
H148	22.2	24.4	28.8	32.9	33.8	33.9	33.9
H149	21.4	23.4	27.8	32.0	32.9	32.9	32.9
H150	21.6	23.7	28.2	32.2	33.1	33.1	33.1
H151	21.5	23.7	28.1	32.2	33.1	33.1	33.1
H152	21.8	24.1	28.5	32.5	33.4	33.4	33.4
H153	22.1	24.5	28.9	32.9	33.8	33.8	33.8
H154	22.4	24.8	29.2	33.2	34.1	34.1	34.1
H155	22.4	24.8	29.1	33.1	34.0	34.1	34.1
H156	22.1	24.4	28.8	32.8	33.7	33.7	33.8
H157	22.2	24.5	28.9	32.9	33.8	33.8	33.8
H158	22.2	24.5	28.9	32.9	33.8	33.8	33.8
H159	22.1	24.3	28.7	32.8	33.7	33.7	33.7
H160	22.1	24.4	28.8	32.8	33.7	33.7	33.7
H161	22.1	24.3	28.7	32.8	33.7	33.7	33.7
H162	22.1	24.3	28.8	32.8	33.7	33.7	33.7
H163	22.1	24.3	28.8	32.8	33.7	33.7	33.7
H164	22.1	24.3	28.8	32.7	33.6	33.6	33.6
H165	22.1	24.3	28.8	32.8	33.7	33.7	33.7
H166	22.0	24.2	28.7	32.7	33.6	33.6	33.6
H200	20.5	22.8	27.2	31.2	32.1	32.1	32.1
H201	22.5	25.0	29.4	33.3	34.2	34.3	34.3
H202	21.9	24.3	28.6	32.6	33.5	33.6	33.6
H203	22.0	24.4	28.8	32.8	33.7	33.8	33.8
H204	22.0	24.4	28.8	32.8	33.7	33.8	33.8
H205	22.1	24.5	28.9	32.9	33.8	33.9	33.9
H206	22.2	24.6	28.9	32.9	33.8	33.9	33.9
H207	22.2	24.6	29.0	32.9	33.9	33.9	33.9
H208	22.5	24.9	29.3	33.2	34.2	34.2	34.2
H209	22.5	25.0	29.3	33.3	34.2	34.3	34.3
H210	22.6	25.1	29.4	33.4	34.3	34.4	34.4
H211	22.6	25.1	29.5	33.4	34.3	34.4	34.4
H212	22.7	25.2	29.5	33.5	34.4	34.5	34.5
H213	22.7	25.2	29.6	33.5	34.4	34.5	34.5
H214	22.8	25.3	29.6	33.6	34.5	34.5	34.5
H215	22.8	25.3	29.6	33.6	34.5	34.5	34.6
H216	22.7	25.2	29.6	33.5	34.4	34.5	34.5
H217	22.6	25.1	29.5	33.4	34.3	34.4	34.4
H218	22.6	25.0	29.4	33.3	34.2	34.3	34.3
H219	22.5	25.0	29.3	33.3	34.2	34.2	34.2
H220	22.4	24.8	29.2	33.2	34.1	34.1	34.1
H221	22.3	24.8	29.1	33.1	34.0	34.1	34.1
H222	22.2	24.7	29.0	33.0	33.9	34.0	34.0
H223	22.2	24.6	29.0	32.9	33.9	33.9	33.9

Location	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H224	22.1	24.6	28.9	32.9	33.8	33.8	33.8
H225	22.1	24.6	28.9	32.9	33.8	33.9	33.9
H226	21.8	24.3	28.6	32.6	33.5	33.6	33.6
H227	21.9	24.4	28.7	32.6	33.6	33.6	33.6
H228	22.2	24.8	29.1	33.0	33.9	34.0	34.0
H229	22.3	24.8	29.1	33.0	34.0	34.0	34.0
H230	22.6	25.1	29.4	33.4	34.3	34.4	34.4
H231	22.8	25.2	29.6	33.5	34.4	34.5	34.5
H232	22.9	25.4	29.8	33.7	34.6	34.7	34.7
H233	21.3	23.7	28.1	32.1	33.0	33.0	33.0
H234	21.0	23.4	27.8	31.7	32.6	32.7	32.7
H235	21.2	23.6	27.9	31.9	32.8	32.8	32.9
H236	21.2	23.6	27.9	31.9	32.8	32.9	32.9
H237	20.9	23.2	27.6	31.6	32.5	32.6	32.6
H238	20.8	23.2	27.5	31.5	32.4	32.5	32.5
H239	20.6	23.0	27.3	31.3	32.3	32.3	32.3
H240	20.9	23.2	27.6	31.6	32.5	32.5	32.5
H241	20.9	23.2	27.6	31.6	32.5	32.5	32.5
H242	20.6	22.9	27.3	31.3	32.2	32.3	32.3
H243	21.1	23.5	27.8	31.8	32.7	32.8	32.8
H244	21.0	23.4	27.8	31.8	32.7	32.7	32.7
H245	21.0	23.4	27.8	31.7	32.7	32.7	32.7
H246	20.9	23.3	27.6	31.6	32.5	32.6	32.6
H247	21.0	23.4	27.7	31.7	32.6	32.7	32.7
H248	21.0	23.4	27.7	31.7	32.7	32.7	32.7
H249	20.8	23.1	27.4	31.4	32.4	32.4	32.4
H250	20.6	22.8	27.2	31.2	32.2	32.2	32.2
H251	20.6	22.8	27.1	31.2	32.1	32.2	32.2
H252	20.4	22.5	26.8	30.9	31.8	31.9	31.9
H253	20.3	22.4	26.8	30.9	31.8	31.9	31.9
H254	20.6	22.6	27.0	31.2	32.1	32.2	32.2
H255	20.7	22.7	27.1	31.2	32.2	32.3	32.3
H256	20.5	22.5	26.8	31.0	32.0	32.0	32.0
H257	20.5	22.5	26.8	31.0	32.0	32.0	32.0
H258	20.7	22.7	27.0	31.2	32.1	32.2	32.2
H259	20.5	22.5	26.8	31.0	32.0	32.0	32.1
H260	20.5	22.5	26.8	31.0	32.0	32.0	32.0
H261	20.5	22.5	26.8	31.0	32.0	32.0	32.0
H262	20.4	22.4	26.7	30.9	31.9	32.0	32.0
H263	20.5	22.5	26.8	31.0	32.0	32.0	32.0
H264	20.5	22.4	26.8	31.0	32.0	32.0	32.0
H265	20.6	22.5	26.8	31.1	32.0	32.1	32.1
H266	20.7	22.7	27.1	31.2	32.2	32.3	32.3
H267	20.4	22.4	26.8	31.0	31.9	32.0	32.0
H268	20.7	22.7	27.0	31.2	32.2	32.2	32.2
H269	20.7	22.7	27.0	31.2	32.2	32.2	32.2

Location	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H270	20.4	22.3	26.7	30.9	31.9	31.9	31.9
H271	20.3	22.2	26.6	30.8	31.8	31.8	31.8
H272	20.3	22.2	26.5	30.7	31.7	31.8	31.8
H273	20.1	22.0	26.3	30.6	31.6	31.6	31.6
H274	20.1	22.0	26.3	30.6	31.5	31.6	31.6
H275	19.7	21.6	25.9	30.2	31.2	31.2	31.2
H276	19.9	21.8	26.1	30.4	31.4	31.4	31.4
H278	19.5	21.2	25.6	30.0	30.9	31.0	31.0
H279	18.6	20.3	24.7	29.0	30.0	30.0	30.0
H280	18.5	20.2	24.5	28.8	29.8	29.9	29.9
H283	19.4	21.2	25.5	29.8	30.8	30.9	30.9
H284	19.8	21.5	25.9	30.3	31.3	31.3	31.3
H285	20.1	21.8	26.1	30.5	31.5	31.6	31.6
H286	20.0	21.9	26.2	30.5	31.5	31.6	31.6
H287	20.0	21.8	26.2	30.5	31.4	31.5	31.5
H288	19.9	21.8	26.1	30.4	31.4	31.4	31.4
H290a	20.7	22.7	27.0	31.2	32.2	32.3	32.3
H290b	20.7	22.4	26.7	31.1	32.1	32.2	32.2
H291	21.0	22.8	27.2	31.5	32.5	32.6	32.6
H292	21.6	23.4	27.7	32.1	33.1	33.2	33.2
H293	21.6	23.3	27.6	32.0	33.0	33.1	33.1
H294	21.5	23.3	27.6	32.0	33.0	33.1	33.1
H295	21.0	22.8	27.1	31.4	32.4	32.5	32.5
H296	20.9	22.7	27.0	31.4	32.4	32.4	32.4
H297	20.7	22.5	26.8	31.2	32.2	32.3	32.3
H298	20.3	22.1	26.4	30.8	31.8	31.9	31.9
H299	19.4	21.2	25.5	29.8	30.8	30.9	30.9
H300	19.5	21.3	25.6	29.9	30.9	31.0	31.0
H301	19.5	21.3	25.6	29.9	30.8	31.0	31.0
H302	21.1	23.0	27.3	31.6	32.5	32.6	32.6
H303	21.2	23.1	27.4	31.7	32.7	32.8	32.8
H304	21.3	23.2	27.5	31.8	32.8	32.9	32.9
H305	21.6	23.5	27.8	32.1	33.0	33.1	33.1
H306	22.0	23.9	28.2	32.5	33.5	33.6	33.6
H307	23.9	25.8	30.1	34.4	35.4	35.5	35.5
H308	25.2	27.1	31.4	35.8	36.8	36.8	36.8
H309	25.5	27.4	31.7	36.0	37.0	37.1	37.1
H310	26.9	28.7	33.0	37.4	38.4	38.5	38.5
H311	26.2	28.0	32.3	36.7	37.7	37.8	37.8
H312	25.5	27.4	31.7	36.0	37.0	37.1	37.1
H313	20.6	22.5	26.8	31.1	32.0	32.1	32.1
H314	21.3	23.3	27.6	31.8	32.8	32.9	32.9
H315	22.2	24.3	28.6	32.7	33.7	33.8	33.8
H316	23.3	25.4	29.7	33.9	34.8	34.9	34.9
H317	23.3	25.4	29.7	33.9	34.8	34.9	34.9
H318	23.6	25.6	29.9	34.1	35.1	35.2	35.2

Location	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H319	23.1	25.2	29.5	33.6	34.6	34.7	34.7
H320	23.1	25.2	29.5	33.7	34.6	34.7	34.7
H321	23.2	25.3	29.6	33.7	34.7	34.8	34.8
H322	23.8	26.0	30.3	34.4	35.3	35.4	35.4
H323	23.4	25.5	29.8	33.9	34.8	34.9	34.9
H324	23.4	25.5	29.8	33.9	34.8	34.9	34.9
H325	23.4	25.6	29.8	33.9	34.9	35.0	35.0
H326	23.6	25.8	30.1	34.1	35.0	35.1	35.1
H327	22.9	25.3	29.5	33.5	34.4	34.5	34.5
H328	22.4	24.8	29.0	33.0	33.8	33.9	33.9
H329	22.3	24.6	28.9	32.8	33.7	33.8	33.8
H330	22.2	24.6	28.8	32.8	33.6	33.7	33.7
H331	21.9	24.4	28.6	32.5	33.4	33.5	33.5
H332	21.8	24.2	28.5	32.4	33.2	33.4	33.4
H333	20.7	23.1	27.4	31.2	32.1	32.2	32.2
H334	20.7	23.1	27.4	31.2	32.1	32.2	32.2
H335	20.7	23.2	27.5	31.3	32.1	32.2	32.2
H336	20.3	22.8	27.1	30.8	31.7	31.8	31.8
H337	19.9	22.4	26.6	30.4	31.3	31.4	31.4
H338	19.4	21.9	26.2	30.0	30.8	30.9	30.9
H339	21.4	23.7	28.0	32.0	32.8	32.9	32.9
H340	21.1	23.4	27.6	31.6	32.5	32.6	32.6
H341	20.8	23.1	27.4	31.4	32.3	32.4	32.4
H342	20.4	22.7	27.0	31.0	31.9	32.0	32.0
H343	20.4	22.8	27.1	31.1	32.0	32.0	32.0
H344	20.1	22.4	26.7	30.7	31.6	31.7	31.7
H345	20.0	22.3	26.6	30.6	31.5	31.6	31.6
H346	20.2	22.3	26.6	30.7	31.7	31.8	31.8
H347	19.5	21.6	25.9	30.0	31.0	31.1	31.1
H348	20.3	22.4	26.7	30.9	31.8	31.9	31.9
H349	20.2	22.3	26.6	30.7	31.7	31.8	31.8
H350	19.9	22.0	26.3	30.5	31.4	31.5	31.5
H351	19.4	21.4	25.6	29.9	30.8	30.9	30.9
H352	19.9	21.9	26.1	30.3	31.2	31.3	31.3
H353	19.7	21.7	26.0	30.2	31.1	31.2	31.2
H354	19.5	21.5	25.8	30.0	30.9	31.0	31.0
H355	19.4	21.4	25.6	29.8	30.8	30.9	30.9
H357	23.0	25.6	29.8	33.6	34.5	34.6	34.6
H358	27.8	30.0	34.3	38.3	39.3	39.4	39.4
H359	29.4	31.5	35.7	39.9	40.9	41.0	41.0
H360	18.0	20.7	24.9	28.7	29.4	29.5	29.5
H401	23.2	25.7	30.0	34.0	34.9	35.0	35.0
H402	23.0	25.5	29.9	33.8	34.7	34.8	34.8
H403	23.1	25.6	30.0	33.9	34.8	34.9	34.9
H404	23.4	26.0	30.3	34.2	35.1	35.2	35.2
H405	23.4	26.0	30.3	34.3	35.2	35.2	35.2

Location	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H406	24.0	26.6	30.9	34.8	35.7	35.8	35.8
H407	25.6	28.4	32.8	36.6	37.4	37.5	37.5
H408	27.3	30.1	34.4	38.2	39.1	39.2	39.2
H409	24.0	26.7	31.0	34.9	35.8	35.9	35.9
H410	24.0	26.6	30.9	34.8	35.7	35.8	35.8
H411	24.8	27.5	31.8	35.7	36.6	36.6	36.6
H412	25.1	27.8	32.1	36.0	36.8	36.9	36.9
H413	24.9	27.6	31.9	35.8	36.7	36.8	36.8
H414	25.6	28.3	32.6	36.5	37.4	37.4	37.4
H415	25.7	28.4	32.7	36.6	37.5	37.6	37.6
H416	25.8	28.5	32.8	36.7	37.6	37.7	37.7
H417	26.4	29.1	33.4	37.3	38.2	38.3	38.3
H418	26.0	28.7	33.0	36.9	37.8	37.9	37.9
H419	26.4	29.0	33.3	37.2	38.1	38.2	38.2
H420	27.4	30.0	34.3	38.2	39.1	39.2	39.2
H421	26.9	29.3	33.6	37.6	38.6	38.7	38.7
H422	25.7	28.2	32.5	36.5	37.4	37.5	37.5
H423	25.3	27.3	31.7	35.9	36.9	37.0	37.0
H424	25.7	27.6	32.0	36.3	37.3	37.4	37.4
H425	25.4	27.2	31.6	35.9	36.9	37.0	37.0
H426	25.1	27.0	31.3	35.7	36.7	36.8	36.8
H427	24.6	26.5	30.9	35.2	36.2	36.2	36.2
H428	24.4	26.4	30.7	35.0	36.0	36.0	36.0
H429	25.1	26.9	31.2	35.6	36.7	36.7	36.7
H430	25.3	27.1	31.4	35.8	36.8	36.9	36.9
H431	25.5	27.3	31.6	36.0	37.0	37.1	37.1
H432	26.3	28.1	32.5	36.8	37.8	37.9	37.9
H433	27.7	29.8	34.1	38.3	39.3	39.4	39.4
H434	28.7	30.6	35.0	39.2	40.3	40.4	40.4
H435	26.2	28.0	32.4	36.8	37.8	37.9	37.9
H436	26.3	28.1	32.4	36.8	37.8	37.9	37.9
H437	27.0	28.6	33.0	37.4	38.5	38.6	38.6
H438	24.0	25.6	30.1	34.5	35.5	35.6	35.6
H439	23.7	25.3	29.8	34.2	35.2	35.2	35.2
H440	23.8	25.5	30.0	34.4	35.3	35.4	35.4
H441	23.6	25.3	29.8	34.2	35.1	35.2	35.2
H442	22.3	24.0	28.7	32.9	33.8	33.9	33.9
H443	20.8	22.6	27.4	31.6	32.4	32.4	32.4
H444	20.8	22.6	27.3	31.5	32.3	32.4	32.4
H445	20.8	22.6	27.3	31.6	32.3	32.4	32.4
H446	20.7	22.6	27.3	31.5	32.3	32.4	32.4
H447	20.4	22.2	26.9	31.1	31.9	32.0	32.0
H448	20.0	21.8	26.6	30.8	31.6	31.6	31.6
H449	20.1	21.9	26.6	30.9	31.6	31.7	31.7
H450	20.0	21.8	26.5	30.7	31.5	31.6	31.6
H451	20.1	21.9	26.6	30.9	31.7	31.8	31.8

Location	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H452	19.8	21.7	26.4	30.6	31.4	31.5	31.5
H453	20.4	22.3	27.0	31.2	32.0	32.0	32.0
H454	19.2	21.0	25.8	30.0	30.7	30.8	30.8
H455	19.1	20.9	25.7	29.9	30.6	30.7	30.7
H456	19.0	20.9	25.6	29.8	30.6	30.7	30.7
H457	19.4	21.3	26.1	30.2	31.0	31.0	31.0
H458	18.9	20.7	25.4	29.7	30.4	30.5	30.5
H459	18.9	20.7	25.4	29.6	30.4	30.5	30.5
H460	19.1	21.1	25.9	30.0	30.7	30.8	30.8
H461	19.1	21.1	25.9	30.0	30.7	30.8	30.8
H462	20.3	22.2	26.9	31.1	31.9	32.0	32.0
H463	19.7	21.6	26.4	30.5	31.3	31.4	31.4
H465	20.9	22.9	27.5	31.7	32.6	32.7	32.7
H466	20.9	22.8	27.4	31.7	32.5	32.6	32.6
H467	21.2	23.2	27.7	32.0	32.9	32.9	32.9
H468	21.4	23.3	27.8	32.1	33.0	33.1	33.1
H469	21.3	23.2	27.8	32.0	33.0	33.0	33.0
H470	21.4	23.4	27.9	32.2	33.1	33.2	33.2
H471	21.6	23.5	28.0	32.3	33.2	33.3	33.3
H472	21.6	23.5	28.0	32.3	33.2	33.3	33.3
H473	21.4	23.3	27.9	32.1	33.0	33.1	33.1
H474	22.3	24.2	28.7	33.0	33.9	34.0	34.0
H475	21.5	23.4	28.0	32.2	33.1	33.2	33.2
H476	21.8	23.6	28.2	32.5	33.3	33.4	33.4
H477	21.2	23.2	27.7	32.0	32.9	33.0	33.0
H478	20.4	22.4	27.0	31.2	32.1	32.2	32.2
H479	22.4	24.2	28.7	33.0	34.0	34.0	34.0
H480	22.5	24.3	28.8	33.2	34.1	34.2	34.2
H481	23.6	25.4	29.8	34.2	35.2	35.3	35.3
H482	24.2	26.0	30.4	34.8	35.8	35.9	35.9
H483	24.7	26.4	30.8	35.3	36.3	36.4	36.4
H484	24.6	26.3	30.7	35.2	36.2	36.3	36.3
H485	24.3	26.0	30.4	34.8	35.8	35.9	35.9
H486	25.1	26.8	31.2	35.6	36.6	36.7	36.7
H487	26.3	28.1	32.4	36.9	37.9	38.0	38.0
H488	26.9	28.6	33.0	37.4	38.5	38.6	38.6
H489	26.9	28.6	33.0	37.4	38.4	38.5	38.5
H490	28.9	30.6	34.9	39.4	40.4	40.5	40.5
H491	29.1	30.8	35.2	39.6	40.7	40.8	40.8
H492	30.8	32.6	36.9	41.4	42.4	42.5	42.5
H493	29.9	32.3	36.6	40.6	41.6	41.7	41.7
H494	29.2	31.5	35.8	39.9	40.8	40.9	40.9
H495	28.7	30.9	35.3	39.4	40.3	40.4	40.4
H501	20.9	24.0	28.3	31.5	32.2	32.2	32.2
H502	20.7	23.7	28.0	31.3	32.0	32.1	32.1
H503	20.6	23.5	27.8	31.2	31.9	32.0	32.0

Location	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H504	20.9	23.8	28.1	31.5	32.2	32.2	32.2
H505	20.5	23.4	27.7	31.1	31.8	31.9	31.9
H506	20.2	23.3	27.6	30.9	31.5	31.6	31.6
H507	20.9	23.9	28.2	31.5	32.2	32.3	32.3
H508	21.0	23.9	28.2	31.6	32.3	32.4	32.4
H509	21.4	24.4	28.6	32.1	32.7	32.8	32.8
H510	22.0	25.0	29.3	32.6	33.3	33.4	33.4
H511	23.3	26.3	30.6	33.9	34.6	34.7	34.7
H512	22.0	25.0	29.3	32.6	33.3	33.4	33.4
H513	22.4	25.4	29.6	33.0	33.6	33.7	33.7
H514	23.6	26.7	30.9	34.2	34.8	34.9	34.9
H515	24.6	27.7	32.0	35.2	35.8	35.8	35.8
H516	24.6	27.7	32.0	35.2	35.8	35.8	35.8
H517	24.6	27.7	32.0	35.2	35.8	35.8	35.8
H518	24.6	27.7	32.0	35.2	35.8	35.8	35.8
H519	24.5	27.6	31.8	35.0	35.7	35.8	35.8
H520	25.0	28.2	32.4	35.6	36.3	36.3	36.3
H522	25.4	28.6	32.8	36.0	36.6	36.6	36.6
H523	26.5	29.8	34.0	37.0	37.6	37.7	37.7
H524	27.0	30.3	34.5	37.6	38.2	38.2	38.2
H525	27.4	30.6	34.8	37.9	38.4	38.5	38.5
H526	29.4	32.8	37.0	39.9	40.5	40.5	40.5
H527	25.2	28.3	32.6	35.7	36.4	36.4	36.4
H528	26.9	30.1	34.3	37.4	38.0	38.0	38.0
H529	25.9	29.1	33.3	36.4	37.0	37.1	37.1
H530	26.8	30.0	34.3	37.4	38.0	38.1	38.1
H531	26.6	29.8	34.1	37.2	37.9	37.9	37.9
H532	26.1	29.2	33.5	36.8	37.5	37.6	37.6
H533	25.6	28.7	33.0	36.3	37.0	37.1	37.1
H534	25.3	28.4	32.6	35.9	36.6	36.7	36.7
H535	25.6	28.7	33.0	36.3	37.0	37.1	37.1
H536	24.9	28.0	32.3	35.7	36.4	36.5	36.5
H537	25.2	28.3	32.6	36.0	36.7	36.8	36.8
H538	24.6	27.6	31.9	35.4	36.1	36.2	36.2
H539	24.4	27.3	31.7	35.2	35.9	36.0	36.0
H540	24.3	27.3	31.7	35.2	35.9	36.0	36.0
H541	23.8	26.7	31.2	34.7	35.4	35.5	35.5
H542	25.1	28.1	32.5	36.0	36.7	36.7	36.7
H543	24.7	27.6	32.0	35.6	36.3	36.4	36.4
H544	24.6	27.5	31.9	35.5	36.2	36.3	36.3
H545	24.0	26.8	31.2	34.9	35.7	35.8	35.8
H546	24.4	27.1	31.5	35.3	36.1	36.2	36.2
H547	24.3	27.0	31.4	35.2	36.0	36.1	36.1
H548	25.4	28.1	32.5	36.2	37.1	37.2	37.2
H549	29.2	32.2	36.5	40.1	40.9	41.0	41.0
H550	29.2	32.2	36.5	40.1	41.0	41.0	41.0

Location	Predicted Noise Level dB LA90 at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H551	28.2	31.3	35.6	38.8	39.5	39.6	39.6
H552	28.8	32.0	36.2	39.5	40.2	40.2	40.2
H553	23.4	26.0	30.5	34.3	35.1	35.2	35.2
H554	23.5	26.1	30.6	34.5	35.3	35.3	35.3
H555	23.0	25.6	30.1	34.0	34.8	34.8	34.8
H556	23.2	25.7	30.3	34.2	35.0	35.0	35.0
H557	23.0	25.5	30.1	34.0	34.7	34.8	34.8
H558	23.3	25.8	30.3	34.2	35.1	35.1	35.1
H559	23.0	25.4	30.0	33.9	34.7	34.8	34.8
H560	22.6	25.1	29.8	33.6	34.4	34.5	34.5
H561	24.5	27.0	31.4	35.4	36.2	36.3	36.3
H562	26.6	29.2	33.5	37.4	38.3	38.4	38.4
H563	23.0	25.4	30.0	33.9	34.7	34.8	34.8
H564	22.8	25.3	29.9	33.8	34.6	34.6	34.6
H565	22.6	25.0	29.7	33.6	34.4	34.4	34.4
H566	22.1	24.5	29.2	33.1	33.9	33.9	33.9
H567	21.8	24.2	28.9	32.9	33.6	33.7	33.7
H568	22.0	24.4	29.0	33.0	33.8	33.9	33.9
H569	21.7	24.1	28.7	32.7	33.5	33.6	33.6
H570	21.9	24.2	28.8	32.9	33.6	33.7	33.7
H571	22.0	24.2	28.9	32.9	33.7	33.8	33.8
H572	22.0	24.3	29.0	33.0	33.8	33.9	33.9
H573	22.2	24.5	29.1	33.1	33.9	34.0	34.0
H574	22.2	24.5	29.1	33.2	34.0	34.1	34.1
H575	22.2	24.5	29.2	33.2	34.0	34.0	34.0
H576	23.3	25.6	30.1	34.2	35.0	35.1	35.1
H577	23.5	25.7	30.2	34.3	35.2	35.2	35.2
H578	23.6	25.8	30.3	34.4	35.3	35.4	35.4
H579	25.1	27.3	31.7	35.9	36.8	36.9	36.9
H580	27.7	29.8	34.2	38.4	39.4	39.4	39.4
H581	28.1	30.2	34.6	38.7	39.7	39.8	39.8
H582	28.8	31.0	35.4	39.5	40.4	40.5	40.5
H583	29.1	31.4	35.8	39.8	40.8	40.8	40.8
H584	29.6	32.0	36.3	40.3	41.2	41.4	41.4
H585	30.0	32.2	36.6	40.7	41.6	41.7	41.7
H586	21.4	23.8	28.5	32.5	33.3	33.3	33.3
H587	21.4	23.8	28.5	32.5	33.2	33.3	33.3
H588	21.2	23.6	28.4	32.3	33.0	33.1	33.1
H589	20.8	23.2	27.9	31.9	32.6	32.7	32.7
H590	20.8	23.2	27.9	31.9	32.6	32.7	32.7
H591	20.7	23.1	27.8	31.8	32.5	32.6	32.6
H592	21.4	24.1	28.8	32.7	33.4	33.4	33.4
H593	21.4	24.0	28.8	32.7	33.3	33.4	33.4
H594	20.6	22.9	27.6	31.6	32.4	32.4	32.4
H595	20.5	22.8	27.6	31.6	32.3	32.4	32.4
H596	20.5	22.8	27.5	31.5	32.3	32.4	32.4

Location	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H597	20.7	22.9	27.6	31.7	32.4	32.5	32.5
H598	20.6	22.9	27.6	31.6	32.4	32.5	32.5
H599	21.0	23.2	27.8	31.9	32.7	32.8	32.8
H600	21.0	23.2	27.8	32.0	32.8	32.9	32.9
H601	21.1	23.3	27.9	32.0	32.8	32.9	32.9
H602	21.2	23.4	28.0	32.1	32.9	33.0	33.0
H603	21.3	23.5	28.1	32.2	33.0	33.1	33.1
H604	21.7	23.8	28.4	32.6	33.4	33.5	33.5
H605	21.7	23.9	28.5	32.6	33.5	33.5	33.5
H606	21.8	24.0	28.6	32.7	33.6	33.6	33.6
H607	22.0	24.1	28.7	32.8	33.7	33.8	33.8
H608	22.1	24.2	28.8	33.0	33.8	33.9	33.9
H609	25.9	27.9	32.3	36.6	37.5	37.6	37.6
H610	27.4	29.2	33.6	38.0	39.0	39.0	39.0
H611	21.6	23.7	28.3	32.5	33.3	33.4	33.4
H612	21.9	24.0	28.5	32.8	33.6	33.7	33.7
H613	22.6	24.6	29.1	33.4	34.2	34.3	34.3
H700	23.1	25.3	29.7	33.7	34.6	34.7	34.7
H701	22.9	24.8	29.2	33.4	34.4	34.4	34.4
H702	23.0	25.0	29.4	33.6	34.6	34.6	34.6
H703	22.7	24.5	28.9	33.2	34.2	34.3	34.3
H704	22.6	24.5	28.9	33.2	34.2	34.2	34.2
H705	22.4	24.3	28.7	33.0	34.0	34.0	34.0
H706	22.5	24.3	28.7	33.1	34.0	34.1	34.1
H707	22.6	24.4	28.9	33.2	34.2	34.2	34.2
H708	22.6	24.3	28.8	33.1	34.1	34.2	34.2
H709	22.6	24.4	28.8	33.2	34.1	34.2	34.2
H710	22.5	24.3	28.7	33.1	34.0	34.1	34.1
H711	22.5	24.2	28.7	33.0	34.0	34.1	34.1
H712	23.6	25.3	29.7	34.2	35.1	35.2	35.2
H713	24.3	25.9	30.5	34.9	35.8	35.8	35.8
H714	24.2	25.9	30.5	34.8	35.7	35.8	35.8
H715	24.3	26.1	30.6	34.9	35.8	35.9	35.9
H716	24.0	25.8	30.3	34.6	35.5	35.6	35.6
H717	23.4	25.2	29.7	34.0	35.0	35.0	35.0
H718	22.9	24.9	29.9	33.8	34.4	34.5	34.5
H719	22.9	25.1	30.1	34.0	34.4	34.5	34.5
H720	24.6	26.7	31.9	35.7	36.1	36.2	36.2
H721	24.3	26.4	31.6	35.4	35.8	35.8	35.8
H722	24.1	26.2	31.4	35.2	35.6	35.7	35.7
H723	23.7	25.8	31.0	34.8	35.2	35.3	35.3
H724	23.9	26.1	31.2	35.0	35.5	35.5	35.5
H725	23.9	26.0	31.2	35.0	35.4	35.5	35.5
H726	23.5	25.6	30.7	34.5	35.0	35.1	35.1
H727	23.5	25.6	30.7	34.6	35.0	35.1	35.1
H728	22.7	24.8	29.9	33.7	34.2	34.3	34.3

Location	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H729	22.7	24.8	29.8	33.7	34.2	34.3	34.3
H730	22.5	24.6	29.6	33.5	34.0	34.1	34.1
H731	21.7	23.7	28.7	32.7	33.2	33.3	33.3
H732	21.4	23.4	28.3	32.3	32.9	33.0	33.0
H733	21.2	23.2	28.1	32.1	32.8	32.8	32.8
H734	20.7	22.7	27.6	31.6	32.2	32.3	32.3
H735	20.4	22.4	27.3	31.4	32.0	32.0	32.0
H736	20.3	22.3	27.2	31.2	31.8	31.9	31.9
H737	20.1	22.1	27.0	31.0	31.6	31.7	31.7
H738	23.6	26.1	30.8	34.6	35.2	35.3	35.3
H801	21.1	23.1	27.5	31.6	32.6	32.7	32.7
H802	22.2	24.4	28.7	32.8	33.8	33.8	33.8
H803	22.1	24.3	28.6	32.8	33.7	33.8	33.8
H804	22.4	24.6	28.9	33.0	34.0	34.1	34.1
H805	22.4	24.7	29.0	33.1	34.1	34.2	34.2
H806	26.7	29.5	33.8	37.6	38.5	38.6	38.6
H900	22.2	24.5	28.8	32.9	33.8	33.8	33.8
H901	22.1	24.3	28.7	32.7	33.6	33.6	33.6
H902	22.5	25.0	29.4	33.3	34.2	34.2	34.3
H903	23.1	25.6	30.0	33.9	34.8	34.9	34.9
H904	21.6	23.4	27.7	32.1	33.1	33.2	33.2
H905	21.6	23.4	27.7	32.0	33.0	33.1	33.1
H906	22.0	23.9	28.2	32.5	33.5	33.6	33.6
H907	23.7	25.7	30.0	34.2	35.2	35.3	35.3
H908	22.1	24.4	28.7	32.7	33.6	33.7	33.7
H909	21.7	24.1	28.4	32.3	33.2	33.3	33.3
H910	21.4	23.7	27.9	31.9	32.8	32.9	32.9
H911	23.0	24.8	29.3	33.6	34.6	34.7	34.7
H912	18.6	20.5	25.2	29.4	30.2	30.3	30.3
H913	18.8	20.7	25.4	29.6	30.3	30.4	30.4
H914	20.8	22.8	27.4	31.7	32.5	32.6	32.6
H915	21.5	23.4	27.9	32.2	33.1	33.2	33.2
H916	26.6	28.3	32.7	37.1	38.1	38.2	38.2
H917	26.7	30.0	34.2	37.1	37.7	37.7	37.7
H918	25.6	28.8	33.0	36.2	36.8	36.9	36.9
H919	27.6	30.8	35.0	38.0	38.6	38.7	38.7
H920	23.4	25.6	30.2	34.3	35.1	35.2	35.2
H921	27.8	29.8	34.1	38.4	39.4	39.5	39.5
H922	20.8	23.2	27.9	31.9	32.6	32.7	32.7
H923	20.7	23.1	27.8	31.8	32.5	32.6	32.6
H924	20.6	22.8	27.5	31.6	32.3	32.4	32.4
H925	20.6	22.8	27.5	31.6	32.4	32.4	32.4
H926	20.6	22.9	27.6	31.6	32.4	32.5	32.5
H927	20.7	22.9	27.6	31.7	32.5	32.5	32.5
H928	20.8	23.1	27.7	31.8	32.6	32.7	32.7
H929	20.9	23.1	27.8	31.9	32.7	32.8	32.8

Location	Predicted Noise Level dB L _{A90} at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H930	22.4	24.2	28.6	33.0	33.9	34.0	34.0
H931	23.8	25.5	30.0	34.4	35.4	35.4	35.4
H932	20.4	22.3	26.6	30.8	31.8	31.9	31.9
H933	19.6	21.2	25.5	30.0	31.0	31.1	31.1
H934	19.6	21.2	25.5	30.0	31.0	31.1	31.1
H935	21.1	23.0	27.4	31.6	32.6	32.6	32.6
H936	20.7	22.6	27.0	31.2	32.1	32.2	32.2
H937	24.3	26.8	31.1	35.1	36.0	36.1	36.1
H938	26.3	29.0	33.3	37.2	38.1	38.2	38.2
H939	21.5	23.7	28.1	32.2	33.1	33.1	33.1
H940	20.2	22.0	26.7	30.9	31.7	31.8	31.8
H941	22.3	24.1	28.6	33.0	33.9	34.0	34.0
H942	26.0	29.1	33.4	36.8	37.5	37.6	37.6
H943	29.3	32.5	36.8	40.1	40.8	40.9	40.9
H944	22.8	24.9	29.9	33.8	34.4	34.4	34.4
H945	24.1	25.9	30.3	34.7	35.7	35.8	35.8
H946	25.2	27.1	31.5	35.8	36.8	36.9	36.9
H947	19.8	22.8	27.1	30.5	31.1	31.2	31.2
H948	19.7	21.9	26.3	30.3	31.3	31.3	31.3
H949	22.3	24.4	28.9	32.9	33.8	33.8	33.8
H950	25.2	27.4	32.6	36.4	36.8	36.8	36.8
H951	25.6	28.0	33.1	36.8	37.2	37.3	37.3