

Appendix 12-6 - Tabulated Omni-directional Results - Cumulative

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB L _{A90} at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H001	Predicted		19.7	24.1	28.5	29.8	29.9	29.9	29.9	29.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H002	Predicted		20.2	24.6	29.0	30.3	30.4	30.4	30.4	30.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H003	Predicted		22.7	27.1	31.5	32.8	32.9	32.9	32.9	32.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H004	Predicted		29.5	33.9	38.3	39.6	39.7	39.7	39.7	39.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H005	Predicted		30.3	34.7	39.1	40.4	40.5	40.5	40.5	40.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H006	Predicted		27.0	31.4	35.8	37.1	37.2	37.2	37.2	37.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H007	Predicted		27.1	31.5	35.9	37.2	37.3	37.3	37.3	37.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H008	Predicted		26.8	31.2	35.6	36.9	37.0	37.0	37.0	37.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H009	Predicted		28.4	32.8	37.2	38.5	38.6	38.6	38.6	38.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H010	Predicted		26.1	30.5	34.9	36.2	36.3	36.3	36.3	36.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H011	Predicted		23.8	28.2	32.6	33.9	34.0	34.0	34.0	34.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H012	Predicted		25.8	30.2	34.6	35.9	36.0	36.0	36.0	36.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H013	Predicted		25.2	29.6	34.0	35.3	35.4	35.4	35.4	35.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H014	Predicted		24.7	29.1	33.5	34.8	34.9	34.9	35.0	35.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H015	Predicted		26.0	30.4	34.8	36.1	36.2	36.2	36.2	36.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H016	Predicted		27.5	31.9	36.3	37.6	37.7	37.7	37.7	37.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H017	Predicted		27.7	32.1	36.5	37.8	37.9	37.9	38.0	38.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H018	Predicted		23.2	27.6	32.0	33.3	33.4	33.4	33.4	33.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H019	Predicted		23.1	27.4	31.8	33.1	33.2	33.3	33.3	33.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H020	Predicted		22.2	26.6	30.9	32.3	32.4	32.4	32.4	32.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H021	Predicted		22.1	26.5	30.9	32.2	32.3	32.3	32.3	32.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H022	Predicted		21.1	25.5	29.9	31.2	31.3	31.3	31.3	31.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H023	Predicted		20.6	25.0	29.4	30.7	30.8	30.8	30.9	30.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H024	Predicted		20.9	25.3	29.7	31.0	31.1	31.1	31.1	31.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB L _{A90} at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H025	Predicted		21.0	25.3	29.7	31.0	31.1	31.1	31.2	31.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H026	Predicted		20.6	24.9	29.3	30.6	30.7	30.8	30.8	30.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H027	Predicted		23.7	28.0	32.3	33.6	33.8	33.8	34.0	34.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H028	Predicted		23.9	28.2	32.5	33.8	34.0	34.1	34.2	34.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H029	Predicted		23.9	28.2	32.5	33.9	34.0	34.1	34.3	34.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H030	Predicted		24.2	28.5	32.8	34.2	34.3	34.4	34.5	34.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H031	Predicted		24.5	28.8	33.1	34.5	34.6	34.7	34.8	34.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H032	Predicted		24.6	28.9	33.2	34.5	34.7	34.8	34.9	34.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H033	Predicted		27.4	31.8	36.1	37.4	37.5	37.6	37.7	37.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H034	Predicted		29.7	34.1	38.5	39.8	39.9	39.9	39.9	39.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H035	Predicted		27.8	32.2	36.6	37.9	38.0	38.0	38.1	38.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H036	Predicted		23.9	28.3	32.7	34.0	34.1	34.1	34.1	34.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H037	Predicted		26.4	30.8	35.2	36.5	36.6	36.6	36.7	36.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H038	Predicted		25.5	29.9	34.3	35.6	35.7	35.7	35.8	35.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H039	Predicted		22.2	26.6	30.9	32.3	32.4	32.4	32.4	32.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H040	Predicted		22.5	26.9	31.2	32.5	32.7	32.7	32.7	32.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H041	Predicted		26.3	30.6	35.0	36.3	36.4	36.5	36.5	36.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H042	Predicted		25.9	30.3	34.6	36.0	36.1	36.1	36.1	36.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H043	Predicted		26.2	30.6	34.9	36.3	36.4	36.4	36.4	36.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H044	Predicted		26.3	30.7	35.1	36.4	36.5	36.5	36.6	36.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H045	Predicted		18.4	22.8	27.2	28.5	28.6	28.6	28.6	28.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H046	Predicted		17.2	21.5	25.9	27.2	27.3	27.4	27.4	27.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H047	Predicted		17.2	21.5	25.9	27.2	27.3	27.3	27.4	27.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H048	Predicted		17.3	21.7	26.1	27.4	27.5	27.5	27.5	27.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB L _{A90} at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H049	Predicted		17.5	21.9	26.3	27.6	27.7	27.7	27.7	27.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H050	Predicted		17.6	22.0	26.4	27.7	27.8	27.8	27.8	27.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H051	Predicted		17.5	21.9	26.3	27.6	27.7	27.7	27.7	27.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H052	Predicted		17.5	21.9	26.3	27.6	27.7	27.7	27.7	27.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H053	Predicted		18.5	22.9	27.2	28.5	28.7	28.7	28.7	28.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H054	Predicted		20.1	24.5	28.9	30.2	30.3	30.3	30.3	30.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H055	Predicted		20.8	25.2	29.6	30.9	31.0	31.0	31.0	31.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H056	Predicted		21.1	25.4	29.8	31.1	31.2	31.2	31.3	31.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H057	Predicted		21.0	25.4	29.7	31.1	31.2	31.2	31.2	31.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H058	Predicted		21.2	25.6	30.0	31.3	31.4	31.4	31.4	31.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H059	Predicted		21.8	26.2	30.5	31.9	32.0	32.0	32.0	32.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H060	Predicted		22.6	27.0	31.4	32.7	32.8	32.8	32.9	32.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H061	Predicted		22.8	27.2	31.6	32.9	33.0	33.0	33.0	33.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H062	Predicted		23.2	27.6	32.0	33.3	33.4	33.4	33.4	33.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H063	Predicted		23.8	28.2	32.6	33.9	34.0	34.0	34.0	34.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H064	Predicted		23.7	28.1	32.5	33.8	33.9	33.9	33.9	33.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H065	Predicted		22.6	27.0	31.3	32.7	32.8	32.8	32.8	32.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H066	Predicted		21.1	25.5	29.9	31.2	31.3	31.3	31.4	31.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H067	Predicted		20.8	25.2	29.6	30.9	31.0	31.0	31.0	31.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H068	Predicted		24.1	28.5	32.9	34.2	34.3	34.3	34.3	34.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H069	Predicted		25.1	29.5	33.8	35.1	35.3	35.3	35.3	35.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H070	Predicted		25.4	29.8	34.1	35.5	35.6	35.6	35.6	35.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H071	Predicted		25.3	29.6	34.0	35.3	35.4	35.4	35.5	35.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H072	Predicted		26.1	30.5	34.9	36.2	36.3	36.3	36.4	36.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H073	Predicted		23.4	27.8	32.1	33.5	33.6	33.6	33.6	33.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H074	Predicted		22.7	27.1	31.5	32.8	32.9	32.9	32.9	32.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H075	Predicted		29.0	33.4	37.8	39.1	39.2	39.2	39.2	39.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H076	Predicted		31.1	35.5	39.9	41.2	41.3	41.3	41.4	41.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H077	Predicted		30.6	35.0	39.3	40.6	40.8	40.8	40.8	40.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H078	Predicted		31.0	35.4	39.8	41.1	41.2	41.2	41.2	41.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H079	Predicted		31.9	36.3	40.7	42.0	42.1	42.1	42.1	42.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H080	Predicted		32.1	36.4	40.8	42.1	42.2	42.2	42.3	42.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H081	Predicted		31.8	36.2	40.6	41.9	42.0	42.0	42.0	42.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H082	Predicted		29.7	34.0	38.4	39.7	39.8	39.8	39.9	39.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H083	Predicted		30.1	34.5	38.9	40.2	40.3	40.3	40.3	40.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H084	Predicted		29.6	34.0	38.4	39.7	39.8	39.8	39.9	39.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H085	Predicted		30.9	35.3	39.7	41.0	41.1	41.1	41.2	41.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H086	Predicted		32.2	36.5	40.9	42.2	42.3	42.3	42.4	42.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H087	Predicted		32.2	36.6	41.0	42.3	42.4	42.4	42.4	42.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H088	Predicted		31.6	36.0	40.4	41.7	41.8	41.8	41.8	41.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H089	Predicted		30.7	35.1	39.5	40.8	40.9	40.9	41.0	41.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H090	Predicted		30.5	34.9	39.3	40.6	40.7	40.7	40.7	40.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H091	Predicted		24.6	28.9	33.2	34.5	34.7	34.8	34.9	34.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H092	Predicted		24.5	28.8	33.1	34.5	34.6	34.7	34.9	34.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H093	Predicted		25.7	30.0	34.3	35.6	35.8	35.9	36.1	36.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H094	Predicted		29.7	33.9	38.2	39.6	39.7	39.9	40.2	40.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
n/a	Predicted		--	--	--	--	--	--	--	--
	Daytime Criterion		--	--	--	--	--	--	--	--
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		--	--	--	--	--	--	--	--
	Night Time Excess		--	--	--	--	--	--	--	--
H096	Predicted		32.7	37.0	41.3	42.7	42.8	42.9	43.1	43.1
	Daytime Criterion		45.0	45.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H097	Predicted		32.2	36.5	40.9	42.2	42.3	42.4	42.6	42.6
	Daytime Criterion		45.0	45.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
	Night Time Excess		--	--	--	--	--	--	--	--
H098	Predicted		32.2	36.5	40.8	42.1	42.3	42.3	42.5	42.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H099	Predicted		31.6	35.9	40.2	41.5	41.7	41.8	41.9	42.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H100	Predicted		31.6	35.9	40.1	41.5	41.6	41.7	41.9	41.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H101	Predicted		31.2	35.5	39.8	41.2	41.3	41.4	41.6	41.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H102	Predicted		28.6	32.9	37.2	38.6	38.7	38.8	39.0	39.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H103	Predicted		28.5	32.8	37.1	38.5	38.6	38.7	38.9	38.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H104	Predicted		26.8	31.1	35.4	36.7	36.8	36.9	37.1	37.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H105	Predicted		26.3	30.6	34.9	36.3	36.4	36.5	36.6	36.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H106	Predicted		26.0	30.3	34.6	36.0	36.1	36.2	36.3	36.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H107	Predicted		25.5	29.8	34.1	35.5	35.6	35.7	35.8	35.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H108	Predicted		25.3	29.6	33.9	35.2	35.4	35.4	35.6	35.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H109	Predicted		23.7	28.1	32.4	33.7	33.9	33.9	34.0	34.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H110	Predicted		26.3	30.6	34.8	36.2	36.3	36.4	36.6	36.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H111	Predicted		25.9	30.2	34.5	35.9	36.0	36.1	36.3	36.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H112	Predicted		26.0	30.3	34.6	36.0	36.1	36.2	36.3	36.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB L _{A90} at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H113	Predicted		26.0	30.3	34.6	36.0	36.1	36.2	36.4	36.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H114	Predicted		26.2	30.5	34.8	36.1	36.3	36.3	36.5	36.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H115	Predicted		26.8	31.1	35.4	36.8	36.9	37.0	37.1	37.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H116	Predicted		26.4	30.7	35.0	36.4	36.5	36.6	36.7	36.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H117	Predicted		26.1	30.4	34.7	36.1	36.2	36.2	36.3	36.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H118	Predicted		26.3	30.6	35.0	36.3	36.4	36.4	36.5	36.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H119	Predicted		26.5	30.8	35.2	36.5	36.6	36.7	36.7	36.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H120	Predicted		26.6	31.0	35.3	36.6	36.8	36.8	36.9	36.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H121	Predicted		26.5	30.9	35.2	36.6	36.7	36.7	36.8	36.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H122	Predicted		24.0	28.4	32.7	34.0	34.2	34.2	34.3	34.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H123	Predicted		26.2	30.6	34.9	36.2	36.4	36.4	36.4	36.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H124	Predicted		25.2	29.5	33.9	35.2	35.3	35.4	35.4	35.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H125	Predicted		24.8	29.2	33.5	34.8	35.0	35.0	35.0	35.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H126	Predicted		24.3	28.7	33.1	34.4	34.5	34.5	34.6	34.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H127	Predicted		24.4	28.8	33.1	34.4	34.6	34.6	34.6	34.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H128	Predicted		24.4	28.7	33.1	34.4	34.5	34.6	34.6	34.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H129	Predicted		24.4	28.7	33.1	34.4	34.5	34.5	34.6	34.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H130	Predicted		24.3	28.6	33.0	34.3	34.4	34.5	34.5	34.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H131	Predicted		24.0	28.4	32.7	34.1	34.2	34.2	34.2	34.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H132	Predicted		22.3	26.6	31.0	32.3	32.4	32.5	32.5	32.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H133	Predicted		22.2	26.5	30.9	32.2	32.3	32.4	32.4	32.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H134	Predicted		21.7	26.1	30.5	31.8	31.9	31.9	31.9	31.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H135	Predicted		21.7	26.1	30.5	31.8	31.9	31.9	32.0	32.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H136	Predicted		21.9	26.3	30.7	32.0	32.1	32.1	32.2	32.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H137	Predicted		21.8	26.2	30.5	31.8	32.0	32.0	32.0	32.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H138	Predicted		21.4	25.8	30.2	31.5	31.6	31.6	31.6	31.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H139	Predicted		21.2	25.6	30.0	31.3	31.4	31.4	31.5	31.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H140	Predicted		21.0	25.4	29.8	31.1	31.2	31.2	31.2	31.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H141	Predicted		20.9	25.2	29.6	30.9	31.0	31.0	31.1	31.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H142	Predicted		18.5	22.9	27.3	28.6	28.7	28.7	28.7	28.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H143	Predicted		18.1	22.4	26.8	28.1	28.2	28.2	28.3	28.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H144	Predicted		17.8	22.2	26.6	27.9	28.0	28.0	28.1	28.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H145	Predicted		17.0	21.4	25.7	27.1	27.2	27.2	27.2	27.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H146	Predicted		23.6	27.9	32.3	33.6	33.7	33.7	33.8	33.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H147	Predicted		23.5	27.9	32.2	33.6	33.7	33.7	33.8	33.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H148	Predicted		23.2	27.5	31.9	33.2	33.3	33.4	33.4	33.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H149	Predicted		23.0	27.4	31.7	33.0	33.2	33.2	33.2	33.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H150	Predicted		22.0	26.4	30.7	32.1	32.2	32.2	32.3	32.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H151	Predicted		21.4	25.8	30.1	31.5	31.6	31.6	31.7	31.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H152	Predicted		21.3	25.6	29.9	31.3	31.4	31.4	31.5	31.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H153	Predicted		29.5	33.9	38.2	39.6	39.7	39.7	39.7	39.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H154	Predicted		30.6	35.0	39.4	40.7	40.8	40.8	40.8	40.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H155	Predicted		28.6	33.0	37.4	38.7	38.8	38.8	38.8	38.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H156	Predicted		26.3	30.7	35.1	36.4	36.5	36.5	36.6	36.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H157	Predicted		26.0	30.3	34.7	36.0	36.1	36.2	36.2	36.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H158	Predicted		25.7	30.0	34.4	35.7	35.8	35.9	35.9	35.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H159	Predicted		22.7	27.0	31.4	32.7	32.8	32.8	32.9	32.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H160	Predicted		22.0	26.4	30.8	32.1	32.2	32.2	32.3	32.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H161	Predicted		21.7	26.1	30.4	31.7	31.9	31.9	32.0	31.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H162	Predicted		20.8	25.1	29.5	30.8	30.9	31.0	31.0	31.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H163	Predicted		20.3	24.6	29.0	30.3	30.4	30.5	30.5	30.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H164	Predicted		19.9	24.2	28.6	29.9	30.0	30.0	30.1	30.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H165	Predicted		28.9	33.2	37.6	38.9	39.0	39.1	39.1	39.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H166	Predicted		27.3	31.6	36.0	37.3	37.4	37.5	37.5	37.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H167	Predicted		25.8	30.2	34.6	35.9	36.0	36.0	36.1	36.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H168	Predicted		25.3	29.7	34.1	35.4	35.5	35.5	35.5	35.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H169	Predicted		24.0	28.4	32.8	34.1	34.2	34.2	34.2	34.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H170	Predicted		23.3	27.6	32.0	33.3	33.4	33.4	33.5	33.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H171	Predicted		22.6	26.9	31.3	32.6	32.7	32.8	32.8	32.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H172	Predicted		22.4	26.8	31.2	32.5	32.6	32.6	32.7	32.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H173	Predicted		21.5	25.9	30.3	31.6	31.7	31.7	31.7	31.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H174	Predicted		20.0	24.4	28.8	30.1	30.2	30.2	30.2	30.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H175	Predicted		20.1	24.5	28.9	30.2	30.3	30.3	30.4	30.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H176	Predicted		17.4	21.8	26.2	27.5	27.6	27.6	27.6	27.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB L _{A90} at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H177	Predicted		19.4	23.7	28.1	29.4	29.5	29.6	29.6	29.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H178	Predicted		16.5	20.9	25.3	26.6	26.7	26.7	26.8	26.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H179	Predicted		16.7	21.1	25.5	26.8	26.9	26.9	26.9	26.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H180	Predicted		15.7	20.1	24.4	25.7	25.9	25.9	25.9	25.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H181	Predicted		18.8	23.2	27.6	28.9	29.0	29.0	29.1	29.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H182	Predicted		15.4	19.7	24.1	25.4	25.5	25.6	25.6	25.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H183	Predicted		15.8	20.1	24.5	25.8	25.9	26.0	26.0	26.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H184	Predicted		19.2	23.6	28.0	29.3	29.4	29.4	29.5	29.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H185	Predicted		16.1	20.4	24.8	26.1	26.2	26.2	26.3	26.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H186	Predicted		15.6	20.0	24.3	25.6	25.8	25.8	25.8	25.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H187	Predicted		15.8	20.1	24.5	25.8	25.9	25.9	26.0	26.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H188	Predicted		16.0	20.4	24.7	26.1	26.2	26.2	26.2	26.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H189	Predicted		16.7	21.1	25.5	26.8	26.9	26.9	27.0	26.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H190	Predicted		16.7	21.1	25.5	26.8	26.9	26.9	26.9	26.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H191	Predicted		17.0	21.4	25.7	27.0	27.2	27.2	27.2	27.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H192	Predicted		17.0	21.4	25.8	27.1	27.2	27.2	27.2	27.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H193	Predicted		15.6	20.0	24.3	25.6	25.8	25.8	25.8	25.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H194	Predicted		16.2	20.5	24.9	26.2	26.3	26.4	26.4	26.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H195	Predicted		15.8	20.2	24.6	25.9	26.0	26.0	26.0	26.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H196	Predicted		16.3	20.7	25.0	26.3	26.5	26.5	26.5	26.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H197	Predicted		16.5	20.9	25.3	26.6	26.7	26.7	26.7	26.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H198	Predicted		16.6	21.0	25.4	26.7	26.8	26.8	26.8	26.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H199	Predicted		16.5	20.8	25.2	26.5	26.6	26.7	26.7	26.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H200	Predicted		19.2	23.5	27.9	29.2	29.3	29.4	29.4	29.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H201	Predicted		17.2	21.5	25.9	27.2	27.3	27.4	27.4	27.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H202	Predicted		17.5	21.9	26.2	27.5	27.7	27.7	27.8	27.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H203	Predicted		17.7	22.0	26.4	27.7	27.8	27.8	27.9	27.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H204	Predicted		17.8	22.2	26.6	27.9	28.0	28.0	28.0	28.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H205	Predicted		19.0	23.3	27.7	29.0	29.1	29.1	29.2	29.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H206	Predicted		19.3	23.6	28.0	29.3	29.4	29.5	29.5	29.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H207	Predicted		15.5	19.9	24.2	25.6	25.7	25.7	25.7	25.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H208	Predicted		16.2	20.6	24.9	26.3	26.4	26.4	26.4	26.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H209	Predicted		15.6	20.0	24.4	25.7	25.8	25.8	25.8	25.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H210	Predicted		15.8	20.2	24.5	25.9	26.0	26.0	26.0	26.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H211	Predicted		17.6	21.9	26.3	27.6	27.7	27.7	27.8	27.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H212	Predicted		19.2	23.6	27.9	29.2	29.4	29.4	29.4	29.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H213	Predicted		15.9	20.3	24.6	26.0	26.1	26.1	26.1	26.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H214	Predicted		16.0	20.3	24.7	26.0	26.1	26.1	26.2	26.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H215	Predicted		15.7	20.0	24.4	25.7	25.8	25.8	25.9	25.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H216	Predicted		16.0	20.4	24.8	26.1	26.2	26.2	26.3	26.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H217	Predicted		16.2	20.6	25.0	26.3	26.4	26.4	26.5	26.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H218	Predicted		16.2	20.6	24.9	26.3	26.4	26.4	26.4	26.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H219	Predicted		16.8	21.1	25.5	26.8	26.9	27.0	27.0	27.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H220	Predicted		16.6	21.0	25.3	26.6	26.8	26.8	26.8	26.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H221	Predicted		16.5	20.8	25.2	26.5	26.6	26.7	26.7	26.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H222	Predicted		16.3	20.7	25.0	26.4	26.5	26.5	26.5	26.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H223	Predicted		16.2	20.5	24.9	26.2	26.3	26.4	26.4	26.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H224	Predicted		17.8	22.2	26.6	27.9	28.0	28.0	28.0	28.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H225	Predicted		16.7	21.1	25.4	26.7	26.9	26.9	26.9	26.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H226	Predicted		15.2	19.6	24.0	25.3	25.4	25.4	25.4	25.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H227	Predicted		17.7	22.1	26.4	27.7	27.9	27.9	28.0	27.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H228	Predicted		17.4	21.8	26.2	27.5	27.6	27.6	27.6	27.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H229	Predicted		31.7	36.1	40.5	41.8	41.9	41.9	42.0	42.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H230	Predicted		26.3	30.6	35.0	36.3	36.4	36.4	36.5	36.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H231	Predicted		17.4	21.8	26.1	27.5	27.6	27.6	27.6	27.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H232	Predicted		24.2	28.5	32.9	34.2	34.3	34.4	34.4	34.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H233	Predicted		25.5	29.9	34.2	35.6	35.7	35.7	35.7	35.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H234	Predicted		25.9	30.2	34.5	35.9	36.0	36.1	36.3	36.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H235	Predicted		29.5	33.8	38.0	39.4	39.5	39.6	39.8	39.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H236	Predicted		31.9	36.2	40.6	41.9	42.0	42.1	42.1	42.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H237	Predicted		27.5	31.9	36.3	37.6	37.7	37.7	37.7	37.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H238	Predicted		27.8	32.0	36.3	37.7	37.8	38.0	38.2	38.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H239	Predicted		28.2	32.5	36.7	38.1	38.3	38.4	38.7	38.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H240	Predicted		27.3	31.5	35.7	37.1	37.3	37.4	37.7	37.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H241	Predicted		27.0	31.2	35.4	36.8	37.0	37.1	37.4	37.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H242	Predicted		24.7	28.9	33.2	34.6	34.7	34.8	35.1	35.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H243	Predicted		25.7	30.0	34.2	35.6	35.8	35.9	36.1	36.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H244	Predicted		25.0	29.3	33.5	34.9	35.0	35.2	35.4	35.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H245	Predicted		24.6	28.8	33.1	34.5	34.6	34.7	35.0	35.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H246	Predicted		24.6	28.8	33.1	34.5	34.6	34.7	35.0	35.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H247	Predicted		26.3	30.5	34.7	36.1	36.3	36.4	36.7	36.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H248	Predicted		25.5	29.8	34.0	35.4	35.6	35.7	35.9	35.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H249	Predicted		23.1	27.3	31.6	33.0	33.1	33.2	33.5	33.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H250	Predicted		25.3	29.6	33.8	35.2	35.4	35.5	35.7	35.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H251	Predicted		25.1	29.3	33.6	35.0	35.1	35.2	35.5	35.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H252	Predicted		24.4	28.7	32.9	34.3	34.5	34.6	34.8	34.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H253	Predicted		25.0	29.3	33.5	34.9	35.1	35.2	35.4	35.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H254	Predicted		25.4	29.7	33.9	35.3	35.5	35.6	35.8	35.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H255	Predicted		25.7	30.0	34.2	35.6	35.8	35.9	36.1	36.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H256	Predicted		25.7	29.9	34.2	35.6	35.7	35.8	36.1	36.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H257	Predicted		24.6	28.8	33.1	34.5	34.6	34.7	35.0	35.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H258	Predicted		22.3	26.6	30.8	32.2	32.4	32.5	32.7	32.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H259	Predicted		26.1	30.4	34.7	36.0	36.2	36.3	36.5	36.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H260	Predicted		26.4	30.7	35.0	36.3	36.5	36.6	36.8	36.8
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H261	Predicted		26.9	31.1	35.4	36.7	36.9	37.0	37.2	37.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H262	Predicted		27.6	31.9	36.1	37.5	37.6	37.7	38.0	38.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H263	Predicted		27.6	31.9	36.1	37.5	37.6	37.8	38.0	38.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H264	Predicted		25.8	30.0	34.2	35.6	35.8	35.9	36.2	36.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H265	Predicted		27.5	31.7	36.0	37.4	37.5	37.6	37.9	37.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H266	Predicted		28.5	32.7	37.0	38.3	38.5	38.6	38.9	38.9
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H267	Predicted		27.1	31.4	35.6	37.0	37.2	37.3	37.5	37.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H268	Predicted		28.2	32.5	36.7	38.1	38.3	38.4	38.7	38.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H269	Predicted		28.6	32.8	37.0	38.4	38.6	38.7	39.0	39.0
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H270	Predicted		29.8	34.0	38.2	39.6	39.8	39.9	40.2	40.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H271	Predicted		28.7	32.9	37.1	38.5	38.7	38.8	39.1	39.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H272	Predicted		28.6	32.8	37.1	38.4	38.6	38.7	39.0	39.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB LA90 at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H273	Predicted		28.9	33.1	37.3	38.7	38.9	39.0	39.3	39.3
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H274	Predicted		28.7	32.9	37.2	38.5	38.7	38.8	39.1	39.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H275	Predicted		28.2	32.4	36.6	38.0	38.2	38.3	38.6	38.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H276	Predicted		26.7	30.9	35.1	36.5	36.7	36.8	37.1	37.1
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H277	Predicted		27.8	32.0	36.3	37.7	37.8	37.9	38.2	38.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H278	Predicted		28.0	32.3	36.5	37.9	38.1	38.2	38.5	38.5
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H279	Predicted		26.0	30.2	34.5	35.8	36.0	36.1	36.4	36.4
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H280	Predicted		26.2	30.4	34.6	36.0	36.2	36.3	36.6	36.6
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--

NSL	Details	Predicted Omnidirectional Turbine Noise levels at dB L _{A90} at Various 10 m Height Standardised Wind Speeds – Cumulative								
		3	4	5	6	7	8	9	10	11
H281	Predicted		24.4	28.6	32.9	34.2	34.4	34.5	34.7	34.7
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--
H282	Predicted		26.8	31.1	35.3	36.7	36.9	37.0	37.2	37.2
	Daytime Criterion		40.0	40.0	45.0	45.0	45.0	45.0	46.4	46.4
	Daytime Excess		--	--	--	--	--	--	--	--
	Night Time Criterion		43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
	Night Time Excess		--	--	--	--	--	--	--	--