



- NOTES:**
- PALISADE FENCE HIGHLIGHTED IN CYAN
 - GATE LOCATIONS HIGHLIGHTED IN RED ALL VEHICLE ACCESS GATE TO BE A Min. OF 8m WIDE
 - GREEN CIRCLES INDICATE LOCATIONS OF ANTI CLIMB DEVICES INSTALLATION - SEE DRAWING IRE1-HMV-ONS-EL-PD-4006 FOR DETAILS.
 - PLEASE SEE IRE1-HMV-ONS-EL-PD-4006 FOR PROPERTY FENCING & ENTRANCE GATE DETAILS

DO NOT SCALE FROM THIS DRAWING. USE FIGURED DIMENSIONS IN ALL CASES. VERIFY DIMENSIONS ON SITE AND REPORT ANY DISCREPANCIES TO THE DESIGNERS IMMEDIATELY. THIS DRAWING TO BE READ IN CONJUNCTION WITH THE DESIGNERS SPECIFICATION. © THIS DRAWING IS COPYRIGHT AND MAY ONLY BE REPRODUCED WITH THE DESIGNERS PERMISSION.



LEGEND

- PALISADE FENCE
- CONCRETE POST & RAIL FENCE
- BUILDING
- ACCESS ROAD (ASPHALT)
- CAR SPACE
- PROPOSED CONCRETE PATH
- ROAD SAFETY BOLLARDS
- PROPERTY FENCE ACCESS GATE

KEY PLAN - PARTIAL SITE LAYOUT (LOCATIONS OF COMPOUND ENTRANCE GATES)
SCALE NTS



STANDARD ANTI-CLIMB DEVICE
SCALE NTS



- NOTES:**
- 75mm EARTHING DUCT TO BE PROVIDED AT BOTH GATE POSTS. PROVIDE GATE STOPS TO PREVENT GATE SWING.
 - ALL EXTERNAL STEEL WORK GALVANISED TO IS EN ISO 1416
 - FOR INFORMATION PURPOSES ONLY. ALL CONSTRUCTION DETAILS TO BE CONFIRMED WITH EIRGRID PRIOR TO FABRICATION
 - POWDER COATED TO IS EN ISO 13438 RAL COLOUR 6005 TO MATCH PALISADE FENCE
 - SEE IRE1-HMV-ONS-EL-PD-4006 PALISADE FENCE DETAILS FOR FENCING DETAILS

| | | | | |
|------|----------|---------------------|----|------|
| 02 | 20.11.24 | ISSUED FOR PLANNING | EP | IB |
| 01 | 18.11.24 | ISSUED FOR PLANNING | EP | IB |
| REV. | DATE | DESCRIPTION | BY | APP. |

PROJECT: SCERIDE ROCKS OFFSHORE WIND FARM

TITLE: COMPOUND ENTRANCE GATE DETAILS



| | | | | | |
|---------------------|-------------------------|----------|----------|-------------|-----------|
| DRAWN: | EP | CHECKED: | NT | APPROVED: | IB |
| PROJECT NUMBER: | 24204 | DATE: | JAN 2024 | SCALE @ A1: | AS SHOW N |
| STATUS DESCRIPTION: | FOR PLANNING | | | STATUS: | S4 |
| DRAWING NUMBER: | IRE1-HMV-ONS-EL-PD-4008 | | | REV: | 02 |